



FIREFIGHTER II PRACTICAL EXAMINATION SKILL SHEETS

Ohio Department of Public Safety, Division of EMS

Effective November 29, 2023

NFPA 1001 Chapter 5, 2019
Ed Firefighter II

5-1 ESTABLISH COMMAND AND COORDINATE CREW.....	3
5-2 INCIDENT REPORT.....	5
5-3 IGNITABLE LIQUID FIRE.....	7
5-4 COORDINATE AN INTERIOR ATTACK.....	9
5-5 FLAMMABLE GAS FIRE.....	11
5-6 PROTECTING EVIDENCE	13
5-7 VEHICLE EXTRICATION.....	15
5-8 ASSIST RESCUE TEAM OPERATIONS	17
5-9 HOME FIRE SAFETY SURVEY	19
5-10 FIRE AND LIFE SAFETY EDUCATION	21
5-11 PRE - INCIDENT SURVEY	23
5-12 EQUIPMENT MAINTENANCE	25
5-13 SERVICE TESTING FIRE HOSE.....	27

Asterisks (*) located in the Evaluator Instructions section of each skill indicate information taken directly from NFPA 1001 Annex A – Explanatory Material.

CANDIDATE NAME (Please Print)	DATE
-------------------------------	------

FIREFIGHTER II	PRACTICAL SKILL EVALUATION
5-1 ESTABLISH COMMAND AND COORDINATE CREW	NFPA 5.1.2 & 5.2.2

Candidate Instructions: Candidate shall determine the need for command, organize and coordinate an incident management system until command is transferred, and function within an assigned role in an incident management system. Communicate the need for team assistance, given fire department communications equipment, SOPs, and a team, so that the supervisor is consistently informed of team needs, departmental SOPs are followed, and the assignment is accomplished safely. The evaluator may stop this evaluation at any time due to an unsafe act. Do you have any questions?

Evaluator Instructions: This skill may be simulated by providing the candidate with a photo image of a working structure fire, or through the use of program director (AHJ) approved simulation software programs. Candidate's assignment is as the officer on the first-arriving engine company. Evaluator may act as the supervisor as needed. Departmental SOPs are as determined by the AHJ.

*The candidate could be assigned to accomplish or coordinate tasks away from direct supervision. Many of these tasks could result in the need for additional or replacement personnel due to the ever-changing conditions on the scene of an emergency. The candidate is expected to identify these needs and effectively communicate this information within an incident management system. Use of radio communication necessitates that these communications be accurate and efficient.

5 MINUTE TIME LIMIT

PERFORMANCE STEPS	TEST 1		RETEST 2		RETEST 3	
Safely performs the following steps:	P	F	P	F	P	F
Demonstrates the ability to determine the need for command	☐	☐	☐	☐	☐	☐
Organizes and coordinates an incident management system until command is transferred	☐	☐	☐	☐	☐	☐
Functions within an assigned role in an incident management system	☐	☐	☐	☐	☐	☐
Communicates the need for team assistance (additional resources)	☐	☐	☐	☐	☐	☐
Follows departmental SOPs	☐	☐	☐	☐	☐	☐
Consistently informs supervisor of team needs	☐	☐	☐	☐	☐	☐
Demonstrates the ability to operate fire department communications equipment	☐	☐	☐	☐	☐	☐
Assignment is accomplished safely	☐	☐	☐	☐	☐	☐
NO UNSAFE ACTS COMMITTED DURING EVALUATION	☐	☐	☐	☐	☐	☐

Candidate shall successfully complete 9/9 steps
--

CANDIDATE NAME (Please Print)	DATE
-------------------------------	------

NUMBER OF ATTEMPTS	TEST 1	RETEST 2	RETEST 3
SCORE	/ 9	/ 9	/ 9
TIME			
EVALUATOR COMMENTS			

FIRST EVALUATOR (Please Print)	CERT #	SKILL TEST DATE / /	
FIRST EVALUATOR SIGNATURE X		Overall Skill Sheet Score ☐ Pass ☐ Fail	
SECOND EVALUATOR (Please Print)	CERT #	SKILL TEST DATE / /	
SECOND EVALUATOR SIGNATURE X		Overall Skill Sheet Score ☐ Pass ☐ Fail	
THIRD EVALUATOR (Please Print)	CERT #	SKILL TEST DATE / /	
THIRD EVALUATOR SIGNATURE X		Overall Skill Sheet Score ☐ Pass ☐ Fail	

CANDIDATE NAME (Please Print)	DATE
-------------------------------	------

FIREFIGHTER II	PRACTICAL SKILL EVALUATION
-----------------------	-----------------------------------

5-2 INCIDENT REPORT	NFPA 5.2.1
----------------------------	-------------------

Candidate Instructions: Complete a basic incident report, given the report forms, guidelines, and information, so that all pertinent information is recorded, the information is accurate, and the report is complete. The evaluator may stop this evaluation at any time due to an unsafe act. Do you have any questions?

Evaluator Instructions: Instruct candidate to report a basic scenario such as:

- Cancelled Enroute, or
- Fire Alarm – False Alarm

Provide candidate with a copy of OFIRS/NFIRS codes and a blank incident report form approved by the program director (AHJ). This skill may be completed in electronic or paper format. **10 minute time limit**

PERFORMANCE STEPS	TEST 1		RETEST 2		RETEST 3	
Safely performs the following steps:	P	F	P	F	P	F
Demonstrates the ability to determine necessary codes	☐	☐	☐	☐	☐	☐
Proofs report so that all pertinent information is recorded, the information is accurate, and the report is complete	☐	☐	☐	☐	☐	☐
Demonstrates the ability to operate fire department computers or other equipment necessary to complete reports	☐	☐	☐	☐	☐	☐
NO UNSAFE ACTS COMMITTED DURING EVALUATION	☐	☐	☐	☐	☐	☐

Candidate shall successfully complete 4/4 steps
--

CANDIDATE NAME (Please Print)	DATE
-------------------------------	------

NUMBER OF ATTEMPTS	TEST 1	RETEST 2	RETEST 3
SCORE	/ 4	/ 4	/ 4
TIME			
EVALUATOR COMMENTS			

FIRST EVALUATOR (Please Print)	CERT #	SKILL TEST DATE / /	
FIRST EVALUATOR SIGNATURE X		Overall Skill Sheet Score ☐ Pass ☐ Fail	
SECOND EVALUATOR (Please Print)	CERT #	SKILL TEST DATE / /	
SECOND EVALUATOR SIGNATURE X		Overall Skill Sheet Score ☐ Pass ☐ Fail	
THIRD EVALUATOR (Please Print)	CERT #	SKILL TEST DATE / /	
THIRD EVALUATOR SIGNATURE X		Overall Skill Sheet Score ☐ Pass ☐ Fail	

CANDIDATE NAME (Please Print)	DATE
-------------------------------	------

FIREFIGHTER II	PRACTICAL SKILL EVALUATION - (FLIP THE SWITCH)
5-3 IGNITABLE LIQUID FIRE	NFPA 5.3.1

Candidate Instructions: Extinguish an ignitable liquid fire, operating as a member of a team, given an assignment, attack line, PPE, a foam proportioning device, a nozzle, foam concentrates, and a water supply, so that the correct type of foam concentrate is selected for the given fuel and conditions, a properly proportioned foam stream is applied to the surface of the fuel to create and maintain a foam blanket, fire is extinguished, reignition is prevented, team protection is maintained with a foam stream, and the hazard is faced until retreat to safe haven is reached. The evaluator may stop this evaluation at any time due to an unsafe act. Do you have any questions?

Evaluator Instructions: *The backup line must be established before igniting fuel.*

*The candidate should be able to accomplish this task with each type of foam concentrate used by the AHJ. This could include the use of both Class A and Class B foam concentrates on appropriate fires. When using Class B foams to attack flammable or combustible liquid fires, the candidate should extinguish a fire of at least 100 ft². The candidate is not expected to calculate application rates and densities. The intent of this JPR can be met in training through the use of training foam concentrates or gas-fired training props. **15 minute time limit**

PERFORMANCE STEPS	TEST 1		RETEST 2		RETEST 3	
Safely performs the following steps:	P	F	P	F	P	F
Selects correct type of foam concentrate for the given fuel and conditions	☐	☐	☐	☐	☐	☐
Demonstrates the ability to prepare a foam concentrate supply for use	☐	☐	☐	☐	☐	☐
Correctly selects and assembles foam stream components	☐	☐	☐	☐	☐	☐
Properly proportioned foam stream is applied using one of the following application techniques for foam/fuel type ☐ Roll on method ☐ Bank down method ☐ Rain down method	☐	☐	☐	☐	☐	☐
Creates and maintains foam blanket	☐	☐	☐	☐	☐	☐
Fire is extinguished and reignition is prevented	☐	☐	☐	☐	☐	☐
Approaches and retreats from spills as part of a coordinated team	☐	☐	☐	☐	☐	☐
The hazard is faced until retreat to safe haven is reached	☐	☐	☐	☐	☐	☐
NO UNSAFE ACTS COMMITTED DURING EVALUATION	☐	☐	☐	☐	☐	☐

Candidate shall successfully complete 9/9 steps
--

CANDIDATE NAME (Please Print)	DATE
-------------------------------	------

NUMBER OF ATTEMPTS	TEST 1	RETEST 2	RETEST 3
SCORE	/ 9	/ 9	/ 9
TIME			
EVALUATOR COMMENTS			

FIRST EVALUATOR (Please Print)	CERT #	SKILL TEST DATE / /	
FIRST EVALUATOR SIGNATURE X		Overall Skill Sheet Score ☐ Pass ☐ Fail	
SECOND EVALUATOR (Please Print)	CERT #	SKILL TEST DATE / /	
SECOND EVALUATOR SIGNATURE X		Overall Skill Sheet Score ☐ Pass ☐ Fail	
THIRD EVALUATOR (Please Print)	CERT #	SKILL TEST DATE / /	
THIRD EVALUATOR SIGNATURE X		Overall Skill Sheet Score ☐ Pass ☐ Fail	

CANDIDATE NAME (Please Print)	DATE
-------------------------------	------

FIREFIGHTER II	PRACTICAL SKILL EVALUATION - (FLIP THE SWITCH)									
5-4 COORDINATE AN INTERIOR ATTACK					NFPA 5.3.2					
Candidate Instructions: Coordinate an interior attack line for a team's accomplishment of an assignment in a structure fire, given attack lines, personnel, PPE, and tools, so that crew integrity is established; attack techniques are selected for the given level of the fire (e.g., attic, grade level, upper levels, or basement); attack techniques are communicated to the attack teams; constant team coordination is maintained; fire growth and development is continuously evaluated; search, rescue, and ventilation requirements are communicated or managed; hazards are reported to the attack teams; and incident command is apprised of changing conditions. The evaluator may stop this evaluation at any time due to an unsafe act. Do you have any questions? Evaluator Instructions: The attack line shall be 1.5" or larger. The candidate should be able to coordinate the actions of the interior attack line team at common residential fires and small business fires in the AHJ's district. Complex or large interior fire management should be left to the officers; however, this JPR will facilitate the development of the candidate toward effectively handling specific assignments within large fires. 10 minute time limit										
PERFORMANCE STEPS					TEST 1		RETEST 2		RETEST 3	
Safely performs the following steps:					P	F	P	F	P	F
Dons full PPE with SCBA and maintains team accountability					☐	☐	☐	☐	☐	☐
Demonstrates the ability to assemble a team to complete the assigned task					☐	☐	☐	☐	☐	☐
Communicates one of the following attack techniques to the attack teams										
☐ Attic					☐	☐	☐	☐	☐	☐
☐ Grade level										
☐ Upper levels										
☐ Basement										
Proper tools are selected for forcible entry					☐	☐	☐	☐	☐	☐
Fire growth and development is continuously evaluated					☐	☐	☐	☐	☐	☐
Attack team efforts are coordinated with search & rescue and ventilation procedures					☐	☐	☐	☐	☐	☐
Incident command is apprised of changing conditions					☐	☐	☐	☐	☐	☐
NO UNSAFE ACTS COMMITTED DURING EVALUATION					☐	☐	☐	☐	☐	☐

Candidate shall successfully complete 8/8 steps
--

CANDIDATE NAME (Please Print)	DATE
-------------------------------	------

NUMBER OF ATTEMPTS	TEST 1	RETEST 2	RETEST 3
SCORE	/ 8	/ 8	/ 8
TIME			
EVALUATOR COMMENTS			

FIRST EVALUATOR (Please Print)	CERT #	SKILL TEST DATE / /	
FIRST EVALUATOR SIGNATURE X		Overall Skill Sheet Score ☐ Pass ☐ Fail	
SECOND EVALUATOR (Please Print)	CERT #	SKILL TEST DATE / /	
SECOND EVALUATOR SIGNATURE X		Overall Skill Sheet Score ☐ Pass ☐ Fail	
THIRD EVALUATOR (Please Print)	CERT #	SKILL TEST DATE / /	
THIRD EVALUATOR SIGNATURE X		Overall Skill Sheet Score ☐ Pass ☐ Fail	

CANDIDATE NAME (Please Print)	DATE
-------------------------------	------

FIREFIGHTER II	PRACTICAL SKILL EVALUATION (Flip the Switch)
5-5 FLAMMABLE GAS FIRE	NFPA 5.3.3

Candidate Instructions: Control a flammable gas cylinder fire, operating as a member of a team, given an assignment, a cylinder outside of a structure, an attack line, PPE, and tools, so that crew integrity is maintained, contents are identified, safe havens are identified prior to advancing, open valves are closed, flames are not extinguished unless the leaking gas is eliminated, the cylinder is cooled, cylinder integrity is evaluated, hazardous conditions are recognized and acted upon, and the cylinder is faced during approach and retreat. The evaluator may stop this evaluation at any time due to an unsafe act. Do you have any questions?

Evaluator Instructions: *The backup line must be established before igniting fuel (Safety Team). Use at least two 1.5" attack lines or larger with adjustable nozzles.*

*Controlling flammable gas cylinder fires can be a very dangerous operation. The candidate should act as a team member, under the direct supervision of an officer, during these operations. **10 minute time limit**

PERFORMANCE STEPS	TEST 1		RETEST 2		RETEST 3	
Safely performs the following steps:	P	F	P	F	P	F
Dons PPE and SCBA and maintains team integrity and accountability	☐	☐	☐	☐	☐	☐
Contents of tank are identified	☐	☐	☐	☐	☐	☐
The tank is cooled	☐	☐	☐	☐	☐	☐
Tank integrity is evaluated and changing cylinder conditions noted	☐	☐	☐	☐	☐	☐
Hazardous conditions are recognized and acted upon and safe havens are identified prior to advancing	☐	☐	☐	☐	☐	☐
Demonstrates ability to execute effective advances and retreats (cylinder faced during approach and retreat)	☐	☐	☐	☐	☐	☐
Demonstrates water application techniques are appropriate	☐	☐	☐	☐	☐	☐
Operate control valves (open valves are closed)	☐	☐	☐	☐	☐	☐
Chooses effective procedures (as needed) when conditions change	☐	☐	☐	☐	☐	☐
NO UNSAFE ACTS COMMITTED DURING EVALUATION	☐	☐	☐	☐	☐	☐

Candidate shall successfully complete 10/10 steps
--

CANDIDATE NAME (Please Print)	DATE
-------------------------------	------

NUMBER OF ATTEMPTS	TEST 1	RETEST 2	RETEST 3
SCORE	/ 10	/ 10	/ 10
TIME			
EVALUATOR COMMENTS			

FIRST EVALUATOR (Please Print)	CERT #	SKILL TEST DATE / /	
FIRST EVALUATOR SIGNATURE X		Overall Skill Sheet Score	
		☐ Pass	☐ Fail
SECOND EVALUATOR (Please Print)	CERT #	SKILL TEST DATE / /	
SECOND EVALUATOR SIGNATURE X		Overall Skill Sheet Score	
		☐ Pass	☐ Fail
THIRD EVALUATOR (Please Print)	CERT #	SKILL TEST DATE / /	
THIRD EVALUATOR SIGNATURE X		Overall Skill Sheet Score	
		☐ Pass	☐ Fail

CANDIDATE NAME (Please Print)	DATE
-------------------------------	------

FIREFIGHTER II	PRACTICAL SKILL EVALUATION - (FLIP THE SWITCH)
5-6 PROTECTING EVIDENCE	NFPA 5.3.4

Candidate Instructions: Protect evidence of fire cause and origin, given a flashlight and overhaul tools, so that the evidence is noted and protected from further disturbance until investigators can arrive on the scene. The evaluator may stop this evaluation at any time due to an unsafe act. Do you have any questions?

Evaluator Instructions: This skill may be completed by utilizing a burn pod (Shipping container prepared as residential room and contents)

*The candidate should be able to recognize important evidence as to a fire's cause and maintain the evidence so that further testing can be done without contamination or chain-of-custody problems. Evidence should be left in place (when possible; otherwise, chain-of-custody must be established), not altered by improper handling, walking, and so forth, and not destroyed. Possible means to protect evidence is to avoid touching, protect with salvage covers during overhaul, or rope off the area where the evidence lies. The candidate is not intended to be highly proficient at origin and cause determination. **10 minute time limit**

PERFORMANCE STEPS	TEST 1		RETEST 2		RETEST 3	
Safely performs the following steps:	P	F	P	F	P	F
Demonstrates the ability to locate the fire's origin area	☐	☐	☐	☐	☐	☐
Recognizes possible causes	☐	☐	☐	☐	☐	☐
Protects the evidence	☐	☐	☐	☐	☐	☐
NO UNSAFE ACTS COMMITTED DURING EVALUATION	☐	☐	☐	☐	☐	☐

Candidate shall successfully complete 4/4 steps
--

CANDIDATE NAME (Please Print)	DATE
-------------------------------	------

NUMBER OF ATTEMPTS	TEST 1	RETEST 2	RETEST 3
SCORE	/ 4	/ 4	/ 4
TIME			
EVALUATOR COMMENTS			

FIRST EVALUATOR (Please Print)	CERT #	SKILL TEST DATE / /	
FIRST EVALUATOR SIGNATURE X		Overall Skill Sheet Score ☐ Pass ☐ Fail	
SECOND EVALUATOR (Please Print)	CERT #	SKILL TEST DATE / /	
SECOND EVALUATOR SIGNATURE X		Overall Skill Sheet Score ☐ Pass ☐ Fail	
THIRD EVALUATOR (Please Print)	CERT #	SKILL TEST DATE / /	
THIRD EVALUATOR SIGNATURE X		Overall Skill Sheet Score ☐ Pass ☐ Fail	

CANDIDATE NAME (Please Print)	DATE
-------------------------------	------

FIREFIGHTER II	PRACTICAL SKILL EVALUATION - (FLIP THE SWITCH)
5-7 VEHICLE EXTRICATION	NFPA 5.4.1

Candidate Instructions: Extricate a victim entrapped in a motor vehicle as part of a team given stabilization and extrication tools, so that the vehicle is stabilized, the victim is disentangled without further injury, and hazards are managed. The evaluator may stop this evaluation at any time due to an unsafe act. Do you have any questions?

Evaluator Instructions: *In the context of this standard, the term *extricate* refers to those activities required to allow emergency medical personnel access to the victim, stabilization of the vehicle, the displacement or removal of vehicle components obstructing victim removal, and the protection of the victim and response personnel from hazards associated with motor vehicle accidents and the use of hand and power tools on a motor vehicle.

*As persons performing extrication can be different from those performing medical functions, this standard does not address medical care of the victim. An awareness of the needs and responsibilities of emergency medical functions is recommended to allow for efficient coordination between the "extrication" team and the "medical" team.

15 minute time limit

PERFORMANCE STEPS	TEST 1		RETEST 2		RETEST 3	
Safely performs the following steps:	P	F	P	F	P	F
The candidate shall perform one of the following operations:						
WINDSHIELD OR WINDOW REMOVAL Stabilizes vehicle using appropriate cribbing/shoring materials and assesses for need to isolate hazards	☐	☐	☐	☐	☐	☐
Demonstrates the ability to operate hand and power tools used for forcible entry and rescue as designed	☐	☐	☐	☐	☐	☐
The candidate demonstrated the ability to choose and apply appropriate techniques for: ☐ Removing windshield(s) or window(s)	☐	☐	☐	☐	☐	☐
NO UNSAFE ACTS COMMITTED DURING EVALUATION	☐	☐	☐	☐	☐	☐

OR

REMOVING VEHICLE DOOR Stabilizes vehicle using appropriate cribbing/shoring materials and assesses for need to isolate hazards	☐	☐	☐	☐	☐	☐
Demonstrates the ability to operate hand and power tools used for forcible entry and rescue as designed	☐	☐	☐	☐	☐	☐
The candidate demonstrated the ability to choose and apply appropriate techniques for: ☐ Removing vehicle door(s)	☐	☐	☐	☐	☐	☐
NO UNSAFE ACTS COMMITTED DURING EVALUATION	☐	☐	☐	☐	☐	☐

OR (continued)

CANDIDATE NAME (Please Print)	DATE
-------------------------------	------

MOVING OR REMOVING STEERING WHEEL OR COLUMN Stabilizes vehicle using appropriate cribbing/shoring materials and assesses for need to isolate hazards	☐	☐	☐	☐	☐	☐
Demonstrates the ability to operate hand and power tools used for forcible entry and rescue as designed	☐	☐	☐	☐	☐	☐
The candidate demonstrated the ability to choose and apply appropriate techniques for: ☐ Moving or removing steering wheel and/or column	☐	☐	☐	☐	☐	☐
NO UNSAFE ACTS COMMITTED DURING EVALUATION	☐	☐	☐	☐	☐	☐

Candidate shall successfully complete 4/4 steps
--

NUMBER OF ATTEMPTS	TEST 1	RETEST 2	RETEST 3
SCORE	/ 4	/ 4	/ 4
TIME			
EVALUATOR COMMENTS			

FIRST EVALUATOR (Please Print)	CERT #	SKILL TEST DATE / /	
FIRST EVALUATOR SIGNATURE X		Overall Skill Sheet Score ☐ Pass ☐ Fail	
SECOND EVALUATOR (Please Print)	CERT #	SKILL TEST DATE / /	
SECOND EVALUATOR SIGNATURE X		Overall Skill Sheet Score ☐ Pass ☐ Fail	
THIRD EVALUATOR (Please Print)	CERT #	SKILL TEST DATE / /	
THIRD EVALUATOR SIGNATURE X		Overall Skill Sheet Score ☐ Pass ☐ Fail	

CANDIDATE NAME (Please Print)	DATE
-------------------------------	------

FIREFIGHTER II	PRACTICAL SKILL EVALUATION
5-8 ASSIST RESCUE TEAM OPERATIONS	NFPA 5.4.2

Candidate Instructions: Assist rescue operation teams, given standard operating procedures, necessary rescue equipment and an assignment so that procedures are followed, rescue items are recognized and retrieved in the time as prescribed, and the assignment is completed. The evaluator may stop this evaluation at any time due to an unsafe act. Do you have any questions?

Evaluator Instructions: *The candidate is not expected to be proficient in technical rescue skills. The candidate should be able to help technical rescue teams in their efforts to safely manage structural collapses, trench collapses, cave and tunnel emergencies, water and ice emergencies, elevator and escalator emergencies, energized electrical line emergencies and industrial accidents. **10 Minute time limit**

PERFORMANCE STEPS	TEST 1		RETEST 2		RETEST 3	
Safely performs the following steps:	P	F	P	F	P	F
Demonstrates the ability to identify and retrieve various types of rescue tools	☐	☐	☐	☐	☐	☐
Establishes public barriers	☐	☐	☐	☐	☐	☐
Assists rescue teams as a member of the team when assigned	☐	☐	☐	☐	☐	☐
NO UNSAFE ACTS COMMITTED DURING EVALUATION	☐	☐	☐	☐	☐	☐

Candidate shall successfully complete 4/4 steps

CANDIDATE NAME (Please Print)	DATE
-------------------------------	------

NUMBER OF ATTEMPTS	TEST 1	RETEST 2	RETEST 3
SCORE	/ 4	/ 4	/ 4
TIME			
EVALUATOR COMMENTS			

FIRST EVALUATOR (Please Print)	CERT #	SKILL TEST DATE / /	
FIRST EVALUATOR SIGNATURE X		Overall Skill Sheet Score ☐ Pass ☐ Fail	
SECOND EVALUATOR (Please Print)	CERT #	SKILL TEST DATE / /	
SECOND EVALUATOR SIGNATURE X		Overall Skill Sheet Score ☐ Pass ☐ Fail	
THIRD EVALUATOR (Please Print)	CERT #	SKILL TEST DATE / /	
THIRD EVALUATOR SIGNATURE X		Overall Skill Sheet Score ☐ Pass ☐ Fail	

CANDIDATE NAME (Please Print)	DATE
-------------------------------	------

FIREFIGHTER II	PRACTICAL SKILL EVALUATION
5-9 HOME FIRE SAFETY SURVEY	NFPA 5.5.1

Candidate Instructions: Perform a fire safety survey in an occupied structure, given survey forms and procedures so that fire and life safety hazards are identified, recommendations for their correction are made to the occupant, and unresolved issues are referred to the proper authority. The evaluator may stop this evaluation at any time due to an unsafe act. Do you have any questions?

Evaluator Instructions: Provide candidate with a survey form approved by the program director (AHJ) containing preapproved recommendations. Evaluator may act as occupant/owner of structure.

*It is recognized that not all programs have access to private dwellings in their area. The term *occupied structure* allows for greater flexibility and for the AHJ to determine which structures could be used for performing a fire safety survey. A fire safety survey is intended to be a basic survey of the property to identify major hazards such as locked exits, nonoperational fire protection and detection systems, a lack of smoke alarms in residential occupancies, nonoperational water supplies, hazardous interior finishes, hazardous storage, and other items identified on the survey form, It is not intended to be a fire inspection conducted to the job performance requirements of a Fire Inspector as identified in NFPA 1031. **20 minute time limit**

PERFORMANCE STEPS	TEST 1		RETEST 2		RETEST 3	
Safely performs the following steps:	P	F	P	F	P	F
Demonstrates ability to recognize life safety hazards	☐	☐	☐	☐	☐	☐
Matches findings to preapproved recommendations on survey form	☐	☐	☐	☐	☐	☐
Effectively communicates findings to occupants	☐	☐	☐	☐	☐	☐
Verbalizes recommendations for correction to occupant	☐	☐	☐	☐	☐	☐
Refers unresolved issues to proper authority, if needed	☐	☐	☐	☐	☐	☐
Demonstrates the ability to complete provided forms	☐	☐	☐	☐	☐	☐
NO UNSAFE ACTS COMMITTED DURING EVALUATION	☐	☐	☐	☐	☐	☐

Candidate shall successfully complete 6/6 steps if referral is not needed, or 7/7 steps if referral is needed
--

CANDIDATE NAME (Please Print)	DATE
-------------------------------	------

NUMBER OF ATTEMPTS	TEST 1	RETEST 2	RETEST 3
SCORE	/ 6 or 7	/ 6 or 7	/ 6 or 7
TIME			
EVALUATOR COMMENTS			

FIRST EVALUATOR (Please Print)	CERT #	SKILL TEST DATE / /	
FIRST EVALUATOR SIGNATURE X		Overall Skill Sheet Score ☐ Pass ☐ Fail	
SECOND EVALUATOR (Please Print)	CERT #	SKILL TEST DATE / /	
SECOND EVALUATOR SIGNATURE X		Overall Skill Sheet Score ☐ Pass ☐ Fail	
THIRD EVALUATOR (Please Print)	CERT #	SKILL TEST DATE / /	
THIRD EVALUATOR SIGNATURE X		Overall Skill Sheet Score ☐ Pass ☐ Fail	

CANDIDATE NAME (Please Print)	DATE
-------------------------------	------

FIREFIGHTER II	PRACTICAL SKILL EVALUATION
5-10 FIRE AND LIFE SAFETY EDUCATION	NFPA 5.5.2

Candidate Instructions: Present fire safety information to station visitors or small groups, given prepared materials, so that all information is presented, the information is accurate, and questions are answered or referred. The evaluator may stop this evaluation at any time due to an unsafe act. Do you have any questions?

Evaluator Instructions: The evaluator may act as a station visitor or member of a small group.

*The candidate should be able to present basic information on how to do the following:

- Stop, drop, and roll when someone's clothes are on fire
- Crawl low under smoke
- Plan and practice a home escape plan with two ways out of each room (especially sleeping rooms), a meeting place, and how to call the fire department (from the neighbor's house)
- Alert others to an emergency
- Call the fire department
- Test and maintain residential smoke alarms according to manufacturer's instructions

*The candidate is not expected to be an accomplished speaker or instructor

30 minute time limit for preparation

5 minute time limit for presentation

PERFORMANCE STEPS	TEST 1		RETEST 2		RETEST 3	
Safely performs the following steps:	P	F	P	F	P	F
Demonstrates the ability to present information using prepared materials	☐	☐	☐	☐	☐	☐
Answers all questions or refers them as appropriate	☐	☐	☐	☐	☐	☐
Demonstrates the ability to document presentations as required	☐	☐	☐	☐	☐	☐
NO UNSAFE ACTS COMMITTED DURING EVALUATION	☐	☐	☐	☐	☐	☐

Candidate shall successfully complete 4/4 steps
--

CANDIDATE NAME (Please Print)	DATE
-------------------------------	------

NUMBER OF ATTEMPTS	TEST 1	RETEST 2	RETEST 3
SCORE	/ 4	/ 4	/ 4
TIME			
EVALUATOR COMMENTS			

FIRST EVALUATOR (Please Print)	CERT #	SKILL TEST DATE / /	
FIRST EVALUATOR SIGNATURE X		Overall Skill Sheet Score ☐ Pass ☐ Fail	
SECOND EVALUATOR (Please Print)	CERT #	SKILL TEST DATE / /	
SECOND EVALUATOR SIGNATURE X		Overall Skill Sheet Score ☐ Pass ☐ Fail	
THIRD EVALUATOR (Please Print)	CERT #	SKILL TEST DATE / /	
THIRD EVALUATOR SIGNATURE X		Overall Skill Sheet Score ☐ Pass ☐ Fail	

CANDIDATE NAME (Please Print)	DATE
-------------------------------	------

FIREFIGHTER II	PRACTICAL SKILL EVALUATION
5-11 PRE-INCIDENT SURVEY	NFPA 5.5.3

Candidate Instructions: Prepare a pre-incident survey, given forms, necessary tools and an assignment, so that all required occupancy information is recorded, items of concern are noted, and accurate sketches or diagrams are prepared. The evaluator may stop this evaluation at any time due to an unsafe act. Do you have any questions?

Evaluator Instructions: Provide candidate with a pre-incident survey form approved by the program director (AHJ).
 *The candidate should be able to compile information related to potential emergency incidents within their community for use by officers in the development of preincident plans. **20 minute time limit**

PERFORMANCE STEPS	TEST 1		RETEST 2		RETEST 3	
Safely performs the following steps:	P	F	P	F	P	F
Demonstrates the ability to identify the components of fire suppression and detection systems	☐	☐	☐	☐	☐	☐
Demonstrates the ability to detect hazards and special considerations to include in the pre-incident sketch	☐	☐	☐	☐	☐	☐
Demonstrates the ability to sketch the site, buildings, and special features	☐	☐	☐	☐	☐	☐
Completes all related departmental forms	☐	☐	☐	☐	☐	☐
All required occupancy information is recorded	☐	☐	☐	☐	☐	☐
NO UNSAFE ACTS COMMITTED DURING EVALUATION	☐	☐	☐	☐	☐	☐

Candidate shall successfully complete 6/6 steps
--

CANDIDATE NAME (Please Print)	DATE
-------------------------------	------

NUMBER OF ATTEMPTS	TEST 1	RETEST 2	RETEST 3
SCORE	/ 6	/ 6	/ 6
TIME			
EVALUATOR COMMENTS			

FIRST EVALUATOR (Please Print)	CERT #	SKILL TEST DATE / /	
FIRST EVALUATOR SIGNATURE X		Overall Skill Sheet Score ☐ Pass ☐ Fail	
SECOND EVALUATOR (Please Print)	CERT #	SKILL TEST DATE / /	
SECOND EVALUATOR SIGNATURE X		Overall Skill Sheet Score ☐ Pass ☐ Fail	
THIRD EVALUATOR (Please Print)	CERT #	SKILL TEST DATE / /	
THIRD EVALUATOR SIGNATURE X		Overall Skill Sheet Score ☐ Pass ☐ Fail	

CANDIDATE NAME (Please Print)	DATE
-------------------------------	------

FIREFIGHTER II	PRACTICAL SKILL EVALUATION
5-12 EQUIPMENT MAINTENANCE	NFPA 5.5.4

Candidate Instructions: Maintain power plants, power tools, and lighting equipment, given tools and manufacturers' instructions, so that equipment is clean and maintained according to manufacturer and departmental guidelines, maintenance is recorded, and equipment is placed in a ready state or reported otherwise. The evaluator may stop this evaluation at any time due to an unsafe act. Do you have any questions?

Evaluator Instructions: Provide candidate with an equipment maintenance form approved by the program director (AHJ).

5 minute time limit

PERFORMANCE STEPS	TEST 1		RETEST 2		RETEST 3	
Safely performs the following steps:	P	F	P	F	P	F
Demonstrates the ability to select correct tools	☐	☐	☐	☐	☐	☐
Demonstrates the ability to follow guidelines	☐	☐	☐	☐	☐	☐
Demonstrates the ability to complete recording and reporting procedures on provided forms, and equipment is placed in a ready state or reported otherwise	☐	☐	☐	☐	☐	☐
Demonstrates the ability to operate power plants, power tools, and lighting equipment	☐	☐	☐	☐	☐	☐
Equipment is clean and maintained according to manufacturer guidelines	☐	☐	☐	☐	☐	☐
NO UNSAFE ACTS COMMITTED DURING EVALUATION	☐	☐	☐	☐	☐	☐

Candidate shall successfully complete 6/6 steps
--

CANDIDATE NAME (Please Print)	DATE
-------------------------------	------

NUMBER OF ATTEMPTS	TEST 1	RETEST 2	RETEST 3
SCORE	/ 6	/ 6	/ 6
TIME			
EVALUATOR COMMENTS			

FIRST EVALUATOR (Please Print)	CERT #	SKILL TEST DATE / /	
FIRST EVALUATOR SIGNATURE X		Overall Skill Sheet Score ☐ Pass ☐ Fail	
SECOND EVALUATOR (Please Print)	CERT #	SKILL TEST DATE / /	
SECOND EVALUATOR SIGNATURE X		Overall Skill Sheet Score ☐ Pass ☐ Fail	
THIRD EVALUATOR (Please Print)	CERT #	SKILL TEST DATE / /	
THIRD EVALUATOR SIGNATURE X		Overall Skill Sheet Score ☐ Pass ☐ Fail	

CANDIDATE NAME (Please Print)	DATE
-------------------------------	------

FIREFIGHTER II	PRACTICAL SKILL EVALUATION (Flip the Switch)
5-13 SERVICE TESTING FIRE HOSE	NFPA 5.5.5

Candidate Instructions: Perform an annual service test on fire hose, given a pump, a marking device, pressure gauges, a timer, record sheets, and related equipment, so that procedures are followed, the condition of the hose is evaluated, any damaged hose is removed from service, and the results are recorded. The evaluator may stop this evaluation at any time due to an unsafe act. Do you have any questions?

Evaluator Instructions: Provide candidate with a copy of procedures and annual service test forms approved by the program director (AHJ). This skill may be completed by using a hose testing machine, or by using a hose test gate valve attached to a discharge outlet on a fire department apparatus.

*Procedures for conducting hose testing can be found in Chapter 4 of NFPA 1962. **20 minute time limit**

PERFORMANCE STEPS	TEST 1		RETEST 2		RETEST 3	
Safely performs the following steps:	P	F	P	F	P	F
Demonstrates the ability to follow fire hose service testing procedures	☐	☐	☐	☐	☐	☐
Evaluates the condition of the hose being tested	☐	☐	☐	☐	☐	☐
Damaged hose is removed from service, if applicable	☐	☐	☐	☐	☐	☐
Records test results using forms provided	☐	☐	☐	☐	☐	☐
Demonstrates the ability to operate hose testing equipment and nozzles	☐	☐	☐	☐	☐	☐
NO UNSAFE ACTS COMMITTED DURING EVALUATION	☐	☐	☐	☐	☐	☐

Candidate shall successfully complete 5/5 steps if no damaged hose, or 6/6 steps if damaged hose reported
--

CANDIDATE NAME (Please Print)	DATE
-------------------------------	------

NUMBER OF ATTEMPTS	TEST 1	RETEST 2	RETEST 3
SCORE	/ 5 or 6	/ 5 or 6	/ 5 or 6
TIME			
EVALUATOR COMMENTS			

FIRST EVALUATOR (Please Print)	CERT #	SKILL TEST DATE / /	
FIRST EVALUATOR SIGNATURE X		Overall Skill Sheet Score	
		☐ Pass	☐ Fail
SECOND EVALUATOR (Please Print)	CERT #	SKILL TEST DATE / /	
SECOND EVALUATOR SIGNATURE X		Overall Skill Sheet Score	
		☐ Pass	☐ Fail
THIRD EVALUATOR (Please Print)	CERT #	SKILL TEST DATE / /	
THIRD EVALUATOR SIGNATURE X		Overall Skill Sheet Score	
		☐ Pass	☐ Fail