



# Ohio E-Check Annual Report

# 2020

This document is the 2020 Annual Report for the United States Environmental Protection Agency (U.S. EPA) on the Ohio Enhanced Inspection and Maintenance Program (I/M Program) known as E-Check. This report covers January 1 to December 31, 2020.

Ohio Vehicle  
Inspection and  
Maintenance  
Program

## Table of Contents

1	<i>Executive Summary</i> .....	2
1.1	Major Findings.....	3
2	<i>The Ohio I/M Program</i> .....	3
2.1	Purpose and Statistics of the Ohio E-Check Program .....	3
2.1.1	Ohio I/M Program Summary .....	4
2.1.2	Inspection Stations.....	6
2.1.3	Inspectors .....	6
2.1.4	Emissions Tests Administered .....	6
2.2	Do the right vehicles get tested?.....	8
2.2.1	Overall motorist compliance with testing requirements .....	8
2.2.2	Motorist Time Extensions.....	9
2.2.3	Registration File Audits and Compliance with Deadlines .....	10
3	<i>Is the testing equipment reliable?</i> .....	11
4	<i>Quality Assurance</i> .....	12
4.1	Overt and Covert Audits .....	12
4.1.1	Overt Audits .....	13
4.1.2	Covert audits.....	14
4.1.3	Covert audit results .....	15
4.2	Inspector Performance.....	15
4.3	Fines collected .....	16
4.4	Station Compliance Documents .....	15
5	<i>Emission Tests Results</i> .....	17
5.1	Emission Reductions from Repaired Tailpipe-tested Vehicles in 2020 .....	17

## ATTACHMENTS

Attachment A: Index of Report Pages Relevant to EPA Regulation Sections

Attachment B: Number of vehicles failing initially, per test type

## **1      *Executive Summary***

This document is the 2020 Annual Report for the United States Environmental Protection Agency (U.S. EPA) on the Ohio Enhanced Inspection and Maintenance Program (I/M Program) known as E-Check. This report covers January 1 to December 31, 2020.

This annual report is required by U.S. EPA under 40 CFR 51.366. U.S. EPA requires this report to cover four categories of information:

- emissions test data;
- quality assurance information;
- quality control information; and
- compliance and enforcement actions.

For the benefit of the public, it is worth noting that the statistics in this report directly and indirectly contribute to the maintenance and improvement of the air quality in the area that this vehicle emission testing program is located. The direct benefit is that it identifies and requires the repair of vehicles that fail the emissions test. Most of the benefit may come from the indirect effects. It is documented from actual data from an enhanced I/M program in Phoenix, Arizona that vehicles in an I/M program over a period of time are better maintained with routine maintenance. With the passage of time, the non-I/M versus I/M fleet emission rates diverge from each other with the I/M fleet emission rate being less than the non-I/M fleet emission rate. This difference is often referred to as the overall I/M reduction or I/M benefit. In addition, the State of Oregon conducted a 2011-12 study of what the vehicle failure rates were outside of their testing area. They found that the failure rate was 22% outside the testing area versus the 5% inside the testing area. This data shows that vehicle emissions testing programs are effective in promoting and assuring that the fleet of vehicles is better maintained and stays in the normal emitting versus the high emitting category.

On March 19, 2020 the emissions testing stations were temporarily closed due to COVID 19. On May 26, 2020 testing resumed with safety precautions and, Ohio EPA resumed oversight and auditing activities which could be conducted according to COVID safety distancing protocols. As a result of two legislative bills signed by Governor DeWine, vehicle owners with vehicle registrations which expired between March 9, 2020 and April 1, 2021 were provided an extension to obtain their registration and vehicle emission test until July 1, 2021. All testing E-Check stations implemented health safety precautions and procedures to minimize the risk concerning COVID-19 and followed the Governor's safe business requirements. The inspectors wore masks, gloves and face shields. The inspection process was modified to allow for social distancing and enhanced sanitation. Customers were requested to follow the inspector's instructions as the motorist will drive the vehicle through the testing lane and will exit the vehicle briefly during the test. Due to COVID-19, and the associated extension for testing and registration, the program tested fewer vehicles in 2020. Also, due to COVID-19, fewer audits were conducted by Ohio EPA.

## **1.1 Major Findings**

### ***Emissions Tests Conducted***

In 2020, 730,243 total vehicle emission tests were performed, including initial tests, retests, and off-cycle tests due to change of ownership/registration. The total number of unique vehicles tested in 2020 was 705,845. Most of the tests on unique vehicles were completed using OBD at 98.8 percent, tailpipe at .02 percent and 1.2 percent received an Two Speed Idle, Opacity or Clean Screen test. Only 208 of the emission tests performed were opacity tests on diesel-fueled vehicles.

The number of vehicles tested in 2020 who failed, with no known final outcome (regardless of reason) was 14,509 or 2.1% of unique vehicles. This equals the sum of the number of subject vehicles in the subsets of vehicles initially failing tailpipe or OBD tests that: do not pass a retest; do not receive a waiver; get sold or move outside the program area; are scrapped; or are otherwise prevented from operating within the program area.

### ***Compliance and Enforcement***

In 2020, 45,461 unique vehicles failed their initial tests for a 6.5% failure rate. 11,618 of those vehicles, or 1.6 percent of the total unique vehicles that were emission tested, received a repair waiver. Some of the vehicles that initially failed E-Check did not obtain a passing test or waiver. The percent of initially failed vehicles receiving a waiver was 26%. See attachment B for Number of vehicles failing initially, per test type.

In 2020, 13 investigations by Ohio BMV's Special Investigations Unit were initiated for E-Check-related vehicle registration violations which resulted in one criminal prosecution. Registration cancelation resulted in none of the cases.

### ***Quality Assurance***

In 2020, Ohio EPA performed 1 covert audit, 180 performance audits, 4 equipment audits and 2485 lane status audits to determine if stations were correctly performing all emissions tests and if the station's physical conditions meet all state requirements. As a result of these audits, there were no performance issues identified that warranted shutting down a station. Ohio EPA did not meet the US EPA audit requirements in 2020 due to COVID-19. In March 2020, Ohio EPA's field work was temporarily suspended due to COVID-19. Upon the resumption of field work, Ohio EPA prioritized the field activities with an emphasis on field work that could be conducted following COVID-19 safety protocols.

## **2 The Ohio I/M Program**

### **2.1 Purpose and Statistics of the Ohio E-Check Program**

The northeast Ohio area has been officially designated as attaining the 1997 National Ambient Air Quality Standards (NAAQS) for ground level ozone of 0.08 parts per million (ppm). However, there were areas in northeast Ohio designated nonattainment for the

2008 ozone standard of 0.075 ppm. In 2012, the U.S. EPA designated the Cleveland-Akron metro area as marginal nonattainment. On June 27, 2016, U.S. EPA issued a direct final rule determining the Cleveland area has clean data based upon 2013-2015 air quality data (84 FR 41497, 81 FR 41444). The determination became effective August 26, 2016. On July 6, 2016, DAPC submitted to U.S. EPA the re-designation request and maintenance plan for the Cleveland-Akron-Lorain area. On October 17, 2016 (81 FR 71444) U.S. EPA issued proposed approval of Ohio's request for the Cleveland-Akron-Lorain area. On January 6, 2017, U.S. EPA finalized the re-designation of this area to attainment, effective January 6, 2017 (82 FR 1603).

On December 28, 2015, based on U.S. EPA's review of the air quality criteria for ozone and related photochemical oxidants, U.S. EPA finalized revisions to the NAAQS for ground-level ozone (80 FR 65292). The rule sets more stringent air quality standards, lowering both the primary (health-based) and secondary (welfare-based) standards from 0.075 ppm to 0.070 ppm, and retained their indicators, forms (fourth-highest daily maximum, averaged across three consecutive years) and averaging times (eight hours). Ohio's recommended designations were submitted to U.S. EPA on September 30, 2016, and included Cuyahoga, Geauga, Lake, Lorain, Medina, Portage and Summit Counties in the Cleveland, OH designation area. The designations are based on 2013 to 2015 air quality data plus consideration any air quality data available for 2016. At that time, Cleveland (Lake County) had violating monitors. In addition, by the end of August 2016, monitors in the Cleveland (Gauga and Lake Counties) area already had a design value above the standard for 2014-2016. Final designations were effective August 3, 2018. The area continues to monitor nonattainment of the 2015 ozone standard.

Ohio EPA administers the vehicle emissions testing program, or E-Check, as authorized by Ohio Revised Code (ORC) 3704.14. The goals of the E-Check program are to identify gross-polluting vehicles for repair and provide a fair and accurate test with minimum inconvenience to Ohio's motorists. In 1996, Ohio contracted with Envirotest Systems to operate the Ohio I/M Program in the Dayton-Springfield, Cincinnati, and Cleveland-Akron metro areas. In 2005, the contract was extended for an additional two years in northeast Ohio with Envirotest Systems. In 2007, the contract was extended for an additional six months in northeast Ohio. Envirotest Systems was awarded a one-year contract in early 2008 to continue providing motor vehicle emission tests to motorists through June 2009. A six-month extension was granted in June 2009. The contract was renewed in October 2009 with Envirotest Systems until the end of June 2011. Beginning July 1, 2011, the contract was extended for one year until June 30, 2012.

In the summer of 2011, the Ohio legislature passed legislation for Ohio to implement a decentralized program by June 30, 2012. In January 2012, Envirotest Systems won a three-year contract to implement a decentralized vehicle testing program beginning June 4, 2012. The decentralized program involved adding 37 Lube Stops, 16 independent repair shops and 16 self-service testing kiosks to the 23 existing testing stations. All the new testing options only provide OBDII testing. The existing stations maintained the ability to perform OBDII, dynamometer, idle tail pipe and opacity testing. Effective July 1, 2015, the contract was extended through June 30, 2016. The contract was again extended

through June 30, 2017. In February 2017, Envirotech Systems was awarded a two-year contract from July 1, 2017 to June 30, 2019, with two one-year extensions. In June 2019, the contract was extended one year through June 30, 2020. In May 2020, the contract was extended for the second allowable one year extension year to June 30, 2021. In May 2021, Envirotech Systems was awarded a two-year contract from July 1, 2021 to June 30, 2023, with an option for two one-year extensions.

On January 1, 2020, the Ohio E-Check program began conducting vehicle testing exclusively through the use of the OBDII test. The tailpipe method of testing was discontinued with the exception of a planned six-month transition period for the older vehicles that had readiness monitors not set for the OBDII test. This transition period was shortened to when the stations shut down due to COVID-19. Ohio's vehicle test program requires emission testing for vehicles from 4 through 25 years old. The tailpipe emission test is no longer necessary because vehicles manufactured in 1996 and later are required to be equipped with a standardized OBDII system for emissions testing purposes. In 2020, the vehicles from model year 1996 through 2016 were OBDII tested. Because vehicles manufactured prior to 1996 are no longer subject to emission testing, tailpipe testing was no longer needed, and was discontinued on January 1, 2020.

### **2.1.1 Ohio I/M Program Summary**

40 CFR 51.366 (d) (1) (i) An estimate of the number of vehicles subject to the inspection program, including the results of analysis of the registration database;

In 2020, 819,342 vehicles were expected to undergo emission testing. In 2020, vehicles were exempted from the emissions testing process if they were:

- model year 1995 or older;
- model year 2017 or newer;
- greater than 10,000-pounds gross vehicle weight rating;
- motorcycles, recreational vehicles, and motor homes; or
- vehicles operating on alternative fuels, such as propane or natural gas.

Vehicles are required to have a valid vehicle emission certificate every other year or when transferred to a new owner if not tested within 365 days of the previous test. Fewer vehicles were tested in 2020 due to COVID-19 and two legislative house bills that allowed motorists to delay renewing their vehicle registrations until July 1, 2021.

### 2.1.2 Inspection Stations

40 CFR 51.366 (b)(1)(i): The number of inspection stations and lanes operating throughout the year:

In 2020, there were 44 OBDII-only inspection stations (or independent repair shops) and 23 full service test stations. A total of 67 stations and 119 lanes conducted emissions tests in 2020. Also, in July 2012, self-serve testing kiosks were installed at 16 of the existing testing locations operated by Envirotech Systems. In 2020, there were 73,861 or 10.2% OBD II tests successfully conducted using the self-serve kiosks.

The 44 OBDII-only inspection stations are operated by a variety of independent businesses while the 23 existing E-Check stations and 16 self-serve kiosks continue to be operated by Envirotech Systems.

### 2.1.3 Inspectors

40 CFR 51.366 (b) (5) The number of inspectors licensed or certified to conduct testing;

**Table 1: Number of Inspectors in 2020**

	# of Inspectors
Trained and Licensed to conduct testing in 2020	456

### 2.1.4 Emissions Tests Administered

The Ohio I/M Program utilizes six different types of emissions tests. Gasoline-fueled vehicles that are not Clean Screened receive the gas cap test and one of the following tests: On-Board Diagnostic (OBD II), transient (tailpipe), or two-speed idle (tailpipe). Diesel-fueled vehicles receive the gas cap test and an OBD II or opacity test. The Clean Screen or "Rapid Screen" testing process started in July 2012 and can remotely test vehicles as they operate under normal driving conditions. Each type of test is described below. With the exception of clean screen, all vehicles are also visually inspected to confirm that a gas cap and catalytic converter are present. If a vehicle fails the visual inspection, it fails the overall test, even if it passed the emissions portion of the test. Fails for vehicles not having a catalytic converter do not receive an emissions test but do receive the gas cap test. Percentages are calculated using the unique number of vehicles of 705,845.

1. Gas cap tests check the vehicle's gas cap pressure to ensure the cap seals tightly and does not allow fuel vapors to evaporate into the air. If the vehicle fails the gas cap test, it fails the overall emissions test, even if the vehicle passed the emissions portion of the test.

2. On-Board Diagnostics: On-board diagnostics (OBD II) is a vehicle computer system installed on 1996 and newer cars and light trucks and 1997 and newer diesel vehicles. The computer continuously tracks and stores information about a vehicle's performance. The on-board computer turns on the "check engine" light if it finds a problem with a vehicle's emission control system. On January 5, 2004, Ohio began testing vehicles equipped with the OBD II systems. All OBDII equipped vehicles are initially attempted to be tested via the OBDII test, however if during the initial test the vehicle's test cycle is not ready then the motorist can opt to have a tailpipe test if their vehicle meets one of the following conditions:

- 2000 model year or older with 3 or more readiness monitors not set to ready, or
- vehicles that are 2001 to 2003 with 2 or more readiness monitors not set,

There were 697,052 initial pass/fail tests or 98.8% OBD tests.

3. Transient tailpipe tests are used for most gasoline-powered vehicles that are not equipped with the OBD II equipment or the readiness monitors not set for testing. For this test, Acceleration Simulation Mode (ASM 2525) standards are used. Vehicles are placed on a dynamometer, a treadmill-like device that puts resistance against the tires to simulate on-road driving. The vehicles are driven at 25 miles per hour for a minimum of 25 seconds and a maximum of 240 seconds. Tailpipe emissions are then measured and recorded. Readings for hydrocarbons (HC), carbon monoxide (CO), and oxides of nitrogen (NOx) are compared to each pollutant's pass/fail points. The pass/fail points vary by vehicle type (car vs truck), model year, and, for trucks, weight category. In 2020, 126 or 0.02 percent of emissions tests were completed using the transient tailpipe test.

On January 1, 2020, the Ohio E-Check program transitioned to conducting vehicle testing exclusively through the use of the OBDII test. The tailpipe method of testing was discontinued with the exception of a six-month transition period for the older vehicles that had readiness monitors not set for the OBDII test. The tailpipe method of testing was discontinued utilizing a six-month transition period in which the older vehicles that were presented for testing in a "not ready" state could continue to be tested using the tailpipe method. This transition period was shortened to when the stations shut down due to COVID-19.

4. Two-speed idle (TSI) tests were used for gasoline-fueled vehicles that could not receive an OBD II or ASM tailpipe test. These vehicles, for the most part, cannot be driven on the dynamometer and are mainly dedicated 4-wheel-drive vehicles. This test measures Hydrocarbon (HC) and Carbon monoxide (CO) emissions while the engine is



operating at an elevated idle of 2,500 revolutions per minute (rpm) with no load on the engine. If it passes at 2500rpm, it is considered a passing test. If it fails at 2500 rpm then it is tested at idle for diagnostic purposes in order to compare the emissions of HC and CO at the 2500 rpm vs at idle. This test does not measure NOx emissions. In 2020, 175 or 0.025 percent of emissions tests were completed using the TSI test. Once the vehicle testing stations reopened on May 26, 2020 after closing as a precautionary measure due to COVID-19 on March 19, 2020, this test was discontinued.

5. Clean Screen tests are used for a small percentage of gasoline-fueled vehicles that operate with exceptionally low emissions. This test measures emissions while the vehicle is operating normally on a public roadway. Clean Screen testing typically takes place at highway on-ramp locations in order to obtain emissions readings as vehicles are accelerating through the test equipment. To ensure accurate and uncontaminated readings, the emissions limits for this type of test are stricter than those of a standard tailpipe emissions test. Also, a vehicle must record two acceptable Clean Screen readings within a nine-month window in order to be documented as passing the E-Check requirements. In 2020, 8,316 or 1.18 percent of emissions tests were completed using the Clean Screen test.

6. Opacity tests use opacity meters to determine the “density” of the exhaust emitted from the vehicle’s tailpipe. Only diesel vehicles receive an opacity test. In 2020, 211 or 0.03 percent of emissions tests were completed using the opacity test.

## 2.2 Do the right vehicles get tested?

### 2.2.1 Overall motorist compliance with testing requirements

40 CFR 51.366 (d) (1) (ii): The percentage of motorist compliance based upon a comparison of the number of valid final tests with the number of subject vehicles;

In Ohio, the inspection lane computers determine which test a vehicle will receive based on model year and make information. Table 2 summarizes the 2020 overall compliance rate of the total number of unique vehicles registered in 2020 subjected to the test verses the number of unique vehicles actually receiving an I/M test. In 2020, the compliance rate (actual tests versus required tests) was 86.2 percent.

**Table 2: Motorist Completing Testing Requirements**

Vehicle Count	Compliance % (unique vehicles versus registered vehicles )
---------------	--

---

**Overall Testing Compliance**

Vehicles Subject to 2020 Test  
(registered BMV records) 819,342

---

Unique Vehicles Tested in 2020 705,845 86.2%\*

---

Note\* This number varies because of the number of vehicles that are in the system that need tested but may be sold outside of the test area or other vehicles brought into the area or transferred to a new owner within the area that now need tested. Also, fewer vehicles were tested in calendar year 2020 due to the COVID-19 pandemic, The Ohio legislature and Governor DeWine provided an extension in which vehicle registrations expired between March 9, 2020 and April 1, 2021 were given until July 1, 2021 to obtain vehicle emission test and vehicle registration.

### **2.2.2 Motorist Time Extensions**

40 CFR 51.366 (d) (1) (v) The number of time extensions and other exemptions granted to motorists;

The E-Check program offers repair waivers to individuals on their vehicle who attempt to repair their vehicle but cannot get it to pass E-Check. In most cases, a waiver will be issued if the vehicle meets the requirements. A waiver will then allow the vehicle to be registered with the State. If an individual spends at least \$200 on emissions-related repairs for a 1995 or older vehicle, shows a 30 percent improvement in emissions readings from the initial test readings, and passes a visual anti-tampering inspection, he or she may qualify for a conditional pass waiver. For 1996 and newer vehicles, there is also a repair cap waiver that allows the motorist to register the vehicle if he or she spends at least \$300 on emissions-related repairs and passes a visual tampering inspection. When a waiver is issued, the vehicle does not need to test for two years, or the next scheduled E-Check test, whichever comes first.

Ohio EPA offers a variety of extensions and exemptions to individuals who need more time to repair a vehicle or cannot have the vehicle tested at the current time.

- Non-permanent exemptions apply to those individuals who can have their vehicle tested out-of-state, are in the military, are currently a student outside of Ohio, or have a vehicle that will not return to Ohio within one year. The exemption allows a motorist to register the vehicle without receiving an E-Check test.
- Extensions are only available to individuals who need more time to have repairs performed, have difficulty affording repairs for the vehicle or are temporarily located out-of-state in an area that does not have emissions testing and will return within one year. Extensions only extend the period of time that a vehicle

has to comply with the program. A motorist has up to six months to comply with the current testing cycle.

- Permanent exemptions from testing are issued for vehicles with a gross vehicle weight rating (GVWR) over 10,000 pounds or operating on an alternative fuel source such as electric power, natural gas, butane, propane, and 100 percent alcohol.

Out-of-state exemptions account for the highest number of exemptions issued. If the motorist is in another state's emissions testing area, they must have the vehicle tested in that state. If the motorist is in a non-testing area, they can still obtain an out-of-state exemption if the vehicle will not be returning to Ohio before their next registration renewal date. Motorists can also obtain student and military exemptions which allow them to renew the vehicle's registration without receiving a test, for that test cycle.

The extensions require that a vehicle receive a test, but more time is provided to have it completed. The category of "other" in Table 3 includes special circumstances such as survivor and trust non-permanent exemptions that would require a vehicle to be tested out of its normal test cycle.

Electric vehicles are exempt from vehicle emission testing under Ohio EPA's regulations. All-electric and plug-in hybrids were previously granted exemptions upon request of the vehicle owners. As of March 2, 2020, the Ohio Bureau of Motor Vehicles began identifying and automatically exempting plug-in electric vehicles from the vehicle emissions testing program. If a plug-in electric or plug-in hybrid electric vehicle did not receive an automatic exemption from the BMV, Ohio EPA will process and mail a permanent exemption certificate to the motorist.

Alternative fuel vehicles, such as propane or natural gas, may receive a permanent exemption from the emission test requirement. These vehicles will need to be inspected by authorized Ohio EPA Mobile Source Section personnel. The inspection will include an anti-tampering inspection to ensure that all necessary emission control equipment is correctly installed on the vehicle. Any vehicle that does not pass the necessary inspection will be subject to the vehicle emission testing requirements. Vehicles that are more than 10,000 pounds gross vehicle weight rating and are plated with non-commercial plates also will be subject to inspection by authorized Ohio EPA Mobile Sources Section personnel prior to receiving a permanent exemption from the vehicle emission testing requirement, to be consistent with our rules, specifically OAC 3745-26-12(C)(2).

**Table 3: Number of Extensions or Exemptions Issued in 2020**

Type of Extensions or Exemptions	Number Issued
Extensions	2,387

Waivers	11,627
Permanent Exemptions	146
Out of State Exemptions	2,213
Student Exemptions	143
Military Exemptions	431
Hardship Extensions	1,547
Other	37
<b>Total Number of Waivers, Extensions and Exemptions Issues</b>	<b>18,531</b>

### **2.2.3 Registration File Audits and Compliance with Deadlines**

40 CFR 51.366 (d)(2)(i) A report of the program's efforts and actions to prevent motorists from falsely registering vehicles out of the program area or falsely changing fuel type or weight class on the vehicle registration, and the results of special studies to investigate the frequency of such activity; and

(ii) The number of registration file audits, number of registrations reviewed, and compliance rates found in such audits.

Ohio EPA works with Ohio Bureau of Motor Vehicles' (BMV) Special Investigations Unit (SIU) to ensure that motorists are not falsely registering vehicles outside of a testing area to circumvent the testing requirements. When Ohio EPA receives a complaint regarding false registrations, Ohio EPA forwards the complaint to Ohio BMV SIU for investigation. Ohio BMV Registrar Offices also will forward any concerns they have about suspicious registrations along to the SIU Division. Overall in 2020, Ohio BMV SIU investigated 13 complaints regarding E-Check compliance. Of the 13 investigations, 1 resulted in registration cancellation, and none resulted in criminal prosecution.

At this time, no registration file audits are performed to determine compliance with the vehicle emission testing program in northeast Ohio.

## **3 Is the testing equipment reliable?**

40 CFR 51.366 (c) Quality Control Report: The program shall submit ... basic statistics on the quality control program for January through December of the previous year, including:

- (1) the number of emission testing sites and lanes in use in the program;
- (2) the number of equipment audits by station and lane;
- (3) the number and percentage of stations that have failed equipment audits; and
- (4) the number and percentage of stations and lanes shut down as a result of equipment audits.

Within the Ohio I/M Program for 2020, there are 67 vehicle testing stations operating a total of 119 lanes.

Ohio EPA's equipment audit procedure is designed to verify that the lane equipment is operating within the tolerances specified by federal and State guidelines. Equipment audits are inspections of emissions testing equipment performed overtly at least two times per year per lane. Ohio EPA's equipment audits are performed by Agency staff and a contractor representative. If a lane fails any one of the audit criteria, the audit result is a fail, and the lane is shut down until the issue is resolved.

Envirotest Systems' equipment is required to undergo self-tests on either a per test, hourly, or weekly basis. The computer system will lock-down a lane if a self-test is not performed at the required time. The lane lock-down results in no additional vehicle testing occurring until the test is complete.

In 2020, there were 75 testing lanes at the full service stations operated by Envirotest Systems that were successfully audited. A total of 4 equipment audits resulted in 4 audit passes and 0 audit failures, or an overall failure rate of 0 percent. The equipment audits were not completed in 2020 due to the COVID-19 safety restrictions.

**Table 4: Number of Equipment Audits at Each Testing Station in 2020**

Facility	Number of Equipment Audits
WESTLAKE	0
BEREA	0
NORTH ROYALTON	0
PURITAS	0
EAST 55TH	0
VALLEY VIEW	0
ST. CLAIR	0
WARRENSVILLE	0
EUCLID	0
WILLOUGHBY	0
PAINESVILLE	0
CHARDON	0
AUBURN	0
ROOTSTOWN	0
KENT	0
CUYAHOGA FALLS	0
BROWN STREET	0
COPLEY	0
MEDINA	2

SPENCER	2
AMHERST	0
ELYRIA	0
TWINSBURG	0

## 4 Quality Assurance

### 4.1 Overt and Covert Audits

Ohio EPA performs overt and covert performance audits to assess station and inspector performance. The results of the different types of audits are detailed below. The overt and covert audits were not completed in 2020 due to the COVID-19 safety restrictions.

#### 4.1.1 Overt Audits

40 CFR 51.366 (b) (1) (i) The number of inspection stations and lanes operating throughout the year;

For 2020, 67 stations operated 119 emission testing lanes.

40 CFR 51.366 (b) (2) The number of inspection stations and lanes operating throughout the year:  
 (i) receiving overt performance audits in the year; or  
 (ii) not receiving overt performance audits in the year.

During overt performance audits, Ohio EPA staff verifies that Envirotest Systems and the additional contracted private repair shop personnel are performing the emissions test in the proper manner while providing adequate customer service to Ohio's motorists. The performance audit is broken into three sections. The first section is *Test Procedures*, designed to evaluate how well the inspectors perform the emissions test procedures and interact with the motorists. The second section is *Safety Conditions*, designed to evaluate if Envirotest Systems and the other private repair shops provide motorists with a safe testing environment. The third section is *Station Appearance*, designed to evaluate if the stations are being kept in a customer friendly condition. Ohio EPA staff record audit findings on a form and conduct exit interviews with the station manager, informing the station manager of the results.

All 23 full-service stations and all full-service testing lanes operated by Envirotest Systems in 2020 received overt performance audits. Upon arriving at a station, Ohio EPA staff will audit only the lanes that are open for testing during a performance audit. The

average number of overt audits per lane was 2.5 with a total of 184 being performed in 2020. There were 0 overt performance audits completed at the 44 private repair shop testing locations. It is not practical for the Ohio EPA auditors to wait significant lengths of time for a vehicle to be tested to conduct performance audits at these locations.. Therefore, Ohio EPA relies on the covert audits performed at these locations to also cover the performance issues in the same audit. However, due to precautions associated with COVID-19, the priority Ohio EPA placed on performance audits to monitor the restart of the program, and issues with the availability of covert vehicles, no covert audits were performed.

40 CFR 51.366 (b) (2) (v) Number of stations and lanes ... that have been shut down as a result of overt performance audits;

No station or lane was shut down as the result of an overt performance audit in 2020.

#### **4.1.2 Covert audits**

40 CFR 51.366 (b) (2) The number of inspection stations and lanes operating throughout the year:  
(iii) receiving covert performance audits in the year; or  
(iv) not receiving covert performance audits in the year.

During covert audits, Ohio EPA staff will verify that Envirotest Systems and the additional contracted private repair shop personnel are performing the emissions test in the proper manner, while providing adequate customer service to Ohio's motorists. The *Test Procedures* section of the covert audit is identical to the *Test Procedures* of the overt audit and is scored as such.

40 CFR 51.366 (b) (8) The total number of covert vehicles available for undercover audits over the year; and  
(9) The number of covert auditors available for undercover audits.

Ohio EPA dedicates three vehicles for covert audits. The vehicles are tampered prior to testing to ensure that the vehicle fails the proper emission tests.

### 4.1.3 Covert audit results

40 CFR 51.366 (b) (3) The number of covert audits:

- (i) conducted with the vehicle set to fail per test type;
- (ii) conducted with the vehicle set to fail any combination of two or more tests;
- (iii) resulting in a false pass per test type; or
- (iv) resulting in a false pass for any combination of two or more test types.

Usually, the covert vehicles are set up to fail the OBD test, or, if applicable, not allow the OBD II test to be performed by clearing the readiness monitors. A “false pass” during a covert audit is an inspection pass when the vehicle was set to fail. The audit does not directly indicate whether the false pass was a result of the equipment or the inspector. If a false pass was the result of the improper test being performed on the vehicle, Ohio EPA initiates enforcement action against Envirotest Systems. Most times, Envirotest Systems provides proper test procedures and/or additional training as follow-up action against false passes. The Ohio EPA auditors rotate around during the year so that they are not recognized.

The 23 full-service test stations received 1 covert performance audit and the 44 repair shops received 0 covert performance audits.

**Table 5: 2020 Covert Audit Results**

Conducted with the vehicle set to fail per test type		
ASM		0
OBD		0
Conducted with the vehicle set to fail any combination of two or more test types		
ASM & OBD		0
Resulting in a false pass per test type		
ASM		0
OBD		0
Resulting in a false pass for any combination of two or more test types		
ASM & OBD		0

As seen in table five, 0 of the 1, or 0 percent, of the covert audits resulted in false passes.

### 4.2 Inspector Performance

As stated in Section 2.1.3, 456 inspectors were licensed or certified to conduct testing in 2020.



40 CFR 51.366 (b) (4) The number of inspectors and stations:  
 (i) that were suspended or fired or otherwise prohibited from testing as a result of covert audits  
 (ii) that were suspended, fired, or otherwise prohibited from testing for other causes, and  
 (iii) that received fines.

40 CFR 51.366 (b) (6) The number of hearings:  
 (i) held to consider adverse actions against inspectors and stations; and  
 (ii) resulting in adverse actions against inspectors and stations.

Ohio EPA and Envirotech Systems keep records of all fraud and bribery issues occurring at the testing stations. All cases brought to either Ohio EPA or Envirotech Systems are investigated thoroughly. If the situation warrants use of other agencies, such as the Ohio State Highway Patrol, the agencies work together to resolve these cases. The table below summarizes the results of Ohio EPA's enforcement actions against stations and inspectors.

**Table 6: Non-Customer Initiated Fraud and Bribery Cases**

<b>The number of inspectors and stations</b>	<b># inspectors</b>	<b># stations</b>
That were suspended, fired, or otherwise prohibited from testing as a result of covert audits	0	0
That were suspended, fired, or otherwise prohibited from testing for other causes	0	0

### **4.3 Fines collected**

40 CFR 51.366 (b) (4) The number of inspectors and stations: (iii) that received fines;  
 40 CFR 51.366 (b) (7) the total amount collected in fines from inspectors and stations.

Ohio EPA has not collected fines from stations or inspectors.

#### 4.4 Station Compliance Documents

40 CFR 51.366 (d) (1) (iii) The total number of compliance documents issued to inspections stations;  
(iv) the number of missing compliance documents; and  
(vi) the number of compliance surveys conducted, number of vehicles surveyed in each, and the compliance rates found.

Ohio EPA works with Envirotech Systems and Ohio BMV to ensure that no false compliance documents may be passed to Ohio BMV, resulting in vehicle registrations being approved. Each compliance document is printed with a specific type of printer, making the print difficult to copy. Furthermore, each compliance document issued contains a code that the BMV will verify prior to registration issuance. If the compliance code on the compliance certificate cannot be verified, Ohio BMV will reject the vehicle registration attempt.

## 5 Emission Tests Results

In 2020, there were 705,845 unique vehicles that received one or more emissions tests for a total of 730,243 tests that included passes and fails. This includes 8,316 “clean screened” vehicles. The unique vehicle total included 45,461 vehicles, or 6.4 percent, that failed their initial test. The Ohio E-Check program requires that motorists repair the vehicle and receive a passing test, waiver, or extension prior to the vehicle registration date. Please note:

#### Waivers


- Waivers were issued to vehicles that had repairs performed in excess of the required dollar amount and were still unable to pass a retest. In 2020, waivers were granted to 11,618 vehicles, or 25.6 percent, that initially failed the emissions test or 1.6% of total unique vehicles.
- Of the vehicles that failed the initial test during 2020, 14,509 vehicles, or 31.9 percent, had neither passed a retest, obtained a waiver, nor obtained an extension as of February 21, 2020.

The following is a summary of total tests:

Year 2020		
Test Type	(Pass & Fail) Count	Percentage
OBD (including 73,816 Kiosk)	721,415	98.8 (10.2)
ASM	126	0.017
Two Speed Idle	175	0.024
Opacity	211	0.029
RSD (Clean Screen)	8,316	1.14
Total Tests	730,243	

Details of all emission test results are available on the Ohio EPA website at [www.epa.ohio.gov/dapc/echeck/whycheck/annual\\_reports.aspx](http://www.epa.ohio.gov/dapc/echeck/whycheck/annual_reports.aspx)

The following figure shows failure rates by model year for 2020. As can be seen, the age of a vehicle has a significant impact on failure rate.



### 5.1 Emission Reductions from Repaired Tailpipe-tested Vehicles in 2020

40 CFR 51.366 (a) (5) The average increase or decrease in tailpipe emission levels for HC, CO, and NO<sub>x</sub> after repairs by model year and vehicle type for vehicles receiving a mass emissions test.

As mentioned above, the tailpipe testing discontinued in 2020 with only a few (126) vehicles that were tailpipe tested in the transition phase. These are not enough vehicles to provide an accurate representative average in tailpipe emission levels and therefore these values could not be calculated. The Biennial report will be providing the total emissions reductions due to the vehicle emission testing program using the MOVES model.

## Attachment A

### Index of Report Pages Relevant to EPA Regulation Sections

## 40 CFR Part 51 – Subpart S Inspection/Maintenance Program Requirements 51.366 – Data Analysis and Reporting Requirements

Reporting Requirements	Reviewer Comments/Location in State Report
<p><b>(a) <u>Test Data Report</u></b></p> <p>The program shall submit to EPA by July of each year a report providing basic statistics on the testing program for January through December of the previous year, including:</p>	<p>Visit Ohio EPA's website at  <a href="http://epa.ohio.gov/dapc/echeck/whyecheck/ar2018sd.aspx">http://epa.ohio.gov/dapc/echeck/whyecheck/ar2018sd.aspx</a></p>
(1) The number of vehicles tested by model year and vehicle type;	Visit Ohio EPA's website at <a href="http://epa.ohio.gov/dapc/echeck/whyecheck/ar2020sd.aspx">http://epa.ohio.gov/dapc/echeck/whyecheck/ar2020sd.aspx</a>
(2) By model year and vehicle type, the number and percentage of vehicles	Visit Ohio EPA's website at <a href="http://epa.ohio.gov/dapc/echeck/whyecheck/ar2020sd.aspx">http://epa.ohio.gov/dapc/echeck/whyecheck/ar2020sd.aspx</a>
(i) Failing initially, per test type;	Visit Ohio EPA's website at <a href="http://epa.ohio.gov/dapc/echeck/whyecheck/ar2020sd.aspx">http://epa.ohio.gov/dapc/echeck/whyecheck/ar2020sd.aspx</a>
(ii) Failing the first retest per test type;	Visit Ohio EPA's website at <a href="http://epa.ohio.gov/dapc/echeck/whyecheck/ar2020sd.aspx">http://epa.ohio.gov/dapc/echeck/whyecheck/ar2020sd.aspx</a>
(iii) Passing the first retest per test type;	Visit Ohio EPA's website at <a href="http://epa.ohio.gov/dapc/echeck/whyecheck/ar2020sd.aspx">http://epa.ohio.gov/dapc/echeck/whyecheck/ar2020sd.aspx</a>
(iv) Initially failed vehicles passing the second or subsequent retest per test type;	Visit Ohio EPA's website at <a href="http://epa.ohio.gov/dapc/echeck/whyecheck/ar2020sd.aspx">http://epa.ohio.gov/dapc/echeck/whyecheck/ar2020sd.aspx</a>
(v) Initially failed vehicles receiving a waiver; and	Visit Ohio EPA's website at <a href="http://epa.ohio.gov/dapc/echeck/whyecheck/ar2020sd.aspx">http://epa.ohio.gov/dapc/echeck/whyecheck/ar2020sd.aspx</a>
(vi) Vehicles with no known final outcome (regardless of reason). (vii)-(x) <i>[Reserved]</i>	Visit Ohio EPA's website at <a href="http://epa.ohio.gov/dapc/echeck/whyecheck/ar2020sd.aspx">http://epa.ohio.gov/dapc/echeck/whyecheck/ar2020sd.aspx</a>
(xi) Passing the on-board diagnostic check;	Visit Ohio EPA's website at <a href="http://epa.ohio.gov/dapc/echeck/whyecheck/ar2020sd.aspx">http://epa.ohio.gov/dapc/echeck/whyecheck/ar2020sd.aspx</a>
(xii) Failing the on-board diagnostic check;	Visit Ohio EPA's website at <a href="http://epa.ohio.gov/dapc/echeck/whyecheck/ar2020sd.aspx">http://epa.ohio.gov/dapc/echeck/whyecheck/ar2020sd.aspx</a>
(xiii) Failing the on-board diagnostic check and passing the tailpipe test (if applicable);	Visit Ohio EPA's website at <a href="http://epa.ohio.gov/dapc/echeck/whyecheck/ar2020sd.aspx">http://epa.ohio.gov/dapc/echeck/whyecheck/ar2020sd.aspx</a>
(xiv) Failing the on-board diagnostic check and failing the tailpipe test (if applicable);	Visit Ohio EPA's website at <a href="http://epa.ohio.gov/dapc/echeck/whyecheck/ar2020sd.aspx">http://epa.ohio.gov/dapc/echeck/whyecheck/ar2020sd.aspx</a>

Reporting Requirements	Reviewer Comments/Location in State Report
(xv) Passing the on-board diagnostic check and failing the I/M gas cap evaporative system test (if applicable);	Visit Ohio EPA's website at <a href="http://epa.ohio.gov/dapc/echeck/whyecheck/ar2020sd.aspx">http://epa.ohio.gov/dapc/echeck/whyecheck/ar2020sd.aspx</a>
(xvi) Failing the on-board diagnostic check and passing the I/M gas cap evaporative system test (if applicable);	Visit Ohio EPA's website at <a href="http://epa.ohio.gov/dapc/echeck/whyecheck/ar2020sd.aspx">http://epa.ohio.gov/dapc/echeck/whyecheck/ar2020sd.aspx</a>
(xvii) Passing both the on-board diagnostic check and I/M gas cap evaporative system test (if applicable);	Visit Ohio EPA's website at <a href="http://epa.ohio.gov/dapc/echeck/whyecheck/ar2020sd.aspx">http://epa.ohio.gov/dapc/echeck/whyecheck/ar2020sd.aspx</a>
(xviii) Failing both the on-board diagnostic check and I/M gas cap evaporative system test (if applicable);	Visit Ohio EPA's website at <a href="http://epa.ohio.gov/dapc/echeck/whyecheck/ar2020sd.aspx">http://epa.ohio.gov/dapc/echeck/whyecheck/ar2020sd.aspx</a>
(xix) MIL is commanded on and no codes are stored;	Visit Ohio EPA's website at <a href="http://epa.ohio.gov/dapc/echeck/whyecheck/ar2020sd.aspx">http://epa.ohio.gov/dapc/echeck/whyecheck/ar2020sd.aspx</a>
(xx) MIL is not commanded on and codes are stored;	Visit Ohio EPA's website at <a href="http://epa.ohio.gov/dapc/echeck/whyecheck/ar2020sd.aspx">http://epa.ohio.gov/dapc/echeck/whyecheck/ar2020sd.aspx</a>
(xxi) MIL is commanded on and codes are stored;	Visit Ohio EPA's website at <a href="http://epa.ohio.gov/dapc/echeck/whyecheck/ar2020sd.aspx">http://epa.ohio.gov/dapc/echeck/whyecheck/ar2020sd.aspx</a>
(xxii) MIL is not commanded on and codes are not stored;	Visit Ohio EPA's website at <a href="http://epa.ohio.gov/dapc/echeck/whyecheck/ar2020sd.aspx">http://epa.ohio.gov/dapc/echeck/whyecheck/ar2020sd.aspx</a>
(xxiii) Readiness status indicates that the evaluation is not complete for any module supported by on-board diagnostic systems;	Visit Ohio EPA's website at <a href="http://epa.ohio.gov/dapc/echeck/whyecheck/ar2020sd.aspx">http://epa.ohio.gov/dapc/echeck/whyecheck/ar2020sd.aspx</a>
(3) The initial test volume by model year and test station;	Visit Ohio EPA's website at <a href="http://epa.ohio.gov/dapc/echeck/whyecheck/ar2020sd.aspx">http://epa.ohio.gov/dapc/echeck/whyecheck/ar2020sd.aspx</a>
(4) The initial test failure rate by model year and test station;	Visit Ohio EPA's website at <a href="http://epa.ohio.gov/dapc/echeck/whyecheck/ar2020sd.aspx">http://epa.ohio.gov/dapc/echeck/whyecheck/ar2020sd.aspx</a>
(5) The average increase or decrease in tailpipe emission levels for HC, CO, and NOx (if applicable) after repairs by model year and vehicle type for vehicles receiving a mass emissions test.	Visit Ohio EPA's website at <a href="http://epa.ohio.gov/dapc/echeck/whyecheck/ar2020sd.aspx">http://epa.ohio.gov/dapc/echeck/whyecheck/ar2020sd.aspx</a>

Reporting Requirements	Reviewer Comments/Location in State Report
<b>(b) <u>Quality assurance report</u></b>  The program shall submit to EPA by July of each year a report providing basic statistics on the testing program for January through December of the previous year, including:	
(1) The number of inspection stations and lanes;	Section 2.1.2, page 5
(i) Operating throughout the year; and	Section 4.1.1, page 12
(2) The number of inspection stations and lanes operating throughout the year:	
(i) Receiving overt performance audits in the year;	Section 4.1.1, page 12
(ii) Not receiving overt performance audits in the year;	Section 4.1.1, page 12
(iii) Receiving covert performance audits in the year;	Section 4.1.2, page 13
(iv) Not receiving covert performance audits in the year;	Section 4.1.2, page 13
(v) That have been shut down as a result of overt performance audits;	Section 4.1.1, page 12
(3) The number of covert audits:	Section 4.1.3, page 13
(i) Conducted with the vehicle set to fail per test type;	Section 4.1.3, page 13
(ii) Conducted with the vehicle set to fail any combination of two or more test types;	Section 4.1.3, page 13
(iii) Resulting in a false pass per test type;	Section 4.1.3, page 13
(iv) Resulting in a false pass for any combination of two or more test types;	Section 4.1.3, page 13
(4) The number of inspectors and stations:	
(i) That were suspended, fired, or otherwise prohibited from testing as a result of covert audits;	Section 4.2, page 14
(ii) That were suspended, fired, or otherwise prohibited from testing for other causes; and	Section 4.2, page 14
(iii) That received fines;	Section 4.3, page 15
(5) The number of inspectors licensed or certified to conduct testing;	Section 2.1.3, page 5
(6) The number of hearings;	
(i) Held to consider adverse actions against inspectors at stations; and	Section 4.2, page 14
(ii) Resulting in adverse actions against inspectors and stations;	Section 4.2, page 15

Reporting Requirements	Reviewer Comments/Location in State Report
(7) The total amount collected in fines from inspectors and stations by type of violation;	Section 4.3, page 15
(8) The total number of covert vehicles available for undercover audits over the year; and	Section 4.1.2, page 13
(9) The number of covert auditors available for Undercover audits.	Section 4.1.2, page 13
<p><b>(c) <u>Quality control report</u></b></p> <p>The program shall submit to EPA by July of each year a report providing basic statistics on the quality control program for January through December of the previous year, including:</p>	
(1) The number of emission testing sites and lanes in use in the program;	Section 3, page 10
(2) The number of equipment audits by station and lane;	Section 3, page 11
(3) The number and percentage of stations that have failed equipment audits; and	Section 3, page 11
(4) The number and percentage of stations and lanes shut down as a result of equipment audits	Section 3, page 11
<p><b>(d) <u>Enforcement report</u></b></p> <p>(1) All varieties of enforcement programs shall, at a minimum, submit to EPA by July of each year a report providing basic statistics on the enforcement program for January through December of the previous year.</p>	
(i) An estimate of the number of vehicles subject to the inspection program, including the results of an analysis of the registration database;	Section 2.1.1, page 4
(ii) The percentage of motorists compliance based upon a comparison of the number of valid final tests with the number of subject vehicles;	Section 2.2.1, page 7
(iii) The total number of compliance documents issued to inspection stations;	Section 4.4, page 15
(iv) The number of missing compliance documents;	Section 4.4, page 15
(v) The number of time extensions and other exemptions granted to motorists; and	Section 2.2.2, page 8



Reporting Requirements	Reviewer Comments/Location in State Report
(vi) The number if compliance surveys conducted, number of vehicles surveyed in each, and the compliance rates found.	Section 4.4, page 15
(2) Registration denial-based enforcement programs shall provide the following additional information:	
(i) A report of the program's efforts and actions to prevent motorists from falsely registering vehicles out of the program area or falsely changing fuel type or weight class on the vehicle registration, and the results of special studies to investigate the frequency of such activity; and	Section 2.2.3, page 9
(ii) The number of registration file audits, number of registrations reviewed, and compliance rates found in such audits.	Section 2.2.3, page 9
(3) Computer-matching based enforcement programs shall provide the following additional information:	
(i) The number and percentage of subject vehicles that were tested by the initial deadline, and by other milestones in the cycle;	Not Applicable
(ii) A report on the program's efforts to detect and enforce against motorists falsely changing vehicle classifications to circumvent program requirements, and the frequency of this type of activity; and	Not Applicable
(iii) The number of enforcement system audits, and the error rate found during those audits.	Not Applicable
(4) Sticker-based enforcement systems shall provide following additional information:	
(i) A report on the program's efforts to prevent, detect, and enforce against sticker theft and counterfeiting, and the frequency of this type of activity;	Not Applicable
(ii) A report on the program's efforts to detect and enforce against motorists falsely changing vehicle classifications to circumvent program requirements, and the frequency of this type of activity; and	Not Applicable
(iii) The number of parking lot sticker audits conducted, the number of vehicles surveyed in each, and the noncompliance rate found during those audits.	Not Applicable

Reporting Requirements	Reviewer Comments/Location in State Report
<p>(e) <u>Additional reporting requirements</u></p> <p>In addition to the annual reports in paragraphs (a) through (d) of this section, programs shall submit to EPA by July of every other year, biennial reports addressing:</p>	
<p>(1) Any changes made in program design, funding, personnel levels, procedures, regulations, and legal authority, with detailed discussion and evaluation of the impact on the program of all such changes; and</p>	None
<p>(2) Any weaknesses or problems identified in the program within the two-year reporting period, what steps have already been taken to correct those problems, the results of those steps, and any future efforts planned.</p>	None

## Attachment B

### Number of vehicles failing initially, per test type

HDGV - Heavy Duty Gas Vehicles GVW >8500

LDGT1 - Light Duty Gas Trucks GVW <6001

LDGT2 - Light Duty Gas Trucks GVW >6000 <8500

LDGV - -Light Duty Gas Vehicles GVW <6001

Vehicles that fail their initial test but pass a subsequent test - Year 2020												
Vehicle Year	Veh Type	Test Type	Total Tests	Initial Fails	% to Total Tests	First Retest Fails	% to Total Tests	First Retest Pass	% to Total Tests	Subsequent Pass	% to Total Tests	% Vehicles that fail their initial test but pass a subsequent test
1996	HDGV	B	27	2	7.4%	0	0.0%	1	3.7%	0	0.0%	50.0%
1996	HDGV	C	68	7	10.3%	0	0.0%	0	0.0%	0	0.0%	0.0%
1996	HDGV	O	198	15	7.6%	3	1.5%	14	7.1%	1	0.5%	100.0%
1996	LDGT2	O	1017	134	13.2%	24	2.4%	48	4.7%	7	0.7%	41.0%
1996	LDGT1	O	1039	152	14.6%	28	2.7%	53	5.1%	3	0.3%	36.8%
1996	LDGV	O	2396	251	10.5%	38	1.6%	89	3.7%	6	0.3%	37.8%
1997	HDGV	B	4	1	25.0%	0	0.0%	0	0.0%	0	0.0%	0.0%
1997	HDGV	O	124	25	20.2%	1	0.8%	15	12.1%	0	0.0%	60.0%
1997	LDGT2	O	409	65	15.9%	19	4.6%	30	7.3%	3	0.7%	50.8%
1997	LDGT1	O	710	136	19.2%	25	3.5%	51	7.2%	6	0.8%	41.9%
1997	LDGV	O	1293	199	15.4%	48	3.7%	62	4.8%	7	0.5%	34.7%
1998	HDGV	O	271	19	7.0%	3	1.1%	13	4.8%	0	0.0%	68.4%
1998	LDGT2	O	1301	207	15.9%	31	2.4%	81	6.2%	6	0.5%	42.0%
1998	LDGT1	O	2634	377	14.3%	40	1.5%	148	5.6%	7	0.3%	41.1%
1998	LDGV	O	4560	621	13.6%	95	2.1%	193	4.2%	13	0.3%	33.2%
1999	HDGV	B	1	1	100.0%	0	0.0%	1	100.0%	0	0.0%	100.0%
1999	HDGV	C	9	1	11.1%	0	0.0%	0	0.0%	0	0.0%	0.0%

1999	HDGV	O	211	24	11.4%	6	2.8%	13	6.2%	0	0.0%	54.2%
1999	LDGT2	O	780	165	21.2%	41	5.3%	55	7.1%	8	1.0%	38.2%
1999	LDGT1	O	1019	174	17.1%	39	3.8%	87	8.5%	8	0.8%	54.6%
1999	LDGV	O	2299	415	18.1%	89	3.9%	131	5.7%	18	0.8%	35.9%
2000	LDGT1	D	3	1	33.3%	1	33.3%	1	33.3%	0	0.0%	100.0%
2000	HDGV	O	823	68	8.3%	4	0.5%	50	6.1%	2	0.2%	76.5%
2000	LDGT2	O	2287	337	14.7%	36	1.6%	140	6.1%	9	0.4%	44.2%
2000	LDGT1	O	4143	596	14.4%	69	1.7%	245	5.9%	12	0.3%	43.1%
2000	LDGV	O	8365	1222	14.6%	156	1.9%	408	4.9%	27	0.3%	35.6%
2001	HDGV	B	11	1	9.1%	0	0.0%	1	9.1%	0	0.0%	100.0%
2001	HDGV	O	292	33	11.3%	1	0.3%	17	5.8%	1	0.3%	54.5%
2001	LDGT2	O	960	203	21.1%	40	4.2%	69	7.2%	6	0.6%	36.9%
2001	LDGT1	O	1617	360	22.3%	82	5.1%	125	7.7%	26	1.6%	41.9%
2001	LDGV	O	3263	729	22.3%	145	4.4%	208	6.4%	21	0.6%	31.4%
2002	HDGV	O	937	62	6.6%	5	0.5%	31	3.3%	2	0.2%	53.2%
2002	LDGT2	O	4150	604	14.6%	63	1.5%	231	5.6%	14	0.3%	40.6%
2002	LDGT1	O	7953	1353	17.0%	168	2.1%	468	5.9%	43	0.5%	37.8%
2002	LDGV	O	13082	2006	15.3%	255	1.9%	667	5.1%	48	0.4%	35.6%
2003	HDGV	B	12	1	8.3%	0	0.0%	2	16.7%	0	0.0%	200.0%
2003	HDGV	C	16	2	12.5%	0	0.0%	1	6.3%	0	0.0%	50.0%
2003	HDGV	O	443	59	13.3%	7	1.6%	31	7.0%	1	0.2%	54.2%
2003	LDGT2	O	1994	374	18.8%	74	3.7%	146	7.3%	21	1.1%	44.7%
2003	LDGT1	O	3256	643	19.7%	111	3.4%	234	7.2%	31	1.0%	41.2%
2003	LDGV	O	5914	1090	18.4%	213	3.6%	371	6.3%	57	1.0%	39.3%
2004	HDGV	B	55	1	1.8%	0	0.0%	1	1.8%	0	0.0%	100.0%
2004	HDGV	O	1270	103	8.1%	9	0.7%	46	3.6%	0	0.0%	44.7%
2004	LDGT2	O	6419	861	13.4%	83	1.3%	306	4.8%	25	0.4%	38.4%
2004	LDGT1	O	12407	1656	13.3%	201	1.6%	645	5.2%	40	0.3%	41.4%
2004	LDGV	O	19420	2543	13.1%	298	1.5%	928	4.8%	58	0.3%	38.8%
2005	HDGV	C	1	1	100.0%	0	0.0%	0	0.0%	0	0.0%	0.0%

2005	HDGV	O	269	44	16.4%	2	0.7%	17	6.3%	1	0.4%	40.9%
2005	LDGT2	O	1940	268	13.8%	54	2.8%	117	6.0%	11	0.6%	47.8%
2005	LDGT1	O	5514	844	15.3%	163	3.0%	279	5.1%	39	0.7%	37.7%
2005	LDGV	O	7874	1270	16.1%	252	3.2%	451	5.7%	48	0.6%	39.3%
2006	HDGV	O	1177	109	9.3%	16	1.4%	45	3.8%	3	0.3%	44.0%
2006	LDGT2	O	6709	676	10.1%	66	1.0%	258	3.8%	15	0.2%	40.4%
2006	LDGT1	O	17668	1933	10.9%	223	1.3%	780	4.4%	42	0.2%	42.5%
2006	LDGV	O	26676	2748	10.3%	351	1.3%	947	3.6%	67	0.3%	36.9%
2007	HDGV	C	2	1	50.0%	0	0.0%	0	0.0%	0	0.0%	0.0%
2007	HDGV	O	273	32	11.7%	6	2.2%	10	3.7%	0	0.0%	31.3%
2007	LDGT2	O	2255	279	12.4%	38	1.7%	94	4.2%	8	0.4%	36.6%
2007	LDGT1	O	5717	747	13.1%	121	2.1%	315	5.5%	33	0.6%	46.6%
2007	LDGV	O	10630	1290	12.1%	218	2.1%	471	4.4%	55	0.5%	40.8%
2008	HDGV	O	1077	81	7.5%	7	0.6%	38	3.5%	3	0.3%	50.6%
2008	LDGT2	O	8308	699	8.4%	70	0.8%	284	3.4%	25	0.3%	44.2%
2008	LDGT1	O	23287	1800	7.7%	168	0.7%	821	3.5%	36	0.2%	47.6%
2008	LDGV	O	34673	2634	7.6%	302	0.9%	1103	3.2%	77	0.2%	44.8%
2009	HDGV	O	166	18	10.8%	1	0.6%	8	4.8%	1	0.6%	50.0%
2009	LDGT2	O	1257	122	9.7%	18	1.4%	46	3.7%	3	0.2%	40.2%
2009	LDGT1	O	4446	399	9.0%	70	1.6%	232	5.2%	23	0.5%	63.9%
2009	LDGV	O	9288	809	8.7%	106	1.1%	334	3.6%	36	0.4%	45.7%
2010	HDGV	O	631	30	4.8%	1	0.2%	12	1.9%	1	0.2%	43.3%
2010	LDGT2	O	6942	320	4.6%	25	0.4%	160	2.3%	5	0.1%	51.6%
2010	LDGT1	O	21202	1156	5.5%	81	0.4%	620	2.9%	26	0.1%	55.9%
2010	LDGV	O	37305	1705	4.6%	145	0.4%	810	2.2%	49	0.1%	50.4%
2011	HDGV	O	269	17	6.3%	1	0.4%	7	2.6%	0	0.0%	41.2%
2011	LDGT2	O	2679	139	5.2%	25	0.9%	75	2.8%	5	0.2%	57.6%
2011	LDGT1	O	5853	325	5.6%	35	0.6%	178	3.0%	6	0.1%	56.6%
2011	LDGV	O	10220	527	5.2%	63	0.6%	290	2.8%	25	0.2%	59.8%
2012	HDGV	O	1244	41	3.3%	2	0.2%	13	1.0%	0	0.0%	31.7%

2012	LDGT2	O	11801	365	3.1%	23	0.2%	215	1.8%	9	0.1%	61.4%
2012	LDGT1	O	26088	754	2.9%	47	0.2%	447	1.7%	8	0.0%	60.3%
2012	LDGV	O	45417	1329	2.9%	96	0.2%	771	1.7%	30	0.1%	60.3%
2013	HDGV	O	266	7	2.6%	0	0.0%	5	1.9%	0	0.0%	71.4%
2013	LDGT2	O	2766	88	3.2%	10	0.4%	71	2.6%	3	0.1%	84.1%
2013	LDGT1	O	6255	180	2.9%	15	0.2%	115	1.8%	8	0.1%	68.3%
2013	LDGV	O	11413	385	3.4%	53	0.5%	218	1.9%	24	0.2%	62.9%
2014	HDGV	O	1315	44	3.3%	0	0.0%	32	2.4%	0	0.0%	72.7%
2014	LDGT2	O	15106	256	1.7%	14	0.1%	168	1.1%	7	0.0%	68.4%
2014	LDGT1	O	36101	512	1.4%	25	0.1%	323	0.9%	11	0.0%	65.2%
2014	LDGV	O	46925	932	2.0%	63	0.1%	538	1.1%	25	0.1%	60.4%
2015	HDGV	O	387	13	3.4%	0	0.0%	5	1.3%	0	0.0%	38.5%
2015	LDGT2	O	3020	43	1.4%	3	0.1%	31	1.0%	0	0.0%	72.1%
2015	LDGT1	O	7799	105	1.3%	8	0.1%	88	1.1%	1	0.0%	84.8%
2015	LDGV	O	9883	215	2.2%	25	0.3%	157	1.6%	12	0.1%	78.6%
2016	HDGV	O	2117	26	1.2%	2	0.1%	11	0.5%	1	0.0%	46.2%
2016	LDGT2	O	15535	109	0.7%	4	0.0%	82	0.5%	1	0.0%	76.1%
2016	LDGT1	O	38817	399	1.0%	12	0.0%	312	0.8%	10	0.0%	80.7%
2016	LDGV	O	55163	662	1.2%	29	0.1%	477	0.9%	12	0.0%	73.9%
2017	HDGV	O	210	5	2.4%	0	0.0%	1	0.5%	0	0.0%	20.0%
2017	LDGT2	O	1548	16	1.0%	0	0.0%	4	0.3%	0	0.0%	25.0%
2017	LDGT1	O	3972	21	0.5%	0	0.0%	12	0.3%	0	0.0%	57.1%
2017	LDGV	O	4672	32	0.7%	0	0.0%	18	0.4%	0	0.0%	56.3%
<b>Total</b>			<b>721,590</b>	<b>45,461</b>	<b>6.3%</b>	<b>5,610</b>	<b>0.8%</b>	<b>19,373</b>	<b>2.7%</b>	<b>1,342</b>	<b>0.2%</b>	<b>45.6%</b>