

Ohio EPA Macroinvertebrate Taxa List

Taxa Code	Taxa	Ohio RTE	Tol. Cat.	CW Taxon	Drainage Area (mi ²) Percentile			N	Reference Number
					5th	50th	95th		
00100	<i>Porifera</i>				22.5	36.2	744.0	10	
00401	<i>Spongillidae</i>		F		5.1	115.0	2081.8	1330	
00415	<i>Racekiela ryderi</i>								MS 35
00455	<i>Dosilia radiospiculata</i>				2943.2	6058.0	7423.2	5	MS 26
00550	<i>Ephydatia sp</i>				1.5	1.5	1.5	1	
00556	<i>Ephydatia fluviatilis</i>		MT		2.9	19.9	552.9	195	MS 16
00560	<i>Ephydatia muelleri</i>				51.5	91.6	131.6	2	MS 28
00650	<i>Eunapius sp</i>		F		3.4	43.6	745.0	21	
00653	<i>Eunapius fragilis</i>		F		5.6	85.0	3228.7	580	MS 17
00670	<i>Heteromeyenia sp</i>				16.0	36.0	168.0	9	
00675	<i>Heteromeyenia latitenta</i>		F		5.4	32.5	616.0	21	MS 3
00680	<i>Heteromeyenia tubisperma</i>				6.1	34.0	519.0	11	MS 30
00700	<i>Radiospongilla crateriformis</i>		F		7.7	80.0	2297.0	75	MS 9
00800	<i>Spongilla sp</i>		F		5.8	73.7	510.3	16	
00805	<i>Spongilla lacustris</i>		F		9.3	60.0	485.4	40	MS 15
00830	<i>Trochospongilla horrida</i>				16.6	33.5	331.0	3	MS 32
00835	<i>Trochospongilla leidyi</i>				495.4	3803.0	7849.2	5	MS 11
00840	<i>Trochospongilla pennsylvanica</i>				169.1	377.0	584.9	2	MS 34
01000	<i>Cnidaria</i>								
01101	<i>Clavidae</i>								
01200	<i>Cordylophora caspia</i>		MT		36.7	389.0	6604.0	251	
01301	<i>Hydridae</i>				2.5	2.5	2.5	1	
01320	<i>Hydra sp</i>		F		5.7	91.0	1710.6	3718	
01401	<i>Petasidae</i>								
01418	<i>Craspedacusta sowerbii</i>		F		8.6	50.0	525.6	127	MS 1,31
01500	<i>Platyhelminthes</i>								
01801	<i>Turbellaria</i>		F		2.2	34.0	2566.0	9747	MS 2
01900	<i>Nemertea</i>		F		2.2	42.7	1017.0	532	MS 36
02000	<i>Nematoda</i>				4.8	46.5	955.5	18	
02600	<i>Nematomorpha</i>		F		2.5	22.7	698.0	454	
02801	<i>Gordiidae</i>								
02850	<i>Gordius sp</i>				3.7	36.0	577.8	17	
02901	<i>Parachordodidae</i>								
02960	<i>Paragordius varius</i>		MT		3.9	31.8	425.3	82	MS 4,5
03000	<i>Ectoprocta</i>		F		2.7	16.6	771.2	200	
03010	<i>Cristatellidae</i>								
03015	<i>Cristatella mucedo</i>								MS 25
03039	<i>Fredericellidae</i>				15.5	42.0	50.1	3	
03040	<i>Fredericella sp</i>		F		4.6	62.7	1062.2	754	
03042	<i>Fredericella australiensis</i>		F		305.8	619.0	3005.8	3	MS 33
03045	<i>Fredericella indica</i>		F		3.0	136.5	5044.3	80	MS 20
03069	<i>Lophopodidae</i>								
03073	<i>Lophopodella carteri</i>		MI		129.0	496.0	7451.9	107	MS 21
03101	<i>Paludicellidae</i>								
03121	<i>Paludicella articulata</i>		MI		19.4	435.0	6057.6	449	MS 6
03128	<i>Pottsiellidae</i>								
03131	<i>Pottsiella erecta</i>				218.0	218.0	218.0	1	MS 37
03201	<i>Pectinatellidae</i>				10.7	10.7	10.7	1	
03221	<i>Pectinatella magnifica</i>		F		75.7	529.0	7422.0	108	MS 7
03301	<i>Plumatellidae</i>				1.7	10.4	59.5	19	
03337	<i>Hyalinella punctata</i>		MI		155.6	4438.0	7710.0	90	MS 22
03360	<i>Plumatella sp</i>		F		3.9	88.0	3298.0	5242	
03362	<i>Plumatella casmiana</i>				32.9	63.5	520.9	10	MS 8
03364	<i>Plumatella emarginata</i>				257.0	527.5	691.8	8	MS 27
03369	<i>Plumatella repens</i>				4.2	63.0	502.0	11	MS 19
03373	<i>Plumatella reticulata</i>				118.6	476.0	496.0	11	MS 29
03400	<i>Entoprocta</i>				618.0	618.0	618.0	1	
03451	<i>Urnatella gracilis</i>		MI		48.6	528.0	6310.5	809	MS 10
03500	<i>Annelida</i>				371.0	371.0	371.0	1	

Ohio EPA Macroinvertebrate Taxa List

Taxa Code	Taxa	Ohio RTE	Tol. Cat.	CW Taxon	Drainage Area (mi ²) Percentile			N	Reference Number
					5th	50th	95th		
03520	<i>Polychaeta</i>								
03525	<i>Sabellidae</i>								
03530	<i>Manayunkia speciosa</i>								
03540	<i>Aphanoneura</i>								
03545	<i>Aeolosomatidae</i>								
03550	<i>Aeolosoma sp</i>				406.0	406.0	406.0	1	
03600	<i>Oligochaeta</i>		T		1.6	29.6	1814.0	12286	
03650	<i>Tubificida</i>								
03660	<i>Enchytraeidae</i>				540.0	540.0	540.0	1	
03665	<i>Enchytraeid sp 1</i>								
03666	<i>Enchytraeid sp 2</i>								
03700	<i>Naididae</i>				3.5	6.6	12.6	3	
03710	<i>Allonais pectinata</i>								
03720	<i>Amphichaeta sp</i>								
03722	<i>Amphichaeta americana</i>								
03724	<i>Amphichaeta leydigii</i>								
03730	<i>Arcteonais lomondi</i>								
03735	<i>Bratislavia unidentata</i>								
03740	<i>Chaetogaster sp</i>				808.0	808.0	808.0	1	
03742	<i>Chaetogaster diaphanus</i>				386.5	461.0	764.2	4	
03744	<i>Chaetogaster diastrophus</i>				530.4	705.0	777.9	3	
03746	<i>Chaetogaster limnaei</i>				264.0	264.0	264.0	1	
03748	<i>Chaetogaster setosus</i>								
03750	<i>Dero sp</i>								
03752	<i>Dero digitata</i>				25.8	651.0	805.0	6	
03754	<i>Dero furcata</i>				796.6	802.0	807.4	2	
03756	<i>Dero nivea</i>				26.2	425.0	800.8	13	
03758	<i>Dero obtusa</i>								
03760	<i>Dero vaga</i>								
03762	<i>Dero sp or Nais sp</i>				280.6	394.0	766.6	3	
03765	<i>Haemonais waldvogeli</i>								
03770	<i>Nais sp</i>				1.5	1.5	1.5	1	
03772	<i>Nais alpina</i>								
03774	<i>Nais barbata</i>								
03776	<i>Nais behningi</i>				163.9	406.0	748.0	3	
03778	<i>Nais bretscheri</i>								
03780	<i>Nais communis</i>				516.0	516.0	516.0	1	
03781	<i>Nais communis or N. variabilis</i>				156.7	437.0	677.8	12	
03783	<i>Nais elinguis</i>				48.8	248.3	447.8	2	
03785	<i>Nais pardalis</i>				26.0	404.0	680.8	10	
03787	<i>Nais pseudobtusa</i>								
03789	<i>Nais simplex</i>				281.8	406.0	748.0	3	
03791	<i>Nais variabilis</i>								
03795	<i>Ophidonais serpentina</i>								
03802	<i>Paranais frici</i>				264.0	264.0	264.0	1	
03805	<i>Piguetiella sp</i>								
03807	<i>Piguetiella blanci</i>								
03809	<i>Piguetiella michiganensis</i>								
03810	<i>Pristina sp</i>								
03812	<i>Pristina aequiseta</i>				70.1	406.0	753.6	9	
03814	<i>Pristina breviseta</i>								
03816	<i>Pristina leidyi</i>				146.8	425.0	756.5	11	
03818	<i>Pristina longiseta bidentata</i>								
03820	<i>Pristina longiseta longiseta</i>								
03822	<i>Pristina plumaseta</i>				137.0	137.0	137.0	1	
03824	<i>Pristina synclites</i>								
03830	<i>Pristinella sp</i>								
03832	<i>Pristinella acuminata</i>								
03834	<i>Pristinella jenkiniae</i>				264.0	264.0	264.0	1	

Ohio EPA Macroinvertebrate Taxa List

Taxa Code	Taxa	Ohio RTE	Tol. Cat.	CW Taxon	Drainage Area (mi ²) Percentile			N	Reference Number
					5th	50th	95th		
03836	<i>Pristinella osborni</i>				177.4	458.5	675.9	4	
03840	<i>Ripistes parasita</i>								
03845	<i>Slavina appendiculata</i>				406.0	406.0	406.0	1	
03850	<i>Specaria josinae</i>								
03855	<i>Stephensoniana trivandrana</i>								
03860	<i>Stylaria sp</i>				10.6	13.2	15.8	2	
03862	<i>Stylaria fossularis</i>								
03864	<i>Stylaria lacustris</i>				267.3	438.0	751.3	6	
03870	<i>Uncinaiis uncinata</i>								
03880	<i>Vejdovskyella sp</i>								
03882	<i>Vejdovskyella comata</i>								
03884	<i>Vejdovskyella intermedia</i>								
03900	<i>Tubificidae</i>				4.1	13.3	346.0	3	
03910	<i>Aulodrilus sp</i>								
03912	<i>Aulodrilus americanus</i>								
03914	<i>Aulodrilus limnobius</i>								
03916	<i>Aulodrilus pigueti</i>				264.0	264.0	264.0	1	
03918	<i>Aulodrilus pluriseta</i>								
03920	<i>Bothrioneurum vej dovskyanum</i>				808.0	808.0	808.0	1	
03925	<i>Branchiura sowerbyi</i>				3.1	31.5	511.0	41	
03930	<i>Haber cf. speciosus</i>								
03935	<i>Ilyodrilus templetoni</i>				264.0	264.0	264.0	1	
03940	<i>Isochaetides sp</i>								
03942	<i>Isochaetides curvisetosus</i>								
03944	<i>Isochaetides freyi</i>								
03950	<i>Limnodrilus sp</i>								
03952	<i>Limnodrilus angustipenis</i>								
03954	<i>Limnodrilus cervix</i>				786.0	786.0	786.0	1	
03956	<i>Limnodrilus claparedianus</i>								
03958	<i>Limnodrilus hoffmeisteri</i>				342.3	786.0	794.5	4	
03962	<i>Limnodrilus maumeensis</i>								
03964	<i>Limnodrilus profundicola</i>								
03966	<i>Limnodrilus udekemianus</i>								
03970	<i>Phallodrilus hallae</i>								
03980	<i>Potamotheix sp</i>								
03982	<i>Potamotheix bavaricus</i>								
03984	<i>Potamotheix bedoti</i>								
03986	<i>Potamotheix hammoniensis</i>								
03988	<i>Potamotheix moldaviensis</i>								
03990	<i>Potamotheix vej dovskyi</i>								
03995	<i>Psammoryctides californianus</i>								
04000	<i>Quistadrilus multisetosus</i>				808.0	808.0	808.0	1	
04010	<i>Rhizodrilus sp</i>								
04012	<i>Rhizodrilus lacteus</i>								
04014	<i>Rhyacodrilus coccineus</i>								
04016	<i>Rhyacodrilus montana</i>								
04018	<i>Rhyacodrilus punctatus</i>								
04020	<i>Rhyacodrilus sodalis</i>								
04030	<i>Spirosperma sp</i>								
04032	<i>Spirosperma ferox</i>				786.0	786.0	786.0	1	
04034	<i>Spirosperma nikolskyi</i>								
04040	<i>Tasserkidrilus sp</i>								
04042	<i>Tasserkidrilus harmani</i>								
04044	<i>Tasserkidrilus kessleri</i>								
04046	<i>Tasserkidrilus superiorensis</i>								
04060	<i>Tubifex sp</i>								
04062	<i>Tubifex ignotus</i>								
04064	<i>Tubifex tubifex</i>								
04070	<i>immature Tubificidae w/ capilliform chaetae</i>				278.2	406.0	757.0	3	

Ohio EPA Macroinvertebrate Taxa List

Taxa Code	Taxa	Ohio RTE	Tol. Cat.	CW Taxon	Drainage Area (mi ²) Percentile			N	Reference Number
					5th	50th	95th		
04071	<i>immature Tubificidae w/o capilliform chaetae</i>				25.9	268.0	792.0	9	
04100	<i>Lumbriculidae</i>				0.6	3.7	69.5	11	
04120	<i>Lumbriculus variegatus</i>				16.9	79.5	142.0	2	
04400	<i>Lumbricidae</i>				3.4	11.2	28.5	6	
04410	<i>Eiseniella tetraedra</i>				1.1	9.6	45.7	13	MS 39
04510	<i>Hirudinida</i>			MT	2.7	25.0	6003.0	25	
04601	<i>Glossiphoniidae</i>			MT	4.8	24.9	2284.0	33	
04615	<i>Actinobdella inequiannulata</i>			MT	3.4	674.0	6394.0	37	HI 20
04622	<i>Alboglossiphonia heteroclita</i>								HI 31
04637	<i>Placobdella (=Desserobdella) phalera</i>			MT	3.9	52.0	767.8	66	HI 21
04640	<i>Placobdella (=Desserobdella) picta</i>				7.5	25.0	2558.5	7	HI 25
04653	<i>Glossiphonia complanata</i>			MT	1.7	8.6	185.6	62	HI 1
04660	<i>Helobdella sp</i>			MT	1.3	15.1	3145.4	79	HI 2
04661	<i>Helobdella elongata</i>			MT	4.3	468.0	4542.9	94	HI 7
04662	<i>Helobdella fusca</i>			T	3.4	32.5	4293.0	36	HI 3
04664	<i>Helobdella stagnalis</i>			T	1.3	9.3	719.0	1545	HI 8, 9
04666	<i>Helobdella papillata</i>			MT	1.9	18.2	2280.0	1286	HI 6, 17
04680	<i>Placobdella sp</i>			MT	2.6	13.9	783.3	123	
04682	<i>Placobdella montifera</i>			MT	4.8	120.0	5713.5	132	HI 4
04683	<i>Placobdella multilinea</i>			F	2.2	453.5	5750.2	38	HI 29
04685	<i>Placobdella ornata</i>			MT	3.0	13.0	238.3	822	HI 10
04686	<i>Placobdella papillifera</i>			MT	1.9	11.7	472.5	411	HI 5
04687	<i>Placobdella parasitica</i>			MT	2.4	16.2	512.8	265	HI 11
04689	<i>Placobdella pediculata</i>				5.5	11.9	15.6	4	HI 27
04701	<i>Piscicolidae</i>				5.6	29.4	130.7	3	
04710	<i>Cystobranchnus verrilli</i>								HI 30
04750	<i>Myzobdella lugubris</i>			F	14.3	1469.0	6174.0	21	HI 19
04760	<i>Myzobdella reducta</i>				9.1	136.0	5650.2	7	HI 22
04801	<i>Haemopidae</i>				11.3	76.0	5234.1	4	
04810	<i>Haemopsis sp</i>			VT	0.9	4.0	9.0	6	
04814	<i>Haemopsis marmorata</i>			VT	0.8	4.7	59.0	50	HI 18,24
04818	<i>Haemopsis plumbea</i>				8.7	8.7	8.7	1	
04820	<i>Haemopsis septagon</i>				1.7	1.7	1.7	1	HI 32
04850	<i>Macrobdelellidae</i>								
04855	<i>Macrobdelella decora</i>								HI 28
04901	<i>Erpobdelellidae</i>			MT	3.5	26.0	2647.7	239	
04910	<i>Erpobdelella sp (=Dina)</i>			F	5.5	62.0	289.8	29	
04912	<i>Erpobdelella dubia</i>				6.2	6.2	6.2	1	HI 26
04915	<i>Erpobdelella parva</i>				129.0	129.0	129.0	1	HI 12
04930	<i>Erpobdelella sp</i>			MT	1.2	11.8	745.0	201	
04935	<i>Erpobdelella punctata punctata</i>			MT	1.7	9.9	341.5	2117	HI 13, 14
04960	<i>Erpobdelella sp (=Mooreobdelella)</i>			MT	1.9	29.7	1663.5	192	
04962	<i>Erpobdelella fervida</i>			MT	2.3	61.4	6232.5	308	HI 15
04964	<i>Erpobdelella microstoma</i>			MT	3.2	35.4	2130.8	1894	HI 16
04968	<i>Erpobdelella tetragon</i>				0.7	37.9	3406.8	24	HI 23
04980	<i>Salifidae</i>			MT					
04985	<i>Barbronia weberi</i>			MT	0.3	1.0	1.4	3	HI 33
05000	<i>Arthropoda</i>								
05100	<i>Crustacea</i>								
05110	<i>Anostraca</i>								
05120	<i>Chirocephalidae</i>								
05125	<i>Eubranchipus bundyi</i>								CR 4
05130	<i>Eubranchipus vernalis</i>								CR 13
05201	<i>Spinicaudata</i>								
05211	<i>Cyzicidae</i>								
05225	<i>Cyzicus</i>								CR 8
05230	<i>Limnadiidae</i>								
05235	<i>Eulimnadia sp</i>				2.9	3.2	3.5	2	CR 16
05240	<i>Laevicaudata</i>								

Ohio EPA Macroinvertebrate Taxa List

Taxa Code	Taxa	Ohio RTE	Tol. Cat.	CW Taxon	Drainage Area (mi ²) Percentile			N	Reference Number
					5th	50th	95th		
05250	<i>Lynceidae</i>								
05255	<i>Lynceus brachyurus</i>							CR 14	
05280	<i>Cladocera</i>								
05340	<i>Ostracoda</i>								
05420	<i>Copepoda</i>								
05490	<i>Mysida</i>								
05494	<i>Taphromysis louisianae</i>				22.6	218.0	413.3	2	CR 17
05501	<i>Isopoda</i>				7.0	27.4	427.0	5	
05701	<i>Asellidae</i>				47.4	390.2	733.0	2	
05800	<i>Caecidotea sp</i>		T		2.4	46.0	2287.2	3589	CR 1, 11
05900	<i>Lirceus sp</i>		MT		1.4	17.7	964.0	3363	CR 2
06001	<i>Amphipoda</i>		F		4.4	36.3	1223.5	15	
06101	<i>Hyalellidae</i>								
06201	<i>Hyalella sp</i>		F		3.2	40.0	1614.6	4773	CR 3
06501	<i>Gammaridae</i>		F		6.6	51.6	710.4	57	
06502	<i>Crangonyctidae</i>				2.8	2.8	2.8	1	
06700	<i>Crangonyx sp</i>		MT		2.0	47.1	2594.0	3872	CR 6
06730	<i>Crangonyx setodactylus</i>				4.1	13.4	56.5	4	CR 10
06790	<i>Echinogammarus ischnus</i>				470.1	581.0	704.4	5	CR 18
06800	<i>Gammarus sp</i>		F		2.6	154.0	857.4	95	
06810	<i>Gammarus fasciatus</i>		F		8.0	501.5	6157.3	812	CR 9
06830	<i>Gammarus minus</i>		F	Y	0.4	4.3	106.0	174	CR 5
06840	<i>Gammarus pseudolimnaeus</i>		F		10.8	157.0	396.6	13	CR 12
06904	<i>Synurella dentata</i>		MT		0.5	5.7	59.0	305	CR 7
07001	<i>Corophiidae</i>								
07055	<i>Apocorophium lacustre</i>								CR 15
07501	<i>Decapoda</i>				2.4	8.2	12.7	3	
07701	<i>Cambaridae</i>				0.6	13.6	735.9	352	
07800	<i>Cambarus sp</i>		F		0.1	4.8	126.9	288	
07801	<i>Cambarus (C.) sp</i>		F		0.7	5.0	58.6	17	
07810	<i>Cambarus (Cambarus) carinirostris</i>		F		0.1	2.7	24.3	64	DE 1
07820	<i>Cambarus (Cambarus) bartonii cavatus</i>		MT		0.1	2.9	50.8	511	DE 14
07830	<i>Cambarus (Cambarus) ortmanni</i>				0.5	4.9	144.9	8	
07840	<i>Cambarus (Cambarus) sciotensis</i>		MI		1.0	10.6	168.8	159	DE 12
07850	<i>Lacunicambarus diogenes</i>		T		1.1	12.1	102.0	39	
07860	<i>Cambarus (Puncticambarus) robustus</i>		F		0.6	7.4	104.0	481	DE 8, 10
07865	<i>Cambarus (Puncticambarus) theepiensis</i>		MI						
07870	<i>Lacunicambarus sp</i>				0.8	5.5	34.1	35	
07875	<i>Lacunicambarus polychromatus</i>		MT		0.2	5.3	76.6	143	DE 19
07880	<i>Lacunicambarus thomai</i>		T		0.6	4.2	98.3	118	DE 20
07910	<i>Fallicambarus (Creaserinus) fodiens</i>				2.4	2.6	2.8	3	DE 21
08200	<i>Faxonius sp</i>		F		1.8	21.4	774.6	861	
08201	<i>Faxonius cristavarius</i>		F		2.6	32.0	223.5	91	DE 15
08220	<i>Faxonius immunis</i>		T		1.7	7.6	26.0	381	DE 13
08230	<i>Faxonius obscurus</i>	S	MT		2.6	23.0	611.8	506	DE 3
08240	<i>Faxonius propinquus</i>	S	F		1.5	17.3	570.2	309	DE 18
08245	<i>Faxonius raymondi</i>				1.3	4.0	20.3	19	DE 23
08250	<i>Faxonius rusticus</i>		F		3.9	48.5	2119.4	4680	DE 4
08255	<i>Faxonius rusticus x sanbornii</i>		F		2.3	13.5	553.3	106	DE 22
08260	<i>Faxonius sanbornii sanbornii</i>		F		2.5	15.2	586.0	2853	DE 11
08270	<i>Faxonius sloanii</i>		F		3.3	10.8	228.3	120	DE 2
08280	<i>Faxonius virilis</i>		F		2.5	14.3	58.9	12	DE 16
08300	<i>Procambarus sp</i>								
08310	<i>Procambarus (Ortmannicus) acutus acutus</i>		T		1.2	6.4	69.2	56	DE 9
08320	<i>Procambarus (Scapulicambarus) clarkii</i>				3.9	6.8	448.5	4	DE 17
08401	<i>Palaemonidae</i>								
08451	<i>Palaemon kadiakensis</i>		F		6.9	35.5	5609.0	40	DE 5-7
08500	<i>Arachnida</i>								
08601	<i>Hydrachnidia</i>		F		2.6	35.0	936.9	5224	

Ohio EPA Macroinvertebrate Taxa List

Taxa Code	Taxa	Ohio RTE	Tol. Cat.	CW Taxon	Drainage Area (mi ²) Percentile			N	Reference Number
					5th	50th	95th		
09000	<i>Insecta</i>								
10000	<i>Ephemeroptera</i>				252.2	560.0	5786.3	3	
10501	<i>Ameletidae</i>				75.0	75.0	75.0	1	
10550	<i>Ameletus sp</i>		MI	Y	0.1	0.1	18.4	40 E 1	
10590	<i>Siphonuridae</i>								
10600	<i>Siphonurus sp</i>		F		0.2	3.5	90.2	15 E 43	
11001	<i>Baetidae</i>				2.5	24.6	1114.5	110	
11010	<i>Acentrella sp</i>		I		16.1	175.5	1505.0	28	
11011	<i>Acentrella rallatoma</i>		MI		3.6	6.9	10.5	4 E 91	
11012	<i>Acentrella nadineae</i>		MI		3.0	8.3	28.4	38 E 81	
11014	<i>Acentrella turbida</i>		I		2.3	68.8	1479.8	435 E 73	
11015	<i>Acerpenna sp</i>		MI		2.2	10.1	302.4	33	
11018	<i>Acerpenna macdunnoughi</i>		MI		1.4	8.0	141.3	528 E 61	
11020	<i>Acerpenna pygmaea</i>		MI		5.6	47.0	541.0	1487 E 56	
11100	<i>Baetis sp</i>		F		4.9	94.0	3221.0	1824	
11101	<i>Plauditus sp</i>		MI		2.9	48.8	472.0	27	
11110	<i>Acentrella parvula</i>		I		17.4	553.0	4883.0	82 E 20	
11113	<i>Baetis brunneicolor</i>		F	Y	0.2	5.8	19.5	16 E 96	
11115	<i>Baetis tricaudatus</i>		MI	Y	0.3	6.2	188.0	357 E 62	
11116	<i>Plauditus cestus</i>		I		10.5	66.6	1371.3	18 E 84	
11118	<i>Plauditus dubius</i>		MI		9.3	773.0	5693.6	209 E 63	
11119	<i>Plauditus dubius</i> or <i>P. virilis</i>		I		4.5	421.1	3168.2	369	
11120	<i>Baetis flavistriga</i>		F		1.7	14.9	483.3	5503 E 14	
11121	<i>Labiobaetis sp</i>		MI		2.4	17.6	1489.9	35	
11123	<i>Labiobaetis dardanus</i>		MI		916.8	3828.0	7461.6	74 E 76	
11125	<i>Labiobaetis frondalis</i>		MI		2.2	10.4	462.0	565 E 57	
11128	<i>Labiobaetis longipalpus</i>		MI		1505.7	1836.0	2166.3	2 E 77	
11130	<i>Baetis intercalaris</i>		F		3.7	39.0	2119.0	7237 E 58	
11150	<i>Labiobaetis propinquus</i>		MI		4.0	38.0	953.0	710 E 60	
11155	<i>Iswaeon anoka</i>		MI		11.5	69.7	654.0	161 E 21	
11170	<i>Plauditus gloveri</i>		I					E 19	
11172	<i>Plauditus punctiventris</i>		MI		3.6	16.8	257.3	22 E 90	
11175	<i>Plauditus virilis</i>		MI		1.8	62.7	3979.0	29 E 70	
11200	<i>Callibaetis sp</i>		MT		2.1	18.2	868.1	2680 E 16	
11245	<i>Anafroptilum sp</i> or <i>Neocloeon sp</i>		F		3.0	18.7	474.2	84	
11250	<i>Neocloeon sp</i>		MI		0.6	8.6	201.5	1689 E 66	
11251	<i>Anafroptilum sp</i>		F		2.5	29.3	270.3	40 E 83	
11252	<i>Anafroptilum album</i>		MI					E 97	
11260	<i>Anafroptilum minor group sp 1</i>		I		2.4	15.6	217.3	106 E 92	
11265	<i>Anafroptilum minor group sp 2</i>		MI		1.7	7.6	13.4	2 E 98	
11270	<i>Anafroptilum victoriae</i>		MI		3.8	3.8	3.8	1 E 99	
11295	<i>Cloeon dipterum</i>		T		0.1	3.9	20.2	36 E 72	
11300	<i>Procloeon sp</i> (formerly in <i>Centroptilum</i>)		MI		10.1	125.0	2575.6	463	
11400	<i>Centroptilum sp</i> or <i>Procloeon sp</i> (formerly in <i>Cloeon</i>)		F		4.7	48.0	511.5	445	
11430	<i>Dipheter hageni</i>		MI		0.3	6.7	88.0	846 E 59	
11503	<i>Heterocloeon (H.) sp.</i>		I		44.6	876.5	5653.5	62 E 17,94	
11515	<i>Heterocloeon (Jubilatum) sp B</i> (McCafferty et al. 2017)							E 95	
11520	<i>Heterocloeon (Jubilatum) sp D</i> (McCafferty et al. 2017)				0.1	0.1	0.1	1 E 89	
11525	<i>Heterocloeon curiosum</i>							E 101	
11590	<i>Paracloeodes sp</i>		MI		13.1	537.0	954.6	11	
11600	<i>Paracloeodes fleeki</i>		MI		6.9	255.0	3838.0	172 E 54	
11620	<i>Paracloeodes minutus</i>		MI		54.1	964.0	6135.0	181 E 67	
11645	<i>Procloeon sp</i>		MI		3.2	16.1	658.5	97	
11650	<i>Procloeon sp</i> (w/ hindwing pads)		MI		2.0	45.5	964.2	1528 E 23	
11651	<i>Procloeon sp</i> (w/o hindwing pads)		MI		2.3	20.5	248.0	1642 E 18	
11670	<i>Procloeon viridoculare</i>		MI		5.2	69.0	2510.7	1612 E 65	
11700	<i>Acentrella sp</i> or <i>Plauditus sp</i> (formerly in <i>Pseudocloeon</i>)		MI		7.3	139.5	1414.5	127	
12001	<i>Isonychiidae</i>								
12200	<i>Isonychia sp</i>		MI		5.3	101.0	3251.0	4722 E 2	

Ohio EPA Macroinvertebrate Taxa List

Taxa Code	Taxa	Ohio RTE	Tol. Cat.	CW Taxon	Drainage Area (mi ²) Percentile			N	Reference Number
					5th	50th	95th		
12501	<i>Heptageniidae</i>				1.3	32.5	748.4	43	
12800	<i>Epeorus sp</i>		I	Y	0.1	0.3	18.9	19	E 29
12900	<i>Heptagenia sp</i>				27.0	119.0	3851.6	24	
12912	<i>Heptagenia elegantula</i>		F		12.7	71.0	4527.3	46	E 36
12924	<i>Heptagenia flavescens</i>		MI		33.0	522.5	3860.3	46	E 27
12956	<i>Heptagenia marginalis</i>		I		48.2	4857.5	7530.8	36	E 31
13000	<i>Leucrocuta sp</i>		MI		6.7	130.0	3280.9	3345	E 50
13010	<i>Leucrocuta hebe</i>		MI		10.3	83.0	526.2	97	E 28
13030	<i>Leucrocuta maculipennis</i>		MI		49.1	455.5	5756.8	36	
13100	<i>Nixe sp</i>		MI		7.3	162.5	2711.0	732	
13110	<i>Nixe inconspicua</i>		MI		57.0	57.0	57.0	1	E 25
13120	<i>Nixe perfida</i>		MI		1.9	58.5	2845.0	64	E 37
13300	<i>Rhithrogena manifesta</i>	E	I		1369.2	1469.0	2277.8	5	E 15
13400	<i>Stenacron sp</i>		F		3.2	40.0	2280.0	9969	E 30
13500	<i>Maccaffertium sp</i>		MI		6.4	116.0	1840.3	492	
13510	<i>Maccaffertium exiguum</i>		MI		30.8	403.5	5548.0	1701	E 24
13521	<i>Stenonema femoratum</i>		F		2.5	20.1	543.3	7185	E 26
13530	<i>Maccaffertium ithaca</i>	S	MI	Y	3.4	11.6	26.0	31	E 51
13540	<i>Maccaffertium mediopunctatum</i>		MI		11.1	129.0	2114.3	709	E 46
13550	<i>Maccaffertium mexicanum integrum</i>		MI		103.0	1124.0	6327.0	1083	E 48
13555	<i>Maccaffertium modestum</i>		I	Y	2.0	4.0	38.9	10	E 79, 85
13561	<i>Maccaffertium pulchellum</i>		MI		16.2	198.0	3828.0	3509	E 32
13570	<i>Maccaffertium terminatum</i>		MI		34.7	528.0	5656.2	2504	E 33
13590	<i>Maccaffertium vicarium</i>		MI		1.8	15.6	261.0	2662	E 35
14501	<i>Leptophlebiidae</i>		MI		0.3	31.6	596.7	63	
14600	<i>Choroterpes basalis</i>		MI		1.6	7.5	120.7	215	E 3
14650	<i>Habrophlebia vibrans</i>		MI	Y	0.2	0.3	0.4	3	E 86
14700	<i>Habrophlebiodes sp</i>		MI	Y	0.1	2.6	16.8	75	E 47
14900	<i>Leptophlebia sp</i>		F		0.3	9.0	125.3	95	E 4
14950	<i>small Leptophlebiidae</i>		F		1.7	22.9	367.0	1113	
15000	<i>Paraleptophlebia sp</i>		F		0.1	9.0	276.4	1049	
15005	<i>Neoleptophlebia sp</i>				0.7	0.7	0.7	1	
15010	<i>Paraleptophlebia debilis</i>				7.2	7.2	7.2	1	E 75
15020	<i>Paraleptophlebia guttata</i>				4.2	4.2	4.2	1	E 68
15040	<i>Neoleptophlebia mollis</i>				4.2	4.3	4.3	2	E 69
15050	<i>Paraleptophlebia ontario</i>				2.4	7.2	61.0	7	E 71
15064	<i>Paraleptophlebia praepedita</i>		F		0.2	7.6	130.4	28	E 6
15070	<i>Paraleptophlebia strigula</i>				7.8	7.8	7.8	1	E 80
15501	<i>Ephemerellidae</i>		MI		3.2	37.3	486.8	166	
15585	<i>Dannella simplex</i>		MI	Y	8.2	16.9	115.2	10	E 49
15600	<i>Ephemerella sp</i>		F		0.1	7.1	96.7	48	
15601	<i>Ephemerella Type 1</i>				535.4	539.0	542.6	2	E 53
16124	<i>Ephemerella dorothea</i>								E 7
16164	<i>Ephemerella needhami</i>				37.4	105.0	132.6	4	E 11
16170	<i>Ephemerella subvaria</i>								E 100
16200	<i>Eurylophella sp</i>		MI		0.1	9.7	251.5	516	
16220	<i>Eurylophella temporalis</i>				0.7	9.4	447.3	7	E 9
16240	<i>Eurylophella lutulenta</i>				0.2	3.0	146.2	14	E 52
16300	<i>Teloganopsis sp</i>		I		8.3	196.5	1137.0	34	
16324	<i>Teloganopsis deficiens</i>		I		18.3	313.0	1420.6	325	E 10
16501	<i>Leptoxyphidae</i>		MI		36.0	273.5	888.9	6	
16700	<i>Tricorythodes sp</i>		MI		17.9	295.5	3865.5	4036	E 13
17001	<i>Caenidae</i>								
17100	<i>Sparbarus sp</i>		MI		26.6	201.0	648.0	21	
17103	<i>Sparbarus lacustris</i>		MI		6.9	66.7	275.6	15	E 8
17200	<i>Caenis sp</i>		F		2.9	32.3	2292.0	9595	E 12
17501	<i>Baetiscidae</i>								
17600	<i>Baetisca sp</i>		MI		3.4	40.1	648.0	263	
17608	<i>Baetisca lacustris</i>		MI		15.0	96.7	425.8	4	E 22

Ohio EPA Macroinvertebrate Taxa List

Taxa Code	Taxa	Ohio RTE	Tol. Cat.	CW Taxon	Drainage Area (mi ²) Percentile			N	Reference Number
					5th	50th	95th		
18001	<i>Potamanthidae</i>								
18100	<i>Anthopotamus sp</i>		MI		99.2	680.0	5684.0	1010	E 41
18501	<i>Ephemeridae</i>		MI		4.5	53.5	626.3	16	
18600	<i>Ephemera sp</i>		MI		3.0	74.0	685.0	1706	E 38
18605	<i>Ephemera blanda</i>		MI		1.1	2.3	2.9	3	E 93
18610	<i>Ephemera guttulata</i>		MI		0.1	0.3	0.6	5	E 87
18619	<i>Ephemera simulans</i>		MI		2.1	42.0	675.7	35	E 82
18630	<i>Ephemera varia</i>		MI		0.7	4.4	22.9	35	E 78
18700	<i>Hexagenia sp</i>		F		5.4	56.2	1369.7	728	E 40
18704	<i>Hexagenia atrocaudata</i>		F		5.4	46.2	363.7	35	E 5, 44
18708	<i>Hexagenia bilineata</i>		F		4.4	16.3	122.3	96	E 64
18750	<i>Hexagenia limbata</i>		F		4.5	36.1	1140.6	533	E 45
18801	<i>Litobrancha recurvata</i>	E	I	Y	0.1	0.7	1.6	4	E 55
19001	<i>Polymitarciidae</i>								
19100	<i>Ephoron sp</i>		MI		121.1	948.0	2197.1	7	
19102	<i>Ephoron album</i>		MI		108.6	461.5	2985.1	58	E 39
19107	<i>Ephoron leukon</i>		MI		87.3	367.0	1191.9	12	E 42
20000	<i>Odonata</i>								
20501	<i>Zygoptera</i>				0.7	3.9	11.4	4	
21001	<i>Calopterygidae</i>		F		0.7	11.8	444.8	226	
21200	<i>Calopteryx sp</i>		F		1.8	21.2	517.0	6782	OZ 1
21300	<i>Hetaerina sp</i>		F		6.1	155.0	3241.7	1829	OZ 2
21501	<i>Lestidae</i>								
21604	<i>Archilestes grandis</i>		T		0.2	3.0	12.7	81	OZ 3, 4
21700	<i>Lestes sp</i>				2.9	13.5	149.8	20	
21710	<i>Lestes disjunctus</i>				1.9	1.9	1.9	1	OZ 12
21722	<i>Lestes inaequalis</i>				13.5	14.2	57.7	3	OZ 11
22001	<i>Coenagrionidae</i>		T		2.5	29.5	1161.0	9240	
22300	<i>Argia sp</i>		F		3.5	61.0	2597.4	8424	OZ 5, 6
22315	<i>Argia moesta</i>				554.1	555.0	5749.8	3	
22319	<i>Argia sedula</i>								OZ 7
22325	<i>Argia tibialis</i>				109.0	109.0	109.0	1	
22400	<i>Chromagrion conditum</i>				3.6	9.6	108.2	6	OZ 8
22600	<i>Enallagma sp</i>				0.7	22.5	744.9	64	OZ 9
22630	<i>Enallagma signatum</i>				71.0	71.0	71.0	1	OZ 13
22700	<i>Ischnura sp</i>				0.7	5.3	714.3	56	OZ 10
22720	<i>Ischnura verticalis</i>				3.7	9.8	64.9	9	
23001	<i>Anisoptera</i>				0.4	4.5	284.4	13	
23501	<i>Aeshnidae</i>				2.6	11.1	62.6	42	
23600	<i>Aeshna sp</i>		MT		0.7	6.5	69.0	1454	
23605	<i>Aeshna canadensis</i>	E							
23618	<i>Aeshna umbrosa</i>		T		0.7	6.3	146.0	67	OA 6
23700	<i>Anax sp</i>		MT		1.4	9.6	189.0	146	
23704	<i>Anax junius</i>		MT		1.9	9.9	137.3	228	OA 11, 37
23710	<i>Anax longipes</i>		T		0.7	9.1	227.6	15	
23804	<i>Basiaeschna janata</i>		F		2.6	20.5	594.0	1028	OA 13
23900	<i>Boyeria sp</i>		F		0.3	3.4	209.2	37	
23905	<i>Boyeria grafiana</i>	T	MI	Y	0.3	5.1	156.1	220	OA 10
23909	<i>Boyeria vinosa</i>		F		2.7	21.2	540.4	5437	OA 14, 15
23950	<i>Epiaeschna heros</i>		MT		0.8	16.6	518.1	14	OA 46
24107	<i>Nasiaeschna pentacantha</i>		MT		6.7	72.0	2064.0	211	OA 16
24501	<i>Gomphidae</i>		F		2.6	84.3	5002.0	231	
24600	<i>Arigomphus sp</i>		MT		1.8	83.4	5939.8	48	OA 19
24610	<i>Arigomphus furcifer</i>		MT		8.9	42.3	501.4	5	
24620	<i>Arigomphus villosipes</i>		MT		2.8	5.0	681.2	7	
24700	<i>Dromogomphus sp</i>		F		5.8	96.0	1127.5	59	
24710	<i>Dromogomphus spinosus</i>		F		5.1	65.5	614.6	68	OA 42
24800	<i>Gomphurus sp</i>		MI		75.2	1663.0	6433.3	24	
24820	<i>Gomphurus externus</i>	T	MI		203.0	2412.0	5737.9	28	OA 41

Ohio EPA Macroinvertebrate Taxa List

Taxa Code	Taxa	Ohio RTE	Tol. Cat.	CW Taxon	Drainage Area (mi ²) Percentile			N	Reference Number	
					5th	50th	95th			
24900	<i>Gomphus Complex</i>			F		2.9	31.0	2728.0	2166	OA 1, 36
24905	<i>Phanogomphus sp</i>					100.0	100.0	100.0	1	
24910	<i>Phanogomphus descriptus</i>			MI		35.1	760.5	2476.3	8	
24915	<i>Gomphurus fraternus</i>			MI		8.0	109.0	5657.0	7	OA 48
24920	<i>Phanogomphus graslinellus</i>			F		74.8	116.0	261.8	4	
24930	<i>Phanogomphus lividus</i>			MI		3.9	58.0	602.5	35	OA 3
24940	<i>Phanogomphus quadricolor</i>			I		89.4	502.0	873.3	6	
24950	<i>Gomphurus vastus</i>			F		35.2	2508.5	7359.7	18	OA 44
25010	<i>Hagenius brevistylus</i>			F		4.2	75.4	1154.6	139	OA 4
25100	<i>Hylogomphus sp</i>									
25120	<i>Hylogomphus viridifrons</i>									OA 58
25200	<i>Lanthus sp</i>			MI	Y	0.4	13.5	350.6	24	
25210	<i>Lanthus parvulus</i>			MI	Y	0.1	4.3	47.2	47	OA 5
25250	<i>small Lanthus or Stylogomphus</i>			MI		0.3	1.0	4.6	12	
25300	<i>Ophiogomphus sp</i>			MI		6.9	173.5	3149.0	178	
25305	<i>Ophiogomphus rupinsulensis</i>			MI		16.2	433.0	4121.2	10	OA 35
25320	<i>Ophiogomphus carolus</i>			MI		12.8	78.0	178.8	3	OA 23
25410	<i>Progomphus obscurus</i>			MT		3.1	22.7	336.0	127	OA 9
25510	<i>Stylogomphus albistylus</i>			MI		1.1	8.0	193.3	752	OA 39
25600	<i>Stylurus sp</i>			MI		27.4	447.0	6223.6	54	
25605	<i>Stylurus laurae</i>			MI		9.5	107.5	4774.0	6	OA 49
25610	<i>Stylurus notatus</i>			MI		199.8	2941.5	6030.3	8	OA 7
25620	<i>Stylurus spiniceps</i>			MI		162.3	905.0	4301.8	46	OA 38
26001	<i>Cordulegastridae</i>					2.6	10.5	28.0	3	
26100	<i>Cordulegaster sp</i>			F		0.1	2.7	56.7	331	
26120	<i>Cordulegaster maculata</i>			F		2.1	7.3	50.1	26	OA 18
26130	<i>Cordulegaster obliqua</i>			F		0.4	0.6	2.7	3	
26501	<i>Macromiidae</i>					13.0	176.0	1186.6	17	
26600	<i>Didymops transversa</i>			MT		4.6	34.4	1668.1	78	OA 12
26700	<i>Macromia sp</i>			MI		9.5	183.0	3226.3	847	
26705	<i>Macromia illinoiensis</i>			F		28.0	381.0	5268.0	36	OA 30
26707	<i>Macromia magnifica</i>					712.3	3298.0	5442.7	3	
26715	<i>Macromia taeniolata</i>					31.7	291.0	1052.0	8	OA 25
27000	<i>Corduliidae or Libellulidae</i>					0.5	10.4	348.2	30	
27001	<i>Corduliidae</i>					2.0	10.2	386.9	67	
27307	<i>Epitheca (Epicordulia) princeps</i>			MT		2.6	68.4	1055.7	253	OA 33
27340	<i>Helocordulia uhleri</i>			E	F	3.1	8.4	97.9	46	OA 56
27400	<i>Neurocordulia sp</i>				F	2.9	143.5	1887.1	134	
27404	<i>Neurocordulia molesta</i>			E	F	157.8	2938.0	7712.6	84	OA 8
27406	<i>Neurocordulia obsoleta</i>				MI	69.4	487.5	7492.6	38	OA 26
27409	<i>Neurocordulia yamaskanensis</i>			E	I	38.6	470.0	1798.4	20	OA 27
27500	<i>Somatochlora sp</i>			MT		1.3	7.7	115.5	1139	
27512	<i>Somatochlora linearis</i>					1.2	6.6	75.8	12	OA 29
27520	<i>Somatochlora tenebrosa</i>					2.6	6.3	9.9	2	OA 40
27600	<i>Epitheca (Tetragoneuria) sp</i>			MT		1.2	9.3	227.6	62	
27605	<i>Epitheca (Tetragoneuria) canis</i>					189.0	189.0	189.0	1	OA 57
27610	<i>Epitheca (Tetragoneuria) cynosura</i>			MT		3.4	62.0	322.6	37	OA 32
28001	<i>Libellulidae</i>			MT		1.4	15.2	461.8	129	
28105	<i>Celithemis eponina</i>									OA 54
28208	<i>Erythemis simplicicollis</i>			MT		1.7	12.8	1108.8	213	OA 20
28300	<i>Ladona sp</i>									OA 52
28410	<i>Leucorrhinia sp</i>					4.3	6.3	15.5	9	OA 53
28500	<i>Libellula sp</i>			MT		1.5	10.5	616.7	381	
28511	<i>Libellula luctuosa</i>			T		3.4	24.5	1675.7	28	OA 21
28516	<i>Libellula pulchella</i>			T		1.0	11.1	435.6	40	OA 34
28705	<i>Pachydiplax longipennis</i>			T		1.9	12.6	180.3	88	OA 28
28800	<i>Pantala sp</i>			T		0.3	3.5	15.3	6	
28805	<i>Pantala hymenaea</i>			MT		1.7	18.5	223.9	23	OA 31
28810	<i>Pantala flavescens</i>			VT		1.0	3.4	2515.6	13	OA 55

Ohio EPA Macroinvertebrate Taxa List

Taxa Code	Taxa	Ohio RTE	Tol. Cat.	CW Taxon	Drainage Area (mi ²) Percentile			N	Reference Number	
					5th	50th	95th			
28908	<i>Perithemis tenera</i>			T		2.3	39.7	2091.0	66	OA 22
28955	<i>Plathemis lydia</i>			T		1.4	9.9	546.0	879	OA 24
29000	<i>Sympetrum sp</i>			T		1.3	5.4	27.6	48	
29020	<i>Sympetrum vicinum</i>			T		2.3	8.3	37.9	15	OA 2
29100	<i>Tramea sp</i>					3.5	3.5	3.5	1	
29105	<i>Tramea carolina</i>					5.9	7.2	20.2	9	OA 45
30000	<i>Plecoptera</i>					2.5	38.0	774.0	182	
30501	<i>Pteronarcyidae</i>									
30800	<i>Pteronarcys sp</i>			MI		76.0	544.0	6734.4	89	P 1
30805	<i>Pteronarcys biloba</i>			I		3.9	3.9	3.9	1	P 17
31001	<i>Peltoperlidae</i>									
31300	<i>Peltoperla sp</i>			MI	Y	0.1	0.1	3.4	27	P 2, 3
31501	<i>Taeniopterygidae</i>									
31800	<i>Taeniopteryx sp</i>			F		95.6	1167.1	5694.5	36	
31810	<i>Taeniopteryx burksi</i>			F		74.2	75.5	79.4	4	P 4
32001	<i>Nemouridae</i>			MI		0.1	0.2	4.4	50	
32200	<i>Amphinemura sp</i>			MI	Y	0.1	1.1	32.6	117	P 39
32305	<i>Nemoura trispinosa</i>					0.1	0.1	0.1	3	P 23
32400	<i>Ostrocerca sp</i>			MI		0.1	0.5	0.8	2	P 36
32700	<i>Prostoia sp</i>			MI		0.7	6.4	12.0	2	P 38
32800	<i>Soyedina sp</i>			MI	Y	0.1	0.1	0.2	15	P 33
33001	<i>Leuctridae</i>			MI		0.6	3.9	53.6	10	
33100	<i>Leuctra sp</i>			MI	Y	0.1	4.7	38.2	916	P 5
33200	<i>Paraleuctra sara</i>			MI		0.1	0.2	1.5	4	P 35
33501	<i>Capniidae</i>			F		0.2	8.7	1744.0	17	
33600	<i>Allocapnia sp</i>			F		0.2	4.4	338.3	20	
33622	<i>Allocapnia vivipara</i>									P 7
33700	<i>Paracapnia sp</i>			F		1.8	13.7	71.8	6	
34001	<i>Perlidae</i>					0.8	10.4	191.5	24	
34100	<i>Acroneuria sp</i>			MI		0.8	8.9	550.0	70	
34110	<i>Acroneuria abnormis</i>			MI		2.9	246.0	959.9	15	P 8
34120	<i>Acroneuria carolinensis</i>			MI		0.5	7.8	133.0	253	P 12
34130	<i>Acroneuria frisoni</i>			MI		2.3	22.2	272.7	1122	P 9
34140	<i>Acroneuria internata</i>			MI		50.5	599.0	6001.6	97	P 22
34150	<i>Acroneuria lycorias</i>			I		4.1	175.0	954.1	55	P 21
34190	<i>small Acroneuria or Eccoptura</i>			MI		0.2	0.4	0.6	4	
34200	<i>Eccoptura xanthenes</i>			MI	Y	0.1	0.2	44.9	33	P 34
34300	<i>Neoperla sp</i>			I		4.8	214.0	1186.0	365	P 10
34400	<i>Paragnetina sp</i>			MI		51.8	153.0	286.6	5	
34405	<i>Paragnetina immarginata</i>									
34410	<i>Paragnetina media</i>			MI		20.8	62.3	6850.0	112	P 13
34500	<i>Perlesta sp</i>			F		0.3	5.7	277.8	389	P 14, 24
34600	<i>Perlinella sp</i>			MI		129.4	658.0	7218.6	59	
34605	<i>Perlinella drymo</i>			MI		302.2	1469.0	6072.8	67	P 32
34610	<i>Perlinella ephyre</i>									P 20
34700	<i>Aagnetina sp</i>			MI		8.6	373.0	4873.0	565	
34710	<i>Aagnetina capitata</i>			MI		22.4	1253.5	5144.0	56	P 11
34715	<i>Aagnetina flavescens</i>			I		55.2	367.5	1196.3	110	P 25
35001	<i>Perlodidae</i>			MI		0.1	13.0	2292.0	81	
35150	<i>Clioperla clio</i>			MI	Y	0.1	1.5	20.0	52	P 16, 28
35240	<i>Diploperla sp</i>			MI	Y	0.2	1.1	3.1	17	
35250	<i>Diploperla robusta</i>			MI	Y	0.1	0.4	7.3	46	P 31
35500	<i>Isoperla sp</i>			MI		2.4	10.7	137.5	14	
35510	<i>Isoperla burksi</i>			MI		75.4	75.4	75.4	1	P 40
35520	<i>Isoperla decepta</i>			MI		0.1	0.3	0.6	3	P 30
35540	<i>Isoperla montana</i>			MI		0.1	0.6	8.4	11	P 29
35550	<i>Isoperla nana</i>			F		0.2	0.8	15.2	18	P 19
35570	<i>Isoperla transmarina</i>			MI		0.1	3.5	220.2	33	P 18
35610	<i>Malirekus iroquois</i>			MI	Y	0.1	0.2	3.8	26	P 27

Ohio EPA Macroinvertebrate Taxa List

Taxa Code	Taxa	Ohio RTE	Tol. Cat.	CW Taxon	Drainage Area (mi ²) Percentile			N	Reference Number
					5th	50th	95th		
36001	<i>Chloroperlidae</i>		MI		0.1	4.6	133.7	43	
36100	<i>Alloperla sp</i>		MI		0.1	0.3	17.9	3	P 37
36200	<i>Haploperla brevis</i>		MI	Y	0.3	2.2	259.2	17	P 15
36500	<i>Sweltsa sp</i>		MI	Y	0.1	2.6	39.0	172	P 26
40000	<i>Hemiptera</i>				106.2	107.5	108.9	2	
42501	<i>Belostomatidae</i>				2.9	8.6	14.4	6	
42700	<i>Belostoma sp</i>		T		2.4	21.2	2275.9	1441	H 11, 12
42800	<i>Lethocerus sp</i>				31.3	214.5	397.6	2	H 23
43001	<i>Nepidae</i>				25.4	29.0	32.5	2	
43205	<i>Nepa apiculata</i>		MT		2.0	9.8	224.2	118	H 8
43300	<i>Ranatra sp</i>		F		5.6	80.0	1143.0	1158	H 9, 10
43501	<i>Pleidae</i>								
43570	<i>Neoplea sp</i>		F		3.7	28.0	575.3	488	
44001	<i>Naucoridae</i>								
44300	<i>Pelocoris sp</i>		MT		2.7	31.5	786.0	124	H 7
44501	<i>Corixidae</i>		F		2.0	33.0	1368.0	1202	
44700	<i>Corisella sp</i>		T		1.8	30.0	3278.8	33	H 1
45000	<i>Hesperocorixa sp</i>		T		2.5	15.9	2381.0	61	H 22
45100	<i>Palmacorixa sp</i>		F		4.5	61.0	1776.7	1336	H 3
45200	<i>Ramphocorixa sp</i>								H 2
45300	<i>Sigara sp</i>		MT		1.3	11.3	286.2	2936	H 4
45400	<i>Trichocorixa sp</i>		MT		4.1	72.0	3662.5	2220	H 5
45501	<i>Notonectidae</i>				4.0	13.9	116.3	16	
45700	<i>Buenoa sp</i>		T		4.2	62.0	166.8	25	H 24
45900	<i>Notonecta sp</i>		T		1.0	11.4	223.5	934	H 6
47000	<i>Megaloptera</i>								
47501	<i>Sialidae</i>								
47600	<i>Sialis sp</i>		MT		1.4	19.7	535.0	5632	M 1
48001	<i>Corydalidae</i>				81.7	253.0	709.4	3	
48200	<i>Chauliodes sp</i>		MT		0.4	8.7	624.8	86	
48210	<i>Chauliodes pectinicornis</i>				3.8	125.0	1409.0	9	M 7
48220	<i>Chauliodes rastricornis</i>		T		1.5	14.8	324.4	89	M 2
48410	<i>Corydalus cornutus</i>		MI		8.9	210.0	3852.1	2265	M 3, 5
48600	<i>Nigronia sp</i>		F		2.0	16.2	189.9	64	
48610	<i>Nigronia fasciata</i>		MI	Y	0.1	1.3	57.0	311	M 6
48620	<i>Nigronia serricornis</i>		F		2.0	20.1	297.5	1317	M 4
49000	<i>Neuroptera</i>				89.2	89.2	89.2	1	
49101	<i>Sisyridae</i>		F		11.3	157.5	1848.3	96	
49200	<i>Climacia areolaris</i>		F		7.4	136.0	2298.6	269	N 1
49400	<i>Sisyra sp</i>		F		4.2	25.4	772.5	99	N 2
50000	<i>Trichoptera</i>				5.8	46.8	564.9	8	
50101	<i>Philopotamidae</i>				5.4	11.6	1919.0	5	
50300	<i>Chimarra sp</i>		MI		2.4	37.3	1448.8	36	
50301	<i>Chimarra aterrima</i>		MI		0.8	7.6	78.8	1814	T 1
50315	<i>Chimarra obscura</i>		MI		5.0	56.0	1059.0	4047	T 3
50319	<i>Chimarra socia</i>	E	I		105.0	171.0	436.0	11	T 4
50410	<i>Dolophilodes distinctus</i>		MI	Y	0.1	2.0	14.2	176	T 79
50500	<i>Wormaldia sp</i>		MI	Y	0.1	0.3	6.4	4	
50552	<i>Wormaldia moesta</i>		MI	Y	0.1	0.2	4.4	61	T 67
50555	<i>Wormaldia shawnee</i>		I		76.0	81.2	86.4	2	T 116
50601	<i>Psychomyiidae</i>		MI		66.5	223.5	380.6	2	
50804	<i>Lype diversa</i>		MI		0.7	20.4	415.4	964	T 5
50906	<i>Psychomyia flavida</i>		MI		5.6	261.0	1114.6	390	T 60
51001	<i>Polycentropodidae</i>				2.0	59.5	979.3	72	
51002	<i>Dipseudopsidae</i>		F						
51050	<i>Cernotina sp</i>		MI		6.8	503.0	1909.2	77	T 125
51100	<i>Cernotina sp or Holocentropus sp</i>		MI		2.3	10.2	530.0	81	
51206	<i>Cyrnellus fraternus</i>		F		44.7	524.0	6604.1	1124	T 9
51250	<i>Holocentropus sp</i>		MI		6.0	552.0	3229.6	37	T 107

Ohio EPA Macroinvertebrate Taxa List

Taxa Code	Taxa	Ohio RTE	Tol. Cat.	CW Taxon	Drainage Area (mi ²) Percentile			N	Reference Number
					5th	50th	95th		
51300	<i>Neureclipsis sp</i>		MI		36.0	419.5	4861.9	1192	T 6
51400	<i>Nyctiophylax sp</i>		MI		2.5	20.9	496.0	1641	T 7
51500	<i>Phylocentropus sp</i>		F		0.8	14.6	220.7	42	T 68
51550	<i>Plectrocnemia sp</i>		MI		0.1	0.7	43.8	138	T 126
51600	<i>Polycentropus group</i>		MI		1.9	22.6	685.6	3116	
51610	<i>Polycentropus sp</i>		MI		0.3	4.8	2631.7	22	T 8
52001	<i>Hydropsychidae</i>				1.6	19.5	515.4	63	
52200	<i>Cheumatopsyche sp</i>		F		2.0	27.7	1636.0	12345	T 11
52313	<i>Diplectrona metaqui</i>		MI	Y	0.1	0.1	0.1	3	T 64
52315	<i>Diplectrona modesta</i>		F	Y	0.1	1.0	16.2	606	T 13
52330	<i>Homoplectra doringa</i>		MI	Y	0.1	0.4	1.1	4	T 118
52400	<i>Hydropsyche or Hydropsyche (=Ceratopsyche) sp</i>				5.2	63.0	650.6	37	
52401	<i>Hydropsyche (=Ceratopsyche) sp</i>		MI		2.9	27.0	197.6	14	
52410	<i>Hydropsyche (=Ceratopsyche) alternans</i>				148.4	251.0	548.0	3	
52420	<i>Hydropsyche (=Ceratopsyche) bronta</i>				658.5	760.1	773.4	5	
52430	<i>Hydropsyche (=Ceratopsyche) morosa group</i>		MI		4.5	59.0	2382.2	6775	T 24
52431	<i>Hydropsyche (=Ceratopsyche) morosa</i>		MI		8.5	55.0	507.2	77	T 25
52440	<i>Hydropsyche (=Ceratopsyche) slossonae</i>		MI	Y	1.0	8.9	161.0	1060	T 26
52450	<i>Hydropsyche (=Ceratopsyche) sparna</i>		F		3.0	29.3	743.0	735	T 57
52460	<i>Hydropsyche (=Ceratopsyche) ventura</i>		MI	Y	0.2	0.7	51.5	14	T 112
52500	<i>Hydropsyche sp</i>				3.0	79.0	4415.0	52	
52510	<i>Hydropsyche aerata</i>		MI		552.0	2255.0	6330.0	468	T 16
52520	<i>Hydropsyche bidens</i>		MI		223.0	1143.0	6081.0	821	T 17
52521	<i>Hydropsyche bidens or H. orris</i>		MI		16.4	597.0	6228.2	22	
52525	<i>Hydropsyche confusa</i>				307.4	437.0	566.6	2	T 41
52530	<i>Hydropsyche depravata group</i>		F		1.6	16.3	435.0	7009	T 18
52540	<i>Hydropsyche dicantha</i>		MI		17.1	193.0	1575.0	1729	T 59
52550	<i>Hydropsyche frisoni</i>		MI		16.9	288.0	6264.7	367	T 20
52551	<i>Hydropsyche frisoni or H. valanis</i>		MI						
52555	<i>Hydropsyche hageni</i>		MI		1624.0	6328.5	6340.0	16	T 99
52560	<i>Hydropsyche orris</i>		MI		303.9	2120.0	6471.0	912	T 19
52565	<i>Hydropsyche phalerata</i>		MI		327.0	1419.0	2252.0	10	T 121
52570	<i>Hydropsyche simulans</i>		MI		23.5	542.5	5721.0	1578	T 61
52580	<i>Hydropsyche valanis</i>		MI		171.0	1814.0	5131.0	421	T 21
52590	<i>poss. Hydropsyche venularis or H. demora</i>		MI		22.1	291.0	1047.5	324	T 70
52600	<i>Macrostemum sp</i>		I		858.5	2461.5	2588.5	6	
52610	<i>Macrostemum carolina</i>		I						
52620	<i>Macrostemum zebratum</i>		I		110.0	753.0	7006.5	351	T 22
52701	<i>Parapsyche apicalis</i>		MI	Y	0.1	0.2	0.3	6	T 65
52801	<i>Potamyia flava</i>		MI		354.0	2594.0	6479.0	786	T 23
53001	<i>Rhyacophilidae</i>								
53100	<i>Rhyacophila sp</i>		F	Y	0.1	1.9	36.1	31	
53101	<i>Rhyacophila minima</i>		MI	Y	0.1	0.3	0.7	4	T 108
53103	<i>Rhyacophila carolina</i>		MI	Y	0.1	0.2	7.5	25	T 106
53104	<i>Rhyacophila fenestra or R. ledra</i>		MI	Y	0.1	0.3	64.5	19	T 10
53106	<i>Rhyacophila glaberrima</i>		MI	Y	0.1	0.4	7.3	6	T 114
53112	<i>Rhyacophila lobifera</i>		F		0.3	5.8	73.9	16	T 28
53120	<i>Rhyacophila torva</i>		MI	Y	1.0	4.2	7.3	2	T 27
53122	<i>Rhyacophila invaria complex</i>		MI	Y	0.1	0.3	11.4	40	T 63
53201	<i>Glossosomatidae</i>		MI		6.7	6.7	6.7	1	
53250	<i>Agapetus sp.</i>		MI	Y	0.2	0.5	0.6	3	T 117
53300	<i>Glossosoma sp</i>		MI	Y	0.6	7.8	138.3	248	T 29
53400	<i>Protoptila sp</i>		I		59.9	499.5	3261.8	590	T 30
53501	<i>Hydroptilidae</i>		F		2.5	28.0	1141.4	1057	
53600	<i>Agraylea sp</i>		F		111.7	147.0	572.4	17	T 90
53800	<i>Hydroptila sp</i>		F		3.1	53.8	2595.0	5226	T 32, 33
54000	<i>Leucotrichia pictipes</i>		MI		10.6	196.0	687.0	124	T 71
54050	<i>Mayatrichia ayama</i>		MI		5993.0	5993.0	5993.0	1	T 85
54100	<i>Neotrichia sp</i>		F		8.2	73.5	475.5	100	T 66

Ohio EPA Macroinvertebrate Taxa List

Taxa Code	Taxa	Ohio RTE	Tol. Cat.	CW Taxon	Drainage Area (mi ²) Percentile			N	Reference Number
					5th	50th	95th		
54160	<i>Ochrotrichia sp</i>		MI		5.8	311.0	3194.6	267	T 2
54166	<i>Ochrotrichia confusa group</i>		MI		0.1	0.1	2.8	3	T 69
54200	<i>Orthotrichia sp</i>		F		14.0	143.0	3217.5	116	T 34
54300	<i>Oxyethira sp</i>		F		3.9	46.1	486.8	106	T 72
54320	<i>Stactobiella sp</i>		MI		198.1	751.0	2672.8	6	T 91
54601	<i>Phryganeidae</i>		F		1.5	8.9	303.5	14	
54650	<i>Agrypnia sp</i>								T 96
54670	<i>Banksiola sp</i>								T 109
54700	<i>Fabria inornata</i>		F		136.0	136.0	136.0	1	T 120
55105	<i>Oligostomis ocelligera</i>				0.2	0.2	0.2	1	T 128
55107	<i>Oligostomis pardalis</i>		F	Y	0.3	1.7	8.5	57	T 127
55200	<i>Phryganea sp</i>				5.0	38.0	125.2	5	T 101, 113
55300	<i>Ptilostomis sp</i>		F		0.4	10.0	182.3	356	T 36, 37
55501	<i>Brachycentridae</i>								
55510	<i>Brachycentrus sp</i>		MI						
55515	<i>Brachycentrus nigrosoma</i>	E	MI		187.0	187.0	187.0	1	T 12
55520	<i>Brachycentrus numerosus</i>		MI		90.8	554.0	2375.9	87	T 97
55530	<i>Brachycentrus appalachia</i>		MI						T 130
56001	<i>Limnephilidae</i>				1.1	13.6	365.0	62	
56002	<i>Goeridae</i>		MI	Y					
56003	<i>Thremmatidae</i>		MI						
56100	<i>Anabolia sp</i>		F		0.6	4.8	8.9	2	T 78
56600	<i>Frenesia sp</i>		MI	Y	0.1	0.2	2.7	14	T 73
56650	<i>Goera sp.</i>		MI	Y	0.1	0.6	11.1	60	T 87
56900	<i>Hydatophylax sp</i>		MI		3.9	9.0	23.8	10	
56902	<i>Hydatophylax argus</i>		MI		0.1	3.8	13.6	19	T 40
57000	<i>Ironoquia sp</i>		F		0.1	0.5	67.4	25	T 38
57010	<i>Ironoquia parvula</i>								T 98
57200	<i>Limnephilus sp</i>		MI		0.1	9.3	75.1	8	T 43-45
57201	<i>Limnephilus sp 1</i>								
57202	<i>Limnephilus sp 2</i>								
57400	<i>Neophylax sp</i>		MI		0.3	20.2	537.0	2080	T 46, 47
57851	<i>Platycentropus sp</i>		MI		0.8	5.0	69.0	4	T 42
57870	<i>Pseudostenophylax sp</i>				0.1	0.1	0.1	1	T 111
57900	<i>Pycnopsyche sp</i>		MI		1.3	22.6	527.4	2714	T 48
58001	<i>Lepidostomatidae</i>				1.7	1.7	1.7	1	
58020	<i>Lepidostoma sp</i>		MI	Y	0.1	0.6	10.4	112	T 88
58101	<i>Beraeidae</i>								
58201	<i>Sericostomatidae</i>				14.3	14.3	14.3	1	
58301	<i>Odontoceridae</i>								
58320	<i>Psilotreta indecisa</i>	T	I	Y	2.3	7.8	33.0	21	T 93
58330	<i>Psilotreta rufa</i>		I	Y	0.1	0.1	0.1	2	T 110
58401	<i>Molannidae</i>								
58410	<i>Molanna sp</i>		MI	Y	0.1	0.1	7.4	36	T 86
58501	<i>Helicopsychidae</i>								
58505	<i>Helicopsyche borealis</i>		MI		3.5	25.0	528.0	2772	T 49
58601	<i>Calamoceratidae</i>								
59001	<i>Leptoceridae</i>		MI		5.2	104.0	2364.8	185	
59100	<i>Ceraclea sp</i>		MI		15.7	336.5	3853.0	318	
59110	<i>Ceraclea ancylus</i>		MI		20.1	168.5	630.0	324	T 50
59114	<i>Ceraclea poss. arielles</i>				19.9	19.9	19.9	1	
59118	<i>Ceraclea enodis</i>				186.9	1853.0	7476.7	7	T 129
59120	<i>Ceraclea flava or C. neffi</i>		MI		30.1	178.0	774.1	100	T 80,89
59125	<i>Ceraclea flava</i>		MI						
59130	<i>Ceraclea neffi</i>		MI						
59140	<i>Ceraclea maculata</i>		MI		56.4	574.0	3852.4	173	T 62
59143	<i>Ceraclea nepha</i>				77.0	77.0	77.0	1	T 123
59145	<i>Ceraclea punctata</i>				630.0	630.0	681.3	3	T 122
59150	<i>Ceraclea resurgens or C. transversa</i>		F		6.7	35.7	552.1	83	T 74, 82

Ohio EPA Macroinvertebrate Taxa List

Taxa Code	Taxa	Ohio RTE	Tol. Cat.	CW Taxon	Drainage Area (mi ²) Percentile			N	Reference Number
					5th	50th	95th		
59160	<i>Ceraclea spongillovorax</i>		MI		46.6	657.0	3780.0	83	T 14
59170	<i>Ceraclea tarsipunctata</i>				28.0	289.0	524.2	5	T 15
59200	<i>Leptocerus americanus</i>				57.9	129.0	289.2	3	T 75
59300	<i>Mystacides sp</i>		MI		3.9	24.4	515.2	769	
59310	<i>Mystacides sepulchralis</i>		MI		3.1	17.1	527.9	664	T 81
59400	<i>Nectopsyche sp</i>		MI		6.8	209.5	5717.0	244	T 77
59405	<i>Nectopsyche albida</i>				13.7	124.5	1624.1	10	T 84
59407	<i>Nectopsyche candida</i>		MI		106.2	788.0	6038.7	432	T 58
59410	<i>Nectopsyche diarina</i>		MI		7.7	51.5	768.4	581	T 51
59415	<i>Nectopsyche exquisita</i>		MI		37.3	542.5	3463.2	110	T 39
59420	<i>Nectopsyche pavida</i>		MI		329.9	2585.0	6083.7	35	T 115
59500	<i>Oecetis sp</i>		F		5.1	103.5	2593.0	896	
59510	<i>Oecetis avara</i>		I		27.8	356.5	2882.6	191	T 54
59520	<i>Oecetis cinerascens</i>		F		4.2	83.1	1914.8	112	T 55
59550	<i>Oecetis inconspicua complex sp A (sensu Floyd, 1995)</i>		F		3.2	14.7	758.5	105	T 83
59555	<i>Oecetis inconspicua complex sp F (sensu Floyd, 1995)</i>		F		4.9	14.3	170.1	59	T 76
59560	<i>Oecetis inconspicua complex sp G (sensu Floyd, 1995)</i>				49.9	3208.9	6392.5	4	T 119
59570	<i>Oecetis nocturna</i>		F		3.6	16.3	797.5	415	T 53
59580	<i>Oecetis persimilis</i>		MI		5.2	74.0	838.5	623	T 52
59700	<i>Triaenodes sp</i>		MI		3.7	32.4	497.8	376	
59710	<i>Triaenodes poss. flavescens</i>		MI		22.7	22.7	22.7	1	T 100
59720	<i>Triaenodes ignitus</i>		MI		4.6	25.4	551.2	557	T 94
59724	<i>Triaenodes injustus</i>		MI		15.8	280.0	2443.0	97	T 103
59728	<i>Triaenodes marginatus</i>		F		3.0	10.2	62.7	262	T 104
59730	<i>Triaenodes melaca</i>		MI		2.2	9.8	98.5	472	T 56
59735	<i>Triaenodes nox</i>				14.6	14.6	14.6	1	T 105
59740	<i>Triaenodes perna</i>		MI		7.5	119.0	763.4	114	T 102
59900	<i>Lepidoptera</i>				7.8	11.0	92.0	3	
59905	<i>Noctuidae</i>								
59911	<i>Crambidae</i>				1.2	155.0	2151.8	23	
59915	<i>Acentria sp</i>				25.0	25.0	25.0	1	MS 38
59930	<i>Crambus sp</i>				3.8	44.5	93.2	5	MS 24
59950	<i>Parapoynx sp</i>		MI		25.7	193.0	1017.8	45	MS 18
59970	<i>Petrophila sp</i>		MI		16.4	209.0	3636.0	2205	MS 14
60000	<i>Coleoptera</i>				7.5	7.5	7.5	1	
60201	<i>Gyrinidae</i>				2.2	30.5	195.9	8	
60300	<i>Dineutus sp</i>		F		7.3	93.0	1859.2	1385	C 19, 82
60350	<i>Gyretes sinuatus</i>	S	F		41.5	234.5	621.1	4	C 104
60400	<i>Gyrinus sp</i>		F		2.9	15.8	380.5	846	C 20
60501	<i>Haliplidae</i>				13.4	25.0	57.3	7	
60800	<i>Haliplus sp</i>		MT		1.0	8.9	330.0	327	C 100
60810	<i>Haliplus borealis</i>				15.2	96.5	1333.5	6	C 53
60820	<i>Haliplus fasciatus</i>				24.7	40.0	55.3	2	C 54
60830	<i>Haliplus immaculicollis</i>				6.7	10.4	149.5	7	C 62
60850	<i>Haliplus triopsis</i>								C 89
60900	<i>Peltodytes sp</i>		MT		2.0	17.5	684.3	5086	C 1, 2
60910	<i>Peltodytes edentulus</i>		MT		1.5	40.0	646.6	83	C 9
60940	<i>Peltodytes sexmaculatus</i>				14.9	135.0	265.6	9	C 98
61001	<i>Dytiscidae</i>				1.8	13.0	403.8	84	
61100	<i>Acilius sp</i>		T		0.9	8.3	184.8	58	
61101	<i>Acilius fraternus</i>		T		4.9	23.9	155.7	6	C 3, 117
61103	<i>Acilius semisulcatus</i>		MT		3.8	10.0	193.8	15	C 4
61201	<i>Agabetes acuductus</i>		T		1.4	16.9	188.1	15	C 5, 121
61400	<i>Agabus sp</i>		T		0.2	4.4	40.1	300	C 6, 7
61410	<i>Agabus disintegratus</i>				8.3	8.3	8.3	1	C 122
62000	<i>Bidessonotus sp</i>				6.0	48.7	91.3	2	C 102
62100	<i>Celina sp</i>				0.9	3.5	6.0	2	C 114, 129
62160	<i>Colymbetes sculptilis</i>				36.2	36.2	36.2	1	C 127
62200	<i>Copelatus sp</i>		MT		0.6	6.9	108.1	118	C 125

Ohio EPA Macroinvertebrate Taxa List

Taxa Code	Taxa	Ohio RTE	Tol. Cat.	CW Taxon	Drainage Area (mi ²) Percentile			N	Reference Number
					5th	50th	95th		
62202	<i>Copelatus glyphicus</i>		MT		1.2	5.5	31.1	25	C 10
62300	<i>Coptotomus sp</i>		F		4.5	381.4	6042.0	14	C 11, 124
62401	<i>Cybister fimbriolatus</i>				1.9	13.2	24.4	2	C 66, 103
62499	<i>Deronectes sp or Oreodytes sp</i>								
62500	<i>Deronectes sp</i>				2.1	12.8	115.2	6	
62700	<i>Desmopachria sp</i>				1.4	6.8	113.7	7	C 79
62800	<i>Dytiscus sp</i>		T		1.8	13.4	1855.6	13	C 94
63000	<i>Graphoderus sp</i>								C 112
63002	<i>Graphoderus fascicollis</i>								C 111
63004	<i>Graphoderus liberus</i>								C 110
63200	<i>Hydaticus sp</i>				128.0	128.0	128.0	1	C 116
63201	<i>Hydaticus sp 1</i>								C 115
63202	<i>Hydaticus sp 2</i>								C 118
63300	<i>Hydroporini</i>		T		0.7	8.7	273.7	3184	C 55, 75
63400	<i>Hydrovatus sp</i>		T		1.0	5.6	67.8	26	C 22,109
63600	<i>Hygrotus sp</i>		MT		0.7	11.3	150.3	46	C 12, 130
63700	<i>Ilybius sp</i>		T		0.8	5.7	62.6	123	C 96
63702	<i>Ilybius biguttulus</i>				2.8	8.2	25.4	7	C 13
63900	<i>Laccophilus sp</i>		T		1.6	19.0	1755.9	1594	C 14, 15
64000	<i>Laccornis sp</i>				3.1	18.8	157.0	4	C 16, 119
64050	<i>Liodessus sp</i>		MT		1.4	14.0	274.0	241	C 8
64100	<i>Matus sp</i>				1.4	4.2	11.5	4	C 76, 93
64400	<i>Oreodytes sp</i>		F		0.4	6.0	636.3	18	C 78, 99
64600	<i>Rhantus sp</i>		T		0.7	4.2	16.4	8	C 84, 85
64700	<i>Thermonectus sp</i>		T		1.1	18.0	664.2	18	C 18
64800	<i>Uvarus sp</i>		MT		1.7	14.2	222.9	122	C 17
65001	<i>Noteridae</i>								
65010	<i>Hydrocanthus sp</i>		T		0.9	15.8	250.0	11	C 105, 106
65020	<i>Suphisellus sp</i>				11.5	11.5	11.5	1	C 113
65501	<i>Hydrophilidae</i>		F		0.4	14.2	823.8	152	
65502	<i>Helophoridae</i>		MT						
65510	<i>Hydrobiinae</i>				16.8	39.2	61.5	2	
65700	<i>Anacaena sp</i>		MT		0.3	5.9	129.6	295	C 21
65800	<i>Berosus sp</i>		MT		3.4	37.0	1709.0	4153	C 24, 25
65810	<i>Berosus striatus</i>				4.9	4.9	4.9	1	
66100	<i>Cercyon sp</i>				66.0	66.0	66.0	2	C 23
66150	<i>Crenitis sp</i>				0.4	5.2	29.4	4	C 128, 132
66200	<i>Cymbiodyta sp</i>		MT		0.1	4.6	62.1	416	C 28
66300	<i>Derallus sp</i>								C 134
66500	<i>Enochrus sp</i>		MT		1.5	14.8	892.8	1339	C 26, 27
66700	<i>Helochaes maculicollis</i>		T		1.2	13.7	698.6	31	C 95
66901	<i>Helocombus bifidus</i>		MT		0.6	6.1	153.3	30	C 126
67000	<i>Helophorus sp</i>		MT		1.5	11.2	268.5	816	C 46
67100	<i>Hydrobius sp</i>		F		0.1	3.6	151.8	337	C 68, 74, 10
67200	<i>Hydrochara sp</i>		MT		1.3	13.2	156.2	25	C 35, 123
67300	<i>Hydrochus sp</i>		MT		1.8	9.8	320.5	136	
67375	<i>Hydrochus scabratus</i>				2.0	2.5	32.6	3	C 31
67400	<i>Hydrophilus sp</i>				1.4	18.7	1781.7	9	C 32, 120
67500	<i>Laccobius sp</i>		F		1.7	14.6	537.0	1034	C 33, 80
67700	<i>Paracymus sp</i>		MT		0.9	8.9	217.3	1086	C 34
67703	<i>Paracymus subcupreus</i>				2.8	19.5	98.0	4	
67750	<i>Sperchopsis tessellatus</i>		F		4.1	19.1	430.5	114	C 83, 107
67800	<i>Tropisternus sp</i>		T		1.7	20.8	2311.0	2895	C 36-38
67805	<i>Tropisternus glaber</i>				5.7	22.2	39.9	5	
67806	<i>Tropisternus lateralis</i>				2.5	14.0	719.4	18	
67811	<i>Staphylinidae</i>		F		1.1	17.5	376.8	25	C 72, 86
67820	<i>Philonthus sp</i>				44.9	44.9	44.9	1	C 73
67851	<i>Hydraenidae</i>								
68001	<i>Psephenidae</i>		MI						

Ohio EPA Macroinvertebrate Taxa List

Taxa Code	Taxa	Ohio RTE	Tol. Cat.	CW Taxon	Drainage Area (mi ²) Percentile			N	Reference Number
					5th	50th	95th		
68010	<i>Dicranopselaphus variegatus</i>	E			15.9	15.9	15.9	1	
68025	<i>Ectopria sp</i>		F		0.2	9.0	399.2	1176	C 63
68075	<i>Psephenus herricki</i>		MI		2.6	31.8	948.0	5136	C 64, 65
68100	<i>Dryopoidea</i>				3.4	3.4	3.4	1	
68101	<i>Dryopidae</i>								
68130	<i>Helichus sp</i>		F		1.8	22.7	934.5	3871	C 41-43
68201	<i>Scirtidae</i>		F		2.5	17.8	662.8	926	
68300	<i>Cyphon sp</i>		MT		3.4	20.1	646.7	378	C 39, 40
68501	<i>Elmidae</i>				9.4	58.5	751.2	14	
68601	<i>Ancyronyx variegatus</i>		F		6.8	92.5	1816.0	3682	C 44, 45
68700	<i>Dubiraphia sp</i>		F		3.0	41.1	1163.6	991	C 47
68702	<i>Dubiraphia bivittata</i>		F		3.8	27.0	965.9	916	C 48
68707	<i>Dubiraphia quadrinotata</i>		F		1.6	8.1	194.2	1400	C 49
68708	<i>Dubiraphia vittata group</i>		F		3.1	28.0	687.6	7123	C 50
68901	<i>Macronychus glabratus</i>		F		5.4	85.0	2475.5	6162	C 51, 52
69000	<i>Microcylloepus pusillus</i>		MI		3.8	154.0	1021.6	45	C 97,108
69200	<i>Optioservus sp</i>		MI		1.7	19.8	464.0	472	C 57
69210	<i>Optioservus ovalis</i>		MI		1.5	9.6	157.8	397	C 91
69225	<i>Optioservus fastiditus</i>		MI		1.5	10.7	138.0	785	C 56
69235	<i>Optioservus immunis</i>				2.1	5.3	7.1	3	C 92
69275	<i>Optioservus trivittatus</i>		MI		3.2	23.0	305.0	246	C 87
69310	<i>Oulimnius nitidulus</i>		MI		0.6	0.6	0.6	1	C 131
69400	<i>Stenelmis sp</i>		F		2.3	30.5	1853.0	11295	C 58, 59
69410	<i>Stenelmis crenata</i>				2.6	702.5	786.0	24	C 81
69420	<i>Stenelmis sexlineata</i>				6.7	122.0	2812.2	257	
69440	<i>Stenelmis vittipennis</i>				224.4	1140.0	6001.3	12	
69601	<i>Ptilodactylidae</i>								
69610	<i>Anchytarsus bicolor</i>		MI	Y	0.1	0.5	6.8	25	C 77
69701	<i>Lutrochidae</i>								
69713	<i>Lutrochus laticeps</i>		MI		14.4	343.0	715.7	75	C 60, 61
69801	<i>Chrysomelidae</i>				32.0	32.0	32.0	1	
69815	<i>Donaciinae</i>				2.0	2.0	2.0	1	C 67
69901	<i>Curculionidae</i>				1.5	7.4	253.0	15	C 69
69930	<i>Lampyridae</i>		F		4.0	34.0	662.8	37	C 88
70000	<i>Diptera</i>				1.6	17.0	159.8	25	
70201	<i>Tanyderidae</i>								
70301	<i>Protoplasa fitchii</i>		I		76.1	239.0	239.0	3	D 74
70501	<i>Tipulidae</i>				0.9	17.9	531.2	104	D 75
70502	<i>Limoniinae</i>				0.2	8.9	2467.1	70	
70600	<i>Antocha sp</i>		MI		2.8	29.5	640.2	1364	D 1, 49
70650	<i>Cryptolabis paradoxa</i>				12.6	12.6	12.6	1	D 30
70700	<i>Dicranota sp</i>		MI	Y	0.1	3.3	21.3	364	D 2
70800	<i>Erioptera sp</i>		MT		1.0	48.0	6077.2	45	D 58
70900	<i>Gonomyia sp</i>		T		0.8	42.8	279.3	19	D 47, 59
71000	<i>Helius sp</i>		MT		0.5	7.0	74.0	26	D 36
71100	<i>Hexatoma sp</i>		MI		1.6	15.3	365.1	2880	D 3
71104	<i>Hexatoma cinerea</i>		MI		0.2	0.8	22.2	15	D 66
71200	<i>Limnophila sp</i>		MI	Y	0.1	0.7	46.2	58	
71300	<i>Limonia sp</i>		F		1.6	15.8	563.0	531	D 43
71400	<i>Molophilus sp</i>		MI		0.1	0.1	494.9	8	D 46
71500	<i>Ormosia sp</i>		MT		0.2	36.6	601.6	44	D 65
71600	<i>Pedicia sp</i>		F	Y	0.1	0.2	8.4	32	D 4
71700	<i>Pilaria sp</i>		F		0.2	7.3	148.4	337	D 26, 57
71800	<i>Pseudolimnophila sp</i>		MI		0.1	2.2	29.9	370	D 6
71900	<i>Tipula sp</i>		F		1.0	10.4	409.6	3765	D 8
71903	<i>Tipula (Angarotipula) sp</i>				3.2	3.2	3.2	1	D 83
71910	<i>Tipula abdominalis</i>		F		0.2	8.8	274.0	970	D 7
71930	<i>Ulomorpha sp</i>		F		0.1	5.5	29.6	5	D 87
72001	<i>Blephariceridae</i>								

Ohio EPA Macroinvertebrate Taxa List

Taxa Code	Taxa	Ohio RTE	Tol. Cat.	CW Taxon	Drainage Area (mi ²) Percentile			N	Reference Number	
					5th	50th	95th			
72101	<i>Psychodidae</i>			T		7.2	60.0	3137.9	24	
72110	<i>Pericoma or Telmatoscopus sp</i>			MT		0.3	15.2	565.5	23	
72150	<i>Pericoma sp</i>			MT		0.7	19.5	478.6	25	D 88
72151	<i>Pericoma albitarsis</i>			MI		0.1	0.1	0.1	2	D 48
72160	<i>Psychoda sp</i>			T		1.8	29.5	1116.4	58	D 10
72180	<i>Telmatoscopus sp</i>			VT		1.8	3.6	30.7	7	
72182	<i>Telmatoscopus albipunctatus</i>			VT		0.9	4.9	128.6	6	D 11, 80
72201	<i>Ptychopteridae</i>									
72222	<i>Bittacomorpha clavipes</i>					0.1	0.7	4.6	5	D 60
72240	<i>Ptychoptera sp</i>			MI		0.1	0.4	16.1	24	D 9
72301	<i>Dixidae</i>					17.4	20.8	24.2	2	
72330	<i>Dixa sp</i>			F	Y	0.1	0.6	62.3	104	D 52
72340	<i>Dixella sp</i>			F		0.7	8.0	86.4	1164	D 15
72400	<i>Chaoboridae</i>									
72420	<i>Chaoborus sp</i>			T		1.9	25.9	981.5	53	D 55
72440	<i>Mochlonyx sp</i>									D 79
72501	<i>Culicidae</i>			MT		2.7	12.7	226.0	41	
72600	<i>Aedes sp</i>			T		0.1	5.1	124.0	39	D 70
72700	<i>Anopheles sp</i>			F		1.2	12.1	309.8	3225	D 12
72900	<i>Culex sp</i>			T		0.4	8.4	172.7	327	D 13
72920	<i>Culex territans</i>									D 82
72955	<i>Culiseta inornata</i>									D 85
73000	<i>Mansonia perturbans</i>									D 84
73200	<i>Psorophora sp</i>					6.2	6.2	6.2	1	
73250	<i>Uranotaenia sapphirina</i>									D 89
73501	<i>Thaumaleidae</i>					102.0	102.0	102.0	1	
73551	<i>Protothaumalea americana</i>			MI	Y	0.1	0.1	0.1	3	D 51
73601	<i>Simuliidae</i>			F		0.1	100.5	2613.2	54	
73900	<i>Prosimulium sp</i>			MI	Y	0.1	2.1	15.0	12	D 71
74100	<i>Simulium sp</i>			F		1.9	26.6	2277.5	7513	D 18, 19
74250	<i>Stegopterna sp</i>			F		0.1	0.1	1.9	13	D 93
74501	<i>Ceratopogonidae</i>			T		1.3	17.3	526.4	4139	D 23
74650	<i>Atrichopogon sp</i>			F		2.0	38.0	545.0	191	
74655	<i>Atrichopogon fuscus</i>					7.7	62.3	474.8	5	
74662	<i>Atrichopogon levis</i>					79.7	85.5	91.4	2	D 20
74666	<i>Atrichopogon peregrinus</i>					20.5	107.5	339.1	4	D 22
74673	<i>Atrichopogon websteri</i>			F		3.8	41.0	775.9	154	D 21
74710	<i>Forcipomyia sp</i>					2.3	15.5	61.2	4	D 78
76001	<i>Chironomidae</i>					7.1	22.9	37.2	5	
77001	<i>Tanypodinae</i>					1.4	28.0	736.6	85	
77100	<i>Ablabesmyia sp</i>					4.6	124.0	2598.0	121	
77110	<i>Ablabesmyia annulata</i>			F		3.8	48.9	5774.5	71	CH 1
77111	<i>Ablabesmyia aspera</i>					13.4	13.4	13.4	1	
77113	<i>Ablabesmyia ideii</i>					36.0	241.6	447.2	2	CH 188
77115	<i>Ablabesmyia janta</i>			F		7.4	71.1	3494.6	339	CH 5
77120	<i>Ablabesmyia mallochi</i>			F		2.8	32.8	1152.3	6073	CH 2
77125	<i>Ablabesmyia monilis</i>					1.5	23.7	2681.9	14	CH 237
77130	<i>Ablabesmyia rhamphe group</i>			MT		8.3	232.0	5548.0	909	CH 3
77140	<i>Ablabesmyia peleensis</i>					1.4	18.4	1250.6	71	CH 4
77150	<i>Ablabesmyia simpsoni</i>			F		3.4	20.8	208.0	57	CH 173
77250	<i>Alotanypus venustus</i>			VT		0.3	1.9	18.0	57	CH 174
77260	<i>Apsectrotanypus johnsoni</i>			MI	Y					
77280	<i>Brundiniella eumorpha</i>			MI	Y					CH 240
77300	<i>Monopelopia (Cantopelopia) gesta</i>			S						CH 275
77355	<i>Clinotanypus pinguis</i>			MT		1.8	11.3	189.0	846	CH 6
77470	<i>Coelotanypus sp</i>			T		2.8	181.0	7754.9	38	
77474	<i>Coelotanypus concinnus</i>					53.4	268.0	6965.8	3	
77477	<i>Coelotanypus scapularis</i>					85.6	466.0	5425.8	5	CH 7
77500	<i>Conchapelopia sp</i>			F		1.7	18.9	443.0	7453	CH 135

Ohio EPA Macroinvertebrate Taxa List

Taxa Code	Taxa	Ohio RTE	Tol. Cat.	CW Taxon	Drainage Area (mi ²) Percentile			N	Reference Number
					5th	50th	95th		
77600	<i>Fittkauimyia sarta</i>							CH 289	
77700	<i>Guttipeloplia guttipennis</i>				1.7	3.1	12.4	3	CH 189
77740	<i>Thienemannimyia (Hayesomyia) senata</i>		F		8.9	157.5	4404.4	333	CH 19
77750	<i>Thienemannimyia sp</i>		F		4.6	94.2	3218.0	4912	
77800	<i>Helopeloplia sp</i>		F		2.6	22.0	494.1	5403	CH 136
78000	<i>Krenopeloplia sp</i>		MI		0.1	0.4	8.9	7	CH 238
78100	<i>Labrundinia sp</i>		F		8.0	80.4	1097.6	174	
78101	<i>Labrundinia becki</i>		F		3.0	22.4	173.5	83	CH 137
78110	<i>Labrundinia johannseni</i>		T		9.6	10.4	11.1	2	
78120	<i>Labrundinia longipalpis</i>		T		4.0	14.7	810.0	28	CH 221
78130	<i>Labrundinia neopilosella</i>				3.6	20.5	327.5	56	CH 191
78140	<i>Labrundinia pilosella</i>		F		3.9	38.4	2330.0	1732	CH 8
78200	<i>Larsia sp</i>		MT		1.7	20.5	782.5	388	CH 190
78300	<i>Macropeloplia sp</i>		MI	Y	0.1	0.6	48.0	8	CH 290
78350	<i>Meropeloplia sp</i>		F	Y	0.3	7.1	154.6	890	CH 164
78370	<i>Monopeloplia tenuicalcar</i>								CH 274
78400	<i>Natarsia sp</i>		F		1.7	13.7	384.7	184	
78401	<i>Natarsia species A (sensu Roback, 1978)</i>		T		1.2	11.4	267.0	1697	CH 10
78402	<i>Natarsia baltimoreus</i>		F		0.3	13.7	539.8	197	CH 11
78450	<i>Nilotanypus fimbriatus</i>		F		5.4	67.0	806.1	3168	CH 12
78500	<i>Zavrelimyia (Paramerina) fragilis</i>		F		1.6	9.3	121.0	271	CH 176
78510	<i>Zavrelimyia (Paramerina) sp 1</i>		MI		0.2	4.4	9.2	20	CH 239
78599	<i>Pentaneura sp</i>		F		0.9	14.0	712.2	38	
78600	<i>Pentaneura inconspicua</i>		F		5.0	45.3	537.0	401	CH 13
78601	<i>Pentaneura inyoensis</i>		F		0.6	5.4	73.3	203	CH 204
78650	<i>Procladius sp</i>		MT		2.8	52.7	1409.8	1446	
78655	<i>Procladius (Holotanypus) sp</i>		MT		2.3	21.0	964.2	3351	CH 14
78680	<i>Procladius (Psilotanypus) bellus</i>		MT		1.5	10.8	337.2	73	CH 233
78700	<i>Psectrotanypus sp</i>		VT		2.2	10.4	364.6	55	
78702	<i>Psectrotanypus dyari</i>		VT		0.5	4.5	134.0	275	CH 15
78720	<i>Radotanypus florens</i>		T	I Y	0.4	0.4	0.4	1	
78740	<i>Rheopeloplia acra</i>		E	I	66.8	552.0	615.3	7	CH 254
78750	<i>Rheopeloplia paramaculipennis</i>		MI		68.9	621.5	4869.7	695	CH 169
79000	<i>Tanypus sp</i>		T		1.8	19.0	502.9	52	
79010	<i>Tanypus carinatus</i>		MT		3.4	17.9	248.3	8	CH 178
79020	<i>Tanypus neopunctipennis</i>		T		1.4	17.0	698.8	322	CH 16
79030	<i>Tanypus punctipennis (sensu Roback, 1977)</i>		T		1.5	15.7	137.0	59	CH 17
79040	<i>Tanypus stellatus</i>		MT		17.0	78.6	658.7	18	CH 18
79085	<i>Telopeloplia okoboji</i>		MI		6.7	467.0	3823.0	402	CH 9
79100	<i>Thienemannimyia group</i>		F		2.5	54.0	1614.0	1434	
79210	<i>Thienemannimyia (T.) norena</i>		F		1.2	12.8	119.6	48	CH 208
79300	<i>Trissopeloplia ogemawi</i>		MI	Y	0.1	1.7	15.7	116	CH 48
79400	<i>Zavrelimyia (Z.) sp</i>		F	Y	0.1	3.8	42.0	892	CH 20
79701	<i>Diamesinae</i>				10.1	10.1	10.1	1	
79720	<i>Diamesa sp</i>		F	Y	0.1	3.6	39.3	237	CH 21
79760	<i>Pagastia sp</i>		F		2.1	6.2	10.6	4	
79761	<i>Pagastia orthogonia</i>		F	Y	0.1	2.3	14.6	56	CH 22
79770	<i>Potthastia gaedii group</i>		MI		7.5	72.0	97.8	6	CH 23
79775	<i>Potthastia longimanus</i>		MI		56.1	56.1	56.1	1	CH 264
79780	<i>Sympotthastia sp</i>		MI		0.1	0.1	11.4	3	CH 234
79801	<i>Prodiamesinae</i>				6.2	6.2	6.2	1	
79830	<i>Monodiamesa sp</i>								
79832	<i>Monodiamesa depectinata</i>		F		5.3	73.3	275.7	10	CH 24
79836	<i>Monodiamesa tuberculata</i>								CH 265
79864	<i>Odontomesa ferringtoni</i>		F	Y	0.2	3.8	21.0	7	CH 43
79880	<i>Prodiamesa olivacea</i>		MT	Y	0.1	3.7	15.3	35	CH 171
80001	<i>Orthocladiinae</i>				1.0	40.0	450.4	43	
80002	<i>Orthocladiinae species C (sensu Saether, 1982)</i>				7.2	7.2	7.2	1	
80150	<i>Acricotopus sp</i>		T		0.7	7.6	69.9	12	CH 200

Ohio EPA Macroinvertebrate Taxa List

Taxa Code	Taxa	Ohio RTE	Tol. Cat.	CW Taxon	Drainage Area (mi ²) Percentile			N	Reference Number
					5th	50th	95th		
80170	<i>Antillocladius</i> sp				2.0	2.0	2.0	1	CH 252
80204	<i>Brillia flavifrons</i> group		F		2.5	19.4	336.0	601	CH 25
80210	<i>Brillia parva</i>		MI	Y	0.1	0.1	0.6	7	CH 266
80250	<i>Bryophenocladus</i> sp				204.0	204.0	204.0	1	
80305	<i>Cardiocladius albiplumus</i>		F		8.1	46.1	340.6	8	CH 179
80310	<i>Cardiocladius obscurus</i>		MI		9.1	327.0	2642.5	1250	CH 26
80330	<i>Chaetocladius piger</i>		MI	Y	0.1	0.2	9.0	39	CH 27
80350	<i>Corynoneura</i> sp		MI		2.2	84.1	3022.5	326	
80351	<i>Corynoneura caudicula</i>		F		3.0	25.4	223.4	585	CH 140
80354	<i>Corynoneura doriceni</i>				35.5	162.5	924.3	6	CH 209
80355	<i>Corynoneura ascensa</i>		MI	Y	0.1	0.2	9.7	8	CH 277
80357	<i>Corynoneura</i> sp 6				0.6	4.6	8.7	2	
80358	<i>Corynoneura macula</i>				32.1	82.6	404.9	10	CH 278
80359	<i>Corynoneura acuminata</i>		VT		3.1	3.2	3.2	2	CH 244
80360	<i>Corynoneura floridaensis</i>		MI		9.1	234.0	5131.0	1149	CH 28
80361	<i>Corynoneura</i> sp 10				11.0	11.0	11.0	1	
80362	<i>Corynoneura</i> sp nr. <i>lacustris</i> (sensu Fu & Saether, 2012)				11.3	31.0	61.8	3	CH 279
80363	<i>Corynoneura</i> sp. 12		MI		5.2	33.5	421.4	120	CH 245
80370	<i>Corynoneura lobata</i>		F		3.3	49.0	578.0	4321	CH 29
80380	<i>Corynoneura scutellata</i>				4.5	7.7	29.2	3	CH 246
80400	<i>Cricotopus</i> sp		F		3.9	112.0	3057.2	145	
80410	<i>Cricotopus</i> (C.) sp		F		3.7	80.0	3138.0	3439	CH 30
80411	<i>Cricotopus</i> (Isocladius) sp nr. <i>absurdus</i>		MT		7.4	17.9	194.6	12	CH 35
80412	<i>Cricotopus</i> (Isocladius) sp "Santa Fe" (sensu Epler, 2001)								CH 251
80413	<i>Cricotopus</i> (Isocladius) sp "Ozarks" (sensu Epler, 2001)				1388.3	1426.5	1464.8	2	CH 285
80415	<i>Cricotopus</i> (Isocladius) <i>absurdus</i>		MI		4.9	39.2	946.2	43	CH 236
80420	<i>Cricotopus</i> (C.) <i>bicinctus</i>		T		2.7	36.7	1382.6	5346	CH 31
80425	<i>Cricotopus</i> (C.) <i>luciae</i>		F		11.6	35.9	153.6	8	CH 220
80427	<i>Cricotopus</i> (C.) <i>politus</i>		MI		10.6	147.0	773.5	71	CH 225
80430	<i>Cricotopus</i> (C.) <i>tremulus</i> group		MT		2.7	49.4	1158.5	3634	CH 32
80440	<i>Cricotopus</i> (C.) <i>trifascia</i>		F		4.9	109.0	2961.4	950	CH 33
80450	<i>Cricotopus</i> (C.) <i>vierriensis</i>		F		20.9	202.0	637.1	24	CH 263
80470	<i>Cricotopus</i> (C.) or <i>Orthocladius</i> (O.) sp		F		2.6	36.7	801.7	108	
80474	<i>Cricotopus</i> (C.) or <i>Paratrichocladius</i> sp				0.6	14.7	343.8	16	
80480	<i>Cricotopus</i> (Isocladius) sp		MT		12.9	65.5	492.2	10	
80490	<i>Cricotopus</i> (Isocladius) <i>intersectus</i> group		MT		3.6	169.0	809.0	65	CH 53
80500	<i>Cricotopus</i> (Isocladius) <i>reversus</i> group		MT		13.5	431.0	6605.0	104	CH 36
80510	<i>Cricotopus</i> (Isocladius) <i>sylvestris</i> group		T		1.6	18.9	1160.5	750	CH 37
80530	<i>Cricotopus</i> (Nostococladus) sp								
80550	<i>Diplocladius cultriger</i>		MT		0.1	5.6	381.0	44	CH 222
80570	<i>Doncricotopus bicaudatus</i>		F		3.1	14.4	166.0	81	CH 38
80640	<i>Epoicocladus</i> sp		MI		4.9	23.1	124.0	15	
80646	<i>Epoicocladus</i> sp 3 (sensu Jacobsen, 1992)		MI		0.7	7.5	109.5	10	CH 280
80648	<i>Epoicocladus flavens</i>		MT		4.3	49.9	124.4	9	CH 39
80700	<i>Eukiefferiella</i> sp				1.7	26.0	563.3	36	
80710	<i>Eukiefferiella brehmi</i> group		MI		5.1	18.7	226.3	38	CH 40
80720	<i>Eukiefferiella brevicar</i> group		F		1.0	14.8	685.0	54	CH 147
80740	<i>Eukiefferiella claripennis</i> group		MT		0.3	5.1	51.8	182	CH 41
80750	<i>Eukiefferiella devonica</i> group		F	Y	5.2	31.5	430.8	84	CH 42
80770	<i>Eukiefferiella gracei</i> group		MI		0.6	60.0	626.5	14	CH 198
80830	<i>Heleniella</i> sp		MI	Y	0.1	0.1	1.1	11	CH 242
80845	<i>Heterotrissocladus</i> sp		MI		1.0	10.7	147.2	25	
80850	<i>Heterotrissocladus marcidus</i>		MI	Y	0.1	1.0	14.3	49	CH 180
80870	<i>Hydrobaenus</i> sp		F		0.2	14.7	2653.6	64	CH 181
80871	<i>Hydrobaenus</i> sp 9		F		0.1	0.3	1.7	5	CH 219
80900	<i>Krenosmittia</i> sp		MI		0.8	7.2	13.5	2	CH 182
81040	<i>Limnophyes</i> sp		T		0.1	5.4	443.2	59	CH 44
81060	<i>Lopescladius</i> sp		MI		17.6	139.0	674.4	47	CH 45
81100	<i>Mesosmittia</i> sp				30.0	30.0	30.0	1	CH 165

Ohio EPA Macroinvertebrate Taxa List

Taxa Code	Taxa	Ohio RTE	Tol. Cat.	CW Taxon	Drainage Area (mi ²) Percentile			N	Reference Number
					5th	50th	95th		
81120	<i>Metriocnemus sp</i>		MI	Y	0.7	0.7	0.7	1	
81123	<i>Metriocnemus eurynotus</i>		MI	Y	0.1	0.1	0.1	2	CH 281
81125	<i>Metriocnemus knabi</i>								
81200	<i>Nanocladius sp</i>		F		4.2	45.7	2218.7	102	
81201	<i>Nanocladius (N.) sp</i>		F		6.1	128.0	3676.6	258	
81210	<i>Nanocladius (N.) alternantherae</i>				8.9	766.6	6910.9	34	CH 192
81229	<i>Nanocladius (N.) crassicornus</i>		F		29.0	333.0	3189.0	121	CH 46
81230	<i>Nanocladius (N.) crassicornus (old)</i>		F		10.4	253.0	4876.0	516	
81231	<i>Nanocladius (N.) crassicornus or N. (N.) "rectinervis"</i>		F		5.5	109.0	3838.0	1941	
81240	<i>Nanocladius (N.) distinctus</i>		MT		14.8	229.5	5795.1	1450	CH 47
81250	<i>Nanocladius (N.) minimus</i>		F		7.9	129.0	3334.4	566	CH 193
81259	<i>Nanocladius (N.) "rectinervis" (sensu Simpson and Bode, 1980)</i>		MT		6.8	14.0	121.1	32	CH 49
81260	<i>Nanocladius (N.) "rectinervis" (old)</i>		MT		4.8	96.6	5451.5	91	
81270	<i>Nanocladius (N.) spiniplenus</i>		F		5.4	48.0	499.0	638	CH 50
81280	<i>Nanocladius (Plecopteraocoluthus) downesi</i>		MI		6.3	174.0	728.4	193	CH 51
81400	<i>Orthocladius sp</i>				2.8	34.4	448.2	48	
81420	<i>Orthocladius (Eudactylocladius) sp</i>				0.1	0.1	0.1	1	CH 283
81430	<i>Orthocladius (Euorthocladius) sp</i>		F		1.7	11.2	269.0	13	CH 199
81445	<i>Orthocladius (Euorthocladius) rivulorum</i>				0.3	0.4	0.4	2	CH 201
81451	<i>Orthocladius (Euorthocladius) thienemanni</i>				12.6	12.6	12.6	1	CH 282
81459	<i>Orthocladius (O.) sp or Paratrachocladius sp</i>				18.0	105.0	205.8	3	
81460	<i>Orthocladius (O.) sp</i>		F		0.5	27.3	2874.8	357	CH 52
81461	<i>Orthocladius (Mesorthocladius) nimidens</i>								CH 235
81462	<i>Orthocladius (Symposiocladius) n.sp 2</i>								
81465	<i>Orthocladius (O.) carlatus</i>		F		3.3	28.1	367.6	144	CH 216
81471	<i>Orthocladius (O.) oliveri</i>		T		0.1	8.3	204.0	41	CH 141
81490	<i>Orthocladius (Pogonocladius) sp</i>								
81530	<i>Orthocladius (Symposiocladius) lignicola</i>		MI		0.3	5.1	104.8	59	CH 185
81600	<i>Parachaetocladius sp</i>		MI	Y	0.1	2.5	22.4	23	CH 217
81620	<i>Paracricotopus sp</i>		F		0.9	6.9	37.4	12	CH 202
81630	<i>Parakiefferiella sp</i>		F		3.6	80.0	717.4	73	
81631	<i>Parakiefferiella n.sp 1</i>		F		3.6	71.7	1483.4	353	CH 54
81632	<i>Parakiefferiella n.sp 2</i>		F		4.2	32.0	417.0	453	CH 55
81633	<i>Parakiefferiella n.sp 5</i>		MI		0.7	8.5	182.6	44	CH 213
81634	<i>Parakiefferiella sp F (sensu Epler, 2001)</i>				49.7	49.7	49.7	1	CH 250
81640	<i>Parakiefferiella coronata</i>				13.4	24.6	100.3	6	CH 284
81650	<i>Parametriocnemus sp</i>		F	Y	0.5	9.8	180.2	2714	CH 56
81651	<i>Parametriocnemus sp A (sensu Saether, 1969)</i>		MI		12.6	12.6	12.6	1	
81670	<i>Paraphaenocladius sp</i>				0.1	8.9	248.1	24	CH 183
81690	<i>Paratrachocladius sp</i>		MI		1.5	16.4	343.2	559	CH 215
81700	<i>Psectrocladius sp</i>		MT		3.3	35.0	457.2	23	
81705	<i>Psectrocladius (Allopsectrocladius) sp</i>				28.4	219.1	409.8	2	
81712	<i>Psectrocladius (P.) psilopterus group</i>		MT		1.1	10.2	131.9	18	CH 57
81720	<i>Psectrocladius (P.) sordidellus group</i>				136.0	136.0	136.0	1	CH 184
81750	<i>Pseudorthocladius sp</i>				0.2	4.2	52.9	7	CH 142
81770	<i>Pseudosmittia sp</i>				1.1	39.1	5150.0	6	CH 214
81800	<i>Psilometriocnemus triannulatus</i>		MI	Y	0.1	0.1	0.3	5	CH 241
81810	<i>Rheocricotopus sp</i>		F		0.1	61.2	2467.1	28	
81811	<i>Rheocricotopus (R.) eminellobus</i>		MI	Y	0.1	0.1	2.0	7	
81812	<i>Rheocricotopus (R.) effusoides</i>		MT		1.6	7.3	23.6	4	CH 58
81813	<i>Rheocricotopus (R.) unidentatus</i>								CH 218
81814	<i>Rheocricotopus (R.) n.sp 1</i>				0.2	0.3	0.3	2	
81815	<i>Rheocricotopus (Psilocricotopus) glabricollis</i>				10.1	36.6	63.1	2	CH 211
81825	<i>Rheocricotopus (Psilocricotopus) robacki</i>		F		3.6	41.1	709.0	3005	CH 143
81870	<i>Rheosmittia sp</i>		F		3.9	17.3	52.6	4	CH 59
81890	<i>Smittia sp</i>				10.7	25.8	40.9	2	CH 258
81910	<i>Stilocladius sp</i>				0.2	2.1	5.9	4	CH 206
82070	<i>Synorthocladius semivirens</i>		F		0.6	99.0	1067.0	134	CH 60
82100	<i>Thienemanniella sp</i>		F		1.5	21.7	1950.5	147	

Ohio EPA Macroinvertebrate Taxa List

Taxa Code	Taxa	Ohio RTE	Tol. Cat.	CW Taxon	Drainage Area (mi ²) Percentile			N	Reference Number
					5th	50th	95th		
82101	<i>Thienemanniella taurocapita</i>		MI		5.6	72.0	1033.8	1387	CH 144
82102	<i>Thienemanniella boltoni</i>		MI	Y	0.1	0.1	126.4	16	CH 145
82121	<i>Thienemanniella lobapodema</i>		F		6.3	71.7	698.3	1538	CH 61
82130	<i>Thienemanniella similis</i>		MI		26.2	586.0	5562.0	628	CH 194
82141	<i>Thienemanniella xena</i>		F		3.3	44.4	743.0	3286	CH 62
82160	<i>Tokunagaia sp</i>				0.1	0.1	0.1	2	
82200	<i>Tvetenia bavarica group</i>		MI		0.4	9.1	217.0	1064	CH 63
82201	<i>Tvetenia sp</i>		MI		18.7	75.2	2096.3	6	
82220	<i>Tvetenia discoloripes group</i>		MI		10.7	326.0	2669.4	1194	CH 64
82300	<i>Xylotopus par</i>		MI		1.1	10.1	206.8	293	CH 65
82401	<i>Chironominae</i>				10.8	338.0	3149.6	6	
82501	<i>Chironomini</i>				4.4	160.0	2220.8	24	
82550	<i>Apedilum sp</i>				1.1	1.1	1.1	1	CH 253
82600	<i>Axarus sp</i>		F		8.8	115.0	3255.1	127	CH 66
82700	<i>Chironomus sp</i>		MT		2.4	21.3	712.5	119	
82701	<i>Chironomus (Chaetolabis) sp</i>				7.7	15.5	31.6	4	CH 195
82710	<i>Chironomus (C.) sp</i>		MT		2.1	42.2	796.0	513	
82711	<i>Chironomus (C.) sp 1</i>		T		1.8	9.4	99.0	61	CH 68
82712	<i>Chironomus (C.) sp Florida (sensu Epler, 2001)</i>				6.1	6.1	6.1	1	
82720	<i>Chironomus (C.) anthracinus group</i>				4.6	8.3	339.8	4	
82730	<i>Chironomus (C.) decorus group</i>		T		2.1	27.8	1853.0	4893	CH 69
82770	<i>Chironomus (C.) riparius group</i>		T		1.0	19.0	1032.4	811	CH 70
82775	<i>Chironomus (C.) semireductus group</i>				11.3	540.0	4652.2	7	CH 74
82780	<i>Chironomus (C.) staegeri group</i>		T		1.1	25.5	1530.3	36	CH 71
82785	<i>Chironomus (Lobochironomus) dorsalis</i>								CH 226
82800	<i>Cladopelma sp</i>		T		2.6	24.3	263.0	129	CH 72
82820	<i>Cryptochironomus sp</i>		F		2.3	29.6	1054.0	6809	CH 75
82822	<i>Cryptochironomus eminentia</i>		F		7.1	193.0	5346.5	71	CH 257
82824	<i>Cryptochironomus ponderosus</i>		F		3.5	18.9	535.4	292	CH 248
82826	<i>Cryptochironomus psittacinus</i>		F		3.1	18.8	3825.1	83	CH 260
82880	<i>Cryptotendipes sp</i>		F		4.3	32.0	485.1	207	
82881	<i>Cryptotendipes sp 1</i>				7.6	24.3	237.1	8	CH 259
82882	<i>Cryptotendipes sp 2</i>		MT		1.9	9.4	184.4	39	
82885	<i>Cryptotendipes pseudotener</i>		F		3.0	23.0	327.4	953	CH 76
82890	<i>Demeijerea sp</i>		T		7.2	57.0	1903.1	15	CH 223
82900	<i>Demicryptochironomus sp</i>		MI		1.3	10.1	615.3	47	CH 77
83000	<i>Dicrotendipes sp</i>		F		3.7	50.3	4405.6	291	
83002	<i>Dicrotendipes modestus</i>		MT		2.2	26.6	1022.0	662	CH 73
83003	<i>Dicrotendipes fumidus</i>		F		1.9	12.4	600.0	941	CH 146
83040	<i>Dicrotendipes neomodestus</i>		F		3.2	47.0	1166.2	6283	CH 78
83045	<i>Dicrotendipes nervosus</i>				2.6	11.5	170.3	15	
83050	<i>Dicrotendipes lucifer</i>		MT		8.8	332.0	6358.8	806	CH 80
83051	<i>Dicrotendipes simpsoni</i>		T		3.0	59.0	2275.1	1428	CH 81
83055	<i>Dicrotendipes tritonus</i>				27.2	97.0	248.2	4	CH 228
83100	<i>Einfeldia sp</i>				1094.9	5906.0	6320.1	4	
83101	<i>Einfeldia sp A (sensu Epler, 2001)</i>				4.3	26.0	47.6	2	CH 262
83110	<i>Einfeldia natchitochaeae</i>								
83111	<i>Einfeldia nr. natchitochaeae</i>				4.3	14.6	24.8	2	CH 247
83150	<i>Endochironomus sp</i>		MT		2.5	66.0	378.6	25	
83158	<i>Endochironomus nigricans</i>		MT		3.8	54.0	700.0	685	CH 82
83160	<i>Endochironomus subtendens</i>				3.6	97.5	193.6	5	CH 249
83200	<i>Endotribelos hesperium</i>				45.3	66.0	140.7	3	
83250	<i>Gillotia alboviridis</i>		MI		2234.2	4375.5	6372.3	48	CH 203
83300	<i>Glyptotendipes (G.) sp</i>		MT		5.1	143.0	5131.0	3421	CH 83
83310	<i>Glyptotendipes (Heynotendipes) chelonia</i>		MI		40.2	366.7	6030.2	233	CH 84
83320	<i>Glyptotendipes (Caulochironomus) sp</i>				13.8	19.6	25.3	2	CH 85
83330	<i>Glyptotendipes (G.) barbipes</i>		VT		0.9	9.9	2848.2	33	CH 148
83360	<i>Glyptotendipes (G.) testaceus</i>				18.6	18.6	18.6	1	CH 288
83380	<i>Goeldichironomus holoprasinus</i>		VT		0.8	7.8	2801.5	38	CH 86

Ohio EPA Macroinvertebrate Taxa List

Taxa Code	Taxa	Ohio RTE	Tol. Cat.	CW Taxon	Drainage Area (mi ²) Percentile			N	Reference Number
					5th	50th	95th		
83400	<i>Harnischia sp</i>		F		22.9	263.5	1283.9	35	
83401	<i>Harnischia sp 1</i>								CH 87
83410	<i>Harnischia curtilamellata</i>		F		11.8	192.0	2367.8	197	CH 89
83430	<i>Hyporhygma quadripunctatum</i>				189.0	189.0	189.0	1	
83590	<i>Kiefferulus sp</i>		T		0.8	7.9	84.5	51	
83600	<i>Kiefferulus (K.) dux</i>		T		2.0	18.8	183.9	83	CH 90
83610	<i>Kiefferulus (Wirthiella) pungens</i>								
83630	<i>Kloosia sp</i>		I		7.2	7.2	7.2	1	
83650	<i>Lauterborniella agrayloides</i>								CH 196
83670	<i>Lipiniella sp</i>		MI		7.8	129.5	6926.9	24	CH 67
83700	<i>Microchironomus sp</i>		MT		7.8	268.0	2100.0	29	CH 166
83800	<i>Microtendipes sp</i>		F		3.1	581.0	782.5	25	
83820	<i>Microtendipes "caelum" (sensu Simpson & Bode, 1980)</i>		MI		3.4	28.1	609.0	2601	CH 91
83840	<i>Microtendipes pedellus group</i>		F		1.8	17.3	345.9	4155	CH 92
83860	<i>Microtendipes rydalensis</i>		MI		2.7	25.9	178.0	72	CH 93
83900	<i>Nilothauma sp</i>		F		3.8	33.4	322.8	329	CH 94
83930	<i>Omisus sp</i>								
83950	<i>Pagastiella sp</i>				223.0	223.0	223.0	1	
84000	<i>Parachironomus sp</i>		MT		2.6	129.0	3850.2	222	
84001	<i>Parachironomus potamogeti</i>				2.1	7.1	392.3	10	CH 267
84002	<i>Parachironomus sp B (sensu Saether, 1977)</i>				8.4	18.6	83.0	5	CH 287
84003	<i>Parachironomus sp Bolton (sensu Spies, 2000)</i>								
84010	<i>Parachironomus abortivus (sensu Simpson & Bode, 1980)</i>		MT		13.4	160.0	4359.1	156	CH 95
84020	<i>Parachironomus carinatus</i>		F		14.3	139.5	3858.4	352	CH 96
84030	<i>Parachironomus directus</i>		MT		14.7	85.0	1242.8	57	CH 167
84039	<i>Parachironomus frequens group</i>		F		14.6	286.0	1931.4	19	
84040	<i>Parachironomus frequens</i>		F		18.7	542.0	6478.6	582	CH 97
84050	<i>Parachironomus hirtalatus (sensu Simpson & Bode, 1980)</i>		T		7.7	132.0	5598.2	73	CH 98
84060	<i>Parachironomus pectinatellae</i>		MI		10.2	196.0	4410.7	311	CH 88
84070	<i>Parachironomus vitiosus group</i>								
84100	<i>Paracladopelma sp</i>		MI		5.2	74.4	4256.4	28	
84114	<i>Paracladopelma nais</i>		MI		0.2	6.4	275.5	15	CH 99
84116	<i>Paracladopelma nereis</i>		F		0.7	35.4	3171.0	86	CH 255
84118	<i>Paracladopelma undine</i>		MI		0.8	21.5	511.0	53	CH 170
84155	<i>Paralauterborniella nigrohalteralis</i>		F		2.9	44.5	857.1	723	CH 100
84200	<i>Paratendipes sp</i>		F		0.9	15.9	170.8	78	
84201	<i>Paratendipes sp 1</i>		F		0.9	34.0	380.6	25	CH 186
84202	<i>Paratendipes basidens</i>		F		234.0	234.0	234.0	1	CH 205
84210	<i>Paratendipes albimanus or P. duplicatus</i>		F		1.2	12.7	184.0	4835	CH 101
84230	<i>Paratendipes subaequalis</i>				1.0	6.2	11.2	6	CH 268
84280	<i>Phaenopsectra sp or Tribelos sp</i>		F		1.9	52.4	776.8	16	
84300	<i>Phaenopsectra obediens group</i>		F		3.5	42.0	2253.2	3391	CH 103
84302	<i>Phaenopsectra punctipes</i>		F		2.6	35.0	602.0	156	CH 102
84315	<i>Phaenopsectra flavipes</i>		MT		1.4	15.2	385.5	1556	CH 104
84400	<i>Polypedilum sp</i>				4.1	130.0	787.9	59	
84404	<i>Polypedilum (Pentapedilum) epleri</i>				4.0	25.0	273.0	11	CH 224
84408	<i>Polypedilum (Pentapedilum) sordens</i>				2647.0	2647.0	2647.0	1	CH 207
84410	<i>Polypedilum (Pentapedilum) tritum</i>		VT		0.6	18.6	343.9	82	CH 172
84411	<i>Polypedilum (Pentapedilum) intuber</i>				45.6	45.6	45.6	1	
84415	<i>Polypedilum (P.) sp</i>				1.4	9.8	1786.1	19	
84420	<i>Polypedilum (P.) n.sp 1</i>		MI		3.3	53.8	4044.7	58	CH 168
84421	<i>Polypedilum (P.) sp 2</i>		VT		0.9	5.8	75.0	21	CH 230
84422	<i>Polypedilum (P.) falciforme or P. (P.) nymphaeorum</i>				14.6	50.0	529.3	10	CH 227
84423	<i>Polypedilum (P.) sp 3</i>				8.5	76.0	115.0	4	CH 276
84430	<i>Polypedilum (P.) albicorne</i>		F	Y	0.1	4.1	98.8	206	CH 105
84435	<i>Polypedilum (P.) bergi</i>				9.8	69.6	129.4	2	
84440	<i>Polypedilum (Uresipedilum) aviceps</i>		MI	Y	0.5	6.3	63.0	1156	CH 106
84450	<i>Polypedilum (Uresipedilum) flavum</i>		F		3.2	45.0	2519.3	9343	CH 107
84460	<i>Polypedilum (P.) fallax group</i>		F		4.1	50.5	657.0	4553	CH 108

Ohio EPA Macroinvertebrate Taxa List

Taxa Code	Taxa	Ohio RTE	Tol. Cat.	CW Taxon	Drainage Area (mi ²) Percentile			N	Reference Number
					5th	50th	95th		
84469	<i>Polypedilum (P.) illinoense group</i>				0.4	9.8	545.6	133	
84470	<i>Polypedilum (P.) illinoense</i>		T		2.5	34.6	1384.0	8115	CH 109
84475	<i>Polypedilum (P.) ophioides</i>		F		1.6	17.8	576.2	285	CH 34
84480	<i>Polypedilum (P.) laetum group</i>		MI		2.8	15.9	1062.4	707	CH 110
84490	<i>Polypedilum (Cerobregma) ontario</i>		MI		20.0	113.0	990.0	203	CH 111
84500	<i>Polypedilum (P.) trigonus</i>				2.3	10.9	66.4	13	CH 210
84520	<i>Polypedilum (Tripodura) halterale group</i>		MT		4.3	87.5	3463.4	1253	CH 112
84540	<i>Polypedilum (Tripodura) scalaenum group</i>		F		3.8	56.0	2311.0	6427	CH 113
84580	<i>Robackia demeijerei</i>		MI		30.9	289.0	560.6	5	CH 256
84600	<i>Saetheria sp</i>		F		0.7	16.1	743.4	13	
84601	<i>Saetheria species 1 (sensu Jackson, 1977)</i>		F		0.4	9.1	70.5	90	CH 114
84605	<i>Saetheria hirta</i>				16.4	16.4	16.4	1	CH 286
84612	<i>Saetheria tylus</i>		F		3.5	31.6	1299.7	347	CH 115
84651	<i>Kribiodorum perpulchrum</i>		F		28.9	333.0	2255.0	21	CH 116
84700	<i>Stenochironomus sp</i>		F		3.5	53.0	2377.6	1845	CH 117
84750	<i>Stictochironomus sp</i>		F		1.9	12.0	236.0	4406	CH 118
84785	<i>Tribelos atrum</i>								CH 229
84790	<i>Tribelos fuscicorne</i>		F		9.7	136.0	3218.0	753	CH 149
84800	<i>Tribelos jucundum</i>		MT		3.4	33.9	586.0	1492	CH 119
84888	<i>Xenochironomus xenolabis</i>		F		7.1	104.5	2124.5	610	CH 120
84890	<i>Xestochironomus sp</i>				104.0	104.0	104.0	1	
84900	<i>Zavreliella marmorata</i>				1.2	12.8	52.8	13	CH 197
84951	<i>Pseudochironomini</i>								
84960	<i>Pseudochironomus sp</i>		F		4.4	57.8	800.4	565	CH 121
85001	<i>Tanytarsini</i>				3.4	131.0	1285.2	39	
85200	<i>Cladotanytarsus sp</i>		F		6.2	56.2	554.1	215	
85201	<i>Cladotanytarsus species group A</i>		F		2.9	28.0	441.3	412	CH 122
85210	<i>Cladotanytarsus species group B</i>				3.0	12.5	256.8	22	CH 231
85230	<i>Cladotanytarsus mancus group</i>		F		4.5	31.0	516.1	1036	CH 123
85260	<i>Cladotanytarsus vanderwulpi group</i>		MI		3.5	37.0	2574.0	31	
85261	<i>Cladotanytarsus vanderwulpi</i>		MI		3.3	25.0	385.3	716	CH 124
85262	<i>Cladotanytarsus vanderwulpi group sp 2</i>		F		6.1	20.0	231.6	8	CH 151
85263	<i>Cladotanytarsus vanderwulpi group sp 3</i>		MI		9.5	276.0	2569.9	78	CH 152
85264	<i>Cladotanytarsus vanderwulpi group sp 4</i>		MI		4.8	58.5	534.4	193	CH 187
85265	<i>Cladotanytarsus vanderwulpi group sp 5</i>		MI		29.8	307.0	2271.0	325	CH 153
85400	<i>Micropsectra sp</i>		MT	Y	0.1	6.9	187.1	509	CH 125
85481	<i>Neozavrelia sp 1</i>		I	Y	1.0	3.8	7.5	9	CH 269
85500	<i>Paratanytarsus sp</i>		F		2.2	18.6	267.5	4871	CH 126
85501	<i>Paratanytarsus longistilus</i>		MI	Y	0.3	9.3	176.2	570	CH 160
85615	<i>Rheotanytarsus pellucidus</i>		MI		2.8	32.0	667.3	2358	CH 127
85625	<i>Rheotanytarsus sp</i>		F		2.6	46.5	2585.0	9047	CH 128
85700	<i>Stempellina sp</i>		MI		5.6	100.0	586.0	21	
85702	<i>Stempellina sp 2</i>		MI		3.2	36.1	432.9	10	CH 129
85704	<i>Stempellina poss. subglabripennis</i>		MI		296.0	296.0	296.0	1	CH 270
85706	<i>Stempellina johannsenii</i>		I		4.1	9.7	29.7	4	CH 271
85710	<i>Stempellinella sp</i>		MI		4.3	54.0	522.0	128	
85711	<i>Stempellinella leptocelloides</i>		MI		0.3	11.3	332.8	56	CH 212
85715	<i>Stempellinella boltoni</i>		I	Y	13.4	13.4	13.4	1	CH 243
85720	<i>Stempellinella fimbriata</i>		MI		2.0	33.9	419.8	1205	CH 134
85752	<i>Sublettea coffmani</i>		MI		7.4	104.0	668.4	467	CH 130
85800	<i>Tanytarsus sp</i>		F		1.7	25.0	687.0	5465	
85801	<i>Tanytarsus sp 1</i>		F		1.8	22.9	354.0	73	CH 161
85802	<i>Tanytarsus n. sp. near curticornis</i>		F		1.5	23.4	247.0	1269	CH 162
85803	<i>Tanytarsus sp 3</i>		F		4.2	57.8	332.5	87	CH 131
85814	<i>Tanytarsus glabrescens group</i>		F		4.4	62.0	708.5	2471	
85815	<i>Tanytarsus glabrescens group sp 1</i>		F		4.1	25.4	292.0	81	CH 163
85816	<i>Tanytarsus glabrescens group sp 2</i>				69.7	328.0	586.3	2	
85817	<i>Tanytarsus glabrescens group sp 3</i>				9.6	9.6	9.6	1	
85818	<i>Tanytarsus glabrescens group sp 4</i>		F		1.4	9.9	166.8	223	CH 232

Ohio EPA Macroinvertebrate Taxa List

Taxa Code	Taxa	Ohio RTE	Tol. Cat.	CW Taxon	Drainage Area (mi ²) Percentile			N	Reference Number	
					5th	50th	95th			
85819	<i>Tanytarsus glabrescens group sp 5</i>		MI			9.2	18.0	44.4	4	
85820	<i>Tanytarsus glabrescens group sp 6</i>					16.4	50.0	321.8	3	CH 261
85821	<i>Tanytarsus glabrescens group sp 7</i>		F			3.1	34.0	706.3	4312	CH 132
85840	<i>Tanytarsus sepp</i>		F			4.0	49.8	744.9	4026	CH 133
85905	<i>Neostempellina reissi</i>		MI	Y		0.1	0.1	0.3	6	CH 272
85910	<i>Tanytarsini genus A Ekrem</i>		MI	Y		0.1	0.1	10.8	4	CH 273
85921	<i>Zavrelia aristata</i>		MI	Y		0.7	3.7	26.9	5	
85990	<i>Pelecorhynchidae</i>									
85994	<i>Glutops sp.</i>									D 92
86001	<i>Tabanidae</i>		F			2.5	23.0	709.0	21	
86050	<i>Chlorotabanus crepuscularis</i>					5.0	39.8	250.1	15	D 68
86100	<i>Chrysops sp</i>		F			1.0	16.4	261.3	2457	D 31, 33
86200	<i>Tabanus sp</i>		F			2.1	20.3	545.6	515	
86202	<i>Tabanus atratus</i>		F			1.3	10.8	2102.8	5	D 45
86212	<i>Tabanus fairchildi</i>		F			6.2	34.8	1464.5	40	D 32
86236	<i>Tabanus reinwardtii</i>		F			3.8	12.3	146.1	3	D 50
86301	<i>Athericidae</i>									
86401	<i>Atherix lantha</i>		MI			4.4	38.0	559.3	1072	D 29, 30
86501	<i>Stratiomyidae</i>		F			0.8	11.4	213.4	52	
86550	<i>Allognosta sp</i>		F			7.2	25.0	310.2	5	
86600	<i>Antissa sp</i>					89.0	89.0	89.0	1	D 69
86700	<i>Caloparyphus sp</i>		F			0.1	4.4	38.9	15	D 53, 91
86800	<i>Euparyphus sp</i>		F			3.8	10.4	575.6	9	D 27
86900	<i>Myxosargus sp</i>		MT			0.3	9.9	262.0	44	D 17
87100	<i>Nemotelus sp</i>		F			2.3	8.1	10.5	3	D 42
87180	<i>Odontomyia sp (w/ peltate scales)</i>					7.0	10.6	19.7	8	D 81
87190	<i>Odontomyia (Catatasina) sp</i>		MT			2.3	6.1	62.1	19	
87200	<i>Odontomyia (O.) sp or Hedriodiscus sp</i>		T			1.0	3.9	33.2	16	D 19
87250	<i>Odontomyia (Odontomyiina) sp</i>		MT			0.8	12.1	416.1	34	D 67
87400	<i>Stratiomys sp</i>		MT			1.0	10.4	195.0	573	D 28, 54
87501	<i>Empididae</i>		F			4.6	110.0	3137.0	1825	
87510	<i>Neoplasta sp</i>		MI	Y		0.5	9.8	119.3	117	D 62
87515	<i>Clinocera sp</i>		MI	Y		1.4	6.6	49.3	39	D 76
87520	<i>Trichoclinocera sp</i>		MI			0.4	9.1	68.9	13	D 77
87540	<i>Hemerodromia sp</i>		F			3.3	44.0	1814.0	4144	D 35
87560	<i>Oreogeton sp</i>					0.4	2.9	5.4	2	D 86
87601	<i>Dolichopodidae</i>		MT			0.6	13.2	753.8	113	
87630	<i>Hydrophorus sp</i>					0.7	6.0	156.7	6	D 34
87701	<i>Syrphidae</i>					2.3	7.6	26.5	5	D 90
87720	<i>Chrysogaster sp</i>					6.2	6.2	6.2	1	D 14
87800	<i>Eristalis sp</i>		VT			0.7	5.1	30.3	17	D 37
89001	<i>Sciomyzidae</i>		MT			0.6	6.4	103.1	164	D 56
89040	<i>Dictya sp</i>					3.3	11.0	64.8	5	D 63
89501	<i>Ephyridae</i>		F			1.8	51.1	2320.5	247	D 61
89510	<i>Ephydra sp</i>		VT			2.1	13.1	3213.6	8	
89520	<i>Ephydra (E.) sp</i>		VT			2.7	11.2	56.4	4	D 38, 44
89553	<i>Ephydra (Halephadra) cinerea</i>									D 39
89560	<i>Hydrellia sp</i>					4.0	40.3	144.0	6	D 25
89570	<i>Ochthera sp</i>		F			14.1	198.0	1260.0	13	D 16
89580	<i>Setacera sp</i>					7.2	7.2	7.2	1	D 5
89601	<i>Muscidae</i>					2.6	15.3	5109.3	34	
89700	<i>Limnophora sp</i>		F			1.1	18.4	737.9	64	D 24
89704	<i>Lispoides aequifrons</i>		F			0.7	6.0	163.2	197	D 40
89716	<i>Limnophora discreta</i>		MT			2.3	21.3	1386.3	106	D 41
89800	<i>Lispe sp</i>					61.4	418.5	3288.5	11	
90000	<i>Mollusca</i>									
91001	<i>Gastropoda</i>					5.7	36.7	90.6	4	
92201	<i>Valvatidae</i>					138.0	138.0	138.0	1	
92300	<i>Valvata sp</i>					13.4	13.8	225.5	3	

Ohio EPA Macroinvertebrate Taxa List

Taxa Code	Taxa	Ohio RTE	Tol. Cat.	CW Taxon	Drainage Area (mi ²) Percentile			N	Reference Number
					5th	50th	95th		
92310	<i>Valvata bicarinata</i>				9.2	25.9	42.5	2	MO 33
92320	<i>Valvata piscinalis</i>				1.3	7.4	4959.4	6	MO 24
92330	<i>Valvata tricarinata tricarinata</i>		T		2.8	16.5	579.5	16	MO 11
92500	<i>Viviparidae</i>								
92505	<i>Campeloma sp</i>		F		7.1	149.0	1025.0	16	
92516	<i>Campeloma decisum</i>		F		3.8	43.0	537.2	37	MO 4
92600	<i>Cipangopaludina sp</i>		MT		10.5	328.0	1795.9	8	
92613	<i>Cipangopaludina chinensis malleata</i>		MT		1.2	12.7	1831.3	78	MO 28
92615	<i>Cipangopaludina japonica</i>		MT		3.2	57.0	3724.0	171	MO 14
92900	<i>Viviparus sp</i>		F		41.3	387.0	732.7	2	
92904	<i>Viviparus georgianus</i>		F		2.7	7.1	12.5	12	MO 22
93000	<i>Bithyniidae</i>				136.0	136.0	136.0	1	
93025	<i>Bithynia tentaculata</i>				2.2	136.0	792.6	44	MO 25
93200	<i>Hydrobiidae</i>		F		4.9	136.0	1816.0	814	MO 15
93801	<i>Pleuroceridae</i>				128.0	128.0	128.0	1	
93900	<i>Elimia sp</i>		MI		5.2	103.0	3321.7	3850	MO 10
94000	<i>Leptoxis sp</i>				65.5	96.5	127.6	2	
94060	<i>Lithasia verrucosa</i>								MO 35
94100	<i>Pleurocera sp</i>		MI		10.2	340.0	4571.7	28	MO 32
94201	<i>Lymnaeidae</i>				0.7	18.5	788.0	79	
94400	<i>Fossaria sp</i>		MT		0.8	12.0	539.7	1284	MO 2
94500	<i>Lymnaea sp (old name, =Lymnaeidae)</i>				1.1	13.8	580.6	12	
94603	<i>Pseudosuccinea columella</i>		MT		1.0	10.9	1826.3	46	MO 5
94800	<i>Stagnicola sp</i>		T		1.0	7.4	143.0	61	MO 3
95001	<i>Physidae</i>				3.6	12.7	238.5	6	
95011	<i>Aplexa elongata</i>				7.7	7.7	7.7	1	MO 30
95100	<i>Physella sp</i>		T		1.5	17.5	1090.0	9845	MO 1
95501	<i>Planorbidae</i>		MT		1.9	36.3	1025.2	120	
95900	<i>Gyraulus sp</i>		MT		2.7	85.5	848.3	106	
95902	<i>Gyraulus (Armiger) crista</i>		F		2.9	2.9	2.9	1	MO 34
95905	<i>Gyraulus (G.) deflectus</i>				17.1	50.0	50.0	3	MO 36
95907	<i>Gyraulus (Torquis) parvus</i>		MT		1.8	11.9	528.6	599	MO 7
96002	<i>Helisoma anceps anceps</i>		F		2.0	8.4	165.3	1100	MO 6
96100	<i>Menetus (Micromenetus) sp</i>				1.3	132.5	7218.8	36	
96110	<i>Menetus (Micromenetus) brogniartianus</i>				5.4	23.0	176.2	17	MO 26
96120	<i>Menetus (Micromenetus) dilatatus</i>		MT		2.5	51.8	768.9	816	MO 17
96200	<i>Planorbella sp</i>		T		2.9	8.2	131.8	77	
96264	<i>Planorbella (Pierosoma) pilsbryi</i>		T		1.4	7.4	166.5	854	MO 19
96280	<i>Planorbella (Pierosoma) trivolvis</i>		MT		1.2	8.0	775.8	182	MO 37
96310	<i>Planorbula armigera</i>				0.6	0.6	0.6	2	MO 31
96400	<i>Promenetus sp</i>								
96402	<i>Promenetus exacuouus</i>				2.5	11.3	14.2	4	MO 8
96408	<i>Promenetus umbilicatellus</i>				2.4	9.6	309.6	13	MO 18
96801	<i>Ancylidae</i>		F		4.8	33.0	488.2	25	
96900	<i>Ferrissia sp</i>		F		3.8	44.7	1143.4	6878	MO 9
96930	<i>Laevapex fuscus</i>		MT		7.7	262.0	5836.3	424	MO 23
97001	<i>Bivalvia</i>				31.2	526.5	2630.5	6	
97400	<i>Corbiculoidea</i>				28.8	84.0	390.8	5	
97501	<i>Corbiculidae</i>								
97601	<i>Corbicula fluminea</i>		F		9.2	191.5	3221.0	2816	MO 20
97701	<i>Dreisseniidae</i>				1813.0	1813.0	1813.0	1	
97710	<i>Dreissena polymorpha</i>		F		18.0	421.1	6606.0	429	MO 21
97720	<i>Dreissena rostriformis bugensis</i>				466.1	467.0	467.9	2	MO 27
98001	<i>Sphaeriidae</i>				1.5	38.8	1023.1	230	
98100	<i>Musculium sp</i>				1.1	15.4	920.8	15	Mo 38
98200	<i>Pisidium sp</i>		MT		1.0	12.8	495.0	1951	MO 12
98216	<i>Pisidium dubium</i>				20.2	20.2	20.2	1	MO 16
98600	<i>Sphaerium sp</i>		F		3.4	28.0	1870.0	6178	MO 13
99001	<i>Unionidae</i>				9.8	80.4	4864.3	78	

Ohio EPA Macroinvertebrate Taxa List

Taxa Code	Taxa	Ohio RTE	Tol. Cat.	CW Taxon	Drainage Area (mi ²) Percentile			N	Reference Number
					5th	50th	95th		
99090	<i>Anodontinae</i>				172.0	172.0	172.0	1	
99100	<i>Pyganodon grandis</i>		F		6.6	60.9	1273.4	594	
99110	<i>Pyganodon cataracta</i>								
99120	<i>Utterbackia imbecillis</i>		MI		3.3	54.5	2290.8	50	
99140	<i>Utterbackiana suborbiculata</i>				1859.8	3217.0	3334.9	3	
99160	<i>Anodontoides ferussacianus</i>		F		5.9	22.8	101.6	218	
99180	<i>Strophitus undulatus</i>		MI		7.8	74.0	614.3	196	
99200	<i>Alasmidonta marginata</i>	S	MI		106.0	528.0	2311.0	81	
99220	<i>Alasmidonta viridis</i>	T	MI		6.3	35.8	114.4	27	
99230	<i>Simpsonaias ambigua</i>	T			115.2	179.5	243.9	2	
99240	<i>Lasmigona complanata</i>		MI		14.8	161.0	3564.0	386	
99260	<i>Lasmigona compressa</i>	S	MI		13.8	104.5	1189.2	58	
99280	<i>Lasmigona costata</i>		MI		35.2	218.0	1532.5	191	
99290	<i>Ambleminae</i>				494.0	494.0	494.0	1	
99300	<i>Megaloniais nervosa</i>	E	MI		172.5	537.0	7285.2	3	
99320	<i>Tritogonia verrucosa</i>		MI		136.5	680.0	3233.5	71	
99340	<i>Theliderma cylindrica</i>	E	I		108.1	109.0	472.6	3	
99350	<i>Theliderma metanevra</i>	E	I		8035.0	8035.0	8035.0	1	
99360	<i>Cyclonaias nodulata</i>	E							
99380	<i>Cyclonaias pustulosa</i>		MI		67.1	1047.5	7567.2	73	
99400	<i>Quadrula quadrula</i>		MI		73.2	827.0	6222.8	185	
99420	<i>Amblema plicata</i>		MI		30.1	162.0	4880.8	183	
99430	<i>Reginaia ebenus</i>	E							
99440	<i>Fusconaia flava</i>		MI		26.8	109.0	1154.0	201	
99460	<i>Fusconaia subrotunda</i>	E							
99480	<i>Cyclonaias tuberculata</i>	S	MI		107.6	554.0	2943.2	17	
99485	<i>Plethobasus cyphus</i>	E							
99490	<i>Pleurobema clava</i>	E	MI		81.4	142.0	155.3	7	
99500	<i>Pleurobema cordatum</i>	E	I		1929.2	7713.0	8035.0	5	
99510	<i>Pleurobema rubrum</i>	E							
99520	<i>Pleurobema sintoxia</i>	S	MI		44.8	109.0	998.0	21	
99535	<i>Elliptio crassidens</i>	E							
99540	<i>Eurynia dilatata</i>		MI		35.3	136.1	550.8	134	
99550	<i>Uniomerus tetralasmus</i>	T	F		5.3	20.5	462.6	4	
99555	<i>Lampsilinae</i>								
99560	<i>Ptychobranthus fasciolaris</i>	S	MI		31.9	141.0	617.8	106	
99580	<i>Obliquaria reflexa</i>	S	MI		731.4	5576.5	7997.0	40	
99590	<i>Cyprogenia stegaria</i>	E	I						
99600	<i>Ortmanniana ligamentina</i>		MI		119.2	760.1	3854.2	49	
99610	<i>Ellipsaria lineolata</i>	E	MI		8035.0	8035.0	8035.0	2	
99620	<i>Obovaria subrotunda</i>	T	MI		69.9	416.0	4179.0	8	
99640	<i>Truncilla donaciformis</i>	S	MI		495.0	2311.0	7440.0	41	
99660	<i>Truncilla truncata</i>	S	MI		169.6	1709.0	6222.6	105	
99680	<i>Leptodea fragilis</i>		MI		57.9	731.0	6066.5	298	
99700	<i>Potamilus alatus</i>		MI		48.1	732.0	6332.0	217	
99720	<i>Potamilus ohioensis</i>		MI		136.8	3217.0	7652.3	26	
99730	<i>Toxolasma lividum</i>	E							
99740	<i>Toxolasma parvum</i>		F		4.8	29.7	458.9	42	
99760	<i>Sagittunio nasutus</i>	T	MI		13.1	208.0	293.0	5	
99780	<i>Ligumia recta</i>	S	MI		365.0	2381.0	6143.8	13	
99800	<i>Paetulunio fabalis</i>	E	MI		113.2	160.0	227.3	3	
99820	<i>Cambarunio iris</i>	S	MI		25.9	103.0	517.8	37	
99825	<i>Villosa lienosa</i>	E							
99830	<i>Lampsilis fasciola</i>	S	MI		84.2	241.0	1133.0	45	
99835	<i>Lampsilis ovata</i>	E							
99840	<i>Lampsilis teres</i>	E							
99860	<i>Lampsilis siliquoidea</i>		MI		10.5	88.0	785.2	705	
99880	<i>Lampsilis cardium</i>		MI		31.9	231.0	2452.5	234	
99890	<i>Epioblasma obliquata</i>	E							

Ohio EPA Macroinvertebrate Taxa List

Taxa Code	Taxa	Ohio RTE	Tol. Cat.	CW Taxon	Drainage Area (mi ²) Percentile			N	Reference Number
					5th	50th	95th		
99892	<i>Epioblasma perobliqua</i>	E							
99894	<i>Epioblasma rangiana</i>	E							
99900	<i>Epioblasma triquetra</i>	E	MI		196.0	571.5	819.6	4	

Tolerance Category

- I - intolerant
- MI - moderately intolerant
- F - Facultative
- MT - moderately tolerant
- T - tolerant
- VT - very tolerant

Ohio RTE (ODNR Status)

- S - special interest
- T - theatened
- E - endangered