

October 27, 2017

Re: Portage County, Nelson Township
Application No. 3MH00120*AM
Sewage Holding Tank Management Plan Approval for Fenstermaker Amish Parochial
School

Issue Date: October 27, 2017
Effective Date: October 27, 2017
Expiration Date: October 27, 2022

Fenstermaker Amish Parochial School
Attn: Elwin Weaver
11767 Fenstermaker School
Garrettsville, Ohio 44231

Ladies and Gentlemen:

The Ohio Environmental Protection Agency has reviewed the sewage holding tanks management plan (Form C3) submitted pursuant to Ohio Revised Code Section 6111.44 and rule 3745-42-11 of the Ohio Administrative Code. The plan is approved subject to the condition of compliance with all applicable laws, rules, regulations and all the conditions below and in Part II of this approval. A copy of the approved sewage holding tank management plan is enclosed.

The entity shall fill, operate, and empty the proposed sewage holding tank in strict accordance with the conditions in this approval and with the method of operation outlined in the sewage holding tank management plan submitted to the Ohio Environmental Protection Agency. Approval of the sewage holding tank management plan does not constitute assurance that the proposed operation will be in compliance with all Ohio laws and regulations.

This approval is not an authorization to discharge. Pursuant to Section 3745-42-01 of the Ohio Administrative Code, a holding tank is a device that is not part of a larger disposal system and that is used to accumulate or store sewage or industrial waste that: (1) is not hazardous waste as defined by rule 3745-51-03 of the Administrative Code and (2) must be hauled for recycling, treatment or disposal. Therefore, any discharge from the holding tank is unpermitted.

Any discharges to waters of the state must be reported to Ohio EPA (toll free) by calling 1-800-282-9378 within 2 hours of discovery. The director shall be notified in writing within seven days of any person discovering noncompliance with a sewage holding tank management plan.

The applicant is required to submit a revised sewage holding tank management plan, if the Director of the Ohio EPA deems it necessary.

The director may add, delete, or change any conditions to a sewage holding tank management plan approval to protect human health or the environment.

Any expansion of the operation or modification of the sewage holding tanks must be approved by the Ohio EPA.

The director of the Ohio Environmental Protection Agency, or his authorized representative(s), may enter upon the premises of the sewage holding tanks during their construction or its operation at any reasonable time for the purpose of making inspections, conducting tests, examining records, or reports pertaining to the installation, modification, or operation of the sewage holding tanks.


Issuance of this approval does not relieve you of the duty of complying with all applicable federal, state, and local laws, ordinances, and regulations.

This approval shall expire at midnight on the expiration date shown above. In order to receive authorization to continue to use the sewage holding tanks beyond the date of expiration, you shall submit a new sewage holding tank management plan (Form C3) six months prior to the expiration date.

You are hereby notified that this action of the Director is final and may be appealed to the Environmental Review Appeals Commission pursuant to Section 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice of the Director's action. The appeal must be accompanied by a filing fee of \$70.00 which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission
30 East Broad Street, 4th Floor
Columbus, Ohio 43215

Sincerely,



Craig W. Butler
Director

Attachment: Part II Special Conditions

Enclosure: Approved Sewage Holding Tank Management Plan (Form C3)

cc: Northeast District Office
Portage County Health Department
Permits & Compliance Section, DSW, CO

PART II, SPECIAL CONDITIONS

1. The Fenstermaker Amish Parochial School shall be responsible for proper operation and maintenance of the sewage holding tanks.
2. This approval applies to the sewage holding tanks operated by Fenstermaker Amish Parochial School, that have been designed to store an average daily flow of 12 gallons per day (GPD) for both holding tanks.
3. The sewage holding tanks shall be maintained in a manner that is protective of public health and the environment.
4. Hauling/emptying of sewage from the sewage holding tanks shall be conducted in the manner described in the sewage holding tank management plan submitted as Form C3.
5. Sewage from the sewage holding tanks shall be hauled by a licensed hauler and received by the permitted receiving facility identified in the management plan.
6. The sewage holding tanks shall be labeled, or a legible sign shall be placed immediately adjacent to the sewage holding tanks, with the words "Non-Hazardous Sewage" or "Non-Hazardous Industrial Waste," whichever term applies to the tanks in question.
7. Signs that direct persons to notify the Ohio Environmental Protection Agency's spill hotline (1-800-282-9378) in an event of a release shall be placed in clearly visible locations around the tanks.
8. Records shall be kept in accordance with the approved sewage holding tank management plan and paragraph (H) of rule 3745-42-11 of the Ohio Administrative Code.
9. A renewal sewage holding tank management plan (Form C3) shall be submitted to Ohio EPA at least six months prior to the expiration of the existing sewage holding tank management plan. If a person does not submit a new sewage holding tank management plan at least six months prior to expiration of the existing plan, the existing sewage holding tank management plan will expire at the end of the five years.
10. If decommissioning of the sewage holding tanks shall occur prior to the expiration date of the existing sewage holding tanks management plan, a renewal sewage holding tank management plan (Form C3) is not required. Instead, the owner or operator of the holding tank shall notify the director or an authorized representative within thirty days of the holding tank decommissioning. Notification and decommissioning shall be in accordance with paragraph (I) of rule 3745-42-11 of the Ohio Administrative Code.
11. If necessary, odor control measures shall be taken to prevent nuisance conditions.
12. The sewage holding tank shall be equipped with a visual or sight glass type of level measurement.
13. This approval letter and the approved sewage holding tanks management plan apply to Ohio EPA PTI No. 1165920 for Fenstermaker Amish Parochial School.

RECEIVED

SEP 1 1 2017



State of Ohio Environmental Protection Agency
Division of Surface Water
Division of Environmental & Financial Assistance

OHIO EPA NEDO

Supplement to Form A – C3

Plan Approval

Sewage Holding Tank Management Plan

FOR AGENCY USE ONLY

Application Number:	Date Received: / /
---------------------	--------------------

General Information

Applicant Name: Fenstermaker School

Project Address: 11767 Fenstermaker Road

City: Garrettsville	State: Ohio	Zip: 44231
---------------------	-------------	------------

County: Portage	Township: Nelson
-----------------	------------------

Is the Applicant for the Sewage Holding Tank Management Plan the Owner of the Facility? Yes No

If not, please explain and state who is responsible for monitoring the sewage holding tank:

(Note: This form shall be submitted with a PTI/Plan Approval Application Form A, Form B8 Holding Tanks, and plan approval fee for all proposed sewage holding tanks after the effective date of this rule. Any existing systems prior to the effective date of this rule may require a PTI/Plan Approval Application be submitted with the management plan. Refer to Rule 3745-42-11(E) (G) (H) of the Administrative Code for permit requirements for sewage holding tank management.)

At a minimum, the following items shall be included in the sewage holding tank management plan required by Rule 3745-42-11 of the Administrative Code. Any additional unique features must be described on separate pages and attached to this plan.

A. Treatment and Storage Information

Average Daily Design Flow to the Holding Tank:	24 (total gpd both tanks)	gpd
--	---------------------------	-----

Average Actual Flow to the Holding Tank (if existing Holding Tank):	N/A	gpd
---	-----	-----

Nature of Waste:	<input checked="" type="checkbox"/> Domestic Sewage	<input type="checkbox"/> Industrial	<input type="checkbox"/> Other: _____
------------------	---	-------------------------------------	---------------------------------------

Provide justification for the use of the sewage holding tank: Septic tanks for privies serving an Amish School.

Expected date of tank decommissioning (if applicable):

B. Tankage

Material	Storage Volume (gallons)*	Storage Volume (days)	Inside Length (ft)	Inside Width (ft)	Inside Height (ft)
1. Precast Concrete	750	62.5	7'-0"	4'-0"	5'-0"
2. Precast Concrete	750	62.5	7'-0"	4'-0"	5'-0"
3.					

**Storage Volume should be calculated at 75 percent of tank capacity*

C. Design Basis:

Type of Establishment	Type of Unit (employee, seats, etc.)	Number of Units	Wastewater Flow (gal/day)	Total (gal/day)
School privy	Students/Teachers	24	0.5	= 12
School privy	Students/Teachers	24	0.5	= 12
		X		=
		Total Flow (gal/day)		
		= 24 (gpd both tanks)		

D. Hauling & Storage:

Receiving Facility: Warren Water Pollution Control Facility	Facility NPDES #: OH 3PE0008
Address: 2323 Main Ave. S.W.	City: Warren State: OH Zip: 44481
Licensed Hauler: McCoy Septic Tank and Drain Service, LLC	
Annual Cost: \$1,170	<input type="checkbox"/> Actual <input checked="" type="checkbox"/> Estimated
If applicable, local health department that licensed the waste hauler: Geauga County Health District	
How often is it to be hauled/emptied: Two to three times per year, as needed when tanks become 75% full	
How is the alarm set: N/A	
Location of the audio/visual alarm: N/A	
Location of signs: A sign indicating "Non-Hazardous Sewage, (Notify Ohio EPA Spill Hotline 1-800-282-9378 and the Owner 440-313-4456 in the event of a spill)" shall be installed near the privy entrances.	
Emergency name & number on signage: Ohio EPA Spill Hotline, 1-800-282-9378 – Owner 440-313-4456	
How are spills/run-offs prevented and/or contained: The tank walls are 3 inches thick and an overflow can only occur through the toilet openings. Any spillage which may occur during pumping will be cleaned up and disinfected. It will be visually apparent when the tanks are becoming full and require service. Additionally, when they begin to fill, a measuring stick marked at 3'-9" (75% of the overall tank depth of 5'-0") will be used to verify when the tanks require cleaning.	
Describe the standard filling, operating, and emptying procedures: The tanks will be filled through daily use of the school occupants during the school year, which is 180 days in length. The tanks will be emptied at the end of the school year in May so the tanks are empty when the building is not in use, and may be emptied additionally through the school year as needed per the contract between the owner and hauler, if/when the tanks become 75% full.	
Additional Comments: N/A	

E. Record Keeping Requirements

The owner/operator shall keep the following records at the facility for the time specified and make these records available to the director upon request and maintain the records for a minimum of three years:

<input checked="" type="checkbox"/> Copy of permit to install	<input checked="" type="checkbox"/> POTW receiving waste including address
<input checked="" type="checkbox"/> Volume & description of all sources of waste	<input checked="" type="checkbox"/> Name of operator
<input checked="" type="checkbox"/> Copy of construction & installation records	<input checked="" type="checkbox"/> Licensed hauler information including licensing

The following items shall be attached for the existing sewage holding tank:

<input type="checkbox"/> Licensed hauler information	<input type="checkbox"/> POTW receiving waste
<input type="checkbox"/> Contract with hauler (including paid receipt for pumping service)*	<input type="checkbox"/> Pumping records (most recent, 2yrs if available)

**If owner changes to a different hauling contractor, records for the new hauling contractor shall be maintained and new receiving wastewater treatment plant if applicable.*

F. Miscellaneous Information:

The following items shall be included with this sewage holding tank management plan:

- Letter from the POTW agreeing to accept the waste
- Copy of contract between hauler and the owner of sewage holding tank
- Four copies of this management plan and any attachments.
- Fee check payable to "Treasurer, State of Ohio." *(unless this plan is submitted with a PTI for the tank)*
- Additional information is included with this form:

G. Signature: The foregoing data is a true statement of facts pertaining to this proposed plan.

Plan prepared by: Smolen Engineering, Ltd.

Signed: *John Smolen*

Date: 7/27/17

RECEIVED
SEP 11 2017
OHIO EPA NEDO



Water Pollution Control Department

City of Warren, Ohio

William D. Franklin
Mayor

2323 Main Ave., S.W., Warren, Ohio 44481-9603
Phone: (330) 841-2591 Fax: (330) 841-2717

Enzo C. Cantalamessa
Director of Service-Safety

Edward J. Haller
Director

Michael T. Welke
Superintendent

Ted Montecalvo
Sewer Systems
Foreman

Robert J. Stahl
Accounting Coordinator

William Roberts
Chief Operator

Michael McMillion
Biosolids Manager

Paul Geist
Chief Maintenance Mechanic

Tonya Cornell
Chemist

Ryan Hathhorn
Industrial Pretreatment
Coordinator

John Gennock
Biosolids Salesman

Patricia Simpson
Smolen Engineering, Ltd.
1876 State Route 46, North
Jefferson, OH 44047

Dear Ms. Simpson:

McCoy Septic Tank Service is licensed with the City of Warren Water Pollution Control, and brings acceptable residential waste to this facility.

If you have any questions regarding the above, please contact our office at 330-841-2591.

Sincerely,

Ryan Hathhorn
Industrial Pretreatment Coordinator.

RECEIVED

SEP 11 2017

OHIO EPA NEDO

"This Agency is an Equal Provider of Service and an Equal Opportunity Employer – C.R.A. 1964"



Contract

McCoy Septic Service
 McCoy Septic Tank
 and Drain Service, LLC
 11928 Brosius Rd
 Garrettsville, OH 44231

DATE 7-5-17

333 527 2005
PH.

CUSTOMER AMISH
 FENSTERWALD RD SCHOOL
 11767 Fensterwald Rd
 Garrettsville OH 44231

Contract For Pumpouts + Hauling WASTE
 From 2-1000 GAL TANKS FOR PRIVYS AT
 ABOVE School Location once a year.
 OR when 75% full

NAME OF DUMPED WASTE SITE
 Warren Water pollution control

We will remove waste. We will not
 remove trash. Do not allow children
 to put trash down toilets. Plastic bottles
 glass bottles or Plastic bags

~~X House Phillips 441-4409~~ TOTAL Price

Septic Tank Service	195.00 per tank 1000 gal
Accessories Glass bottles + Plastic	390.00 2 tanks 1000 gal Price is subject

Payment is to be paid within
 30 days of service

RECEIVED

SEP 1 2017

~~Customer Edna Weaver + Fennell~~

OHIO EPA NEDO

SEPTAGE HAULER REGISTRATION FOR 2017

GEAUGA COUNTY HEALTH DISTRICT
470 CENTER ST BLDG 8
CHARDON, OH 44024
1-440-279-1914


Hauler ID #: 14

Date: 07/27/2017

Business Name: MC COY SEPTIC TANK SERVICE

Street Address: 11928 BROSIUS RD.

City, State, Zip: GARRETTSVILLE, OH 44231



Robert K. Weisdack, RS,MA,MPH, Health Commissioner**RECEIVED**

SEP 11 2017

OHIO EPA NEDO