




Bureau of Workers' Compensation

**Amputation/Loss of Use Diagram
Right Hand Posterior (Dorsal) View**

ORC 4123.57 (B)

Injured worker name	Claim number
Physician: Mark exact point of amputation by a single line, mark ankylosis by circling affected joint. Initial all markings.	
I certify the information I have provided is truthful and correct.	
Physician's signature	Date



For BWC use only	
*Thumb (1 st finger)	60 weeks
1/2 loss	30 weeks
*State ex rel Riter v. IC: Ankylosis at the IP joint of the thumb = 1/2 loss of use of the thumb. (See BWC Policy)	
Index finger (2 nd finger)	35 weeks
2/3 loss	23 1/3 weeks
1/3 loss	11 2/3 weeks
Middle finger (3 rd finger)	30 weeks
2/3 loss	20 weeks
1/3 loss	10 weeks
Ring finger (4 th finger)	20 weeks
2/3 loss	13 1/3 weeks
1/3 loss	6 2/3 weeks
Little finger (5 th finger)	15 weeks
2/3 loss	10 weeks
1/3 loss	5 weeks

See current Compensation rate chart for additional loss of use awards.
Published by BWC Claims Policy

See reverse for
left hand



Bureau of Workers' Compensation

**Amputation/Loss of Use Diagram
Left Hand Posterior (Dorsal) View**

ORC 4123.57 (B)

Injured worker name	Claim number
Physician: Mark exact point of amputation by a single line, mark ankylosis by circling affected joint. Initial all markings.	
I certify the information I have provided is truthful and correct.	
Physician's signature	Date

The loss of the middle phalanx of **any** finger is equal to loss of two thirds of the finger.

The loss of more than the middle and distal phalanx of **any** finger is equal to loss of **whole** finger.

For loss of metacarpal bone of thumb or fingers, add 10 weeks to the number of weeks.

The loss of distal phalanx is equal to loss of one third of **any** finger.

The loss of distal phalanx of the thumb is equal to loss of one half of thumb.

The loss of more than one half of the thumb is equal to loss of **whole** thumb.*

For BWC use only	
*Thumb (1st finger)	60 weeks
1/2 loss	30 weeks
*State ex rel Riter v. IC: Ankylosis at the IP joint of the thumb = 1/2 loss of use of the thumb. (See BWC Policy)	
Index finger (2nd finger)	35 weeks
2/3 loss	23 1/3 weeks
1/3 loss	11 2/3 weeks
Middle finger (3rd finger)	30 weeks
2/3 loss	20 weeks
1/3 loss	10 weeks
Ring finger (4th finger)	20 weeks
2/3 loss	13 1/3 weeks
1/3 loss	6 2/3 weeks
Little finger (5th finger)	15 weeks
2/3 loss	10 weeks
1/3 loss	5 weeks

See reverse for right hand

See current Compensation rate chart for additional loss of use awards.
Published by BWC Claims Policy

Reproduced with permission: Putz R./Pabst, R.: Sobotta, *Atlas der Anatomie des Menschen*, 21. Auflage 2000 © Elsevier GMBH, Urban & Fischer Verlag