



**Department of  
Medicaid**

**Ohio medicaid enterprise system (OMES),  
Electronic data interchange (EDI)**

**HIPAA transaction standard companion guide**

Refers to the implementation guides based on ASC X12 version 005010  
MyCare Ohio 837 dental post adjudicated claims data reporting (PACDR)

## Disclosure Statement

This companion guide is based on the CORE v5010 Master Companion Guide Template. All rights reserved. It may be freely redistributed in its entirety provided that this copyright notice is not removed. It may not be sold for profit or used in commercial documents without the written permission of the copyright holder. This document is provided “as is” without any express or implied warranty. Note that the copyright on the underlying ASC X12 Standards is held by ASC X12.

The ODM Companion Guides do not:

- Replace the HIPAA ANSI ASC X12N Implementation Guide.
- Contain any actions that would result in a Non-Compliant Transaction.

The ODM Companion Guides are subject to change without prior notice.

Providers and Trading Partners are responsible for periodically checking for Companion Guide updates on the ODM Trading Partner website - [Trading Partners | Medicaid \(ohio.gov\)](#).

Each Medicaid Provider and/or Trading Partner has the ultimate responsibility to adhere to the HIPAA Federal Requirements as well as any Ohio State laws that are applicable including the Ohio Administrative Code (<http://codes.ohio.gov/oac/5160-1-20>).

## **Preface**

This Companion Guide to the 5010 ASC X12N Technical Report Type 3 Implementation Guides and associated errata and addenda adopted under Health Insurance Portability and Accountability Act (HIPAA) clarifies and specifies the data content when exchanging electronically with ODM. Transmissions based on this companion guide, used in tandem with 005010 ASC X12 TR3 Implementation Guides, are compliant with both ASC X12 syntax and those guides. This Companion Guide is intended to convey information that is within the framework of the ASC X12N TR3 Implementation Guides adopted for use under HIPAA. The Companion Guide is not intended to convey information that in any way exceeds the requirements or usages of data expressed in the TR3 Implementation Guides.

**EDITOR’S NOTE:**

This page is blank because major sections of a book should begin on a right-hand page.

## Table of Contents

<b>1 Introduction.....</b>	<b>6</b>
1.1 Scope .....	7
1.2 Overview .....	7
1.3 References .....	7
1.3.1 EDI basics .....	7
1.3.2 Government and other associations .....	7
1.3.3 ASC X12 standards .....	8
1.4 Additional information.....	8
<b>2 Getting Started .....</b>	<b>9</b>
<b>3 Testing with the payer .....</b>	<b>10</b>
<b>4 Connectivity with the payer/communication .....</b>	<b>11</b>
<b>5 Contact information .....</b>	<b>12</b>
5.1 EDI customer service .....	12
5.2 EDI technical assistance.....	12
<b>6 Control segments/envelopes .....</b>	<b>13</b>
6.1 ISA-IEA.....	13
6.2 GS-GE .....	14
6.3 ST-SE.....	14
<b>7 Payer specific business rules and limitations .....</b>	<b>16</b>
7.1 Payment arrangement information.....	16
7.2 CARCs/RARCs.....	16
<b>8 Acknowledgements and/or reports .....</b>	<b>17</b>
8.1 The TA1 – technical acknowledgement.....	17
8.2 The 999 – implementation acknowledgement.....	17
8.3 824 – application advice.....	17
8.4 Report inventory.....	17
<b>9 Trading partner agreements.....</b>	<b>18</b>
9.1 Trading partners.....	18
<b>10 Transaction specific information .....</b>	<b>19</b>
<b>11 Appendices.....</b>	<b>26</b>
11.1 Implementation checklist.....	26
11.2 Frequently asked questions .....	26
<b>12 Change summary .....</b>	<b>27</b>

## 1 Introduction

This section describes how ASC X12N Implementation Guides (IGs) adopted under HIPAA will be detailed with the use of a table. The tables contain a row for each segment that ODM has something additional, over and above, the information in the IGs. That information can:

1. Limit the repeat of loops, or segments
2. Limit the length of a simple data element
3. Specify a sub-set of the IGs internal code listings
4. Clarify the use of loops, segments, composite, and simple data elements
5. Any other information tied directly to a loop, segment, composite, or simple data element pertinent to trading electronically with ODM

In addition to the row for each segment, one or more additional rows are used to describe ODM’s usage for composite and simple data elements and for any other information. Notes and comments should be placed at the deepest level of detail. For example, a note about a code value should be placed on a row specifically for that code value, not in a general note about the segment.

The following table specifies the columns and suggested use of the rows for the detailed description of the transaction set companion guides.

Page #	Loop ID	Reference	Name	Codes	Length	Notes/Comments
193	2100C	NM1	Subscriber Name			This type of row always exists to indicate that a new segment has begun. It is always shaded at 10% and notes or comment about the segment itself goes in this cell.
195	2100C	NM109	Subscriber Primary Identifier		15	This type of row exists to limit the length of the specified data element.
196	2100C	REF	Subscriber Additional Identification			
197	2100C	REF01	Reference Identification Qualifier	18, 49, 6P, HJ, N6		These are the only codes transmitted by ODM.
			Plan Network Identification Number	N6		This type of row exists when a note for a particular code value is required. For example, this note may say that value N6 is the default. Not populating the first 3 columns makes it clear that the code value belongs to the row immediately above it
218	2110C	EB	Subscriber Eligibility or Benefit Information			
231	2110C	EB13-1	Product/Service ID Qualifier	AD		This row illustrates how to indicate a component data element in the Reference column and also, how to specify that only one code value is applicable.

## 1.1 Scope

ODM developed 5010 Companion Guides to supplement each 5010 Transaction Implementation Guide, based on Version 5, Release 1, with regards to:

- Specific Codes and/or Values that are unique to ODM to accept an Inbound Transaction

ODM Companion Guides will not create a Non-Compliant Transaction

This companion guide is intended to be used in conjunction with the ASC X12N/005010X300A1 Implementation Guide (IG). It provides supplementation instructions not included in the IG that must be followed for implementation and conducting the transaction with ODM. It does not change the requirements of the IG in any way.

## 1.2 Overview

The Health Insurance Portability and Accountability Act (HIPAA) require all Providers, Trading Partners and Payers in the United States to comply with the Electronic Data Interchange (EDI) Standards for Health Care.

The ASC X12 HIPAA PACDR Dental Implementation Guide presents the basic requirements for planning and implementing an EDI-based system for the exchange of ASC X12 HIPAA compliant transactions with the Ohio Medicaid Enterprise System (OMES). In order to create a HIPAA compliant transaction, you must first meet the requirements of the ASC X12 HIPAA PACDR Dental Implementation Guide and then incorporate the ODM specific requirements.

To properly process MyCare Ohio PACDR transactions, Ohio MES requires only ONE transaction type in each transmission file beginning with the Interchange Control Header (ISA) and ending with the Interchange Control Trailer (IEA) envelope segments. A separate file for each transaction type should be submitted – for example, one file containing only the PACDR Professional data, one file containing only PACDR Institutional data and one file containing only PACDR Dental data. ISA/IEA transaction sets should not exceed 5000 encounters. ODM recommends that FTP submitters’ scripts upload no more than one (1) file per five (5) minute intervals.

The page reference to the ASC X12 PACDR Dental Implementation Guide (HIPAA IG) is provided along with each segment or element.

Every effort has been made to prevent errors in this document. However, if discrepancies exist between the EDI Companion Guide and the ASC X12 PACDR Dental Implementation Guide, the Implementation Guide is the final authority.

## 1.3 References

In addition to the resources available on the ODM Trading Partner Website ([Trading Partners | Medicaid \(ohio.gov\)](#)), there are other websites that contain helpful information to assist in the implementation of the electronic data interchange process. Links to these websites are listed below and are separated by category for easy reference.

### 1.3.1 EDI basics

For information about EDI software and services, visit: 1EDI Source, Inc (<http://www.1edisource.com/>).

### 1.3.2 Government and other associations

- Center for Medicare and Medicaid Services (CMS): <http://www.cms.hhs.gov>
- Answers to Frequently Asked Questions: [HIPAA, Administrative Simplification, and ACA FAQs | CMS](#)
- HHS Office for Civil Rights (Privacy): <http://www.hhs.gov/ocr/hipaa/>
- WEDI SNIP: Workgroup for EDI, Strategic National Implementation Process: <http://www.wedi.org>
- CMS website for NPI: <https://www.cms.gov/Regulations-and-Guidance/Administrative-Simplification/NationalProvidentStand>

1.3.3 ASC X12 standards

- Washington Publishing Company: <http://www.wpc-edi.com/>
- American National Standards Institute: <http://ansi.org/>
- Accredited Standards Committee: <http://www.x12.org>

**1.4 Additional information**

For additional information, the Trading Partner Information Guide can be found here: [Trading Partners | Medicaid \(ohio.gov\)](#).



## 2 Getting Started

To get started, the Trading Partner Information Guide, can be found here:

[Trading Partners | Medicaid \(ohio.gov\)](#).

### **3 Testing with the payer**

Details related to testing are in the Trading Partner Information Guide, which can be found here: [Trading Partners | Medicaid \(ohio.gov\)](#).

#### **4 Connectivity with the payer/communication**

Connectivity information is in the Trading Partner Information Guide, which can be found here: [Trading Partners | Medicaid \(ohio.gov\)](#).

## 5 Contact information

### 5.1 EDI customer service

**Days Available:** Monday through Friday

**Time Zone:** Eastern Time (ET)

**Time Available:** 8:00 am to 4:30pm

**Phone:** 800-686-1516, option 4.

**Email:** [omesedisupport@medicaid.ohio.gov](mailto:omesedisupport@medicaid.ohio.gov)

### 5.2 EDI technical assistance

**Days Available:** Monday through Friday

**Time Zone:** Eastern Time (ET)

**Time Available:** 8:00 am to 4:30 pm

**Phone:** 800-686-1516, option 4.

**Email:** [omesedisupport@medicaid.ohio.gov](mailto:omesedisupport@medicaid.ohio.gov)

## 6 Control segments/envelopes

### 6.1 ISA-IEA

This section describes ODM’s use of the interchange control segments. It includes a description of expected sender and receiver codes, authorization information, and delimiters.

Page #	Loop ID	Reference	Name	Codes	Length	Notes/Comments
C.3		ISA	Interchange Control Header			ISA/IEA transaction sets should not exceed 5,000 encounters. ODM recommends that FTP submitters’ scripts upload no more than one (1) file per five (5) minute intervals.
C.4		ISA01	Authorization Information Qualifier	00		No Authorization Information Present (No Meaningful Information in ISA02)
C.4		ISA02	Authorization Information			Use 10 blank spaces
C.4		ISA03	Security Information Qualifier	00		No Security Information Present (No Meaningful Information in ISA04)
C.4		ISA04	Security Information			Use 10 blank spaces.
C.4		ISA05	Interchange ID Qualifier	ZZ		Mutually Defined
C.4		ISA06	Interchange Sender ID			This is a fixed-length field and should be left justified and filled with spaces to meet the minimum length requirement of 15.  Use ODM assigned Trading Partner ID. All ODM Trading Partner IDs should be 7-digits which include leading zeros.
C.4		ISA07	Interchange ID Qualifier	ZZ		Mutually Defined
C.4		ISA08	Interchange Receiver ID	MMISODJFS		This is a fixed-length field and should be left justified and filled with spaces to meet the minimum length requirement of 15.
C.4		ISA11	Repetition Separator	^		
C.5		ISA13	Interchange Control Number			Must be identical to the associated interchange control trailer IEA02.
C.6		ISA14	Acknowledgment Requested	0		No Interchange Acknowledgment Requested
C.6		ISA15	Usage Indicator	T, P		T = Test P = Production

Page #	Loop ID	Reference	Name	Codes	Length	Notes/Comments
C.10		IEA	Interchange Control Trailer			
C.10		IEA01	Number of Included Functional Groups			Number of included functional groups.
C.10		IEA02	Interchange Control Number			The control number assigned by the interchange sender. Must be identical to the value in ISA13.

## 6.2 GS-GE

This section describes ODM’s use of the functional group control segments. It includes a description of expected application sender and receiver codes. Also included in this section is a description concerning how ODM expects functional groups to be sent and how ODM will send functional groups. These discussions will describe how similar transaction sets will be packaged and ODM’s use of functional group control numbers.

Page #	Loop ID	Reference	Name	Codes	Length	Notes/Comments
C.7		GS	Functional Group Header			
C.7		GS02	Application Sender’s Code			7-digit Trading Partner ID assigned by ODM
C.7		GS03	Application Receiver’s Code	MMISODJFS		This value must match the value in ISA08
C.8		GS06	Group Control Number			Must be identical to the value in GE02.
C.8		GS08	Version/Release/ Industry Identifier Code	005010X300A1		

Page #	Loop ID	Reference	Name	Codes	Length	Notes/Comments
C.9		GE	Functional Group Trailer			
C.9		GE01	Number of Transaction Sets Included			Number of included transaction sets.
C.9		GE02	Group Control Number			The functional group control number. Must be the same value as GS06.

## 6.3 ST-SE

This section describes how ODM uses transaction set control numbers.

Page #	Loop ID	Reference	Name	Codes	Length	Notes/Comments
65		ST	Transaction Set Header			
65		ST01	Transaction Set Identifier Code	837		Health Care Claim

Page #	Loop ID	Reference	Name	Codes	Length	Notes/Comments
65		ST02	Transaction Set Control Number			Identical to the value in SE02
65		ST03	Implementation Convention Reference	005010X300A1		

Page #	Loop ID	Reference	Name	Codes	Length	Notes/Comments
353		SE	Transaction Set Trailer			
353		SE01	Number of Included Segments			Total number of segments included in a transaction set including ST and SE segments
353		SE02	Transaction Set Control Number			Transaction set control number. Identical to the value in ST02.

## 7 Payer specific business rules and limitations

In order to send MyCare Ohio PACSR Dental X12 transactions, Trading Partners must be certified by Ohio Medicaid and in active status. These details are documented in the Trading Partner Information Guide which can be found at this link - [Trading Partners | Medicaid \(ohio.gov\)](#).

### 7.1 Payment arrangement information

ODM considers a capitation payment arrangement to include those arrangements for which a sub-contracted entity to the Managed Care Entity (MCE) assumes a risk. If any part of the encounter is part of capitation payment arrangement, the line-level item contract type should reflect whether the service is part of a capitation payment arrangement, and the claim-level amount must be recorded as such with a contract type of capitation. For encounters which have a capitation payment arrangement, the MCE must provide approximate payment information as follows:

1. If an MCE sub-contracts with another entity to pay claims on the MCEs behalf (for example, a pharmacy benefit manager (PBM)), the amount paid to the servicing provider (for example, a pharmacy) must be submitted to ODM on the claim or encounter. The paid amount cannot be the amount the MCE paid the benefit manager.
2. For payments arrangements for which the MCE pays a per member per month rate to a provider or group of providers, the MCE must shadow price the encounter to be the amount that the MCE would have paid to the provider if the capitation arrangement did not exist.
  - a. If the MCE also maintains a contractual arrangement on a fee-for-service basis with the provider, the MCE must submit the amount that the MCE's claims system would have priced the claim at the claim and line-level per the adjudication process specific to that provider.
  - b. If the MCE does not maintain a contractual arrangement on a fee-for-service basis with the provider, the MCE must submit the amount that the MCE's claims system would have priced the claim at the claim and line-level per the adjudication process that is for the same provider type and specialty (if appropriate) which is within either the county, region, and/or state (prioritized in this order per the information that is available).

### 7.2 CARCs/RARCs

Managed Care Entities (MCE) must send all CARCs / RARCs which were sent to providers on the 835 ERA. If providers did not receive an 835 ERA the MCE must crosswalk any proprietary EOB/EOP codes to the appropriate CARC/RARC and include those codes on their PACDR Encounter submission.



## **8 Acknowledgements and/or reports**

### **8.1 The TA1 – technical acknowledgement**

The TA1 allows the receiver of a file to notify the sender that an invalid interchange structure was received or that problems were encountered. The TA1 verifies only the interchange header (ISA/GS) and trailer (IEA/GE) segments of the file envelope.

For batch and real-time transactions, if ISA or GS errors were encountered then the generated TA1 report with the Interchange Header errors will be returned for pickup.

### **8.2 The 999 – implementation acknowledgement**

For batch transactions, each time a properly formatted 5010 X12 file is submitted to Ohio Medicaid, an accepted 999 acknowledgement is returned to the submitter. If the file submitted is rejected, a negative 999 is produced and returned to the submitter.

### **8.3 824 – application advice**

For batch transactions, the 824-transaction set is used to report the rejection of a transaction that does not meet WEDI SNIP Type 7 compliance.

### **8.4 Report inventory**

If a 5010 X12 file fails compliance, an HTML report file is returned to the submitter. This file contains details that will assist the submitter to identify the issue and correct the problem.

## **9 Trading partner agreements**

### **9.1 Trading partners**

These details can be found in the Trading Partner Information Guide which can be found at this link - [Trading Partners | Medicaid \(ohio.gov\)](#).

## 10 Transaction specific information

This section describes how ASC X12N Implementation Guides (IGs) adopted under HIPAA will be detailed with the use of a table. The tables contain a row for each segment that ODM has something additional, over and above, the information in the IGs. That information can:

1. Limit the repeat of loops, or segments
2. Limit the length of a simple data element
3. Specify a sub-set of the IGs internal code listings
4. Clarify the use of loops, segments, composite, and simple data elements
5. Any other information tied directly to a loop, segment, composite, or simple data element pertinent to trading electronically with ODM

In addition to the row for each segment, one or more additional rows are used to describe ODM’s usage for composite and simple data elements and for any other information. Notes and comments should be placed at the deepest level of detail. For example, a note about a code value should be placed on a row specifically for that code value, not in a general note about the segment.

Page #	Loop ID	Reference	Name	Codes	Length	Notes/Comments
		BHT	Beginning of Hierarchical Transaction			
		BHT02	Transaction Set Purpose Code	00		Original
		BHT03	Originator Application Transaction Identifier			Must be a unique identifier across all files. Used to identify file level duplicates collectively with ISA13, GS06, and ST02.
		BHT06	Claim Identifier	RP		Reporting
	1000A	NM1	Submitter Name			
	1000A	NM109	Submitter Identifier			7-digit Ohio Medicaid Trading Partner ID assigned by ODM. This value must match the value in ISA06.
	1000B	NM1	Receiver Name			
	1000B	NM103	Receiver Name	ODM		
	1000B	NM109	Receiver Primary Identifier	MMISODJFS		Identifies the receiver of the transaction

Page #	Loop ID	Reference	Name	Codes	Length	Notes/Comments
	2010AA	NM1	Billing Provider Name			An encounter that contains an NPI that does not pass check digit validation WILL REJECT.
	2010AA	NM109	Billing Provider Identifier			Provider NPI
	2000B	HL	Subscriber Hierarchical Level			For Ohio Medicaid, the “insured”, “subscriber” and the “patient” are always the same person.
	2000B	HL04	Hierarchical Child Code	0		No subordinate HL segment in this hierarchical structure.
	2000B	SBR	Subscriber Information			
	2000B	SBR01	Payer Responsibility Sequence Number Code	N		Unconfirmed
	2000B	SBR09	Claim Filing Indicator Code	MC		Medicaid
	2010BA	NM1	Subscriber Name			
	2010BA	NM108	Identification Code Qualifier	MI		Member Identification Number
	2010BA	NM109	Subscriber Primary Identifier			This is the Subscriber’s Medicaid ID. Must match the value in Loop 2330A, NM109.
	2010BB	NM1	Data Receiver			
	2010BB	NM103	Data Receiver Name	ODM		Medicare-Medicaid Encounter Data System
	2300	CLM	Claim Information			
	2300	CLM01	Claim Submitter’s Identifier			This field should contain the Managed Care Plan (MCE) generated Transaction Control Number (TCN)
	2300	CLM02	Total Claim Charge Amount			Total claim charges must be equal to the sum of all line item charges. For Third Party Liability (TPL) claims total charges must balance.
	2300	CLM05-3	Claim Frequency Code	1, 7, 8		1 = Original claim submission 7 = Replacement 8 = Deletion
	2300	CN1	Contract Information			MCE payment arrangement at the claim level.

Page #	Loop ID	Reference	Name	Codes	Length	Notes/Comments
	2300	CN101	Contract Type code	02, 03, 04, 05, 06, 09		02 = Per Diem 03 = Variable Per Diem 04 = Flat 05 = Capitated 06 = Percent 09 = Other
	2300	CN102	Contract Amount			This amount must match AMT02 identifying the MCE, or the MCE's subcontracted Benefit Manager, paid amount in the first occurrence of the 2320 loop. It must equal the sum of the CN102 values in the 2400 loop.
	2300	CN103	Contract Percentage			Allowance or charge percent
	2300	CN104	Contract Code	P, R, D		Please indicate if a claim is paid, partially paid or denied using the following 1-digit character: P = Paid R = Partially Paid D = Denied
	2300	AMT	Patient Amount Paid			
	2300	AMT01	Amount Qualifier Code	F5		Patient Co-Pay Amount
	2300	AMT02	Patient Amount Paid			Report any co-payment charged and collected by the MCE.
	2300	REF	Claim Identifier for Transmission Intermediaries			
	2300	REF01	Reference Identification Qualifier	D9		Claim Number
	2300	REF02	Value Added Network Trace Number			This is the ICN assigned by CMS. Submitting this information is optional and not required to be sent on MyCare encounters.
	2310A	NM1	Referring Provider Name			An encounter that contains an NPI that does not pass check digit validation WILL REJECT.

Page #	Loop ID	Reference	Name	Codes	Length	Notes/Comments
	2310A	NM109	Referring Provider Identifier			Provider NPI
	2310A	REF	Referring Provider Secondary Identification			
	2310A	REF01	Reference Identification Qualifier	G2		Provider Commercial Number.
	2310A	REF02	Referring Provider Secondary Identifier			The 7-digit OMES Provider ID must be used.
	2310B	NM1	Rendering Provider Name			An encounter that contains an NPI that does not pass check digit validation WILL REJECT.
	2310B	NM109	Rendering Provider Identifier			Provider NPI
	2310B	REF	Rendering Provider Secondary Identification			
	2310B	REF01	Reference Identification Qualifier	G2		Provider Commercial Number.
	2310B	REF02	Rendering Provider Secondary Identifier			The 7-digit OMES Provider ID must be used.
	2310C	NM1	Service Facility Location Name			An encounter that contains an NPI that does not pass check digit validation WILL REJECT.
	2310C	NM102	Entity Type Qualifier	2		Non-Person Entity
	2310C	NM109	Laboratory or Facility Primary Identifier			Provider NPI
	2310C	REF	Service Facility Location Secondary Identification			
	2310C	REF01	Reference Identification Qualifier	G2		Provider Commercial Number.
	2310C	REF02	Laboratory or Facility Secondary Identifier			The 7-digit OMES Provider ID must be used.
	2310D	NM1	Assistant Surgeon Name			An encounter that contains an NPI that does not pass check digit validation WILL REJECT.
	2310D	NM109	Assistant Surgeon Primary Identifier			Provider NPI

Page #	Loop ID	Reference	Name	Codes	Length	Notes/Comments
	2310D	REF	Assistant Surgeon Secondary Identification			
	2310D	REF01	Reference Identification Qualifier	G2		Provider Commercial Number.
	2310D	REF02	Assistant Surgeon Secondary Identifier			The 7-digit OMES Provider ID must be used.
	2320	SBR06	Coordination of Benefits Code	1, 6		MCEs should use 6 to identify themselves
	2320	CAS	Claims Level Adjustments			
	2320	CAS02	Adjustment Reason Code			MCEs must submit all claim adjustment reasons codes (CARCs) that post to claims in the MCEs claims adjudication system in this segment. If MCEs post proprietary EOBs, these must be cross-walked to the best HIPAA Compliant CARC available and submit it in the encounter data in this segment.
	2320	AMT	Coordination of Benefits (COB) Payer Paid Amount			
	2320	AMT01	Amount Qualifier Code	D		Payor Amount Paid
	2320	AMT02	Payer Paid Amount			
	2330B	NM1	Other Payer Name			
	2330B	NM108	Identification Code Qualifier	XV		Centers for Medicare and Medicaid Services Plan ID
	2330B	NM109	Other Payer Primary Identifier			MCE or other entity's Contract ID Number.
	2330B	DTP	Claim Check or Remittance Date			
	2330B	DTP01	Date Time Qualifier	573		Date claim was paid by the MCE.
	2330B	DTP02	Date Time Period Format Qualifier	D8		Date Expressed in Format CCYYMMDD
	2330B	DTP03	Adjudication or Payment Date			
184	2330B	REF01	Reference Identification Qualifier	F8		

Page #	Loop ID	Reference	Name	Codes	Length	Notes/Comments
	2330B	REF02	Other Payer’s Claim Control Number			MCE assigned claim ID
	2400	CN1	Contract Information			MCE payment arrangement at the line level.
	2400	CN101	Contract Type code	02, 03, 04, 05, 06, 09		02 = Per Diem 03 = Variable Per Diem 04 = Flat 05 = Capitated 06 = Percent 09 = Other
	2400	CN102	Contract Amount			
	2400	CN103	Contract Percentage			Allowance or charge percent
	2400	CN104	Contract Code	P, D		P = Paid D = Denied  Please indicate what service lines were denied by placing a D on each line that was denied.  Submitting P on paid lines is acceptable, but not required.
	2400	CN106	Contract Version Identifier	VAS		Value Added Service
	2420A	NM1	Rendering Provider Name			An encounter that contains an NPI that does not pass check digit validation WILL REJECT.
	2420A	NM109	Rendering Provider Identifier			Provider NPI
	2420A	REF	Rendering Provider Secondary Identification			
	2420A	REF01	Reference Identification Qualifier	G2		Provider Commercial Number.
	2420A	REF02	Rendering Provider Secondary Identifier			The 7-digit OMES Provider ID must be used.
	2420B	NM1	Assistant Surgeon Name			An encounter that contains an NPI that does not pass check digit validation WILL REJECT.
	2420B	NM109	Assistant Surgeon Primary Identifier			Provider NPI



Page #	Loop ID	Reference	Name	Codes	Length	Notes/Comments
	2420B	REF	Assistant Surgeon Secondary Information			
	2420B	REF01	Reference Identification Qualifier	G2		Provider Commercial Number.
	2420B	REF02	Assistant Surgeon Secondary Identifier			The 7-digit OMES Provider ID must be used.
	2430	SVD	Line Adjudication Information			
	2430	SVD01	Other Payer Primary Identifier			Must match the value in Loop 2330B, NM109.
	2430	SVD02	Service Line Paid Amount			
	2430	CAS	Line Adjustment			
	2430	CAS02	Adjustment Reason Code			MCEs must submit all claim adjustment reasons codes (CARCs) that post to claims in the MCEs claims adjudication system in this segment. If MCEs post proprietary EOBs, these must be cross-walked to the best HIPAA Compliant CARC available and submit it in the encounter data in this segment.
	2430	DTP	Line Check or Remittance Date			
	2430	DTP01	Date Time Qualifier	573		Date claim was paid by the Managed Care Plan.
	2430	DTP02	Date Time Period Format Qualifier	D8		Date Expressed in Format CCYYMMDD
	2430	DTP03	Adjudication or Payment Date			

## **11 Appendices**

This section contains one or more appendices.

### **11.1 Implementation checklist**

See Trading Partner Information Guide found here: [Trading Partners | Medicaid \(ohio.gov\)](#).

### **11.2 Frequently asked questions**

See Trading Partner website: [Trading Partners | Medicaid \(ohio.gov\)](#).

## 12 Change summary

This section describes the differences between the current Companion Guide and previous guide(s).

12/21/2021:

- Updated revision number in filename
- Added EDI helpdesk email address to Section 5 Contact Information
- Added Sender IDs in ISA06
- Added Section 7.2 CARCs/RARCs information
- Added Section 7.3 FI Clearinghouse Tracking ID

1/28/2022:

- Added Section 7.5 Tracking ID information
- Added Section 7.6 Adjustment/Void Reporting

3/4/2022:

- Added additional scenario information on adjustments and voids in Section 7.6

04/22/2022:

- Replaced DRAFT with OMES disclaimer
- Updated in Section 1.1 ASC X12N/005010X300A1
- Updated ISA06 Sender ID with “Use ODM assigned Trading Partner ID”

09/30/2022:

- Removed, as not applicable to MyCare, sections:
  - 7.3 - FI Clearinghouse Tracking ID
  - 7.4 – Tracking IDs
  - 7.5 – Adjustment/Void Reporting and table

10/14/2022

- Added In Section 10, Contract Version Identifier VAS for CN106

12/28/2022

- Added 2330B loop where REF01=F8, REF02= MCE assigned claim ID
- Updated GS08 on page 13 to 005010X300A1
- Updated ST03 on page 14 to 005010X300A1

01/24/2023

- Updated EDI Support in Section 5, Contact Information.

02/09/2024

- Removed disclaimer from cover page

04/05/2024

- Applied new ODM style guide
- Added February 1, 2023 date (clarified the Go-Live date in the tables under Section 7.6)