

# Induced Abortions in Ohio 2025 Report

March 1, 2026



Department of  
Health

Bureau of Vital Statistics

# Table of Contents

<b>Induced Abortion Summary</b>		1
<b>Figures</b>		
<b>Figure 1</b>	Resident Induced Abortions, Ohio, 1976-2025	2
<b>Figure 2</b>	Resident Induced Abortions, Ohio, Selected Characteristics, 2025	3
<b>Figure 3</b>	Induced Abortions Reported in Ohio, by County of Occurrence, 2025	4
<b>Tables</b>		
<b>Table 1</b>	Induced Abortions Summary Table, Ohio, 2025	5
<b>Table 2</b>	Induced Abortions Reported in Ohio, by County of Occurrence, 2016-2025	6
<b>Table 3</b>	Induced Abortions Reported in Ohio, by Method of Termination and County of Occurrence, 2025	7
<b>Table 4</b>	Induced Abortions Reported in Ohio, Minors by Facility, 2025	8
<b>Table 5</b>	Resident Induced Abortions Reported in Ohio, by County of Residence, 2016-2025	9
<b>Table 6</b>	Resident Induced Abortions Reported in Ohio, by County of Residence and Age, 2025	12
<b>Table 7</b>	Resident Induced Abortions Reported in Ohio, by Age of Women Obtaining Abortion and by Number of Prior Induced Abortions, 2025	15
<b>Table 8</b>	Resident Induced Abortions Reported in Ohio, by ZIP Code of Patient, 2025	16
<b>Table 9a</b>	Total Induced Abortions in Ohio with Post-Abortion Complications, by Type of Complication, 2025. Data Source: Confidential Abortion Reporting Form, Box 23.	21
<b>Table 9b</b>	Total Induced Abortions in Ohio with Post-Abortion Complications, by Type of Complication, 2025. Data Source: Post-Abortion Care Report for Complications.	22
<b>Table 10</b>	Table 10. Contraceptive History at Time of Conception and Contraception Recommendations Provided at Discharge, Ohio, 2025	23
<b>Table 11</b>	Pregnancy History of Women who Obtained Induced Terminations in Ohio, 2025	24
<b>Table 12</b>	Selected Medical Information from Confidential Abortion Reports, Ohio, 2025	25
<b>Table 13</b>	Type of Counseling Provided to Women Obtaining Terminations, Ohio, 2025	25

<b>Table 14</b>	Method Used to Determine Gestational Age of Fetus, Ohio, 2025	25
<b>Table 15</b>	Viability Determination and Type of Testing Used to Determine Viability for Terminations Performed, Induced, or Attempted After 19 Completed Weeks Gestation, Ohio, 2025	26
<b>Table 16</b>	Probable Post-Fertilization Age (PPFA) Determination and Type of Method Used to Determine PPFA for Terminations Performed, Induced, or Attempted After 19 Completed Weeks Gestation, Ohio, 2025	26
<b>Table 17</b>	Timing of Medical Exam for Terminations Performed, Induced, or Attempted After 19 Completed Weeks Gestation, Ohio, 2025	26
<b>Table 18</b>	Induced Abortions Reported in Ohio, Examination and Assessment, 2025	27

### **Appendix**

<b>Appendix I</b>	Confidential Abortion Report Form	28-30
<b>Appendix II</b>	Post-Abortion Care Report for Complications Form	31

# Induced Abortion Summary

## Background

The 2025 Induced Abortions in Ohio Report presents information derived from both the “Confidential Abortion Report” and “Post-Abortion Care Report for Complications” in Ohio (see Appendices I and II). Readers should note that abortion statistics in this report are limited to terminations occurring in Ohio; they do not include Ohio residents who obtained abortions outside the state.

## Characteristics of Induced Abortions Reported in Ohio, 2025

Induced abortion statistics have been prepared in Ohio since 1976. Some trend comparisons in the 2025 Induced Abortions in Ohio Report date back to 2016. A total of 25,135 induced pregnancy terminations were reported in Ohio for 2025, including 19,892 obtained by Ohio resident women (79.1%). This represents a 15% increase in induced pregnancy terminations from 2024 to 2025, primarily due to telehealth prescriptions provided to Ohio residents.

Compared to previous annual reports, revisions to the data classification groups for age were made in accordance with updates to Ohio Revised Code 3701.79, effective Sept. 30, 2025. Several figures and tables were removed or revised to meet specific reporting requirements. The law revision also included a requirement to publish this annual report not later than the first day of March of each year, which requires analysis of a preliminary dataset; some abortion and complication reports may have been incomplete or in transit at the time this annual report was created. While this earlier deadline required finalization of the report before all data was fully confirmed, the annual report does include the most accurate information available.

Approximately 32.8% of women who obtained abortions in 2025 were 18 to 24 years old (Table 1). Approximately 69.6% of women who obtained abortions in Ohio were never married, divorced, or widowed (Table 1). Of all resident women who obtained abortions and for whom race was reported, approximately 48.9% were Black, 42.3% were White, and 3.6% were Asian/Pacific Islander; 4.8% reported more than one race (Figure 2).

Nearly three quarters, or 73%, of all induced abortions in 2025 involved pregnancies of less than nine weeks, with 17.9% involving pregnancies of nine to 12 weeks (Table 1). There were 293 abortions in 2025 involving pregnancies of 20 or more completed weeks of gestation (Table 1). The abortion reporting form requests methods used to determine gestational age; ultrasound was used in 72.1% of cases (Table 17). Most reported abortions were obtained in six major metropolitan areas of Ohio or via telehealth prescription provided to Ohio residents (Table 2).

Curettage was the method used in 34.7% of terminations in 2025 (Table 3). That method has decreased since 2001, when 87% of terminations were by curettage. Mifepristone was reported as the medication for nonsurgical termination for 14,866 abortions (59.1%), followed by 2,668 terminations using Misoprostol and 20 terminations using Methotrexate (Table 3).

Figure 1. Resident Induced Abortions, Ohio, 1976–2025






Figure 1 shows the trend line in the number of resident induced abortions in Ohio from 1976-2025. Past annual reports can be found on the Ohio Department of Health website <https://odh.ohio.gov/>.

Figure 2. Resident Induced Abortions, Ohio, Selected Characteristics, 2025



Excludes unknown unless otherwise stated.

Figure 3. Induced Abortions Reported in Ohio, by County of Occurrence, 2025



In the reports received, 12 counties were listed for an occurrence of an abortion. The counties not included in this chart had an occurrence of <0.2%. See Table 2 for more information.

**Table 1. Induced Abortions Summary Table, Ohio, 2025**

CHARACTERISTICS	2025	PERCENT
<b>TOTAL INDUCED ABORTIONS</b>	<b>25,135</b>	<b>100.0</b>
<b>RESIDENCE</b>		
Ohio Resident	19,892	79.1
Out-of-State Resident	5,243	20.9
Not Reported	0	0.0
<b>AGE</b>		
Under 16 Years	148	0.6
16 - 17 Years	412	1.6
18 - 24 Years	8,233	32.8
25 - 29 Years	6,993	27.8
30 - 34 Years	5,500	21.9
35 - 39 Years	2,928	11.6
40 - 44 Years	859	3.4
45 Years or more	62	0.2
Not Reported	0	0.0
<b>RACE GROUP</b>		
White	10,481	41.7
Black	9,855	39.2
American Indian	89	0.4
Asian/Pacific Islander	830	3.3
More than one race	1,001	4.0
Unknown	2,110	8.4
Not Reported	769	3.1
<b>HISPANIC</b>		
Non-Hispanic	20,083	79.9
Hispanic	2,325	9.3
Unknown	2,726	10.8
Not Reported	1	0.0
<b>LEVEL OF EDUCATION</b>		
8 <sup>th</sup> grade or less	241	1.0
9 to 12 <sup>th</sup> grade, no diploma	2,161	8.6
High School graduate or GED	10,204	40.6
Some college credit, no degree	4,827	19.2
Associate Degree	1,746	6.9
Bachelor's Degree	2,756	11.0
Master's Degree	890	3.5
Doctorate or Professional Degree	120	0.5
Unknown	2,190	8.7
Not Reported	0	0.0

CHARACTERISTICS	2025	PERCENT
<b>TOTAL INDUCED ABORTIONS</b>	<b>25,135</b>	<b>100.0</b>
<b>MARITAL STATUS</b>		
Never Married	16,820	66.9
Married	2,242	8.9
Separated	357	1.4
Divorced	636	2.5
Widowed	43	0.2
Unknown	5,037	20.0
Not Reported	0	0.0
<b>NUMBER OF LIVING CHILDREN</b>		
None	9,791	39.0
One	6,047	24.1
Two or More	8,847	35.2
Not Reported	450	1.8
<b>COMPLETED WEEKS OF GESTATION</b>		
Less than 9 Weeks	18,353	73.0
9 - 12 Weeks	4,504	17.9
13 - 19 Weeks	1,985	7.9
20 Weeks and Over	293	1.2
Not Reported	0	0.0
<b>TYPE OF FACILITY</b>		
Ambulatory Surgical Facility	18,599	74.0
Hospital	232	0.9
Non-Surgical Clinic	6,304	25.1

**Table 2. Induced Abortions Reported in Ohio, by County of Occurrence, 2016-2025**

COUNTY OF OCCURRENCE	2025	2024	2023	2022	2021	2020	2019	2018	2017	2016
<b>TOTAL</b>	<b>25,135</b>	<b>21,829</b>	<b>22,000</b>	<b>18,488</b>	<b>21,813</b>	<b>20,605</b>	<b>20,102</b>	<b>20,425</b>	<b>20,893</b>	<b>20,672</b>
Athens County	90	10	0	0	0	0	0	0	0	0
Butler County	0	0	1	0	0	1	0	0	0	0
Cuyahoga County	6,954	6,173	6,111	5,533	6,778	6,498	7,006	7,575	7,662	7,745
Delaware County	57	3	1	0	1	0	0	0	1	0
Fairfield County	3	0	1	0	0	0	0	0	0	0
Franklin County	4,843	4,260	3,600	2,746	3,480	3,501	3,933	3,706	4,844	4,476
Greene County	0	0	0	0	1	0	0	0	1	1
Hamilton County	4,438	4,161	3,611	3,129	3,508	3,797	3,306	3,060	3,225	3,057
Henry County	0	0	0	0	0	0	0	0	0	1
Lake County	0	1	0	0	0	0	0	0	2	0
Lucas County	739	953	787	1,063	1,012	988	1,105	1,488	1,320	1,144
Mahoning County	1	0	0	4	4	90	62	0	0	0
Marion County	0	0	1	0	0	0	0	0	0	0
Miami County	0	0	0	0	1	0	0	0	0	0
Montgomery County	2,508	3,464	4,283	3,191	3,458	2,770	2,740	2,871	2,339	2,358
Pickaway County	0	1	1	0	0	0	0	0	0	0
Richland County	34	1	0	0	15	45	50	0	0	0
Shelby County	1	3	0	3	0	0	0	0	0	2
Summit County	1,691	2,694	3,603	2,817	3,551	2,915	1,899	1,725	1,501	1,886
Trumbull County	0	0	0	1	0	0	0	0	0	0
Warren County	0	0	0	1	4	0	0	0	0	0
Wood County	0	0	0	0	0	0	1	0	0	0
Unknown/Not Reported	3,776	105	0	0	0	0	0	0	0	0

In the reports received for event year 2025, 12 counties were specified as the occurrence of an abortion. For telehealth prescriptions provided to Ohio residents, the occurrence county is 'Unknown/Not Reported'.

**Table 3. Induced Abortions Reported in Ohio, by Method of Termination and County of Occurrence, 2025**

COUNTY OF OCCURRENCE	TOTAL	SURGICAL						NON-SURGICAL					NOT REPORTED
		CURETTAGE SUCTION	D & EXT	D & EVAC	HYSTEROTOMY	HYSTERECTOMY	OTHER SURGICAL	TOTAL NON-SURGICAL	MIFEPRIS-TONE	METHO-TREXATE	MISO-PROSTOL	OTHER NON-SURGI-CAL	
<b>OHIO TOTAL</b>	<b>25,135</b>	<b>8,734</b>	<b>6</b>	<b>1,483</b>	<b>1</b>	<b>1</b>	<b>20</b>	<b>14,916</b>	<b>14,866</b>	<b>20</b>	<b>2,668</b>	<b>9</b>	<b>1</b>
Athens	90	0	0	0	0	0	0	90	90	0	0	0	0
Cuyahoga	6,954	3,563	1	861	0	1	12	2,524	2,519	0	3	2	0
Delaware	57	0	0	0	0	0	0	57	57	0	0	0	0
Fairfield	3	0	0	0	0	0	2	1	0	0	1	0	0
Franklin	4,843	1,317	3	130	1	0	5	3,393	3,386	0	1,543	1	0
Hamilton	4,438	2,270	0	253	0	0	0	1,924	1,923	0	1	0	0
Lucas	739	75	0	3	0	0	0	661	656	0	4	1	0
Mahoning	1	0	0	0	0	0	0	1	1	0	0	0	0
Montgomery	2,508	1,133	0	83	0	0	0	1,294	1,286	20	8	0	1
Richland	34	0	0	0	0	0	0	34	34	0	0	0	0
Shelby	1	0	0	0	0	0	0	1	0	0	0	1	0
Summit	1,691	376	0	153	0	0	1	1,162	1,151	0	1,058	1	0
Unknown/Not Reported	3,776	0	2	0	0	0	0	3,774	3,763	0	50	3	0

Note: More than one method can be reported for a procedure.

In the reports received, 12 counties were specified as the occurrence of an abortion. For telehealth prescriptions provided to Ohio residents, the occurrence county is 'Unknown/Not Reported.'

**Table 4. Induced Abortions Reported in Ohio, Minors by Facility, 2025**

FACILITY	AGE GROUP	
	<16	16-17
<b>OHIO TOTAL</b>	<b>148</b>	<b>412</b>
Cleveland Clinic Foundation	0	1
Cleveland Clinic Beachwood	0	1
Jensen Family Health And Wellness	0	1
Northeast Ohio Women's Center	14	31
Planned Parenthood Mansfield Health Center	0	1
Planned Parenthood Athens Health Center	0	2
Planned Parenthood Bedford Heights Regional Med Center	20	58
Planned Parenthood East Health Center	22	54
Planned Parenthood Southwest Dayton Surgical	10	51
Planned Parenthood Southwest Ohio Region	35	89
Preterm	34	78
Toledo Women's Center	3	21
University Hospitals Cleveland Medical Center	3	0
Your Choice Healthcare	7	24

**Table 5. Resident Induced Abortions Reported in Ohio, by County of Residence, 2016-2025**

Table Restricted to Abortions Obtained by Ohio Residents

RESIDENCE	2025	2024	2023	2022	2021	2020	2019	2018	2017	2016
<b>OHIO</b>	<b>19,892</b>	<b>18,696</b>	<b>19,229</b>	<b>17,201</b>	<b>20,716</b>	<b>19,438</b>	<b>18,913</b>	<b>19,213</b>	<b>19,615</b>	<b>19,543</b>
Adams	24	12	16	10	19	19	15	13	17	11
Allen	123	123	89	103	122	107	95	98	105	93
Ashland	32	30	34	24	24	31	39	33	31	42
Ashtabula	112	109	108	93	123	95	109	121	116	110
Athens	41	37	37	38	51	54	64	44	77	74
Auglaize	22	26	18	18	24	26	26	24	19	25
Belmont	20	5	5	2	9	9	5	11	6	13
Brown	37	38	22	20	24	23	27	15	27	22
Butler	502	528	520	469	530	545	488	504	515	454
Carroll	20	16	17	21	22	18	20	25	15	20
Champaign	36	20	27	28	37	30	30	30	19	30
Clark	258	250	203	200	214	198	159	167	143	149
Clermont	207	196	180	166	186	178	158	176	201	202
Clinton	33	37	41	37	43	32	27	32	32	36
Columbiana	70	39	69	49	49	42	44	46	60	44
Coshocton	20	21	26	24	12	16	17	16	20	23
Crawford	43	28	24	32	51	32	38	37	47	34
Cuyahoga	4,653	4,202	4,624	3,904	4,839	4,523	4,381	4,518	4,721	4,921
Darke	25	29	41	17	19	29	25	25	24	25
Defiance	27	14	13	19	11	10	26	18	19	14
Delaware	221	178	177	152	166	131	149	118	149	132
Erie	120	102	120	113	116	110	114	121	131	123
Fairfield	270	178	159	144	152	151	123	136	118	149
Fayette	26	29	29	28	29	20	20	22	23	20
Franklin	3,525	3,117	3,055	2,739	3,399	3,115	3,166	3,056	3,258	3,158
Fulton	19	21	15	18	16	19	22	21	28	27
Gallia	13	12	10	7	8	6	7	9	6	9
Geauga	54	51	78	53	56	69	77	75	78	69
Greene	214	226	192	172	190	173	201	173	207	150
Guernsey	21	19	21	13	27	19	25	20	32	33
Hamilton	1,964	1,930	1,958	1,816	2,278	2,345	2,124	2,055	2,114	2,067
Hancock	57	50	29	45	28	37	39	51	52	45
Hardin	18	11	17	16	24	14	21	17	14	24
Harrison	9	3	5	4	10	5	4	3	3	3
Henry	14	16	10	7	7	10	11	14	13	7
Highland	23	19	23	26	29	20	16	29	24	18
Hocking	8	10	9	12	15	13	9	10	17	18
Holmes	5	10	6	4	9	5	14	8	5	6
Huron	46	46	41	40	49	39	55	53	44	52
Jackson	22	14	18	9	20	17	15	23	16	25
Jefferson	26	12	9	8	7	8	7	6	8	8
Knox	30	29	31	35	39	41	49	35	43	46

**Table 5. Resident Induced Abortions Reported in Ohio, by County of Residence, 2016-2025 (Part 2)**

**Table Restricted to Abortions Obtained by Ohio Residents**

RESIDENCE	2025	2024	2023	2022	2021	2020	2019	2018	2017	2016
Lake	349	349	352	294	348	355	346	315	339	361
Lawrence	33	23	26	13	5	8	4	11	10	4
Licking	154	182	131	145	185	151	167	139	161	156
Logan	35	35	25	36	33	23	35	32	33	26
Lorain	542	496	532	505	538	483	562	514	524	545
Lucas	574	624	508	700	733	676	695	879	866	774
Madison	36	24	37	43	30	35	41	32	42	44
Mahoning	335	279	342	303	455	404	372	397	378	403
Marion	61	49	44	54	72	58	41	45	56	48
Medina	153	150	185	179	159	181	181	219	209	200
Meigs	9	9	9	3	5	1	8	3	3	9
Mercer	19	17	12	12	14	18	20	18	17	19
Miami	85	92	89	81	99	94	70	88	82	86
Monroe	4	6	2	6	7	5	6	7	3	8
Montgomery	1,086	1,275	1,337	1,111	1,318	1,292	1,176	1,202	1,054	1,035
Morgan	3	3	5	5	4	1	5	3	9	1
Morrow	22	17	20	12	18	9	17	15	20	24
Muskingum	75	65	69	65	72	69	61	62	80	66
Noble	3	2	2	5	2	2	0	6	9	5
Ottawa	26	18	12	23	23	19	31	20	28	26
Paulding	3	6	4	5	3	4	6	6	8	5
Perry	16	19	30	20	23	12	16	21	19	20
Pickaway	46	47	40	36	50	39	47	32	34	42
Pike	16	18	10	10	12	11	19	5	16	7
Portage	192	230	204	208	215	200	193	232	202	230
Preble	24	19	28	19	37	15	28	21	21	38
Putnam	6	8	4	9	9	11	10	14	9	6
Richland	120	126	101	125	146	124	108	112	131	107
Ross	49	56	69	35	62	44	44	57	54	41
Sandusky	40	33	52	31	30	45	43	45	50	35
Scioto	53	42	47	28	34	33	26	27	34	27
Seneca	32	31	25	49	36	34	27	36	43	32
Shelby	25	25	30	21	25	28	24	32	33	43
Stark	590	535	613	491	613	579	501	559	506	569
Summit	1,229	1,188	1,310	1,105	1,416	1,217	1,187	1,133	1,135	1,156
Trumbull	257	242	254	232	274	278	224	280	272	267
Tuscarawas	71	74	89	56	80	74	82	70	60	75
Union	58	50	48	35	29	37	40	41	44	38
Van Wert	7	13	13	5	8	7	10	13	15	8
Vinton	6	5	7	7	6	4	8	4	4	7
Warren	211	172	195	161	215	174	180	188	173	182
Washington	34	23	28	14	12	13	15	16	18	20
Wayne	70	78	75	60	70	59	63	82	84	92

**Table 5. Resident Induced Abortions Reported in Ohio, by County of Residence, 2016-2025 (Part 3)**

**Table Restricted to Abortions Obtained by Ohio Residents**

<b>RESIDENCE</b>	<b>2025</b>	<b>2024</b>	<b>2023</b>	<b>2022</b>	<b>2021</b>	<b>2020</b>	<b>2019</b>	<b>2018</b>	<b>2017</b>	<b>2016</b>
Williams	20	13	9	10	14	18	13	23	13	13
Wood	87	71	69	87	81	92	89	131	104	101
Wyandot	16	14	10	12	13	17	11	18	13	11
Not reported	0	0	0	0	1	0	0	0	0	0

**Table 6. Resident Induced Abortions Reported in Ohio, by County of Residence and Age, 2025**

**Table Restricted to Abortions Obtained by Ohio Residents**

RESIDENCE	AGE GROUP									NOT REPORTED/ UNCLASSIFIABLE
	Total	<16	16-17	18-24	25-29	30-34	35-39	40-44	45+	
<b>OHIO TOTAL</b>	<b>19,892</b>	<b>125</b>	<b>341</b>	<b>6,500</b>	<b>5,558</b>	<b>4,397</b>	<b>2,266</b>	<b>660</b>	<b>45</b>	<b>0</b>
Adams	24	0	0	9	9	2	3	1	0	0
Allen	123	0	0	41	41	23	10	8	0	0
Ashland	32	0	0	14	8	4	3	3	0	0
Ashtabula	112	2	5	39	24	23	13	6	0	0
Athens	41	0	1	15	9	9	4	3	0	0
Auglaize	22	0	0	11	6	3	2	0	0	0
Belmont	20	0	0	14	4	1	1	0	0	0
Brown	37	0	0	14	6	13	4	0	0	0
Butler	502	1	9	183	136	96	59	16	2	0
Carroll	20	0	0	7	6	6	1	0	0	0
Champaign	36	0	1	17	11	1	2	4	0	0
Clark	258	2	3	88	74	60	22	9	0	0
Clermont	207	2	1	77	70	25	22	9	1	0
Clinton	33	0	3	10	7	8	5	0	0	0
Columbiana	70	1	1	31	13	12	9	3	0	0
Coshocton	20	0	0	7	3	6	3	1	0	0
Crawford	43	0	3	16	12	8	2	0	2	0
Cuyahoga	4,653	35	83	1,379	1,353	1,109	557	131	6	0
Darke	25	0	0	8	5	8	4	0	0	0
Defiance	27	0	1	7	4	9	6	0	0	0
Delaware	221	2	7	52	37	54	51	16	2	0
Erie	120	1	6	33	44	21	11	4	0	0
Fairfield	270	4	6	73	58	72	34	19	4	0
Fayette	26	0	0	8	12	4	2	0	0	0
Franklin	3,525	10	35	1,091	1,012	796	439	136	6	0
Fulton	19	0	2	6	1	5	3	2	0	0
Gallia	13	0	0	3	4	4	0	2	0	0
Geauga	54	1	2	16	14	7	11	3	0	0
Greene	214	0	6	104	54	35	9	6	0	0
Guernsey	21	0	0	9	5	7	0	0	0	0
Hamilton	1,964	16	35	652	529	429	231	64	8	0
Hancock	57	0	2	23	17	6	7	2	0	0
Hardin	18	1	0	7	7	3	0	0	0	0
Harrison	9	0	2	2	4	0	1	0	0	0
Henry	14	0	0	5	2	3	3	1	0	0
Highland	23	0	0	10	4	5	3	1	0	0

**Table 6. Resident Induced Abortions Reported in Ohio, by County of Residence and Age, 2025 (Part 2)**

**Table Restricted to Abortions Obtained by Ohio Residents**

RESIDENCE	AGE GROUP									NOT REPORTED/ UNCLASSIFIABLE
	Total	<16	16-17	18-24	25-29	30-34	35-39	40-44	45+	
Hocking	8	0	0	4	1	2	1	0	0	0
Holmes	5	0	0	2	2	1	0	0	0	0
Huron	46	0	0	22	14	9	1	0	0	0
Jackson	22	1	1	10	7	2	1	0	0	0
Jefferson	26	0	0	7	8	6	3	2	0	0
Knox	30	0	0	13	5	6	5	1	0	0
Lake	349	4	3	104	110	68	43	16	1	0
Lawrence	33	0	0	14	7	9	2	0	1	0
Licking	154	0	5	55	45	31	12	6	0	0
Logan	35	2	1	13	6	10	1	2	0	0
Lorain	542	2	12	175	166	119	53	15	0	0
Lucas	574	2	8	165	158	141	76	22	2	0
Madison	36	0	2	14	8	5	5	2	0	0
Mahoning	335	3	8	105	95	77	38	8	1	0
Marion	61	0	2	24	16	9	8	2	0	0
Medina	153	1	1	50	46	36	15	3	1	0
Meigs	9	0	0	2	3	2	2	0	0	0
Mercer	19	0	1	12	2	2	2	0	0	0
Miami	85	0	2	36	21	20	5	1	0	0
Monroe	4	0	0	3	0	1	0	0	0	0
Montgomery	1,086	7	18	394	292	246	104	24	1	0
Morgan	3	0	0	1	1	1	0	0	0	0
Morrow	22	0	3	13	5	0	1	0	0	0
Muskingum	75	0	1	30	24	9	7	4	0	0
Noble	3	0	0	1	0	1	1	0	0	0
Ottawa	26	0	1	12	8	1	4	0	0	0
Paulding	3	0	0	1	1	0	1	0	0	0
Perry	16	1	0	7	3	4	1	0	0	0
Pickaway	46	0	0	16	17	6	7	0	0	0
Pike	16	0	0	7	3	4	1	1	0	0
Portage	192	2	2	79	50	31	24	4	0	0
Preble	24	0	0	11	5	4	4	0	0	0
Putnam	6	0	0	1	5	0	0	0	0	0
Richland	120	2	0	44	35	25	11	3	0	0
Ross	49	0	0	19	11	9	10	0	0	0
Sandusky	40	0	1	13	8	9	7	2	0	0

**Table 6. Resident Induced Abortions Reported in Ohio, by County of Residence and Age, 2025 (Part 3)**

**Table Restricted to Abortions Obtained by Ohio Residents**

RESIDENCE	AGE GROUP									NOT REPORTED/ UNCLASSIFIABLE
	Total	<16	16-17	18-24	25-29	30-34	35-39	40-44	45+	
Scioto	53	0	0	30	10	8	5	0	0	0
Seneca	32	0	1	16	9	6	0	0	0	0
Shelby	25	0	0	11	10	2	2	0	0	0
Stark	590	3	13	207	177	120	47	21	2	0
Summit	1,229	8	21	388	353	294	127	37	1	0
Trumbull	257	6	3	87	69	59	26	6	1	0
Tuscarawas	71	0	0	35	16	14	5	1	0	0
Union	58	0	3	17	13	13	10	2	0	0
Van Wert	7	0	0	2	1	2	0	2	0	0
Vinton	6	0	0	5	0	0	0	1	0	0
Warren	211	1	6	53	54	44	37	14	2	0
Washington	34	1	2	14	7	6	1	2	1	0
Wayne	70	0	3	22	18	20	5	2	0	0
Williams	20	1	0	9	7	2	1	0	0	0
Wood	87	0	3	38	15	22	6	3	0	0
Wyandot	16	0	0	6	6	2	1	1	0	0
Not reported	0	0	0	0	0	0	0	0	0	0

**Table 7. Resident Induced Abortions Reported in Ohio, by Age of Women Obtaining Abortion and by Number of Prior Induced Abortions, 2025**

Table Restricted to Abortions Obtained by Ohio Residents

AGE GROUP	TOTAL	PRIOR INDUCED ABORTION						NOT REPORTED
		0	1	2	3	4	5+	
<b>TOTAL ABORTIONS</b>	<b>19,892</b>	<b>11,253</b>	<b>4,517</b>	<b>1,999</b>	<b>825</b>	<b>418</b>	<b>391</b>	<b>489</b>
Under 16	125	119	1	0	0	0	0	5
16-17	341	317	16	1	0	0	0	7
18-24	6,500	4,593	1,235	369	109	48	22	124
25-29	5,558	2,929	1,408	646	232	135	78	130
30-34	4,397	1,981	1,081	581	300	149	167	138
35-39	2,266	974	598	318	143	75	104	54
40-44	660	311	168	81	40	11	19	30
45-59	45	29	10	3	1	0	1	1
Not reported	0	0	0	0	0	0	0	0

**Table 8. Resident Induced Abortions Reported in Ohio, by ZIP Code of Patient, 2025**

ZIP CODE	TOTAL						
43001	1	43082	16	43210	9	43344	4
43002	1	43085	38	43211	111	43348	3
43003	5	43086	2	43212	31	43351	3
43004	83	43087	1	43213	155	43357	1
43006	1	43089	1	43214	32	43358	1
43007	1	43102	3	43215	86	43359	1
43008	1	43103	18	43216	1	43360	3
43009	2	43105	7	43217	14	43361	1
43011	5	43106	1	43219	139	43375	1
43013	1	43107	2	43220	38	43402	19
43014	3	43109	1	43221	32	43403	1
43015	71	43110	174	43222	19	43407	1
43016	56	43112	3	43223	80	43410	10
43017	43	43113	21	43224	152	43412	3
43019	2	43114	1	43225	5	43413	1
43021	11	43116	7	43226	3	43416	1
43022	1	43117	1	43227	88	43417	1
43023	5	43119	60	43228	146	43420	21
43026	82	43123	86	43229	217	43421	1
43028	4	43125	48	43230	122	43430	5
43029	2	43128	2	43231	63	43432	1
43031	16	43130	63	43232	229	43435	2
43032	1	43132	1	43233	1	43440	3
43033	1	43135	1	43235	82	43443	2
43035	50	43136	5	43237	3	43447	3
43036	1	43137	6	43240	16	43449	2
43040	42	43138	4	43251	1	43450	2
43044	2	43140	18	43288	2	43452	14
43045	3	43143	5	43291	1	43457	1
43046	2	43145	1	43297	1	43460	6
43050	14	43146	5	43301	1	43464	1
43054	30	43147	79	43302	57	43465	3
43055	56	43149	4	43310	3	43466	1
43056	18	43153	1	43311	18	43469	3
43060	3	43154	2	43314	1	43500	1
43061	3	43160	18	43315	6	43502	5
43062	42	43162	6	43316	7	43504	1
43064	13	43164	1	43319	2	43506	7
43065	30	43177	1	43323	1	43512	25
43068	204	43201	117	43324	1	43515	1
43070	1	43202	36	43326	10	43516	2
43072	3	43203	66	43331	2	43517	2
43074	12	43204	117	43334	2	43518	1
43076	4	43205	58	43337	1	43521	1
43077	2	43206	75	43338	9	43522	2
43078	18	43207	148	43340	1	43525	2
43080	2	43208	1	43342	3	43526	4
43081	108	43209	74	43343	1	43527	1

Table 8. Resident Induced Abortions Reported in Ohio, by ZIP Code of Patient, 2025 (Part 2)

ZIP CODE	TOTAL						
43528	15	43731	2	43968	4	44068	1
43532	2	43735	1	43977	2	44070	53
43533	3	43740	1	43986	2	44072	2
43534	1	43746	1	44001	35	44074	17
43537	21	43748	1	44003	4	44076	3
43542	1	43755	2	44004	46	44077	90
43543	4	43758	1	44005	1	44078	1
43545	7	43760	2	44008	1	44079	2
43551	30	43762	3	44009	2	44081	11
43552	1	43764	1	44010	1	44084	4
43553	1	43771	1	44011	32	44085	3
43557	3	43773	1	44012	22	44086	4
43558	9	43777	4	44014	1	44087	43
43560	21	43780	1	44017	20	44089	16
43566	5	43783	2	44020	1	44090	8
43567	4	43787	2	44021	4	44091	1
43569	1	43791	1	44022	14	44092	47
43570	4	43793	1	44023	12	44093	2
43571	2	43801	1	44024	13	44094	76
43602	2	43812	11	44025	1	44095	57
43603	1	43821	5	44026	4	44101	5
43604	16	43822	4	44027	2	44102	204
43605	58	43830	5	44028	14	44103	95
43606	22	43832	2	44030	21	44104	171
43607	29	43836	1	44031	1	44105	238
43608	20	43837	1	44032	2	44106	94
43609	30	43844	2	44035	159	44107	105
43610	7	43845	4	44036	1	44108	150
43611	22	43868	1	44039	37	44109	171
43612	61	43903	1	44040	1	44110	129
43613	55	43906	3	44041	15	44111	126
43614	50	43907	2	44042	1	44112	126
43615	66	43908	1	44044	14	44113	94
43616	15	43912	1	44046	2	44114	36
43617	6	43913	1	44047	9	44115	77
43619	3	43920	12	44050	2	44116	26
43620	7	43934	1	44051	1	44117	52
43623	26	43935	4	44052	91	44118	127
43662	1	43938	1	44053	21	44119	66
43701	53	43943	1	44054	23	44120	211
43713	5	43944	1	44055	74	44121	175
43719	2	43945	4	44056	17	44122	131
43720	1	43948	1	44057	19	44123	118
43723	4	43950	2	44060	61	44124	108
43724	1	43952	7	44062	3	44125	184
43725	14	43953	2	44064	3	44126	22
43727	1	43962	1	44065	1	44127	26
43730	3	43964	3	44067	25	44128	207

**Table 8. Resident Induced Abortions Reported in Ohio, by ZIP Code of Patient, 2025 (Part 3)**

ZIP CODE	TOTAL						
44129	61	44251	1	44407	1	44512	32
44130	112	44254	3	44408	4	44513	1
44131	18	44255	4	44410	16	44514	12
44132	88	44256	54	44411	3	44515	49
44133	42	44260	7	44412	2	44519	1
44134	91	44262	4	44413	3	44572	1
44135	103	44265	1	44420	21	44574	1
44136	45	44266	34	44423	2	44575	2
44137	177	44270	10	44425	10	44582	1
44138	25	44272	1	44429	3	44601	30
44139	29	44273	4	44430	1	44603	1
44140	11	44275	2	44431	3	44604	1
44141	12	44276	1	44432	7	44605	1
44142	36	44278	28	44436	4	44606	1
44143	73	44280	3	44437	7	44607	1
44144	65	44281	32	44438	3	44608	1
44145	30	44286	3	44440	3	44611	1
44146	182	44288	4	44441	1	44612	6
44147	22	44301	54	44442	3	44614	19
44148	2	44302	25	44444	12	44615	7
44149	9	44303	16	44446	30	44618	3
44153	1	44304	35	44448	1	44620	1
44156	1	44305	77	44449	1	44622	22
44157	1	44306	101	44452	3	44624	2
44171	1	44307	59	44453	1	44625	1
44201	4	44308	7	44454	3	44626	2
44202	27	44309	2	44455	2	44629	3
44203	73	44310	84	44460	23	44632	3
44212	42	44311	39	44469	1	44634	3
44214	3	44312	62	44470	2	44641	13
44215	2	44313	77	44471	12	44643	3
44216	11	44314	47	44473	3	44644	1
44217	1	44317	2	44481	8	44645	1
44218	1	44319	22	44483	54	44646	88
44220	2	44320	98	44484	43	44647	26
44221	51	44321	21	44485	46	44651	1
44223	34	44325	2	44487	1	44654	3
44224	39	44331	1	44490	1	44656	2
44230	7	44333	20	44501	1	44657	8
44231	6	44370	1	44502	24	44662	8
44232	1	44373	1	44503	4	44663	17
44233	5	44383	1	44504	9	44664	1
44234	2	44401	2	44505	55	44666	2
44236	14	44402	2	44506	7	44667	13
44240	79	44403	2	44507	16	44672	5
44241	21	44404	2	44509	30	44677	1
44242	5	44405	11	44510	4	44680	2
44243	4	44406	14	44511	32	44683	12

**Table 8. Resident Induced Abortions Reported in Ohio, by ZIP Code of Patient, 2025 (Part 4)**

ZIP CODE	TOTAL						
44685	26	44846	3	45054	3	45214	30
44686	1	44847	4	45056	9	45215	80
44688	4	44849	1	45065	16	45216	40
44691	36	44851	3	45066	21	45217	21
44692	1	44853	2	45067	16	45218	9
44695	4	44857	24	45068	3	45219	49
44701	1	44859	1	45069	61	45220	33
44702	1	44864	1	45070	1	45221	1
44703	33	44865	1	45102	39	45222	1
44704	14	44866	2	45103	35	45223	58
44705	48	44870	85	45106	7	45224	54
44706	32	44875	9	45107	4	45225	63
44707	37	44878	2	45111	1	45226	8
44708	45	44880	3	45113	3	45227	34
44709	48	44882	1	45118	3	45229	43
44710	19	44883	17	45120	3	45230	41
44713	1	44889	2	45121	7	45231	122
44714	21	44890	6	45122	7	45232	37
44716	1	44900	1	45123	3	45233	12
44718	13	44901	2	45130	2	45234	2
44720	48	44902	11	45133	17	45235	1
44721	11	44903	43	45135	1	45236	27
44725	1	44904	11	45140	31	45237	89
44730	5	44905	13	45142	3	45238	113
44740	1	44906	19	45144	2	45239	74
44770	2	44907	17	45148	1	45240	97
44804	2	45001	1	45150	34	45241	23
44805	18	45002	18	45152	10	45242	15
44807	2	45005	35	45154	6	45243	9
44810	1	45011	105	45157	11	45244	32
44811	6	45013	63	45159	5	45245	31
44813	1	45014	91	45167	1	45246	47
44814	1	45015	20	45169	4	45247	31
44815	1	45016	1	45171	7	45248	22
44818	2	45018	1	45174	1	45249	17
44820	16	45025	1	45176	10	45251	47
44822	1	45030	26	45177	18	45252	4
44824	1	45033	1	45202	77	45255	24
44826	1	45034	2	45203	18	45301	1
44827	3	45035	1	45204	25	45302	2
44830	9	45036	30	45205	72	45304	5
44833	18	45039	31	45206	40	45305	7
44836	2	45040	67	45207	24	45306	1
44837	3	45042	27	45208	18	45308	2
44839	10	45044	91	45209	22	45309	8
44842	2	45050	10	45211	127	45310	1
44843	1	45052	2	45212	47	45311	2
44844	2	45053	2	45213	34	45314	2

**Table 8. Resident Induced Abortions Reported in Ohio, by ZIP Code of Patient, 2025 (Part 5)**

ZIP CODE	TOTAL						
45315	2	45419	12	45669	7	45840	48
45318	3	45420	35	45680	6	45843	3
45320	15	45422	1	45682	1	45844	1
45322	40	45424	85	45684	3	45845	4
45323	3	45426	69	45686	1	45850	1
45324	78	45429	16	45688	2	45856	2
45325	3	45430	10	45690	8	45862	1
45327	10	45431	41	45692	8	45863	2
45328	1	45432	22	45693	9	45867	1
45331	11	45433	1	45694	7	45868	1
45334	1	45434	4	45697	2	45871	1
45335	6	45435	1	45701	24	45872	4
45338	7	45439	16	45710	3	45875	2
45341	3	45440	33	45714	10	45876	1
45342	59	45449	40	45715	1	45880	1
45344	18	45457	1	45716	1	45882	1
45345	2	45458	48	45723	3	45883	2
45347	3	45459	27	45724	1	45885	12
45356	17	45469	1	45727	1	45887	4
45359	2	45502	7	45732	2	45891	5
45365	24	45503	62	45741	1	45895	9
45368	4	45504	27	45742	1	99999	84
45369	1	45505	56	45743	1		
45370	1	45506	63	45744	2		
45371	22	45601	40	45750	15		
45373	25	45612	1	45760	2		
45377	25	45613	1	45764	4		
45380	1	45614	1	45766	2		
45381	2	45619	5	45767	1		
45382	1	45628	5	45769	3		
45383	7	45629	1	45775	1		
45384	8	45631	9	45780	1		
45385	36	45638	10	45786	1		
45387	3	45640	9	45788	1		
45389	1	45644	2	45801	28		
45390	4	45645	1	45804	31		
45402	32	45646	1	45805	33		
45403	44	45647	2	45806	4		
45404	36	45648	2	45807	9		
45405	86	45650	2	45810	7		
45406	103	45651	6	45813	1		
45407	1	45652	2	45814	2		
45409	10	45653	4	45817	1		
45410	34	45659	1	45822	12		
45414	48	45660	6	45831	1		
45415	25	45661	6	45833	3		
45416	30	45662	32	45838	1		
45417	115	45663	6	45839	1		

**Table 9a. Total Induced Abortions in Ohio with Post-Abortion Complications, by Type of Complication, 2025**  
**Data Source: Confidential Abortion Reporting Form, Box 23**

COMPLICATION TYPE	NUMBER OF COMPLICATIONS	PERCENT OF ABORTIONS WITH COMPLICATIONS
Perforation of Uterus	1	1.6
Cervical Laceration	5	7.9
Hemorrhage	16	25.4
Incomplete Abortion	4	6.3
Hematometra	1	1.6
Anesthetic	0	0.0
Failed Abortion	4	6.3
Infection	1	1.6
Death	1	1.6
Other Unknown Complications	35	55.6
<b>TOTAL NUMBER OF COMPLICATIONS*</b>	<b>68</b>	<b>NOT APPLICABLE</b>
<b>TOTAL ABORTIONS WITH ONE OR MORE COMPLICATIONS</b>	<b>63</b>	<b>100%</b>

Note: One termination may have more than one reported complication.

**Table 9b. Total Induced Abortions in Ohio with Post-Abortion Complications, by Type of Complication, 2025**  
**Data Source: Post-Abortion Care Report for Complications**

COMPLICATION TYPE	NUMBER OF COMPLICATIONS	PERCENT OF ABORTIONS WITH COMPLICATIONS
Perforation of Uterus	1	0.5
Cervical Laceration	0	0.0
Hemorrhage	10	5.1
Incomplete Abortion	81	41.5
Hematometra	13	6.7
Anesthetic	0	0.0
Failed Abortion	75	38.5
Infection	16	8.2
Death	0	0.0
Failure of Amniotic Fluid Ex	0	0.0
RH Incompatibility	0	0.0
Other	12	6.2
<b>TOTAL NUMBER OF COMPLICATIONS*</b>	<b>208</b>	<b>NOT APPLICABLE</b>
<b>TOTAL ABORTIONS WITH ONE OR MORE COMPLICATIONS</b>	<b>195</b>	<b>100.0%</b>

Note: One termination may have more than one reported complication.

**Table 10. Contraceptive History at Time of Conception and Contraception Recommendations Provided at Discharge, Ohio, 2025**

TYPE OF CONTRACEPTION	HISTORY (AT CONCEPTION)	RECOMMENDED (AFTER PROCEDURE)
<b>YES, ANY TYPE</b>	<b>2,661</b>	<b>25,135</b>
Cervical Cap	4	14
Hormone Implant	28	265
IUD	103	461
Condom, Male	1,058	16,972
Oral Contraceptive	996	1,784
Vaginal Ring	82	169
Contraceptive Injection	99	0
Condom, Female	51	49
Foam	2	0
Diaphragm	1	5
Hormone Patch	107	397
Rhythm	33	163
DepoProvera	1	382
Plan B	34	0
Abstinence	3	56
Withdrawal	20	0
Vasectomy	10	32
Tubal Ligation	8	128
Emergency Contraceptive	52	0
Essure	0	0
Own MD	0	365
Own Plans	0	0
Other	32	4,232
<b>NONE</b>	<b>12,095</b>	<b>0</b>
<b>UNKNOWN</b>	<b>10,379</b>	<b>0</b>

Note: One termination may have more than one reported complication.

**Table 11. Pregnancy History of Women who Obtained Induced Terminations in Ohio, 2025**

NUMBER OF SPECIFIED PREGNANCIES	NUMBER OF WOMEN WITH SPECIFIED NUMBER OF PREVIOUS PREGNANCIES	NUMBER OF WOMEN WITH SPECIFIED NUMBER OF PRIOR SPONTANEOUS ABORTIONS	NUMBER OF WOMEN WITH SPECIFIED NUMBER OF PRIOR INDUCED ABORTIONS
0	6,855	19,213	14,786
1	4,527	4,040	5,601
2	4,082	913	2,350
3	3,261	276	936
4	2,177	95	450
5	1,435	51	204
6	971	11	93
7	522	13	53
8	328	5	35
9	216	5	11
10	107	2	8
11	60	4	5
12	29	0	0
13	28	0	1
14	12	1	1
15	12	1	2
16	8	0	1
17	6	0	0
18	1	0	0
19	1	0	0
20	3	0	0
Not Reported	494	505	598
<b>TOTAL NUMBER OF PREVIOUS PREGNANCIES OF SPECIFIED TYPE</b>	<b>55,522</b>	<b>7,664</b>	<b>17,445</b>

**Table 12. Selected Medical Information from Confidential Abortion Reports, Ohio, 2025**

DISCHARGE INSTRUCTION GIVEN AS PER O.A.C. 3701-47-02 (RESTRICTED TO WOMEN OBTAINING PROCEDURE AT 14+ WEEKS GESTATION)	
Yes	1,863
No	11
Not Reported	0
MEDICAL CONDITION OF THE WOMAN AT TIME OF ABORTION	
Good	25,081
Other	54
TYPE OF PROCEDURE DONE IMMEDIATELY AFTER THE ABORTION	
None	25,079
Other	56

**Table 13. Type of Counseling Provided to Women Obtaining Terminations, Ohio, 2025**

TYPE OF COUNSELING	NUMBER
Psychological	77
Social Services	65
Pastoral	22
Medical	19,454
Other	15
None	5,656

Note: A single patient could receive one or more counseling types.

**Table 14. Method Used to Determine Gestational Age of Fetus, Ohio, 2025**

METHOD	NUMBER	PERCENT
Clinical Exam	83	0.3
Last Menstrual Period	7,055	28.1
Ultrasound	18,131	72.1
Other Reported Method	12	0.1
Not Reported	0	0.0

Note: More than one method of estimation can be reported.

**Table 15. Viability Determination and Type of Testing Used to Determine Viability for Terminations Performed, Induced, or Attempted After 19 Completed Weeks Gestation, Ohio, 2025**

VIABILITY JUDGMENT	
Viable	2
Not Viable	439
Not Reported	0
TYPE OF VIABILITY TESTING	
Ultrasound	432
Lung Maturity Testing	0
Genetic Testing	4
Amniocentesis	4
Chorionic Villus Sampling	0
Cordocentesis	0
Weight (Ultrasound Estimate)	18
Maternal Serum Alpha-Fetoprotein	0
Actual Fetal Biometrics	0
Other	1

Note: More than one type of test to determine viability may be reported.

**Table 16. Probable Post-Fertilization Age (PPFA) Determination and Type of Method Used to Determine PPFA for Terminations Performed, Induced, or Attempted After 19 Completed Weeks Gestation, Ohio, 2025**

PPFA JUDGED TO BE 20 WEEKS OR GREATER	
Yes	16
No	425
METHOD USED TO DETERMINE (PPFA)	
Composite Ultrasound (Fourteen days after LMP)	409
LMP (Fourteen days after LMP)	50
Clinical Exam	2
Other	1
No Reported Method	2

More than one method to determine PPFA may be reported.  
LMP = last menstrual period.

**Table 17. Timing of Medical Exam for Terminations Performed, Induced, or Attempted After 19 Completed Weeks Gestation, Ohio, 2025**

MEDICAL EXAM PERFORMED WITHIN 48 HOURS	
Yes	427
No	14
No Reported	0

**Table 18. Induced Abortions Reported in Ohio, Examination and Assessment, 2025**

Effective June 24, 2022, and pursuant to O.R.C. 2919.192 and O.A.C. 3701-47-07, the examination and assessment portion of the confidential abortion report must be completed. The detection of a fetal heartbeat combined with the clinical estimate of gestational age will determine the number of fields that will need to be completed on the Confidential Abortion Report.

CHARACTERISTICS	2025	PERCENT
Total Induced Abortions	25,135	100.0
WAS A FETAL HEARTBEAT DETECTED?		
Yes	4,480	17.8
No	1,004	4.0
Not Reported	19,651	78.2

Was this procedure induced, performed, or attempted because of a medical necessity or medical emergency (i.e. to prevent the death of the pregnant woman or to prevent a serious risk of the substantial and irreversible impairment of a major bodily function of the pregnant woman)?

	NUMBER	PERCENT
Yes	101	0.4
No	4,363	17.4
Not Reported	20,671	82.2

Medical condition of the pregnant woman that constituted medical necessity or medical emergency:

	NUMBER	PERCENT
Diabetes	4	0.0
Multiple Sclerosis	1	0.0
Hemorrhage	8	0.0
Respiratory failure	1	0.0
Preeclampsia (Toxemia)	5	0.0
Eclampsia	0	0.0
Inevitable abortion	7	0.0
Acute fatty liver of pregnancy	0	0.0
Infection	5	0.0
Premature rupture of the membrane	28	0.1
Cardiac disease	8	0.0
Other	55	0.2

Note: More than one medical condition can be reported for a single patient.

# Confidential Abortion Report

Ohio Department of Health  
(Required pursuant to O.R.C. 3701-47-07)

1. Facility Name:	2. Address:	3. ZIP code of facility:
4. Patient's identification number:	For state use only	

Effective June 24, 2022, and pursuant to O.R.C. 2919.192 and O.A.C. 3701-47-07, the examination and assessment portion of the confidential abortion report must be completed. The detection of a fetal heartbeat combined with the clinical estimate of gestational age will determine the number of fields that will need to be completed on the Confidential Abortion Report.

Examination and Assessment		
EA1. Clinical estimate of gestational age:  <input type="text"/> <input type="text"/> Weeks  <input type="text"/> <input type="text"/> Days	EA2. Method used to determine gestational age of the fetus:  <input type="checkbox"/> Clinical Exam <input type="checkbox"/> L.M.P. <input type="checkbox"/> Ultrasound <input type="checkbox"/> Other (specify) _____	EA3. If gestational age is 14 weeks or greater, were discharge instructions given as per O.A.C. 3701-47-02?  <input type="checkbox"/> Yes <input type="checkbox"/> No
EA4. Was a fetal heartbeat detected?  <input type="checkbox"/> Yes <input type="checkbox"/> No	EA5. Method used to detect presence of a fetal heartbeat:  <input type="checkbox"/> Ultrasound <input type="checkbox"/> Other (specify) _____	EA6. Date and time of heartbeat assessment:  M M    D D    Y Y    H    M ____/____/____ :____

If the answer to Question EA4 "Was a fetal heartbeat detected?" is "Yes", the "Medical Emergency Statement" below must be completed.

Medical Emergency Statement	
EA7. Was this procedure induced, performed, or attempted because of a medical necessity or medical emergency (i.e. to prevent the death of the pregnant woman or to prevent a serious risk of the substantial and irreversible impairment of a major bodily function of the pregnant woman)?  <input type="checkbox"/> Yes <input type="checkbox"/> No	
EA8. Medical condition of the pregnant woman that constituted medical necessity or medical emergency:  <input type="checkbox"/> Diabetes <input type="checkbox"/> Multiple Sclerosis <input type="checkbox"/> Hemorrhage <input type="checkbox"/> Respiratory failure <input type="checkbox"/> Preeclampsia (Toxemia) <input type="checkbox"/> Eclampsia <input type="checkbox"/> Inevitable abortion	EA9. Medical rationale for the conclusion that the procedure is necessary:  <input type="checkbox"/> Acute fatty liver of pregnancy <input type="checkbox"/> Infection <input type="checkbox"/> Premature rupture of the membrane <input type="checkbox"/> Cardiac disease <input type="checkbox"/> Other _____

EA10. Physician's name (type or print)	EA11. Physician's signature:	Date:
--	------------------------------	-------

Send completed forms to:

Ohio Department of Health Confidential Reports A

P.O. Box 15098

Columbus, OH 43215

FAX: 614-564-2514

Email: [VSReporting@odh.ohio.gov](mailto:VSReporting@odh.ohio.gov)

# Confidential Abortion Report

Ohio Department of Health  
(Required pursuant to O.R.C. 3701.79)

1. Facility Name:	2. Address:	ZIP code of facility:
-------------------	-------------	-----------------------

## General Information

3. ZIP code of address of the patient:	County of residence (specify):	State of residence:
4. Patient's identification number:	5. Age of patient:	6. Specify highest degree or level of school completed: <input type="checkbox"/> 8 <sup>th</sup> grade or less <input type="checkbox"/> 9 <sup>th</sup> -12 <sup>th</sup> grade <input type="checkbox"/> High school grad/GED <input type="checkbox"/> Some college/no degree <input type="checkbox"/> Associate's degree <input type="checkbox"/> Bachelor's degree <input type="checkbox"/> Master's degree <input type="checkbox"/> Doctorate degree <input type="checkbox"/> Unknown
7. Marital status, please select one: <input type="checkbox"/> Never Married <input type="checkbox"/> Divorced <input type="checkbox"/> Married <input type="checkbox"/> Widowed <input type="checkbox"/> Separated <input type="checkbox"/> Unknown	8a. Race or ethnic group, please select all that apply: <input type="checkbox"/> White <input type="checkbox"/> Asian <input type="checkbox"/> Black <input type="checkbox"/> Pacific Islander <input type="checkbox"/> American Indian <input type="checkbox"/> Unknown <input type="checkbox"/> Other (specify) _____	8b. Is the woman of Hispanic origin? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown

## Medical History, Physical, and Assessment

9. Number of living children: <input type="checkbox"/> <input type="checkbox"/>	10. Date of last live birth: M M D D Y Y <input type="checkbox"/> Unknown      ____/____/____	
11a. Number of prior spontaneous abortions: <input type="checkbox"/> <input type="checkbox"/>	11b. Number of prior induced abortions: <input type="checkbox"/> <input type="checkbox"/>	12. Date of last induced abortion: M M D D Y Y <input type="checkbox"/> Unknown      ____/____/____
13. Number of previous pregnancies: <input type="checkbox"/> <input type="checkbox"/>	14. Contraceptive history: Was the woman practicing contraception at the time of conception? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown	
15. Method. If answer to number 14 is "yes", what was the method used? <input type="checkbox"/> Cervical Cap <input type="checkbox"/> Hormone implant <input type="checkbox"/> IUD <input type="checkbox"/> Condom (male) <input type="checkbox"/> Oral contraceptive <input type="checkbox"/> Vaginal ring <input type="checkbox"/> Contraceptive injection <input type="checkbox"/> Condom (female) <input type="checkbox"/> Foam <input type="checkbox"/> Diaphragm <input type="checkbox"/> Hormone patch <input type="checkbox"/> Rhythm <input type="checkbox"/> Other (specify) _____		16. First day of last menstrual period: M M D D Y Y ____/____/____ <input type="checkbox"/> Unknown
<input type="checkbox"/> 17. I attest that I do not have knowledge that the pregnant woman is seeking an abortion, in whole or in part, because of a test result indicating Down syndrome, a prenatal diagnosis of Down syndrome, or any other reason to believe that the unborn child has Down syndrome.		

## Medical Procedure

18. Date of termination: M M D D Y Y ____/____/____	20. Method of termination: <input type="checkbox"/> Suction Dilation & Curettage <input type="checkbox"/> Hysterotomy <input type="checkbox"/> Hysterectomy <input type="checkbox"/> Dilation extraction <input type="checkbox"/> Dilation & Evacuation (D&E) <input type="checkbox"/> Medical (non-surgical) (specify) <input type="checkbox"/> Other (specify) _____ <input type="checkbox"/> Mifepristone (RU 486) <input type="checkbox"/> Methotrexate <input type="checkbox"/> Other (specify) _____
21. Medical condition of the patient at the time of abortion: <input type="checkbox"/> Good <input type="checkbox"/> Other (specify) _____	22. Type of procedure done immediately after the abortion: <input type="checkbox"/> None <input type="checkbox"/> Other (specify) _____
23. Post abortion complications (Indicate all): <input type="checkbox"/> None <input type="checkbox"/> Hemorrhage <input type="checkbox"/> Perforation of uterus <input type="checkbox"/> Cervical laceration <input type="checkbox"/> Infection <input type="checkbox"/> Anesthetic <input type="checkbox"/> Failed abortion <input type="checkbox"/> Incomplete Abortion <input type="checkbox"/> Hematometra <input type="checkbox"/> Death <input type="checkbox"/> Other (specify) _____	24. Type of family planning recommended: <input type="checkbox"/> Cervical cap <input type="checkbox"/> Hormone Implant <input type="checkbox"/> Condom (male) <input type="checkbox"/> Oral contraceptive <input type="checkbox"/> Depo Provera <input type="checkbox"/> Condom (female) <input type="checkbox"/> Diaphragm <input type="checkbox"/> Hormone Patch <input type="checkbox"/> IUD <input type="checkbox"/> Vaginal ring <input type="checkbox"/> Other (specify) _____
25. Type of counseling given: <input type="checkbox"/> None <input type="checkbox"/> Psychological <input type="checkbox"/> Social service <input type="checkbox"/> Pastoral <input type="checkbox"/> Medical <input type="checkbox"/> Other (specify) _____	
26. Physician's name (type or print)	27. Physician's signature: _____ Date: _____

If the answer to Question EA1 on page 1 is greater than 19 weeks, please complete page 3.

**Medical Information for Abortions Performed, Induced or Attempted after 19 Completed Weeks of Gestation**

**(Required pursuant to O.R.C. 2919.171, 2919.201-2919.203, and O.A.C. 3701-47-03)**

Patient's Identification number:	<i>For state use only</i>
----------------------------------	---------------------------

**Please respond to questions 30b-d and 31a-b and initial the document ONLY if you responded "YES" to question 29a, 29c or 30a.**

28a. Did you perform a medical examination of the pregnant woman within 48 hours before the performance of the abortion or the attempt to perform or induce the abortion?  <input type="checkbox"/> Yes <input type="checkbox"/> No	28b. Date of medical examination: M M D D Y Y _____/_____/_____
---	---

29a. In your good faith judgment, was the unborn child viable as defined in ORC 2919.16, paragraph M?  <input type="checkbox"/> Yes <input type="checkbox"/> No	29b. Type of testing performed to determine viability: <input type="checkbox"/> Ultrasound <input type="checkbox"/> Chorionic Villus sampling <input type="checkbox"/> Lung maturity testing <input type="checkbox"/> Cordocentesis <input type="checkbox"/> Genetic testing <input type="checkbox"/> Weight (ultrasound estimate) <input type="checkbox"/> Amniocentesis <input type="checkbox"/> Maternal Serum Alpha-Fetoprotein (MSAFP) <input type="checkbox"/> Other (specify) _____
---	---

29c. Based on inquires of the patient and performance of medical examinations or tests, is the Probable Post-Fertilization Age (PPFA), as defined in O.R.C. 2919.20, twenty (20) weeks or greater, in the physician's reasonable medical judgment?  <input type="checkbox"/> Yes <input type="checkbox"/> No	29d. Method used to determine PPFA: <input type="checkbox"/> Composite ultrasound (fourteen (14) days after LMP) <input type="checkbox"/> LMP (fourteen (14) days after LMP) <input type="checkbox"/> Clinical exam <input type="checkbox"/> Other (specify) _____
--	--

30a. The abortion was induced, performed or attempted because of a medical necessity or medical emergency (i.e. to prevent the death of the pregnant woman or a serious risk of the substantial and irreversible impairment of a major bodily function of the pregnant woman):  <input type="checkbox"/> Yes <input type="checkbox"/> No
--

30b. Please have the physician, who is not professionally related to the attending physician, certify the information in Question #30a. by printing and signing their name. By signing below, I certify that I am not professionally related to the attending physician and that the abortion was induced, performed, or attempted because of a medical necessity or medical emergency (i.e. to prevent the death of the pregnant woman or a serious risk of the substantial and irreversible impairment of a major bodily function of the pregnant woman).  Print name _____  Signature _____ M.D./ D.O.
---

30c. Medical condition of the pregnant woman that constitutes medical necessity or medical emergency: <input type="checkbox"/> Diabetes <input type="checkbox"/> Acute fatty liver of pregnancy <input type="checkbox"/> Multiple sclerosis <input type="checkbox"/> Infection <input type="checkbox"/> Hemorrhage <input type="checkbox"/> Premature rupture of the membrane <input type="checkbox"/> Respiratory failure <input type="checkbox"/> Cardiac disease <input type="checkbox"/> Preeclampsia (Toxemia) <input type="checkbox"/> Other _____ <input type="checkbox"/> Eclampsia <input type="checkbox"/> Inevitable abortion	30d. Method or techniques considered when inducing or performing the abortion (check all that apply): <input type="checkbox"/> Suction dilation & curettage <input type="checkbox"/> Dilation & evacuation (D&E) <input type="checkbox"/> Dilation extraction <input type="checkbox"/> Hysterotomy <input type="checkbox"/> Hysterectomy <input type="checkbox"/> Medical (nonsurgical) <input type="checkbox"/> Other (specify) _____ <input type="checkbox"/> Mifepristone (R.U. 486) <input type="checkbox"/> Methotrexate <input type="checkbox"/> Other (specify) _____
---	--

31a. Method or technique employed when inducing or performing the abortion: <input type="checkbox"/> Suction dilation & curettage <input type="checkbox"/> Dilation & evacuation (D&E) <input type="checkbox"/> Dilation extraction (specify) <input type="checkbox"/> Hysterectomy <input type="checkbox"/> Hysterectomy <input type="checkbox"/> Medical (nonsurgical) <input type="checkbox"/> Other (specify) _____ <input type="checkbox"/> Mifepristone (R.U. 486) <input type="checkbox"/> Methotrexate <input type="checkbox"/> Other (specify) _____	31b. Reason for choice of method or technique: <input type="checkbox"/> Gestational age <input type="checkbox"/> Availability of services <input type="checkbox"/> Patient safety <input type="checkbox"/> Other (specify) _____ <input type="checkbox"/> Patient choice
---	---

\_\_\_\_\_ By initialing I certify that the abortion was not based on a claim or diagnosis that the pregnant woman will engage in conduct that would result in the pregnant woman's death or a substantial and irreversible impairment of a major bodily function of the pregnant woman or on any reason related to the woman's mental health.

*A physician who fails to submit the report described in Paragraph (A) of O.A.C. 3701-47-03 more than thirty days after the fifteen-day deadline, shall be subject to a late fee of five hundred dollars for each additional thirty-day period or portion of a thirty-day period the report is overdue.*



Mike DeWine, Governor  
Bruce Vanderhoff, MD, MBA, Director



**Department of  
Health**

Bureau of Vital Statistics

An equal opportunity employer/provider