

Quick Guide for Setting Up Your Online Testing Technology

Cambium Assessment's Test Delivery System (TDS) has two components:

- **Test Administrator (TA) Interface.** Test administrators use the TA Interface to create and manage test sessions from any web browser.
- **Student Interface.** Students access and complete their tests through the Student Interface via the Secure Browser.

This document explains in four steps how to set up technology in your schools and district:

- Step 1.** Setting up the test administrator workstation
- Step 2.** Setting up student workstations
- Step 3.** Configuring your network for online testing
- Step 4.** Configuring assistive technologies

STEP 1: SETTING UP THE TEST ADMINISTRATOR WORKSTATION

It is unlikely that any setup is required for your test administrator workstations. Nearly any modern device, including mobile devices like tablets and phones, with any modern browser can be used to access the TA Interface and administer a testing session. The TA Interface is a website. Any device you already use to check your email, browse Facebook, read news articles, or watch YouTube should be capable of administering tests.

If your school uses a firewall or other networking equipment that blocks access to public websites, you may need to allow, or whitelist, Cambium Assessment websites. For a list of websites that you should whitelist, see the "Whitelisting Resources for Online Testing" section in the document titled *Configurations, Troubleshooting, and Advanced Secure Browser Installation for Windows, Mac, or Chrome OS or Configurations and Troubleshooting for Android or Linux* located [here](#).

Test administrators can print test session information. To be able to print, test administrator workstations must be connected to a printer.

STEP 2: SETTING UP STUDENT WORKSTATIONS

In order for students to access online tests, each student workstation needs Cambium Assessment's Secure Browser installed on it. The Secure Browser is Cambium Assessment's customized web browser designed to keep tests secure by locking down the student desktop and preventing students from accessing anything except their tests. Unlike conventional web browsers, the Secure Browser displays the student application in full-screen mode with no user interface to the browser itself. It has no back button, next button, refresh button, or URL bar. Students open the Secure Browser and are taken exactly where they need to go.

To get started setting up your student workstations, you should first make sure your device is supported.

For a list of supported desktops and laptops and related hardware requirements, see the following table:

Desktops & Laptops		
Supported Operating Systems	Minimum Requirements	Recommended Specifications
Windows 7 SP1 (Professional and Enterprise) 8, 8.1 (Professional and Enterprise) 10, 10 in S Mode (Educational, Professional, and Enterprise) (Versions 1507-1809, 1903 ^a) Server 2012 R2, 2016 R2 (thin client)	1 GHZ Processor 1 GB RAM (32-bit) 2 GB RAM (64-bit) 16 GB hard drive (32-bit) 20 GB hard drive (64-bit)	1.4 GHZ Processor 2 or more GB RAM 20 or more GB hard drive
Mac OS X 10.10-10.15 ^a	1 GHZ Processor 1 GB RAM (32-bit) 2 GB RAM (64-bit) 16 GB hard drive (32-bit) 20 GB hard drive (64-bit)	1.4 GHZ Processor 2 or more GB RAM 20 or more GB hard drive
Linux (64-bit or 32-bit)^b Fedora 28-30 ^a LTS (Gnome) Ubuntu 16.04 LTS (Gnome)	1 GHZ Processor 1 GB RAM (32-bit) 2 GB RAM (64-bit) 16 GB hard drive (32-bit) 20 GB hard drive (64-bit) Required libraries/packages: <ul style="list-style-type: none"> • GTK+ 2.18 or higher • GLib 2.22 or higher • Pango 1.14 or higher • X.Org 1.0 or higher (1.7+ recommended) • libstdc++ 4.3 or higher • libreadline6: i386 (required for Ubuntu only) • GNOME 2.16 or higher 	1.4 GHZ Processor 2 or more GB RAM 20 or more GB hard drive Recommended libraries/packages: In addition to the required libraries listed under Minimum Requirements, the following should be installed: <ul style="list-style-type: none"> • NetworkManager 0.7 or higher • DBus 1.0 or higher • HAL 0.5.8 or higher
Linux (64-bit only)^b Ubuntu 18.04, 20.04 ^a LTS (Gnome)	1 GHZ Processor 2 GB RAM 20 GB hard drive space In addition to all libraries and packages listed above, Ubuntu 18.04 LTS (Gnome) also requires the following libraries: <ul style="list-style-type: none"> • Sox • Net-tools 	1.4 GHZ Processor 2 or more GB RAM 20 or more GB hard drive space

^a Support for this version is anticipated upon the completion of testing following its release.

^b ARM-powered devices such as the Raspberry Pi are not supported for online testing.

For a list of supported tablets and Chromebooks, see the following table:

Tablets and Chromebooks	
Supported Operating Systems	Supported Tablets
iOS (iPads) 11.4, 12.2, iPadOS ^a	4 th Generation (Retina Display) 5 th Generation (Retina Display) 6 th Generation (Retina Display) iPad Air iPad Air 2 iPad Pro
Android 7.1, 8.1	ASUS ZenPad S3 10 ASUS ZenPad Z10 Lenovo Tab 4 10 Lenovo Tab E10 Lenovo Tab M10 Lenovo Tab P10 Samsung Galaxy Tab S3 Samsung Galaxy Tab S4
Windows 8, 8.1 (Professional and Enterprise) 10 (Educational, Professional, and Enterprise)	Cambium Assessment supports any tablet running these versions of Windows but has done extensive testing only on Surface Pro, Surface Pro 3, Asus Transformer, and Dell Venue.
Chrome OS 75+	For a full list of supported Chromebooks, see https://support.google.com/chrome/a/answer/6220366 . Chromebooks manufactured in 2017 or later must have an Enterprise or Education license to run in kiosk mode, which is necessary to run the Secure Browser. Chromebooks running in Tablet Mode and tablets running Chrome OS are not supported. Touchscreen features can be used on Chromebooks when available. Cambium Assessment only supports versions of Chrome OS released on Google's stable channel.

^a Support for this version is anticipated upon the completion of testing following its release.

For a list of supported NComputing solutions for Windows, see the following table:

NComputing		
Supported Server Host	Supported Server Software	Supported Terminal
Windows Server 2012 R2 Windows Server 2016 R2 Windows 10	vSpace PRO 10	L300, L350, firmware version 1.13.xx

For a list of supported terminal servers for Windows, see the following table:

Terminal Servers	
Supported Terminal Server	Supported Thin Client
Windows Server 2012 R2, 2016 R2	Any thin client that supports a Windows server. Thin clients allow access only to the program running on the host machine. Zero clients, which allow access to other programs on the client machine, are not supported.

All supported computers, laptops, tablets, and approved testing devices must meet the following requirements:



Screen Dimensions

Screen dimensions must be 10" or larger (iPads with a 9.7" display are included.).



Screen Resolution

All devices must meet the minimum resolution. Larger resolutions can be applied as appropriate for the monitor or screen being used.

Desktops, laptops, and tablets:
1024 x 768



Keyboards

The use of external keyboards is highly recommended for tablets used for testing.



Mice

Wired two- or three-button mice can be used on desktops or laptops. Wireless mice or mice with "browser back" buttons should not be used.



Headphones and Headsets

Wired headphones with a 3.5 mm connector or USB headphones

Installing the Secure Browser

Once you have made sure your device is supported, you are ready to download and install the Secure Browser. This section explains where you can go to download the Secure Browser and how to install it.

The Secure Browser is available for all major operating systems listed above. You can download the Secure Browser from your portal. Your portal also contains basic installation instructions.

If you are a technology coordinator and it is your responsibility to manage a large number of machines across your school or district, you can likely use the same tools you are already familiar with to push the Secure Browser out to all of your machines at scale. For example, the Secure Browser ships as an MSI package, which enables use of MSIEXEC.

If you are in a small school, you can follow the basic installation instructions on your portal to install the Secure Browser. The Secure Browser is installed the same way as most other software. You will be asked to download a file, open that file, and follow prompts along the way to install the Secure Browser. If you are familiar with installing software, install the Secure Browser the same way.

For iPads, Android tablets, and Chromebooks, the Secure Test (formerly AIRSecureTest) app is Cambium Assessment's mobile version of the Secure Browser. It is available in each app store to download and install. The first time you open this app, it will ask you to choose your state and assessment program. Your choice is saved and from then on, the Mobile Secure Browser works just like the desktop version, allowing you to access operational tests, practice tests, and the network diagnostic tool. You can also use any mobile device management utility to install the Secure Browser on multiple managed devices and configure those devices. Previously installed versions of the Mobile Secure Browser will update automatically upon the release of a new version.

Windows 10 and Windows 10 in S Mode come with Microsoft's Take a Test app, which enforces a locked-down, secure testing environment identical to Cambium Assessment's Secure Browser. Users of the Take a Test app do not need to install the Cambium Assessment Secure Browser on the testing machine. Instructions for configuring the Take a Test app can be found on your portal.

For schools and districts seeking advanced installation instructions for Windows, Mac, or Chrome OS, including instructions on how to install the Secure Browser on multiple devices, see the following document applicable to your operating system, located [here](#):

- *Configurations, Troubleshooting, and Advanced Secure Browser Installation for Windows*
- *Configurations, Troubleshooting, and Advanced Secure Browser Installation for Mac*
- *Configurations, Troubleshooting, and Advanced Secure Browser Installation for Chrome OS*

Other Configurations

For devices running Windows, Mac, Linux, Android, or Chrome OS, there are a few additional configurations before secure testing can begin.

Several necessary configurations for Mac workstations can be performed by installing the Mac Secure Profile. For more information, see the section titled “Installing the Mac Secure Profile.”

No further configuration is necessary for devices running iOS. A feature in iOS called Automatic Assessment Configuration works with Cambium Assessment’s Secure Browser to prepare an iPad for online testing.

Disabling Fast User Switching for Windows

Fast User Switching is a feature in Windows 7, 8, 8.1, and 10 that allows for more than one user to be logged in at the same time. If Fast User Switching is not disabled and students try to access it during a test, the Secure Browser will pause the test.

Fast User Switching can be disabled using the Local Group Policy Editor or Registry Editor. For instructions on how to disable Fast User Switching, see the “Disabling Fast User Switching” section in the document titled *Configurations, Troubleshooting, and Advanced Secure Browser Installation for Windows*.

Disabling App Prelaunching for Windows

Application Prelaunch is a feature in Windows 10 that allows Universal Windows Platform apps, such as the Photos app or Edge web browser, to prelaunch and run in the background even if users didn’t open the apps themselves. Users will be unable to start the Secure Browser or Take a Test with these apps running in the background and will be kicked out of a test if the apps launch while the users are running the Secure Browser or Take a Test app.

App prelaunching can be disabled by using a PowerShell command and editing the registry. For instructions on how to disable app prelaunching, see this [page](#) from Microsoft’s Online Windows Support.

Installing the Mac Secure Profile

To configure Mac workstations, begin by downloading the Mac Secure Profile from your portal and then install it. The profile, upon installation, completes the following actions for all users of the Mac that it is deployed to. It disables the hot keys for enabling Dictation, Mission Control, and Spaces and the trackpad gestures for accessing Lookup, Space Switching, Expose, and Notification Center and also sets function keys to standard functions.

Upon installation of the profile, the Mac should immediately be restarted so that all settings can be taken into effect. Instructions for installing the Secure Profile are in the document titled *Configurations, Troubleshooting, and Advanced Secure Browser Installation for Mac*.

Disabling Third-Party App Updates for Mac

Updates to third-party apps may include components that compromise the testing environment. These updates can be disabled through System Preferences. For instructions on how to disable updates to third-party apps, see the “Disabling Updates to Third-Party Apps” section in the document titled *Configurations, Troubleshooting, and Advanced Secure Browser Installation for Mac*.

Disabling iTunes Updates for Mac

Updates to iTunes may pop up during a test. If updates to iTunes are not disabled and they pop up during a test, the Secure Browser will pause the test.

Updates to iTunes can be disabled through System Preferences. For instructions on how to disable updates to iTunes, see the “Disabling Updates to iTunes” section in the document titled *Configurations, Troubleshooting, and Advanced Secure Browser Installation for Mac*.

Disabling Siri for Mac

Siri is a virtual assistant that uses voice commands to answer questions and perform actions on Mac desktops and laptops running macOS 10.12 or later. If Siri is not disabled, students could potentially have access to features and information that they should not have access to while taking a secure assessment.

Siri can be disabled through System Preferences. For instructions on how to disable Siri, see the “Disabling Siri” section in the document titled *Configurations, Troubleshooting, and Advanced Secure Browser Installation for Mac*.

Disabling Fast User Switching for Mac

Fast User Switching is a feature in Mac OS X 10.9 and higher that allows for more than one user to be logged in at the same time. If Fast User Switching is not disabled and students try to access it during a test, the Secure Browser will pause the test.

Fast User Switching can be disabled through System Preferences. For instructions on how to disable Fast User Switching, see the “Disabling Fast User Switching” section in the document titled *Configurations, Troubleshooting, and Advanced Secure Browser Installation for Mac*.

Disabling On-Screen Keyboard for Linux

Ubuntu and Fedora feature an on-screen keyboard that should be disabled before you administer online tests. If the on-screen keyboard is not disabled, the keyboard might pop up on a touchscreen device and, if it does, it may cause the Secure Browser to pause the test.

The on-screen keyboard can be disabled through System Settings. For instructions on how to disable the on-screen keyboard, see the “Disabling On-Screen Keyboard” section in the document titled *Configurations and Troubleshooting for Linux*.

Adding Verdana Font for Linux

Some test content requires the Verdana TrueType font, which is not included in builds of Fedora or Ubuntu. For instructions on how to add the Verdana font, see the “Adding Verdana Font” section in the document titled *Configurations and Troubleshooting for Linux*.

Enabling Secure Browser Keyboard for Android

The default keyboard for Android allows predictive text, which may provide students with hints for answers to tests. For this reason, the Secure Browser for Android requires a mobile keyboard be configured for the Secure Browser itself. The Secure Browser keyboard is a basic keyboard with no row for predictive text functionality.

You can enable the Secure Browser keyboard through Settings. For instructions on how to enable the Secure Browser keyboard, see the “Enabling the Secure Browser Keyboard” section in the document titled *Configurations and Troubleshooting for Android*.

Managing Chrome OS Auto-Updates

New versions of Chrome OS are released regularly and tested by Cambium Assessment to ensure no new features pose a risk for online testing. However, bugs or unintentional features do sometimes show up in the latest release.

Because of this, Cambium Assessment recommends disabling Chrome OS auto-updates or limiting auto-updates to a version used successfully before summative testing begins to ensure Chromebooks remain stable during testing season.

You can disable or limit Chrome OS updates through the Device Settings page on your Chromebook. From this page, you can stop auto-updates or allow auto-updates but only to a specific version. For more detailed instructions on how to disable or limit Chrome OS auto-updates, see the “Managing Chrome OS Auto-Updates” section in the document titled *Configurations, Troubleshooting, and Advanced Secure Browser Installation for Chrome OS*.

STEP 3: CONFIGURING YOUR NETWORK FOR ONLINE TESTING

In this section are some tools and recommendations to help configure your network for online testing. To ensure a smooth administration, Cambium Assessment recommends network bandwidth of at least 20 kilobits per second for each student being concurrently tested.

The Network Diagnostic Tool

Cambium Assessment provides a network diagnostic tool to test your network's bandwidth to ensure it can handle administering online tests. The network diagnostic tool can be accessed through the Secure Browser or from your portal or practice test site through a conventional browser.

Diagnostic Screen

This page allows you to check the **current** bandwidth of your network. Select a test from the drop-down list and enter the maximum number of students likely to test at one time, then click [Run Network Diagnostics Tests].

Your Operating System: Windows 10	Your Browser Version: Chrome v68
---	--

Secure Browser: false

Network Diagnostics:

Select Test:

Enter the total number of students you would like to test at one time:

Download Results: 724.034 Mbps download.	Upload Results: 79.208 Mbps upload.
--	---

Bandwidth Summary:

Given the current load on your system, you should be able to test the requested number of students at this location. (Please note: The throughput estimates include the encryption/decryption overhead for data transfer. Throughput estimates change as the network conditions change and can vary from run to run.)

Once you are in the network diagnostic tool, enter the number of students you will test at peak volume, and the tool will indicate if your network can handle this volume of testing. The goal of the network diagnostic tool is to determine if your network bandwidth can handle the number of students you hope to test at peak volume. If the tool indicates you should test with fewer students, try running a third-party network speed test like speedtest.net. If a third-party tool also indicates you lack proper bandwidth, determine if other activity on your network is drawing bandwidth away from the capacity to administer testing. If it is, consider prioritizing bandwidth for Cambium Assessment's websites during online testing.

Proxy Servers

If your technology coordinator has set up a proxy server at your school, you may need to configure the Secure Browser's proxy settings. For instructions on how to configure the Secure Browser's proxy settings, see the "Configuring the Secure Browser for Proxy Servers" section in *Configurations, Troubleshooting, and Advanced Secure Browser Installation for Windows, Mac, or Chrome OS or Configurations and Troubleshooting for Android or Linux*.

Proxy servers must be configured to not cache data received from servers.

Session timeouts on proxy servers and other devices should be set to values

greater than the typically scheduled testing time. For example, if test sessions are scheduled for 60 minutes, consider session timeouts of 65–70 minutes.

Traffic Shaping, Packet Prioritization, & Quality of Service

If your testing network includes devices that perform traffic shaping, packet prioritization, or Quality of Service, ensure Cambium Assessment URLs have high priority. For a list of websites that you should give high priority, see the "Whitelisting Resources" section in the document titled *Configurations, Troubleshooting, and Advanced Secure Browser Installation for Windows, Mac, or Chrome OS or Configurations and Troubleshooting for Android or Linux*.

STEP 4: CONFIGURING ASSISTIVE TECHNOLOGIES

Cambium Assessment's Test Delivery System is a website visible through a customized web browser.

Students who use assistive technologies with a standard web browser should be able to use those same technologies with the Test Delivery System. The best way to test compatibility with assistive technologies is by taking a practice test with those technologies turned on. If they do not work, contact the help desk or see the document titled *Assistive Technology Manual* for more information. For information on which students qualify for use of assistive technology refer to [Ohio's Accessibility Manual](#).

Assistive technologies must be launched on student workstations prior to launching the Secure Browser.

Supported Embedded Features

Embedded features, such as Color Choice, work directly within the Test Delivery System. They can be accessed without additional third-party software.

Text-to-Speech

Text-to-Speech (TTS) reads text on the screen aloud. Using TTS requires at least one voice pack to be installed on the student workstation. Voice packs that ship with the operating systems out of the box for Windows, Mac, and iOS are fully compatible with the Secure Browser. The Secure Browser recognizes voice packs that ship out of the box for Android and Chrome OS devices for playback and stop, but the pause feature does not work properly on these devices. Consider testing students who need TTS on desktops or laptops running Windows

or Mac or on iPads. A workaround for Chrome OS is available; students should highlight a passage of text and have TTS read just that passage, eliminating the need for the pause feature.

For a full list of voice packs that have been tested and are whitelisted by the Secure Browser and for instructions about configuring TTS settings for Windows or Mac, see the document titled *Assistive Technology Manual*.

Supported Nonembedded Features

Nonembedded features require the use of other hardware and/or software to make certain functionality available to students within the Test Delivery System.

Nonembedded features require devices be set to permissive mode. This mode, found in the Test Information Distribution Engine (TIDE) as a student test setting, temporarily lowers the security settings of the Secure Browser so that students can interoperate with other software on the device like JAWS or ZoomText while they are taking the test. Permissive mode is supported on Windows and Mac.

Screen Readers

Screen readers allow students to read text displayed on a screen with a speech synthesizer. Screen reading requires software to be installed on the student and TA workstations. For student workstations, Cambium Assessment supports the JAWS screen reader.

Other screen readers may also work and should be tested in a practice test. For instructions on how to configure screen readers, see the document titled *Assistive Technology Manual*.

Speech-to-Text

Speech-to-Text (STT) allows students to speak into a headset and have their speech converted into text that becomes the response entered into the Test Delivery System. Currently, Cambium Assessment does not offer an embedded STT feature. STT is available for Windows and Mac through Dragon Naturally Speaking or other similar software. Users should verify the security and privacy policies of any third-party software before deciding to use that software. Many STT providers send a student's audio recording to the cloud for processing. Users should have a clear understanding of what third-party providers do and do not do with student information. STT is not available for Linux, iOS, Android, or Chrome OS.

Word Prediction

Word prediction software predicts words as a student types. Currently, Cambium Assessment does not offer an embedded word prediction feature as an assistive technology feature. Word prediction is available for Windows and Mac through the use of third-party apps like Co:Writer, Read&Write, and many others. For more information about supported third-party apps, see the document titled *Assistive Technology Manual*.

ADMINISTERING ONLINE TESTS

Before administering an operational test, get comfortable with the system by administering a practice test. Practice tests can be administered on supported devices via the Secure Browser or through modern conventional browsers like Chrome or Firefox.

ADMINISTERING PRACTICE TESTS

To administer a practice test, complete the following steps:

1. Test administrators should open a web browser, go to the TA Practice Site, and choose a practice test to administer.
2. Students should launch the Secure Browser and click the link for practice tests.
3. Test administrators should give the students the Session ID.
4. Students should click through the login pages. Students can log in anonymously as a guest or with their real account. In either case, they should use a Session ID from the test administrator.

For more information about administering practice tests, see the *Test Administrator User Guide*.

When test administrators and students are comfortable using the system, you are ready to administer an operational test.

ADMINISTERING OPERATIONAL TESTS

The steps for administering an operational test are nearly identical to administering a practice test.

1. Test administrators should open a web browser and go to the TA Site.
2. Students should launch the Secure Browser.
3. Test administrators should give students the Session ID.
4. Students should enter the Session ID, their first name, and their Student ID.

For more information about administering operational tests, see the *Test Administrator User Guide*.