



State of Ohio STS

Contract # 800054

Pricelist and Product catalog

12-12-12

Ricoh Americas Corporation



Ohio - The Buckeye State



Ricoh Americas Corporation - Contact Mark Williamson – Government Account Manager

513-702-7583 mark.williamson@ricoh-usa.com

RICOH **SAVIN** LANIER

State of Ohio

Purchase / Lease / Full Maintenance

Schedule B to

Ricoh Master Pricing Agreement

Contract No: **Schedule Number 800054**

Effective:
8/14/2012

	Copies Prints Developments Per Minute	Target Monthly Volume	Ricoh / Savin / Lanier Equipment and Options Prices Per Unit	Ricoh Reorder Number	Savin Reorder Number	Lanier Reorder Number	Aug-12 Suggested Retail Price	Contract Equipment Purchase Price	LTOP Lease 36 Monthly Payments	LTOP Lease 48 Monthly Payments	LTOP Lease 60 Monthly Payments	FMV Lease 60 Monthly Payments	FMV Lease 60 Monthly Payments	FMV Lease 60 Monthly Payments	Ricoh Service and Supplies Maintenance Plans Additional Installation Fees May Apply	
1																
2	30	900	[Ricoh SP 3400SP** (Limited availability)]Savin SP 3400SP**	406457	406457	406457	\$525	\$387	\$12.85	\$10.10	\$8.51	\$15.01	\$11.81	\$9.92	\$88 Annual Only	
3	30	900	Ricoh SP 3410SP**Savin SP 3410SP** (dsc 04-24-12)JLanier	406450	406450	406450	\$625	\$485	\$16.11	\$12.66	\$10.67	\$18.20	\$14.32	\$12.03	\$88 Annual Only	
4			Network & Scan - Printer	PS-NW5CPR	PS-NW5CPR	PS-NW5CPR	150								Includes 18,800 Copies	
5			Paper Feed Unit TK1080**	406456	406456	406456	149	126	4.18	3.29	2.77	4.10	3.23	2.71	Supplies Not Included	
6																
7	30	1,200	SP 3500 SP** /SP 3500 SP** /SP 3500 SP**	406967	406967	406967	\$419	\$387	\$12.85	\$10.10	\$8.51	\$14.99	\$11.80	\$9.91	\$88 Annual Only	
8	30	1,200	SP 3510 SP** /SP 3510 SP** /SP 3510 SP**	406971	406971	406971	\$479	\$479	\$15.91	\$12.50	\$10.54	\$18.00	\$14.17	\$11.90	\$88 Annual Only	
9			Network & Scan - Printer	PS-NW5CPR	PS-NW5CPR	PS-NW5CPR	150								Includes 18,800 Copies	
10			Paper Feed Unit TK1080**	406456	406456	406456	149	126	4.18	3.29	2.77	4.10	3.23	2.71	Supplies Not Included	
11																
12	40	3,000	SP 4410SP**Savin 4410SP**Savin 4410SP**	405983	405983	405983	\$1,440	\$1,260	\$41.84	\$32.89	\$27.72	\$43.40	\$34.16	\$28.69	\$0.0242	
13			Network & Scan - Printer	PS-NW5CPR	PS-NW5CPR	PS-NW5CPR	150									
14			Paper Feed Unit TK1170**	406988	406988	406988	129	107	3.55	2.79	2.35	3.48	2.74	2.30		
15			Paper Feed Unit TK1180**	406979	406979	406979	139	164	5.45	4.28	3.61	5.34	4.30	3.53		
16			IEEE 801.11a/g Interface Unit Type 4400**	406981	406981	406981	449	285	9.46	7.44	6.27	9.27	7.30	6.13		
17			256MB Memory Unit Type 4400	006900MU	006900MU	006900MU	430	164	5.45	4.28	3.61	5.34	4.30	3.53		
18			512MB Memory Unit Type 4400	006901MU	006901MU	006901MU	539	209	3.62	2.84	2.40	3.55	2.79	2.35		
19			96GB Hard Disk Drive Option Type 4400	006902MU	006902MU	006902MU	490	219	7.27	5.72	4.82	7.13	5.61	4.71		
20																
21																
22	17	2,000	Alicia MP 171**Savin 911**Lanier LD117**	414845	414845	414845	\$1,848	\$890	\$29.56	\$23.23	\$18.58	\$32.18	\$25.33	\$21.28	\$0.0140	
23			Network Print/Scan Connection (Sep. 1)	PS-NW5C1	PS-NW5C1	PS-NW5C1	200									
24			PS480 Paper (500x1) Blank**	410905	410905	410905	375	198	6.58	5.17	4.36	6.44	5.07	4.26		
25			Accessibility Handle Type C**	414901	414901	414901	109	54	1.79	1.41	1.19	1.76	1.38	1.16		
26			S-C4 Hard Disk Drive Option**	415049	415049	415049	398	197	6.54	5.14	4.33	6.41	5.05	4.24		
27			>Cabinet, Type FAC19	411136	411136	411136	233	113	3.75	2.95	2.49	3.68	2.89	2.43		
28			FAC14 Cabinet	415129	415129	415129	215	118	3.92	3.08	2.60	3.94	3.02	2.54		
29			Optional Counter Interface Unit Type A	413012	413012	413012	65	34	1.13	0.89	0.75	1.11	0.87	0.73		
30			3.68-28 USB Keyboard MP171	100275FNG	100275FNG	100275FNG	250	245	8.28	6.64	5.61	8.28	6.64	5.61		
31			Fax Options:													
32			Handset Type 1018**	410781	410781	410781	71	38	1.26	0.99	0.84	1.24	0.97	0.82		
33			Print / Scan Options:													
34			Power/Scanner Unit Type 171**	414932	414932	414932	625	421	14.31	11.25	9.48	14.03	11.04	9.27		
35			Ricoh Print Driver CD	004205MU	004205MU	004205MU	1	1	0.03	0.03	0.02	0.03	0.03	0.02		
36			PostScript6 Unit Type 171	414918	414918	414918	530	257	8.53	6.71	5.65	8.36	6.58	5.53		
37			IEEE 1284 Interface Type A	411099	411099	411099	54	179	5.19	4.41	3.76	5.16	4.28	3.60		
38			IEEE802.11a/g Interface Unit Type L	403000	403000	403000	404	279	9.27	7.28	6.14	9.08	7.15	6.00		
39			Gigaset Ethernet Board Type A	402547	402547	402547	357	223	7.41	5.82	4.91	7.26	5.71	4.80		
40			USB 2.0SD Slot Type B	414917	414917	414917	395	159	5.28	4.18	3.50	5.17	4.07	3.42		
41			VM Card Type L	414902	414902	414902	147	80	2.66	2.09	1.76	2.60	2.05	1.72		
42			BB-HPLDAR	100123FNG	100123FNG	100123FNG	149	143	4.75	3.73	3.15	4.65	3.66	3.08		
43			Additional Options:													
44			HDD Encryption Unit Type A	414021	414021	414021	410	217	7.21	5.66	4.77	7.06	5.56	4.67		
45			Data Overwrite/Security Unit Type I (Inq w416372)	415682	415682	415682	247	105	3.52	2.77	2.38	3.45	2.72	2.28		
46				413955	413955	413955	441	221	7.34	5.77	4.86	7.39	5.66	4.75		
47																
48																
49	21	2,000	Ricoh MP 201SP**Savin 920SP**Lanier LD220SP**	415652	415652	415652	\$2,835	\$1,444	\$47.96	\$37.69	\$31.77	\$50.21	\$39.52	\$33.19	\$0.0140	
50			Network Print/Scan Connection (Sep. 1)	PS-NW5C1	PS-NW5C1	PS-NW5C1	200									
51			Paper Feed Unit PB1030**	415674	415674	415674	386	205	6.81	5.35	4.51	6.67	5.25	4.41		
52			Accessibility Handle Type C**	414901	414901	414901	109	54	1.79	1.41	1.19	1.76	1.38	1.16		
53			Hard Disk Drive Option Type 201** (Inq w416438)	415713	415713	415713	375	210	6.87	5.48	4.62	6.83	5.38	4.52		
54			>Cabinet, Type FAC19	411136	411136	411136	233	113	3.75	2.95	2.49	3.68	2.89	2.43		
55			FAC14 Cabinet	415129	415129	415129	215	118	3.92	3.08	2.60	3.94	3.02	2.54		
56			Optional Counter Interface Unit Type A	413012	413012	413012	65	34	1.13	0.89	0.75	1.11	0.87	0.73		
57			3.68-28 USB Keyboard MP171	100275FNG	100275FNG	100275FNG	250	245	8.28	6.64	5.61	8.28	6.64	5.61		
58			Fax Options:													
59			Handset Type 1018**	410781	410781	410781	71	38	1.26	0.99	0.84	1.24	0.97	0.82		
60			Print / Scan Options:													
61			IEEE 1284 Interface Type A	411099	411099	411099	110	54	1.79	1.41	1.19	1.76	1.38	1.16		
62			IEEE802.11a/g Interface Unit Type L	403000	403000	403000	404	279	9.27	7.28	6.14	9.08	7.15	6.00		
63			Gigaset Ethernet Board Type A	402547	402547	402547	357	223	7.41	5.82	4.91	7.26	5.71	4.80		
64			USB 2.0SD Slot Type B	414917	414917	414917	395	159	5.28	4.18	3.50	5.17	4.07	3.42		
65			VM Card Type L	414902	414902	414902	147	80	2.66	2.09	1.76	2.60	2.05	1.72		
66			BB-HPLDAR	100123FNG	100123FNG	100123FNG	149	143	4.75	3.73	3.15	4.65	3.66	3.08		
67			Additional Options:													
68			Embedded HotSpot Type S	415620	415620	415620	961	454	15.08	11.85	9.99	14.77	11.63	9.77		
69			1 Year HotSpot Service Subscription Extension	00617AMU	00617AMU	00617AMU	595	339	11.26	8.85	7.46	11.03	8.68	7.29		
70			2 Year Subscription Service Extension	006287AMU	006287AMU	006287AMU	950	638	27.83	21.87	18.44	27.27	21.46	18.03		
71			3 Year HotSpot Service Subscription Extension	004813AMU	004813AMU	004813AMU	1,350	1,003	35.31	26.18	22.07	32.64	25.69	21.58		
72			4 Year HotSpot Service Subscription Extension	004814AMU	004814AMU	004814AMU	1,700	1,290	42.84	33.67	28.38	41.98	33.04	27.75		
73																
74	31	2,765	Alicia MP 301SP** /MP 301SP** /MP 301SP**	416185	416185	416185	\$2,960	\$1,523	\$50.58	\$39.75	\$33.51	\$52.75	\$41.52	\$34.87	\$0.0140	
75			Network Print/Scan Connection (Sep. 3)	PS-NW5C3	PS-NW5C3	PS-NW5C3	350									
76			Paper Feed Unit PB1040**	416203	416203	416203	450	199	6.61	5.19	4.38	6.46	5.10	4.28		
77			Hard Disk Drive Option Type 301	416195	416195	416195	470	210	6.97	5.48	4.62	6.83	5.38	4.52		
78			Cabinet Type FAC157	416441	416441	416441	290	126	4.18	3.29	2.77	4.10	3.24	2.71		
79			Cabinet Type FAC158	416442	416442	416442	240	107	3.55	2.79	2.35	3.48	2.74	2.30		
80			Fax Accessories													
81			Fax Connection Unit Type C (available Q3 2012)	416194	416194	416194	290	130	4.32	3.39	2.86	4.23	3.33	2.80		
82			Handset Type C550**	416324	416324	416324	100	38	1.29	0.99	0.84	1.24	0.97	0.82		
83			Copier Accessories													
84			IEEE 1284 Interface Type A	411099	411099	411099	110	54	1.79	1.41	1.19	1.76	1.38	1.16		
85			IEEE802.11a/g Wireless Type J	414008	414008	414008	593	317	10.53	8.27	6.97	10.32	8.12	6.82		
86			Gigaset Ethernet Board Type A	402547	402547	402547	357	223	7.41	5.82	4.91	7.26	5.71	4.80		
87			Bluetooth Interface Unit Type D	415818	415818	415818	630	263	8.73	6.86	5.79	8.56	6.74	5.66		
88			VM Card Type U	416163	416163	416163	190	80	2.66	2.09	1.76	2.60	2.05	1.72		
89			File Format Converter Type E	414007	414007	4140										

[illegible]

205	40	10,000	Ricoh MP 4002**Savin MP 4002** Lamer MP 4002**	415955	415955	415955	\$9,500	\$3,767	\$125.10	\$98.32	\$82.87	\$113.88	\$105.37	\$89.50	\$0.0102
206	40	10,000	Ricoh MP 4002SP**Savin MP 4002SP** Lamer MP 4002SP**	415956	415956	415956	\$11,000	\$4,747	\$157.65	\$123.90	\$104.43	\$165.77	\$139.48	\$109.69	\$0.0102
207	50	20,000	Ricoh MP 5002**Savin MP 5002** Lamer MP 5002**	415957	415957	415957	\$12,500	\$4,953	\$151.21	\$118.83	\$100.17	\$159.46	\$125.51	\$105.41	\$0.0097
208	50	20,000	Ricoh MP 5002SP**Savin MP 5002SP** Lamer MP 5002SP**	415958	415958	415958	\$13,000	\$5,421	\$179.77	\$141.28	\$119.09	\$187.41	\$147.51	\$113.89	\$0.0097
209			ESP XG PCS-150	006428MU	006428MU	006428MU	300	150	4.98	3.92	3.30	4.88	3.94	3.23	
210			Network Print/Scan Connection (Seg. 3)	PS-NWNSC3	PS-NWNSC3	PS-NWNSC3	300	-	-	-	-	-	-	-	
211			Network Print/Scan Connection (Seg. 4)	PS-NWNSC4	PS-NWNSC4	PS-NWNSC4	205	-	-	-	-	-	-	-	
212			Paper Feed Unit PB1330 (2 x 550 Sheet)**	415793	415793	415793	1,650	673	22.35	17.87	14.81	19.72	15.52	13.04	
213			LCIT RT3020	415984	415984	415984	1,010	569	18.96	14.99	12.30	18.19	14.32	12.03	
214			Side Tray CS502**	415989	415989	415989	640	282	9.37	7.36	6.29	9.38	7.22	6.07	
215			LCIT PB1340**	415795	415795	415795	1,960	809	26.87	21.11	17.80	23.40	18.42	15.47	
216			SR3090 1,000-Sheet Finisher**	415804	415804	415804	1,930	802	26.63	20.93	17.64	25.29	19.88	16.69	
217			Booklet Finisher SR3310**	416007	416007	416007	5,110	2,159	71.70	56.39	47.50	70.17	55.23	46.39	
218			Finisher SR3120**	416008	416008	416008	3,550	1,506	50.01	39.31	33.13	48.97	38.54	32.37	
219			Bridge Unit BU3060**	415988	415988	415988	220	121	4.02	3.16	2.66	3.93	3.09	2.60	
220			Punch Unit PU2030 NA	416325	416325	416325	195	463	15.39	12.08	10.19	15.05	11.85	9.95	
221			FAC56 Cabinet	416407	416407	416407	290	111	3.69	2.90	2.44	3.61	2.84	2.39	
222			1 Bin Tray BN3120**	415986	415986	415986	580	243	8.07	6.34	5.35	7.91	6.22	5.23	
223			Key Counter Bracket Type H	412052	412052	412052	105	82	3.73	1.36	1.14	3.69	1.33	1.12	
224			Optional Counter Interface Unit Type A	413032	413032	413032	65	34	1.13	0.89	0.75	1.11	0.87	0.73	
225			Internal Shift Tray SH3060**	415987	415987	415987	450	190	6.31	4.96	4.18	6.18	4.87	4.09	
226			Fac Option:												
227			Fax Option Type 5002**	416156	416156	416156	1,450	641	21.29	16.73	14.10	20.86	16.42	13.79	
228			G3 Interface Unit Type 5002	416161	416161	416161	890	374	12.42	9.76	8.23	12.17	9.58	8.05	
229			32MB Memory 400qpsAF	001342MU	001342MU	001342MU	205	100	3.32	2.61	2.20	3.26	2.56	2.15	
230			Fax Connection Unit Type A	416207	416207	416207	290	128	4.25	3.34	2.82	4.17	3.28	2.75	
231			Handset Type CS502**	416324	416324	416324	100	38	1.26	0.99	0.84	1.24	0.97	0.82	
232			Print / Scan Options:												
233			Printer/Scanner Unit Type 5002	416140	416140	416140	1,600	662	21.99	17.28	14.56	21.95	16.96	14.24	
234			PostScript Unit Type 5002	416149	416149	416149	1,180	488	16.21	12.74	10.74	16.88	12.50	10.50	
235			IPDS Unit Type 5002	416152	416152	416152	1,000	782	29.87	20.41	17.20	25.43	19.02	16.81	
236			IEEE802.11a/g Wireless Type J	414008	414008	414008	593	317	10.53	8.27	6.97	10.32	8.12	6.82	
237			Bluetooth Interface Unit Type D	415918	415918	415918	630	263	8.73	6.86	5.79	8.56	6.14	5.66	
238			Digital Ethernet Board Type A	416247	416247	416247	367	141	5.82	4.51	3.86	5.71	4.47	4.00	
239			IEEE 1284 Interface Type A	411699	411699	411699	110	54	1.79	1.41	1.19	1.76	1.38	1.16	
240			File Format Converter Type E	414007	414007	414007	635	236	11.16	8.77	7.39	10.93	8.61	7.23	
241			VM Card Type J	416363	416363	416363	180	80	2.69	1.76	1.50	2.66	2.02	1.72	
242			SD card for NetWare Printing Type K	416210	416210	416210	200	87	2.89	2.27	1.91	2.83	2.23	1.87	
243			Additional Options:												
244			Data Overwrite Security Unit Type I	416372	416372	416372	530	236	7.84	6.16	5.19	7.68	6.04	5.08	
245			Copy Data Security Unit Type G	416391	416391	416391	960	401	13.32	10.47	8.82	13.05	10.27	8.63	
246			Plain Copy Type 332**	415809	415809	415809	140	53	1.76	1.38	1.17	2.12	1.66	1.40	
247			ADF Handle Type C	416213	416213	416213	89	39	1.96	1.38	1.06	2.38	1.91	1.62	
248			Card Reader Bracket Type 3382	415814	415814	415814	100	69	2.29	1.80	1.52	2.25	1.77	1.48	
249			Browser Unit Type J	416204	416204	416204	170	73	2.42	1.81	1.61	2.86	2.17	1.87	
250			Hard Disk Drive Option Type 5002	416155	416155	416155	400	202	7.71	5.27	4.44	6.57	5.17	4.31	
251															
252															
253	70	30,000	Ricoh MP 7001**limited availability/Savin 9070**limited availab	414789	414789	414789	\$24,150	\$8,711	\$299.29	\$227.36	\$181.64	\$296.36	\$233.26	\$195.92	\$0.0065
254	70	30,000	Ricoh MP 7001SP**limited availability/Savin 9070sp** limited	414790	414790	414790	\$27,825	\$10,159	\$337.38	\$265.15	\$223.50	\$343.48	\$270.35	\$227.07	\$0.0065
255	90	70,000	Ricoh MP 9001**limited availability/Savin 9090sp**limited a	414794	414794	414794	\$38,325	\$14,024	\$465.74	\$366.03	\$308.53	\$469.26	\$369.35	\$310.22	\$0.0060
256			ESP XG PCS-200	006429MU	006429MU	006429MU	205	144	4.76	3.76	3.17	4.69	3.69	3.10	
257			ESP Digital CC-2052D Power/Fax	000500MU	000500MU	000500MU	300	112	3.77	2.92	2.46	3.64	2.87	2.41	
258			Network Print/Scan Connection (Seg. 4)	PS-NWNSC4	PS-NWNSC4	PS-NWNSC4	425	-	-	-	-	-	-	-	
259			Network Print/Scan Connection (Seg. 5)	PS-NWNSC5	PS-NWNSC5	PS-NWNSC5	500	-	-	-	-	-	-	-	
260			RT43 LCT	414517	414517	414517	2,205	757	25.14	19.76	16.65	24.63	19.39	16.29	
261			SR4030 Finisher(1,000 sheet finisher--50 sheet staple)**	414957	414957	414957	3,300	1,659	55.10	43.30	36.50	53.99	42.49	35.69	
262			SR4050 Finisher (2,000 sheet finisher--50 sheet staple)**	414959	414959	414959	5,775	2,885	95.63	74.78	63.23	93.28	73.38	61.63	
263			SR4050 Finisher (3,000 sheet finisher--100-sheet staple)	414944	414944	414944	5,775	2,885	95.15	74.78	63.03	93.23	73.38	61.63	
264			Punch Unit Type 3200	412209	412209	412209	966	463	15.38	12.08	10.19	15.07	11.85	9.96	
265			Type 1075 Hole Punch	415282	415282	415282	965	508	16.58	13.26	11.18	16.53	13.03	10.93	
266			Cover Interposer Tray Type 3200	412213	412213	412213	1,218	620	20.59	16.18	13.64	20.18	15.88	13.34	
267			Copy Tray Type 2075	412190	412190	412190	158	76	2.52	1.98	1.67	2.47	1.95	1.63	
268			8 1/2"x14" Tray Type 1075	411197	411197	411197	407	113	10.95	8.39	7.11	11.71	9.03	7.81	
269			Type 1027 Key Counter Bracket	412537	412537	412537	105	64	2.13	1.67	1.41	2.08	1.64	1.38	
270			TAB sheet Holder Type 3200	412203	412203	412203	49	24	0.80	0.63	0.53	0.78	0.61	0.52	
271			8 1/2" x 11" Tray Unit Type 9001	415017	415017	415017	829	416	16.24	12.54	10.65	17.05	13.35	11.45	
272			Card Rd Bracket Type 1075	411203	411203	411203	131	66	2.19	1.72	1.45	2.15	1.69	1.42	
273			Output Jogger Unit Type 3200	412212	412212	412212	386	189	6.68	5.17	4.36	6.44	5.07	4.26	
274			Jogger Unit Type 1075	411206	411206	411206	386	199	6.58	5.17	4.26	6.44	5.07	4.26	
275			Copy Connector Type 3200	412415	412415	412415	1,565	803	26.67	20.96	17.67	26.13	20.57	17.27	
276			Mail Folding Unit Type F05000	404193	404193	404193	9,608	5,021	166.75	131.05	110.46	163.99	128.61	108.02	
277			External USB Keyboard(No bracket)	100269PBG	100269PBG	100269PBG	60	40	1.08	0.92	0.78	1.06	0.88	0.74	
278			VZ C106033 Keyboard Bracket MP9001(Bracket Only)	100269PBG	100269PBG	100269PBG	199	140	5.41	4.34	3.66	5.41	4.34	3.66	
279			Fac Option:												
280			Fax Option Type 9001	414945	414945	414945	1,208	625	20.76	16.31	13.75	20.34	16.03	13.45	
281			G3 Interface Unit Type 9001	414958	414958	414958	714	371	12.32	9.68	8.16	12.07	9.50	7.98	
282			32MB Memory 400qpsAF	001342MU	001342MU	001342MU	205	100	3.32	2.61	2.20	3.25	2.56	2.15	
283			Print / Scan Options:												
284			Printer/Scanner Unit Type 9001	414954	414954	414954	3,675	1,240	41.18	32.36	27.28	40.35	31.76	26.68	
285			Ricoh Print Driver CD Type 9001	004048MU	004048MU	004048MU	1	1	0.03	0.03	0.02	0.03	0.03	0.02	
286			PostScript Type 9001	415050	415050	415050	2,310	1,242	41.25	32.42	27.32	40.42	31.81	26.72	
287			Genuine IPDS for MP9001-8001	415052	415052	415052	1,400	1,131	38.23	30.65	25.90	38.23	30.65	25.90	
288			Copy Data Security Unit Type F	413985	413985	413985	746	401	13.32	10.47	8.82	13.05	10.27	8.63	
289			Optional Counter Interface Unit Type A	413012	413012	413012	65	34	1.13	0.89	0.75	1.11	0.87	0.73	
290			HDD Encryption Unit Type A	414021	414021	414021	410	217	7.21	5.66	4				

334	60	Afficio MP 6902 (launch date 08-20-12)/MP 6902SP (launch date 08-20-12)	415876	415876	415876	\$20,000	\$7,768	\$257.98	\$302.74	\$178.90	\$265.70	\$209.13	\$175.65	
335	60	Afficio MP 6902SP (launch date 08-20-12)/MP 6902SP (launch date 08-20-12)	415877	415877	415877	\$24,000	\$9,325	\$339.62	\$243.33	\$205.11	\$316.31	\$248.96	\$209.11	
336	75	Afficio MP 7502 (launch date 08-20-12)/MP 7502 (launch date 08-20-12)	415878	415878	415878	\$26,500	\$9,446	\$333.67	\$246.51	\$207.79	\$320.28	\$252.09	\$211.73	
337	75	Afficio MP 7502SP (launch date 08-20-12)/MP 7502SP (launch date 08-20-12)	415879	415879	415879	\$31,000	\$11,006	\$398.63	\$299.71	\$244.29	\$374.14	\$294.48	\$247.54	
338	90	Afficio MP 9002 (launch date 08-20-12)/MP 9002 (launch date 08-20-12)	415880	415880	415880	\$34,500	\$12,519	\$451.76	\$326.75	\$275.42	\$420.25	\$330.77	\$277.82	
339	90	Afficio MP 9002SP (launch date 08-20-12)/MP 9002SP (launch date 08-20-12)	415881	415881	415881	\$39,000	\$14,241	\$472.94	\$317.69	\$213.30	\$470.23	\$374.61	\$314.89	
340		ESP Digital KX 20020 PowerFilter	002660MU	002660MU	002660MU	300	112	3.72	2.92	2.46	3.64	2.87	2.41	
341		Network Print/Scan Connection (Sng. S)	PS-NWNSC4	PS-NWNSC4	PS-NWNSC4	425	-	-	-	-	-	-	-	
342		LCIT RT4010	415904	415904	415904	2,600	757	25.14	19.76	16.65	24.64	19.39	16.29	
343		Finisher SR4000	415901	415901	415901	3,770	1,659	55.10	43.30	36.50	53.90	42.42	35.63	
344		Booklet Finisher SR4070	415902	415902	415902	6,550	2,865	95.15	74.78	63.03	91.08	73.37	61.54	
345		Finisher SR4000	415900	415900	415900	6,550	2,865	95.15	74.78	63.03	93.10	73.28	61.55	
346		Punch Unit Type 3200	412209	412209	412209	966	463	15.38	12.08	10.19	15.07	11.86	9.96	
347		Type 1075 Hole Punch	415262	415262	415262	508	508	16.87	13.05	11.18	16.58	13.01	10.93	
348		Cover Interceptor Tray C4000	415906	415906	415906	1,470	620	20.59	16.18	13.64	20.18	15.88	13.34	
349		Copy Tray 9002	416229	416229	416229	200	76	2.62	1.98	1.67	2.47	1.95	1.64	
350		8.5"x14" PAPER SIZE TRAY Type 9002	416232	416232	416232	1,008	457	15.18	11.92	10.05	14.97	11.71	9.83	
351		Type 1027 Key Counter Bracket	412537	412537	412537	105	64	2.13	1.67	1.41	2.08	1.64	1.38	
352		Tab Sheet Holder Type 9002	416230	416230	416230	58	24	0.80	0.63	0.53	0.78	0.61	0.52	
353		11" x 17" Tray Unit Type 9001	415017	415017	415017	1,576	629	27.53	21.64	18.24	26.96	21.23	17.63	
354		Card Rack Bracket Type 1075	411203	411203	411203	131	66	2.19	1.72	1.45	2.15	1.69	1.42	
355		Output Jigger Unit Type 9002A	415903	415903	415903	470	198	6.58	5.17	4.36	6.44	5.07	4.26	
356		Output Jigger Unit Type 9002B	416231	416231	416231	746	401	13.92	10.47	8.82	13.05	10.17	8.63	
357		File Format Converter Type E	414007	414007	414007	636	336	11.16	8.77	7.39	10.93	8.61	7.23	
358		Copy Connector Type 3260	412415	412415	412415	1,568	803	26.67	20.96	17.67	26.13	20.57	17.27	
359		Multi-Folding Unit C4000	PS-10908	PS-10908	PS-10908	11,910	5,021	165.75	131.05	110.46	161.41	128.62	108.02	
360		Data Overwrite Security Unit H	416373	416373	416373	530	217	7.21	5.66	4.77	7.06	5.56	4.67	
361		VM Card Type 1	416163	416163	416163	180	80	2.66	2.08	1.76	2.60	2.05	1.72	
362		External USB Keyboard (No bracket)	100258FNG	100258FNG	100258FNG	50	40	1.35	1.08	0.92	1.30	1.02	0.85	
363		For Options:												
364		Fax Option Type 9002**	410912	410912	410912	1,440	625	20.76	16.31	13.75	20.31	15.98	13.43	
365		CG Interface Unit Type 9002	415517	415517	415517	850	371	12.52	9.68	8.16	11.50	8.97	7.58	
366		32MB Memory 400dpi/SAF	001342MU	001342MU	001342MU	205	100	3.32	2.61	2.20	3.25	2.56	2.15	
367		Fax Connection Unit Type E	415929	415929	415929	250	128	4.25	3.34	2.82	4.17	3.28	2.75	
368		Print / Scan Options:												
369		Printer/Scanner Unit Type 9002	415919	415919	415919	4,500	1,240	41.18	32.36	27.28	40.36	31.71	26.68	
370		PostScript Unit Type 9002	415923	415923	415923	2,780	1,242	41.25	32.42	27.32	40.41	31.86	26.82	
371		Copy Data Security Unit Type F	413985	413985	413985	746	401	13.92	10.47	8.82	13.05	10.17	8.63	
372		Optional Counter Interface Unit Type A	413012	413012	413012	65	34	1.13	0.89	0.75	1.11	0.87	0.73	
373		MAIL BOX C54000	415907	415907	415907	2,670	1,129	37.49	29.47	24.84	36.74	28.92	24.29	
374		IEEE 1284 Interface Type A	411699	411699	411699	54	119	1.41	1.19	1.06	1.39	1.16	1.03	
375		IEEE802.11a/g Wireless Type E	414008	414008	414008	593	317	10.53	8.27	6.97	10.92	8.61	7.23	
376		Bluetooth Interface Unit Type D	415018	415018	415018	630	263	8.73	6.86	5.79	8.96	6.74	5.62	
377		Cigital Ethernet Type B	414204	414204	414204	483	255	8.47	6.66	5.61	8.30	6.49	5.48	
378		File Format Converter Type E	414007	414007	414007	636	336	11.16	8.77	7.39	10.93	8.61	7.23	
379		SD card for NetWare printing Type L	416236	416236	416236	200	96	2.86	2.24	1.89	2.80	2.20	1.85	
380		Browser Unit Type 9002	416233	416233	416233	180	72	2.39	1.88	1.58	2.34	1.84	1.53	
381		Enablers:												
382		*Booklet Maker BX5010e	404305	404305	404305	12,150	8,216	272.85	214.44	180.75	267.37	210.44	176.75	
383		<CF5010 Cover Feeder	413102	413102	413102	3,100	1,964	65.22	51.26	43.21	63.91	50.31	42.25	
384		*Trimmer TR5010e	404299	404299	404299	8,300	5,957	197.83	155.48	131.05	193.85	152.58	128.15	
385		*Book Folder BF5010e	404300	404300	404300	8,300	5,746	190.82	155.48	126.41	186.99	147.18	123.61	
386		*H83010 Rail Unit	413105	413105	413105	320	232	7.70	6.06	5.10	7.55	5.94	4.99	
387		ST5010e Two Side Trim Option	100277FNG	100277FNG	100277FNG	40,500	38,307	1,272.18	999.81	842.75	1,346.59	981.18	824.10	
388		*Trim Waste Kit Type BF5010e	100289FNG	100289FNG	100289FNG	2,100	1,914	63.56	49.96	42.11	62.29	49.02	41.18	
389		GCBC StreamPunch:												
390		GCBC StreamPunch Pro	404412	404412	404412	9,495	6,518	216.46	170.12	143.40	212.11	166.95	140.22	
391		GCBC Die Set 1 Hole (Ring Binder)	001450MU	001450MU	001450MU	486	363	12.06	9.47	7.99	11.81	9.30	7.81	
392		GCBC Pro 3 Hole HD Die Set	404415	404415	404415	990	835	27.73	21.79	18.37	27.17	21.37	17.96	
393		GCBC Die Set 11 Hole (Webbing)	001451MU	001451MU	001451MU	536	432	14.35	11.28	9.50	14.06	11.07	9.29	
394		GCBC Die Set 19 Hole (Central)	001452MU	001452MU	001452MU	536	432	14.35	11.28	9.50	14.06	11.07	9.29	
395		GCBC Pro 19 Hole HD Die Set	404416	404416	404416	1,595	1,677	55.69	43.77	36.89	54.57	42.95	36.08	
396		GCBC Die Set 21 Hole (Thin Loop Wire 2.1)	001453MU	001453MU	001453MU	536	432	14.35	11.28	9.50	14.06	11.07	9.29	
397		GCBC Die Set 25 Hole (Thin Loop Wire 3.1)	001454MU	001454MU	001454MU	536	432	14.35	11.28	9.50	14.06	11.07	9.29	
398		GCBC Die Set 44 Hole (Color Coll)	001455MU	001455MU	001455MU	536	432	14.35	11.28	9.50	14.06	11.07	9.29	
399		GCBC Pro 44 Hole HD Die Set	404417	404417	404417	1,760	1,485	49.32	38.76	32.67	48.33	38.04	31.95	
400		GCBC 32 Hole Pro Click Die Set	002456MU	002456MU	002456MU	535	432	14.35	11.28	9.50	14.06	11.07	9.29	
401														
402														
403														
404	90	120,000	404186	404186	404186	\$40,000	\$13,761	\$457.00	\$359.16	\$302.74	\$463.92	\$365.15	\$306.69	
405	110	180,000	404189	404189	404189	\$50,000	\$15,279	\$540.12	\$403.88	\$342.04	\$543.36	\$406.38	\$325.11	
406	135	300,000	404192	404192	404192	\$62,000	\$28,985	\$962.59	\$756.51	\$637.67	\$958.35	\$755.09	\$634.20	
407			Ricoh Pro 907EX/Savin Pro 907EX/Lanier Pro 907EX	404186	404186	404186	\$40,000	\$13,761	\$457.00	\$359.16	\$302.74	\$463.92	\$365.15	\$306.69
408			Ricoh Pro 1357EX/Savin Pro 1357EX/Lanier Pro 1357EX	404192	404192	404192	\$62,000	\$28,985	\$962.59	\$756.51	\$637.67	\$958.35	\$755.09	\$634.20
409			ESP Digital KX 20020 PowerFilter	002660MU	002660MU	002660MU	300	112	3.72	2.92	2.46	3.64	2.87	2.41
410			Network Print/Scan Connection (Sng. S)	PS-NWNSC4	PS-NWNSC4	PS-NWNSC4	425	-	-	-	-	-	-	-
411		PPSE Training - Pro M907EX/1207EX/1357EX w/ Fiery	PPPSM907F	PPPSM907F	PPPSM907F	2,500	2,500	83.03	65.25	55.00	81.44	64.10	53.84	
412		PPSE Training - Pro M907EX/1207EX/1357EX No Fiery	PPPSM907G	PPPSM907G	PPPSM907G	1,000	1,000	33.21	26.10	22.00	32.57	25.64	21.53	
413		Ring Binder RB5000	404112	404112	404112	13,660	4,611	156.73	120.70	99.49	154.04	124.04	104.06	
414		Ring Opener Type A	404114	404114	404114	63	40	1.33	1.04	0.88	1.30	1.02	0.86	
415		Ring Cartridge 1.7 Type RB5000	404115	404115	404115	341	225	7.47	5.87	4.95	7.32	5.76	4.74	
416		TS5010 11"x17" Tray Unit	404195	404195	404195	1,575	839	27.86	21.90	18.46	27.75	21.49	18.05	
417		LCIT RT5030	404220	404220	404220	5,093	2,679	88.97	69.62	58.94	87.18	67.83	54.63	
418		LCIT DLT1 RT5040	404223	404223	404223	9,555	5,044	167.51	131.65	110.97	164.14	129.19	108.51	
419		BY5000 Multi-Bypass Tray	412914	412914	412914	788	401	17.34	13.57	11.34	20.57	16.16	13.65	
420		New Cover Interceptor Tray C5010	404087	404087	404087	3,675	1,919	63.73	50.09	42.22	62.45	48.15	40.28	
421		Multi-Folding Unit Type F2000	404189	404189	404189	9,608	5,021	166.75	131.05	110.46	163.39	128.61	1	

[illegible]

614	45 B&W / 45 Color	7000 b/w / 3000 color	Ricoh MP C4502**iSavin MP C4502**iLanier MP C4502**	416072	416072	416072	\$16,100	\$6,726	\$223.37	\$175.55	\$147.97	\$231.64	\$192.32	\$153.13	B/W CPC - 0.0201 / Color - 0.085
615	45 B&W / 45 Color	7000 b/w / 3000 color	Ricoh MP C4502**iSavin MP C4502**iLanier MP C4502**	416075	416075	416075	\$16,900	\$7,166	\$237.88	\$187.03	\$157.65	\$246.11	\$193.71	\$162.70	B/W CPC - 0.0201 / Color - 0.085
616	55 B&W / 55 Color	8400 b/w / 3600 color	Ricoh MP C5020**iSavin MP C5020**iLanier MP C5020**	416076	416076	416076	\$20,020	\$7,390	\$245.42	\$192.88	\$167.58	\$293.40	\$199.45	\$167.52	B/W CPC - 0.0201 / Color - 0.085
617	55 B&W / 55 Color	8400 b/w / 3600 color	Ricoh MP C5020**iSavin MP C5020**iLanier MP C5020**	416077	416077	416077	\$20,490	\$8,470	\$251.34	\$197.84	\$170.34	\$298.34	\$201.34	\$167.52	B/W CPC - 0.0201 / Color - 0.085
618			ESP XG-PC-150	006429MU	006429MU	006429MU	200	150	1.98	3.92	3.30	4.88	3.94	3.23	
619			Network & Scan Connect - Seg BC4	PS-NWSCB4	PS-NWSCB4	PS-NWSCB4	425	-	-	-	-	-	-	-	
620			Paper Feed Unit PR3120 (2 x 150 Sheets)**	415794	415794	415794	326	326	10.33	8.51	7.17	10.61	8.35	7.01	
621			Paper Feed Unit PR3120 (2 x 150 Sheets)**	415793	415793	415793	1,650	673	22.35	17.57	14.81	19.72	15.42	13.01	
622			LCIT PR3140**	415795	415795	415795	1,900	809	26.87	21.11	17.80	23.40	18.42	15.47	
623			FACETS Cabinet	416337	416337	416337	250	116	11.38	9.36	7.93	10.46	8.26	7.11	
624			LCIT RT3020	415984	415984	415984	1,450	599	18.56	14.99	12.30	18.19	14.32	12.03	
625			Internal S/N Tray SH3000**	415987	415987	415987	400	190	6.31	4.96	4.18	6.18	4.87	4.09	
626			Side Tray CS3020**	415989	415989	415989	600	292	13.37	10.86	9.22	13.18	10.27	8.58	
627			Bridge Unit BL3060**	415988	415988	415988	220	121	4.02	3.16	2.66	3.93	3.09	2.60	
628			SR3090 1,000 Sheet Finisher**	415804	415804	415804	1,930	802	26.63	20.93	17.64	25.25	19.88	16.69	
629			Booklet Finisher SR3130**	416007	416007	416007	5,110	2,159	47.50	39.31	33.13	48.97	38.54	32.37	
630			Finisher SR3120**	416008	416008	416008	3,550	1,506	50.01	39.31	33.13	48.97	38.54	32.37	
631			Punch Unit PU3030 NA	416325	416325	416325	980	463	15.38	12.08	10.19	15.05	11.85	9.95	
632			2 Bin Tray BN2100**	415986	415986	415986	500	243	6.07	6.34	5.25	7.91	6.22	5.23	
633			Key Counter Bracket Type H	412562	412562	412562	105	52	1.73	1.36	1.14	1.69	1.33	1.12	
634			Optional Counter Interface Unit Type A	413012	413012	413012	65	34	1.13	0.89	0.75	1.11	0.87	0.73	
635			Platen Cover Type CS3020**	415809	415809	415809	140	53	1.76	1.38	1.17	1.62	1.26	1.05	
636			Card Reader Bracket Type CS32	415814	415814	415814	100	69	2.29	1.80	1.52	2.25	1.77	1.48	
637			Scanner Accessibility Option Type CS302	416009	416009	416009	2,110	902	29.96	23.54	19.84	29.36	23.11	19.41	
638			ADF Handle Type C	416213	416213	416213	200	89	2.96	2.32	1.96	2.90	2.28	1.91	
639			Caster Table Type D	415811	415811	415811	270	121	4.02	3.16	2.66	3.94	3.10	2.60	
640			Envelope Feeder EF3020**	416272	416272	416272	270	117	3.89	3.05	2.57	3.81	3.00	2.52	
641			Fax Options:												
642			Fax Option Type CS502**	415991	415991	415991	1,400	611	20.29	15.95	13.44	19.85	15.61	13.12	
643			G3 Interface Unit Type CS302	415996	415996	415996	910	375	12.45	9.78	8.25	12.25	9.63	8.07	
644			32MB Memory 4000uSAP	001342MU	001342MU	001342MU	200	100	2.20	2.61	2.20	2.56	2.16	1.85	
645			Handset Type CS502**	416324	416324	416324	100	38	1.26	0.99	0.84	1.24	0.97	0.82	
646			Fax Connection Unit Type B	416022	416022	416022	250	128	4.25	3.34	2.82	4.17	3.28	2.75	
647			Print / Scan Options:												
648			IEEE802.11a/g Wireless Type J	414008	414008	414008	593	317	10.53	8.27	6.97	10.32	8.12	6.82	
649			IEEE 1284 Interface Type A	411059	411059	411059	1,100	54	1.79	1.41	1.19	1.76	1.38	1.16	
650			PSDI Unit Type CS502	416003	416003	416003	1,028	762	19.89	16.78	14.50	20.38	16.38	14.08	
651			Gigaset Ethernet Type B	414204	414204	414204	483	255	8.47	6.66	5.61	8.30	6.53	5.49	
652			Camera Direct Print Card Type J	416006	416006	416006	270	27	0.90	0.70	0.59	0.88	0.69	0.58	
653			Postscript Unit Type CS502	415998	415998	415998	600	304	10.10	7.93	6.69	9.88	7.76	6.53	
654			File Format Converter Type E	414007	414007	414007	635	336	11.16	8.77	7.39	10.93	8.61	7.23	
655			SD card for NetWare printing Type H	416001	416001	416001	200	87	2.89	2.27	1.91	2.83	2.23	1.87	
656			Browser Unit Type F	416002	416002	416002	180	73	1.81	1.43	1.21	1.87	1.48	1.25	
657			Bluetooth Interface Unit Type D	415818	415818	415818	630	263	8.73	6.86	5.79	8.56	6.74	5.66	
658			Additional Options:												
659			Data Overwrite Security Unit Type H	416373	416373	416373	530	217	7.21	5.66	4.77	7.06	5.56	4.67	
660			Copy Data Security Unit Type G	416391	416391	416391	900	401	13.32	10.47	8.82	13.05	10.27	8.63	
661			Pony E-8000 Print Controller	416025	416025	416025	1,000	2,873	96.41	74.89	63.21	95.49	73.59	61.81	
662			Sequence Controller	416437	416437	416437	875	404	22.84	18.25	15.41	22.41	18.62	15.78	
663			EFI Sequence Imposer	404336	404336	404336	2,500	1,777	59.01	46.38	39.09	57.83	45.52	38.23	
664			Color Profile v2 of v5 Upgrade	006999MU	006999MU	006999MU	3,000	2,106	64.87	51.94	44.87	65.33	52.34	45.31	
665			05-1000 Color Spectrophotometer	005769MU	005769MU	005769MU	498	351	11.66	9.16	7.72	11.42	8.99	7.56	
666			Color Profile v3 SW Only	003118MU	003118MU	003118MU	1,248	885	29.39	23.10	19.47	28.80	22.67	19.04	
667			005769MU	005769MU	005769MU	1,900	1,236	34.87	28.42	24.49	34.22	28.14	24.22		
668			Split-On	413317	413317	413317	1,200	583	19.36	15.22	12.83	18.97	14.93	12.54	
669			Auto Trapping	413316	413316	413316	1,200	583	19.36	15.22	12.83	18.97	14.93	12.54	
670			EFI HP Folders	413315	413315	413315	1,200	583	19.36	15.22	12.83	18.97	14.93	12.54	
671			LIO Table for ES1000	005775MU	005775MU	005775MU	2,295	1,908	63.36	49.80	41.98	62.09	48.87	41.05	
672															
673	55 B&W / 60 Color	18000 b/w / 12000 color	Ricoh MP C9010iSavin C9010iLanier L9035C	415182	415182	415182	\$36,958	\$16,024	\$532.16	\$418.23	\$352.83	\$537.57	\$423.11	\$358.37	B/W CPC - 0.0127 / Color - 0.075
674	70 B&W / 70 Color	30000 b/w / 2000 color	Ricoh MP C9010iSavin C9010iLanier L9035C	415183	415183	415183	\$47,400	\$19,329	\$641.92	\$504.49	\$425.24	\$645.12	\$507.77	\$426.47	B/W CPC - 0.0127 / Color - 0.075
675			ESP XG-PC-200	006429MU	006429MU	006429MU	205	144	4.78	3.76	3.17	4.69	3.69	3.10	
676			ESP Digital Opt 20020 Powerlifer	002660MU	002660MU	002660MU	300	112	3.72	2.92	2.46	3.56	2.87	2.41	
677			Network & Scan Connect - Seg BC4	PS-NWSCB4	PS-NWSCB4	PS-NWSCB4	425	-	-	-	-	-	-	-	
678			Network & Scan Connect - Seg BC5	PS-NWSCB5	PS-NWSCB5	PS-NWSCB5	500	-	-	-	-	-	-	-	
679			Copy Tray Type 2075	412190	412190	412190	158	76	2.52	1.99	1.67	2.47	1.95	1.63	
680			RT43 LCT Bundle	002460MU	002460MU	002460MU	2,426	1,269	42.14	33.12	27.92	41.30	32.50	27.30	
681			SR4030 Finisher(3,000 sheet finisher--50 sheet staple)**	414957	414957	414957	3,350	1,659	55.10	43.30	36.50	53.99	42.49	35.69	
682			SR4040 Finisher (2,000 sheet finisher--50 sheet staple)**	414958	414958	414958	3,350	1,659	55.10	43.30	36.50	53.99	42.49	35.69	
683			SR5000 Finisher	412981	412981	412981	6,122	3,104	100.08	81.01	68.29	101.01	79.50	66.78	
684			Finisher Adapter Type C	413973	413973	413973	420	209	6.94	5.45	4.60	6.80	5.35	4.50	
685			11"x17" Tray Unit Type 2105	411398	411398	411398	612	319	17.86	14.01	11.80	17.47	13.67	11.47	
686			LCIT RT4000	413965	413965	413965	5,019	2,736	90.86	71.41	60.19	89.04	70.08	58.86	
687			Punch Unit Type 3260	412209	412209	412209	966	463	15.38	12.08	10.19	15.07	11.85	9.96	
688			PUS000 Punch Unit	412983	412983	412983	612	319	17.86	14.01	11.80	17.47	13.67	11.47	
689			Cover Interceptor Tray 3260	412213	412213	412213	1,218	620	20.59	16.18	13.64	20.18	15.88	13.34	
690			Tab sheet Holder Type 3260	412203	412203	412203	40	24	0.80	0.63	0.53	0.79	0.61	0.52	
691			E 127-144 Tray Type 1075	411387	411387	411387	883	407	11.83	9.07	7.61	11.43	9.01	7.51	
692			Output Jagger Unit Type 3260	412212	412212	412212	398	198	6.98	5.17	4.36	6.44	5.07	4.26	
693			CS500 Cover Interceptor	412976	412976	412976	3,854	1,958	65.03	51.10	43.08	63.72	50.15	42.12	
694			Main Folding Unit Type PUS000	404183	404183	404183	9,008	4,815	110.46	87.35	73.05	120.61	95.02	79.08	
695			9 Bin Mail Box CS391	412181	412181	412181	2,205	1,129	37.49	29.47	24.84	36.74	28.92	24.29	
696			File Format Converter Type E	414007	414007	414007	635	336	11.16	8.77	7.39	10.93	8.61	7.23	
697															

		Cover Interposer Tray Type Z360	412123	412123	412123	1,218	620	20.99	16.18	13.64	20.18	15.88	13.34			
		Tab sheet Holder Tray Type Z360	412203	412203	412203	48	24	0.80	0.63	0.53	0.78	0.61	0.52			
		Output Jigger Unit Type Z360	412212	412212	412212	386	198	1.58	1.17	4.36	6.44	5.07	4.26			
		CDS005 Cover Interposer	412276	412276	412276	3,864	1,968	6.10	5.12	43.02	63.42	50.15	42.16			
		ZF-400Z Z-Folding Unit	412805	412805	412805	7,718	4,721	16.58	13.22	103.86	153.63	120.92	101.56			
		9 Pin Mini Box CS391	412191	412191	412191	2,205	1,129	37.49	29.47	24.64	38.74	28.92	24.29			
		Optional Connector Interface Unit Type A	413012	413012	413012	6	34	1.13	0.89	1.11	0.75	0.87	0.71			
		Copy Connector Tray Z360	412415	412415	412415	1,565	803	26.67	20.69	16.77	26.13	20.57	17.27			
		Type 1027 Key Counter Bracket	412537	412537	412537	105	64	2.13	1.67	1.41	2.08	1.64	1.38			
		Print / Scan Options:														
		File Format Conversion Type E	414007	414007	414007	635	336	11.15	8.77	7.39	10.93	8.61	7.23			
		Jawa VM Card Type B	414004	414004	414004	1,747	80	2.66	2.09	1.76	2.60	2.05	1.72			
		Fancy Option Lase	415007	415007	415007	12,000	9,077	301.45	236.39	199.47	290.37	232.47	195.27			
		Additional options:														
		DNA Overview Security Unit Type H (regul v416373)	414002	414002	414002	410	217	7.21	5.86	4.67	7.06	5.56	4.67			
		HDD Encryption Unit Type A	414021	414021	414021	410	217	7.21	5.56	4.77	7.06	5.56	4.67			
		HDD Security	414899	414899	414899	1,350	969	32.18	25.29	21.32	31.53	24.82	20.85			
		EPI Composite	404188	404188	404188	1,159	1,199	39.82	31.79	26.38	39.02	30.71	25.79			
		EPI Import v2.7	414624	414624	414624	2,802	1,889	66.05	53.42	47.89	64.72	50.65	42.16			
		EPI Graphic Arts Package Premium	404167	404167	404167	7,000	5,632	188.04	147.00	123.90	183.28	144.26	121.16			
		FAC Encoder	414938	414938	414938	1,150	808	26.83	21.09	17.78	26.29	20.70	17.38			
		FACI Firmware Board	414917	414917	414917	2,000	1,156	71.80	56.27	47.46	70.16	54.87	45.92			
		ES-100 Color Spectrophotometer	003116MU	003116MU	003116MU	1,248	885	29.99	23.19	19.47	28.80	22.67	19.04			
		ILO Table for ES1200	005778MU	005778MU	005778MU	2,296	1,368	63.35	49.85	41.88	62.09	48.67	41.05			
		Color Printer v3 WS1200 UV	005697MU	005697MU	005697MU	3,000	1,800	54.97	40.33	33.84	53.94	40.33	33.84			
		CPS v2 to V3 Upgrade	005699MU	005699MU	005699MU	499	351	11.66	9.16	7.72	11.42	8.99	7.55			
		Color Printer v3 SW Only	005700MU	005700MU	005700MU	1,900	1,236	44.37	34.87	29.39	43.48	34.22	28.74			
		Enablers:														
		-Riscless Maker BR3010e	404305	404305	404305	12,150	8,216	272.85	214.44	180.75	267.37	210.44	176.75			
		-Printer TRB3010	404299	404299	404299	8,300	5,957	197.83	155.48	131.05	193.85	152.58	128.15			
		-Book Filler BF3010	404300	404300	404300	8,300	5,957	197.83	155.48	131.05	193.85	152.58	128.15			
		-CFO10 Color Freezer	413102	413102	413102	3,100	1,964	65.02	51.26	43.21	63.91	50	42.95			
		-RHS100 Roll Unit	413105	413105	413105	3,100	1,964	65.02	51.26	43.21	63.91	50	42.95			
		ST5010D Two-Side Trim Option	100277FNG	100277FNG	100277FNG	40,500	38,307	1,272.18	999.81	842.75	1,246.59	981.18	824.10			
		Trim Waste Kit Type B150	100285FNG	100285FNG	100285FNG	2,100	1,914	63.56	49.96	42.11	62.29	49.02	41.18			
		GBC StreamPunch:														
		GBC StreamPunch	404412	404412	404412	9,495	6,518	226.46	170.12	143.40	212.11	166.95	140.22			
		GBC Die Set 3 Hole (Ring Binder)	001450MU	001450MU	001450MU	455	363	12.06	9.47	7.99	11.81	9.10	7.81			
		GBC Die Set 11 Hole (VeloBind)	001461MU	001461MU	001461MU	535	422	14.35	11.28	9.50	14.06	11.07	9.29			
		GBC Die Set 19 Hole (Central)	001452MU	001452MU	001452MU	1	138	4.35	3.42	2.88	4.46	3.42	2.88			
		GBC Die Set 21 Hole (Thin Loop Wire Z-1)	001453MU	001453MU	001453MU	535	422	14.35	11.28	9.50	14.06	11.07	9.29			
		GBC Die Set 32 Hole (Thin Loop Wire Z-1)	001464MU	001464MU	001464MU	535	422	14.35	11.28	9.50	14.06	11.07	9.29			
		GBC Die Set 14 Hole (Color Coil)	001455MU	001455MU	001455MU	435	342	14.35	11.28	9.50	14.06	11.07	9.29			
		GBC Pro 3 Hole HD Die Set	404415	404415	404415	990	835	27.73	21.79	18.37	27.17	21.39	17.96			
		GBC Pro 19 Hole HD Die Set	404416	404416	404416	990	835	27.73	21.79	18.37	27.17	21.39	17.96			
		GBC Pro 44 Hole HD Die Set	404417	404417	404417	1,760	1,485	49.32	38.76	32.67	48.33	38.04	31.95			
		GBC 32 Hole Pro Click Die Set	002493MU	002493MU	002493MU	535	422	14.35	11.28	9.50	14.06	11.07	9.29			
		Color Art MFP														
		Rich MP C300**/Savin C300**/Laminator LD130C**	415130	415130	415130	55,880	\$3,099	\$102.92	\$80.88	\$68.18	\$133.07	\$104.74	\$87.97			
		Rich MP C300**/Savin C300**/Laminator LD130C**/SR**	415131	415131	415131	55,880	\$3,099	\$102.92	\$80.88	\$68.18	\$133.07	\$104.74	\$87.97			
		Rich MP C400**/Savin C400**/Laminator LD140C**	415132	415132	415132	97,035	\$4,703	\$123.18	\$96.80	\$81.60	\$152.82	\$120.36	\$101.69			
		Rich MP C400**/Savin C400**/Laminator LD140C**/SR**	415130	415130	415130	57,540	\$3,013	\$133.27	\$104.74	\$88.29	\$162.81	\$128.15	\$107.83			
		ESP XG-PCS-150	004280MU	004280MU	004280MU	250	150	4.98	3.92	3.30	4.88	3.84	3.23			
		Network & Scan Connect - Seg B/C3	PS-NW50BCB3	PS-NW50BCB3	PS-NW50BCB3	300	187	13.52	10.62	8.95	13.24	10.42	8.76			
		Power Feed Unit L x 500**	415123	415123	415123	693	407	13.52	10.62	8.95	13.24	10.42	8.76			
		Power Feed Unit L x 500**	415122	415122	415122	293	167	7.05	5.47	4.59	7.05	5.47	4.59			
		FAC-9 Cabinet	415751	415751	415751	221	131	4.35	3.42	2.88	4.46	3.42	2.88			
		FAC10 Cabinet	415752	415752	415752	129	113	3.75	2.95	2.49	3.68	2.89	2.43			
		FAC15 Cabinet	415753	415753	415753	205	117	2.89	2.35	1.97	2.81	2.22	1.82			
		1 Bin Tray**	415124	415124	415124	336	188	5.58	4.35	3.59	6.44	5.07	4.26			
		Slide Tray**	415125	415125	415125	231	134	4.45	3.50	2.96	4.56	3.43	2.88			
		Print / Scan Options:														
		IEEE802.11a/g Wireless Type J	414008	414008	414008	593	317	10.53	8.27	6.97	10.32	8.12	6.82			
		Gigaset Ethernet Type B	414024	414024	414024	483	255	8.47	6.66	5.61	8.30	6.53	5.49			
		File Format Conversion Type E	414007	414007	414007	635	336	11.15	8.77	7.39	10.93	8.61	7.23			
		Fax Options:														
		Fax Option Type C400**	415126	415126	415126	977	571	18.96	14.90	12.56	18.98	14.53	12.28			
		32MB Memory 400MB/F	002342MU	002342MU	002342MU	235	120	2.61	2.20	1.85	2.56	2.15	1.86			
		Hardset Type 1011**	410781	410781	410781	71	38	1.32	1.04	0.84	1.24	0.97	0.82			
		Additional Options:														
		Copy Data Security Unit Type F	413985	413985	413985	746	401	12.35	9.87	8.82	12.05	10.27	8.63			
		Optional Connector Interface Unit Type A	413012	413012	413012	65	34	1.13	0.89	0.75	1.11	0.87	0.73			
		DNA Overview Security Unit Type H (regul v416373)	414002	414002	414002	410	217	7.21	5.86	4.77	7.06	5.56	4.67			
		Embedded Hardset Type E	413522	413522	413522	1,014	628	20.04	15.88	13.42	20.04	15.88	13.42			
		1 Year HotSpot Service Subscription Extension	006174MU	006174MU	006174MU	595	339	11.25	8.85	7.46	11.03	8.68	7.29			
		2 Year Subscription Service Extension	003973MU	003973MU	003973MU	950	838	27.87	21.87	18.44	27.27	21.46	18.03			
		3 Year HotSpot Service Subscription Extension	004813MU	004813MU	004813MU	1,360	1,003	38.36	29.88	22.07	38.36	29.88	22.07			
		4 Year HotSpot Service Subscription Extension	004814MU	004814MU	004814MU	1,700	1,290	42.84	33.67	28.38	41.98	33.04	27.75			
		31 BW / 31 Color	1600 b/w / 400 color	MP C305SP**/MP C305SP**/MP C305SP**	416011	416011	416011	\$4,420	\$2,762	\$89.73	\$70.52	\$59.44	\$108.61	\$79.19	\$66.51	\$0.01 b/w / \$0.01 color
		ESP XG-PCS-150	004280MU	004280MU	004280MU	280	150	4.98	3.92	3.30	4.88	3.84	3.23			
		Network & Scan Connect - Seg B/C3	PS-NW50BCB3	PS-NW50BCB3	PS-NW50BCB3	350	187	13.52	10.62	8.95	13.24	10.42	8.76			
		MP C305 Low Cabinet	100469FNG	100469FNG	100469FNG	276	122	4.45	3.58	2.89	3.97	3.12	2.62			
		MP C305 Medium Cabinet	100469FNG	100469FNG	100469FNG	288	129	4.25	3.30	2.84	4.20	3.30	2.78			
		MP C305 High Cabinet	100470FNG	100470FNG	100470FNG	311	134	4.45	3.50	2.95	4.36	3.43	2.88			
		Power Feed Unit PR2100	416017	416017	416017	620	273	7.05	5.47	4.59	7.05	5.47	4.59			
		1 Bin Tray BN1010	416018	416018	416018	280	120	3.99	3.13	2.64	3.90	3.07	2.58			
		HDD Option Type C305	416126	416126	416126	370	161	3.54	2.54	2.34	5.24	4.12	3.46			
		Print / Scan Options:														
		IEEE802.11a/g Wireless Type J	414008	414008	414008	593	317	10.53	8.27	6.97	10.32	8.12	6.82			
		Gigaset Ethernet Board Type A	402547	402547	402547	357	223	7.41	5.82	4.91	7.26	5.71	4.80			
		IEEE 1284 Interface Type A	411899	411899	411899	54	141	1.19	0.74	1.76	1.38	1.16	0.88			
		Bluetooth Interface Type D	415818	415818	415818	630	263	8.75	6.86	5.79	8.56	6.74	5.66			
		SD Card for NetWare Printing Type J	416127	416127	416127	200	86	2.86	2.24	1.89	2.80	2.20	1.85			
		Browser Unit Type H	416131	416131	416131	175	159	1.95	1.56	1.48	2.44	1.92	1.61			
		Unicode Font Package for SAP - 1 Device License	413009	413009	413009	350	350	11.62	9.14	7.70	11.41	8.98	7.54			
		Unicode Font Package for														

[illegible]

47			Alicia SP S205SHW** Alicia SP S205SHW** Alicia SP S205SHW	407185	407185	407185	\$3,699	\$2,678	\$86.94	\$69.90	\$58.92	\$96.72	\$76.13	\$83.94
47			Alicia SP S205SHW** Alicia SP S205SHW** Alicia SP S205SHW	407186	407186	407186	\$3,499	\$2,646	\$87.87	\$69.06	\$58.21	\$95.68	\$75.33	\$82.25
52			Alicia SP S210SHW** Alicia SP S210SHW** Alicia SP S210SHW	407187	407187	407187	\$4,719	\$3,367	\$111.92	\$87.88	\$74.07	\$115.14	\$93.77	\$78.76
52			Alicia SP S210SHW** Alicia SP S210SHW** Alicia SP S210SHW	407188	407188	407188	\$4,519	\$3,334	\$111.92	\$87.87	\$73.35	\$114.06	\$92.93	\$78.05
			ESP XG PCS-SD											
			Network & Scan - Printer	PS-NWSC3B3	PS-NWSC3B3	PS-NWSC3B3	260	150	4.98	3.92	3.30	4.88	3.84	3.23
			Paper Feed Unit TK1209L**	407193	407193	407193	410	343	11.39	8.95	7.95	11.16	8.79	7.38
			Paper Feed Unit TK1209T**	407194	407194	407194	110	343	11.32	8.93	7.90	11.10	8.73	7.34
			Paper Feed Unit TK1209T**	406999	406999	406999	310	827	24.09	15.00	9.48	30.99	15.00	9.38
			Paper Feed Unit TK1301L**	407195	407195	407195	435	369	12.32	9.60	8.12	12.01	9.45	7.94
			Paper Feed Unit TK1301T**	407196	407196	407197	535	369	12.19	9.58	8.07	11.94	9.40	7.90
			Paper Feed Unit TK1301L with Caster**	406860	406860	406860	807	270	6.00	7.05	6.79	6.92	6.80	6.81
			Tal Cabinet Type C	10046FNG	10046FNG	10046FNG	210	124	4.12	3.24	2.73	4.03	3.18	2.67
			Medium Cabinet Type C	10046FNG	10046FNG	10046FNG	200	120	3.99	3.13	2.64	3.90	3.07	2.58
			Additional Options											
			Fax Option Type SP1200**	406994	406994	406994	340	275	9.33	7.18	6.05	8.96	7.04	5.92
			IEEE802.11b Wireless Type J	414008	414008	414008	593	317	10.53	8.27	6.97	10.32	8.12	6.82
			Gigaset Ethernet Board Type C	406914	406914	406914	340	234	7.77	6.11	5.15	7.63	5.99	5.03
			Bluetooth Interface Unit Type D	415018	415018	415018	630	263	8.73	6.86	5.79	8.56	6.74	5.66
			2GB Memory 4000S4F	001343MU	001343MU	001343MU	220	161	2.20	1.61	1.35	2.16	1.56	1.21
			Data Overwrite Security Unit Type J	416372	416372	416372	330	236	7.84	6.16	5.19	7.68	6.04	5.08
			@Remote Office	415135	415135	415135	889	712	24.07	19.30	16.30	24.07	19.30	16.30
			Browser Unit Type E	414715	414715	414715	44	146	1.45	1.13	0.97	1.43	1.13	0.95
			File Format Converter Type A	414007	414007	414007	635	336	11.16	8.77	7.39	10.93	8.61	7.23
			PDF Option Type S210	406816	406816	406816	625	560	18.93	15.18	12.82	19.11	15.32	12.94
			Handset Type 101T**	410781	410781	410781	38	71	1.26	0.99	0.84	1.24	0.97	0.82
			Optional Control Interface Unit Type A	413032	413032	413032	65	34	1.13	0.89	0.75	1.11	0.87	0.73
			Embedded Host Unit Type A	415022	415022	415022	1,024	495	15.11	11.88	10.01	14.83	11.65	9.79
			1 Year Hostport Service Subscription Extension	000114MU	000114MU	000114MU	339	126	1.26	0.85	0.74	1.68	1.28	0.95
			2 Year Subscription Service Extension	003387MU	003387MU	003387MU	590	838	27.83	21.87	18.44	27.27	21.46	18.03
			3 Year Hostport Service Subscription Extension	004833MU	004833MU	004833MU	1,350	1,009	33.31					

###	60 to120	25000 b&w / 25000 color	Ricoh H09000 iSavin 3590NDP iLanier DD280	243002	243002	243002	\$19,535	\$9,651	\$320.51	\$251.89	\$212.32	\$325.95	\$257.34	\$216.14	\$100 Monthly Plan Includes 50,000 Copies Excess Charge \$0.0020 Supplies Not Included
###			Network & Scan Connect - Seg BC3	PS-NWSSCB3	PS-NWSSCB3	PS-NWSSCB3	350	-							
###			TC-Hi Two Color Production Printer	243009	243009	243009	8,395	4,665	154.92	121.76	102.63	151.81	119.49	100.36	\$8,000
###			DP Unit Type 454P*	243155	243155	243155	686	273.17	17.89	15.09	17.89	22.32	14.76		\$6,000
###			Platen Cover Type 1018	412524	412524	412524	105	97	1.89	1.49	1.25	1.85	1.46	1.23	
###			Type 55 Cabinet	205882	205882	205882	320	141	4.68	3.68	3.10	4.59	3.61	3.03	
###			Cabinet for TC-II	205881	205881	205881	320	159	5.28	4.15	3.50	5.17	4.07	3.42	
###			IEEE1284 Parallel Interface	205870	205870	205870	386	196	6.51	5.12	4.31	6.38	5.02	4.22	
###			IEEE 802.11b Interface Unit Type N	406798	406798	406798	425	287	9.53	7.49	6.31	9.34	7.35	6.17	
###			PostScript 3 Based Type 1	205879	205879	205879	1,435	760	25.37	20.36	17.16	25.37	19.98	16.76	
###			Extension HDD Unit Type C	243149	243149	243149	908	428	14.21	11.17	9.42	13.93	10.96	9.21	
###			SelfPrint Drum Type 90 L	100016FNG	100016FNG	100016FNG	2,040	1,351	44.87	35.26	29.72	43.96	34.60	29.06	
###			128MB DIMM	001179MU	001179MU	001179MU	387	170	5.65	4.44	3.63	5.65	4.35	3.56	
###			256MB DIMM	001180MU	001180MU	001180MU	475	202	6.71	5.27	4.44	6.57	5.17	4.35	
###			Color Drum (L) Type 90	205868	205868	205868	1,379	823	27.33	21.48	18.11	26.78	21.08	17.71	
###			Color Drum (S) Type 90	205869	205869	205869	1,375	823	27.33	21.48	18.11	26.78	21.08	17.71	
###															
###	4.0	585	Ricoh FW70 WIF/iSavin 7700W WIF iLanier W110 WIF	412623	412623	412623	\$6,027	\$3,094	\$102.75	\$80.76	\$68.07	\$107.13	\$84.32	\$70.82	\$20 / Month 300 ft. Included
###	4.0	585	Ricoh FW70 WIF/iSavin 7700W WIF iLanier W111 WIF	412626	412626	412626	\$8,232	\$4,219	\$140.11	\$110.12	\$92.82	\$143.74	\$113.14	\$95.02	\$20 / Month 300 ft. Included
###			Network & Scan	PS-CONN-WFC	PS-CONN-WFC	PS-CONN-WFC	490	-							Excess Charge \$0.0679 Per Foot
###			1 Roll Feeder	412629	412629	412629	2,200	1,403	46.59	36.62	30.87	45.66	35.94	30.18	\$11,000
###			2 Roll Feeder	412631	412631	412631	3,500	2,230	74.06	58.20	48.06	72.57	57.12	47.87	\$18,000
###			Copy Stacker	412636	412636	412636	317	202	6.71	5.27	4.44	6.57	5.17	4.35	
###			Roll Cutting Rail Type 770	410862	410862	410862	221	132	4.38	3.45	2.90	4.30	3.38	2.84	
###			Site Guide Type 770	412634	412634	412634	48	25	0.83	0.65	0.56	0.84	0.64	0.54	
###			Roll Holder Type A	410844	410844	410844	163	78	2.59	2.04	1.72	2.54	2.00	1.68	
###			Table Type 770	412635	412635	412635	420	275	9.13	7.18	6.08	8.95	7.04	5.92	
###															
###	1,770		Ricoh MP W3601iSavin 3406WDLanier LW426	415432	415432	415432	\$13,495	\$6,794	\$225.83	\$177.32	\$148.47	\$230.76	\$181.63	\$152.55	\$98 / Month 1600 ft. Included
###			Network & Scan	PS-CONN-WFC	PS-CONN-WFC	PS-CONN-WFC	490	-							Excess Charge \$0.0616 Per Foot
###			Roll Feeder Type 3601A	415435	415435	415435	2,627	1,349	44.80	35.21	29.68	43.90	34.55	29.02	
###			Roll Feeder Type 3601B	415438	415438	415438	3,600	2,048	68.01	53.45	45.06	66.65	52.46	44.06	
###			Table Type 240	413711	413711	413711	977	503	13.13	11.07	9.37	13.07	10.88	9.12	
###			Paper Cassette Type 240	412708	412708	412708	462	242	8.04	6.32	5.32	7.88	6.20	5.21	
###			Rear Stacker	413718	413718	413718	410	207	6.87	5.40	4.55	6.74	5.30	4.45	
###			Roll Holder Type A	410844	410844	410844	163	78	2.59	2.04	1.72	2.54	2.00	1.68	
###			Printer Option Type W3601	415441	415441	415441	3,174	1,614	53.60	42.13	35.51	52.52	41.34	34.72	
###			Scanner Option Type W3601	415444	415444	415444	2,118	1,076	38.73	28.88	23.67	35.02	27.36	23.15	
###			File Format Converter Type F	415506	415506	415506	582	327	8.56	7.19	6.06	8.56	7.03	5.86	
###			VM Card Type E	403032	403032	403032	142	73	2.42	1.91	1.61	2.38	1.87	1.57	
###			Digital Ethernet Type B	414004	414004	414004	480	255	8.47	6.86	5.61	8.30	6.63	5.49	
###			IEEE802.11a/g Wireless Type J	414008	414008	414008	593	317	10.53	8.27	6.97	10.32	8.12	6.82	
###			USB 2.0/SD Slot TypeE	415457	415457	415457	320	76	2.52	1.98	1.67	2.47	1.95	1.63	
###	13,800	70,000	Ricoh Aficio MP W5100enSavin en1500WDLanier LW5100en	416313	416313	416313	\$34,900	\$16,782	\$557.33	\$438.01	\$369.20	\$556.77	\$437.44	\$367.41	\$357 / Month 800 ft. Included
###			Ricoh Aficio MP W7100enSavin en1740WDLanier LW71040en	416315	416315	416315	\$45,149	\$21,674	\$719.79	\$565.69	\$476.83	\$714.96	\$562.74	\$472.65	\$357 / Month 800 ft. Included
###			Network & Scan	PS-CONN-WFC	PS-CONN-WFC	PS-CONN-WFC	490	-							Excess Charge \$0.0238 Per Foot
###			Scanner Option Type w7104en	416319	416319	416319	1,353	775	25.74	20.23	17.06	25.22	19.85	16.67	
###			Printer Option Type T140en	416317	416317	416317	2,946	1,547	39.86	31.45	26.02	39.86	31.45	26.02	
###			USB 2.0/SD Slot Type I	416321	416321	416321	396	167	5.55	4.36	3.67	5.43	4.29	3.59	
###			Roll Feeder Type 140	406291	406291	406291	3,149	1,399	46.46	36.51	30.78	45.53	35.83	30.10	
###			Paper Cassette Type 140	406294	406294	406294	2149	1,399	46.46	36.51	30.78	45.53	35.83	30.10	
###			Scanner Separation Unit Type 140	406304	406304	406304	5,670	2,518	83.62	65.72	55.40	81.94	64.50	54.17	
###			MultiStacker Type 140	406305	406305	406305	2,017	895	29.76	23.39	19.71	29.16	22.95	19.28	
###			OriginalCopy Catch Tray	410842	410842	410842	719	367	12.19	9.58	8.07	11.94	9.40	7.90	
###			Roll Holder Type A	410844	410844	410844	163	78	2.59	2.04	1.72	2.54	2.00	1.68	
###			Original Hanger	413717	413717	413717	390	207	6.87	5.40	4.55	6.74	5.30	4.45	
###			Digital Ethernet Type B	414004	414004	414004	480	255	8.46	6.86	5.61	8.30	6.63	5.49	
###			IEEE802.11a/g Wireless Type J	414008	414008	414008	593	317	10.53	8.27	6.97	10.32	8.12	6.82	
###			Browser Unit Type D	414173	414173	414173	89	47	1.56	1.23	1.03	1.53	1.20	1.01	
###			IEEE 1284 Interface Type A	411699	411699	411699	110	54	1.79	1.41	1.19	1.76	1.38	1.16	
###															
###	1,772		Ricoh SP W2470 WIF/iSavin 2404WDF WFLanier P124W WIF	413956	413956	413956	\$10,091	\$5,948	\$197.53	\$155.24	\$130.96	\$203.23	\$159.96	\$134.35	\$106 / Month 1,600 ft. Included
###			Network & Scan	PS-CONN-WFC	PS-CONN-WFC	PS-CONN-WFC	490	-							Excess Charge \$0.0650 Per Foot
###			Network Interface Board Type GX3a	405569	405569	405569	100	85	2.86	2.24	1.89	2.86	2.20	1.85	
###			Roll Feeder Type 240B	412705	412705	412705	3,528	2,045	65.01	53.45	45.06	65.01	52.45	44.06	
###			Paper Cassette Type 240	412708	412708	412708	462	242	8.04	6.32	5.32	7.88	6.20	5.21	
###			Rear Stacker	413718	413718	413718	410	207	6.87	5.40	4.55	6.74	5.30	4.45	
###			Roll Holder Type A	410844	410844	410844	163	78	2.59	2.04	1.72	2.54	2.00	1.68	
###			Digital Ethernet Type A	405547	405547	405547	357	223	7.41	5.82	4.91	7.26	5.71	4.80	
###			IEEE 802.11b Interface Unit Type I*	400017	400017	400017	405	275	9.13	7.18	6.06	8.95	7.04	5.92	
###			DataOverwrite/SecurityType Dn	415600	415600	415600	247	133	4.42	3.59	2.97	4.42	3.59	2.97	
###			DataOverwrite/SecuritySystem (DOSS) Type D	412152	412152	412152	441	221	7.34	5.77	4.86	7.19	5.66	4.75	
###			Wide Format Color Scanner Upgrade Key	100279FNG	100279FNG	100279FNG	4,725	2,858	94.91	74.59	62.88	93.01	73.20	61.48	
###			Wide Format Color Scanner	100117FNG	100117FNG	100117FNG	7,172	4,500	235.87	189.65	163.00	231.52	186.49	159.83	
###															
###			Hard Drive Security Services												
###			HD Burner	005777MU	005777MU	005777MU	350	350	11.83	9.49	8.02	11.39	8.96	7.53	
###			HD Secure Initail	005778MU	005778MU	005778MU	120	120	4.06	3.25	2.75	3.91	3.07	2.58	
###															
###			HOTSPOT MFP OPTIONS												
###			Embedded HotSpot Type B	415619	415619	415619	975	447	14.84	11.67	9.83	14.55	11.45	9.62	
###			Embedded HotSpot Type C	415616	415616	415616	1,024	450	14.94	11.75	9.90	14.64	11.54	9.68	
###			Embedded HotSpot Type S	415622	415622	415622	1,024	450	15.11	11.88	10.04	14.81	11.69	9.77	
###			Network & PrintOn Setup	415620	415620	415620	664	358	11.08	8.95	7.61	11.08	8.95	7.61	
###			PS-EMB-HS	S-CONN-HOTSPC	S-CONN-HOTSPC	S-CONN-HOTSPC	295	-							
###			3 Year HotSpot Service Subscription Extension	004813MU	004813MU	004813MU	1,350	1,003	33.31	26.18	22.07	32.64	25.69	21.58	
###			4 Year HotSpot Service Subscription Extension	004814MU	004814MU	004814MU	1,700	1,290	42.84	33.67	28.38	41.98	33.04	27.75	
###															
###			ESP POWER FILTERS												
###			15 Amp Power Filter	002656MU	002656MU	002656MU	150	88	2.92	2.30	1.94	2.86	2.25	1.89	

###			PPDMv2, 1000 Seat License w/ 1 Year of M&S	000213MUJ	000213MUJ	000213MUJ	220.036	180.829	6,112.02	4,900.47	4,140.98	6,112.02	4,900.47	4,140.98
###			1 Seat, Additional Year M & S, PPDMv2	000214MUJ	000214MUJ	000214MUJ	30	30	1.01	0.81	0.69	1.01	0.81	0.69
###			5 Seat, Additional Year M & S, PPDMv2	000215MUJ	000215MUJ	000215MUJ	129	129	4.36	3.50	2.95	4.36	3.50	2.95
###			25 Seat, Additional Year M & S, PPDMv2	000216MUJ	000216MUJ	000216MUJ	611	611	20.65	16.55	13.99	20.65	16.55	13.99
###			50 Seat, Additional Year M & S, PPDMv2	000217MUJ	000217MUJ	000217MUJ	1,157	1,157	39.11	31.35	26.50	39.11	31.35	26.50
###			100 Seat, Additional Year M & S, PPDMv2	000218MUJ	000218MUJ	000218MUJ	2,186	2,186	73.89	59.24	50.06	73.89	59.24	50.06
###			250 Seat, Additional Year M & S, PPDMv2	000219MUJ	000219MUJ	000219MUJ	5,143	5,143	173.83	139.38	117.77	173.83	139.38	117.77
###			500 Seat, Additional Year M & S, PPDMv2	000220MUJ	000220MUJ	000220MUJ	9,644	9,644	325.97	261.35	220.85	325.97	261.35	220.85
###			1000 Seat, Additional Year M & S, PPDMv2	000221MUJ	000221MUJ	000221MUJ	18,002	18,002	608.47	487.85	412.25	608.47	487.85	412.25
###			PPDMv2 Upgrade from PPDMv1, 5 Seat License w/ 1 Year M&S	000362MUJ	000362MUJ	000362MUJ	1,126	1,006	34.00	27.36	23.04	34.00	27.36	23.04
###			PPDMv2 Hardware 4 Pack Bundle w/ 1 year M&S	000375MUJ	000375MUJ	000375MUJ	913	816	27.58	22.11	18.69	27.58	22.11	18.69

[illegible]

M&S Renewals for eCopy PDF Pro Office															
###	PDF Pro Office - 5 pack - 1 Yr Add-on M&S	000165MU	000165MU	000165MU	150	120	4.06	3.25	2.75	4.06	3.25	2.75	4.06	3.25	2.75
###	PDF Pro Office - 10 pack - 1 Yr Add-on M&S	000166MU	000166MU	000166MU	300	240	8.12	6.50	5.50	8.12	6.50	5.50	8.12	6.50	5.50
###	PDF Pro Office - 20 pack - 1 Yr Add-on M&S	000167MU	000167MU	000167MU	599	480	16.22	13.01	10.99	16.22	13.01	10.99	16.22	13.01	10.99
###	PDF Pro Office - Volume Pricing - 50 to 999 seats, 1 Yr Add	000168MU	000168MU	000168MU	25	20	0.68	0.54	0.46	0.68	0.54	0.46	0.68	0.54	0.46
###	PDF Pro Office - Volume Pricing - 450 to 1999 seats, 1 Yr Add	000169MU	000169MU	000169MU	24	20	0.68	0.54	0.46	0.68	0.54	0.46	0.68	0.54	0.46
###	PDF Pro Office - Volume Pricing - 2000 to 9999 seats, 1 Yr Add	000170MU	000170MU	000170MU	22	18	0.61	0.49	0.41	0.61	0.49	0.41	0.61	0.49	0.41
###	PDF Pro Office - Volume Pricing - 4500 to 9999 seats, 1 Yr Add	000171MU	000171MU	000171MU	21	17	0.57	0.46	0.39	0.57	0.46	0.39	0.57	0.46	0.39
###	PDF Pro Office - Volume Pricing - 10000+ seats, 1 Yr Add-on	000172MU	000172MU	000172MU	20	16	0.54	0.43	0.37	0.54	0.43	0.37	0.54	0.43	0.37
GlobalScan NX V2.0 MFP License - Server & Services															
###	GlobalScan NX V2 S MFP License	420656	420656	420656	600	498	14.80	11.87	10.03	14.86	11.99	11.99	10.03	14.86	11.99
###	GlobalScan NX V2 S MFP License	420657	420657	420657	2,340	1,914	57.04	46.04	39.04	57.04	46.04	39.04	57.04	46.04	39.04
###	GlobalScan NX V2 S MFP License	420658	420658	420658	7,200	5,760	172.02	142.41	120.34	174.00	143.83	125.54	174.00	143.83	125.54
###	GlobalScan NX V2 S MFP License	420659	420659	420659	10,500	7,663	259.61	207.67	175.48	261.60	209.74	177.24	261.60	209.74	177.24
###	GlobalScan NX V2 S MFP License	420660	420660	420660	14,220	10,964	358.69	286.95	240.87	358.69	286.95	240.87	358.69	286.95	240.87
###	GlobalScan NX V2 300 MFP License	420661	420661	420661	36,000	26,723	888.03	712.01	601.65	886.91	715.12	607.67	886.91	715.12	607.67
###	GlobalScan NX V2 350 MFP License	420662	420662	420662	45,000	36,126	1,121.03	910.01	727.29	1,123.27	908.80	735.56	1,123.27	908.80	735.56
###	GlobalScan NX V2 500 MFP License	420663	420663	420663	60,000	48,168	1,480.03	1,184.68	949.02	1,486.04	1,198.52	952.76	1,486.04	1,198.52	952.76
###	GlobalScan NX V2 550 MFP License	420664	420664	420664	75,000	54,738	1,890.08	1,483.35	1,253.45	1,888.58	1,498.18	1,265.99	1,888.58	1,498.18	1,265.99
###	GlobalScan NX V2 550 MFP License	420665	420665	420665	135,000	96,324	3,150.11	2,517.00	2,226.50	3,163.41	2,496.70	2,278.76	3,163.41	2,496.70	2,278.76
###	GlobalScan NX V2 750 MFP License	420666	420666	420666	195,000	142,312	4,725.16	3,856.66	3,286.26	4,740.23	3,865.22	3,286.26	4,740.23	3,865.22	3,286.26
GS NX V2.0 Server Products															
###	GlobalScan NX V2 Server S	420648	420648	420648	750	540	18.96	14.88	12.57	18.74	15.03	12.70	18.74	15.03	12.70
###	GlobalScan NX V2 Server 32	420650	420650	420650	1,700	1,241	41.35	33.63	28.42	42.37	33.97	28.70	42.37	33.97	28.70
###	GlobalScan NX V2 Server750	420651	420651	420651	7,500	5,474	186.02	148.35	125.35	186.67	149.83	126.61	186.67	149.83	126.61
GS NX V2.0 Server 32 Options															
###	GlobalScan NX Kernels Option	420321	420321	420321	1,000	768	25.96	20.81	17.59	25.96					

	GlobalScan NX ScanRoute/GlobalScan v1.X, 2.X & 3.X Upgrade. (NOTE: Server Upg											
		420325	420325	420325	360	330	11.15	8.94	7.56	11.15	8.94	7.56
	GlobalScan NX 1 MPP Upgrade	420325	420325	420325	1,710	1,570	15,037	42,315	35,95	53,07	42,55	35,95
	GlobalScan NX 15 MPP Upgrade	420327	420327	420327	1,130	1,064	10,779	27,42	90.78	40,77	41,33	79.78
	GlobalScan NX 25 MPP Upgrade	420328	420328	420328	6,300	4,839	165,56	131.14	101.81	163,56	131.14	101.81
	GlobalScan NX 50 MPP Upgrade	420329	420329	420329	11,700	8,866	303.73	243.92	208.78	303.73	243.92	208.78
	GlobalScan NX 100 MPP Upgrade	420330	420330	420330	21,600	16,601	659.62	379.83	300.73	659.62	379.83	300.73
	GlobalScan NX 150 MPP Upgrade	420331	420331	420331	29,700	22,813	771.08	618.23	522.42	771.08	618.23	522.42
	GlobalScan NX 200 MPP Upgrade	420332	420332	420332	30,000	27,653	934.67	749.40	633.25	934.67	749.40	633.25
	GlobalScan NX 250 MPP Upgrade	420333	420333	420333	44,966	33,952	1,117.29	794.66	659.33	1,117.29	794.66	659.33
	GlobalScan NX 1 MPP Pack 1 Yr M&S Add-on	050808MU	050808MU	050808MU	96	77	2.60	2.09	1.76	2.60	2.09	1.76
	GlobalScan NX 1 MPP Pack 1 Yr M&S Add-on	050809MU	050809MU	050809MU	456	365	12.34	9.89	8.36	12.34	9.89	8.36
	GlobalScan NX 15 MPP Pack 1 Yr M&S Add-on	050810MU	050810MU	050810MU	1,130	872	11.99	21.11	31.99	11.99	21.11	31.99
	GlobalScan NX 25 MPP Pack 1 Yr M&S Add-on	050811MU	050811MU	050811MU	1,680	1,344	46.43	36.42	30.78	46.43	36.42	30.78
	GlobalScan NX 50 MPP Pack 1 Yr M&S Add-on	050812MU	050812MU	050812MU	3,420	2,496	106.67	57.16	46.36	106.67	57.16	46.36
	GlobalScan NX 100 MPP Pack 1 Yr M&S Add-on	050813MU	050813MU	050813MU	4,320	3,240	146.02	117.07	98.93	146.02	117.07	98.93
	GlobalScan NX 150 MPP Pack 1 Yr M&S Add-on	050814MU	050814MU	050814MU	7,425	5,940	200.77	160.94	130.07	200.77	160.94	130.07
	GlobalScan NX 200 MPP Pack 1 Yr M&S Add-on	050815MU	050815MU	050815MU	10,000	7,200	243.36	195.12	164.86	243.36	195.12	164.86
	GlobalScan NX 250 MPP Pack 1 Yr M&S Add-on	050816MU	050816MU	050816MU	15,000	10,500	390.00	296.10	204.10	390.00	296.10	204.10
	GlobalScan NX 500 MPP Pack 1 Yr M&S Add-on	050817MU	050817MU	050817MU	20,250	16,200	547.50	430.02	378.00	547.50	430.02	378.00
	GlobalScan NX 750 MPP Pack 1 Yr M&S Add-on	050821MU	050821MU	050821MU	29,250	22,400	790.92	634.14	535.86	790.92	634.14	535.86
	GlobalScan NX Server 21 Yr M&S Add-on	050822MU	050822MU	050822MU	731	591	4.99	3.91	3.27	731	591	3.27
	GlobalScan NX Server 750 Yr 1 Yr M&S Add-on	050820MU	050820MU	050820MU	1,200	900	32.45	26.04	21.92	32.45	26.02	21.92
	GlobalScan NX Server 750 Yr 1 Yr M&S Add-on	050821MU	050821MU	050821MU	1,200	900	32.45	26.04	21.92	32.45	26.02	21.92
	GlobalScan NX Server 32 Failover Plug-in 1 Yr M&S Add-on	050822MU	050822MU	050822MU	192	154	5.21	4.17	3.53	5.21	4.17	3.53
	GlobalScan NX Server 32 RightFax Plug-in 1 Yr M&S Add-on	050823MU	050823MU	050823MU	192	154	5.21	4.17	3.53	5.21	4.17	3.53
	GlobalScan NX Server 32 Barcode Plug-in 1 Yr M&S Add-on	050824MU	050824MU	050824MU	192	154	5.21	4.17	3.53	5.21	4.17	3.53
	GlobalScan NX Server 32 SharePoint Plug-in 1 Yr M&S Add-on	050825MU	050825MU	050825MU	192	154	5.21	4.17	3.53	5.21	4.17	3.53
	GlobalScan NX Server 32 Holddex Plug-in 1 Yr M&S Add-on	050826MU	050826MU	050826MU	192	154	5.21	4.17	3.53	5.21	4.17	3.53
	GlobalScan NX Server 32 Document M&											

	Optional Products and Services												
	Digital Content Export Service 3GB	\$02021M1U	\$02021M1U	\$02023M1U	295	216	7.30	5.85	4.95	7.30	5.85	4.95	
	Digital Content Data Export Service 10GB	\$02022M1U	\$02022M1U	\$02023M1U	295	216	24.51	19.61	16.53	24.51	19.61	16.53	
	Digital Content Data Export Service 11-25GB	\$02020M1U	\$02020M1U	\$02030M1U	2,495	1,819	61.40	49.20	41.66	61.40	49.20	41.66	
	Digital Content Create Prof. Services 1 Day	\$04080M1U	\$04080M1U	\$04080M1U	3,000	3,000	10.40	81.30	66.70	10.40	81.30	66.70	
	Digital Content Create Prof. Services 2 day	\$04080M1U	\$04080M1U	\$04080M1U	3,000	3,000	114.00	909.00	729.00	114.00	909.00	729.00	
	Digital Content Create Prof. Services 3 day	\$04080M1U	\$04080M1U	\$04080M1U	6,000	6,000	202.80	1652.62	137.40	202.80	1652.62	137.40	
	Digital Content Remote Professional Srv. + H&R	\$03033M1U	\$03033M1U	\$03033M1U	1,200	1,200	40.00	32.62	27.48	40.00	32.62	27.48	
	Digital Content Remote Professional Srv. + L&A	\$03033M1U	\$03033M1U	\$03033M1U	1,200	1,200	20.28	16.26	13.14	20.28	16.26	13.14	
	Digital Content Remote Per Hour Support for Unltd Agent Or Client	\$03033M1U	\$03033M1U	\$03033M1U	150	147	4.97	3.98	3.37	4.97	3.98	3.37	
	Digital Content On Site Support - 4 Hours	\$03033M1U	\$03033M1U	\$03033M1U	950	933	33.54	25.21	21.37	33.54	25.21	21.37	
	Document Mail for Salespeople												
	Digital Content Advanced SMB	\$00510M1U	\$00510M1U	\$00510M1U	2,500	2,361	79.46	63.71	53.84	79.46	63.71	53.84	
	Digital Content MFP Browser Add-on	\$00510M1U	\$00510M1U	\$00510M1U	99	93	3.34	2.52	2.13	3.34	2.52	2.13	
	Barcode & OCR Package for SAP R/3												
	Barcode OCR for SAP R/3 HDI	411612	411612	411612	250	158	5.34	4.28	3.62	5.34	4.28	3.62	
	BspCode OCR for SAP R/3 DMM	411611	411611	411611	300	208	7.03	5.64	4.76	7.03	5.64	4.76	
	BOP Barcode - SD Card Type I	100273FNG	100273FNG	100273FNG	250	200	6.76	5.42	4.58	6.76	5.42	4.58	
	BOP Barcode - SD Card Type C	100274FNG	100274FNG	100274FNG	250	200	6.76	5.42	4.58	6.76	5.42	4.58	
	SAP BOP - SD Card	100006FNG	100006FNG	100006FNG	250	211	7.13	5.72	4.83	7.13	5.72	4.83	
	Intelligent Barcode Solution	\$02232M1U	\$02232M1U	\$02232M1U	398	328	11.77	8.84	7.51	11.77	8.84	7.51	
	Print/Cabinet												
	PCC Integration Option for PCIMB	\$01514M1U	\$01514M1U	\$01514M1U	695	437	14.09	11.04	9.01	14.77	11.84	10.01	
	PCC Integration Option for PCIMMB	\$01514M1U	\$01514M1U	\$01514M1U	695	437	14.09	11.04	9.01	14.77	11.84	10.01	
	Print and Copy Control V3 & V4, 1 MPP Pack	\$02913M1U	\$02913M1U	\$02913M1U	788	622	21	17	14	21	17	14	
	Print and Copy Control V3 & V4, 100 MPP Pack	\$02914M1U	\$02914M1U	\$02914M1U	6,320	5,019	189	135	115	189	135	115	
	Print and Copy Control V3 & V4, 100 MPP Pack Plus	\$02914M1U	\$02914M1U	\$02914M1U	11,388	9,089	318	182	137	318	182	137	
	Print and Copy Control V3 & V4, 500 MPP Pack	\$02916M1U	\$02916M1U	\$02916M1U	216,610	171,413	5,794	4,465	3,925	5,794	4,465	3,925	
	Print and Copy Control V2 to V3 & V4 Upgrade License	\$02917M1U	\$02917M1U	\$02917M1U	325	264	9	7	6	9	7	6	
	PCC USB Card Reader (Magstripe)	\$03554M1U	\$03554M1U	\$03554M1U	320	259	7	6	5	7	6	5	
	PCC USB Card Reader (Hiare/HCE Class)	\$03554M1U	\$03554M1U	\$03554M1U	500	404	14	11	9	14	11	9	
	PCC USB Card Reader (Logic)	\$03554M1U	\$03554M1U	\$03554M1U	675	545	18	15	12	18	15	12	
	PCC USB Card Reader (HID)	\$03554M1U	\$03554M1U	\$03554M1U	900	744	24	18	11	24	18	11	
	PCC USB Card Reader (IndustriaE Main/Hedge)	\$04323M1U	\$04323M1U	\$04323M1U	500	404	14	11	9	14	11	9	
	EQUIP Office 4 & Express 4 Software												

Copy of State of Ohio Price Schedule 8-14-12.xls

###	###	###	PCSD Analysis, 1000 Seat Annual Maint	10035PFG	10035PFG	10035PFG	1,520	1,366	46.17	37.02	31.28	46.17	37.02	31.28	\$2310 Per Year
###	###	###	PCSD Analysis, 2500 Seat Annual Maint	10035JFNG	10035JFNG	10035JFNG	2,569	2,296	77.60	62.22	52.58	77.60	62.22	52.58	\$3750 Per Year
###	###	###	PCSD Analysis, 5000 Seat Annual Maint	10035ZPFG	10035ZPFG	10035ZPFG	3,988	3,565	120.50	96.61	81.64	120.50	96.61	81.64	\$4800 Per Year
###	###	###	PCSD Analysis, 10000 Seat Annual Maint	10035ZJNG	10035ZJNG	10035ZJNG	5,138	4,593	155.24	124.47	105.18	155.24	124.47	105.18	\$8400 Per Year
###	###	###	PCSD Analysis, 20000 Seat Annual Maint	100354FNG	100354FNG	100354FNG	7,301	6,528	220.65	176.91	149.49	220.65	176.91	149.49	\$1260 Per Year
###	###	###	PCSD 6 Analysis & Rules, 5 Seat Annual Maint	100355PFG	100355PFG	100355PFG	69	62	2.10	1.68	1.42	2.10	1.68	1.42	\$99 Per Year
###	###	###	PCSD 6 Analysis & Rules, 10 Seat Annual Maint	100356PFG	100356PFG	100356PFG	131	118	3.99	3.19	2.70	3.99	3.19	2.70	\$199 Per Year
###	###	###	PCSD 6 Analysis & Rules, 25 Seat Annual Maint	100357PFG	100357PFG	100357PFG	315	282	9.53	7.64	6.46	9.53	7.64	6.46	\$299 Per Year
###	###	###	PCSD 6 Analysis & Rules, 50 Seat Annual Maint	100358PFG	100358PFG	100358PFG	471	422	14.26	11.44	9.66	14.26	11.44	9.66	\$395 Per Year
###	###	###	PCSD 6 Analysis & Rules, 100 Seat Annual Maint	100359PFG	100359PFG	100359PFG	741	663	22.41	17.87	15.19	22.41	17.87	15.19	\$621 Per Year
###	###	###	PCSD 6 Analysis & Rules, 250 Seat Annual Maint	100360PFG	100360PFG	100360PFG	1,450	1,296	43.80	35.12	29.68	43.80	35.12	29.68	\$1484 Per Year
###	###	###	PCSD 6 Analysis & Rules, 500 Seat Annual Maint	100361JFNG	100361JFNG	100361JFNG	2,082	1,862	62.94	50.46	42.64	62.94	50.46	42.64	\$1708 Per Year
###	###	###	PCSD 6 Analysis & Rules, 1000 Seat Annual Maint	100362JFNG	100362JFNG	100362JFNG	2,953	2,593	86.19	69.11	58.40	86.19	69.11	58.40	\$2310 Per Year
###	###	###	PCSD 6 Analysis & Rules, 2500 Seat Annual Maint	100363PFG	100363PFG	100363PFG	4,654	4,170	140.95	113.01	95.49	140.95	113.01	95.49	\$3750 Per Year
###	###	###	PCSD 6 Analysis & Rules, 5000 Seat Annual Maint	100364FNG	100364FNG	100364FNG	7,504	6,709	226.76	181.81	153.64	226.76	181.81	153.64	\$4800 Per Year
###	###	###	PCSD 6 Analysis & Rules, 10000 Seat Annual Maint	100365PFG	100365PFG	100365PFG	9,970	8,824	298.25	239.13	202.07	298.25	239.13	202.07	\$8400 Per Year
###	###	###	PCSD 6 Analysis & Rules, 20000 Seat Annual Maint	100366PFG	100366PFG	100366PFG	15,413	13,778	465.70	373.38	315.52	465.70	373.38	315.52	\$1260 Per Year
###	###	###	PCSD 6 Analysis & Recovery, 5 Seat Annual Maint	100367PFG	100367PFG	100367PFG	73	65	2.20	1.76	1.49	2.20	1.76	1.49	\$99 Per Year
###	###	###	PCSD 6 Analysis & Recovery, 10 Seat Annual Maint	100368PFG	100368PFG	100368PFG	129	125	4.12	3.39	2.86	4.12	3.39	2.86	\$199 Per Year
###	###	###	PCSD 6 Analysis & Recovery, 25 Seat Annual Maint	100369PFG	100369PFG	100369PFG	341	306	10.34	8.29	7.01	10.34	8.29	7.01	\$299 Per Year
###	###	###	PCSD 6 Analysis & Recovery, 50 Seat Annual Maint	100370PFG	100370PFG	100370PFG	630	563	19.03	15.26	12.89	19.03	15.26	12.89	\$395 Per Year
###	###	###	PCSD 6 Analysis & Recovery, 100 Seat Annual Maint	100371JFNG	100371JFNG	100371JFNG	1,005	898	26.34	20.56	17.34	26.34	20.56	17.34	\$621 Per Year
###	###	###	PCSD 6 Analysis & Recovery, 250 Seat Annual Maint	100372PFG	100372PFG	100372PFG	1,934	1,730	58.47	46.88	39.62	58.47	46.88	39.62	\$1484 Per Year
###	###	###	PCSD 6 Analysis & Recovery, 500 Seat Annual Maint	100373PFG	100373PFG	100373PFG	2,752	2,496	84.36	67.64	57.16	84.36	67.64	57.16	\$1708 Per Year
###	###	###	PCSD 6 Analysis & Recovery, 1000 Seat Annual Maint	100374FNG	100374FNG	100374FNG	3,846	3,433	118.04	93.03	78.62	118.04	93.03	78.62	\$2310 Per Year
###	###	###	PCSD 6 Analysis & Recovery, 2500 Seat Annual Maint	100375PFG	100375PFG	100375PFG	6,219	5,560	187.93	150.68	127.32	187.93	150.68	127.32	\$3750 Per Year
###	###	###	PCSD 6 Analysis & Recovery, 5000 Seat Annual Maint	100376PFG	100376PFG	100376PFG	9,870	8,824	298.25	239.13	202.07	298.25	239.13	202.07	\$4800 Per Year
###	###	###	PCSD 6 Analysis & Recovery, 10000 Seat Annual Maint	100377PFG	100377PFG	100377PFG	12,844	11,482	388.09	311.16	262.94	388.09	311.16	262.94	\$8400 Per Year
###	###	###	PCSD 6 Analysis & Recovery, 20000 Seat Annual Maint	100378PFG	100378PFG	100378PFG	15,954	14,262	482.06	386.50	326.60	482.06	386.50	326.60	\$1260 Per Year
###	###	###	PCSD 6 Suite, 5 Seat Annual Maint	100379PFG	100379PFG	100379PFG	139	125	4.23	3.39	2.86	4.23	3.39	2.86	\$99 Per Year
###	###	###	PCSD 6 Suite, 10 Seat Annual Maint	100380PFG	100380PFG	100380PFG	243	225	7.37	5.38	4.57	7.37	5.38	4.57	\$199 Per Year
###	###	###	PCSD 6 Suite, 25 Seat Annual Maint	100381JFNG	100381JFNG	100381JFNG	639	571	19.30	15.47	13.08	19.30	15.47	13.08	\$299 Per Year
###	###	###	PCSD 6 Suite, 50 Seat Annual Maint	100382PFG	100382PFG	100382PFG	1,098	955	32.28	25.88	21.87	32.28	25.88	21.87	\$395 Per Year
###	###	###	PCSD 6 Suite, 100 Seat Annual Maint	100383PFG	100383PFG	100383PFG	1,678	1,420	49.77	38.40	32.77	49.77	38.40	32.77	\$621 Per Year
###	###	###	PCSD 6 Suite, 250 Seat Annual Maint	100384FNG	100384FNG	100384FNG	3,230	2,888	97.61	78.26	66.14	97.61	78.26	66.14	\$1484 Per Year
###	###	###	PCSD 6 Suite, 500 Seat Annual Maint	100385PFG	100385PFG	100385PFG	4,617	4,128	139.53	111.87	94.53	139.53	111.87	94.53	\$1708 Per Year
###	###	###	PCSD 6 Suite, 1000 Seat Annual Maint	100386PFG	100386PFG	100386PFG	6,246	5,584	188.74	152.32	127.87	188.74	152.32	127.87	\$2310 Per Year
###	###	###	PCSD 6 Suite, 2500 Seat Annual Maint	100387PFG	100387PFG	100387PFG	10,140	9,065	306.40	245.66	207.59	306.40	245.66	207.59	\$3750 Per Year
###	###	###	PCSD 6 Suite, 5000 Seat Annual Maint	100388PFG	100388PFG	100388PFG	16,224	14,504	490.24	393.06	332.14	490.24	393.06	332.14	\$4800 Per Year
###	###	###	PCSD 6 Suite, 10000 Seat Annual Maint	100389PFG	100389PFG	100389PFG	20,921	18,614	626.26	504.44	426.36	626.26	504.44	426.36	\$8400 Per Year
###	###	###	PCSD 6 Suite, 20000 Seat Annual Maint	100390PFG	100390PFG	100390PFG	29,203	26,107	882.42	707.50	597.85	882.42	707.50	597.85	\$1260 Per Year
###	###	###	PCSD 6 Embedded, 1 MFP Annual Maint	100391PFG	100391PFG	100391PFG	121	110	3.72	2.98	2.52	3.72	2.98	2.52	\$99 Per Year
###	###	###	PCSD 6 Embedded, 5 MFP Annual Maint	100392PFG	100392PFG	100392PFG	219	199	6.23	7.37	6.19	6.23	7.37	6.19	\$199 Per Year
###	###	###	PCSD 6 Embedded, 10 MFP Annual Maint	100393PFG	100393PFG	100393PFG	669	598	20.21	16.21	13.69	20.21	16.21	13.69	\$299 Per Year
###	###	###	PCSD 6 Embedded, 25 MFP Annual Maint	100394PFG	100394PFG	100394PFG	1,194	1,024	34.22	28.47	23.73	34.22	28.47	23.73	\$395 Per Year
###	###	###	PCSD 6 Embedded, 50 MFP Annual Maint	100395PFG	100395PFG	100395PFG	2,178	1,861	60.81	52.76	44.59	60.81	52.76	44.59	\$621 Per Year
###	###	###	PCSD 6 Embedded, 100 MFP Annual Maint	100396PFG	100396PFG	100396PFG	2,574	2,300	77.74	62.33	52.67	77.74	62.33	52.67	\$621 Per Year
###	###	###	PCSD 6 Embedded, 250 MFP Annual Maint	100397PFG	100397PFG	100397PFG	2,958	2,624	86.71	71.82	60.78	86.71	71.82	60.78	\$1484 Per Year
###	###	###	PCSD 6 Embedded, 500 MFP Annual Maint	100398PFG	100398PFG	100398PFG	4,712	4,232	143.04	96.91	82.36	143.04	96.91	82.36	\$1708 Per Year
###	###	###	PCSD 6 Embedded, 1000 MFP Annual Maint	100399PFG	100399PFG	100399PFG	6,044	5,404	204.29	163.79	138.41	204.29	163.79	138.41	\$2310 Per Year
###	###	###	Copy Audit Touch Screen Copy Adapter (NCA)	100234PFG	100234PFG	100234PFG	1,520	1,366	46.17	37.02	31.28	46.17	37.02	31.28	\$2310 Per Year
###	###	###	Copy Audit Touch Screen Terminal - Copy Center Style	100235PFG	100235PFG	100235PFG	2,952	2,592	86.19	69.11	58.40	86.19	69.11	58.40	\$2310 Per Year
###	###	###	Copy Audit Touch Screen Terminal - Copy Center Style with H	100236PFG	100236PFG	100236PFG	3,155	3,155	106.64	85.50	72.25	106.64	85.50	72.25	\$2310 Per Year
###	###	###	Copy Audit Touch Screen Terminal - Tablet Style	100237PFG	100237PFG	100237PFG	2,412	2,152	61.53	50.49	42.37	61.53	50.49	42.37	\$1708 Per Year
###	###	###	Copy Audit Touch Screen Terminal - Tablet style with Magaz	100238PFG	100238PFG	100238PFG	2,547	2,547	86.09	69.02	58.33	86.09	69.02	58.33	\$2310 Per Year
###	###	###	Copy Connector for PCS Director	100239PFG	100239PFG	100239PFG	1,350	1,091	36.88	29.57	24.98	36.88	29.57	24.98	\$2310 Per Year
###	###	###	PCS Director Assessor	100169PFG	100169PFG	100169PFG	600	505	17.07	13.69	11.56	17.07	13.69	11.56	\$99 Per Year
###	###	###	PCS Director Assessor 3-Pack	100170PFG	100170PFG	100170PFG	1,500	1,262	42.66	34.20	28.80	42.66	34.20	28.80	\$2310 Per Year
###	###	###	PCS Director Assessor 5-Pack	100171PFG	100171PFG	100171PFG	2,000	1,682	58.98	46.98	38.52	58.98	46.98	38.52	\$3150 Per Year
###	###	###	PCS Director Assessor 10-pack	100172PFG	100172PFG	100172PFG	3,500	2,844	99.51	79.78	67.42	99.51	79.78	67.42	\$5550 Per Year
###	###	###	PCS Audit Professional Services - Hourly Fee (Web/Phone)	100173PFG	100173PFG	100173PFG	150	150	5.07	4.07	3.44	5.07	4.07	3.44	\$99 Per Year
###	###	###	PCS Audit Professional Services - Half Day Fee (On-site)	100174PFG	100174PFG	100174PFG	271	271	20.94	16.75	14.04	20.94	16.75	14.04	\$199 Per Year
###	###	###	PCS Audit Professional Services - Daily Fee (On Site)	100175PFG	100175PFG	100175PFG	1,500	1,430	48.33	38.75	32.75	48.33	38.75	32.75	\$99 Per Year
###	###	###	Enhanced Locked Print	002958MU	002958MU	002958MU	100	57	1.93	1.54	1.31	1.93	1.54	1.31	\$99 Per Year
###	###	###	Enhanced Locked Print SE 1-Pack	002957MU	002957MU	002957MU	800	474	16.02	12.85	10.85	16.02	12.85	10.85	\$99 Per Year
###	###	###	Enhanced Locked Print SE 50-Pack	002958MU	002958MU	002958MU	3,200	1,892	63.95	51.27	43.33	63.95	51.27	43.33	\$395 Per Year
###	###	###	Enhanced Locked Print SE 100-Pack	002959MU	002959MU	002959MU	5,120	3,226	99.24	82.34	69.24	99.24	82.34	69.24	\$621 Per Year
###	###	###	Enhanced Locked Print SE 500-Pack	002960MU	002960MU	002960MU	20,480	12,117	409.55	328.37	277.48	409.55	328.37	277.48	\$2310 Per Year
###	###	###	Enhanced Locked Print EX 1000-Pack	002951MU	002951MU	002951MU	32,768	19,387	655.28	525.39	443.96	655.28	525.39	443.96	\$1260 Per Year
###	###	###	Enhanced Locked Print EX 1-Pack	002953MU	002953MU	002953MU	150	89	3.01	2.41	2.04	3.01	2.41	2.04	\$99 Per Year
###	###	###	Enhanced Locked Print EX 10-Pack	002952MU	002952MU	002952MU	1,200	710	24.00	19.24	16.26	24.00	19.24	16.26	\$199 Per Year
###	###	###	Enhanced Locked Print EX 50-Pack	002953MU	002953MU	002953MU	4,800	2,840	95.99	76.96	65.04	95.99	76.96	65.04	\$395 Per Year
###</															

[illegible]

	Micromagnet 7.2 SoftLic Users Extended Hardware Warranty	00402ZMU	00402ZMU	00402ZMU	2,000	1,793	60.80	48.99	41.06	60.60	48.99	41.06
###	Solo 2 Year Hardware Warranty Extension - Years 4 & 5	00434BMU	00434BMU	00434BMU	1,000	690	23.32	18.07	15.80	23.32	18.07	15.80
###	Plz 2 Year Hardware Warranty Extension - Years 4 & 5	00434TMU	00434TMU	00434TMU	1,000	899	33.56	26.82	20.54	33.56	26.82	20.54
###	Max 2 Year Hardware Warranty Extension - Years 4 & 5	00434HMU	00434HMU	00434HMU	1,500	1,034	34.58	28.02	23.68	34.58	28.02	23.68
###	Max Enterprise 2 Year Hardware Warranty Extension	00574BMU	00574BMU	00574BMU	6,000	4,800	162.24	130.08	109.92	162.24	130.08	109.92
###	Services											
###	Microsoft Administrative Fee	00436ZMU	00436ZMU	00436ZMU	1,000	690	23.32	18.07	15.80	23.32	18.07	15.80
###	Monitor & Furniture											
###	Power Station	000921MU	000921MU	000921MU	995	795	26.87	21.54	18.21	26.87	21.54	18.21
###	Utilities											
###	OPC VE (limited availability) OPC Utilities	001226MU	001226MU	001226MU	2,680	2,130	70.99	57.12	48.78	71.99	57.12	48.78
###	Options for SX and DX (Software)											
###	PowerRP (Second RP)	001229MU	001229MU	001229MU	2,500	1,776	60.99	48.73	40.67	60.92	48.73	40.67
###	TrueScript	001231MU	001231MU	001231MU	5,000	3,950	119.99	96.21	81.30	119.99	96.21	81.30
###	Options for MX											
###	PowerRP (second RP)	001229MU	001229MU	001229MU	2,500	1,776	60.99	48.73	40.67	60.92	48.73	40.67
###	Scanning Solutions											
###	Options for MFP Only											
###	256MB Memory Upgrade	000999MU	000999MU	000999MU	1,000	897	30.32	24.31	20.54	30.32	24.31	20.54
###	16GB Hard Disk Drive Upgrade	001120MU	001120MU	001120MU	1,000	897	30.32	24.31	20.54	30.32	24.31	20.54
###	PMS to TFF Utility	000999MU	000999MU	000999MU	2,095	1,624	53.51	43.30	34.90	53.51	43.30	34.90
###	PDM to PDF Utility	000935MU	000935MU	000935MU	2,095	1,624	53.51	43.30	34.90	53.51	43.30	34.90
###	Digital StorageServer & Hardware and Software Solutions.											
###	DSF 4.0 Software only	001937MU	001937MU	001937MU	25,000	13,472	408.35	305.09	308.51	408.35	305.09	308.51
###	DSP Hardware	00424AMU	00424AMU	00424AMU	10,000	6,833	223.82	180.83	150.22	223.82	180.83	150.22
###	Digital Storfeast VDP XMPE	002996MU	002996MU	002996MU	12,500	11,213	378.00	303.87	256.78	378.00	303.87	256.78
###	DSP Template Driven Variable Data Documents	001961MU	001961MU	001961MU	9,800	8,766	296.97	236.97	201.20	296.97	236.97	201.20
###	DSP Credit Card Billing	001962MU	001962MU	001962MU	4,000	3,200	106.12	86.12	72.38	106.12	86.12	72.38
###	DSP Authentication Package	001983MU	001983MU	001983MU	4,000	3,434	110.07	93.06	78.64	110.07	93.06	78.64
###	Digital Storfeast MIS Connector	002997MU	002997MU	002997MU	7,500	5,333	180.20	144.52	122.13	180.20	144.52	122.13
###	Digital Storfeast EXT System Connector	002996MU	002996MU	002996MU	7,500	5,333	180.20	144.52	122.13	180.20	144.52	122.13
###	Digital Storfeast Add Preintechs	003000MU	003000MU	003000MU	7,500	5,333	180.20	144.52	122.13	180.20	144.52	122.13
###	Add Storfeasts (Unlimited)	004262MU	004262MU	004262MU	7,500	4,003	266.63	133.60	112.90	266.63	133.60	112.90
###	Digital Storfeast Address Locations	001867MU	001867MU	001867MU								

DocuClass Read Only Client 10 Pack	004072MU	004072MU	004072MU	8,700	2,696	91.12	73.06	61.74	91.12	73.06	61.74
DocuClass Read Only Client 50 Pack	004073MU	004073MU	004073MU	16,500	12,025	406.48	325.90	275.40	406.48	325.90	275.40
DocuClass Read Only Client Unlimited	004075MU	004075MU	004075MU	70,000	51,020	1,724.48	1,382.64	1,168.36	1,724.48	1,382.64	1,168.36
Input Module											
DocuClass Standard Scanning	004076MU	004076MU	004076MU	1,000	728	24.61	19.73	16.67	24.61	19.73	16.67
DocuClass Advanced Scanning 1	004077MU	004077MU	004077MU	2,000	1,600	54.08	43.36	36.64	54.08	43.36	36.64
DocuClass Additional Advanced Scanning	004078MU	004078MU	004078MU	2,000	1,458	49.28	39.51	49.28	39.51	33.39	33.39
DocuClass Basic OCR (New - DocuClass Image OCR Engine)	004079MU	004079MU	004079MU	1,000	291	9.84	7.89	6.66	9.84	7.89	6.66
DocuClass DC OCR Server (addl includes 2 Image OCR Engi	004152MU	004152MU	004152MU	1,000	962	19.67	15.77	13.33	19.67	15.77	13.33
DocuClass XML Connector	004080MU	004080MU	004080MU	600	437	14.77	11.84	10.03	14.77	11.84	10.03
DocuClass Import Agent	004081MU	004081MU	004081MU	2,500	1,823	61.62	49.40	41.75	61.62	49.40	41.75
DocuClass Virtual Printer Enterprise	004082MU	004082MU	004082MU	3,000	2,186	73.89	59.24	50.06	73.89	59.24	50.06
Output Module											
DocuClass Export to Media	004083MU	004083MU	004083MU	2,500	1,823	61.62	49.40	41.75	61.62	49.40	41.75
DocuClass Export to CSV	004084MU	004084MU	004084MU	2,500	1,823	61.62	49.40	41.75	61.62	49.40	41.75
Workflow Module											
DocuClass Workflow Manager Express	004085MU	004085MU	004085MU	4,500	3,281	110.90	88.92	75.13	110.90	88.92	75.13
DocuClass Workflow Concurrent Client	004086MU	004086MU	004086MU	1,500	1,094	36.98	29.65	25.05	36.98	29.65	25.05
DocuClass Workflow Concurrent Client Upgrade	004087MU	004087MU	004087MU	700	510	17.24	13.82	11.69	17.24	13.62	11.69
Integration Module											
DocuClass API Module	004144MU	004144MU	004144MU	5,000	210	7.10	5.69	4.81	7.10	5.69	4.81
Maintenance & Support Server System Module											
DocuClass Core Module 1 YR M&S	004101MU	004101MU	004101MU	1,200	884	29.88	23.96	20.24	29.88	23.96	20.24
DocuClass Web Server 1 YR M&S	004102MU	004102MU	004102MU	525	525	17.75	14.23	12.02	17.75	14.23	12.02
DocuClass Audit Agent 1 YR M&S	004103MU	004103MU	004103MU	525	442	14.94	11.98	10.12	14.94	11.98	10.12
DocuClass Fax Manager 1 YR M&S	004104MU	004104MU	004104MU	735	618	20.89	16.75	14.15	20.89	16.75	14.15
DocuClass Electronic Forms 1 YR M&S	004105MU	004105MU	004105MU	1,050	884	29.88	23.96	20.24	29.88	23.96	20.24
DocuClass C.O.D. (RPM) 1 YR M&S	004106MU	004106MU	004106MU	1,155	970	32.79	26.29	22.21	32.79	26.29	22.21
DocuClass Storage to Work Media 1 YR M&S	004107MU	004107MU	004107MU	1,050	884	29.88	23.96	20.24	29.88	23.96	20.24
DocuClass Standard Data Capture 1 YR M&S	004108MU	004108MU	004108MU	945	795	26.87	21.54	18.21	26.87	21.54	18.21
DocuClass Info Path 1 YR M&S	004109MU	004109MU	004109MU	735	618	20.89	16.75	14.15	20.89	16.75	14.15
Maintenance & Support Client Module											
DocuClass MPF Link 1 YR M&S	004110MU	004110MU	004110MU	105	89	3.01	2.41	2.04	3.01	2.41	2.04
DocuClass MPF Link 5-10 Pack 1 YR M&S	004111MU	004111MU	004111MU	95	80	2.17	1.83	1.57	2.17	1.83	1.57
DocuClass MPF Link 11-30 Pack 1 YR M&S	004112MU	004112MU	004112MU	74	61	2.06	1.65	1.40	2.06	1.65	1.40
DocuClass MPF Link Over 30 1 YR M&S	004113MU	004113MU	004113MU	63	52	1.76	1.41	1.19	1.76	1.41	1.19
DocuClass Full Client License 1 YR M&S	004114MU	004114MU	004114MU	168	142	4.80	3.85	3.25	4.80	3.85	3.25
DocuClass 10 Pack Full Client License 1 YR M&S	004115MU	004115MU	004115MU	1,596	1,342	45.36	36.37	30.73	45.36	36.37	30.73
DocuClass Unlimited Full Client License 1 YR M&S	004116MU	004116MU	004116MU	7,500	6,358	214.90	172.30	145.60	214.90	172.30	145.60
DocuClass Read Only Client 1 YR M&S	004118MU	004118MU	004118MU	42,000	35,321	1,135.85	907.85	767.20	1,135.85	907.20	767.20
DocuClass Read Only Client 1 YR M&S	004119MU	004119MU	004119MU	84	71	2.40	1.92	1.63	2.40	1.92	1.63
DocuClass Read Only Client 10 Pack 1 YR M&S	004120MU	004120MU	004120MU	777	654	22.11	17.72	14.98	22.11	17.72	14.98
DocuClass Read Only Client 50 Pack 1 YR M&S	004121MU	004121MU	004121MU	3,465	2,914	96.49	78.97	66.73	96.49	78.97	66.73
DocuClass Read Only Client Unlimited 1 YR M&S	004123MU	004123MU	004123MU	14,700	12,363	417.87	335.04	283.11	417.87	335.04	283.11
Maintenance & Support Input Module											
DocuClass Standard Scanning 1 YR M&S	004125MU	004125MU	004125MU	210	177	5.98	4.80	4.06	5.98	4.80	4.06
DocuClass Advanced Scanning 1 - 1 YR M&S	004126MU	004126MU	004126MU	420	407	13.76	11.03	9.32	13.76	11.03	9.32
DocuClass Additional Advanced Scanning 1 YR M&S	004127MU	004127MU	004127MU	420	353	11.93	9.87	8.08	11.93	9.87	8.08
DocuClass Basic OCR 1 YR M&S (New - Image OCR Engine)	004128MU	004128MU	004128MU	210	71	2.40	1.92	1.63	2.40	1.92	1.63
DocuClass DC OCR Server (addl includes 2 Image OCR Engi	004153MU	004153MU	004153MU	504	142	4.80	3.85	3.25	4.80	3.85	3.25
DocuClass XML Connector 1 YR M&S	004129MU	004129MU	004129MU	126	107	3.62	2.90	2.45	3.62	2.90	2.45
DocuClass Import Agent 1 YR M&S	004130MU	004130MU	004130MU	524	442	14.94	11.98	10.12	14.94	11.98	10.12
DocuClass Virtual Printer Enterprise 1 YR M&S	004131MU	004131MU	004131MU	630	530	17.91	14.36	12.14	17.91	14.36	12.14
Maintenance & Support Output Module											
DocuClass Export to Media 1 YR M&S	004132MU	004132MU	004132MU	525	442	14.94	11.98	10.12	14.94	11.98	10.12
DocuClass Export to CSV 1 YR M&S	004133MU	004133MU	004133MU	525	442	14.94	11.98	10.12	14.94	11.98	10.12
Maintenance & Support Workflow Module											
DocuClass Workflow Manager Express 1 YR M&S	004134MU	004134MU	004134MU	945	795	26.87	21.54	18.21	26.87	21.54	18.21
DocuClass Workflow Concurrent Client 1 YR M&S	004135MU	004135MU	004135MU	315	265	8.96	7.18	6.07	8.96	7.18	6.07
DocuClass Workflow Concurrent Client Upgrade 1 YR M&S	004136MU	004136MU	004136MU	147	123	4.16	3.33	2.82	4.16	3.33	2.82
Maintenance & Support Integration Module											
DocuClass API Module 1 YR M&S	004147MU	004147MU	004147MU	1,050	486	16.43	13.17	11.13	16.43	13.17	11.13
Maintenance & Support Professional Services											
On-Site Technical Services Daily Rate	004089MU	004089MU	004089MU	1,200	1,200	40.56	32.52	27.48	40.56	32.52	27.48
Remote Installation and Tech Support 4 HR Rate	004091MU	004091MU	004091MU	900	900	18.93	15.18	12.82	18.93	15.18	12.82
Process Automation Consulting Services	004092MU	004092MU	004092MU	1,500	1,500	50.70	40.65	34.25	50.70	40.65	34.25
On-Line Technical & Administrator Certification	004095MU	004095MU	004095MU	450	450	15.21	12.20	10.31	15.21	12.20	10.31
Classroom Certification Training	004098MU	004098MU	004098MU	700	700	23.66	18.97	16.03	23.66	18.97	16.03
eCabinet Expert Utility	004099MU	004099MU	004099MU	1,500	1,500	50.70	40.65	34.25	50.70	40.65	34.25
eCabinet Expert Services	004100MU	004100MU	004100MU	1,200	1,200	40.56	32.52	27.48	40.56	32.52	27.48
DocuClass Express to DocuClass Upgrade 5 YR M&S incluat	005430MU	005430MU	005430MU	3,300	3,300	108.16	86.72	73.28	108.16	86.72	73.28
DocuLex											
Server System Modules											
DocuLex Archive Studio Small Office - 10 Users with 1 YR M	004280MU	004280MU	004280MU	13,225	8,742	295.48	236.91	200.19	295.48	236.91	200.19
DocuLex Archive Studio Professional - 50 Users with 1 YR M	004281MU	004281MU	004281MU	25,134	17,488	591.09	473.92	400.48	591.09	473.92	400.48
DocuLex Archive Studio Enterprise - Unlimited Users with 1 Y	004282MU	004282MU	004282MU	50,384	34,980	1,182.32	947.96	801.04	1,182.32	947.96	801.04
Client Licenses											
DocuLex Archive Studio Additional 10 User License Pack with	004283MU	004283MU	004283MU	3,575	2,256	76.25	61.14	51.66	76.25	61.14	51.66
Optional Modules											
DocuLex Archive Studio Desktop Capture Station Single Licen	004284MU	004284MU	004284MU	8,394	6,118	206.79	165.80	140.10	206.79	165.80	140.10
DocuLex Archive Studio MPF Gobly Capture Processing Stati	004285MU	004285MU	004285MU	7,134	5,243	177.21	142.09	120.06	177.21	142.09	120.06
DocuLex MPF Connector to Gobly Capture Single License w/	004286MU	004286MU	004286MU	120	88	2.97	2.38	2.02	2.97	2.38	2.02
Maintenance & Support Options											
>DocuLex Archive Studio Small Office 1 YR M&S	004287MU	004287MU	004287MU	2,205	1,681	56.82	45.56	38.49	56.82	45.56	38.49
>DocuLex Archive Studio Professional 1 YR M&S	004288MU	004288MU	004288MU	4,199	3,363	113.67	91.14	77.01	113.67	91.14	77.01
DocuLex Archive Studio Enterprise 1 YR M&S	004289MU	004289MU	004289MU	8,399	6,726	227.34	182.27	154.09	227.34	182.27	154.09
DocuLex Archive Studio 10 User License Pack 1 YR M&S	004290MU	004290MU	004290MU	516	434	14.67	11.76	9.94	14.67	11.76	9.94
DocuLex Archive Studio Desktop Capture Station Single Lice	004291MU	004291MU	004291MU	1,399	1,176	39.75	31.87	26.93	39.75	31.87	26.93
DocuLex Archive Studio MPF Gobly Capture Processing Stati	004292MU	004292MU	004292MU	1,199	1,009	34.10	27.54	23.11	34.10	27.34	23.11
DocuLex MPF Connector to Gobly Capture 1 YR M&S	004293MU	004293MU	004293MU	60	50	1.69	1.36	1.15	1.69	1.36	1.15

\$48,000.00

[illegible]

[illegible]

0045888MU	0045888MU	0045888MU	8,119	7,246	246.29	139.08	168.22	248.29	199.08	188.22
0045931MU	0045931MU	0045931MU	9,688	8,689	299.77	240.35	203.10	299.77	240.35	203.10
0047388MU	0047388MU	0047388MU	240	215	7.27	5.83	4.92	7.27	5.83	4.92
0047388MU	0047388MU	0047388MU	188	168	4.21	3.39	2.82	4.21	3.39	2.82
0047400MU	0047400MU	0047400MU	150	134	4.53	3.63	3.07	4.53	3.63	3.07
0047410MU	0047410MU	0047410MU	75	67	2.26	1.82	1.53	2.26	1.82	1.53
0047420MU	0047420MU	0047420MU	15	13	1.27	1.09	0.92	1.27	1.09	0.92
0046000MU	0046000MU	0046000MU	799	719	27.01	21.65	18.30	27.01	21.65	18.30
0046070MU	0046070MU	0046070MU	2475	2,332	78.82	63.20	53.40	78.82	63.20	53.40
0046080MU	0046080MU	0046080MU	4,000	3,787	120.00	96.72	80.62	120.00	96.72	80.62
0046090MU	0046090MU	0046090MU	2,150	2,025	68.45	54.88	46.37	68.45	54.88	46.37
0046100MU	0046100MU	0046100MU	4,020	3,787	128.00	102.63	86.72	128.00	102.63	86.72
0046110MU	0046110MU	0046110MU	1,095	1,065	33.54	26.85	22.35	33.54	26.85	22.35
0046120MU	0046120MU	0046120MU	3,295	3,103	104.88	84.09	71.06	104.88	84.09	71.06
0046130MU	0046130MU	0046130MU	6,195	5,835	197.22	158.13	133.62	197.22	158.13	133.62
0046140MU	0046140MU	0046140MU	4,095	4,705	159.03	127.15	107.74	159.03	127.15	107.74
0046150MU	0046150MU	0046150MU	7,495	7,060	238.63	191.33	161.67	238.63	191.33	161.67
0046160MU	0046160MU	0046160MU	12,290	11,576	391.27	312.71	265.09	391.27	312.71	265.09
0046170MU	0046170MU	0046170MU	17,400	16,474	556.87	446.46	372.25	556.87	446.46	372.25
0045930MU	0045930MU	0045930MU	3,000	3,000	101.40	81.30	68.70	101.40	81.30	68.70
0045940MU	0045940MU	0045940MU	5,000	5,000	169.00	135.50	114.50	169.00	135.50	114.50
0045950MU	0045950MU	0045950MU	1,500	1,500	50.70	40.56	34.35	50.70	40.56	34.35
0045960MU	0045960MU	0045960MU	3,000	3,000	101.40	81.30	68.70	101.40	81.30	68.70
0046010MU	0046010MU	0046010MU	2,500	2,500	84.50	67.75	57.25	84.50	67.75	57.25
0046020MU	0046020MU	0046020MU	3,000	3,000	101.40	81.30	68.70	101.40	81.30	68.70
0046030MU	0046030MU	0046030MU	5,000	5,000	169.00	135.50	114.50	169.00	135.50	114.50
0046040MU	0046040MU	0046040MU	250	250	8.45	6.78	5.73	8.45	6.78	5.73
0012780MU	0012780MU	0012780MU	22,349	22,349	705.40	565.66	471.79	705.40	565.66	471.79
0011330MU	0011330MU	0011330MU	20,000	17,879	604.31	484.52	409.43	604.31	484.52	409.43
0009080MU	0009080MU	0009080MU	50,000	44,798	1,514.17	1,214.03	1,025.87	1,514.17	1,214.03	1,025.87
0009090MU	0009090MU	0009090MU	40,000	36,111	1,144.17	915.47	765.40	1,144.17	915.47	765.40
0009100MU	0009100MU	0009100MU	15,000	13,440	454.27	364.22	307.78	454.27	364.22	307.78
0009110MU	0009110MU	0009110MU	12,000	10,752	363.42	291.38	246.22	363.42	291.38	246.22
0009120MU	0009120MU	0009120MU	9,000	8,064	272.57	218.53	184.67	272.57	218.53	184.67
0009130MU	0009130MU	0009130MU	6,000	5,280	175.05	141.69	117.71	175.05	141.69	117.71
0009140MU	0009140MU	0009140MU	3,000	2,679	908.51	728.42	615.53	908.51	728.42	615.53
0012900MU	0012900MU	0012900MU	7,500	7,000	253.50	203.25	171.75	253.50	203.25	171.75
0013400MU	0013400MU	0013400MU	4,000	3,600	125.00	100.00	83.33	125.00	100.00	83.33
0013500MU	0013500MU	0013500MU	6,000	6,000	202.80	162.60	137.40	202.80	162.60	137.40
0013900MU	0013900MU	0013900MU	7,000	7,152	241.74	193.82	163.78	241.74	193.82	163.78
0009070MU	0009070MU	0009070MU	7,000	6,272	199.97	163.87	136.93	199.97	163.87	136.93
0009270MU	0009270MU	0009270MU	3,000	2,688	90.85	72.84	61.56	90.85	72.84	61.56
0009280MU	0009280MU	0009280MU	1,000	896	30.28	24.28	20.52	30.28	24.28	20.52
0014140MU	0014140MU	0014140MU	2,400	2,400	84.56	68.12	56.94	84.56	68.12	56.94
0010900MU	0010900MU	0010900MU	15	15	0.51	0.41	0.34	0.51	0.41	0.34
0011200MU	0011200MU	0011200MU	14	13	0.48	0.39	0.34	0.48	0.39	0.34
0011700MU	0011700MU	0011700MU	12	12	0.41	0.33	0.28	0.41	0.33	0.28
0011710MU	0011710MU	0011710MU	3	3	0.10	0.08	0.07	0.10	0.08	0.07
0011720MU	0011720MU	0011720MU	5	5	0.17	0.14	0.11	0.17	0.14	0.11
0011730MU	0011730MU	0011730MU	3	3	0.10	0.08	0.07	0.10	0.08	0.07
0011740MU	0011740MU	0011740MU	4	4	0.14	0.11	0.09	0.14	0.11	0.09
0011750MU	0011750MU	0011750MU	2	2	0.06	0.05	0.04	0.06	0.05	0.04
0011760MU	0011760MU	0011760MU	4	4	0.14	0.11	0.09	0.14	0.11	0.09
0009260MU	0009260MU	0009260MU	1,000	896	30.28	24.28	20.52	30.28	24.28	20.52
0009270MU	0009270MU	0009270MU	24,000	21,679	908.51	728.42	615.53	908.51	728.42	615.53
0009280MU	0009280MU	0009280MU	30,000	26,879	908.51	728.42	615.53	908.51	728.42	615.53
0009290MU	0009290MU	0009290MU	32,500	29,120	984.26	789.15	666.85	984.26	789.15	666.85
0009300MU	0009300MU	0009300MU	35,000	31,511	1,030.50	824.40	686.50	1,030.50	824.40	686.50
0009310MU	0009310MU	0009310MU	37,500	33,750	1,081.25	865.00	720.83	1,081.25	865.00	720.83
0009320MU	0009320MU	0009320MU	40,000	36,000	1,132.50	906.00	755.00	1,132.50	906.00	755.00
0009330MU	0009330MU	0009330MU	42,500	38,250	1,183.75	946.50	789.15	1,183.75	946.50	789.15
0009340MU	0009340MU	0009340MU	45,000	40,500	1,235.00	997.50	830.00	1,235.00	997.50	830.00
0009350MU	0009350MU	0009350MU	47,500	42,750	1,286.25	1,018.50	851.25	1,286.25	1,018.50	851.25
0009360MU	0009360MU	0009360MU	50,000	45,000	1,337.50	1,069.50	891.67	1,337.50	1,069.50	891.67
0009370MU	0009370MU	0009370MU	52,500	47,250	1,388.75	1,120.50	932.50	1,388.75	1,120.50	932.50
0009380MU	0009380MU	0009380MU	55,000	49,500	1,440.00	1,171.50	973.33	1,440.00	1,171.50	973.33
0009390MU	0009390MU	0009390MU	57,500	52,250	1,491.25	1,222.50	1,014.17	1,491.25	1,222.50	1,014.17
0009400MU	0009400MU	0009400MU	60,000	54,000	1,542.50	1,273.50	1,064.17	1,542.50	1,273.50	1,064.17
0009410MU	0009410MU	0009410MU	62,500	56,250	1,593.75	1,324.50	1,115.00	1,593.75	1,324.50	1,115.00
0009420MU	0009420MU	0009420MU	65,000	58,750	1,645.00	1,375.50	1,165.83	1,645.00	1,375.50	1,165.83
0009430MU	0009430MU	0009430MU	67,500	61,250	1,696.25	1,426.50	1,216.67	1,696.25	1,426.50	1,216.67
0009440MU	0009440MU	0009440MU	70,000	63,750	1,747.50	1,477.50	1,267.50	1,747.50	1,477.50	1,267.50
0009450MU	0009450MU	0009450MU	72,500	66,250	1,798.75	1,528.50	1,318.33	1,798.75	1,528.50	1,318.33
0009460MU	0009460MU	0009460MU	75,000	68,750	1,850.00	1,579.50	1,369.17	1,850.00	1,579.50	1,369.17
0009470MU	0009470MU	0009470MU	77,500	71,250	1,901.25	1,630.50	1,420.00	1,901.25	1,630.50	1,420.00
0009480MU	0009480MU	0009480MU	80,000	73,750	1,952.50	1,681.50	1,470.83	1,952.50	1,681.50	1,470.83
0009490MU	0009490MU	0009490MU	82,500	76,250	1,993.75	1,732.50	1,521.67	1,993.75	1,732.50	1,521.67
0009500MU	0009500MU	0009500MU	85,000	78,750	2,045.00	1,783.50	1,572.50	2,045.00	1,783.50	1,572.50
0009510MU	0009510MU	0009510MU	87,500	81,250	2,096.25	1,834.50	1,623.33	2,096.25	1,834.50	1,623.33
0009520MU	0009520MU	0009520MU	90,000	83,750	2,147.50	1,885.50	1,674.17	2,147.50	1,885.50	1,674.17
0009530MU	0009530MU	0009530MU	92,500	86,250	2,198.75	1,936.50	1,725.00	2,198.75	1,936.50	1,725.00
0009540MU	0009540MU	0009540MU	95,000	88,750	2,250.00	1,987.50	1,775.83	2,250.00	1,987.50	1,775.83
0009550MU	0009550MU	0009550MU	97,500	91,250	2,301.25	2,038.50	1,826.67	2,301.25	2,038.50	1,826.67
0009560MU	0009560MU	0009560MU	100,000	93,750	2,352.50	2,089.50	1,877.50	2,352.50	2,089.50	1,877.50
0009570MU	0009570MU	0009570MU	102,500	96,250	2,403.75	2,140.50	1,928.33	2,403.75	2,140.50	1,928.33
0009580MU	0009580MU	0009580MU	105,000	98,750	2,455.00	2,191.50	1,979.17	2,455.00	2,191.50	1,979.17
0009590MU	0009590MU	0009590MU	107,500	101,250	2,506.25	2,242.50	2,030.00	2,506.25	2,242.50	2,030.00
0009600MU	0009600MU	0009600MU	110,000	103,750	2,557.50	2,293.50	2,080.83	2,557.50	2,293.50	2,080.83
0009610MU	0009610MU	0009610MU	112,500	106,250	2,608.75	2,344.50	2,131.67	2,608.75	2,344.50	2,131.67
0009620MU	0009620MU	0009620MU	115,000	108,750	2,660.00	2,395.50	2,182.50	2,660.00	2,395.50	2,182.50
0009630MU	0009630MU	0009630MU	117,500	111,250	2,711.25	2,446.50	2,233.33	2,711.25	2,446.50	2,233.33
0009640MU	0009640MU	0009640MU	120,000	113,750	2,762.50	2,497.50	2,284.17	2,762.50	2,497.50	2,284.17
0009650MU	0009650MU	0009650MU	122,500	116,250	2,813.75	2,548.50	2,335.00	2,813.75		

***	AutoStore Express (25 MFP License Pack)	004958MU	004958MU	004958MU	10,200	13,456	454.81	364.66	308.14	404.81	364.66	308.14
***	AutoStore Express (50 MFP License Pack)	004960MU	004960MU	004960MU	30,750	25,539	863.22	692.11	584.84	863.22	692.11	584.84
***	AutoStore Express (100 MFP License Pack)	005287MU	005287MU	005287MU	61,425	51,015	1,724.31	1,382.51	1,168.24	1,724.31	1,382.51	1,168.24
***	AutoStore Express Desktop License Pack Add-on (20 Users)	004954MU	004954MU	004954MU	610	681	21.02	18.46	15.59	21.02	18.46	15.59
***	AutoStore Express Desktop (Express to Workflow Upgrade)	005291MU	005291MU	005291MU	456	380	12.84	10.30	8.70	12.84	10.30	8.70
***	AutoStore Express File Import Add-on	004966MU	004966MU	004966MU	3,500	2,908	98.29	78.81	66.59	98.29	78.81	66.59
***	AutoStore Express File Import (Express to Workflow Upgrade)	005292MU	005292MU	005292MU	5,310	4,410	148.06	119.51	100.99	148.06	119.51	100.99
***	AutoStore Workflow (1 MFP License)	004977MU	004977MU	004977MU	1,199	996	33.66	26.99	22.81	33.66	26.99	22.81
***	AutoStore Workflow (10 MFP License Pack)	004985MU	004985MU	004985MU	9,832	8,166	276.01	221.30	187.00	276.01	221.30	187.00
***	AutoStore Workflow (25 MFP License Pack)	004989MU	004989MU	004989MU	23,900	19,916	673.16	539.72	456.08	673.16	539.72	456.08
***	AutoStore Workflow (50 MFP License Pack)	004993MU	004993MU	004993MU	46,761	38,836	1,312.66	1,052.46	889.34	1,312.66	1,052.46	889.34
***	AutoStore Workflow Desktop License Pack Add-on (20 Users)	004997MU	004997MU	004997MU	1,199	996	33.66	26.99	22.81	33.66	26.99	22.81
***	AutoStore Workflow SMARTicket License Pack Add-on (20 U	004998MU	004998MU	004998MU	1,750	1,455	49.18	39.43	33.32	49.18	39.43	33.32
***	AutoStore Workflow File Import Add-on	004999MU	004999MU	004999MU	8,000	6,644	224.57	180.05	152.15	224.57	180.05	152.15
***	AutoStore Workflow Additional Barcode Add-on	005002MU	005002MU	005002MU	2,500	2,078	70.24	56.31	47.59	70.24	56.31	47.59
***	AutoStore Workflow Additional OCR Engine Add-on	005003MU	005003MU	005003MU	2,500	2,078	70.24	56.31	47.59	70.24	56.31	47.59
***	AutoStore Workflow Stamp Server Add-on	005004MU	005004MU	005004MU	2,500	2,078	70.24	56.31	47.59	70.24	56.31	47.59
***	AutoStore Workflow Reporting Add-on	005005MU	005005MU	005005MU	3,500	2,908	98.29	78.81	66.59	98.29	78.81	66.59
***	AutoStore Workflow Document Assistant Add-on	005006MU	005006MU	005006MU	3,500	2,908	98.29	78.81	66.59	98.29	78.81	66.59
***	AutoStore Workflow Equitrac Integration Add-on	005007MU	005007MU	005007MU	3,500	2,908	98.29	78.81	66.59	98.29	78.81	66.59
***	AutoStore Workflow RightFax Integration Add-on	005008MU	005008MU	005008MU	3,500	2,908	98.29	78.81	66.59	98.29	78.81	66.59
***	AutoStore Express (1 MFP License) 1 YR M&S	004943MU	004943MU	004943MU	164	164	5.54	4.44	3.76	5.54	4.44	3.76
***	AutoStore Express (50 MFP License Pack) 1 YR M&S	004953MU	004953MU	004953MU	1,384	1,384	47.12	37.78	31.92	47.12	37.78	31.92
***	AutoStore Express (25 MFP License Pack) 1 YR M&S	004967MU	004967MU	004967MU	3,240	3,240	109.51	87.80	74.20	109.51	87.80	74.20
***	AutoStore Express (50 MFP License Pack) 1 YR M&S	004961MU	004961MU	004961MU	6,150	6,150	207.87	166.67	140.84	207.87	166.67	140.84
***	AutoStore Express (100 MFP License Pack) 1 YR M&S	005288MU	005288MU	005288MU	12,285	12,285	415.23	332.92	281.33	415.23	332.92	281.33
***	AutoStore Express Desktop License Pack Add-on (20 Users)	005289MU	005289MU	005289MU	164	164	5.54	4.44	3.76	5.54	4.44	3.76
***	AutoStore Express File Import Add-on 1 YR M&S	005290MU	005290MU	005290MU	700	700	23.66	18.97	16.03	23.66	18.97	16.03
***	AutoStore Workflow (1 MFP License) 1 YR M&S	004978MU	004978MU	004978MU	240	240	8.11	6.50	5.50	8.11	6.50	5.50
***	AutoStore Workflow (10 MFP License Pack) 1 YR M&S	004986MU	004986MU	004986MU	1,967	1,967	66.48	53.31	45.04	66.48	53.31	45.04
***	AutoStore Workflow (25 MFP License Pack) 1 YR M&S	004990MU	004990MU	004990MU	4,786	4,786	162.10	129.87	109.83	162.10	129.87	109.83
***	AutoStore Workflow (50 MFP License Pack) 1 YR M&S	004994MU	004994MU	004994MU	9,353	9,353	316.13	253.47	214.18	316.13	253.47	214.18
***	AutoStore Workflow Desktop License Pack Add-on (20 Users)	005291MU	005291MU	005291MU	240	240	8.11	6.50	5.50	8.11	6.50	5.50
***	AutoStore Workflow SMARTicket License Pack Add-on (20 U	005294MU	005294MU	005294MU	350	350	9.49	8.02	6.83	9.49	8.02	6.83
***	AutoStore Workflow File Import Add-on 1 YR M&S	005295MU	005295MU	005295MU	1,600	1,600	54.08	43.36	36.64	54.08	43.36	36.64
***	AutoStore Workflow Advanced Barcode Add-on 1 YR M&S	005296MU	005296MU	005296MU	500	500	16.90	13.55	11.45	16.90	13.55	11.45
***	AutoStore Workflow Additional OCR Engine Add-on 1 YR M&S	005297MU	005297MU	005297MU	500	500	13.55	11.45	9.50	13.55	11.45	9.50
***	AutoStore Workflow Stamp Server Add-on 1 YR M&S	005298MU	005298MU	005298MU	500	500	16.90	13.55	11.45	16.90	13.55	11.45
***	AutoStore Workflow Reporting Add-on 1 YR M&S	005299MU	005299MU	005299MU	700	700	23.66	18.97	16.03	23.66	18.97	16.03
***	AutoStore Workflow Document Assistant Add-on 1 YR M&S	003000MU	003000MU	003000MU	700	700	23.66	18.97	16.03	23.66	18.97	16.03
***	AutoStore Workflow Equitrac Integration Add-on 1 YR M&S	003001MU	003001MU	003001MU	700	700	23.66	18.97	16.03	23.66	18.97	16.03
***	AutoStore Workflow RightFax Integration Add-on 1 YR M&S	003002MU	003002MU	003002MU	700	700	23.66	18.97	16.03	23.66	18.97	16.03
***	AutoStore Professional Services (1 Day On Site)	003016MU	003016MU	003016MU	2,200	1,800	60.84	48.78	41.22	60.84	48.78	41.22
***	AutoStore Advanced Remote Installation Services	003030MU	003030MU	003030MU	1,000	1,000	33.80	27.10	22.90	33.80	27.10	22.90
***	AutoStore Online E-Learning (per person, 5 weeks)	005018MU	005018MU	005018MU	500	500	16.90	13.55	11.45	16.90	13.55	11.45
***	AutoStore Classroom Training (per person, 5 days, NIS Insite)	005019MU	005019MU	005019MU	3,000	3,000	101.40	81.30	68.70	101.40	81.30	68.70
***	NIS AutoStore Secure Print Details											
***	AutoStore Secure Print Capable	006445MU	006445MU	006445MU	350	350	11.83	9.49	8.02	11.83	9.49	8.02
***	006445MU - Must purchase 1 license for each MFP											
***	AutoStore Secure Print Maintenance	006446MU	006446MU	006446MU	70	70	2.37	1.90	1.60	2.37	1.90	1.60
***	006446MU - Must purchase 1 year of Maint with each 006445MU											
***	AutoStore Secure Print Renewal	006447MU	006447MU	006447MU	70	70	2.37	1.90	1.60	2.37	1.90	1.60
***	006447MU - Must be purchased for years 2 & 3 of support											
***	Open Text Document Server											
***	Open Text Document Server Small Office Bundle	005229MU	005229MU	005229MU	7,191	5,972	201.85	161.84	136.76	201.85	161.84	136.76
***	Open Text Document Server Medium Office Bundle	005231MU	005231MU	005231MU	17,700	14,700	496.86	398.37	326.63	496.86	398.37	326.63
***	Open Text Document Server Advanced Office Bundle	005233MU	005233MU	005233MU	27,700	23,005	777.57	623.44	526.81	777.57	623.44	526.81
***	Open Text Document Server, Advanced Edition Administrator	005235MU	005235MU	005235MU	2,100	1,744	58.95	47.26	39.94	58.95	47.26	39.94
***	Open Text Document Management Server Index Station Client	005237MU	005237MU	005237MU	900	748	25.28	20.27	17.13	25.28	20.27	17.13
***	Open Text Document Server Search Client License	005239MU	005239MU	005239MU	600	416	14.06	11.27	9.53	14.06	11.27	9.53
***	Open Text Document Server Scan Module	005241MU	005241MU	005241MU	1,500	1,246	42.11	33.77	28.53	42.11	33.77	28.53
***	Open Text Document Server DataGrabber	005243MU	005243MU	005243MU	4,500	3,738	126.34	101.30	85.60	126.34	101.30	85.60
***	Open Text Document Server Database Encryption Module	005245MU	005245MU	005245MU	7,500	6,230	210.57	168.83	142.67	210.57	168.83	142.67
***	Open Text Document Server, Alchemy Gold Edition Search C	005247MU	005247MU	005247MU	500	416	14.06	11.27	9.53	14.06	11.27	9.53
***	Open Text Document Server Partner Demonstration System	005249MU	005249MU	005249MU	199	166	5.61	4.50	3.80	5.61	4.50	3.80
***	Open Text Document Management Server, Web Access Mod	005250MU	005250MU	005250MU	52,000	2,908	98.29	78.81	66.59	98.29	78.81	66.59
***	Open Text Document Server Small Office Bundle (1 YR M&S)	005230MU	005230MU	005230MU	1,438	1,394	47.12	37.78	31.92	47.12	37.78	31.92
***	Open Text Document Server Medium Office Bundle (1 YR M&S)	005232MU	005232MU	005232MU	3,540	3,430	115.93	92.95	78.55	115.93	92.95	78.55
***	Open Text Document Server Advanced Office Bundle (1 YR M	005234MU	005234MU	005234MU	5,540	5,368	181.44	145.47	122.93	181.44	145.47	122.93
***	Open Text Document Server, Advanced Edition Administrator	005236MU	005236MU	005236MU	420	407	13.76	11.03	9.32	13.76	11.03	9.32
***	Open Text Document Management Server Index Station Client	005238MU	005238MU	005238MU	180	175	5.92	4.74	4.01	5.92	4.74	4.01
***	Open Text Document Server Search Client License (1 YR M&S)	005240MU	005240MU	005240MU	100	98	3.31	2.66	2.24	3.31	2.66	2.24
***	Open Text Document Server Scan Module (1 YR M&S)	005242MU	005242MU	005242MU	300	292	9.87	7.91	6.69	9.87	7.91	6.69
***	Open Text Document Server DataGrabber (1 YR M&S)	005244MU	005244MU	005244MU	900	873	29.51	23.66	19.99	29.51	23.66	19.99
***	Open Text Document Server Database Encryption Module (1	005246MU	005246MU	005246MU	1,500	1,455	49.18	39.43	33.32	49.18	39.43	33.32
***	Open Text Document Server, Alchemy Gold Edition Search C	005248MU	005248MU	005248MU	100	98	3.31	2.66	2.24	3.31	2.66	2.24
***	Open Text Document Management Server, Web Access Mod	005249MU	005249MU	005249MU	700	679	22.96	18.40	15.56	22.96	18.40	15.56
***	Implementation Services (Open Text Document Server, Alche	005250MU	005250MU	005250MU	2,250	2,250	76.05	60.98	51.53	76.05	60.98	51.53
***	Open Text Document Server File Connector Module 11-10 U	005251MU	005251MU	005251MU	2,500	2,078	70.24	56.31	47.59	70.24	56.31	47.59
***	Open Text Document Server File Connector Module 11-10 U	005252MU	005252MU	005252MU	500	486	16.43	13.17	11.13	16.43	13.17	11.13
***	Open Text Document Server File Connector Module 11-10 U	005253MU	005253MU	005253MU	5,000	4,154	140.41	112.57	95.13	140.41	112.57	95.13
***	Open Text Document Server File Connector Module 11-10 U	005254MU	005254MU	005254MU	1,000	970	30.78	25.29	22.21	30.78	25.29	22.21

[illegible]

Equipment Configuration Footnotes

B/W - COPIER / MULTIFUNCTIONAL

SP_3400SE3410SE

(1) 3400SF - User/Service Installable. 30 ppm B&W printer, Includes 250 x 1 Paper Tray, 50 Sheet Bypass Tray, 128MB RAM Memory for printer

USB2.0 Interface, Network Interface Board (10/100Base-TX Ethernet). Includes starter AIO print cartridge (yield: 1,500 pages)

Note: Replacement cartridge yield: 2,500 or 5,000 page cartridge yield available.

(2) 3410SF - User/Service Installable. 30 ppm B&W printer with duplex printing/copying. Copying is from 1 sided documents to 2 sided.

includes 250 x 1 Paper Tray, 50 Sheet Bypass Tray, 128MB RAM Memory for print

USB2.0 interface, Network Interface Board (10/100Base-TX Ethernet). Includes starter AIO print cartridge (yield: 1,500 pages).
 Note: Replacement cartridges yield 2,500 or 5,000 pages; cartridge yield variable.

(2) **Demon Card Link:** User/Service Installable. 350 Sheet optional paper tray. Only one additional tray can be installed. 1 year warranty.

(3) Paper Feed Unit: User/Service installable. 250 Sheet optional paper tray. Only one additional tray can be installed. Let
Aficio MP 171/MP 171E/MP 171SE Notes:

Artículo MP 171/MP 171E/MP 171: SPE Notes:

The MP 171 is a basic Copy only model and cannot be upgraded to include faxing. You may upgrade to include Printing and Scanning.

(2) MP 171E includes Legal Size Platen, 250 Sheet Paper Tray, 100 Sheet Bypass Tray, 128MB Memory, 50 Sheet ARDE and

(2) MP 171F includes Legal Size Paper, 250 Sheet Paper Tray, 100 Sheet Bypass Tray, 128MB Memory, 50 Sheet ARDF and Fax capabilities. The MP 171F is a copyfax model only and cannot be upgraded to include Printing and Scanning.

(3) MP171 SPF includes Legal Size Platen, 250 Sheet Paper Tray, 100 Sheet Bypass Tray, 384MB Memory and 50 Sheet ARDF.

[illegible][illegible]

of State of Ohio Price Schedule 8-14-12.xls

The MP 171SPF comes standard with Copy, Scan, Print and Fax capabilities.

(4) Up to two Optional PS480 Paper banks can be installed, bringing the maximum paper capacity to 1,350 sheets.

(5) Accessibility Handle is only available for use on the Standard Paper Tray.

(6) S-C4 HDD is available for installation on MP 171 and MP 171SPF models only. The HDD is required to enable the following features: Paperless Fax, Local Fax Storage, Sample, Locked, Hold, Stored, Store and Print, Mail to Print, SMMME for Scan-to-Email and Advanced Security Features.

(7) FAC19 Cabinet recommended when the Optional Paper Banks or one Optional PS480.

(8) FAC44 Cabinet recommended when two Optional PS480s are installed.

(9) PPS Unit available for the MP 171, and includes PCL, SaaS, PPS Driver Support, TWIN Driver and enables scan to functionality.

(10) IEEE1284 is a Micro Centronics 36 pin cable. Converter adapter is required to connect to a Centronics connector. The adapter is available through Service Parts (p/n 86795100).

(11) Only one of the following three options can be installed. IEEE 1284 interface Board Type A or IEEE 802.11 a/g Interface Unit Type L or Gigabit Ethernet Board Type A. They cannot be installed together.

(12) PostScript 3 required for Macintosh environments, PostScript printing, Mail to Print and PDF Direct Print. Available for the MP 171SPF and MP 171 with Scanner/Printer Kit.

(13) USB2.0 SD Slot option is available for installation on MP 171 and MP 171SPF models only. This option allows users the ability to Scan-to-Media (USB drive or SD Card).

(14) VMI Card required for JAVA customization.

(15) Telephone Handset. Available only for installation on MP 171P and MP 171SPF models.

(16) HDD Encryption and Data Overwrite requires the installation of Hard Disk Drive Option Type 171.

(17) HDD Encryption encrypts data stored on the HDD to prevent data theft. Even if HDD is stolen, data stored will not be disclosed.

(18) Data Overwrite Security functions to overwrite copy, print and scan data that is stored on the internal hard drive by overwriting the latent image with random sequences of 1's and 0's, making reproduction virtually impossible.

(19) Optional Counter Interface required for 3rd party solutions requiring 20 pin connectors.

(20) MP 171SPF includes Standard Internet Fax (T.37), LAN Fax, IP-Fax (T.38) and Fax Forwarding to Email functions. Also requires PostScript option for Mail to Print feature.

(21) Above users the ability to gain access to the network by existing electrical wiring by plugging the HD-PLC Adapter's AC cord into a wall outlet. Maximum of 8 Devices per Adapter and a maximum of 16 Adapters per network (1 must be designated as the Master Adapter). Performance may be affected when adding additional network devices to an adapter and more adapters to the network.

MP0201MP0201SPF

(1) MP0201P Mainframe includes Legal Size Paper, 250 Sheet Paper Tray, 100 Sheet Bypass Tray, 256MB Memory, 50 Sheet ARDP and Fax capabilities.

The MP0201P is a copyfax model only and cannot be upgraded to include Printing and Scanning.

(2) MP0201SPF Mainframe includes Legal Size Paper, 250 Sheet Paper Tray, 100 Sheet Bypass Tray, 640MB Memory and 50 Sheet ARDP.

The MP0201SPF comes standard with Copy, Scan, Print and Fax capabilities.

(3) Up to two Optional PS1200 Paper banks can be installed, bringing the maximum paper capacity to 1,350 sheets.

(4) Accessibility Handle Option is only available for use on the Standard Paper Tray.

(5) HDD Options is available for installation on the MP0201SPF models only. The HDD is required to enable the following features: Paperless Fax, Local Fax Storage, Sample, Locked, Hold, Stored, Store and Print, Mail to Print, SMMME for Scan-to-Email and Advanced Security Features.

(6) FAC19 Cabinet is recommended with no Optional Paper Banks or one Optional PS1200.

(7) FAC44 Cabinet is recommended when two Optional PS1200s are installed.

(8) IEEE1284 is a Micro Centronics 36 pin cable. Converter adapter is required to connect to a Centronics connector. The adapter is available through Service Parts (p/n 86795100).

(9) Only one of the following three options can be installed. IEEE 1284 Interface Board Type A or IEEE 802.11 a/g Interface Unit Type L or Gigabit Ethernet Board Type A. They cannot be installed together.

(10) USB2.0 Option is available for installation on the MP0201SPF model. This option allows users the ability to Scan-to-Media (USB drive or SD Card).

(11) VMI Card is required for JAVA customization.

(12) Powerline Network Adapter Allows users the ability to gain access to the network using existing electrical wiring by plugging the HD-PLC Adapter's AC cord into a wall outlet. Maximum of 8 Devices per Adapter and a maximum of 16 Adapters per network (1 must be designated as the Master Adapter). Performance may be affected when adding additional network devices to an adapter and more adapters to the network.

(13) Telephone Handset. Available only for installation on MP0201P and MP0201SPF models.

(14) Optional Counter Interface is required for 3rd party solutions requiring 20 pin connectors.

(15) Ricoh Technology Solutions Support Center (TSSC) recommends the use of the Innovec Power Protection products to minimize potential electrical interference with Ricoh products.

(16) MP0201SPF includes Standard Internet Fax (T.37), LAN Fax, IP-Fax (T.38) and Fax Forwarding to Email functions.

(17) MP0201SPF now comes standard with true Adobe PostScript3

Adobe MP 2550MP 2550SPF Models

(1) B Version Mainframes include 2 x 500 Sheet Paper Trays, 256MB RAM, Duplex & 100 Sheet Bypass Tray. Hard Disk Drive is optional. NO UPGRADE PATH FOR COLOR SCANNING, and Color Dropout.

(2) SP Version Mainframes include 2 x 500 Sheet Paper Trays, 768 MB RAM, 40GB HDD, 100 Sheet Bypass, Duplex and Print/Color & BW Scan capabilities.

(3) SP Version Mainframes include 2 x 500 Sheet Paper Trays, 768 MB RAM, 40GB HDD, 100 Sheet Bypass, Duplex and Print/Color & BW Scan/Fax capabilities.

(4) All Mainframes require either Plain Cover Type 3800C (412551) or ARDP DP3000 (414143)

(5) All Mainframes require either FAC19 Cabinet (414520) or Paper Feed Unit PPS 3000 (413673) or PPS 4000 (410958)

(6) IEEE 1284 (411699), Bluetooth (412866), IEEE802.11 a/g (414088), Gigabit Ethernet (410247), File Format Converter (414007) one of all five can be installed.

(7) HDD is included with Printer/Scanner Unit Type 3350 (414114), Printer/Scanner Option Type 3350 (414114) and pre-configured SP/PPF models.

(8) NFC and Wireless LAN IF cannot be used at the same time.

(9) Scanner/Scanner Option Type 3350 (414117) requires Printer/Scanner Option Type 3350 (414114) AND RPCCS Printer Unit (003284MU). NO UPGRADE AVAILABLE TO COLOR SCANNING.

(10) 1 Bin Tray BN 3030 (414127) 125 Sheet capacity, separates Fax/Print output from Copying

(11) 1000 Sheet SR3100 Booklet Finisher (412913), 1000 Sheet Finisher (412730), 500 Sheet Finisher (414130) requires Bridge Unit BU3000 (414125).

(12) Requires 40 GB Hard Disk Drive Type 3350 (413889).

(13) Paper Bank 3030 (413673) and LCT PPS400 (410958) and FAC19 Cabinet (414520) can be installed on the same device.

(14) 500 Sheet Finisher (414130), 1000 Sheet Finisher (412730), 1000 Sheet Booklet Finisher (412913), Internal Shift Tray SH3100 (414140) can be installed on the same device.

(15) 001342MU Memory Unit Type 3350 or 414084 G3 Interface Unit Type 3350 Requires Fax Option Type 3350 (414140)

(16) 414084 G3 Interface Unit Type 3350 Provides an additional fax modem. A maximum of three lines can be installed on the MFP.

(17) Punch Kit Type PUS3000 NA 302 (412855) requires the installation of Finisher (SR3000 (412851).

(18) 413995 Copy Date Stamp Unit Type 3350 Prevents unauthorized copying of Confidential Documents

(19) 413995 Data Overwrite Security Unit Type I Overwrites Copy, Print, Scanner, Document Server, File Format Converter and Paperless Fax

(20) 414021 HDD Encryption Unit Type A Encrypts HDD and Non-Volatile RAM data immediately upon storage, which eliminates data disclosure in the event HDD is stolen.

(21) Hard Disk Drive Option Type 3000 (414088), RPCCS Printer Unit Type 3350, Printer/Scanner Option Type 3350, Printer/Scanner Unit Type 3350, are all Options for MP 2550B & MP 3350B models only.

(22) 414120 PostScript3 Unit Type 3350. Required for Macintosh and PostScript environments.

(23) The Hard Disk Drive Type 3000 (413889) is required to enable the following features: Document Server, User Stamps, Job Presets, Present Stamps (Additional Languages), Background Numbering, Increases Collation to 2,000 & Series Copy.

(24) 414403 Fax Option Type 3350 - 33.6Kbps, 2 Second Transmission Speed, Standard JBIG Compression, Standard 320 Pages.

(25) 002034MU RPCCS Printer Unit Type 3350 Adds Refined Print Command stream printing to the MP 2550B & MP 3350B models. Kit includes additional 256MB RAM. Hard Disk Drive is required for Lockstep/Redundant print capabilities.

(26) 414114 Printer/Scanner Option Type 3350 Adds PCL Printing capabilities. Must install RPCCS Printer Unit Type 3350 (003284MU), prior to adding this option.

(27) 414117 Scanner/Scanner Option Type 3350 Adds BW Scanning capabilities. Must install both Printer/Scanner Option Type 3350 (414114) & RPCCS Printer Unit Type 3350 (003284MU) prior to adding this option.

(28) 414007 File Format Converter Type E is required to convert format and drag to desktop document stored via Copy or Print mode.

(29) 001342MU Memory Unit Type 3350 B 32MB increases page memory size to 16MB, S&P memory size increases to 20MB (or 2,240 pages), and resolution increases to 400 x 400 dpi.

MP 2550B/2550SPF

(1) Non-SP Mainframes include 1 x 500 & 1 x 550 Paper Trays, 512MB RAM, Duplex, HDD Encryption, DOSS & 100 Sheet Bypass Tray. Hard Disk Drive is optional. (The standard DOSS included with the mainframe is ISO 15408 certified as of May 2012).

(2) SP Mainframes include standard 1 x 500 & 1 x 550 Sheet Paper Trays, ARDP, Duplex, JGB RAM, 120GB HDD, Java VM Card, PDF Direct Print, HDD Encryption, DOSS, 100 Sheet Bypass Tray, USB2.0 (2 Port), Ethernet, BW Print and S&P & Color Scan capabilities and 1 standard license of PPD/MS license that includes 1,000 PPS Server Software and MFP connectivity. (The standard DOSS included with the mainframe is ISO 15408 certified as of May 2012).

(3) SP Mainframes ship automatically with ARDP DP3000.

(4) Non-SP Copier Basic Mainframes require either Plain Cover Type 3352 (415808) or ARDP DP3000 (415791). Only one of these options can be installed on the device.

NOTE: SP configuration automatically ships with standard ARDP.

(5) All Mainframes - recommend installation of either the FAC19 Cabinet (410337) or Paper Feed Unit PB1310 (415793) or Paper Feed Unit PB1320 (415794) or LCT PB1340 (415795).

Only one of these options can be installed on the device.

(6) IEEE 1284 (411699), IEEE802.11 a/g (414088), Gigabit Ethernet (402547) and File Format Converter (414007) cannot be installed on the same device.

(7) HDD is included with Printer/Scanner Unit Type I Overwrites Copy, Print, Scanner, Document Server, File Format Converter and Paperless Fax

(8) Booklet Finisher SR3120 (415810) and IEEE1284 Interface Board Type A (411699) cannot be installed on the same device.

(9) Card reader Bracket - Table shaped option to position counter device on

(10) 1 Bin Tray - 100 Sheet capacity, separates Fax/Print output from Copying.

(11) 1000 Sheet SR3120 Booklet Finisher (415810), 1000 Sheet SR3090 Finisher (415804), 500 Sheet SR3070 External Finisher (415799) requires Bridge Unit BU3000 (415798).

(12) USB2.0SD Slot Type H, PostScript Unit Type 3352, IEEE802.11a/b/g Wireless Interface Type I, IEEE1284 Interface Board Type A, Bluetooth Interface Unit Type D, Gigabit Ethernet Board Type A, Java VM Card Type N, File Format Converter Type E, PPS Unit

(13) ARDP Handle allows access to the internal ARDP.

(14) 500 Sheet SR3070 External Finisher (415799), 1000 Sheet Finisher (415804), 1000 Sheet Booklet Finisher (415810), Internal Shift Tray SH3100 (415797)

500 Sheet Internal Finisher Type 3352 (415800) can be installed on the same device.

(15) 001342MU, 415841, 415820. Requires Fax Option Type 3352 (415808)

(16) G3 Interface provides an additional fax modem. A maximum of three lines can be installed on the MFP.

(17) Punch Kit Type PUS3000 NA 302 (412855) requires the installation of Booklet Finisher (SR3120 (415810).

(18) Key Counter Bracket is used to mount external key counter to MFP.

(19) Caster Table Requires installation of Paper Feed Unit PB1310 (415794).

(20) Punch Kit BU3000 adds 2 x 3 hole Punch capabilities to the 500 Sheet Internal Finisher (415800).

(21) 415791, 415805, 415821, 415808 - Options for MP 2552 (415762) & MP 3352 (415774) models only. Standard on pre-configured SP models.

(22) PostScript 3 Unit required for Macintosh and PostScript environments.

(23) The Hard Disk Drive Type 3352 (415800) is required to enable the following features: Document Server, User Stamps, Job Presets, Present Stamps (Additional Languages), Background Numbering, Increases Collation to 1,000 and Increases Dial Keys to 2,000.

(24) Fax Option Type 3352 - 33.6Kbps, 2 Second Transmission Speed, Standard JBIG Compression, Standard 320 Pages.

(25) Optional Counter Interface - 20 Pin Interface used to attach External Key Counter or Key Card Device.

(26) File Format Converter is required to convert format and drag to desktop document stored via Copy or Print mode.

(27) Memory Unit Type B 32MB increases page memory size to 16MB, S&P memory size increases to 20MB (or 2,240 pages), and resolution increases to 400 x 400 dpi.

(28) USB 2.0 Slot allows user to Print From & Scan to Removable Media (USB or SD Card)

(29) You cannot configure Bluetooth (415818) and USB2.0SD Slot Type H (415808) on the same device.

(30) Caster Table Type D cannot be installed with either SR3120 Booklet Finisher (415810) or SR3090 1,000 Sheet Finisher (415804).

(31) Embedded HotSpot MFP Type D comes with User HotSpot Subscription Service which includes SD Card with Browser Software, POP signage, instructions and labels. Does not include MFP.

(32) Embedded HotSpot MFP Type D includes 5 years Software Maintenance which includes telephone support and upgrades within the Version installed. This product does not require reinstallation/activation as it is delivered via SD Card. PostScript option is not required.

(33) DOSS Type (413995) will be used to provide ISO 15408 Certified DOSS.

(34) Ricoh Technology Solutions Support Center (TSSC) recommends the use of a power protection product (00544MU) or 005428MU) to minimize potential electrical interference with Ricoh products. Either power filter kit may be used with this product.

(35) Bluetooth Interface Unit Type D (415818) and IEEE802.11 a/g Wireless Interface Type J (414008) cannot be installed on the same device.

(36) 3x6.9 1/8 USB Keyboard expedites meta data entry and integrates directly with many of the leading Document Management Systems at the MFP with optional support for AdobeScan Vx, iCKey, NIS Audiotape and other applications. NOTE: Does not support embedded native scanning features.

(37) The USB2.0SD Slot Type H (415808) is not compatible with the SR3120 Booklet Finisher (415810).

Buick MP0202MP0202SPF Models

(1) Mainframe includes 2 x 180 Sheet Paper Trays, 512 MB RAM, 100-Sheet Bypass Tray, 100-Sheet ARDP, Duplex, HDD Encryption, DOSS (the standard DOSS included with the mainframe is not ISO 15408 certified), 160 GB HDD is an option. Upgrade path to Printing and Color Scanning with PrintScan Option (415140).

(2) Mainframe includes 2 x 180 Sheet Paper Trays, 1 GB RAM, 160 GB HDD, VMI Card, 100-Sheet ARDP, Duplex, 100-Sheet Bypass, HDD Encryption, DOSS (the standard DOSS included with the mainframe is not ISO 15408 certified), Scan-to-Print from USB2.0 Card, and Printing and color scanning the standard features.

(3) You can only install either FAC19 Cabinet (414507) or PB1310 (415793) or PB1340 (415799)

(4) S&P LCT (P3300) (415804) requires installation of LCT PB1340 (415799) or Paper Feed Unit PB1320 (415799). This option cannot be installed with FAC19 Cabinet (414507).

(5) The Bridge Unit BU3000 (415999) is required with the SR3110 Booklet Finisher (416007), SR3090 (415804) and SR3120 Finishers (416008).

(6) 125 Sheet Capacity. Provides additional output tray to separate fax/print output from copy.

(7) Punch Unit PUS3000 NA 302 (415825) requires the installation of either Finisher (SR3120 (416008)) or Booklet Finisher (SR3110 (416007)).

(8) SR3090 Finisher (415804), SR3120 Finisher (416008), SR3110 Booklet Finisher (416007) and Internal Shift Tray (415897) cannot be installed on the same device.

(9) Provides an additional fax modem. Two additional G3 lines can be added. Maximum of 3 lines available.

(10) 33.6Kbps, 2 Second Transmission Speed, Standard JBIG, Standard 320 Pages. Requires Printer/Scanner Unit Type 5002 to enable LAN/Faxing, Fax Forward to Email, IP Faxing.

(11) Memory Unit Type B 32MB increases page memory size to 16MB, S&P memory size increases to 20MB (or 2,240 pages), and resolution increases to 400 x 400 dpi.

(12) Adds Printing and Color Scanning to the MP 4002 & MP 5002 Copier Basic Models. Kit includes Scanner/Printer SD Card, 160 HDD and 512 MB RAM.

(13) Required for Macintosh and PostScript environments.

(14) Requires Printer/Scanner Unit Type 5002 for Copier basic Models Only

(15) Cannot be installed with any Printer, no Internal Shift/Scan Tray

(16) One out of four options may be installed: IEEE1284 (411699), Bluetooth (415818), File Format Converter Type E (414007), Gigabit Ethernet (402547)

(17) Required to convert format and drag to desktop document stored via Copy or Print mode.

(18) This is an ISO 15408 Certified version of DOSS. Overwrites Copy, Print, Scanner, Document Server, File Format Converter and Paperless Fax. Target availability is Q2, 2012

(19) Prevents unauthorized copying of confidential documents.

(20) Required for JAVA customization. Only available for MP 4002/5002 Copier Basic Model (standard on SP version). Requires optional Printer/Scanner Unit Type 5002 (416140)

(21) 20-Pin Interface used to attach External Key Counter or Key Card Device.

(22) Used to mount external key counter to MFP.

(23) Allows seated user to easily close ARDP.

(24) Table shaped option to position counter device on.

(25) Requires Fax Option Type 5002 (416156)

(26) For customers who does not want the standard ARDP. Order the platen cover option

(27) Enable users to connect to solutions such as, Integrated Cloud Environment, HotSpot Printing. (Not compatible with all web sites)

(28) Used for customers who require native printing.

(29) Enables users to send and receive faxes from the sub machines via the Primary MFP. Communicates over the network with the kit that has the fax option.

Copier Basic requires upgrade with the First Scan Unit Type 5002 (416140) and Fax Option Type 5002 (416156). SP configuration requires the Fax Option Type 5002 (416156).

The Fax Connection Option (416207) is required on both the Primary MFP and the Copier (416156) and on the individual Sub-Machine (also 416156).

(30) The Hard Disk Drive Type 5002 (416155) is required to enable the following features for the Copier Basic MP 4002/MP 5002: Document Server, Background Numbering.

User Stamps, Job Presets, Present Stamps (Bates Stampings), Personal Home Screen Setting Customization, Eco Counter Indicator, Java Applications.

(31) Cannot be installed with the Sub Tray or any Finishers.

(32) 100288FMS and 100095FMS must be ordered together. Used for entering metadata when using SCM applications or embedded applications

MP 601700MP001000

(1) All Mainframes require a finisher or the copy tray.

- (3) Non SP Models include 150-sheet color single pass duplex document feeder, 512MB RAM, and 150GB HDD.
(3) SP Models include 150-sheet color single pass duplex document feeder, 1.0GB RAM,160GB HDD, and Scanner/
Printer Unit (includes NIC (10/100BaseT Ethernet) and USB 2.0 interfaces standard).
(4) SP Models include DocuPrintFinisher Lite, CloudDocuBoxPrinter for Admin & Client, TWAIN drivers,
RPCS, PCL6, PCL6 (X) drivers.
(8) RT 43 LCT - 4,000 Sheet capacity LCT (8 1/2" x 11").
(9) SR4030 - 3,000-sheet finisher with 50-sheet staple capacity.
(7) SR4040 - 2,000-sheet finisher with 50-sheet staple capacity and 15-sheet saddle-stitch capacity.
(9) SR4050 - 3,000-sheet finisher with 50-sheet staple capacity.
(9) 2/3 Hole Type 3260 - Compatible with SR4040 and SR4030 Finishers. 2 & 3 hole punch (user-selectable).
(10) Cannot hole punch and Z-fold at the same time.
(13) 2/3 Hole Type 3075 - Compatible with SR4050 Finisher only. 2 & 3 hole punch (user-selectable).
(12) Cover Interposer Tray Compatible with all finishers.
(13) Main unit cannot be configured with both the Cover Interposer and the Mailbox.
(4) 1 1/2 x 14" Tray Type 3075 - Converts RT43 LCT to 1 1/2" x 14" or 8 1/2" x 11" SEF (2,500 Sheets). Requires RT43.
(14) Tab Sheet Holder Type 3200 - Required for tab copys/print. Tab Sheet Holder can be used in second or third tray (but not in both).
(16) A3/L1x17" Tray Unit Type 9001 - Converts size standard landscape tray (Tray 1) to hold 11" x 17", 8 1/2" x 14" or 8 1/2" x 11" paper (1,000-sheet capacity).
(17) Output Jogger Unit Type 3260 - Compatible with the SR4040 and SR4030 Finishers. Neatly arranges output.
(18) Output Jogger Unit Type 3075 - Compatible with the SR4050 only. Neatly arranges output.
(9) File Format Converter Type E - Required for retrieving files from Document Server that were stored via Copy or Print Function.
(20) Multi Folding Unit Type F50000 - Each Z-folded sheet counts as 10 sheets.
(21) Multi Folding Unit Type F50000 - Compatible with SR4040 and SR4050 Finishers. Not compatible with SR4030 Finisher.
(22) Data Overwrite Security Option TypeH - Hard disk drive overwrite security option.
(23) BK5010 Production Booklet Maker & GB5 Streamline Punch II - Requires SR4050 Finisher. Jogger Unit is recommended.
(24) CR5010 Cover Feeder/TR5010 Trimmer Unit, & BK5010 Rail Unit - Requires the BK5010 Booklet Maker.
(25) BF5010 Book Fold Unit - Requires the Trimmer.
(26) GBC Streamline Punch requires the purchase of at least one die set.
(27) Print Scan Unit - Includes 1.0GB RAM upgrade. Must purchase Print Driver & Utilities and Scanner Driver & Utilities Type 9001 CD
(28) PostScript 3 Unit - Required for Post Script and Macintosh printing.
(29) Copy Data Security - Documents which are printed with the "Data Security for Copying" Unauthorized Copy Control
RPCS setting and copied on a device with this option installed will be grayed out.
(30) Mailbox - Compatible with SR4040 and SR4030 Finishers only. Not compatible with SR4050 Finisher.
(31) Of the following interface options, only one may be installed: IEEE 1284, IEEE 802.11a/b/g Wireless LAN, or Bluetooth.
(32) Of the following two interfaces, only one may be installed: 10/100BaseT Ethernet or Gigabit Ethernet.
(33) Ethernet Adapter adds an additional fax line. Up to two lines may be added for a maximum of three lines.
(34) 32 MB Memory - Increases S&F memory to 256MB (2,240 pages) and enables 400dpi resolution.
(35) Print Drive CD - Must purchase with Printer/Scanner Unit Type 9001
(36) USB 2.0/5010 Slot Type C - Allows user the ability to Scan to Media (USB or SD Card)

Pro 907EX/1107EX/1357EX Notes

- (1) Mainframes require purchase of SR5000, SR5020, or SK5010
(2) RT5030 - Letter Sized Large Capacity Tray Option. Cannot be combined with RT5040
(3) RT5040 - Double Letter Sized Large Capacity Tray Option. Cannot be combined with RT5040
(4) 11" x 17" Tray Kit Option converts tandem tray to single SEF Tray
(5) Mail bypass. Tray requires a Large Capacity Tray (either RT5030, or RT5040)
(6) Multi Folding Unit cannot be configured with two SK5010. Limited to one SK5010.
(7) High capacity stacker requires purchase of CR5000
(8) Roll Away Cart - This is an extra cart. One cart comes with SK5010
(9) PU5000 Punch Unit requires SR5000. Maximum punching speed is 113gpm
(10) PU5020 Punch Unit requires SR5020. Maximum punching speed is 133gpm
(11) TR5020 Trimmer Unit requires SR5020.
(12) TCRU Type 9071107 is to be used with 90gpm & 113gpm models
(13) TCRU Type 1357 is to be used with 135gpm models
(14) Ring Binder - When configured with SR5020, can not be combined with GB5000 or 2nd SK5010
(15) Ring Binder - When configured with SR5000, can not be combined with GB5000, or SK5010
(16) Perfect Binder - When configured with SR5020, can not be combined with RB5000 or 2nd SK5010
(17) Perfect Binder - When configured with SR5000, can not be combined with RB5000, or SK5010
(18) Cover Interposer and Transfer pass Unit must be ordered with GB5000
(20) BK5010 requires SR5000. Can not be configured with SR5020.
(21) TR5010 Trimmer Unit and Cover Feeder Unit require BK5010
(22) Book Fold Unit requires BK50210 and TR5010 Trimmer
(23) GBC Streamline Punch requires purchase of at least one Die Set
(24) GBC Streamline Punch requires purchase of SR5000, or SR5020
(25) File Format Converter requires purchase of Print&Scan Kit Type 1357
(26) Perfect Binder requires purchase of Cover Interposer Tray Type GB5000 and Transil Pass Unit Type GB5000
(27) TCRU kits are highly recommended
(28) 404333 - FACI eraser only. Includes activation dongle
(29) 404332-FACI Furnish Bundle type 1357 includes FACI activation dongle, keyboard, monitor, power cords and stand
(30) External HDD kit - 404334 - to put fiery inside. Includes enclosure, cables.
(31) Rail Unit - 413335 - Helps properly align BK5010s when docking and undocking

SP 5000/SP 5020/SP 5210/SP 5210SR

- (1) Print, copy, and scan. 47 PPM monochrome MFP with color scanning standard. Mainframe includes 550-sheet Paper Tray, 100-sheet Bypass Tray, standard duplex printing, Adobe PostScript, 1 GB RAM, HDD with DOCS and Encryption, Java and 50-sheet ADFP. Ships with Starter All-in-One Cartridge that yields 6,000 prints.
(2) Print, copy, and scan. 52 PPM monochrome MFP with color scanning standard. Mainframe includes 550-sheet Paper Tray, 100-sheet Bypass Tray, standard duplex printing, Adobe PostScript, 1 GB RAM, HDD with DOCS and Encryption, Java and 50-sheet ADFP. An internal 50-sheet Staple Feeder is provided standard. Ships with Starter All-in-One Cartridge that yields 6,000 prints.
(4) 50-Sheet Capacity
(5) For desk placement, 1 PFU TK1090 may be added. For floor placement, up to 2 PFU TK1090 may be stacked.
(6) Only 1 PFU TK1100 with Casters may be installed on a mainframe. PFU TK1100 is designed specifically for placement on the floor. When properly configured, PFU TK1100 must be the lowest PFU installed.
(7) Installation of 3 PFUs requires the assistance of a technician.
(8) Fax option may be installed on the SP 5200S and SP 5210SR only.
(9) One open interface board slot is available. Gigabit Ethernet, Wireless LAN or File Format Converter may be installed.
(10) Wireless LAN option supports IEEE 802.11a/g standard and is WPA compliant.
(11) The printer's standard Ethernet and USB 2.0 ports are not available when the Gigabit Ethernet Board is installed. Instead, you can use the Ethernet and USB 2.0 ports mounted on the Gigabit Ethernet Board.
(12) Wireless option for printing at 600 dpi. This is a Bluetooth is not available in one of the 2 available USB Host interface slots.
(13) Expansion memory. Provides additional memory for facsimile functions.
(14) Overrides latent data stored on HDD so the data can not be re-created. Data overwrite is available as a standard feature.
This data overwrite option is offered for installations requiring Common Criteria certification. Certification is pending.
(15) External @Remote appliance.
(16) Used to display data from the server in HTML format on the machine's control panel. You can also use this function to send scanned files from the control panel.
(17) Required for downloading documents stored to Document Server in copier or printer mode or your PC; using Web Image Monitor.
(18) For use in AS400 environments.
(19) Ricoh Technology Solutions Support Center (TSSC) recommends the use of Power Protection products to minimize potential electrical interference with Ricoh products.

PRODUCTION

Pro C901/C915

- (1) ProC901 and 901S must add Color Profiler Suite v3 w/ES1000 to each C901/C901s site.
(2) ProC901s must add TCRU Kit A with each C901/C901s order
(3) Mainframes and Finer Converters require a SR5000 Finisher and/or SK5010 Stacker/ SR5020 booklet maker
(4) Base configuration contains 2,500 sheets of paper capacity
(5) BU5000 Bridge Unit required when configuring two RT5050 LCUIT units
(6) Can configure up to two SK5000 Stacker options per CR01/C901s
(7) Cooling Fan Unit recommended for printing on coated stock or with high toner coverage compatible only with SR5000
(8) TK5000 Tray Kit converts Tray 1 from tandem letter tray to support 11 x 17. Reduces tray capacity in half.
(9) LCUIT RT5030 is not compatible with C901s or T5050
(10) Tab Sheet Holder is recommended to configure Tab option in Tray 2
(11) BY5000 Multi Bypass Tray requires inclusion of LCUIT RT5050. Cannot be configured with LCUIT RT5030.
(12) CR01s base configuration contains 4,500 sheets of paper capacity and includes (1) RT5050 LCUIT
(13) R500 Booklet Finisher cannot be configured with Perfect Bind, Ring Bind, Stacker or Plockmaker BK5010e options.
(14) FACI Furnish E-81 and EPI server for E81 are only compatible with Fiery E-81.
(15) Ring Clopper and Ring Cartridge require Ring Bind option
(16) Ring Binder cannot be configured with Perfect Bind option
(17) Perfect Bind, Transil Pass Unit and Cover Interposer TR5000 cannot be configured with Ring Bind option
(18) Color Profiler ES1000 contains Color Profiler of software and ES1000 spectrophotometer
(19) Color Profiler Upgrade Software upgrades Color Profiler v2.0 customers to Color Profiler v3.0
(20) ES1000 Color Spectrophotometer are for customers that only want calibration capability
(21) Booklet Maker BK5010e cannot be configured with SR5020 bookletmaker
(22) B5010 Cover Feeder, Trimmer, Book Folder and Rail Unit are options for Plockmaker BK5010e
(23) GB5000 Transil pass Unit and Cover Interposer are required with GB5000 Perfect Binder
(24) GB5 Stream Punch Pro punches only LET letter-sized paper
(25) JAVA VM Card Type F is compatible on Pro C901s. Supports JAVA applications.
(26) FACI Furnish and E-41 EPI Server are only compatible with the Fiery E-41.
(27) Fiery E-81 controller includes SeqSequence Imposse, SeqSequence Composite, Secure Erase and GA Premium Package, and is FACI enabled
(28) High Capacity Stacker includes one roll away cart per SK5010 option
(29) Buffer Pass Unit required with SK5010. Only one Buffer Pass Unit required per C901/C901s
(30) EPI SeqSequence and EPI Graphic Arts are only compatible with Fiery E-41, standard on E-81
(31) GBC Stream Punch requires the purchase of at least one GBC die set
(32) RB5000 Ring Binder, PU5000 Punch Unit, CR5010 Cover Interposer Z-Folding Unit, Perfect Binder GBC Stream Punch and B5010e Booklet maker all require SR5000
(33) B5020 Punch Unit and Face Trim Unit are options for SR5020 only
(34) Fiery E-41 includes SeqSequence Imposse, Secure Erase, Graphic Arts Package and is FACI enabled
(35) TCRU Set II consists of the Face Unit
(36) Standard Die Sets will work with both the StreamPunch™ II and the StreamPunch™ Pro
(37) Pro HD Die Sets will work only with the StreamPunch™ Pro
(38) Fiery E-41 or E-81 required with each mainframe configuration

COLOR COPIER / MULTIFUNCTIONAL

SP C2325F/SP C2325E

- (1) SP C2325F: Print, copy, scan and fax. 21 CPMPMP for color and monochrome prints and copies. Mainframe includes 250-sheet Paper Tray, 1-sheet Bypass Tray, standard duplex printing, 128MB RAM and 35-sheet ADF. Ships with Starter All-in-One Cartridges that yield 1,000 prints.
(2) SP C2325E: Print, copy, scan and fax. 21 CPMPMP for color and monochrome prints and copies. Mainframe includes 250-sheet Paper Tray, 1-sheet Bypass Tray, standard duplex printing, 256MB RAM, 35-sheet ADF, PCL6 and PostScript3 support. Ships with Starter All-in-One Cartridges that yield 1,000 prints.
(3) Paper Feed Unit has 500-sheet capacity. One Chemical Paper Feed Unit may be added to mainframe.
(4) 0033DMU: Optional RAM can be added to the SP C2325F only. The SP C2325E has one slot available. A maximum of 512MB may be installed.
(5) 100118FNG: Optional IEEE 802.11b/g Wireless Bridge. Wireless Bridge replaces the 10100Base-TX Ethernet.

SP C4050E

- (1) C4050E - Print, copy, scan and fax. 21 CPMPMP for color and monochrome prints and copies. Mainframe includes 250-sheet Paper Tray, 1-sheet Bypass Tray, standard duplex printing, Standard/Maximum 256MB RAM, 35-sheet ADF, PCL6 and PostScript3 support. Ships with Starter All-in-One Cartridges that yield 1,000 prints.
(2) PFU TK1010 - 500-sheet capacity. One optional Paper Feed Unit may be added to mainframe.
(3) SX-2900S Wireless Adapter - Optional IEEE 802.11b/g Wireless Bridge. Wireless Bridge replaces the 10100Base-TX Ethernet.

MP C5010/MP C5510

- (1) Mainframes include standard 50 Sheet ADFP, 100-Sheet Bypass Tray, 160GB-HDD, 1.5 GB RAM, VM Card, 2 x 250 Paper Trays, PCL6/PSCL6 Printing & Scan in EmailPrinter. Also includes HDD Encryption Unit and Data Overwrite Security Unit (The standard DOCS included with the mainframe is not ISO 15408 certified).
(2) Mainframes require installation of either the FACI-A Cabinet (415016), Paper Feed Unit PB3030 (413673) or Paper Feed Unit PB3070 (414616). Only one of these options can be installed on the device.
(3) PFU PB3070 provides lower height making it easy for all users to access.
(4) The Caster Table is a mandatory requirement for the PB3070 (414616).
(5) Internal Finisher is a 500 Sheet Finisher with 50-Sheet Slapping (LTR). Cannot be installed with either 1-Bin Tray or Internal Shift Tray.
(6) PU3010 Punch Unit adds 25 Hole Punching Capabilities to the Internal Finisher. Requires installation of Finisher.
(7) Side Tray is installed on the right side of the device. Provides an additional 50-Sheet Output.
(8) 1-Bin Tray has a 100 Sheet Capacity. Provides additional output tray to separate fax/print output from copy. Cannot be installed with internal Finisher.
(9) Internal Shift Tray has a 250 Sheet Capacity. Shifts each document to a 11" x 17". Cannot be installed with Internal Finisher.
(10) PostScript Option required for printing from Mac OS. Recommended for printing more complex color and PDF files, including PDF Direct Print. Also required for Mail to Print & PostScript Universal Print Driver.
(11) Only one (1) of the following three options can be installed on the device: IEEE 1284 Interface Board Type A (414199), IEEE 802.11a/b/g Wireless Unit Type F (414008) or Gigabit Ethernet Board Type B (414024).
(12) USB2.0 allow user to Print From & Scan to Removable Media (USB or SD Card). Includes PDF Direct Print.
(13) File Format Converter is required for downloading Print/Copy documents stored on Document Server.
(14) Fax option is required to enable fax operation to enable Mail-to-Print feature (Mail - to - print requires PostScript 3 option)
(15) Hardnet Type 1018 - Telephone Handler for Fax Option Type C2551.
(16) 32MB Memory increases fax memory to approximately 2,240 pages and fax resolution to 400 x 400 dpi
(17) Key Courier Bracket used to mount external key courier to MFP.
(18) Courier Interface: 20-Pin Interface used to attach External Key Courier or Key Card Device.
(19) Data Overwrite Security overwrites latent image data on MFP HDD. (DOSS option Type I is scheduled for ISO 15408 Common Criteria Certification

- in 2011.)
- (20) Camera Direct Print allows users to connect a PicBridge compatible digital still camera directly to the printer without a PC, enabling direct, on the spot printing.
- (21) Envelope Feeder installs in place of Tray 1. Allows for feeding of envelopes (Com10, C5, C6, DL), as well as Half Letter-size, Letter-size, Legal-size and Statement-size paper.
- (22) Card Reader Bracket attaches optional card reader to the mainframe.
- (23) ASF Handle allows easier lifting of ARDF for seated users. Cannot be installed with Card Reader Bracket.
- MP-C3002-3002**
- 1) Designed for a max monthly volume of 20K pages (Letter paper, 20b. Bond, 30% color ratio, 50/50% toner fill (BW/FC), volume evenly spread over the month, PMS performed regularly)
- 2) Mainframe includes 50 Sheet ARDF, Duplex, 2 x 550 Sheet Paper Trays, 100 Sheet Bypass Tray, ScanPrint Kit, USB Host Interface, uncertified DOSS, HDD Encryption, Java VM Card, Scan to Print From USB/SD Card, 1.5GB RAM, & 250GB HDD
- 3) One of following: PB83120 x4500 Paper Blank, PB83120 2x550 Paper Blank, PB83140 2x1000 LCIT, or FAC32 Cabinet) must be ordered
- 4) Requires Caster Table Type D (415811). This table provides lower total machine height making it easy for all users to access
- 5) Cannot be installed with PB83120.1 Tray Paper Blank use FAC32 Cabinet Stand
- 6) Only one of these options can be installed on the device
- 7) Must Order BU3000 Bridge Unit with any Finisher
- 8) Hole Punch Option for SR31300 Booklet Finisher Only
- 9) Provides additional output tray above Internal Tray/Bridge Unit (Holds 125 Sheets)
- 10) Overwrites latent image data on MPF HDD. DOSS option Type H is scheduled for ISO 15408 Common Criteria Certification in Feb 2012. Std DOSS is not certified
- 11) Installs in place of Trays 2, 3 or 4. Allows for feeding of envelopes (C5 and Com10), Letter-size paper, Statement-size paper
- 12) Used to mount external key counter to MPF
- 13) 20 Pin Interface used to attach external key counter or key card device
- 14) Can be installed in place of ARDF where document feeder is not needed/wanted. (NOTE: ARDF comes std regardless)
- 15) Table shaped option used to sit a card reader or counter device on
- 16) Allows seated users to easily close the ARDF
- 17) Allows faxes to be sent and received from MPF
- 18) Up to 2 add'l lines can be installed (for total of 3)
- 19) Requires Fax Option Type C5002
- 20) Increases fax memory to 2,240 pages and fax resolution to 400 x 400 dpi
- 21) Only one of these additional connectivity options can be installed in system at a time.
- 22) Allows users to connect a PicBridge-compatible digital camera directly to the MPF, enabling the printing of photos without a computer
- 23) Required for printing from Mac OS. Recommended for printing more complex color and PDF files. Includes PDF Direct Print
- 24) Provides advanced color matching and Workflow. Does not require PS3 Option (415998) Target launch is April 2012
- 25) Needed for downloading files stored on Document Server via Copy or Print Functions
- 26) Ricoh TSSC recommends the use of a power protection product to minimize potential electrical interference with Ricoh products
- 27) Prevents unauthorized copying of confidential documents that were created on other printers that have this option installed
- 28) Enables users to send and receive faxes on a sub MPF via a main MPF. This option is required on both the Main MPF that has the Fax Option (415991) installed AND on the Sub MPF(s) needing remote fax. (Not compatible with previous models) Target availability is May 2012
- 29) See Website: <http://alr.el.com/FireflyProducts>
- 30) Uses a USB port.
- 31) Required for Mail-to-Print
- 32) Not Compatible with the Firefly E-3300
- 33) Used for Browser Features like ICE and Hotspot. Not compatible with all Web Sites
- 34) Includes ES100 spectrophotometer and Color Profiler v3.0 Software
- 35) For customers that have the Color Profiler V2.0 and want to upgrade to Color Profiler V3.0
- 36) Compatible with many Firefly Controllers
- 37) For use with the ES-1000
- 38) Cannot have flow standing Finisher (SR3090, SR3100) at the same time as the PB83120.
- 39) Intelligent Printer Data Stream (IPDS) is InfoPrint Solution Company's Systems Application Architecture host-to-printer data stream Target availability is July 2012.
- 40) For Printing in a Novel environment. Target availability is July 2012
- 41) External Keyboard for inputting data with either SDK applications OR embedded applications

- MP-C600-5902**
- 1) Designed for a max monthly volume of 50K pages (Letter paper, 20b. Bond, 30% color ratio, 50/50% toner fill (BW/FC), volume evenly spread over the month, PMS performed regularly)
- 2) Mainframe includes 100 Sheet ARDF, Duplex, 2 x 550 Sheet Paper Trays, 100 Sheet Bypass Tray, ScanPrint Kit, USB Host Interface, uncertified DOSS, HDD Encryption, Java VM Card, 2GB RAM, & 190GB HDD
- 3) One of following: PB83120 x4500 Paper Blank, PB83140 2x1000 LCIT, or FAC32 Cabinet) must be ordered
- 4) Cannot be installed with FAC33 Cabinet Stand
- 5) Only one of these options can be installed on the device
- 6) Must Order BU3000 Bridge Unit with any Finishers
- 7) Hole Punch Option for SR31105/SR31120 Finishers Only
- 8) Provides additional output tray above Internal Tray/Bridge Unit (125 Sheets)
- 9) Overwrites latent image data on MPF HDD. DOSS option Type H is scheduled for ISO 15408 Common Criteria Certification by February 2012. Std DOSS is not certified
- 10) Installs in place of Trays 2, 3 or 4. Allows for feeding of envelopes (C5 and Com10), Letter-size paper, Statement-size paper
- 11) Used to mount external key counter to MPF
- 12) 20 Pin Interface used to attach external key counter or key card device
- 13) Can be installed in place of ARDF where document feeder is not needed/wanted. (NOTE: ARDF comes std regardless)
- 14) Table shaped option used to sit a card reader or counter device on
- 15) Includes cable kit to allow ARDF/Scanner to be detached from mainframe and placed on table for wheelchair access
- 16) Allows faxes to be sent and received from MPF
- 17) Up to 2 add'l lines can be installed (for total of 3)
- 18) Requires Fax Option Type C5002
- 19) Increases fax memory to 2,240 pages and fax resolution to 400 x 400 dpi
- 20) Only one of these additional connectivity options can be installed in system at a time and these can not be installed with a Firefly
- 21) Allows users to connect a PicBridge-compatible digital camera directly to the MPF, enabling the printing of photos without a computer
- 22) Required for printing from Mac OS. Recommended for printing more complex color and PDF files. Includes PDF Direct Print
- 23) Allows easier lifting of ARDF for seated users
- 24) Needed for downloading files stored on Document Server via Copy or Print Functions
- 25) Can not be installed with any Finisher, nor Internal Shift/Sort Tray
- 26) Required to enable Mail-to-Print feature
- 27) Prevents unauthorized copying of confidential documents that were created on other printers that have this option installed
- 28) Enables users to send and receive faxes on a sub MPF via the primary MPF. This option is required on both the Main MPF that has the Fax Option (415991) installed AND on the individual Sub MPF needing remote fax. (Not compatible with previous models)
- 29) Uses a USB port. Can not be installed with IEEE802.11a/b/g Wireless Type J (414008)
- 30) Used for Browser Features like ICE and Hotspot. Not compatible with all web sites
- 31) Provides advanced color matching and Workflow. Does not require PS3 option (415998)
- 32) See Website: <http://alr.el.com/FireflyProducts>
- 33) Includes ES100 spectrophotometer and Color Profiler v3.0 Software
- 34) For customers that have the Color Profiler V2.0 and want to upgrade to Color Profiler V3.0
- 35) Compatible with many Firefly Controllers
- 36) For use with the ES-1000
- 37) Ricoh TSSC recommends the use of a power protection product to minimize potential electrical interference with Ricoh products
- 38) Intelligent Printer Data Stream (IPDS) is InfoPrint Solution Company's Systems Application Architecture host-to-printer data stream Target availability is July 2012
- 39) For Printing in a Novel environment Target availability is July 2012

- MP-C501AMP-C760**
- (1) Mainframes include 100-sheet ARDF, duplex unit, 3,400 sheets of paper capacity, and 320GB HDD.
- (2) Mainframes require a finisher or copy output tray.
- (3) Mainframes include a C/DW controller for network printing and scanning.
- (4) SR4030 - 3,000 Sheet Finisher with 50 sheet staple capacity.
- (5) SR4040 - 3,000 Sheet Finisher with 50 sheet staple capacity and 15 sheet saddle stitch capacity.
- (6) SR5000 - 3,000 Sheet Finisher with 100 sheet staple capacity. REQUIRES the purchase of the Adapter Kit Type C (412973)
- (7) Finisher Adapter Kit Type C required when configuring SR5000
- (8) 11x17 Tray Unit Type 1075 changes the Tandem Tray to support 11 x 17 paper. Reduces paper capacity of Tray 1 to 1,100 sheets.
- (9) RT4000 installation requires removal of bypass tray.
- (10) 32GB Hole Punch Compatible with SR4030 or SR4040 Finishers.
- (11) PU5000 Punch Unit Compatible with SR5000 Finisher only.
- (12) Cover Interposer Tray - Compatible with either SR4030 or SR4040 Finishers. Cannot be configured with 9-In Mailbox or 2 Source Interposer.
- (13) Tab Sheet Holder required by Tab CopySheet. Compatible with all finishers. Tab Sheet Holder can be used in 2nd or 3rd tray (but not both).
- (14) 8.12 x 14 Tray converts RT43 (LCT) to 8.5" x 14" or 8.5" x 11" SFF (2,500 Sheets). Requires RT43 LCT.
- (15) C5000 Dual Source Cover Interposer - Compatible with SR5000 Finisher only. Cannot be configured with 9-In Mailbox or Cover Interposer.
- (16) Multi-Fold Unit - Each Z-folded sheet counts as 10 sheets.
- (17) Multi-Fold Unit Compatible only with SR4040 or SR5000 Finishers.
- (18) 9-In Mailbox compatible only with SR4030 and SR4040 Finishers.
- (19) Adobe PostScript 3 compatible only with Scanner Printer Kit, one of the following can be installed.
- (20) DOSS overwrites latent image data on copier HDD.
- (21) File Format Converter required for retrieving files from Document Server that were stored via Copy or Print Function.
- (22) In addition to Ethernet (NIC) interface on the Scanner Printer Kit, one of the following can be installed.
- Wireless LAN interface (802.11b, IEEE 1284, Gigaset Ethernet and BlueTooth).
- (23) Copy Data Security prevents unauthorized copying of confidential documents. Cannot install fax option when this is installed.
- (24) Key Counter Bracket used to mount external key counter to mainframe.
- (25) C3 Interface requires Fax Option Type C7501. Supports up to two additional lines, for a total of three.
- (26) 32MB Memory increases available SAF memory to hold up to 2,240 pages.
- (27) Optional Counter Interface - Key counter interface used to attach external key counter or key card device.
- (28) Copy Connector Kit withers two C5001-C7501 copiers so a single document can be copied on both systems simultaneously.
- (31) Start On, Auto Trapping and EPI Hot Folders are common with E-3100 / E-3100
- (32) Color Profiler Suite and Software and ES-1000 Color Spectrometer are common with E-7100 / E-3100 / E-5100
- (33) Color Profiler Suite includes ES-1000 spectrophotometer
- (34) BK5010e requires SR5000 Finisher (412981)
- (35) Trimmer 5010e requires BK5010e Booklet Maker (404305)
- (36) Book Folder 5010e requires both BK5010e Booklet Maker (404305) and TR5010e Trimmer Unit (404299)
- (37) Fold Unit helps properly align BK5010e when docking and un-docking
- (38) Card reader Bracket attaches card reader to mainframe
- (39) Multi Fold Unit - Cannot hole punch and Z-fold at the same time.
- (40) Multi Fold Unit - Each Z-folded sheet counts as 10 sheets.
- (41) Multi Fold Unit - Compatible with SR4040 and SR5000 Finishers. Not compatible with SR4030 Finisher.
- (42) GBC Stream Punch requires SR5000 Finisher. Jogger Unit is recommended.
- (43) GBC Stream Punch requires the purchase of at least one die set.

- Pro-C506EX-C700EX Notes**
- (1) Mainframes include 100-sheet ARDF, duplex unit, and Firefly E-8100 controller. E-8100 includes Adobe PostScript 3 and PCL 5e/6 emulation. Must include RT4000 LCIT with each engine order.
- (2) Mainframes require a finisher or copy output tray.
- (3) RT4000 installation requires removal of bypass tray.
- (4) SR4010 - 3,000 Sheet Finisher with 50 sheet staple capacity.
- (5) SR4020 - 3,000 Sheet Finisher with 50 sheet staple capacity and 15 sheet saddle stitch capacity.
- (6) SR5000 - 3,000 Sheet Finisher with 100 sheet staple capacity. REQUIRES the purchase of the Adapter Kit Type C (413973)
- (7) Finisher Adapter Kit Type C required when configuring SR5000 to Pro C506EX or C700EX
- (8) 11x17 Tray Unit Type 1075 changes the Tandem Tray to support 11 x 17 paper. Reduces paper capacity of Tray 1 to 1,100 sheets.
- (9) 32GB Hole Punch Compatible with SR4010 or SR4020 Finishers.
- (10) PU5000 Punch Compatible with SR5000 Finisher only.
- (11) Cover Interposer Compatible with either SR4010 or SR4020 Finishers. Cannot be configured with 9-In Mailbox or 2 Source Interposer.
- (12) Tab Sheet Holder required by Tab CopySheet. Compatible with all finishers. Tab Sheet Holder can be used in 2nd or 3rd tray (but not both simultaneously).
- (13) 2 Source Interposer Compatible with SR5000 Finisher only. Cannot be configured with 9-In Mailbox or Cover Interposer.
- (14) Cannot hole punch and Z-fold at the same time.
- (15) Each Z-folded sheet counts as 10 sheets.
- (16) 2-Folding Unit Compatible only with SR4020 or SR5000 Finishers.
- (17) 9-In Mailbox compatible only with SR4010 and SR4020 Finishers. Cannot be configured with Cover Interposer
- (18) DOSS overwrites latent image data on Pro C506EX/C700EX HDD.
- (19) File Format Converter Required for retrieving files from Document Server that were stored via Copy or Print Function.
- (20) Java VM Card Required for installation of Embedded Software Architecture applications.
- (21) Copy Connector Kit withers two Pro C506EX/C700EX systems so a single document can scanned on system and output on both systems simultaneously.
- (22) HDD Encryption Encrypts the system HDD of the Pro C506EX/C700EX only.
- (23) Key Counter Bracket Used to mount external key counter to mainframe.
- (24) Key counter interface used to attach external key counter or key card device.
- (25) EPI Grapher Arts Package is specific to the E8100 and is not compatible with the Firefly on the Pro C900
- (26) FACI enableer only includes activation dongle.
- (27) FACI Furniture bundle includes FACI activation dongle, keyboard, monitor, mouse, power cords and stand.

- (28) The HDD Security option only works with the E-8100 hard disk drive.
- (29) The Feely option bundle contains the GA Premium Package, Color Profiler with ES1000, Composite, Impose, FACI activation dongle, keyboard, monitor, mouse, and stand.
- (30) Only one finishing option can be configured with each engine.
- (31) Color Profiler with ES1000 includes ES1000 spectrophotometer and Color Profiler v2.0 software.
- (32) ES1000 Spectrophotometer only for customers that only want to perform color calibration.
- (33) Color Profiler Upgrade only for customers that have Color Profiler v1.5 and want to upgrade to v2.0.
- (34) Color Profiler Software only for customers that have an ES1000 Spectrophotometer and want Color Profiler software.

MP C3003050S & MP CABINETS

- (1) Mainframe includes standard 50 Sheet ARDF, 100-Sheet Bypass Tray, 16GB RAM, 1.5GB RAM, 1 x 550 Sheet Paper Tray, PCL, PSL, PS3 Printing, PDF Direct and PdfBridge Printing, Print From and Scan To USB/SD, Scan to Email/Fax, DOSS and Encryption come standard.
- (2) Mainframe includes standard 50-Sheet Internal Finisher, 10 Sheet ARDF, 100-Sheet Bypass Tray, 16GB RAM, 1.5GB RAM, 1 x 550 Sheet Paper Tray, PCL, PSL, PS3 Printing, PDF Direct and PdfBridge Printing, Print From and Scan To USB/SD, Scan to Email/Fax, DOSS and Encryption come standard.
- (3) Mainframe includes standard 50 Sheet ARDF, 100-Sheet Bypass Tray, 16GB RAM, 1.5GB RAM, 1 x 550 Sheet Paper Tray, PCL, PSL, PS3 Printing, PDF Direct and PdfBridge Printing, Print From and Scan To USB/SD, Scan to Email/Fax, DOSS and Encryption come standard.
- (4) Mainframe includes standard 50-Sheet Internal Finisher, 10 Sheet ARDF, 100-Sheet Bypass Tray, 16GB RAM, 1.5GB RAM, 1 x 550 Sheet Paper Tray, PCL, PSL, PS3 Printing, PDF Direct and PdfBridge Printing, Print From and Scan To USB/SD, Scan to Email/Fax, DOSS and Encryption come standard.
- (5) FAC49 recommended when no optional paper feed units will be used.
- (6) FAC50 recommended with PB1050.
- (7) FAC51 recommended with PB1050.
- (8) No cabinet is required when one optional PB1000 and one optional PB1010 are being used.
- (9) 100 Sheet Capacity. Provides additional input tray to separate desktop output from copy. Cannot be installed on SR models.
- (10) Installed on the right side of the device. Provides an additional 50-sheet output area.
- (11) Only 1 of the following two options can be installed on the device: IEEE802.11 a/g interface Type J or Gigabit Ethernet Type B.
- (12) Required for downloading PrintCopy documents stored on the Document Server.
- (13) 33.6Kbps, 2 Second Transmission Speed, Standard JBIG Compression, Standard SAF Memory of approximately 320 Pages.
- (14) Increases SAF (sa memory) to approximately 2,240 pages.
- (15) This option enables the MPF to read documents printed by an RPSC driver from other devices with embedded Copy Data Security Function.
- (16) Required for 3rd party solutions requiring 20 pin connection.
- (17) Overlays latent image data on MPF HDD. DOSS5 option Type H is scheduled for ISO 15408 Common Criteria Certification by mid-calendar year, 2011. Standard DOSS5 is not certified.
- (18) Comes with 1yr HotSpot Subscription Service.
- (19) Includes: 12 Card with Browser Software, POP Signage, Instructions and Labels. Does not include MPF or JAVA card.
- (20) MPF must have PrintScan and JAVA installed.
- (21) Extends the HotSpot Mobile Printing Service subscription by 1 additional year.
- (22) Extends the HotSpot Mobile Printing Service subscription by 2 additional years.
- (23) Extends the HotSpot Mobile Printing Service subscription by 3 additional years.
- (24) Extends the HotSpot Mobile Printing Service subscription by 4 additional years.
- (25) Ricoh Technology Solutions Support Center (TSSC) recommends the use of the Innovo Power Protection products to minimize potential electrical interference with Ricoh products.

MP C3050S

- (1) Mainframe includes 1 350 Sheet Sheet Paper Tray, 100-Sheet Bypass Tray, 50-Sheet ARDF, Duplex, Scan/Print/Fax, PostScript, Scan to and Print from USB/SD Card, 12GB HDD is an option.
- (2) MPC305 Low Cabinet is an optional cabinet utilized when configuring the MPC305 with (2) Paper Feed Unit PB1050 option.
- (3) MPC305 Medium Cabinet is an optional cabinet utilized when configuring the MPC305 with (1) Paper Feed Unit PB1050 option.
- (4) MPC305 High Cabinet is an optional cabinet for the MPC305 only with no paper feed options.
- (5) Paper Feed Unit PB1050 is an optional (1) 1 x 100-sheet paper feed option - up to (2) PB1050 options can be configured with an MP C305.
- (6) 1.6in Tray BW1010 provides additional space to separate desktop output from copy.
- (7) HDD Option Type C305 is an optional 128 GB Hard Disk Drive that also includes DataOverwrite Security System (DOSS) and Data Encryption.
- (8) HDD Type C305 is required to enable the following features: Browser Unit Type H, Document Server, Customizable Home Screen, Enhanced Media Print, Schedule Print, Enhanced Batch Scan, Output Mode Switch Timer for Recycled Fax, Eco Friendly Indicator, Job Prints, Preval Stamps (Blanks Stamped), Personal Home Screen Setting Customization, Eco Counter Indicator, Java applications.
- (9) Handset Type C2502 is a handset option for Fax.
- (10) One out of (4) options may be installed: IEEE802.11 (41999), Bluetooth (41581b), IEEE802.11 (41408), Gigabit Ethernet (402547).
- (11) SD Card for NetWare Printing Type J is used for customers who require network printing.
- (12) Browser Unit Type H enables such as: Integrated Cloud Environment, HotSpot Printing. (Not compatible with all web sites)
- (13) File Format Converter Type E is required to convert format and drag to desktop document stored via Copy or Print mode.
- (14) Copy Data Security Unit G is required to prevent unauthorized copying of confidential documents.
- (15) VM Card Type U is required for JAVA customization.
- (16) Optional Counter Interface Unit Type A is a 20-pin interface used to attach External Key Counter or Key Card Device.
- (17) Camera Direct Print Card Type K allows users to connect a PdfBridge compatible digital still camera directly to the printer without a PC, enabling direct, on the spot printing.
- (18) Ricoh Technology Solutions Support Center (TSSC) recommends the use of a power protection product - Innovo PPT 120V 15A. A minimum potential electrical interference with Ricoh products.
- (19) K103400 U Keyboard Drive is an optional external USB keyboard. (no bracket is available for this option)
- (20) Unicode Font Packages for SAP 1, 10, and 100 are for 1/10/100 seat licenses, respectively.

BW PRINTERS

SP 4000/4100/4200

- (1) 3400N - User/Service Installable, 30 ppm B&W printer, includes 250 x 1 Paper Tray, 50 Sheet Bypass Tray, 128MB RAM memory for printer, USB2.0 interface, Network Interface Board (10/100Base-TX Ethernet), Includes starter AIO print cartridge (yields 1,500 pages).
- Note: Replacement cartridge yields: 2,500 or 5,000 page cartridge yield available.
- (2) 3410DN - User/Service Installable, 30 ppm B&W printer with duplex printing/copying. Copying is from 1-sided documents to 2-sided, includes 250 x 1 Paper Tray, 50 Sheet Bypass Tray, 128MB RAM Memory for printer, USB2.0 Interface, Network Interface Board (10/100Base-TX Ethernet), Includes starter AIO print cartridge (yields 1,500 pages).
- Note: Replacement cartridge yield: 2,500 or 5,000 page cartridge yield available.
- (3) Paper Feed Unit - User/Service Installable, 250 Sheet optional paper tray. Only one additional tray can be installed. Letter or Legal size paper.

SP4100/4100L

- 1) Includes starter toner - 5,000 pages @ 5% Coverage.
- 2) The SP4100NL, SP4100N and SP4110N comes standard with the 10/100 Base TX Ethernet Interface.
- 3) Up to two Paper Feed Units can be attached.
- 4) The envelope Feeder must be attached to the upper unit of the Optional Paper Feed Unit.
- 5) Only one optional interface can be installed.
- 6) The IEEE 802.11b and Ethernet interface cannot work simultaneously.
- 7) The HDD is for Secure printing, Sample Print, Job Spooling and font downloading.
- 8) Additional memory is recommended when duplex printing on large size paper at the higher 1200dpi resolution.
- 9) 1000 Scanner is an MPF Upgrade for SP4100N/4110N/4100NL. Color and Black & White scanning at 60ppm, Black & White faxing and copying at 31cpm (SP4100N/4100NL) and 36cpm (SP4110N).
- 10) HD-PLC Adaptor (100123PFG) lets you connect to your network using the power lines in your building.

SP4100L

- (1) 36 PPM monochrome printer. Mainframe includes 500-sheet Paper Tray, 100 sheet Bypass Tray, 256MB RAM, 40GB Hard Disk Drive, USB Host Interface, Ricoh USB Keycard, 10/100 Base TX Ethernet Interface and one year subscription to PrintOn Service.
- Ships with Starter AIO Print Cartridge that yields 6,000 prints at 5% coverage (ISO/IEC 19752).
- (2) 2 Year Printer onService Extension extends Printer's Mobile Printing Service subscription by 2 additional years.
- (3) 3-Year Hotspot Subscription extends Printer's Mobile Printing Service subscription by 3 additional years.
- (4) 4-Year Hotspot Subscription extends Printer's Mobile Printing Service subscription by 4 additional years.
- (5) PFU TK1030 - Optional 500-sheet Paper Feed Unit. Up to two optional Paper Feed Units may be attached. Can be used with the standard Print Driver only.
- (6) Envelope Feeder - Dedicated Tray for feeding envelopes. The optional Envelope Feeder must be used with an Optional Paper Feed Unit. The Envelope Feeder Tray is installed inside the Optional Paper Feed Unit housing.
- Can be used with the standard Print Driver only.
- (7) Duplex Unit - Optional Duplex Unit may be added for automatic 2-sided printing. Can be used with the standard Print Driver only.
- (8) HD-PLC Ethernet Adaptor lets you connect to your network using the power lines in your building.

SP4200

- (1) Ricoh Alico SP 4210N - 37-PPM (letter) for color and monochrome printers. Mainframe includes 500-sheet Paper Tray, 100 sheet Bypass Tray, 256MB standard RAM and Optional Automatic Duplex. Ships with Starter Toner that yields 6K prints.
- (2) Paper Feed Unit TK 1030 - 500-sheet capacity, 1 or 2 units may be added to mainframe.
- (3) Printer Hard Disk Drive 2670 - 80GB Hard Disk Drive. HDD is required for Job Spooling, Sample Print, Locked/Secure Print, HDD Hold & Storage Print, Stored Print, Stored Print, and Cover Sheet features. HDD or Optional Memory is required for Spooling.
- (4) HDD Overwrite Security Unit Type K - SP 4210N has one slot free. A maximum of 512MB may be installed. Additional memory is recommended for duplex printing 6.5" x 14" documents, high resolution printing. Additional memory is required for collation.
- (5) RACK Integration for RPSC - 337PM. Conversion tool that stores all the software necessary to convert host print data into ASCII data. The code is installed and embedded into the SP 4210N Controller via an SD Card.
- (6) 256MB - Option for Parallel connections. Only one optional interface may be installed.
- (7) Gigabit Ethernet - Optional Gigabit Ethernet Interface. The printer's standard Ethernet and USB 2.0 ports are not available when the Gigabit Ethernet Board is installed. Instead, you can use the Ethernet and USB 2.0 ports mounted on the Gigabit Ethernet Board.
- (8) IEEE802.11a/b/g - Wireless LAN option. Supports IEEE 802.11a/b/g standard. Wireless LAN is WPA compliant. Only one optional interface may be installed.
- (9) Envelope Feeder - Optional envelope feeder holds up to 60 envelopes. Must be installed in the drawer slot of the optional 500-sheet Paper Feed Unit.
- (10) Duplex Unit - Supports all paper sizes. Automatic duplexing produces two-sided pages at near 100% of rated simplex speeds.
- (11) 128MB - Additional memory is recommended when duplex printing on a large size (8.5" x 14") paper at the highest 1200dpi resolution.
- (12) SD Card for Netware Printing Type B - Provides additional memory space to allow some of the functionality provided in the absence of the 80GB HDD.
- (13) Data Storage Card - Alternative to HDD for storing site certification for LDAP, collecting Log data with Web SmartDeviceMonitor and storing WPA Pre-Share Key.
- (14) VM Card Type K - Required to run Java based applications.
- (15) IEEE2484 Interface Board - Provides a slot for the installation of one of the optional boards. Customers can choose the type of optional interface to meet their unique connectivity needs.
- (16) RPSC Unit Type 4210 - 888 opens their source code regarding RPSC data stream only to use first time. RPSC data printing option that allows LP to print data based on RPSC data system directly. No print box or server is needed to print out printed data from Host based on GS400.

SP4300

- (1) SP 4310N - Mainframe - 37-PPM (letter) for color and monochrome printers. Mainframe includes 500-sheet Paper Tray, 100 sheet Bypass Tray, 256MB standard RAM and Optional Automatic Duplex. Ships with Starter Toner that yields 6K prints.
- (2) Paper Feed Unit TK 1030 - 500-sheet capacity, 1 or 2 units may be added to mainframe.
- (3) Duplex Unit AD1000 - Optional Duplexing - Duplexing at up to 90% productivity of rated simplex speeds (letter)
- (4) Envelope Feeder Type 400 - Optional envelope feeder holds up to 60 envelopes. Must be installed in the drawer slot of the optional 500-sheet Paper Feed Unit.
- (5) 128 MB RAM Memory Unit Type G - Additional memory is recommended when duplex printing on a large size (8.5" x 14") paper at the highest 1200dpi resolution.
- (6) 256 MB RAM Memory Unit Type G - Option for Parallel connections. Only one optional interface may be installed.
- (7) SD Card for Netware Printing Type G - Provides additional memory space to allow some of the functionality provided in the absence of the 80GB HDD.
- (8) VM Card Type C - Required to run Java based applications.
- (9) Data Storage Card Type A - Alternative to HDD for storing site certification for LDAP, collecting Log data with Web SmartDeviceMonitor and storing WPA Pre-Share Key.
- (10) 80-GB Hard Disk Drive Type 4310N - 80-GB Hard Disk Drive option for up to 80,000 pages of document storage and print-on-demand capabilities.
- (HDD Data Encryption Unit and Overwrite (DOSS) tools bundled standard for protection of stored files)
- (11) Solution Kit - HDD option with Encryption Unit & DOSS - 256 MB AM - VM for extended functionality
- (12) Gigabit Ethernet - Board/Type C - Optional Gigabit Ethernet Interface. The printer's standard Ethernet and USB 2.0 ports are not available when the Gigabit Ethernet Board is installed. Instead, you can use the Ethernet and USB 2.0 ports mounted on the Gigabit Ethernet Board.
- (13) IEEE802.11a/b/g Wireless LAN Type L - Wireless LAN option. Supports IEEE 802.11a/b/g standard. Wireless LAN is WPA compliant. Only one optional interface may be installed.
- (14) IEEE2484/EC Parallel Type A - Provides a slot for the installation of one of the optional boards.
- Customers can choose the type of optional interface to meet their unique connectivity needs.
- (15) Ricoh B-HPL04-R High Definition Power Line Communication Ethernet Adaptor - Ship with 1 meter Adaptor, 1 terminal Adaptor, an 2 power cords (Additional Adaptors can be purchased separately)

SP5100

- 1) Paper Feed Unit, up to 3 trays can be added.
- 2) Standard equipment memory of 128MB plus 1 open slot. Add optional memory to open slot or remove standard 128MB memory and install 256MB memory into both slots.

SP5200A & SP 5210N

- (1) 47-PPM Black & White printer. Mainframe includes 500-sheet Paper Tray, 100 sheet Bypass Tray, 256MB RAM and Integrated Duplex. Ships with a Starter AIO Print Cartridge that yields 6K prints.
- (2) 52-PPM Black & White printer. Mainframe includes 500-sheet Paper Tray, 100 sheet Bypass Tray, 768MB RAM, 80GB Hard Disk Drive with Data Overwrite and Encryption and Integrated Duplex. Ships with a Starter AIO Print Cartridge that yields 6K prints.
- (3) 950-sheet Capacity. Up to 4 Optional Paper Feed Units may be installed for a maximum paper capacity of 2,950 sheets.
- (4) No more than 3 optional Paper Feed Unit TK1030 may be installed at one time.
- (5) The assistance of a technician is required when installing all 4 optional Paper Feed Units.
- (6) TK1130 with Casters must be installed anytime the device will be placed directly on the floor.
- (7) This option is for the SP 5200DN only.
- (8) Hard Disk Drive includes DOSS5 and Data Encryption.
- (9) One available slot. Max capacity is 768MB.
- (10) One optional interface port is available.
- (11) Required to run Java based applications.
- (12) For use in AS400 environments.
- (13) For use in environments running Novell Netware.
- (14) Ricoh Technology Solutions Support Center (TSSC) recommends the use of Power Protection products to minimize potential electrical interference with Ricoh products.

SP5300

- (1) SP5300N: 35-ppm for monochrome prints. Includes 6K starter toner (pages @ 5% coverage). Standard 500 x 1 x 100-sheet Bypass x 500 sheets. 1050us-T100 Base-TX Ethernet, USB 2.0, USB Host
- (2) Paper Feed Unit - Optional, 500-sheet paper feed unit x 1 or 2 = 1,600 sheets.
- (3) Duplex Unit - Optional Automatic duplexing up to 11" x 17" and 28B Bond
- (4) Envelope Feeder - Envelope feeder holds up to 50 envelopes. Install inside an optional PFU
- (5) 1280RAM Memory - Boost system memory to 128MB. Only one memory unit can be installed. Required to enable the printer to process 11" x 17" duplex pages at the maximum 1,200 x 1,200 dpi resolution.
- (6) 2560RAM Memory - Add 256MB RAM to increase memory to 512MB and boost performance/cycle speed in busy workgroup environments
- (7) HDD - Hard Disk Drive Type 2670 - 80GB HDD is available as an option. In the event RAM becomes full, additional print jobs are spooled to the HDD where they reside until RAM becomes available
- (8) IEEE 80.211a/b/g - "air" - Supports the fastest possible transmission speed. Eliminate the need for cables in offices where adding hard-wired cabling is not possible - e.g., older buildings.
- (9) Gigabit Ethernet - Optional/Gigabit Ethernet - when the printer's standard Ethernet and USB 2.0 ports are not available when the Gigabit Ethernet Board is installed. Instead, use the Ethernet and USB 2.0 ports mounted on the Gigabit Ethernet Board.

- (10) VM Card - Permits for the design and implementation of customized and specialized workflow applications.
- (11) Data Storage Card - Alternative to HDD for storing site certification for LDAP, collecting log data with Web SmartDeviceMonitor and storing WPA Pre-Share Key.
- (12) HDD Overwrite Security Unit - DOSS - Overwrites the Hard Disk with random sequences of 1s and 0s after each job so that files cannot be reconstructed.
- (13) IEEE 1284 Interface Board - Provides a slot for the installation of one of the optional boards. Customers can choose the type of optional interface to meet their unique connectivity need.
- (14) HDD Encryption Unit - Information stored on the HDD can be scrambled with 128-bit encryption with this option.
- (15) SD Card for Network - Provides the necessary firmware to allow the printer to operate in Novel/Network environments.

SP R2000N

- (1) User/Service Installable - Mainframe requires two people to lift printer. Includes 2 x 950 sheet paper trays, 100-sheet bypass tray, duplexing, 900-sheet output tray, 256MB RAM memory, USB 2.0 interface and 10100Base-TX Ethernet. Also, includes full tower cartidge.
- (2) User/Service Installable - PPU requires two people to lift printer and sit it on Paper Feed Unit. Two trays @ 550 sheets each. Holds up to 11" x 17" paper. Cannot be installed with 2,000 Sheet Large Capacity Tray. Cannot be used with FAC 12 Cabinet.
- (3) User/Service Installable - LCT PB3000 requires two people to lift printer and sit it on Paper Feed Unit. Holds letter (8.5" x 11") paper only. Cannot be installed with the 2 drawer paper feed unit (PB3040).
- (4) User/Service Installable - LCT PB3000 can only be installed when the 2 tray paper feed unit (PB3040) or the 2,000 sheet large capacity tray (PB3050) is installed.
- (5) User/Service Installable - SR790 Finisher may require two people to lift finisher. Holds up to 1,000 sheet output. Requires Bridge Unit (BU3030) for installation.
- (6) User/Service Installable - SR3030 Finisher may require two people to lift finisher. Holds up to 3,000 sheet output. Requires Bridge Unit (BU3030) for installation.
- (7) Service Installable only. 2/3 Hole Punch provides 3 hole punching. Can only be installed on the 3,000 Sheet Finisher (SR3030).
- (8) Bridge Unit is required for installation of either the 1,000 Sheet Finisher (SR790) or the 3,000 Sheet Finisher (SR3030).
- (9) Service Installable only. Output Jigger Unit keeps output neatly stacked on the finisher. Can only be installed on the 3,000 Sheet Finisher (SR3030).
- (10) Service Installable only. 4-DOSS Hard Disk Drive provides for retention of documents in the printer. Documents can be printed on demand without sending original from the PC.
- (11) Service Installable only. 128MB Memory expands RAM to 384MB. Only one memory option can be installed at one time.
- (12) Service Installable only. 256MB Memory expands RAM to 512MB. Only one memory option can be installed at one time.
- (13) Service Installable only. Interface Board Type A is for use as a Parallel connection is required. Cannot be installed with the Gigabit Ethernet Board or the IEEE 802.11a/g Interface Unit at the same time.
- (14) Service Installable only. VM Card Type G allows for running of JAVA based applications. Cannot be installed with the Data Overwrite Security Unit.
- (15) Service Installable only. Data Overwrite Security overwrites data on the HDD after file is printed so document cannot be retrieved (security).
- (16) Service Installable only. HDD Encryption unit encrypts all data on HDD so that the HDD could not be read in another device if it was ever removed from the printer. Cannot be installed with the VM Card Type G.
- (17) Service Installable only. Gigabit Ethernet Board cannot be installed with the IEEE 1284 Interface Board or the IEEE 1284 Interface Board at the same time.
- (18) Data storage card is service installable only.
- (19) Service Installable only. Wireless Type 2 is for wireless LAN connection. Cannot be installed with the Gigabit Ethernet Board or the IEEE 1284 Interface Board at the same time.
- (20) Postscript is required with 1001SP/NG
- (21) For 1001SP/NG, confirm model support prior to ordering based upon speed or device type.

Artio SP 9100N

- (1) Copy Tray Type 2075 is required if no other output option (finisher) is selected.
- (2) Output Jigger Unit Type 1075 is compatible with the SR842 only.
- (3) Copy Interceptor Tray Type 3200 supports either the SR842 OR SR400 finishers.
- (4) Output Jigger Unit Type 3200 is compatible with the SR4000 only.
- (5) LCT RT43 requires LCT Connection Unit Type A for installation.
- (6) 2/3 Hole Punch Unit Type 1075 is compatible with the SR842 only.
- (7) Punch Unit Type 3200 is compatible with the SR4000 only.
- (8) Only one of the following interface options can be installed: IEEE 802.11b Interface Unit / USB Host Interface; IEEE1284 Interface Board Type A.
- (9) USB Host Interface is only usable by a Ricoh Developer Program member for external device development.
- (10) VM Card Type D is used for adding Java applications integrated into the device by Ricoh Developer Program members.

Pro SEZ 1107 / L302

- (1) All mainframes require purchase of SR500, SR502, or SK5010
- (2) RT5030 LCT - Letter Sized Large Capacity Tray Option. Cannot be combined with RT5040
- (3) RT5040 LCT - Double Letter Sized Large Capacity Tray Option. Cannot be combined with RT5030
- (4) TK5010 Tray Kit 11" x 17" Tray Kit Option converts tandem tray to single SEF Tray.
- (5) B55000 Multi Bypass Tray - Requires a Large Capacity Tray (either RT5030, or RT5040)
- (6) FD5000 Multi Folding Unit - Can not be configured with SK5010. Limited to one SK5010.
- (7) SK5010 High Capacity Stacker - Requires purchase of DU5000
- (8) Roll Away Cart - This is an extra cart. One cart comes with SK5010
- (9) PU5000 Punch requires SR5000. Maximum punching speed is 110ppm
- (10) PU5000 Punch requires SR5020. Maximum punching speed is 133ppm
- (11) TR5020 Trimmer Unit requires SR5020.
- (12) TCRU Type 9071107 - To be used with 90ppm & 110ppm models
- (13) TCRU Type 1287 - To be used with 125ppm models
- (14) All mainframes requires purchase of DU5000 DeCurl Option
- (15) DU5000 DeCurl Unit - DU5000 is a mandatory option
- (16) Multi Folding Unit - When installed, requires SR5020 or SR5000 to be installed

COLOR PRINTERS

Artio SC 3110N/One

- 1) SC 3110DN is a 29-PPM Color and Black & White printer. Mainframe includes 250-sheet Paper Tray, 128MB RAM and Duplex.
- 2) SC 3110DN is a 29-PPM Color and Black & White printer. Mainframe includes 250-sheet Paper Tray, 128MB RAM, Duplex and Wireless connectivity.
- 3) Multi Bypass Tray VY1040 100-200-Capacity. Required for feeding thick media up to 60lb-Bond/40lb Index and Banner media up to 51".
- 4) Paper Feed Unit TK1160 has 250-sheet Capacity. Up to 2 Optional Paper Feed Units may be installed.
- 5) SC 3110DN/One can be equipped with starter toner; yield is 600 for each color.

SP C312N/SP C312DN

- (1) SP C312N Mainframe: 26 PPM for color and monochrome prints. Mainframe includes 500-sheet Paper Tray, 100-sheet Bypass Tray, and 128MB RAM. Ships with A4-In-One Toner Cartridges that yield 1,000 prints.
- (2) SP C312DN Mainframe: 26 PPM for color and monochrome prints. Mainframe includes 500-sheet Paper Tray, 100-sheet Bypass Tray, 128MB RAM, standard Duplex printing and PdfBridge. Ships with A4-In-One Toner Cartridges that yield 1,000 prints.
- (3) Paper Feed Unit TK3210 - 500-sheet capacity. One optional Paper Feed Unit may be added to mainframe.
- (4) Memory Unit Type F 256MB - Optional RAM can be added to the mainframes. One slot available. A maximum of 512MB may be installed.
- (5) Memory Unit Type F 512MB - Optional RAM can be added to the mainframes. One slot available. A maximum of 512MB may be installed.
- (6) SK-2600CC Wireless Adapter - Optional IEEE 802.11b/g Wireless Bridge. Wireless Bridge replaces the 10100Base-TX Ethernet.
- (7) USB Cable (A-B) - Optional 6-foot USB 2.0 Cable for direct connection to a laptop or PC.

SP C420N

- (1) C420DN - 21 PPM for color and monochrome prints. Mainframe includes 250-sheet Paper Tray, 1-sheet Bypass Tray, 128MB RAM, standard Duplex printing and PdfBridge.
- (2) Ships with A4-In-One Toner Cartridges that yield 1,000 prints.
- (3) PFU TK1010 - 500-sheet capacity. One optional Paper Feed Unit may be added to mainframe.
- (4) SK-2600CC Wireless Adapter - Optional IEEE 802.11b/g Wireless Bridge. Wireless Bridge replaces the 10100Base-TX Ethernet.
- (5) Optional 6-foot USB 2.0 Cable for direct connection to a laptop or PC.

SP C311N/SP C312DN

- (1) SP C311N - 16 PPM for color and monochrome prints. Mainframe includes 500-sheet Paper Tray, 100-sheet Bypass Tray, and 128MB RAM. Ships with A4-In-One Toner Cartridges that yield 2,500 prints.
- (2) SP C312DN - 26 PPM for color and monochrome prints. Mainframe includes 500-sheet Paper Tray, 100-sheet Bypass Tray, 128MB RAM, standard Duplex printing and PdfBridge. Ships with A4-In-One Toner Cartridges that yield 2,500 prints.
- (3) Paper Feed Unit has 100-sheet capacity. One optional Paper Feed Unit may be added to mainframe.
- (4) 003312MB - Optional RAM can be added to the SP C311N and SP C312DN. One slot available. A maximum of 512MB may be installed.
- (5) 003311MB - Optional RAM can be added to the SP C311N and SP C312DN. One slot available. A maximum of 512MB may be installed.
- (6) 100118FNG - Optional IEEE 802.11b/g Wireless Bridge. Wireless Bridge replaces the 10100Base-TX Ethernet.

SP C320N

- (1) 26-PPM for color and monochrome prints. Mainframe includes 500-sheet Paper Tray, 100-sheet Bypass Tray, 384MB RAM and integrated Duplex. Ships with Starter Toner that yields 2.8K prints @5% coverage.
- (2) 500-sheet capacity. One Paper Feed Unit may be added to mainframe.
- (3) SP C320DN has one slot. A maximum of 768MB may be installed. Additional memory is recommended for duplex printing 8.5" x 14" documents, high resolution printing. Additional memory is required for collation.
- (4) 80GB Hard Disk Drive. HDD is required for Job Spooling, Sample Print, Locked/Secure Print, HDD Hold & Storage Print, Stored Print (Shared) and Cover Sheet features. HDD or Optional Memory is required for Sorting. Kit includes DOSS and Encryption unit.
- (5) Wireless LAN option. Supports IEEE 802.11a/g standard. Wireless LAN is WPA compliant. Only one optional interface may be installed.
- (6) Optional Gigabit Ethernet Interface. The printer's standard Ethernet and USB 2.0 ports are not available when the Gigabit Ethernet Board is installed. Instead, you can use the Ethernet and USB 2.0 ports mounted on the Gigabit Ethernet Board.
- (7) Option for Parallel connections. Only one optional interface may be installed.
- (8) Required to run Java based applications.
- (9) Connect your PdfBridge enabled digital still camera directly to the SP C320DN without the need for a PC.
- (10) For use in environments running Novel/Netware.

Ricoh SP C420DN Notes

- (1) Mainframe: 31-PPM for color and monochrome prints. Mainframe includes 550-sheet Paper Tray, 100-sheet Bypass Tray, 256MB RAM and integrated Duplex. Ships with Starter Toner that yields 3K prints.
- (2) Paper Feed Unit Type 4000 has 550-sheet capacity. Up to 3 Paper Feed Units may be added to mainframe.
- (3) Power Hard Disk Drive Type 400 has 60GB Hard Disk Drive. HDD is required for Job Spooling, Sample Print, Locked/Secure Print, HDD Hold & Storage Print, Stored Print (Shared) and Cover Sheet features. HDD or Optional Memory is required for Sorting.
- (4) Memory Unit Type G 128MB has SP C420DN has one slot free. A maximum of 512MB may be installed. Additional memory is recommended for duplex printing 8.5" x 14" documents, high resolution printing. Additional memory is required for collation.
- (5) IEEE1284 Interface Board Type A has Option for Parallel connections. Only one optional interface may be installed.
- (6) Gigabit Ethernet Board Type A - Optional Gigabit Ethernet Interface. The printer's standard Ethernet and USB 2.0 ports are not available when the Gigabit Ethernet Board is installed. Instead, you can use the Ethernet and USB 2.0 ports mounted on the Gigabit Ethernet Board.
- (7) IEEE802.11a/g Interface Unit Type L is a Wireless LAN option. Supports IEEE 802.11a/g standard. Wireless LAN is WPA compliant. Only one optional interface may be installed.
- (8) Bluetooth Interface Unit Type 3245 is a Wireless option for printing at close range. Only one optional interface may be installed.
- (9) VM Card Type H is required to run Java based applications.
- (10) HDD Encryption Unit Type C Encrypts data stored on Hard Disk Drive and NVRAM.
- (11) HDD Overwrite Security Unit Type K Overwrites latent data stored on HDD so the data can never be re-created.
- (12) Camera Direct Print Card Type D Connects your PdfBridge enabled digital still camera directly to the mainframe without the need for a PC.
- (13) Data Storage Card Type A is an Alternative to HDD for storing site certification for LDAP, collecting Log data with Web SmartDeviceMonitor and storing WPA Pre-Share Key.
- (14) Printer Cabinet FAC29 is a Optional Stand for mainframe
- (15) Scanner Table Type 4000 is designed to accommodate the mainframe, 10100Base-TX Ethernet and up to two (2) optional Paper Feed Units.

Ricoh SP C420N/SP Notes

- (1) Mainframe: 31-PPM Color Laser Printer. Mainframe includes 550-sheet Paper Tray, 100 sheet Bypass Tray, 512MB RAM, 60GB Hard Disk Drive, USB Host Interface, Ricoh User Keypad, 10100 Base TX Ethernet interface and one year subscription to PrinterOn Mobile Printing service. Ships with Starter Toner Cartridges that yield 3,000 prints.
- (2) PrinterOn 2-Yr Subscription Extension - Extends PrinterOn Mobile Printing Service subscription by 2 additional years.
- (3) Paper Feed Unit Type 4000 - 550-sheet capacity. Up to 3 Paper Feed Units may be added to mainframe.
- (4) IEEE1284 Interface Board Type A - Option for Parallel connections. Only one optional interface may be installed.
- (5) Gigabit Ethernet Board Type A - Optional Gigabit Ethernet Interface. The printer's standard Ethernet and USB 2.0 ports are not available when the Gigabit Ethernet Board is installed. Instead, you can use the Ethernet and USB 2.0 ports mounted on the Gigabit Ethernet Board.
- (6) IEEE802.11a/g Interface Unit Type L - Wireless LAN option. Supports IEEE 802.11a/g standard. Wireless LAN is WPA compliant. Only one optional interface may be installed.
- (7) Bluetooth Interface Unit Type 3245 - Wireless option for printing at close range. Only one optional interface may be installed.
- (8) HDD Encryption Unit Type C - Encrypts data stored on Hard Disk Drive and NVRAM.
- (9) HDD Data Overwrite Security Unit Type K - Overwrites latent data stored on HDD so the data can never be re-created.
- (10) Data Storage Card Type A - Alternative to HDD for storing site certification for LDAP, collecting Log data with Web SmartDeviceMonitor and storing WPA Pre-Share Key.
- (11) Printer Cabinet FAC29 - Optional Stand for SP C420N.
- (12) HDD-PLC Power Line Communications Adapter - Required to upgrade printer to an MPP. 51200e enables "Scan-to" functionality and occasional copying. Available only while supplies last.

Ricoh SP C420N/SP C431DN Notes

- (1) SP C431DN - 37-PPM for color and monochrome prints. Mainframe includes 550-sheet Paper Tray, 100 sheet Bypass Tray, 384MB RAM and integrated Duplex. Ships with Starter Toner that yields 3K prints @5% coverage.
- (2) SP C431DN - 42 PPM for color and monochrome prints. Security model includes 550-sheet Paper Tray, 100 sheet Bypass Tray, integrated Duplex, 768MB RAM, 80GB Hard Disk Drive and Enterprise-Locked Print NX (ELP-NX) hardware. Ships with Starter Toner that yields 3K prints @5% coverage.
- (3) Paper Feed Unit PB1020 - 550-sheet capacity. Up to 3 Paper Feed Units may be added to mainframe. The Caster Table Type C is recommended with adding 2 or more Paper Feed units.
- (4) Memory Unit Type G 550MB - SP C431DN has one slot. A maximum of 768MB may be installed. Additional memory is recommended for duplex printing 8.5" x 14" documents, high resolution printing. Additional memory is required for collation.
- (5) Memory Unit Type 512MB - SP C431DN has one slot. A maximum of 768MB may be installed. Additional memory is recommended for duplex printing 8.5" x 14" documents, high resolution printing. Additional memory is required for collation.
- (6) Hard Disk Drive Option Type 5000 - 80GB Hard Disk Drive. HDD is required for Job Spooling, Sample Print, Locked/Secure Print, HDD Hold & Storage Print, Stored Print (Shared) and Cover Sheet features. HDD or Optional Memory is required for Sorting.
- (7) HDD Encryption Unit Type D - Encrypts data stored on Hard Disk Drive and NVRAM.
- (8) Data Overwrite Security Unit Type K - Overwrites latent data stored on HDD so the data can not be re-created.
- (9) IEEE 802.11a/g Interface Unit Type L - Wireless LAN option. Supports IEEE 802.11a/g standard. Wireless LAN is WPA compliant. Only one optional interface may be installed.
- (10) Gigabit Ethernet Board Type A - Optional Gigabit Ethernet Interface. The printer's standard Ethernet and USB 2.0 ports are not available when the Gigabit Ethernet Board is installed. Instead, you can use the Ethernet and USB 2.0 ports mounted on the Gigabit Ethernet Board.
- (11) IEEE 1284 Interface Board Type A - Option for Parallel connections. Only one optional interface may be installed.
- (12) VM Card Type D - Required to run Java based applications.
- (13) SD Card for Network Printing Type D - For use in environments running Novel/Netware.
- (14) Caster Table Type C - Required when the SP C431DN/SP C431DN is configured with additional Paper Feed Units to create a four standing printer. Provides added stability to four-standing configurations.

SP C431DN/HS Hardware Printers

- (1) Mobile printing solution. Includes One Year subscription to the PrinterOn Mobile Printing Service. 42-PPM for color and monochrome prints. Mainframe includes 550-sheet Paper Tray, 100-sheet Bypass Tray, 768MB RAM, 80GB Hard Disk Drive and integrated Duplex. Ships with Starter Toner that yields 3K prints @5% coverage.

- (3) Extends subscription to the Mobile Printing service.
- (4) 550-sheet capacity. Up to 3 Paper Feed Units may be added to re-format. The Caster Table Type C is recommended with adding 2 or more Paper Feed units.
- (4) Encrypts data stored on Hard Disk Drive and NVRAM.
- (5) Overwrites latent data stored on HDD so the data can not be re-created.
- (6) Wireless LAN option. Supports IEEE 802.11a/g standard. Wireless LAN is WPA compliant. Only one optional interface may be installed.
- (7) Optional Gigabit Ethernet Interface. The printer's standard Ethernet and USB 2.0 ports are not available when the Gigabit Ethernet Board is installed. Instead, you can use the Ethernet and USB 2.0 ports mounted on the Gigabit Ethernet Board.
- (8) Option for Parallel connections. Only one optional interface may be installed.
- (9) Connect your PinBridge enabled digital still camera directly to the SP C4312DN-HS without the need for a PC.
- (10) For use in environments running Novell Netware.
- (11) Required when the SP C4312DN-HS is configured with additional Paper Feed Units to create a floor-standing printer. Provides added stability to floor-standing configurations.
- Rich SP C8020DN Notes**
- (1) SPC8020DN - 40 gsm for color and monochrome prints. Mainframe includes 2 x 550-sheet Paper Tray, 100-sheet Bypass Tray, 512MB RAM, USB Host Interface and Integrated Duplex. Ships with Starter Toner that yields 10K prints for monochrome and BK for color.
- (2) SPC8020N1 - 40 gsm for color and monochrome prints. Mainframe includes 3 x 550-sheet Paper Tray, 100-sheet Bypass Tray, 412MB RAM, USB Host Interface and Integrated Duplex. Ships with Starter Toner that yields 10K prints for monochrome and BK for color.
- (3) SPC8020N2 - 40 gsm for color and monochrome prints. Mainframe includes 4 x 550-sheet Paper Tray, 100-sheet Bypass Tray, 768MB RAM, USB Host Interface and Integrated Duplex. Ships with Starter Toner that yields 10K prints for monochrome and BK for color.
- (4) SPC8020NLC - 40 gsm for color and monochrome prints. Mainframe includes 2 x 550-sheet Paper Tray, 100-sheet Bypass Tray, 2,000-sheet LCIT, 768MB RAM, USB Host Interface and Integrated Duplex. Ships with Starter Toner that yields 10K prints for monochrome and BK for color.
- (5) SPC8020N1 - 150 gsm for color and monochrome prints. Mainframe includes 2 x 550-sheet Paper Tray, 100-sheet Bypass Tray, 512MB RAM, Integrated Duplex, USB Host Interface and 80GB Hard Disk Drive. Ships with Starter Toner that yields 10K prints for monochrome and BK for color.
- (6) SPC8020N1 - 50 gsm for color and monochrome prints. Mainframe includes 3 x 550-sheet Paper Tray, 100-sheet Bypass Tray, 512MB RAM, USB Host Interface, Integrated Duplex and 80GB Hard Disk Drive. Ships with Starter Toner that yields 10K prints for monochrome and BK for color.
- (7) SPC80N1 - 50 gsm for color and monochrome prints. Mainframe includes 4 x 550-sheet Paper Tray, 100-sheet Bypass Tray, 768MB RAM, Integrated Duplex, USB Host Interface and 80GB Hard Disk Drive. Ships with Starter Toner that yields 10K prints for monochrome and BK for color.
- (8) SPC8020NLC - 100 gsm for color and monochrome prints. Mainframe includes 2 x 550-sheet Paper Tray, 100-sheet Bypass Tray, 2,000-sheet LCIT, 1024MB RAM, USB Host Interface, Integrated Duplex and 80GB Hard Disk Drive. Ships with Starter Toner that yields 10K prints for monochrome and BK for color.
- (9) PPU PB30B0 - 1 x 550-sheet capacity Paper Feed Unit. May be added to the SP C8020DN and SP C8021DN base models only.
- (10) PPU PB30D0 - x 550-sheet capacity Paper Bank. May be added to the SP C8020DN/SP C8020N1 and SP C8021DN/SP C8021N1 configurations.
- (11) LCIT PB3050 - 2,000-sheet Large Capacity Tray. Supports Letter/A4 paper size. May be added to the SP C8020DN and SP C8021DN base models only.
- (12) SR3000 Finisher - 1,000-Sheet Booklet Finisher. This option requires the addition of the BU3020 Bridge Unit to attach properly.
- (13) SR3000 Finisher - 3,000-Sheet Finisher. This option requires the addition of the BU3020 Bridge Unit to attach properly.
- (14) Bridge Units required to install Finisher options.
- (15) PJB300 2.5k Hook Punch compatible with the SR3000 Booklet Finisher.
- (16) SR30 2.5k Hook Punch compatible with the SR3000 Finisher.
- (17) Output Jogger Unit attaches to Finisher SR3000. Taps sets into alignment for easy transfer to off-line finishing equipment.
- (18) Nabin Type 102 - 4-in-midweight individual bins for separate users or jobs. Can be configured with both Finishers. Nabin Type C820 can only be attached to configurations that include the PB3040 2 x 550-sheet Paper Bank or the PB3050 2,000-sheet LCIT.
- (19) One (1) slot is accessible. Additional memory is recommended for duplex printing, Legal and A3 documents at high resolutions as well printing banners at high resolutions. Additional memory is required for Job Spooling and Sub-Paper Size support. A maximum of 1024MB may be installed.
- (20) HDOT102 - 80GB Hard Disk Drive. HDD is required for Sample Print, Locked/Secure Print, HDD Hold & Storage Print, Stored Print, Stored Print (Shared) and Cover Sheet features. Optional HDD may only be installed on the SP C8020N Series.
- (21) HDC Encryption Unit encrypts data stored on Hard Disk Drive and NVRAM.
- (22) Data Overwrite Security is a feature that overwrites latent data on the system's hard drive after print jobs.
- (24) Wireless LAN option. Supports IEEE 802.11a/g standard. Wireless LAN is WPA compliant. Only one optional interface (A1400B, A1286G, A1269, A14204) may be installed.
- (25) A maximum of one (1) optional interface can be installed.
- (26) The printer's Ethernet and USB 2.0 ports are not available when the Gigabit Ethernet is installed. Instead, you can use the Ethernet and USB 2.0 ports mounted on the Gigabit Ethernet Board.
- (27) VM Card Permits for the design and implementation of customized and specialized workflow applications.
- (28) SD Card is for use in environments running Novell Netware.
- (29) Camera Direct Card allows you to connect your PinBridge enabled digital still camera directly to the SP C8020N/ SP C8021DN Series without the need for a PC.
- (30) FAC33 Cabinet is required to raise the height of the SP C8020DN and SP C8021DN base models for configuration with a Finisher.
- (31) FAC30 Stand raises the height of the SP C8020N1 and SP C8021N1 for configuration with a Finisher.

DIGITAL DUPLICATOR

P1000 DX 3343

- (1) DP Type 20 and P1000 Cover face 1013 can not be used together
- (2) VC-20 and printer and Type 4545A can not be used together

P1000 DX 4545 HQ 7000 HQ 9000 DX 4545

- (1) Either plain cover or Document feeder must be ordered with mainframe
- (2) IEEE1284 Parallel Interface cannot be installed with IEEE802.11b Interface Type 1
- (3) The cabinet (#20581) is recommended with the TC II Twin Color.
- (4) Memory Unit Type C 128MB Cannot be installed with Memory Unit Type C 256MB

WIDE FORMAT COPIERS

EW772LJ81

- (1) If 1 or 2 Roll Feeder Unit installed, Table Type 770 cannot be used.
- (2) Copy Stacker used only for FW700.
- (3) If 1 or 2 Roll Feeder Unit installed, that Cutting Roll cannot be used.
- (4) Side Guide Type 770 used only for FW770.
- (5) FW700 requires either Roll Feeder 1 or 2.

SPHS Pro 7700 & SPHS Pro 8700

- (1) C12CR15321 is an electronic system that rolls the paper after printing to a separate roll. This will only work on the SP5700RAC.

MPW650

- (1) Roll Feeder Type 3601A - The one roll table cannot be upgraded to a two roll table.
- (2) Roll Feeder Type 3601B - The two roll table cannot be changed to a one roll table.
- (3) Table Type 240 - The table provides manual copy sheet feeding and includes copy stacking but no rolls or paper tray for automatic feeding.
- (4) Paper Cassette Tray 240 - Paper Cassette Tray only available with a one or two roll feeder. It can hold paper up to 12" x 18"
- (5) Roll Holder Type A - Roll holders provide additional finger inserts to be used for extra paper rolls.
- (7) Printer Option Type W3601 - Printer Option W3601 (EDP #415441) requires either Roll Feeder Type 3601A (EDP #415435) or Roll Feeder Type 3601B (EDP#415438)
- (8) Scanner Option Type W3601 - Scanner Option W3601 (EDP #415441) requires either Roll Feeder Type 3601A (EDP #415435) or Roll Feeder Type 3601B (EDP#415438)
- (9) File Format Converter Type F - File Format Converter (FFC) requires Scanner Option Type 3601 (EDP#415444)
- (10) VM Card Type E - VM Card Type E (EDP#402032) (needed when dealer/franchise wants to use other vendor's software on the machine) requires Printer Option Type 3601 (EDP#415441)
- (11) Gigabit Ethernet Type B - Gigabit Ethernet Board Type B enables connection to 1000 Base-TX network
- (12) IEEE 802.11a/g Interface Unit Type J - IEEE802.11a/g Interface Unit J (EDP#440240) allows users to set up a wireless LAN. Cannot used concurrently with Gigabit Board Type B (EDP #414204)
- (13) USB2.0/SD Slot Type E - USB2.0/SD Slot Type E requires the Scanner Option Type W3601 (EDP#415444)
- (14) IEEE802.11b Interface Unit Type I (EDP#402031) allows users to set up a wireless LAN. Maximum data is 11Mbps. Cannot use concurrently with Gigabit Board Type A (EDP#402547)

MPW500MPW7140

- (1) Roll Feeder Type 7140 - Increases the total roll capacity for 2 rolls to 4 rolls. Cannot be combined with 406294
- (2) Paper Cassette Type 7140 - Adds two cassette trays to hold up to 18" x 24" (C Size) cut sheet paper. Cannot be combined with 406291
- (3) Scanner Option Type W7140 - This embedded scanner option allows scanning to email or folder directly from the copier. Requires 406317
- (4) Memory Unit Type 7140 32GB - Required with 406304
- (5) Printer Option Type W7140 - Provides embedded printing capability to the copier
- (6) Scanner Separation Unit Type 7140 - Only available with use with MP W7140 and provides a stand for scanner and cover for the copier to create a 2 hoplight printer/scanner. Maximum distance between printer and scanner separation unit is 2.3ft. Requires Scanner Option Type W7140 (EDP#40304).
- (7) Midstacker Type 7140 - Stacks up to 100 E-size sheets. Can be attached to either the front or the back of the machine.
- (8) Double Stacker Type 7140 - Stacks copies and originals at the back of the machine.
- (9) Original Tray Type G - The Original/Copy Catch Tray is an adjustable tray. It can be used for either catching originals or copiestripes.
- (10) Roll Holder Type A - Roll holders are interchangeable among FW770P/W700MP-W2400/3600. Provide additional finger inserts to be used for extra paper rolls.
- (11) Gigabyte Ethernet Type B - Enables connection to 1000 Base-TX network
- (12) IEEE802.11a/g Interface Unit Type J - Allows users to set up a wireless LAN. Maximum data is 100Mbps. Cannot use concurrently with Gigabit Ethernet Board Type B (EDP#414204)
- (13) Data Overwrite Security Unit Type E - Provides advanced security by erasing temporary stored data in the HDD by overwriting the data
- (14) Browser Unit Type D - Obtains HTML data from a server and displays on the unit operation panel

MPW500MPW7140n

- (1) Mainframe includes Copier, 2 roll paper drawer, 32GB(160GBx2), DOSS Security, HDD Encryption (The standard DOSS included with the mainframe is not ISO 15408 certified).
- (2) Increases the roll capacity from standard 2 rolls to 4 rolls total. Cannot be combined with 406294
- (3) Cannot be combined with 406294
- (4) Adds two cassette trays to hold up to 18" x 24" (C Size) cut sheet paper.
- (5) This embedded scanner option allows scanning to email or folder directly from the copier. Includes Scanning option and 1GB Memory. Requires 415752 or 431762
- (6) Provides embedded printing capability to the copier. Includes printer option, TIF/PS, File and VM Java Card
- (7) Only available with use with MP W7140 and provides a stand for scanner and cover for the copier to create a 2 hoplight printer/scanner. Maximum distance between printer and scanner separation unit is 2.3ft. Requires Scanner Option Type W7140 (EDP#416319)
- (8) Stacks copies and originals at the back of the machine at the same time
- (11) The Original/Copy Catch Tray is an adjustable tray. It can be used for either catching originals or copiestripes.
- (12) Roll holders provide additional finger inserts to be used for extra paper rolls.
- (13) Enables connection to 1000 Base-TX network
- (14) Allows users to set up a wireless LAN. Maximum data is 100Mbps. Cannot use concurrently with Gigabit Ethernet Board Type B (EDP#414204)
- (15) Obtains HTML data from a server and displays on the unit operation panel which is used with solutions that require HTML
- (16) USB/SD Slot Type I allows users to scan to a Flash Media device
- (17) Holds 100 originals on the front of the machines when users make copies
- (18) Allow for bi-communication communication between the unit and other devices
- (19) Allow for clean power filtration

SP-W2470 Notes

- (1) Stack Roll Feeder Type340A is not available on this product
- (2) Paper Cassette Tray only available with the two roll feeder. It can hold paper up to 12" x 18"
- (3) Rear Stacker (EDP#43712) requires Roll Feeder Type 240B(EDP#41705)
- (4) Roll holders are interchangeable among FW770P/W700MP-W2400/3600, 480W, and the SP W2470. They provide additional finger inserts to be for extra paper rolls
- (5) Gigabit Ethernet Board Type A (EDP#402007) enables connection to 1000 Base-TX network
- (6) IEEE802.11b Interface Unit Type I (EDP#402031) allows users to set up a wireless LAN. Maximum data is 11Mbps. Cannot use concurrently with Gigabit Board Type A (EDP #402547)
- (7) Data Overwrite Security Unit Type D (EDP#412152) for advanced security this erases temporary stored data in the HDD by overwriting the data
- (8) The Wide Format Color Scanner (100117FN0) requires either an MPW2400, MPW3600 or SPW2470 on the network and turned on to activate the scanner
- (9) The Wide Format Color Scanner includes scanner unit, scanner stand, monitor bracket and cable channeling. This unit requires a PC and a touch screen monitor that must be purchased locally. Please refer to the brochure or InfoCenter for PC and Monitor specifications.

FACEFILE

FAK1100 Footnotes:

- (1) Laser Fax Machine with Laser Printer and convenience copying. Comes with full tone cartridge (2,500 page yield).
- (2) Required when using the FAK1100L as a printer.

EA3210L & EA3210L

- (1) Includes 1-Meg capacity Toner Cartridge Type 1160 and 1 Photoconductor Unit Type 1013
- (2) Feature Expander Card User/Service Installable - provides 40MB of Nonvolatile Memory.
- (3) PS480 Paper Bank is User/Service Installable. Only one unit can be installed per mainframe.
- (4) FAC130 Cabinet is User/Service Installable. Recommended when optional PPU is installed to provide proper height for users, (can also be used when optional paper tray is NOT installed); makes unit easy to move, and provides storage for paper and other supplies.
- (5) Hardhat is User/Service Installable. Allow use of the fax for voice communication when needed.
- (6) Print Controller Type 1013 provides 600dpi printing capability through Parallel connection as standard. For use on a network, the NIB is also required.
- (7) Ricoh PostScript provides PostScript 2 capability to Print Controller
- (8) 32MB, 64MB, and 128MB Memory are Service Installable. Only one memory module can be installed at a time.

FAK4300 & FAK4300N

- (1) Includes Toner Cartridge and Photo Conductor Unit
- (2) Internet/Network Ready
- (3) User/Service Installable. Expands memory to 40MB and is non-volatile. Once installed total memory capacity is 2,200 pages.
- (4) User/Service Installable. Up to 2 PPU's can be installed.
- (5) Service Installable. Takes letter or legal paper. Can be used for other specialty paper including envelopes. For FAK4300L, comes standard with FAK4300NF.
- (6) Service Installable. For adding 2nd G3 line.
- (7) Service Installable. Adds Network Fax capabilities (Color Scan to Email, Internet FAX, LAN Failing, IP Failing, IP Failing, and convenience printing to FAX4300L).
- (11) User/Service Installable. Allow use of fax line for communication when needed.
- (12) User/Service Installable. Recommended to set the fax unit on when 1 or more paper trays are installed. Provides proper height for users, makes unit easy to move, and provides storage for paper and other supplies.
- (14) Ricoh Technology Solutions Support Center (TSSC) recommends the use of the Innovet Power Protection products to minimize potential electrical interference with Ricoh products.

FA550L & 550LINE

- (1) Includes Intel Atom One Toner Cassette Type 5110
- (2) 550L standard w/1 additional Paper Feed Unit (5510DNF) does not; up to 4 PPU's can be installed in both 550L/5510DNF.
- (3) G3 IP Type 5110 for adding 2nd G3 line to FAX550DNF only (FAX550L, come with 2 G3 Lines).
- (4) Feature Expander Type 300 expands memory to 1,200 gpg. When used w/Function Upgrade Unit Type 510 memory is expanded to 1,200 gpg. Feature Expander cannot be installed w/Fax On Demand 510.
- (5) Function Upgrade Unit 510 increases number of Speed Dials, Auto Documents, Groups, Keycode Programs, and Personal Codes. In addition, increases Memory Capacity to 3,000pg when used w/Feature Upgrade Type 300.
- (6) NIC Fax Unit Type 510 adds network capabilities (Color Scan to Email, Internet FAX, LAN Failing, IP Failing, Inbound Fax Routing).
- (7) Printer option comes standard with both Parallel and LAN connection ports.
- (8) IEEE 1394 Interface Type 4510 provides high speed, hot plug network connection for Printer I/F Unit Type 510. Cannot be used with IEEE802.11b or USB2.0 Interface Board Type A.

- (9) Wireless LAN correction for use w/Printer F Unit S10; cannot be used w/3940F Unit S510 or USB2.0 F Board A.
Also, Wireless LAN F and NIB IF do not operate at same time; one or other must be selected from operation panel.
- (10) Provides alternate connection capability for Printer Interface Unit Type S10. Cannot be used with 1394 interface Unit Type S510 or IEEE802.11b interface K4 Type B.
- (11) Adds true Adobe PostScript 3 to Printer Option; enables Mac to print to FAX5510 series via network.
- (12) Allows for documents to be stored in FAX5510L/NF memory and retrieved by remote callers. Cannot be used with Feature Expander Type 300.
- (13) Base Unit recommended when 3 or more PPU installed. Cabinet Type S10 recommended when 2 or less PPUs are installed. Base Unit and Cabinet Type S10 cannot be used simultaneously.

PROJECTORS

- (1) Mobile projector with XGA resolution, 3200 lumens brightness, wired and wireless network connectivity, PC-less presenting capabilities and auto Keystone correction. Can be ceiling mounted. Comes with standard carrying case and remote.
- (2) Mobile projector with WXGA resolution, 2500 lumens brightness, wired and wireless network connectivity, PC-less presenting capabilities and auto Keystone correction. Can be ceiling mounted. Comes with standard carrying case and remote.
- (3) Mobile projector with XGA resolution, 2500 lumens brightness, auto keystone correction. Can be ceiling mounted. Comes with standard carrying case and remote.
- (4) Mobile projector with XGA resolution, 2500 lumens brightness, auto keystone correction. Can be ceiling mounted. Comes with standard carrying case and remote.
- (5) Mobile projector with WXGA resolution, 2500 lumens brightness, auto keystone correction. Can be ceiling mounted. Comes with standard carrying case and remote.

DOCUMENT SOLUTIONS

eCabinet

- (1) eCabinet Basic Installation Service provides for professional installation of one eCabinet and configuration of one peripheral device of suitable operability to connect the eCabinet at customer location.
- (2) 1 Yr. Extension extends the standard (48-Hour Ricoh Carefree) Advance Exchange Warranty for 1 additional year. Includes hardware diagnostics support via telephone and all software revisions or upgrades during the coverage period.
- (3) 2 Yr. Ext. extends the standard (48-Hour Ricoh Carefree) Advance Exchange Warranty for 2 additional years. Includes hardware diagnostics support via telephone and all software revisions or upgrades during the coverage period.
- (4) 3 Yr. Ext. extends the standard (48-Hour Ricoh Carefree) Advance Exchange Warranty for 3 additional years. Includes hardware diagnostics support via telephone and all software revisions or upgrades during the coverage period.

eCopy

- (1) A ScanStand 003507MMU must be ordered with each ScanStation

DocumentMail

- (1) Document Mail MFP Package includes 500MB On-Line Storage for 3 Years plus the MFP Browser.
- (2) 500MB of storage includes 500 transactions per month (Transaction is defined as one view or one download).
- (3) 1GB of storage includes 1,000 transactions per month (Transaction is defined as one view or one download).
- (4) 5GB of storage includes 5,000 transactions per month (Transaction is defined as one view or one download).
- (5) 10GB of storage includes 10,000 transactions per month (Transaction is defined as one view or one download).
- (6) Barcode Service enables indexing and low volume batch upload to DocumentMail from the MFP account. Customization enabled by ASD through registration process.
- (7) Doc Export Service 32GB enables Customer to transfer a back up of documents stored in account on DVD (for accounts with up to 3 GB of data). Does not include Export Reader. Does not include XML metadata. Data will be provided on Media in DM folder structure.
- (8) Doc Export Service 10G enables Customer to receive back up of data stored in account in DVDs (for accounts with up to 10GB of data). Includes documents, XML Metadata and Export reader for searching.
- (9) Data Export Service 11.25G enables Customer to receive a back up of data stored in account on DVDs (for accounts with 11 to 25 GB of data). Includes documents, XML Metadata and Export Reader for searching.

PrintFax Connector

- (1) Price is PER MFP. IPO Mail support quantity per customer order.
- (2) No containing orders
- (3) Requires 004277MMU Required for each MFP

GlobalScan

- (1) Devices are required to have a Network Interface, HDD, and TCP/IP network access to support GlobalScan.
- (2) Please see GlobalScan documentation for exact memory requirements of Color and B&W Devices.
- (3) This server software will support a maximum of 32 MFPs. Additional Business Server licenses are required over 32 MFPs. This applies to these edp codes (420319-420321-420322-420324-420377-420379).

PCS Director 6

- (1) For all items, each Pack includes 5 Year Support Agreement
- (2) For all MFP Packs, each MFP Pack requires a Java VM Card that is sold separately.
- (3) For all items, license packs are purchased for individual customers and require WAN connectivity if multiple locations are required for installation.
- (4) WAN connectivity is not available; individual seat or MFP packs must be purchased on a site-by-site basis
- (4) For all MFP Packs, optional Card Reader sold separately same as ELP card readers (Ricoh IIS: 003139MMU, 003171MMU and 003172MMU)

PCS Director Assessor

- (1) Assessor training separately available from Print Auto as Professional Service. (100169FNG, 100170FNG, 100171FNG, 100172FNG)
- (2) Discount training certificate included with the purchase an Assessor pack. (100169FNG, 100170FNG, 100171FNG, 100172FNG)
- (3) Travel & Expense fees for on-site Professional Services billed as "Hourly Fee" rate based on actual costs incurred (100173FNG)

Document Mail

- (1) Document Mail has No Limit on Transactions; 200 User Limit. For opportunities with more than 200 users contact DocumentMail Sales Support
- (2) The DocumentMail MFP Package includes 500MB On-Line Storage for 3 Years plus the MFP Browser.
- (3) DocumentMail Browser required for upload into DocumentMail from MFP. Visit www.documentmail.com for supported MFPs.
- (4) Barcode Service enables indexing and low volume batch upload to DocumentMail from the MFP account. Customization enabled by ASD through registration process.
- (5) Document Mail Export Service supports account data (documents / indexing data) on DVD (for accounts with up to 3GB of data).
- (6) Document Mail Export Service 10GB supports account data (documents / indexing data) in DVD (for accounts with up to 10GB of data).
- (7) Document Mail Export Service 11.25GB supports account data (documents / indexing data) on DVD (for accounts with up to 25GB of data).
- (8) Upload Agent works with DocuLex GoBy Capture - secure batch uploads of documents.
- (9) Integration Package for Koha combines DocumentMail's Upload Agent / DM Release Script for Koha and Professional Services
- (10) Professional Services covers post sale installation and training; brand and scope will be issued for professional services after order is placed.
- (11) Branding Option provides branding of account with customer's logo (Sign-in Page UI, and support).

Remote Installation/Remote Management System

- (1) Remote appliance, when connected to a LAN or WAN, can "discover" network connected MFPs and laser printers.
- Once identified @Remote can obtain and report on the following:

- (2) Print, Copy, Fax and Scan Meters for networked Ricoh original equipment MFPs and Printers that are @Remote compatible.
- These would include new Ricoh engines produced from November 2003 or later, as well as non-networked Ricoh devices connected to the appliance via serial cable. (See the launch kit for product compatibility listing.) Up to 5 devices may be connected using serial cables to one appliance. Availability of meter data will be dependent upon appliance installation methodology.
- (3) Print, Copy, and Fax (Scan not included) meters of networked Ricoh original equipment MFPs and Printers based on "OW" / "Next Generation" Architecture.
- (4) Print Meters only for:

- Networked non - GW architecture Ricoh MFPs and Printers.
- Networked Competitor MFPs or Printers. Print meter accuracy is also dependent upon:
- A. Manufacturer
- B. Use of third party controllers such as EFI and T/R MicroPress
- C. Use of external print servers such as HP or Axis print servers.
- (5) The following printing methodologies are not supported:

- Non Networked Printing Devices using USB/Serial, Parallel or Bluetooth printing Technologies.
- (6) Suggested Retail Monthly Service Fee based on 33 Months. First 3 Months suggested free trial.

eCopy/ScanStation Loyalty Notes

- (1) ScanStation Loyalty - includes ShareScan software, ScanStation key, Desktop Software, Desktop key for 10, and MAS coverage - No hardware. Includes access to all eCopy Connectors
- (2) ScanStation Essentials Loyalty - includes ShareScan software with 10GB ScanStation key, Desktop Software, Desktop key for 1, and MAS coverage - No hardware
- (3) To order under the ShareScan Loyalty program, the product key and Registration ID of the original product must be provided. When the order is processed the fulfillment is an email with the product key for the latest version of ShareScan and the product key for the latest version of eCopy Desktop. The email will include instructions for how to access the software to download as well as notification that the new product has been registered. By using the Registration system and accessing the registration record for the new product, the customer will have access to all appropriate eCopy Connectors and Services

eCopy/ShareScan Loyalty Notes

- (1) eCopy/ShareScan Loyalty - includes ShareScan software, Suite Embedded key, Desktop software, Desktop key for 10 and MAS coverage. Includes access to all eCopy Connectors
- (2) ShareScan Essentials Loyalty - includes ShareScan software, Suite Embedded key, Desktop software and Desktop key for 1 and MAS coverage
- (3) To order under the ShareScan Loyalty program, the product key and Registration ID of the original product must be provided. When the order is processed the fulfillment is an email with the product key for the latest version of ShareScan and the product key for the latest version of eCopy Desktop. The email will include instructions for how to access the software to download as well as notification that the new product has been registered. By using the Registration system and accessing the registration record for the new product, the customer will have access to all appropriate eCopy Connectors and Services

Scan Router

- (1) Scan Router Professional Server Requirements; please see product specification sheet.

RA2K Integration for ePDS Notes:

1. Bundled to include License Agreement
2. Mandatory License is priced per printer
3. All Software includes 5 Years License Fee. License Fee includes telephone support and upgrades within the Version installed. First Version 1.0 release.
- (Applicable to 1000077FNG - 1000135FNG)

Doc Office Notes:

1. Includes DOT License Agreement

PCS Integration Options

- (1) 001514MMU and 001515MMU are both certificate (A & B) licensing for the RA2K Print and Copy Control (PCC) product. Both certificates, ordered together, provide 1 single activation license (which can be installed on 1 Ricoh MFP).
- (2) The PCC solution is only used with Printer Cost and Security Manager Software.
- (3) PCC Version 2.0 w/1Yr Support includes License and 1 Year Support Agreement
- (4) PCC Version 2.0 w/3Yr Support includes License and Extended Support Agreement

MicroPress X Family Series

Base Components

MicroPress Prodigy Server (002278MMU)

Single 90105ppm engine MicroPress Connectivity

Prodigy Server can only be connected to (2) 90105ppm system

The Prodigy Server includes (1) 000P Software Only License (Network Interface Board (411300), 256MB Memory Type D (001491MMU) are additionally required as well as Secure SD Card from Ricoh parts. P/Nr: B1756057; Description: SD Card for MP/PLP Type "C")

Includes One Year Tier 2 annual maintenance (dealer to Ricoh technical support coverage)

New MicroPress dealers must register for the one-week on-site technical training course at EFI Training is coordinated through Ricoh University.

MicroPress Professional Server (00230MMU)

Connects up to (4) black and white engines or (2) color engines

Professional Server provides the capability to connect up to (4) black and white print engines or (2) color engines.

Includes One Year Tier 2 Annual Maintenance (dealer to Ricoh technical support coverage)

Prodigy Server 7075R(00306MMU)

Prodigy Server can only be connected to (2) 5570 ppm color engine.

The Prodigy Server 7075R includes (1) 7075R MicroPress Connectivity Kit License.

The Fiery E-7100 print controller (42496) is also required when connecting a 5570 ppm color engine to a MicroPress Prodigy Server 7075R

New MicroPress dealers must register for the one-week on-site technical training course at EFI Training is coordinated through Ricoh University.

PrintStation 0135R

MicroPress connectivity for the Ricoh MP9000MP1100MP1350

Connectivity with PrintStation 0135R also requires the Printer Scanner Kit Type 1350 (412987).

PrintStation 020T Kit

Connects (1) 90105ppm system to a MicroPress

Includes Software, NIC and 256MB RAM

Installing technical support needs to purchase a Secure SD card

from Ricoh Parts. P/Nr B1756057; Description: SD Card for MP/PLP Type C

000P Software Only

For customers that already have Type 2105 Printer/Scanner Kit installed includes SD Card with System

Software and Connectivity License only

PrintStation 360R

Connects (1) Alicio 2051, 2060 or 2075 to a MicroPress. Connectivity requires the

following additional components:

Network Interface Board Type 2105 (411300)

256MB Memory Type D (001491MMU)

SD Card to the technician can turn the MicroPress application from the Ricoh Technical

website which is then flashed onto the Alicio 2051/2060/2075

Connectivity Kits, Cable Connectivity

2075R MicroPress Connectivity (00306MMU)

This kit consists of a paper license enablement code in order to connect (1) C6055 or (1) C7570

to a MicroPress or PowerPress

The Fiery E-7100 Controller will also be required in order to complete this connectivity.

PrintStation 360R connects (1) Alicio 3131 to a MicroPress Also Requires:

Fiery E-710 (ICP Code 411300), LCD Panel (411911)

ScanStation for MicroPress 6

MicroPress Connectivity with PrintStation 5560R also requires EFI-7000 Controller

PrintStation 5560R

MicroPress Connectivity with PrintStation 5560R also requires EFI-7000 Controller

PrintStation 2432 includes license enable code and SD Card

2432 DX Expansion Kit is required for Color Power Pack 3 and Color Power Pack 4, can only be used with DX Server.

Color Power Pack 3 includes license enable code for three (3) Alicio 2232/2235C products connected to MicroPress DX or

Color Power Pack 4 includes license enable code for four (4) Alicio 2232/2235C products connected to MicroPress DX or

Alco 6513 Connectivity Kit includes enable and PrintLink. Order one (1) kit per AC6513.

Digital StoreFront.

For all modules with "required maintenance" components, additional years can be purchased by using the same SKU code x day (number of additional years required). All Annual Maintenance Support on Digital StoreFront is sold directly by Ricoh but supported directly by EFI.
Annual maintenance includes: Software maintenance including all releases EFI may make and Tier 1 (end user) and Tier 2 (dealer) support. If the first year of maintenance is not renewed, the customer will not receive technical phone support or be eligible for regular software updates. It is recommended to build in additional years of maintenance to cover the contract period to avoid disruption of service support.

Optional Modules to Upgrade Digital StoreFront Express to Full Version

All Pricing includes annual maintenance agreement for the first year only that entitles the customer to unlimited direct access to the software manufacturer for support M-F 8 am to 8 pm EST. This includes minor or maintenance software releases during the term of the support plan. Maintenance does not include major software upgrades or licensable features.

On-Site Installation and Training for Digital StoreFront Express.

On-Site (100000001130) is Optional for DSF Express, and 1-day is recommended for sites with few main operators and 2-days for sites with many users that will need training.
On-Site (100000001130) is Mandatory for both DSF Upgrades as well as DSF v2.0 Full Version for dealers that have not been certified on Digital StoreFront Full Version.

Optional Software Modules for DSF v2.0

All Pricing includes annual maintenance agreement for the first year only that entitles the customer to unlimited direct access to the software manufacturer for support M-F 8 am to 8 pm EST. This includes minor or maintenance software releases during the term of the support plan. Maintenance does not include major software upgrades or licensable features.

On-Site Installation and Training - Mandatory for DSF v2.0 Full Version.

On-Site Installation and Training is mandatory for DSF v2.0 Full Version.

Digital StoreFront Maintenance Pricing (for additional coverage after the 1st year)

Digital StoreFront Express Maint. is for Digital StoreFront Express Software Kit (001733AMU) and Digital StoreFront Express Integrated Solution (001734AMU).
Digital StoreFront Express Opt. Module Maint is for Optional Modules to Upgrade DSF Express to Full Version.
Digital StoreFront v2.0 Maintenance Coverage is for Digital StoreFront v2.0 Full Version v20 Base Software Kit (001973AMU) & Digital StoreFront Express v2.0 Base Integrated Solution (001974AMU).

Digital StoreFront Express Upgrades and Optional Software Modules for DSF v2.0

All Pricing includes annual maintenance agreement for the first year only that entitles the customer to unlimited direct access to the software manufacturer for support M-F 8 am to 8 pm EST. This includes minor or maintenance software releases during the term of the support plan. Maintenance does not include major software upgrades or licensable features.

On-Site Installation and Training for Digital StoreFront Express and DSF v2.0 Full Version

On-Site Installation and Training is purchased directly from and provided directly by EFI.
On-Site (100000001130) is Optional for DSF Express, and 1-day is recommended for sites with few main operators and 2-days for sites with many users that will need training.
On-Site (100000001130) is Mandatory for both DSF Upgrades as well as DSF v2.0 Full Version for dealers that have not been certified on Digital StoreFront Full Version.

MICROPRESS PRODUCTS

Base Components

MicroPress SX Server Includes MicroPress RIP, Annotations, Archive to PDF, DocumentMerge, TrueEdit, Image Manipulation, Impression Numbering, TrueForms, TrueColor, PSM to PDF/TFP, runs on single processor server. 3 year warranty from date of shipment from TIR.
MicroPress DX Server Includes capabilities of SX plus TrueCluster and MicroSpot and 3 TrueEdit Remote Licenses. Runs on a single processor server, one year end user support. 3 year HW warranty from date of shipment from TIR.
MicroPress MX Server Includes capabilities of DX plus second RIP (PowerRIP), True PCL, OPC-VE, TrueScript, OCR and MicroTIF, Remote PSM (up to 25), MicroManager for MicroPress; runs on a dual-processor server. 3 year HW warranty from date of shipment from TIR.

Connectivity Kits - RAW Printers

609R PrintLink Kit Alco 2092105
Includes NIC, SD Card with System Software, Connectivity License and 256MB Memory. Order one kit per device.

090R Software Only

For customers that already have Type 2105 Printer/Scanner Kit installed
Includes SD Card with System Software and Connectivity License only.
Order one per device

079R PrintLink Alco 10601075 Connectivity Kit

Includes enable, NIC & 256MB Memory. Order one kit per device

10100 Base TX Network Interface Card

Recommended for one connection.

10100 Base TX Network Switch

Recommended for two or more connections.

Ricoh Alco 8501050010851105

Includes enable and PrintLink. Order one per print device

HostAdapter

Order one per every two black & white print devices

Alco 551700 & Alco 850105010851105 only.

Connectivity Kits - Color Printers

Alco 6513 Connectivity Kit

Includes enable and PrintLink. Order one kit per AC6513

101000 Color Connectivity Net Card

One board needed for each color print device; maximum of 2 boards can be inserted on SX and DX servers

101000 Color Connectivity Net Hub

Recommended for MX server when connecting 3 or more color devices; one 101000 color connectivity network board needed on MX server.

TrueColor Software

Included with new X-Series servers; optional for previous MicroPress systems

Controller IP Type 1

One kit needed for each Alco 6513

MicroPress Connectivity Kit Type 3800C

Works only with AF3800C printer versions. Not compatible with AP3800CMF.
Includes MicroPress Enable Code. Order one per printer. PrintLink is not rec'd.
The upgrade of AF3800C firmware and the download of TIR Systems application are required. They can be downloaded from the Ricoh TSC website free of charge.
The MicroPress server must be version 6.2.4 or above. The upgrade is available free of charge from the TIR Systems' website.

Monitors & Furniture

17" CRT Monitor: order one monitor per MicroPress SX, DX, or MX
PowerStation: Furniture to house MicroPress System

Utilities

OPC-VE: Allows users to seamlessly interface between MicroPress and 600dpi network devices w/PCL support
Options for SX and DX (Software)
SDX4 Upgrade to 7.x - upgrades to Version 7.x for older X-Series Servers
MX Upgrade to 7.x - upgrades to Version 7.x for older X-Series Servers

Options for SX and DX (Hardware)

MicroSpot (option for SX only): Open Progress Interface spooler.
TrueCluster (SX only): Allows users to automatically parse jobs across multiple devices with full error recovery.
PowerRP (Second RIP): Additional postscript interpreter.
MicroPress RIP for PCL, PCL, Paper Description interpreter.
TrueScript: Allows users to define automated workflows w/Visual Basic scripts; formerly Job Scripting
OCR and Micro TIF: Allows users to modify document contents and create editable files regardless of source.

Options for MX

PowerRP (Second RIP): Additional Postscript interpreter(s) (software)
Additional USB RAM: USB DIMMs; MX can support up to total of 4GB RAM
e-Ticket: Allows remote job submission across Internet and job picketing (software)

Scanning Solutions

MicroManager for MicroPress: Provides ability to manipulate scanned input and define workflows (software); Comes standard on MicroPress MX. Works with most 600 dpi TWAIN 1.7+ compliant scanners
MicroManager Standalone: Provides ability to manipulate scanned input and define workflows (software plus dongle); required in order to run MicroManager software on a server other than main MicroPress; recommended for optimized scanning; works with most 600 dpi TWAIN 1.7+ compliant scanners
ScanStation 1000M: dual processor server with MicroManager software and dongle.

Options for MDP Only

256MB Memory Upgrade: 18GB Hard Disk Drive Upgrade; PSM to TIF Utility; PSM to PDF Utility
Notes:
Two Device Direct Connect Adapter previously configured with MicroPress MDP must now be ordered separately (Non-refundable) as a Host Adapter (002022AMU).

TIR Model Code

Additional Services listed below are offered directly through TIR Systems
700-000561-00 \$1,000 On-Site Technical Training: 5 days, technical training at TIR Systems, GA
TR-SVCINSTALL-2D \$4,000 On-Site Installation: 2 days, travel and expenses included
TR-SVCINSTALL-4D \$7,000 On-Site Installation and Training: 4 days, travel and expenses included
700-000440 \$3,000 Technical Phone Support: End User: 3 yrs unlimited through TIR; 2 named PWS
TR-SVCTRAIN-TR \$400 Training - End User: Price per day, Available at TIR Systems' HQ Office
TR-SVCTRAIN-CS \$1,250 Service - On-Site: Price per day, Travel and expenses not included
TR-SVCDEVELOP \$200 Service - Application Dev: Price per hour, three (3) hour minimum

Infoprint 1860 Monochrome MFP

(1) Print, copy, scan and fax. 45 CPM/PPM for monochrome prints and copies. Mainframe includes 550-sheet Paper Drawer, 100-sheet Multi-purpose Feeder, standard duplex printing, 256MB RAM and 75-sheet ADF. Ships with an All-in-One Cartridge that yield 7,000 prints.
(2) 250-sheet capacity Paper Drawer. Installs beneath mainframe. Up to 4 250-sheet Drawers may be added to the 1860 MFP.
(3) 550-sheet capacity Paper Drawer. Installs beneath mainframe. Up to 3 550-sheet Drawers may be added to the 1860 MFP.
(4) 250-Sheet Tray. An inexpensive alternative to the Paper Drawer. Paper Tray does not include supports. Tray is placed inside an empty Paper Drawer for quick access to a second paper source.
(5) 550-Sheet Tray. An inexpensive alternative to the Paper Drawer. Paper Tray does not include supports. Tray is placed inside an empty Paper Drawer for quick access to a second paper source.
(6) 2,000-sheet large capacity Paper Drawer. Installs beneath all other Drawers. Only one 2,000-sheet Drawer may be installed on the 1860 MFP.
(7) 200-Sheet Universally Adj Drawer. Feed custom-size media that range from 3"x7" to 8.5"x14". 200-sheet capacity. Installs beneath mainframe. Up to 4 may be added.
(8) 200-Sheet Universally Adj Tray. Feed custom-size media that range from 3"x7" to 8.5"x14". 200-sheet capacity. Installs inside existing Drawer.
(9) 400-Sheet Universally Adj Drawer. Feed custom-size media that range from 3"x7" to 8.5"x14". 400-sheet capacity. Installs beneath mainframe. Up to 3 may be added.
(10) 400-Sheet Universally Adj Tray. Feed custom-size media that range from 3"x7" to 8.5"x14". 400-sheet capacity. Installs inside existing Drawer.
(11) PWS & SC57Net Card. For IBM/MTM, IBM Series and AS400/TM applications. Cannot be used with the Forms and Bar Code Card and/or Encryption Card.
(12) Forms and Barcode Card. Cannot be used with the Forms and Bar Code Card and/or IPDS & SC57Net Card.
Additional RAM or HDD is required for Forms Printing support.
(14) 256/512/1024 MB Memory DRAM. One open slot. Maximum of 1,024MB is supported.
(15) HDD is required for Scan Preview, Print Spooling, User-based Billing, Job Park, Proof Copy and other features.
(16) Ethernet 1000BaseTX. Only one connection option may be installed.
(17) 802.11g Wireless Print Server US. Only one connection option may be installed.
(18) Parallel 1284-B Interface Card. Only one connection option may be installed.
(19) RS-232C Serial Interface Card. Only one connection option may be installed.
(20) 5 in. Spacer. Used in place of Drawers to raise height of the unit. Must be installed below all other Drawers. Cannot be used with 2,000-Sheet Drawer.
(21) Caster Base. Required when the MFP is configured with additional Drawers to create a floor standing MFP.