

Automated Logic Corporation (ALC)

Effective Date: September 16, 2011

Revision Date: June 2015

State of Ohio
State Term Schedule

Table of Contents

Page One Information..... 1

Document Table of Contents.....2

ALC Price List..... 3

Labor Pricing..... 14

Field Device Pricing21



State of Ohio

State Term Schedule Price List

Prices Shown Herein are Net

Contractor Name: Automated Logic Corporation
1150 Roberts Boulevard
Kennesaw, GA 30144-3618 770/429-
3000

www.automatedlogic.com

ALC Price List	Pages
WebCTRL® Software.....	5
Software Tools (EIKON®, ViewBuilder®, SiteBuilder®)	6
Routers, Gateways and Local Interfaces.....	7
Control Modules.....	8
Room Controllers.	.8
Local Operator Interface	.8
Zone Control Modules & Sensors.....	9
Third Party Upgrade Devices ("WebZone").....	10
Ancillary Network Boards & Cable Assemblies.....	10
Previous Generation Hardware.....	11

(c) 2007, Automated Logic Corporation. Automated Logic, the Automated Logic logo, WebCTRL, EIKON and BACview are registered trademarks of Automated Logic Corporation. BACnet is a registered trademark of ASHRAE. All other trademarks are the property of their respective owners.

Software Products

WebCTRL Features

There are two editions of WebCTRL Software: WebCTRL and WebCTRL-500
The table below highlights the features and options supported by each edition.

Edition	WebCTRL	WebCTRL-500
Number of simultaneous users supported	Unlimited	Unlimited
Number of points* supported	Unlimited	500
Runs on MS Windows, or Red Hat Linux	Yes	Yes
Includes MS Access compatible database	Yes	Yes
Supports other JDBC compliant databases	Yes	Yes
Supports web appliances (Palm Pilot, cell phones, etc.)	Yes	Yes
Supports BACnet (TCP/IP)	Yes	Yes
Supports 3rd party integration	Yes	Yes
Includes Alarm and Event Management capabilities	Yes	Yes
Includes Eikon graphic programming tool	Yes	Yes
Includes Viewbuilder graphic assembly tool	Yes	Yes
Custom Reporting	See Optional "Advanced Reporting" below	
Location Dependent and Support for 21 CFR 11	See Optional "Advanced Security" below	
Send SNMP trap; External DB Write; Write BACnet property; Alarm Popup	See Optional "Advanced Alarming" below	
Data exchange via XML/SOAP (web services)	See Optional "Enterprise Integration" below	

* Points include ALC I/O points; BACNET Display Object points

WebCTRL Pricing

	Price
WebCTRL (# WC)	\$5,279.60
WebCTRL-500 (# WC500)	\$1,128.46

Optional WebCTRL "Packages":

Advanced Reporting (#WC-ADV-REP)	\$806.05
Advanced Security (#WC-ADV-SEC)	\$1,209.07
Advanced Alarming (#WC-ADV-ALARM)	\$806.05
Enterprise Integration (#WC-ENTERPRISE)	\$2,015.11

Software Tools

Eikon LogicBuilder, graphical programming tool; Viewbuilder*, the web page assembly tool, and Sitebuilder, the database assembly tool, are each provided with WebCTRL and WebCTRL-500.

The WebCTRL graphic programming tools require MS Windows 2000 or XP.

**Viewbuilder is used to assemble web pages. The graphic symbols to be assembled by Viewbuilder can be created in any graphic software program which generates .gif files. A library of ALC standard graphic symbols is included. However, a variety of Graphic Software products which create .gif files can be purchased locally through computer stores. Automated Logic Corporation is not a reseller of "over the counter" software products.*

Hardware Products

Communication Router Products

24 month warranty

Product	Description	Price
AAR	Designed to expand or segment high speed ARCNET 156Kbps networks. ...	\$241.81
AMR	BACnet Router – ARCnet to MS/TP.....	\$483.63

Communication Router/Gateway Products

24 month warranty

Product	Description	Price
EQ-PRTL	Powerful and economic gateway to a single piece of equipment. Up to 100 third-party points may be integrated using Equipment Portal.	\$352.64
LON-OC	LON Option Card for use with EQ-PRTL. Supports up to 100 LON points.	\$201.51
LGR25*	High Performance BACnet Router with Gateway. Provides various BACnet network routing capability; serves as BACnet Gateway for up to 25 third party points.....	\$1,329.97
LGR250*	High Performance BACnet Router with Gateway. Provides various BACnet network routing capability; serves as BACnet Gateway for up to 250 third party points	\$1,781.36
LGR1000*	High Performance BACnet Router with Gateway. Provides various BACnet network routing capability; serves as BACnet Gateway for up to 1000 third party points	\$3,284.63

** provides BACnet network routing; provides controller-level integration for third party points*

Multi-Purpose Modules: Router/Gateway/Processor

24 month warranty

Product	Description	Price
ME-LGR25**	Multi-Purpose Device with 25 point gateway; supports up to six (6) point expanders.....	\$1,692.70
ME-LGR200**	Multi-Purpose Device with 200 point gateway; supports up to six (6) point expanders.....	\$3,647.36
ME812U-LGR**	Multi-Purpose Device with 8 UO's, 12 UI's; supports up to (5) point expanders; 200 point gateway.....	\$4,272.04

**** provides BACnet network routing; serves as BACnet gateway for third party points; serves as processor for point expanders.**

Multi-Equipment Control Modules

24 month warranty

Product	Description	Price
M0100	Control Module (10 UIs)	\$1,047.86
M220NX	Control Module (2 DOs, 2 UIs) non-expandable	\$507.81
M4106NX	Control Module (4 DOs, 10 UIs, 6 AOs) non-expandable	\$1612.09
M880NX	Control Module (8 DOs, 8 UIs) Non-expandable	\$1,309.82
M8102NX	Control Module (8 DOs, 10 UIs, 2 AOs) non-expandable	\$1,571.79
M16160	Control Module (16 DOs, 16 UIs)	\$2,176.32
M0320	Control Module (32 UIs)	\$1,813.60
MX0320	Point Expander (32 UIs)	\$1,547.61
MX16160	Point Expander (16 DOs, 16 UIs)	\$1,934.51
ME812U	Control Module (8 UO's, 12 UI's ; supports 5 point expanders).....	\$2,942.07
ME812U-E	Control Module (8 UO's, 12 UI's ; supports 5 point expanders).....	\$3,123.43
MEX816U	Point Expander (8 UO's, 16 UI's)	\$1,692.70
MEX48U	Point Expander (4 UO's, 8 UI's)	\$755.67
MEX88U	Point Expander (8 UO's, 8 UI's)	\$1,084.13
MEX016U	Point Expander (16 UI's)	\$896.73

Single Equipment Control Modules

24 month warranty

SE6104A	Control Module (6 DOs, 10 UIs, 4 AOs)	\$846.35
SE6166	Control Module (6 DOs, 16 UIs, 6 AOs)	\$1,188.92

Room Controllers24 month warranty

Product	Description	Price
RC642	Interior wall mounted, standalone controller for heat pumps, fan coil units and other packaged HVAC equipment – NO DISPLAY- (for use in WebCTRL Systems) (6 DOs, 4UIs, 2 AO)	\$276.07
RC642D	Interior wall mounted, standalone controller for heat pumps, fan coil units and other packaged HVAC equipment – WITH DISPLAY (6 DOs, 4UIs, 2 AO)	\$316.37

Local Operator Interface24 month warranty

BACVIEW5	Local Operator Interface & Display (2x16 LCD)	\$403.02
BACVIEW6	Local Operator Interface & Display (4x40 LCD)	\$806.05
BV6H	Handheld Local Interface & Display tool (4X40 LCD)	\$806.05

Zone Control Modules

24 month warranty

Product	Description	Price
ZN551	Controller for heat pumps, fan coil units and other packaged HVAC applications (5 DOs, 5 UIs, 1 AO)	\$260.35
ZN253	Controller for heat pumps, fan coil units and other packaged HVAC applications (2 DOs, 5 UIs, 3 AO's).....	\$310.33
ZN220	Controller for terminal units and miscellaneous control points (i.e. lighting, exhaust fans and water heaters 2 DOs, 2 UIs).....	\$155.16
ZN341V+	Controller for pressure independent VAV applications. Includes integral actuator and precision air flow sensor (3 DOs, 4 UIs, 1 AO's).....	\$340.55
ZN141V+	Controller for pressure independent VAV applications. Includes integral actuator and precision air flow sensor (1 DOs, 4 UIs, 1 AO's).....	\$322.42
ZASF	Accessory for ZN341V+ or ZN141V+. Includes integral air flow sensor and damper actuator to control a second damper on a dual-duct VAV zone....	\$161.21
USF	Accessory single air flow board for ZN253, ZN551, U253, or U551 controller .	\$100.76
UDF	Accessory dual air flow board for ZN253, ZN551, U253, or U551 controller	\$241.81
FILT	Replacement Air Filter for VAV controllers with integral velocity sensor	\$6.05

Zone Sensors

24 month warranty

Product	Description	Price
RS	RS Standard Space Temperature Sensor for use on "Rnet"	\$30.23
RSPL	RS Plus Space Temperature Sensor for use on "Rnet" without LCD display, slide-pot set point adjustment and local override	\$38.29
RSP	RS Pro Space Temperature Sensor for use on "Rnet" with LCD display, set point adjustment and local override	\$57.23
RSP-F	RS Pro Space Temperature Sensor for use on "Rnet" with LCD display, set point adjustment, local override, fan speed control, and operation mode selection	\$66.50

Third Party Upgrade Devices

24 month warranty

Product	Description	Price
WBZ	"WebZONE", Barber-Coleman or Invensys MICROZONE II retrofit	
	Replacement.....	\$481.61

Ancillary ARCNET156 and EIA-485 Boards

24 month warranty

Product	Description	Price
BT485	Pack of 16, plug-in devices for terminating and biasing ARC156 network segments	\$322.42
DIAG485	Diagnostics Board for ARCNET 156Kbps over EIA-485, or regular EIA-485 (Includes two (2) terminator resistors)	\$74.96
TERM485	Termination Resistor for ARCNET 156Kbps over EIA-485, or regular EIA-485 (26 pk)	\$15.31
REP485	Repeater Board for ARCNET 156Kbps over EIA-485, or regular EIA-485.....	\$105.59
PROT485	Protection Board for ARCNET 156Kbps over EIA-485, for U-net, or for regular EIA-485 (PROT485 replaces NWPB for legacy CMnet protection)	\$43.53
FIBER485	Fiber Optic Converter, converts ARCNET 156Kbps (EIA-485) to fiber.....	\$322.42
FIBER485T	Fiber Optic Converter with "T" off (daisy chain) for the EIA-485.....	\$403.02

Cable Assemblies

24 month warranty

Product	Description	Price
USB-K	(2) ea. 12' cables – USB to Rnet & USB to 8 pin Barrel (incl. software driver) .	\$155.16
USB-L	(1) ea. 12' cables – USB to Rnet (incl. software driver).....	\$120.91

Previous Generation Products

Hardware*

It is Automated Logic's policy to make previous generation hardware available for as long as the product can be built. The availability of this hardware is subject to change based on the availability of components from our suppliers, the product demand, the availability of direct product substitutions, and other like factors. SINCE THESE PRODUCTS ARE VERY LOW VOLUMES, TYPICAL SALES ORDER LEAD-TIME IS 10 TO 12 WEEKS. THESE PRODUCTS ARE FOR REPLACEMENT ONLY AND NOT TO BE USED IN NEW SYSTEMS.

Communication Router Products

24 month warranty

Product	Description	Price
LGE	BACnet/IP to BACnet/ARCNET 156kbps router; supports up to 98 controllers	\$1,370.28

*** Orders for Previous Generation Hardware are non-cancelable and non-returnable.**

Volume Discount

Ohio Prices Shown

Additional Order Size Discounts may apply

Order Size Discount:

<u>Order Size - Total \$</u>	<u>Add'l Discount</u>
>\$75,000 to \$100,000	10%
>\$100,001	15%

...the power of simplicity

1150 Roberts Boulevard
Kennesaw, GA
30144-3618

770/429-3000

770/429-3001 Fax

www.automatedlogic.com

State of Ohio
Department of Administration Services
General Services Division
Office of Procurement Services
4200 Surface Road, Columbus, OH 43228-1395

April 1, 2011

Reference: Automated Logic – State Term Schedule – Ancillary Services

To whom it may concern,

Please find a description and rates of the different types of labor used to complete an Automated Logic building automation system.

Sincerely,



Bill Lasseigne
Regional Sales Manager
(770) 795-4869

State Term Schedule - Automated Logic Company
Estimating Sheet Rev 1-1-2012

Project: Customer _____ Date: mm/dd/yyyy Estimator: _____
Project _____

Project Totals

Labor:		<u>Hours</u>	<u>Discount</u>	<u>Hours</u>	<u>Amount</u>	<u>Total</u>
Project Management		0	0%	0.00	105.00	0.00
Job Meetings	0					
General Project Mgmt/Superv	0					
Project Engineering		0	0%	0.00	105.00	0.00
Sales Estimation	0					
Documentation	0					
Design/Drawings	0					
Field Coordination	0					
Material Procurement/Handling	0					
Programming	0					
Database	0					
Graphic Generation	0					
Trends	0					
Systems Engineering		0	0%	0.00	105.00	0.00
Point to Point Checkout	0					
System Checkout/Commissioning	0					
Training	0					
Panel Building	0					
Other						
Monitoring	0	0	0%	0.00	105.00	0.00
Administration	0	0	0%	0.00	35.00	0.00
Electrical Install		0	0%	0.00	79.00	0.00
Rough-in	0					
Wire Pull/Panel Mount	0					
Device Mount	0					
Termination	0					
Mechanical Install	0	0	0%	0.00	75.00	0.00
Balancing	0	0	0%	0.00	95.00	0.00
						0.00

total hrs: 0

Material

	Additional Discount	1	0.00
	\$75,000-\$100,000	10.00%	
0.00	\$100,001-\$200,000	15.00%	

0.00

Total Material

0.00

Round Trip Miles: 10

\$/Mile: 0.45

Travel

	<u>Hours</u>	<u>Hours/trip</u>	<u>Trips</u>	
Project Management	0	8	0.00	0.00
Project Engineering	0	8	0.00	0.00
Systems Engineering	0	8	0.00	0.00
Travel Totals:	0		0.00	0.00

Subtotal: 0.00

Permits

Bond

2.50% **0.00**

Total: 0.00

Automated Logic

Systems Engineer

Department: Operations
Reports to: Operations Manager

Primary Objectives of Position:

To complete all control wiring drawings for each project for use by technical staff and subcontractors for installation. To ensure all drawings, databases, programming and material required to complete a job are on hand at the proper location to maintain the scheduled timeline and stay within budget requirements.

Major Areas of Responsibility:

- Responsible for the design of control systems.
Coordinate the creation of AutoCAD drawings for use by field technicians and subcontractors.
Generate rough-in coordination drawings for use by electrical contractors.
Request and properly receive all equipment submittals.
Submit CCG submittal packages for approval.
- Work with operations administrator on parts discrepancies
- Develop bills of material.
- Insure material is delivered to job site when required.
Track material from order status to delivery at job site.
Communicate with vendors, contractors and subcontractors.
Create databases using Site Builder program.
Ability to create and modify system programs using Eikon software.
Assemble and submit required graphic submittal package to manufacturer.
Review, checkout and edit graphics based on control drawings.
Software field support.
Create all trends, alarms and reporting actions.
Configure server for field installation.
Coordinate completion of As-built drawings.
Ensure Owner's Manuals are complete prior to customer training.

General Performance Criteria:

- Ability to write, edit and understand sequences of operations.
- Ability to read and understand blueprints.
- Knowledge of electrical wiring and schematics.
- Develop and maintain a cooperative working relationship with members of the company, clients and other outside contacts.
- Ability to work as team player, be flexible and maintain positive attitude.
Anticipate and be able to meet short and/or unpredictable deadlines.
- Proactively look to continually improve processes and procedures.
- Understand and conform to company policies and procedures.
- Recognize and utilize the company's resources effectively and efficiently.
- Plan, organize and carry out assigned job responsibilities within established time parameters.
Maintain confidentiality.
Conducts self-study to improve knowledge of required job skills and stay abreast of industry changes.

Technical/Experience/Education Requirements:

- Competent working with AutoCAD, Microsoft Word, Excel, Outlook, Visio, Advanced Windows XP.
- Front Page helpful but not required.
- Self-motivated with the ability to work with minimal supervision.
- Bachelor's degree in Engineering or Applied Sciences and two years experience or Certificate from a technical school and a minimum of 5 years experience.
- Extensive overall computer experience.
Excellent organizational and oral/written communication skills.
Knowledge of HVAC/Mechanical systems.
Basic understanding of computer programming language.

Automated Logic

Position Description

Position Title: Project Engineer
Department: Operations
Reports to: President

Primary Objectives of Position:

To act as a resource for Account Managers in designing and estimating the initial layout of control systems. To work closely with Application Engineers to ensure design and drawings meet customer and specification requirements. To guide subcontractors and Control Technicians throughout the installation, checkout and commissioning phases of projects to make certain project requirements are obtained.

Major Areas of Responsibility:

- Review bid documentation, specifications and drawings to assist Sales with creation of project estimate and proposal.
- Attend pre-project meetings to ensure system design meets customer requirements.
- Participate in sales to operations project turnover meeting to re-estimate labor hour requirements and communicate design/installation needs.
- Responsible for leading the design of control systems.
- Review and approve all control drawings and rough-in drawings prior to start of installation.
- Review and approve graphics submittals prior to submitting to ALC for creation.
- Review and approve material requisition lists prior to purchasing.
- Design, review and test sequences of operation to minimize energy usage while maintaining occupant comfort.
- Create and modify system programs using Eikon software.
- Create databases using Site Builder program.
- Provide project startup information to all Control Technicians and subcontractors.
- Assist field technicians with daily tasks lists and communicate project deadlines.
- Act as technical liaison between owner/construction manager.
- Manage activities of subcontractors ensuring they are staying on task and meeting schedule requirements.
- Attend weekly job meetings to communicate progress and voice concerns.
- Coordinate network communication needs with owner/construction manager.
- Communicate with vendors, contractors and subcontractors.
- Responsible for proper commissioning of all systems.
- Perform final walkthrough with owner and construction manager to ensure all punchlist items are complete and job receives signoff of substantial completion.
- Provide training to end users.
- Participate in weekly Operations Meetings by providing project updates, forecasting manpower needs, communicating concerns and offering suggestions for improvement.
- Responsible for completing assigned projects according to project schedule and within budget.
- Document all communication.
- Identify new business opportunities through organization memberships, industry publications and other means of remaining abreast of industry changes.
- Submit weekly time sheet with a breakdown of hours spent on each project assignment to Administrative Assistant before noon each Monday.

General Performance Criteria:

- Ability to provide effective instructions and share information with team members, subcontractors, owners and other trades.
- Ability to write, edit and understand sequences of operations.
- Ability to read and understand blueprints.
- Knowledge of electrical wiring and schematics.
- Ability to develop and maintain a cooperative working relationship with members of the company, clients and other outside contacts.
- Ability to work as team player, be flexible and maintain positive attitude.
- Anticipate and be able to meet short and/or unpredictable deadlines.
- Proactively looks to continually improve processes and procedures.
- Understand and conform to company policies and procedures.

Automated Logic

Position Description

- Recognize and utilize the company's resources effectively and efficiently.
- Plan, organize and carry out assigned job responsibilities within established time parameters.
- Maintain confidentiality.
- Conduct self-study to improve knowledge of required job skills and stay abreast of industry changes

Technical/Experience/Education Requirements:

- Competent working with AutoCAD, Microsoft Word, Excel, Outlook and Front Page.
- Self-motivated with the ability to work with minimal supervision.
- Bachelor's degree in Engineering or Applied Sciences and a minimum of 5 years experience in the HVAC industry
- Extensive overall computer experience.
- Excellent organizational and oral/written communication skills.

~~3554 Brecksville Road Suite 300, Richfield, OH
44286 Tel: (330) 659-5082 Fax: (330) 659-5083
www.comfortcontrol.net~~

Automated Logic, Inc.

Position Description

Position Title: Project Manager
Department: Operations
Reports to: President

Primary Objectives of Position:

To be responsible for the overall management of installation, retrofit and energy projects from inception through final completion and close-out process with focus on working within predetermined estimates and timelines. To control the flow of information on each project to ensure the owner, construction manager, architect, subcontractors and company personnel understand the quality and schedule requirements of the project.

Major Areas of Responsibility:

- Plan, coordinate, and direct team members, subcontractors and vendors working on each project to ensure clear understanding of scope, timelines and budget requirements.
- Review construction and temperature control drawings with team members and subcontracts to ensure all responsible parties have a clear understanding of proper installation requirements.
- Establish and track overall project schedules and budgets.
- Schedule engineers and technicians as required to complete quality installations on-time and within budget.
- Request bids and negotiate contracts with subcontractors.
- Make or enforce required decisions to ensure objectives are met.
- Monitor and assist project engineer with material procurement, drawing preparation and overall implementation strategy.
- Coordinate all paperwork and documentation required for each project including Schedules of Values, AIA documents, pay applications, change orders and subcontractor contracts.
- Monitor all projects to ensure compliance with contract documents.
- Attend weekly on-site job progress meetings and compile meeting notes for distribution to team members as needed.
- Develop and document standards of operation.
- Communicate frequently and effectively with owners, construction managers and architects.
- Continuously identify areas needing improvement and implement changes to increase effectiveness and productivity.
- Identify new business opportunities through add-on sales, organizational memberships, industry publications and other means of remaining abreast of industry changes.
- Facilitate internal training classes.
- Submit weekly time sheet with a breakdown of hours spent on each project assignment to Administrative Assistant before noon each Monday.
- Submit project status reports to President on a weekly basis including labor usage, budget projections and schedule requirements.
- Assume additional responsibilities as needed and approved by management.

General Performance Criteria:

- Manage multiple projects and tasks while remaining very organized.
- Ability to write, edit and understand sequences of operations.
- Ability to read and understand project drawings and specifications.
- Strong planning, scheduling and negotiating skills.
- Knowledge of electrical wiring and schematics.
- Develop and maintain a cooperative working relationship with members of the company, clients and other contacts.
- Ability to work as team player, be flexible and maintain positive attitude.
- Anticipate and be able to meet short and/or unpredictable deadlines.
- Understand and conform to company policies and procedures.
- Recognize and utilize the company's resources effectively and efficiently.
- Plan, organize and carry out assigned job responsibilities within established time parameters.
- Maintain confidentiality.
- Conducts self-study to improve knowledge of required job skills and stay abreast of industry changes.

Automated Logic, Inc.

Position Description

Technical/Experience/Education Requirements:

- " Competent working with AutoCAD, Microsoft Word, Excel, Outlook, and Project.
- Self-motivated with the ability to work with minimal supervision.
- " Bachelor's degree with a minimum of 5 years project management experience or equivalent industry experience.
- Thorough understanding of the construction process.
- Demonstrated track record of completing projects on schedule and within budget.
- Superior decision making and problem solving skills.
- " Extensive overall computer experience.
- Excellent organizational and oral/written communication skills.
- Strong customer service skills.

~~3554 Brecksville Road – Suite 300, Richfield, OH
44286 Tel: (330) 659-5082 Fax: (330) 659-5083
www.comfortcontrol.net~~

STS PART #	STS PRICE	PRODUCT DESCRIPTION
44625-R0	\$ 49.53	DUCT AVERAGING 12 FT COPPER TUBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
44626-R0	\$ 67.26	DUCT AVERAGING 24 FT COPPER TUBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
44627-R0	\$ 157.00	DUCT AVERAGING 50 FT COPPER TUBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
44624-R0	\$ 41.60	DUCT AVERAGING 8 FT COPPER TUBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
44634-R0	\$ 6.73	BULLET PROBE SENSOR 24 INCH LEAD LENGTH RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
44607-R0	\$ 8.97	DUCT SENSOR JUNCTION BOX 12 INCH PROBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
44605-R0	\$ 8.97	DUCT SENSOR JUNCTION BOX 4 INCH PROBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
44608-R0	\$ 26.91	DUCT SENSOR JUNCTION BOX 48 INCH PROBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
44606-R0	\$ 8.97	DUCT SENSOR JUNCTION BOX 8 INCH PROBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
44611-R0	\$ 8.59	DUCT SENSOR MOUNTING BRACKET INCLUDED 12 INCH PROBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
44612-R0	\$ 8.59	DUCT SENSOR MOUNTING BRACKET INCLUDED 18 INCH PROBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
44609-R0	\$ 8.59	DUCT SENSOR MOUNTING BRACKET INCLUDED 4 INCH PROBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
44610-R0	\$ 8.59	DUCT SENSOR MOUNTING BRACKET INCLUDED 8 INCH PROBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
44628-R0	\$ 41.86	FLEXIBLE DUCT AVERAGING SENSOR 12 FT PLENUM CABLE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
44629-R0	\$ 62.99	FLEXIBLE DUCT AVERAGING SENSOR 24 FT PLENUM CABLE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
57226-R0	\$ 40.11	FLEXIBLE DUCT AVERAGING SENSOR 8 FT PLENUM CABLE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC IMMERSION SENSOR 2.5 INCH PROBE WITH OR WITHOUT THERMOWELL RESISTANCE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
44615-R0	\$ 8.97	IMMERSION SENSOR 4 INCH PROBE WITH OR WITHOUT THERMOWELL RESISTANCE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
44613-R0	\$ 8.97	IMMERSION SENSOR 8 INCH PROBE WITH OR WITHOUT THERMOWELL RESISTANCE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
44614-R0	\$ 8.97	OUTSIDE AIR SENSOR RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
44616-R0	\$ 12.34	PLASTIC BUTTON SENSOR RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC
57225-R0	\$ 11.22	ROOM/WALL MOUNT SENSOR RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC
44603-R0	\$ 7.05	RIGID DUCT AVERAGING SENSOR 18 INCH PROBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
44630-R0	\$ 33.68	RIGID DUCT AVERAGING SENSOR 24 INCH PROBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
44631-R0	\$ 34.39	RIGID DUCT AVERAGING SENSOR 36 INCH PROBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
44632-R0	\$ 34.39	RIGID DUCT AVERAGING SENSOR 48 INCH PROBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
49596-R0	\$ 67.28	STRAP ON SENSOR A/2-5 INCH HOSE CLAMP AVAILABLE FOR PIPES LARGER THAN 5 INCHES RESISTIVE OUTPUT SIGNAL 10K-CP TYLE II COMPATIBLE WITH AUTOMATED LOGIC / CARRIER / SOLIDYNE / ALERTON / DISTECH / TRANE
44621-R0	\$ 13.08	STEEL WALL PLATE SENSOR RESISTANCE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
44635-R0	\$ 5.24	RAW POTTED SENSOR RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
57085-R0	\$ 82.23	DUCT AVERAGING 12 FT COPPER TUBE RESISTIVE OUTPUT SIGNAL 1K PLATINUM RTD CLASS A .385 COEFFICIENT
57086-R0	\$ 82.23	DUCT AVERAGING 24 FT COPPER TUBE RESISTIVE OUTPUT SIGNAL 1K PLATINUM RTD CLASS A .385 COEFFICIENT
57046-R0	\$ 11.22	IMMERSION SENSOR JUNCTION BOX 2.5 INCH PROBE WITH THERMOWELL RESISTANCE OUTPUT SIGNAL 1K PLATINUM RTD CLASS A 3-WIRE VERSION AVAILABLE
57047-R0	\$ 11.22	IMMERSION SENSOR JUNCTION BOX 4 INCH PROBE WITH THERMOWELL RESISTANCE OUTPUT SIGNAL 1K PLATINUM RTD CLASS A 3-WIRE VERSION AVAILABLE
57048-R0	\$ 11.22	IMMERSION SENSOR JUNCTION BOX 6 INCH PROBE WITH THERMOWELL RESISTANCE OUTPUT SIGNAL 1K PLATINUM RTD CLASS A 3-WIRE VERSION AVAILABLE
57039-R0	\$ 127.09	DUCT SENSOR JUNCTION BOX 48 INCH PROBE RESISTIVE OUTPUT SIGNAL 1K PLATINUM RTDSUBMERSIBLE AVERAGING
57059-R0	\$ 14.95	STRAP ON SENSOR A/2-5" HOSE CLAMP AVAILABLE FOR PIPES LARGER THAN 5 INCHES RESISTIVE OUTPUT SIGNAL 1K PLATINUM RTD .385 COEFFICIENT
57061-R0	\$ 28.41	SOLID CORE ADJUSTABLE CURRENT "STATUS" SWITCH NORMALLY OPEN ADJUSTABLE TRIP POINT 1.0 - 250 AMPS SUPPLY POWER INDUCTED FROM MONITORED CONDUCTOR OPERATING RANGE 0-250 AMPS APERTURE SIZE 0.75 INCH DIN RAIL SIZE 35 MM LED INDICATORS
57062-R0	\$ 43.12	SOLID CORE ADJUSTABLE CURRENT "STATUS" SWITCH NORMALLY OPEN TRIP POINT ADJUSTABLE 0.50- 250 AMPS SUPPLY POWER INDUCTED FROM MONITORED CONDUCTOR OPERATING RANGE 0-250 AMPS APERTURE SIZE 0.75 INCH DIN RAIL SIZE 35 MM LED INDICATORS
57063-R0	\$ 40.60	SOLID CORE ADJUSTABLE CURRENT "STATUS" SWITCH NORMALLY CLOSED TRIP POINT ADJUSTABLE 1.0 - 250 AMPS SUPPLY POWER INDUCTED FROM MONITORED CONDUCTOR OPERATING RANGE 0-250 AMPS APERTURE SIZE 0.75 INCH DIN RAIL SIZE 35 MM LED INDICATORS

44625-R0	\$	49.53	DUCT AVERAGING 12 FT COPPER TUBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE THE CAPILLARY CLIP IS A COPPER CLIP USED TO MOUNT AVERAGING SENSORS OR FREEZSTATS IN DUCT APPLICATIONS.THE CLIP IS USED TO MOUNT AND BEND THE DIRECTION OF THE COPPER
65292-R0	\$	1.57	PROBE AND ELIMINATE THE RISK OF KINKING OR DAMAGING THE SENSOR.
59221-R0	\$	18.27	8 AMP SPDT RELAY 80-132 VAC COIL VOLTAGE USE WITH ANY ACI CURRENT SWITCH OR TRANSMITTER STACKABLE WITH OTHER ACI RELAYS
59222-R0	\$	17.36	12 AMP SPDT RELAY 10-15.6 VDC COIL VOLTAGE USE WITH ANY ACI CURRENT SWITCH OR TRANSMITTER STACKABLE WITH OTHER ACI RELAYS
59223-R0	\$	19.18	8 AMP SPDT RELAY 165-264 VAC COIL VOLTAGE USE WITH ANY ACI CURRENT SWITCH OR TRANSMITTER STACKABLE WITH OTHER ACI RELAYS
59224-R0	\$	17.36	10 AMP SPDT RELAY 16-26.4 VAC COIL VOLTAGE USE WITH ANY ACI CURRENT SWITCH OR TRANSMITTER STACKABLE WITH OTHER ACI RELAYS
59225-R0	\$	15.99	12 AMP SPDT RELAY 20-31.2 VDC COIL VOLTAGE USE WITH ANY ACI CURRENT SWITCH OR TRANSMITTER STACKABLE WITH OTHER ACI RELAYS
59226-R0	\$	14.61	5 AMP SPDT RELAY 23-31.2 VDC COIL VOLTAGE USE WITH ANY ACI CURRENT SWITCH OR TRANSMITTER STACKABLE WITH OTHER ACI RELAYS
57064-R0	\$	20.93	SOLID CORE CURRENT SWITCH “GO/NO GO” APPLICATION NORMALLY OPEN TRIP POINT 0.5 AMP OPERATING RANGE 0-250 AMP APERTURE SIZE 0.75 INCH DIN RAIL SIZE 35 MM LED STATUS INDICATORS
57065-R0	\$	26.79	SOLID CORE CURRENT SWITCH “GO/NO GO” APPLICATION NORMALLY OPEN TRIP POINT 0.2 AMPS SUPPLY POWER INDUCTED FROM MONITORED CONDUCTOR OPERATING RANGE 0-250 AMPS APERTURE SIZE 0.75 INCH DIN RAIL SIZE 35 MM LED STATUS INDICATORS
57066-R0	\$	24.28	SOLID CORE CURRENT SWITCH “GO/NO GO” APPLICATION NORMALLY CLOSED TRIP POINT 1.0 AMPS SUPPLY POWER INDUCTED FROM MONITORED CONDUCTOR OPERATING RANGE 0-250 AMPS APERTURE SIZE 0.75 INCH DIN RAIL SIZE 35 MM LED STATUS INDICATORS
57067-R0	\$	26.79	SOLID CORE CURRENT SWITCH “GO/NO GO” APPLICATION NORMALLY CLOSED TRIP POINT 0.5 AMPS SUPPLY POWER INDUCTED FROM MONITORED CONDUCTOR OPERATING RANGE 0-250 AMPS APERTURE SIZE 0.75 INCH DIN RAIL SIZE 35 MM LED STATUS INDICATORS
57097-R0	\$	41.86	SOLID CORE LOOP POWERED CURRENT SENSOR 4-20 MA OUTPUT JUMPER SELECTABLE RANGE 0-100 / 0-200 / 0-250 AMPS EXTERNALLY POWERED 12- 35 VDC OPERATING RANGE 0-250 AMP APERTURE SIZE 0.75 INCH DIN RAIL SIZE 35 MM LED STATUS INDICATORS
57098-R0	\$	58.60	SOLID CORE LOOP POWERED CURRENT SENSOR TRUE RMS 4-20 MA OUTPUT JUMPER SELECTABLE RANGE 0-100 / 0-200 / 0-250 AMPS EXTERNALLY POWERED 12- 35 VDC OPERATING RANGE 0-250 AMP APERTURE SIZE 0.75 INCH DIN RAIL SIZE 35 MM LED INDICATORS
57099-R0	\$	50.23	SOLID CORE LOOP POWERED CURRENT SENSOR 4-20 MA OUTPUT FIXED INPUT 0-5 AMPS EXTERNALLY POWERED 12- 35 VDC OPERATING RANGE 0-250 AMP APERTURE SIZE 0.75 INCH DIN RAIL SIZE 35 MM LED STATUS INDICATORS
57101-R0	\$	41.86	SOLID CORE LOOP POWERED CURRENT SENSOR 4-20 MA OUTPUT JUMPER SELECTABLE RANGE 0-10 / 0-20 / 0-50 AMPS EXTERNALLY POWERED 12- 35 VDC OPERATING RANGE 0-250 AMP APERTURE SIZE 0.75 INCH DIN RAIL SIZE 35 MM LED STATUS INDICATORS
57102-R0	\$	58.60	SOLID CORE LOOP POWERED CURRENT SENSOR TRUE RMS 4-20 MA OUTPUT JUMPER SELECTABLE RANGE 0-10 / 0-20 / 0-50 AMPS EXTERNALLY POWERED 12- 35 VDC OPERATING RANGE 0- 250 AMP APERTURE SIZE 0.75 INCH DIN RAIL SIZE 35 MM LED INDICATORS
57100-R0	\$	66.98	SOLID CORE LOOP POWERED CURRENT SENSOR TRUE RMS 4-20 MA OUTPUT FIXED INPUT 0-5 AMPS EXTERNALLY POWERED 12- 35 VDC OPERATING RANGE 0-250 AMP APERTURE SIZE 0.75 INCH DIN RAIL SIZE 35 MM LED STATUS INDICATORS
57103-R0	\$	34.75	SOLID CORE CURRENT SENSOR 0-5 VDC OUTPUT JUMPER SELECTABLE RANGE 0-100 / 0-200 / 0-250 AMPS SUPPLY POWER INDUCTED FROM MONITORED CONDUCTOR OPERATING RANGE 0- 250 AMP APERTURE SIZE 0.75 INCH DIN RAIL SIZE 35 MM LED STATUS INDICATORS
57104-R0	\$	34.75	SOLID CORE CURRENT SENSOR 0-5 VDC OUTPUT JUMPER SELECTABLE RANGE 0-10 / 0-20 / 0-50 AMPS SUPPLY POWER INDUCTED FROM MONITORED CONDUCTOR OPERATING RANGE 0-250 AMP APERTURE SIZE 0.75 INCH DIN RAIL SIZE 35 MM LED STATUS INDICATORS
57105-R0	\$	34.75	SOLID CORE CURRENT SENSOR 0-10 VDC OUTPUT JUMPER SELECTABLE RANGE 0-100 / 0-200 / 0-250 AMPS SUPPLY POWER INDUCTED FROM MONITORED CONDUCTOR OPERATING RANGE 0- 250 AMP APERTURE SIZE 0.75 INCH DIN RAIL SIZE 35 MM LED STATUS INDICATORS
57106-R0	\$	34.75	SOLID CORE CURRENT SENSOR 0-10 VDC OUTPUT JUMPER SELECTABLE RANGE 0-10 / 0-20 / 0-50 AMPS SUPPLY POWER INDUCTED FROM MONITORED CONDUCTOR OPERATING RANGE 0-250 AMP APERTURE SIZE 0.75 INCH DIN RAIL SIZE 35 MM LED STATUS INDICATORS
57051-R0	\$	107.64	BIDIRECTIONAL LOW DIFFERENTIAL PRESSURE TRANSMITTER FIELD SELECTABLE OUTPUTS 4-20 MA / 0-5 VDC / 0-10 VDC
57060-R0	\$	92.69	GAUGE PRESSURE TRANSMITTER OUTPUT 4-20 MA 2 FT PIGTAIL MANY PRESSURE RANGES TO CHOOSE FROM 0-10/100/200/250/300/500 PSI OR 0-1 KPSI
57068-R0	\$	12.34	MINI SOLID CORE CURRENT SWITCH “GO/NO GO” APPLICATION NORMALLY OPEN TRIP POINT 0.2 AMP OPERATING RANGE 0.2-150 AMP APERTURE SIZE 0.55 INCH UL / CE APPROVED MINI SOLID CORE ADJUSTABLE CURRENT "STATUS" SWITCH NORMALLY OPEN ADJUSTABLE TRIP POINT 0.32 - 150 AMPS SUPPLY POWER INDUCTED FROM MONITORED CONDUCTOR
57069-R0	\$	23.54	OPERATING RANGE 0-150 AMPS APERTURE SIZE 0.55 INCH LED INDICATORS UL / CE APPROVED
57070-R0	\$	19.81	MINI SPLIT CORE CURRENT SWITCH “GO/NO GO” APPLICATION NORMALLY OPEN TRIP POINT 0.55 AMPS SUPPLY POWER INDUCTED FROM MONITORED CONDUCTOR OPERATING RANGE 0.55-150 AMPS APERTURE SIZE 0.53 INCH UL / CE APPROVED
57071-R0	\$	25.04	MINI SPLIT CORE ADJUSTABLE CURRENT "STATUS" SWITCH NORMALLY OPEN TRIP POINT ADJUSTABLE 0.7- 150 AMPS SUPPLY POWER INDUCTED FROM MONITORED CONDUCTOR OPERATING RANGE 0-150 AMP APERTURE SIZE 0.53 INCH LED INDICATORS UL / CE APPROVED
57118-R0	\$	19.44	DIFFERENTIAL PITOT TUBE 3.126 INCH
57119-R0	\$	19.44	DIFFERENTIAL PITOT TUBE 5.406 INCH
57120-R0	\$	20.93	DIFFERENTIAL PITOT TUBE 7.656 INCH
57121-R0	\$	20.93	DIFFERENTIAL PITOT TUBE 9.906 INCH
57128-R0	\$	254.15	COMBINATION TEMP/HUMIDITY COMBO 1% RH [OVER 20% RANGE] FIELD SELECTABLE RH OUTPUT 4-20 MA / 0-5 VDC OR 0-10 VDC INCLUDES3 POINT NIST CERTIFICATE MUST SPECIFY THERMISTOR TEMPERATURE OUTPUT [3K / 5K / 10K-AN / 10K-CP / 10K-CSI / 10K-S / 20K / 100K
57138-R0	\$	258.64	OUTSIDE AIR HUMIDITY/TEMP COMBO 1% RH [OVER 20% RANGE] INCLUDES3 POINT NIST CERTIFICATE FIELD SELECTABLE RH OUTPUT[4-20 MA / 0-5 OR 0-10 VDC] MUST SPECIFY THERMISTOR FOR TEMPERATURE OUTPUT [ANY THERMISTOR

44625-R0	\$	49.53	DUCT AVERAGING 12 FT COPPER TUBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
57148-R0	\$	254.15	COMBINATION TEMP/HUMIDITY COMBO 1% RH [OVER 20% RANGE] INCLUDES3 POINT NIST CERTIFICATE FIELD SELECTABLE RH OUTPUT [4-20 MA / 0-5 OR 0-10 VDC] MUST SPECIFY THERMISTOR FOR TEMPERATURE OUTPUT [ANY THERMISTOR]
57149-R0	\$	258.64	COMBINATION TEMP/HUMIDITY COMBO STAINLESS PLATE 1% RH [OVER 20% RANGE] INCLUDES3 POINT NIST CERTIFICATE FIELD SELECTABLE RH OUTPUT [4-20 MA / 0-5 OR 0-10 VDC] MUST SPECIFY THERMISTOR FOR TEMPERATURE OUTPUT [ANY THERMISTOR]
57129-R0	\$	116.61	COMBINATION TEMP/HUMIDITY SENSOR 2% RH FIELD SELECTABLE RH OUTPUT [4-20 MA / 0-5 OR 0-10 VDC] MUST SPECIFY THERMISTOR FOR TEMPERATURE OUTPUT [3K / 5K / 10K-AN / 10K-CP / 10K-CSI / 10K-S / 20K / 100K]
57130-R0	\$	116.61	COMBINATION TEMP/HUMIDITY SENSOR 2% RH FIELD SELECTABLE RH OUTPUT [4-20 MA / 0-5 OR 0-10 VDC] 10K-CP THERMISTOR5
57139-R0	\$	116.61	COMBINATION TEMP/HUMIDITY SENSOR 2% RH FIELD SELECTABLE RH OUTPUT [4-20 MA / 0-5 OR 0-10 VDC] MUST SPECIFY THERMISTOR FOR TEMPERATURE OUTPUT [3K / 5K / 10K-AN / 10K-CP / 10K-CSI / 10K-S / 20K / 100K]
57140-R0	\$	116.61	COMBINATION TEMP/HUMIDITY SENSOR 2% RH FIELD SELECTABLE RH OUTPUT [4-20 MA / 0-5 OR 0-10 VDC] 10K-CP THERMISTOR
57150-R0	\$	116.61	COMBINATION TEMP/HUMIDITY SENSOR 2% RH FIELD SELECTABLE RH OUTPUT [4-20 MA / 0-5 OR 0-10 VDC] MUST SPECIFY THERMISTOR FOR TEMPERATURE OUTPUT [3K / 5K / 10K-AN / 10K-CP / 10K-CSI / 10K-S / 20K / 100K]
57155-R0	\$	116.61	COMBINATION TEMP/HUMIDITY SENSOR 2% RH FIELD SELECTABLE RH OUTPUT [4-20 MA / 0-5 OR 0-10 VDC] 10K-CP THERMISTOR
57151-R0	\$	119.60	COMBINATION TEMP/HUMIDITY SENSOR WITH OVERRIDE 2% RH FIELD SELECTABLE RH OUTPUT [4-20 MA / 0-5 OR 0-10 VDC] MUST SPECIFY THERMISTOR FOR TEMPERATURE OUTPUT [3K / 5K / 10K-AN / 10K-CP / 10K-CSI / 10K-S / 20K / 100K]
57152-R0	\$	119.60	COMBINATION TEMP/HUMIDITY SENSOR 2% RH FIELD SELECTABLE RH OUTPUT [4-20 MA / 0-5 OR 0-10 VDC] MUST SPECIFY THERMISTOR FOR TEMPERATURE OUTPUT [3K / 5K / 10K-AN / 10K-CP / 10K-CSI / 10K-S / 20K / 100K]
57153-R0	\$	125.58	COMBINATION TEMP/HUMIDITY SENSOR WITH SETPOING AND OVERRIDE 2% RH FIELD SELECTABLE RH OUTPUT [4-20 MA / 0-5 OR 0-10 VDC] MUST SPECIFY THERMISTOR FOR TEMPERATURE OUTPUT [3K / 5K / 10K-AN / 10K-CP / 10K-CSI / 10K-S / 20K / 100K]
57156-R0	\$	125.58	COMBINATION TEMP/HUMIDITY SENSOR 2% RH FIELD SELECTABLE RH OUTPUT [4-20 MA / 0-5 OR 0-10 VDC] 10K-CP THERMISTOR SETPOINT AND OVERRIDE
57154-R0	\$	125.58	COMBINATION TEMP/HUMIDITY SENSOR STAINLESS 2% RH FIELD SELECTABLE RH OUTPUT [4-20 MA / 0-5 OR 0-10 VDC] MUST SPECIFY THERMISTOR FOR TEMPERATURE OUTPUT [3K / 5K / 10K-AN / 10K-CP / 10K-CSI / 10K-S / 20K / 100K]
57131-R0	\$	118.11	COMBINATION TEMP/HUMIDITY SENSOR 2% RH FIELD SELECTABLE RH OUTPUT [4-20 MA / 0-5 OR 0-10 VDC] 1K RTD
57141-R0	\$	118.11	COMBINATION TEMP/HUMIDITY SENSOR 2% RH FIELD SELECTABLE RH OUTPUT [4-20 MA / 0-5 OR 0-10 VDC] 1K RTD
57052-R0	\$	115.12	HUMIDITY SENSOR 2% ACCURACY FIELD SELECTABLE RH OUTPUT [4-20 MA / 0-5 OR 0-10 VDC]
57055-R0	\$	115.12	HUMIDITY SENSOR 2% ACCURACY FIELD SELECTABLE RH OUTPUT [4-20 MA / 0-5 OR 0-10 VDC]
56999-R0	\$	115.12	ZONE SENSOR WALL MOUNT 2% ACCURACY FIELD SELECTABLE RH OUTPUT [4-20 MA / 0-5 OR 0-10 VDC] SPECIFY 20% SPAN
57000-R0	\$	152.49	ZONE SENSOR WALL MOUNT 2% ACCURACY FIELD SELECTABLE RH OUTPUT [4-20 MA / 0-5 OR 0-10 VDC] WITH LCD READOUT
57001-R0	\$	118.11	ZONE SENSOR WALL MOUNT WITH OVERRIDE 2% ACCURACY FIELD SELECTABLE RH OUTPUT [4-20 MA / 0-5 OR 0-10 VDC]
57002-R0	\$	121.10	ZONE SENSOR WALL MOUNT WITH SETPOINT AND OVERRIDE 2% ACCURACY FIELD SELECTABLE RH OUTPUT [4-20 MA / 0-5 OR 0-10 VDC]
57003-R0	\$	125.58	HUMIDITYSTAINLESS STEEL [WASH DOWN]2% ACCURACY FIELD SELECTABLE RH OUTPUT [4-20 MA / 0-5 OR 0-10 VDC]
57132-R0	\$	95.68	COMBINATION TEMP/HUMIDITY SENSOR 3% RH FIELD SELECTABLE RH OUTPUT [4-20 MA / 0-5 OR 0-10 VDC] MUST SPECIFY THERMISTOR FOR TEMPERATURE OUTPUT [3K / 5K / 10K-AN / 10K-CP / 10K-CSI / 10K-S / 20K / 100K]
57133-R0	\$	95.68	COMBINATION TEMP/HUMIDITY SENSOR 3% RH FIELD SELECTABLE RH OUTPUT [4-20 MA / 0-5 OR 0-10 VDC] 10K-CP THERMISTOR
57143-R0	\$	95.68	OUTSIDE AIR HUMIDITY/TEMP COMBO3% RH FIELD SELECTABLE RH OUTPUT [4-20 MA / 0-5 OR 0-10 VDC] 10K-CP THERMISTOR
57157-R0	\$	95.68	COMBINATION TEMP/HUMIDITY SENSOR 3% RH FIELD SELECTABLE RH OUTPUT [4-20 MA / 0-5 OR 0-10 VDC] MUST SPECIFY THERMISTOR FOR TEMPERATURE OUTPUT [3K / 5K / 10K-AN / 10K-CP / 10K-CSI / 10K-S / 20K / 100K]
57159-R0	\$	95.68	COMBINATION TEMP/HUMIDITY SENSOR 3% RH FIELD SELECTABLE RH OUTPUT [4-20 MA / 0-5 OR 0-10 VDC] 10K-CP THERMISTOR
57158-R0	\$	97.18	COMBINATION TEMP/HUMIDITY SENSOR STAINLESS PLATE 3% RH FIELD SELECTABLE RH OUTPUT [4-20 MA / 0-5 OR 0-10 VDC] MUST SPECIFY THERMISTOR FOR TEMPERATURE OUTPUT [3K / 5K / 10K-AN / 10K-CP / 10K-CSI / 10K-S / 20K / 100K]
57134-R0	\$	97.18	COMBINATION TEMP/HUMIDITY SENSOR 3% RH FIELD SELECTABLE RH OUTPUT [4-20 MA / 0-5 OR 0-10 VDC] 1K OHM RTD
57144-R0	\$	97.18	OUTSIDE AIR HUMIDITY/TEMP COMBO3% RH FIELD SELECTABLE RH OUTPUT [4-20 MA / 0-5 OR 0-10 VDC] 1K RTD
57142-R0	\$	95.68	OUTSIDE AIR HUMIDITY/TEMP COMBO3% RH FIELD SELECTABLE RH OUTPUT [4-20 MA / 0-5 OR 0-10 VDC] MUST SPECIFY THERMISTOR FOR TEMPERATURE OUTPUT [3K / 5K / 10K-AN / 10K-CP / 10K-CSI / 10K-S / 20K / 100K]
57053-R0	\$	94.19	HUMIDITY SENSOR 3% ACCURACY FIELD SELECTABLE RH OUTPUT [4-20 MA / 0-5 OR 0-10 VDC]
57056-R0	\$	94.19	HUMIDITY SENSOR 3% ACCURACY FIELD SELECTABLE RH OUTPUT [4-20 MA / 0-5 OR 0-10 VDC]
57004-R0	\$	94.19	ZONE HUMIDITY SENSOR WALL MOUNT 3% ACCURACY FIELD SELECTABLE RH OUTPUT [4-20 MA / 0-5 OR 0-10 VDC]
57005-R0	\$	127.08	ZONE SENSOR WALL MOUNT 3% ACCURACY FIELD SELECTABLE RH OUTPUT [4-20 MA / 0-5 OR 0-10 VDC] WITH LCD READOUT
57006-R0	\$	97.18	ZONE HUMIDITY SENSOR WITH OVERRIDE 3% ACCURACY FIELD SELECTABLE RH OUTPUT [4-20 MA / 0-5 OR 0-10 VDC]
57007-R0	\$	97.18	ZONE HUMIDITY SENSOR WALL MOUNT WITH SETPOINT 3% ACCURACY FIELD SELECTABLE RH OUTPUT [4-20 MA / 0-5 OR 0-10 VDC]
57008-R0	\$	100.17	ZONE HUMIDITY SENSOR WALL MOUNT WITH SETPOINT AND OVERRIDE 3% ACCURACY FIELD SELECTABLE RH OUTPUT [4-20 MA / 0-5 OR 0-10 VDC]
57009-R0	\$	94.19	HUMIDITY SENSOR WASH DOWN STAINLESS STEEL 3% ACCURACY FIELD SELECTABLE RH OUTPUT [4-20 MA / 0-5 OR 0-10 VDC]
57135-R0	\$	82.23	COMBINATION TEMP/HUMIDITY SENSOR 5% RH FIELD SELECTABLE RH OUTPUT [4-20 MA / 0-5 OR 0-10 VDC] MUST SPECIFY THERMISTOR FOR TEMPERATURE OUTPUT [3K / 5K / 10K-AN / 10K-CP / 10K-CSI / 10K-S / 20K / 100K]

44625-R0	\$	49.53	DUCT AVERAGING 12 FT COPPER TUBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
57136-R0	\$	82.23	COMBINATION TEMP/HUMIDITY SENSOR 5% RH FIELD SELECTABLE RH OUTPUT [4-20 MA / 0-5 OR 0-10 VDC] 10K-CP THERMISTOR
57145-R0	\$	82.23	COMBINATION TEMP/HUMIDITY SENSOR 5% RH FIELD SELECTABLE RH OUTPUT [4-20 MA / 0-5 OR 0-10 VDC] MUST SPECIFY THERMISTOR FOR TEMPERATURE OUTPUT [3K / 5K / 10K-AN / 10K-CP / 10K-CSI / 10K-S / 20K / 100K]
57146-R0	\$	82.23	COMBINATION TEMP/HUMIDITY SENSOR 5% RH FIELD SELECTABLE RH OUTPUT [4-20 MA / 0-5 OR 0-10 VDC] 10K-CP THERMISTOR
57160-R0	\$	82.23	COMBINATION TEMP/HUMIDITY SENSOR 5% RH FIELD SELECTABLE RH OUTPUT [4-20 MA / 0-5 OR 0-10 VDC] MUST SPECIFY THERMISTOR FOR TEMPERATURE OUTPUT [3K / 5K / 10K-AN / 10K-CP / 10K-CSI / 10K-S / 20K / 100K]
57165-R0	\$	82.23	COMBINATION TEMP/HUMIDITY SENSOR 5% RH FIELD SELECTABLE RH OUTPUT [4-20 MA / 0-5 OR 0-10 VDC] 10K-CP THERMISTOR
57161-R0	\$	82.23	COMBINATION TEMP/HUMIDITY SENSOR WITH OVERRIDE 5% RH FIELD SELECTABLE RH OUTPUT [4-20 MA / 0-5 OR 0-10 VDC] MUST SPECIFY THERMISTOR FOR TEMPERATURE OUTPUT [3K / 5K / 10K-AN / 10K-CP / 10K-CSI / 10K-S / 20K / 100K]
57162-R0	\$	82.23	COMBINATION TEMP/HUMIDITY SENSOR WITH SETPOINT 5% RH FIELD SELECTABLE RH OUTPUT [4-20 MA / 0-5 OR 0-10 VDC] MUST SPECIFY THERMISTOR FOR TEMPERATURE OUTPUT [3K / 5K / 10K-AN / 10K-CP / 10K-CSI / 10K-S / 20K / 100K]
57163-R0	\$	85.22	COMBINATION TEMP/HUMIDITY SENSOR WITH SETPOINT AND OVERRIDE 5% RH FIELD SELECTABLE RH OUTPUT [4-20 MA / 0-5 OR 0-10 VDC] MUST SPECIFY THERMISTOR FOR TEMPERATURE OUTPUT [3K / 5K / 10K-AN / 10K-CP / 10K-CSI / 10K-S / 20K / 100K]
57164-R0	\$	82.23	COMBINATION TEMP/HUMIDITY SENSOR STAINLESS STEEL PLATE 5% RH FIELD SELECTABLE RH OUTPUT [4-20 MA / 0-5 OR 0-10 VDC] MUST SPECIFY THERMISTOR FOR TEMPERATURE OUTPUT [3K / 5K / 10K-AN / 10K-CP / 10K-CSI / 10K-S / 20K / 100K]
57137-R0	\$	86.71	COMBINATION TEMP/HUMIDITY SENSOR 5% RH FIELD SELECTABLE RH OUTPUT [4-20 MA / 0-5 OR 0-10 VDC] 1K OHM RTD
57147-R0	\$	86.71	COMBINATION TEMP/HUMIDITY SENSOR 5% RH FIELD SELECTABLE RH OUTPUT [4-20 MA / 0-5 OR 0-10 VDC] 1K OHM RTD
57054-R0	\$	77.74	HUMIDITY SENSOR 5% ACCURACY FIELD SELECTABLE RH OUTPUT [4-20 MA / 0-5 OR 0-10 VDC]
57057-R0	\$	77.74	HUMIDITY SENSOR 5% ACCURACY FIELD SELECTABLE RH OUTPUT [4-20 MA / 0-5 OR 0-10 VDC]
57010-R0	\$	77.74	ZONE HUMIDITY SENSOR 5% ACCURACY FIELD SELECTABLE RH OUTPUT [4-20 MA / 0-5 OR 0-10 VDC]
57011-R0	\$	80.73	HUMIDITY SENSOR WITH OVERRIDE 5% ACCURACY FIELD SELECTABLE RH OUTPUT [4-20 MA / 0-5 OR 0-10 VDC]
57012-R0	\$	80.73	HUMIDITY SENSOR WITH SETPOINT 5% ACCURACY FIELD SELECTABLE RH OUTPUT [4-20 MA / 0-5 OR 0-10 VDC]
57013-R0	\$	83.72	HUMIDITY SENSOR WITH SETPOINT AND OVERRIDE 5% ACCURACY FIELD SELECTABLE RH OUTPUT [4-20 MA / 0-5 OR 0-10 VDC]
57014-R0	\$	79.24	HUMIDITY SENSOR WASH DOWN STAINLESS STEEL 5% ACCURACY FIELD SELECTABLE RH OUTPUT [4-20 MA / 0-5 OR 0-10 VDC]
57116-R0	\$	20.93	ROOM PICKUP PORT INFINITY ROOM STYLE
57072-R0	\$	25.04	SPLIT CORE CURRENT SWITCH “GO/NO GO” APPLICATION NORMALLY OPEN TRIP POINT 2.5 AMPS SUPPLY POWER INDUCTED FROM MONITORED CONDUCTOR OPERATING RANGE 0-250 AMPS APERTURE SIZE 0.75 INCH DIN RAIL SIZE 35 MM LED INDICATORS
57073-R0	\$	37.67	SPLIT CORE CURRENT SWITCH “GO/NO GO” APPLICATION NORMALLY OPEN TRIP POINT 1.5 AMPS SUPPLY POWER INDUCTED FROM MONITORED CONDUCTOR OPERATING RANGE 0-250 AMPS APERTURE SIZE 0.75 INCH DIN RAIL SIZE 35 MM LED INDICATORS
57074-R0	\$	27.21	SPLIT CORE CURRENT SWITCH “GO/NO GO” APPLICATION NORMALLY CLOSED TRIP POINT 2.5 AMPS SUPPLY POWER INDUCTED FROM MONITORED CONDUCTOR OPERATING RANGE 0-250 AMPS APERTURE SIZE 0.75 INCH DIN RAIL SIZE 35 MM LED INDICATORS
57107-R0	\$	46.05	SPLIT CORE LOOP POWERED CURRENT SENSOR 4-20 MA OUTPUT JUMPER SELECTABLE RANGE 0-100 / 0-150 / 0-200 AMPS EXTERNALLY POWERED 12- 35 VDC OPERATING RANGE 0-200 AMP APERTURE SIZE 0.75 INCH DIN RAIL SIZE 35 MM LED STATUS INDICATORS
57108-R0	\$	54.42	SPLIT CORE LOOP POWERED CURRENT SENSOR TRUE RMS 4-20 MA OUTPUT JUMPER SELECTABLE RANGE 0-100 / 0-150 / 0-200 AMPS EXTERNALLY POWERED 12- 35 VDC OPERATING RANGE 0-200 AMP APERTURE SIZE 0.75 INCH DIN RAIL SIZE 35 MM LED INDICATORS
57109-R0	\$	54.42	SPLIT CORE LOOP POWERED CURRENT SENSOR 4-20 MA OUTPUT FIXED INPUT 0-5 AMPS EXTERNALLY POWERED 12- 35 VDC OPERATING RANGE 0-250 AMP APERTURE SIZE 0.75 INCH DIN RAIL SIZE 35 MM LED STATUS INDICATORS
57111-R0	\$	46.05	SPLIT CORE LOOP POWERED CURRENT SENSOR 4-20 MA OUTPUT JUMPER SELECTABLE RANGE 0-10 / 0-20 / 0-50 AMPS EXTERNALLY POWERED 12- 35 VDC OPERATING RANGE 0-250 AMP APERTURE SIZE 0.75 INCH DIN RAIL SIZE 35 MM LED STATUS INDICATORS
57112-R0	\$	54.42	SPLIT CORE LOOP POWERED CURRENT SENSOR TRUE RMS 4-20 MA OUTPUT JUMPER SELECTABLE RANGE 0-10 / 0-20 / 0-50 AMPS EXTERNALLY POWERED 12- 35 VDC OPERATING RANGE 0-250 AMP APERTURE SIZE 0.75 INCH DIN RAIL SIZE 35 MM LED INDICATORS
57110-R0	\$	69.07	SPLIT CORE LOOP POWERED CURRENT SENSOR TRUE RMS 4-20 MA OUTPUT FIXED INPUT 0-5 AMPS EXTERNALLY POWERED 12- 35 VDC OPERATING RANGE 0-250 AMP APERTURE SIZE 0.75 INCH DIN RAIL SIZE 35 MM LED STATUS INDICATORS
57113-R0	\$	41.86	SPLIT CORE CURRENT SENSOR 0-5 VDC OUTPUT JUMPER SELECTABLE RANGE 0-100 / 0-200 / 0-250 AMPS SUPPLY POWER INDUCTED FROM MONITORED CONDUCTOR OPERATING RANGE 0-250 AMP APERTURE SIZE 0.75 INCH DIN RAIL SIZE 35 MM LED STATUS INDICATORS
57114-R0	\$	41.86	SPLIT CORE CURRENT SENSOR 0-5 VDC OUTPUT JUMPER SELECTABLE RANGE 0-10 / 0-20 / 0-50 AMPS SUPPLY POWER INDUCTED FROM MONITORED CONDUCTOR OPERATING RANGE 0-250 AMP APERTURE SIZE 0.75 INCH DIN RAIL SIZE 35 MM LED STATUS INDICATORS
26386-R0	\$	41.86	SPLIT CORE CURRENT SENSOR 0-10 VDC OUTPUT JUMPER SELECTABLE RANGE 0-100 / 0-200 / 0-250 AMPS SUPPLY POWER INDUCTED FROM MONITORED CONDUCTOR OPERATING RANGE 0-250 AMP APERTURE SIZE 0.75 INCH DIN RAIL SIZE 35 MM LED STATUS INDICATORS
57115-R0	\$	41.86	SPLIT CORE CURRENT SENSOR 0-10 VDC OUTPUT JUMPER SELECTABLE RANGE 0-10 / 0-20 / 0-50 AMPS SUPPLY POWER INDUCTED FROM MONITORED CONDUCTOR OPERATING RANGE 0-250 AMP APERTURE SIZE 0.75 INCH DIN RAIL SIZE 35 MM LED STATUS INDICATORS
57117-R0	\$	20.93	ROOM PICKUP PORT STAINLESS STEEL PLATE STYLE
57122-R0	\$	2.99	STATIC PITOT TUBE 3.5 INCH
57123-R0	\$	9.43	STATIC PITOT TUBE 8 INCH

44625-R0	\$	49.53	DUCT AVERAGING 12 FT COPPER TUBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
57252-R0	\$	29.90	THE UNIVERSAL CLIP IS USED TO MOUNT AVERAGING SENSORS OR FREEZSTATS IN DUCT APPLICATIONS FOR PROBE DIAMETERS FROM 1/8" TO 3/8".THE CLIP IS USED TO MOUNT AND BEND THE DIRECTION OF THE COPPER PROBE AND ELIMINATE THE RISK OF KINKING OR DAMAGING THE SENSOR.SOLD IN BAGS OF 20.
57124-R0	\$	2.99	VELOCITY PITOT TUBE
44617-R0	\$	107.65	BIDIRECTIONAL LOW DIFFERENTIAL PRESSURE TRANSMITTER FIELD SELECTABLE OUTPUTS 4-20 MA / 0-5 VDC / 0-10 VDC
44622-R0	\$	92.70	GAUGE PRESSURE TRANSMITTER OUTPUT 4-20 MA 2 FT PIGTAIL MANY PRESSURE RANGES TO CHOOSE FROM 0-10/100/200/250/300/500 PSI OR 0-1 KPSI
44618-R0	\$	61.30	LOW COST LOW DIFFERENTIAL PRESSURE TRANSMITTER 0-1/2/3/4/5 INCH WC OUTPUT 4-20 MA / 2-10 VDC / 1-5 VDC [SET AS FACTORY] OPTIONAL CONDUIT FITTING
44636-R0	\$	116.61	COMBINATION TEMP/HUMIDITY SENSOR 2% RH FIELD SELECTABLE RH OUTPUT [4-20 MA / 0-5 OR 0-10 VDC] MUST SPECIFY THERMISTOR FOR TEMPERATURE OUTPUT [3K / 5K / 10K-AN / 10K-CP / 10K-CSI / 10K-S / 20K / 100K]
44639-R0	\$	116.61	COMBINATION TEMP/HUMIDITY SENSOR 2% RH FIELD SELECTABLE RH OUTPUT [4-20 MA / 0-5 OR 0-10 VDC] MUST SPECIFY THERMISTOR FOR TEMPERATURE OUTPUT [3K / 5K / 10K-AN / 10K-CP / 10K-CSI / 10K-S / 20K / 100K]
44642-R0	\$	116.61	COMBINATION TEMP/HUMIDITY SENSOR 2% RH FIELD SELECTABLE RH OUTPUT [4-20 MA / 0-5 OR 0-10 VDC] MUST SPECIFY THERMISTOR FOR TEMPERATURE OUTPUT [3K / 5K / 10K-AN / 10K-CP / 10K-CSI / 10K-S / 20K / 100K]
44619-R0	\$	92.69	HUMIDITY SENSOR 3% ACCURACY FIELD SELECTABLE RH OUTPUT [4-20 MA / 0-5 OR 0-10 VDC]
44620-R0	\$	92.69	HUMIDITY SENSOR 3% ACCURACY FIELD SELECTABLE RH OUTPUT [4-20 MA / 0-5 OR 0-10 VDC]
44602-R0	\$	92.69	ZONE HUMIDITY SENSOR WALL MOUNT 3% ACCURACY FIELD SELECTABLE RH OUTPUT [4-20 MA / 0-5 OR 0-10 VDC]
44637-R0	\$	116.61	COMBINATION TEMP/HUMIDITY SENSOR 2% RH FIELD SELECTABLE RH OUTPUT [4-20 MA / 0-5 OR 0-10 VDC] 10K-CP THERMISTOR5
44640-R0	\$	116.61	COMBINATION TEMP/HUMIDITY SENSOR 2% RH FIELD SELECTABLE RH OUTPUT [4-20 MA / 0-5 OR 0-10 VDC] 10K-CP THERMISTOR
44643-R0	\$	116.61	COMBINATION TEMP/HUMIDITY SENSOR 2% RH FIELD SELECTABLE RH OUTPUT [4-20 MA / 0-5 OR 0-10 VDC] 10K-CP THERMISTOR
44638-R0	\$	95.68	COMBINATION TEMP/HUMIDITY SENSOR 3% RH FIELD SELECTABLE RH OUTPUT [4-20 MA / 0-5 OR 0-10 VDC] 10K-CP THERMISTOR
44641-R0	\$	95.68	OUTSIDE AIR HUMIDITY/TEMP COMBO3% RH FIELD SELECTABLE RH OUTPUT [4-20 MA / 0-5 OR 0-10 VDC] 10K-CP THERMISTOR
44644-R0	\$	94.19	COMBINATION TEMP/HUMIDITY SENSOR 3% RH FIELD SELECTABLE RH OUTPUT [4-20 MA / 0-5 OR 0-10 VDC] 10K-CP THERMISTOR
57798-R0	\$	122.84	COMBINATION TEMP/HUMIDITY SENSOR 2% RH FIELD SELECTABLE RH OUTPUT [4-20 MA / 0-5 OR 0-10 VDC] 10K-CP THERMISTOR SLOTTED PVC TUBING
57797-R0	\$	121.26	HUMIDITY SENSOR 2% ACCURACY FIELD SELECTABLE RH OUTPUT [4-20 MA / 0-5 OR 0-10 VDC] SLOTTED PVC PROBE
24263-R0	\$	98.87	READS 6 ANALOG INPUTS AND OUTPUTS AVERAGE / LOWEST / HIGHEST OR DIFFERENCE BETWEEN 2 INPUTS
10000-R0	\$	53.24	ADJUSTABLE ANALOG INPUT TO TWO RELAY OUTPUTS INPUTS CAN BE 0-12 VDC0-24 VDCOR 0-24 MA
10001-R0	\$	77.57	CONVERTS ANALOG INPUT TO FLOATING POINT OUTPUT W/ 2 RELAY CONTACTS [1 INCREASE/1 DECREASE] 24 VAC/VDC 8 ANALOG INPUTS [JUMPER SELECTABLE] RATE OF CHANGE IS DIP SWITCH SELECTABLE LED POWER INDICATOR MANUAL OVERRIDE MUST SPECIFY [1] TIMING
27536-R0	\$	77.57	CONVERTS ANALOG INPUT TO FLOATING POINT OUTPUT W/ 2 RELAY CONTACTS [1 INCREASE/1 DECREASE] 24 VAC/VDC 8 ANALOG INPUTS [JUMPER SELECTABLE] RATE OF CHANGE [120/150/180 SECS] IS DIP SWITCH SELECTABLE LED POWER INDICATOR MANUAL OVERRIDE
27537-R0	\$	77.57	CONVERTS ANALOG INPUT TO FLOATING POINT OUTPUT W/ 2 RELAY CONTACTS [1 INCREASE/1 DECREASE] 24 VAC/VDC 8 ANALOG INPUTS [JUMPER SELECTABLE] RATE OF CHANGE [14.0/16.5/19.0 SECS] IS DIP SWITCH SELECTABLE LED POWER INDICATOR MANUAL OVERRIDE
27538-R0	\$	77.57	ANALOG INPUT TO FLOATING POINT OUTPUT W/ 2 RELAY CONTACTS [1 INCREASE/1 DECREASE] 24 VAC/VDC 8 ANALOG INPUTS [JUMPER SELECTABLE] RATE OF CHANGE [30/60/90 SECS] IS DIP SWITCH SELECTABLE LED MANUAL OVERRIDE RELAYS STAY ON AT MIN & MAX VOLTAGES
10002-R0	\$	98.87	ANALOG ISOLATION MODULE 1:1 OUTPUT/INPUT
10003-R0	\$	109.51	SCALING ANALOG ISOLATION MODULE 24 VAC POWER
10004-R0	\$	115.60	SCALING ANALOG ISOLATION MODULE 120 VAC POWER
10005-R0	\$	47.15	ANALOG RE-SCALING MODULE
10006-R0	\$	62.36	ANALOG INPUT TO DUAL 4-20 MA OUTPUT
10007-R0	\$	74.53	ANALOG SIGNAL AMPLIFIER
10008-R0	\$	77.57	FOUR ADJUSTABLE TRIP POINT RELAY OUTPUT
10009-R0	\$	73.01	ANALOG TO PWM OUTPUT
10010-R0	\$	74.53	FLOATING POINT TO ANALOG OUTPUT
10011-R0	\$	114.08	PWM TO 4 RELAY MULTIPLEXER JUMPERS
10013-R0	\$	156.66	PWM TO 8 RELAY MULTIPLEXER JUMPERS
10018-R0	\$	136.89	PULSE / ANALOG / FLOATING POINT INPUT SIGNAL CONVERTED TO PROPORTIONAL RESISTANCE OUTPUT MUST SPECIFY [1] ENDING RESISTANCE WATTAGE [2] INPUT SIGNAL NOTE - BOARD IS JUMPER CONFIGURED IN THE FIELD
10027-R0	\$	159.71	ANALOG/PWM/FLOATING POINT TO "CUSTOM" RESISTANCE
10028-R0	\$	126.24	ANALOG/PWM/FLOATING POINT TO 0-135 OHM MOTOR MOUNT
10029-R0	\$	103.43	FLOATING POINT TO PNEUMATIC W/ FEEDBACK 41 SCIM BLEED
10031-R0	\$	112.55	FLOATING POINT TO PNEUMATIC W/ FEEDBACK 750 SCIM S/E
10033-R0	\$	136.89	FLOATING POINT TO PNEUMATIC FEEDBACK FAILSAFE 750 SCIM S/E
10032-R0	\$	120.16	FLOATING POINT TO PNEUMATIC WITH FEEDBACK 750 SCIM S/E GAUGE
10034-R0	\$	144.50	FLOATING POINT TO PNEUMATIC WITH FEEDBACK FAILSAFE 750 SCIM S/E GAUGE
10030-R0	\$	111.03	FLOATING POINT TO PNEUMATIC WITH FEEDBACK 41 SCIM BLEED GAUGE

44625-R0	\$	49.53	DUCT AVERAGING 12 FT COPPER TUBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
55775-R0	\$	16.73	ENCLOSURE FOR ACT DEVICES
10035-R0	\$	83.66	ANALOG TO PNEUMATIC WITH FEEDBACK 41 SCIM BLEED
10037-R0	\$	101.91	ANALOG TO PNEUMATIC WITH FEEDBACK 750 SCIM S/E
10040-R0	\$	129.29	ANALOG TO PNEUMATIC WITH FEEDBACK AND FAILSAFE 750 S/E
10038-R0	\$	111.03	ANALOG TO PNEUMATIC WITH FEEDBACK 750 SCIM S/E GAUGE
10039-R0	\$	115.60	ANALOG TO PNEUMATICWITH BRACKET FEEDBACK AND GAUGE
10041-R0	\$	136.89	ANALOG TO PNEUMATIC FEEDBACK FAILSAFE 750 SCIM S/E GAUGE
10042-R0	\$	141.45	ANALOG TO PNEUMATIC BRACKET FEEDBACK FAILSAFE GAUGE
24264-R0	\$	109.51	ANALOG TO PNEUMATIC FEEDBACK HIGH FLOW 1400 SCIM S/E GAUGE
10036-R0	\$	91.26	ANALOG TO PNEUMATIC FEEDBACK 41 SCIM BLEED GAUGE
10043-R0	\$	101.91	PWM TO PNEUMATIC FEEDBACK 41 SCIM BLEED
44683-R0	\$	244.88	PWM TO PNEUMATIC 0-100 PS OUTPUT DUAL VALVE DEVICE 750 SCIM EXHAUST ON COMMAND
10045-R0	\$	111.03	PWM TO PNEUMATIC FEEDBACK 750 SCIM S/E
10047-R0	\$	135.37	PWM TO PNEUMATIC FEEDBACK FAILSAFE 750 SCIM S/E
10046-R0	\$	120.16	PWM TO PNEUMATIC FEEDBACK 750 SCIM S/E GAUGE
10048-R0	\$	142.97	PWM TO PNEUMATIC FEEDBACK FAILSAFE 750 SCIM S/E GAUGE
10044-R0	\$	109.51	PWM TO PNEUMATIC FEEDBACK 41 SCIM BLEED GAUGE
10053-R0	\$	30.42	LOCAL POWER REGULATOR 5-24 VDC OUTPUT
10054-R0	\$	53.24	MANUAL ANALOG OVERRIDE SWITCH WITH ALARM
20649-R0	\$	33.46	TWO CHANNEL MANUAL DIGITAL OVERRIDE WITH FEEDBACK FAIL SAFE MODEL
10056-R0	\$	123.20	MANUAL PNEUMATIC OVERRIDE ELECTRIC SWITCH SELECTABLE
			RS485 LIGHTING CONTRACTOR INTERFACE 4 OUTPUTS CAPABLE OF CONTROLLING GE RR7/RR9 RELAYS [UP TO 10/OUTPUT] OR SCHLAGE ELECTRONICS OR TOUCH-PLATE 3000-PL RELAY TYPE
24265-R0	\$	95.82	LIGHTING CONTRACTORS
10062-R0	\$	212.94	PROGRAMMABLE SIGNAL GENERATOR HANDHELD
10063-R0	\$	59.32	PULSE WIDTH INPUT TO ANALOG VOLTAGE OR CURRENT OUTPUT
10064-R0	\$	47.15	PULSE WIDTH INPUT TO ANALOG 0-10 V OUTPUT
10065-R0	\$	89.74	PNEUMATIC SENSOR TO ANALOG OUTPUT 20-100 PSI
10066-R0	\$	48.67	PNEUMATIC SENSOR TO ANALOG OUTPUT 3-15 PSI
10067-R0	\$	48.67	PNEUMATIC SENSOR TO ANALOG OUTPUT 3-30 PSI
10075-R0	\$	92.78	FLOATING POINT TO PNEUMATIC 90 SECONDS
10076-R0	\$	98.87	FLOATING POINT TO PNEUMATIC GAUGE 90 SECONDS
10091-R0	\$	77.57	ANALOG TO PNEUMATIC NO BLEED
10092-R0	\$	86.70	ANALOG TO PNEUMATIC NO BLEED GAUGE
10093-R0	\$	77.57	ANALOG TO PNEUMATIC 73 SCIM BLEED
10094-R0	\$	86.70	ANALOG TO PNEUMATIC 73 SCIM BLEED GAUGE
10090-R0	\$	199.25	ANALOG TO PNEUMATIC 0-100 PSI OUTPUT
10099-R0	\$	97.34	ANALOG TO PNEUMATIC OUTPUT 750 SCIM S/E
10101-R0	\$	133.85	ANALOG TO PNEUMATIC OUTPUT FAILSAFE
10100-R0	\$	106.47	ANALOG TO PNEUMATIC 750 SCIM S/E GAUGE
10102-R0	\$	141.45	ANALOG TO PNEUMATIC 750 SCIM S/E FAILSAFE GAUGE
10103-R0	\$	106.47	ANALOG TO PNEUMATIC OUTPUT 1400 SCIM GAUGE
10095-R0	\$	77.57	ANALOG TO PNEUMATIC 14 SCIM BLEED SELECTABLE ANALOG INPUT 0-15 PSIG MUST SPECIFY 2 OPTIONS [1] GAUGE [2] ENCLOSURE
10096-R0	\$	86.70	ANALOG TO PNEUMATIC 14 SCIM BLEED GAUGE
10097-R0	\$	77.57	ANALOG TO PNEUMATIC 41 SCIM BLEED
10098-R0	\$	86.70	ANALOG TO PNEUMATIC 41 SCIM BLEED GAUGE
24266-R0	\$	15.21	TWO SPDT RELAY INTERFACE MODULE ACCEPTS 24 VAC/VDC 115/230 VAC ENERGIZES TWO 115 VAC 10 AMP RELAYS
10104-R0	\$	41.07	RESISTANCE 100-500 OHM INPUT 4-20 MA OUTPUT
10105-R0	\$	41.07	RESISTANCE 500-2200 OHM INPUT 4-20 MA OUTPUT
10106-R0	\$	41.07	RESISTANCE 2200-5000 OHM INPUT 4-20 MA OUTPUT
24267-R0	\$	36.50	ELECTRIC TO 3-WAY PNEUMATIC SOLENOID VALVE ACTIVATED BY A 24 VAC / VDC ELECTRIC SIGNAL
34488-R0	\$	98.29	ANALOG TO PNEUMATIC 750 SCIM S/E GAUGE
			ENCAPSULATED MULTI-VOLTAGE RELAY – COIL VOLTAGE = 24 VAC / 24 VDC OR 120 VAC – 1 SPDT 7 AMP FORM C CONTACT - RED LED INDICATOR – WIRE LEADS: 6” FLYING LEADS12” 18 GAUGEPRE-
10628-R0	\$	9.26	DRILLED MOUNTING HOLE
14169-R0	\$	9.26	ENCAPSULATED MULTI-VOLTAGE RELAY – COIL VOLTAGE = 9 - 40 VDC – 1 SPDT 10 AMP FORM C CONTACT - WIRE LEADS: 6” FLYING LEADS12" 18 GAUGEPRE-DRILLED MOUNTING HOLE

44625-R0	\$	49.53	DUCT AVERAGING 12 FT COPPER TUBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
14737-R0	\$	69.29	MULTI POINT 10K-2 TYPE THERMISTOR BENDABLE ALUMINUM AVERAGING 12 FT
48311-R0	\$	76.86	MULTI POINT 10K-2 TYPE THERMISTOR BENDABLE ALUMINUM AVERAGING 12 FT BAPI-BOX ENCLOSURE UV-RESISTANT POLYCARBONATE
48313-R0	\$	76.86	MULTI POINT 10K-2 TYPE THERMISTOR BENDABLE ALUMINUM AVERAGING 12 FT BAPI-BOX 2 ENCLOSURE UV-RESISTANT POLYCARBONATE
14738-R0	\$	84.41	MULTI POINT 10K-2 TYPE THERMISTOR BENDABLE ALUMINUM AVERAGING 24 FT
48312-R0	\$	91.98	MULTI POINT 10K-2 TYPE THERMISTOR BENDABLE ALUMINUM AVERAGING 24 FT BAPI-BOX ENCLOSURE UV-RESISTANT POLYCARBONATE
48314-R0	\$	91.98	MULTI POINT 10K-2 TYPE THERMISTOR BENDABLE ALUMINUM AVERAGING 24 FT BAPI-BOX 2 ENCLOSURE UV-RESISTANT POLYCARBONATE
14739-R0	\$	66.14	MULTI POINT 10K-2 TYPE THERMISTOR BENDABLE ALUMINUM AVERAGING 8 FT
48309-R0	\$	73.70	MULTI POINT 10K-2 TYPE THERMISTOR BENDABLE ALUMINUM AVERAGING 8 FT BAPI-BOX ENCLOSURE UV-RESISTANT POLYCARBONATE
48310-R0	\$	73.70	MULTI POINT 10K-2 TYPE THERMISTOR BENDABLE ALUMINUM AVERAGING 8 FT BAPI-BOX 2 ENCLOSURE UV-RESISTANT POLYCARBONATE
14740-R0	\$	7.94	2 X 4 INCH ALUMINUM SWITCH PLATE FULLY INSULATED OUTPUT SIGNAL RESISTANCE ELEMENT 10K-2 THERMISTOR
14741-R0	\$	12.35	ALUMINUM PLATE WITH COMM. JACK 1/8 INCH STEREO PHONO STYLE JACK OUTPUT SIGNAL RESISTANCE ELEMENT 10K-2 THERMISTOR
14742-R0	\$	27.78	ALUMINUM PLATE WITH KEYSWITCH OVERRIDE MOMENTARY NORMALLY OPEN OUTPUT SIGNAL RESISTANCE ELEMENT 10K-2 THERMISTOR
14743-R0	\$	12.35	ALUMINUM PLATE WITH PUSHBUTTON OVERRIDE MOMENTARY NORMALLY OPEN OUTPUT SIGNAL RESISTANCE ELEMENT 10K-2 THERMISTOR
24295-R0	\$	7.94	ROOM SENSOR IN BAPI 2 ENCLOSURE OUTPUT SIGNAL RESISTANCE ELEMENT 10K-2 THERMISTOR
14744-R0	\$	11.02	10K-2 THERMISTOR DUCT SENSOR 12 INCH PROBE
14745-R0	\$	12.79	10K-2 THERMISTOR DUCT SENSOR 10 FT LEADS PLENUM RATED CABLE NO JUNCTION BOX
14746-R0	\$	13.66	10K-2 THERMISTOR DUCT SENSOR 12 INCH PROBE 15 FT LEADS PAIR PLENUM RATED CABLE NO JUNCTION BOX
14747-R0	\$	11.02	10K-2 THERMISTOR DUCT SENSOR 12 INCH PROBE 18 INCH LEADS PAIR PLENUM RATED CABLE NO JUNCTION BOX
14748-R0	\$	11.91	10K-2 THERMISTOR DUCT SENSOR 12 INCH PROBE 5 FT LEADS PLENUM RATED CABLE NO JUNCTION BOX
14749-R0	\$	11.02	10K-2 THERMISTOR DUCT SENSOR 18 INCH PROBE
14750-R0	\$	12.79	10K-2 THERMISTOR DUCT SENSOR 18 INCH PROBE 10 FT LEADS PLENUM RATED CABLE NO JUNCTION BOX
14751-R0	\$	13.66	10K-2 THERMISTOR DUCT SENSOR 18 INCH PROBE 15 FT LEADS PLENUM RATED CABLE NO JUNCTION BOX
14752-R0	\$	11.02	10K-2 THERMISTOR DUCT SENSOR 18 INCH PROBE 18 INCH LEADS PLENUM RATED CABLE NO JUNCTION BOX
14753-R0	\$	11.91	10K-2 THERMISTOR DUCT SENSOR 18 INCH PROBE 5 FT LEADS PLENUM RATED CABLE NO JUNCTION BOX
48329-R0	\$	11.02	10K-2 THERMISTOR DUCT SENSOR 2 INCH PROBE
14754-R0	\$	11.02	10K-2 THERMISTOR DUCT SENSOR 4 INCH PROBE
14755-R0	\$	12.79	10K-2 THERMISTOR DUCT SENSOR 4 INCH PROBE 10 FT LEADS PLENUM RATED CABLE NO JUCTION BOX
14756-R0	\$	13.66	10K-2 THERMISTOR DUCT SENSOR 4 INCH PROBE 15 FT LEADS PLENUM RATED CABLE NO JUNCTION BOX
14757-R0	\$	11.02	10K-2 THERMISTOR DUCT SENSOR 4 INCH PROBE 18 INCH LEADS PLENUM RATED CABLE NO JUCTION BOX
14758-R0	\$	11.91	10K-2 THERMISTOR DUCT SENSOR 4 INCH PROBE 5 FT LEADS PLENUM RATED CABLE NO JUCTION BOX
14759-R0	\$	11.02	10K-2 THERMISTOR DUCT SENSOR 8 INCH PROBE
14760-R0	\$	12.79	10K-2 THERMISTOR DUCT SENSOR 8 INCH PROBE 10 FT LEADS PLENUM RATED CABLE NO JUNCTION BOX
14761-R0	\$	13.66	10K-2 THERMISTOR DUCT SENSOR 8 INCH PROBE 15 FT LEADS PLENUM RATED CABLE NO JUNCTION BOX
14762-R0	\$	11.02	10K-2 THERMISTOR DUCT SENSOR 8 INCH PROBE 18 INCH LEADS PLENUM RATED CABLE NO JUNCTION BOX
14763-R0	\$	11.91	10K-2 THERMISTOR DUCT SENSOR 8 INCH PROBE 5 FT LEADS PLENUM RATED CABLE NO JUNCTION BOX
18584-R0	\$	127.88	COMBINATION TEMP/HUMIDITY SENSOR ACCURACY ± 2% RH TEMP SENSOR 10K-2 THERMISTOR MUST SPECIFY 2 OPTIONS [1] ANALOG OUTPUT [0-5 VDC/4-20 MA OR 0-10 VDC] [2] ENCLOSURE TYPE
48341-R0	\$	127.88	COMBINATION TEMP/HUMIDITY SENSOR ACCURACY ± 2% RH TEMP SENSOR 10K-2 THERMISTOR ANALOG OUTPUT 0-5 VDC/4-20 MA] BAPI-BOX ENCLOSURE
48342-R0	\$	127.88	COMBINATION TEMP/HUMIDITY SENSOR ACCURACY ± 2% RH TEMP SENSOR 10K-2 THERMISTOR ANALOG OUTPUT 0-5 VDC/4-20 MA] BAPI-BOX 2 ENCLOSURE
16711-R0	\$	127.88	COMBINATION TEMP/HUMIDITY SENSOR ACCURACY ± 2% RH TEMP SENSOR 10K-2 THERMISTOR MUST SPECIFY 2 OPTIONS [1] ANALOG OUTPUT [0-5 VDC/4-20 MA OR 0-10 VDC] [2] ENCLOSURE TYPE
48345-R0	\$	127.88	COMBINATION TEMP/HUMIDITY SENSOR ACCURACY ± 2% RH TEMP SENSOR 10K-2 THERMISTOR ANALOG OUTPUT 0-5 VDC/4-20 MA BAPI-BOX ENCLOSURE
48346-R0	\$	127.88	COMBINATION TEMP/HUMIDITY SENSOR ACCURACY ± 2% RH TEMP SENSOR 10K-2 THERMISTOR ANALOG OUTPUT 0-5 VDC/4-20 MA BAPI-BOX 2 ENCLOSURE
22727-R0	\$	127.88	COMBINATION TEMP/HUMIDITY SENSOR ACCURACY ± 2% RH TEMP SENSOR 10K-2 THERMISTOR USE WITH VAISALA DTR-503B MUST SPECIFY ANALOG OUTPUT [0-5 VDC/4-20 MA OR 0-10 VDC]
14766-R0	\$	122.59	HUMIDITY AND HUMIDITY SENSOR DELTA STYLE ENCLOSURE ACCURACY ± 2% RH TEMP SENSOR 10K-2 THERMISTOR MUST SPECIFY ANALOG OUTPUT [0-5 VDC/4-20 MA OR 0-10 VDC]
48350-R0	\$	122.59	HUMIDITY AND HUMIDITY SENSOR DELTA STYLE ENCLOSURE ACCURACY ± 2% RH TEMP SENSOR 10K-2 THERMISTOR ANALOG OUTPUT [0-5 VDC/4-20 MA]
14768-R0	\$	138.02	COMBINATION TEMP/HUMIDITY TEMP SENSOR DELTA STYLE ENCLOSURE ACCURACY ± 2% RH LCD DISPLAY MUST SPECIFY ANALOG OUTPUT [0-5 VDC/4-20 MA OR 0-10 VDC]
48351-R0	\$	138.02	COMBINATION TEMP/HUMIDITY TEMP SENSOR DELTA STYLE ENCLOSURE ACCURACY ± 2% RH LCD DISPLAY ANALOG OUTPUT [0-5 VDC/4-20 MA]
18585-R0	\$	119.05	COMBINATION TEMP/HUMIDITY SENSOR ACCURACY ± 3% RH TEMP SENSOR 10K-2 THERMISTOR MUST SPECIFY 2 OPTIONS [1] ANALOG OUTPUT [0-5 VDC/4-20 MA OR 0-10 VDC] [2] ENCLOSURE TYPE
16713-R0	\$	119.05	COMBINATION TEMP/HUMIDITY SENSOR ACCURACY ± 3% RH TEMP SENSOR 10K-2 THERMISTOR MUST SPECIFY 2 OPTIONS [1] ANALOG OUTPUT [0-5 VDC/4-20 MA OR 0-10 VDC] [2] ENCLOSURE TYPE

44625-R0	\$	49.53	DUCT AVERAGING 12 FT COPPER TUBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
22728-R0	\$	119.05	COMBINATION TEMP/HUMIDITY SENSOR ACCURACY ± 3% RH TEMP SENSOR 10K-2 THERMISTOR USE WITH VAISALA DTR-503B MUST SPECIFY ANALOG OUTPUT [0-5 VDC/4-20 MA OR 0-10 VDC]
14771-R0	\$	113.76	HUMIDITY SENSORS DELTA STYLE ENCLOSURE ACCURACY ± 3% RH TEMP SENSOR 10K-2 THERMISTOR MUST SPECIFY ANALOG OUTPUT [0-5 VDC/4-20 MA OR 0-10 VDC]
48352-R0	\$	113.76	HUMIDITY SENSORS DELTA STYLE ENCLOSURE ACCURACY ± 3% RH TEMP SENSOR 10K-2 THERMISTOR ANALOG OUTPUT [0-5 VDC/4-20 MA]
14772-R0	\$	129.19	HUMIDITY SENSORS DELTA STYLE ENCLOSURE LCD DISPLAY ACCURACY ± 3% RH MUST SPECIFY ANALOG OUTPUT [0-5 VDC/4-20 MA OR 0-10 VDC]
48353-R0	\$	129.19	HUMIDITY SENSORS DELTA STYLE ENCLOSURE LCD DISPLAY ACCURACY ± 3% RH ANALOG OUTPUT [0-5 VDC/4-20 MA]
15364-R0	\$	11.02	10K-2 THERMISTOR IMMERSION SENSOR 2 INCH PROBE 0.5 INCH NPT
47856-R0	\$	16.32	10K-2 THERMISTOR IMMERSION SENSOR 2 INCH PROBE 0.5 INCH NPT WITH BAPI BOX ENCLOSURE
47857-R0	\$	16.32	10K-2 THERMISTOR IMMERSION SENSOR 2 INCH PROBE 0.5 INCH NPT WITH BAPI BOX 2 ENCLOSURE
14774-R0	\$	11.02	10K-2 THERMISTOR IMMERSION SENSOR 4 INCH PROBE 0.5 INCH NPT
47859-R0	\$	16.32	10K-2 THERMISTOR IMMERSION SENSOR 4 INCH PROBE 0.5 INCH NPT WITH BAPI BOX ENCLOSURE
47858-R0	\$	16.32	10K-2 THERMISTOR IMMERSION SENSOR 4 INCH PROBE 0.5 INCH NPT WITH BAPI BOX 2 ENCLOSURE
14775-R0	\$	11.02	10K-2 THERMISTOR IMMERSION SENSOR 8 INCH PROBE 0.5 INCH NPT
47861-R0	\$	16.32	10K-2 THERMISTOR IMMERSION SENSOR 8 INCH PROBE 0.5 INCH NPT WITH BAPI BOX ENCLOSURE
47860-R0	\$	16.32	10K-2 THERMISTOR IMMERSION SENSOR 8 INCH PROBE 0.5 INCH NPT WITH BAPI BOX 2 ENCLOSURE
48307-R0	\$	13.23	OUTSIDE AIR SENSOR 10K-2 THERMISTOR BAPI-BOX WEATHERPROOF ENCLOSURE UV-RESISTANT POLYCARBONATE
48308-R0	\$	13.23	OUTSIDE AIR SENSOR 10K-2 THERMISTOR BAPI- BOX 2 WEATHERPROOF ENCLOSURE UV-RESISTANT POLYCARBONATE
19871-R0	\$	13.23	OUTSIDE AIR SENSOR 10K-2 5 INCH PROBE USE WITH VAISALA DTR-503B WEATHER SHIELD
44649-R0	\$	21.16	OUTSIDE AIR SENSOR 10K-2 5 INCH PROBE WEATHER TIGHT ENCLOSURE - IP66 UV-RESISTANT DUAL
14776-R0	\$	13.23	OUTSIDE AIR SENSOR 10K-2 THERMISTOR RUGGEDIZED WEATHERPROOF ENCLOSURE
14777-R0	\$	7.94	ROOM SENSOR OUTPUT SIGNAL RESISTANCE ELEMENT 10K-2 THERMISTOR
64051-R0	\$	86.93	MULTI POINT 10K-2 TYPE THERMISTOR RIGID STAINLESS STEEL AVERAGING 12 INCH PROBE
21631-R0	\$	86.93	MULTI POINT 10K-2 TYPE THERMISTOR RIGID STAINLESS STEEL AVERAGING 2 FT PROBE
21630-R0	\$	86.93	MULTI POINT 10K-2 TYPE THERMISTOR RIGID STAINLESS STEEL AVERAGING 20 INCH PROBE
64050-R0	\$	137.32	MULTI POINT 10K-2 TYPE THERMISTOR RIGID STAINLESS STEEL AVERAGING 4 FT PROBE
14778-R0	\$	34.40	ROOM SENSOR WITH BI-METAL DISPLAY OUTPUT SIGNAL RESISTANCE ELEMENT 10K-2 THERMISTOR
14779-R0	\$	11.02	ROOM SENSOR WITH COMMUNICATION JACK OUTPUT SIGNAL RESISTANCE ELEMENT 10K-2 THERMISTOR
14780-R0	\$	10.14	ROOM SENSOR WITH OVERRIDE OUTPUT SIGNAL RESISTANCE ELEMENT 10K-2 THERMISTOR
14781-R0	\$	36.60	ROOM SENSOR WITH BI-METAL DISPLAY OVERRIDE OUTPUT SIGNAL RESISTANCE ELEMENT 10K-2 THERMISTOR
14782-R0	\$	13.23	ROOM SENSOR WITH OVERRIDE AND COMMUNICATION JACK OUTPUT SIGNAL RESISTANCE ELEMENT 10K-2 THERMISTOR
45762-R0	\$	9.26	REMOTE PROBE 10K-2 THERMISTOR 22 AWG FEP CABLE 0.25 X 1.5 INCH STAINLESS STEEL CUP MUST SPECIFY [1] PRECISION [2] LEAD LENGTH [3] ENCLOSURE TYPE
14783-R0	\$	10.58	ROOM SENSOR WITH SETPOINT OUTPUT SIGNAL RESISTANCE ELEMENT 10K-2 THERMISTOR
14784-R0	\$	37.04	ROOM SENSOR WITH BI-METAL DISPLAY SETPOINT OUTPUT SIGNAL RESISTANCE ELEMENT 10K-2 THERMISTOR
14785-R0	\$	13.66	ROOM SENSOR WITH SETPOINT AND COMMUNICATION JACK OUTPUT SIGNAL RESISTANCE ELEMENT 10K-2 THERMISTOR
14786-R0	\$	12.79	ROOM SENSOR WITH SETPOINT AND OVERRIDE OUTPUT SIGNAL RESISTANCE ELEMENT 10K-2 THERMISTOR
14787-R0	\$	39.25	ROOM SENSOR WITH BI-METAL DISPLAY SETPOINT AND OVERRIDE OUTPUT SIGNAL RESISTANCE ELEMENT 10K-2 THERMISTOR
14788-R0	\$	34.40	ROOM SENSOR WITH SETPOINT OVERRIDE AND COMMUNICATION JACK OUTPUT SIGNAL RESISTANCE ELEMENT 10K-2 THERMISTOR
14789-R0	\$	21.16	ROOM SENSOR POWERS STYLE ENCLOSURE OUTPUT SIGNAL RESISTANCE ELEMENT 10K-2
14790-R0	\$	40.57	ROOM SENSOR WITH BI-METAL DISPLAY POWERS STYLE ENCLOSURE OUTPUT SIGNAL RESISTANCE ELEMENT 10K-2
14791-R0	\$	16.76	ROOM SENSOR PRECON STYLE ENCLOSURE OUTPUT SIGNAL RESISTANCE ELEMENT 10K-2
14792-R0	\$	27.34	ROOM SENSOR PRECON STYLE ENCLOSURE SETPOINT OVERRIDE AND COMMUNICATION JACK OUTPUT SIGNAL RESISTANCE ELEMENT 10K-2
14793-R0	\$	53.79	ROOM SENSOR WITH BI-METAL DISPLAY PRECON STYLE ENCLOSURE SETPOINT OVERRIDE AND COMM. JACK OUTPUT SIGNAL RESISTANCE ELEMENT 10K-2
14794-R0	\$	43.21	ROOM SENSOR WITH BI-METAL DISPLAY PRECON STYLE ENCLOSURE OUTPUT SIGNAL RESISTANCE ELEMENT 10K-2
14795-R0	\$	12.35	CLAMP ON STRAP FITS 2-5 INCH PIPE WITH ADJUSTABLE HOSE CLAMP 10K-2 THERMISTOR OPTIONAL BAPI BOX ENCLOSURE
14796-R0	\$	7.94	2 X 4 INCH STAINLESS STEEL SWITCH PLATE FULLY INSULATED OUTPUT SIGNAL RESISTANCE ELEMENT 10K-2 THERMISTOR OPTIONAL OVERRIDES & COMMUNICATION JACK
27670-R0	\$	7.94	2 X 4 INCH STAINLESS STEEL SWITCH PLATE WITH ALC LOGO FULLY INSULATED OUTPUT SIGNAL RESISTANCE ELEMENT 10K-2 THERMISTOR
48336-R0	\$	12.35	2 X 4 INCH STAINLESS STEEL SWITCH PLATE FULLY INSULATED OUTPUT SIGNAL RESISTANCE ELEMENT 10K-2 THERMISTOR STANDARD OVERRIDE
48338-R0	\$	18.53	2 X 4 INCH STAINLESS STEEL SWITCH PLATE FULLY INSULATED OUTPUT SIGNAL RESISTANCE ELEMENT 10K-2 THERMISTOR DURABLE OVERRIDE
48337-R0	\$	33.07	2 X 4 INCH STAINLESS STEEL SWITCH PLATE FULLY INSULATED OUTPUT SIGNAL RESISTANCE ELEMENT 10K-2 THERMISTOR LOW PROFILEOVERRIDE
48339-R0	\$	52.03	2 X 4 INCH STAINLESS STEEL SWITCH PLATE FULLY INSULATED OUTPUT SIGNAL RESISTANCE ELEMENT 10K-2 THERMISTOR LOW PROFILE OVERRIDE WITH GREEN LED
48340-R0	\$	52.03	2 X 4 INCH STAINLESS STEEL SWITCH PLATE FULLY INSULATED OUTPUT SIGNAL RESISTANCE ELEMENT 10K-2 THERMISTOR LOW PROFILE OVERRIDE WITH RED LED
14800-R0	\$	18.97	SPRING LOADED STRAP FITS 5-12.5 INCH PIPE WITH ADJUSTABLE NYLON STRAPS 10K-2 THERMISTOR NEW -OPTIONAL BB2 WATERTIGHT ENCLOSURE
45807-R0	\$	48.50	THERMOBUFFER SENSOR FOR COOLERS & FREEZERS. 10K-2 THERMISTOR SENSOR PROBE304 STAINLESS STEEL OR ALUMINUM1 INCH2 INCH OR 4 INCH PROBE LENGTHS AVAILABLE IN WATERTIGHT BAPI-BOX ENCLOSURE OR HANGING BRACKET FOR SHELFMOUNTING. DESIGNED FOR MOUNTING ON FREEZER WALL SAVING VALUABLE SHELF SPACE.

44625-R0	\$	49.53	DUCT AVERAGING 12 FT COPPER TUBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
48315-R0	\$	97.89	THERMOBUFFER SENSOR FOR COOLERS & FREEZERS. 10K-2 THERMISTOR SENSOR304 STAINLESS STEEL2 INCH PROBE LENGTH IN WATERTIGHT BAPI-BOX ENCLOSURE. DESIGNED FOR MOUNTING ON FREEZER WALL SAVING VALUABLE SHELF SPACE.
48317-R0	\$	97.89	THERMOBUFFER SENSOR FOR COOLERS & FREEZERS. 10K-2 THERMISTOR SENSOR304 STAINLESS STEEL2 INCH PROBE LENGTH IN WATERTIGHT BAPI-BOX 2 ENCLOSURE. DESIGNED FOR MOUNTING ON FREEZER WALL SAVING VALUABLE SHELF SPACE.
48316-R0	\$	97.89	THERMOBUFFER SENSOR FOR COOLERS & FREEZERS. 10K-2 THERMISTOR SENSOR304 STAINLESS STEEL4 INCH PROBE LENGTH IN WATERTIGHT BAPI-BOX ENCLOSURE. DESIGNED FOR MOUNTING ON FREEZER WALL SAVING VALUABLE SHELF SPACE.
48642-R0	\$	97.89	THERMOBUFFER SENSOR FOR COOLERS & FREEZERS. 10K-2 THERMISTOR SENSOR304 STAINLESS STEEL4 INCH PROBE LENGTH IN WATERTIGHT BAPI-BOX 2 ENCLOSURE. DESIGNED FOR MOUNTING ON FREEZER WALL SAVING VALUABLE SHELF SPACE.
48347-R0	\$	119.05	COMBINATION TEMP/HUMIDITY SENSOR ACCURACY ± 3% RH TEMP SENSOR 10K-2 THERMISTOR ANALOG OUTPUT 0-5 VDC/4-20 MA BAPI-BOX 2 ENCLOSURE
49667-R0	\$	33.07	2 X 4 INCH STAINLESS STEEL SWITCH PLATE FULLY INSULATED OUTPUT SIGNAL RESISTANCE ELEMENT 10K-3 THERMISTOR LOW PROFILEOVERRIDE
44326-R0	\$	88.82	MULTI POINT 1000 OHM PLATINUM RTD BENDABLE ALUMINUM AVERAGING 24 FT
44327-R0	\$	70.55	MULTI POINT 1000 OHM PLATINUM RTD BENDABLE ALUMINUM AVERAGING 8 FT
44316-R0	\$	14.11	1000 OHM RTD DUCT SENSOR 12 IN. PROBE JUNCTION BOX
44317-R0	\$	14.11	1000 OHM RTD DUCT SENSOR 4 INCH PROBE JUNCTION BOX
44318-R0	\$	14.11	1000 OHM RTD DUCT SENSOR 6 INCH PROBE JUNCTION BOX
44319-R0	\$	14.11	1000 OHM RTD DUCT SENSOR 8 INCH PROBE JUNCTION BOX
18586-R0	\$	130.96	COMBINATION TEMP/HUMIDITY SENSOR ACCURACY ± 2% RH TEMP SENSOR 1K RTD MUST SPECIFY 2 OPTIONS [1] ANALOG OUTPUT [0-5 VDC/4-20 MA OR 0-10 VDC] [2] ENCLOSURE TYPE
16715-R0	\$	130.96	COMBINATION TEMP/HUMIDITY SENSOR ACCURACY ± 2% RH TEMP SENSOR 1K RTD MUST SPECIFY 2 OPTIONS [1] ANALOG OUTPUT [0-5 VDC/4-20 MA OR 0-10 VDC] [2] ENCLOSURE TYPE
14811-R0	\$	125.67	HUMIDITY SENSORS DELTA STYLE ENCLOSURE ACCURACY ± 2% RH TEMP SENSOR 1K RTD MUST SPECIFY ANALOG OUTPUT [0-5 VDC/4-20 MA OR 0-10 VDC]
22344-R0	\$	122.15	COMBINATION TEMP/HUMIDITY SENSOR ACCURACY ± 3% RH TEMP SENSOR 1K RTD MUST SPECIFY 2 OPTIONS [1] ANALOG OUTPUT [0-5 VDC/4-20 MA OR 0-10 VDC] [2] ENCLOSURE TYPE
16717-R0	\$	122.15	COMBINATION TEMP/HUMIDITY SENSOR ACCURACY ± 3% RH TEMP SENSOR 1K RTD MUST SPECIFY 2 OPTIONS [1] ANALOG OUTPUT [0-5 VDC/4-20 MA OR 0-10 VDC] [2] ENCLOSURE TYPE
14814-R0	\$	116.86	HUMIDITY SENSORS DELTA STYLE ENCLOSURE ACCURACY ± 3% RH TEMP SENSOR 1K RTD MUST SPECIFY ANALOG OUTPUT [0-5 VDC/4-20 MA OR 0-10 VDC]
44320-R0	\$	14.11	1000 OHM RTD IMMERSION SENSOR 2 INCH PROBE 0.5 INCH NPT
44321-R0	\$	14.11	1000 OHM RTD IMMERSION SENSOR 4 INCH PROBE 0.5 INCH NPT
44322-R0	\$	16.32	OUTSIDE AIR SENSOR 1000 OHM PLATINUM RTD RUGGEDIZED WEATHERPROOF ENCLOSURE
21632-R0	\$	91.34	MULTI POINT 1000 OHM PLATINUM RTD RIGID STAINLESS STEEL AVERAGING 12 INCH PROBE
47864-R0	\$	13.86	TWO PART (WELDED) THERMOWELL 2.5 INCH STAINLESS STEEL
44323-R0	\$	20.16	MACHINED THERMOWELL 2.5 INCH 304 STAINLESS STEEL
47862-R0	\$	27.72	MACHINED THERMOWELL 2.5 INCH 316 STAINLESS STEEL
47863-R0	\$	14.48	MACHINED THERMOWELL 2.5 INCH MACHINED BRASS
47867-R0	\$	15.12	TWO PART (WELDED) THERMOWELL 4 INCH STAINLESS STEEL
44324-R0	\$	27.72	MACHINED THERMOWELL 4 INCH 304 STAINLESS STEEL
47865-R0	\$	31.50	MACHINED THERMOWELL 4 INCH 316 STAINLESS STEEL
47866-R0	\$	16.38	MACHINED THERMOWELL 4 INCH BRASS
47871-R0	\$	17.64	TWO PART (WELDED) THERMOWELL 8 INCH STAINLESS STEEL
47868-R0	\$	40.95	MACHINED THERMOWELL 8 INCH 304 STAINLESS STEEL
47869-R0	\$	50.39	MACHINED THERMOWELL 8 INCH 316 STAINLESS STEEL
47870-R0	\$	28.35	MACHINED THERMOWELL 8 INCH BRASS
14821-R0	\$	7.94	ADAPTOR PLATE FOR BAPI SENSOR
48301-R0	\$	55.12	BAPI STAT 2 ROOM SENSOR -3 TO +3 DEG F DISPLAY RANGE WITH LARGE LCD READOUT FOR TEMP AND SETPOINT ADJUSTMENT OVERRIDE COMMON GROUND
48302-R0	\$	55.12	BAPI STAT 2 ROOM SENSOR -5 TO +5 DEG F DISPLAY RANGE WITH LARGE LCD READOUT FOR TEMP AND SETPOINT ADJUSTMENT OVERRIDE COMMON GROUND
48303-R0	\$	55.12	BAPI STAT 2 ROOM SENSOR 50 TO 90 DEG F DISPLAY RANGE WITH LARGE LCD READOUT FOR TEMP AND SETPOINT ADJUSTMENT OVERRIDE COMMON GROUND
48304-R0	\$	55.12	BAPI STAT 2 ROOM SENSOR 55 TO 85 DEG F DISPLAY RANGE WITH LARGE LCD READOUT FOR TEMP AND SETPOINT ADJUSTMENT OVERRIDE COMMON GROUND
48305-R0	\$	55.12	BAPI STAT 2 ROOM SENSOR 60 TO 80 DEG F DISPLAY RANGE WITH LARGE LCD READOUT FOR TEMP AND SETPOINT ADJUSTMENT OVERRIDE COMMON GROUND
48306-R0	\$	55.12	BAPI STAT 2 ROOM SENSOR 65 TO 80 DEG F DISPLAY RANGE WITH LARGE LCD READOUT FOR TEMP AND SETPOINT ADJUSTMENT OVERRIDE COMMON GROUND
64020-R0	\$	237.67	CO2 ROOM SENSOR • LCD FARENHEIT TEMPERATURE DISPLAY •0 TO 5 VDC OUTPUT• HUMIDITY TRANSMITTER: NONE SELECTED• SETPOINT DISPLAY OPTION: -3 TO +3 • SETPOINT OUTPUT VALUE: 4.75K TO 24.75K OHMS• SETPOINT LEGEND: COOL/WARM• TEMPERATURE SENSOR TYPE: 10K-2 THERMISTOR• OVERRIDE CONFIGURATION: OVERRIDE IN PARALLEL WITH SETPOINT•
57214-R0	\$	222.24	VOC ROOM SENSOR • LCD FARENHEIT TEMPERATURE DISPLAY • VOC'S TRANSMITTED AS0 TO 2 000 PPM CO2 EQUIVALENT0 TO 5 VDC OUTPUT• HUMIDITY TRANSMITTER: NONE SELECTED• SETPOINT DISPLAY OPTION: -3 TO +3 • SETPOINT OUTPUT VALUE: 4.75K TO 24.75K OHMS• SETPOINT LEGEND: COOL/WARM• TEMPERATURE SENSOR TYPE: 10K-2 THERMISTOR• OVERRIDE CONFIGURATION: OVERRIDE IN PARALLEL WITH SETPOINT•
57206-R0	\$	270.30	VOC ROOM SENSOR • TEMPERATURE DISPLAY: °F• VOCS TRANSMITTED AS 0 TO 2 000 PPM CO2 EQUIVALENT 0 TO 5 VDC OUTPUT• HUMIDITY TRANSMITTER: 0 TO 5 VDC OUTPUT• TEMPERATURE SENSOR TYPE: 10K-2 THERMISTOR• OVERRIDE CONFIGURATION: SEPARATE•

44625-R0	\$	49.53	DUCT AVERAGING 12 FT COPPER TUBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
57207-R0	\$	272.95	VOC ROOM SENSOR • TEMPERATURE DISPLAY: °F• AIR QUALITY TRANSMITTED AS 0 TO 2 000 PPM CO2 EQUIVALENT 0 TO 5 VDC OUTPUT• HUMIDITY TRANSMITTER: 0 TO 5 VDC OUTPUT• SETPOINT DISPLAY OPTION: NONE• SETPOINT OUTPUT VALUE: 4.75 TO 24.75K OHMS • SETPOINT LEGEND: COOL/WARM• TEMPERATURE SENSOR TYPE: 10K-2 THERMISTOR• OVERRIDE CONFIGURATION: OVERRIDE IN PARALLEL WITH SENSOR•
57208-R0	\$	272.95	VOC ROOM SENSOR • TEMPERATURE DISPLAY: °F• AIR QUALITY TRANSMITTED AS 0 TO 2 000 PPM CO2 EQUIVALENT 0 TO 5 VDC OUTPUT• HUMIDITY TRANSMITTER: 0 TO 5 VDC OUTPUT• SETPOINT DISPLAY OPTION: NO SETPOINT DISPLAY SELECTED• SETPOINT OUTPUT VALUE: 4.75K TO 24.75K• SETPOINT LEGEND: COOL/WARM• TEMPERATURE SENSOR TYPE: 10K-2 THERMISTOR• OVERRIDE CONFIGURATION: OVERRIDE IN PARALLEL WITH SETPOINT•
57209-R0	\$	272.95	VOC ROOM SENSOR • TEMPERATURE DISPLAY: °F• AIR QUALITY TRANSMITTED 0 TO 2 000 PPM CO2 EQUIVALENT 0 TO 5 VDC OUTPUT• HUMIDITY TRANSMITTER: 0 TO 5 VDC OUTPUT• SETPOINT DISPLAY OPTION: 60 TO 80°F• SETPOINT OUTPUT VALUE: 4.75K TO 24.75K• SETPOINT LEGEND: COOL/WARM• TEMPERATURE SENSOR TYPE: 10K-2 THERMISTOR• OVERRIDE CONFIGURATION: OVERRIDE IN PARALLEL WITH SETPOINT•
57211-R0	\$	270.30	VOC ROOM SENSOR• TEMPERATURE DISPLAY: °F• AIR QUALITY TRANSMITTERD AS 0 TO 2 000 PPM CO2 EQUIVALENT 0 TO 10 VDC OUTPUT• HUMIDITY TRANSMITTER: 0 TO 10 VDC OUTPUT• TEMPERATURE SENSOR TYPE: 10K-2 THERMISTOR• OVERRIDE CONFIGURATION: SEPERATE•
64019-R0	\$	217.39	CO2 ROOM SENSOR • TEMPERATURE DISPLAY: NO DISPLAY SELECTED• 0 TO 5 VDC OUTPUT• HUMIDITY TRANSMITTER: NO HUMIDITY TRANSMITTER SELECTED• TEMPERATURE SENSOR TYPE: 10K-2 THERMISTOR• OVERRIDE CONFIGURATION: NO OVERRIDE SELECTED•
64017-R0	\$	209.46	CO2SENSOR • NO DISPLAY •0 TO 5 VDC OUTPUT• HUMIDITY TRANSMITTER: NONE SELECTED• TEMPERATURE SENSOR TYPE: NO TEMPERATURE SENSOR SELECTED• OVERRIDE CONFIGURATION: NO OVERRIDE SELECTED• NO LED OR ARROW INDICATORSNO LEGEND
64018-R0	\$	209.46	CO2 ROOM SENSOR: NO DISPLAY0 TO 10 VDC OUTPUT• HUMIDITY TRANSMITTER: NO HUMIDITY TRANSMITTER SELECTED• TEMPERATURE SENSOR TYPE: NO TEMPERATURE SENSOR SELECTED• OVERRIDE CONFIGURATION: NO OVERRIDE SELECTED• LOGO INSERT COLOR: OFF WHITE
57212-R0	\$	217.39	VOC ROOM SENSOR • TEMPERATURE DISPLAY: NO DISPLAY SELECTED• VOC TRANSMITTED AS 0 TO 2 000 PPM CO2 EQUIVALENT0 TO 5 VDC OUTPUT• HUMIDITY TRANSMITTER: NO HUMIDITY TRANSMITTER SELECTED• TEMPERATURE SENSOR TYPE: 10K-2 THERMISTOR• OVERRIDE CONFIGURATION: NO OVERRIDE SELECTED•
57213-R0	\$	222.24	VOC ROOM SENSOR • TEMPERATURE DISPLAY: NO DISPLAY SELECTED• AIR QUALITY TRANSMITTER: VOC'S TRANSMITTED AS 0 TO 2 000PPM CO2 EQUIVALENT0 TO 5 VDC OUTPUT• HUMIDITY TRANSMITTER: NONE SELECTED• SETPOINT DISPLAY OPTION: NO DISPLAY OPTION• SETPOINT OUTPUT VALUE: 4.75K TO 24.75K OHMS• SETPOINT LEGEND: COOL/WARM• TEMPERATURE SENSOR TYPE: 10K-2 THERMISTOR• OVERRIDE CONFIGURATION: OVERRIDE IN PARALLEL WITH SETPOINT•
57210-R0	\$	209.46	VOCSENSOR • NO DISPLAY • VOC'S TRANSMITTED AS 0 TO 2 000 PPM CO2 EQUIVALENT0 TO 5 VDC OUTPUT• HUMIDITY TRANSMITTER: NONE SELECTED• TEMPERATURE SENSOR TYPE: NO TEMPERATURE SENSOR SELECTED• OVERRIDE CONFIGURATION: NO OVERRIDE SELECTED• NO LED OR ARROW INDICATORSNO LEGEND
57215-R0	\$	209.46	VOC ROOM SENSOR • TEMPERATURE DISPLAY: NO DISPLAY SELECTED• VOC'S TRANSMITTD AS 0 TO 2 000 PPM CO2 EQUIVALENT0 TO 10 VDC OUTPUT• HUMIDITY TRANSMITTER: NO HUMIDITY TRANSMITTER SELECTED• TEMPERATURE SENSOR TYPE: NO TEMPERATURE SENSOR SELECTED• OVERRIDE CONFIGURATION: NO OVERRIDE SELECTED• LOGO INSERT COLOR: OFF WHITE
48674-R0	\$	66.14	CURRENT OUTPUT MODULE 4-20 MA OUTPUT LOOP POWERED RECEIVES DATA FROM A BAPI 418 OR 900 MHZ RECEIVER THROUGH AN RS485 FOUR-WIRE BUS OR OPTICALLY VIA AN INFRARED EMITTER/DETECTOR COMBINATION NEW EZ ENCLOSURE IS SURFACE 2.75 INCH SNAPTRACK OR 35 MM DIN RAIL MOUNTABLE.
48330-R0	\$	119.94	DUCT HUMIDITY SENSOR ± 2% RH 0-5 V OR 4-20 MA BAPI BOX ENCLOSURE
48331-R0	\$	119.94	DUCT HUMIDITY SENSOR ± 2% RH 0-5 V OR 4-20 MA BAPI BOX 2 ENCLOSURE
14822-R0	\$	119.94	DUCT HUMIDITY SENSOR ± 2% RH 0-5 V OR 4-20 MA MUST SPECIFY ENCLOSURE TYPE
44325-R0	\$	119.94	HUMIDITY SENSOR +/- ACCURACY ± 2% RH 0-5 V OR 4-20 MA OUTPUT BAPI-BOX ENCLOSURE
48334-R0	\$	119.94	HUMIDITY SENSOR +/- ACCURACY ± 2% RH 0-5 V OR 4-20 MA OUTPUT BAPI-BOX 2 ENCLOSURE
14823-R0	\$	119.94	HUMIDITY AND OUTSIDE AIR SENSOR ± 2% RH 0-5 V OR 4-20 MA MUST SPECIFY ENCLOSURE TYPE
14824-R0	\$	114.65	HUMIDITY SENSOR DELTA STYLE ENCLOSURE ACCURACY ± 2% 0-5 V OR 4-20 MA OUTPUT MUST SPECIFY 2 OPTIONS [1] COLOR [2] COMMUNICATIONS JACK
48328-R0	\$	114.65	HUMIDITY SENSOR DELTA STYLE ENCLOSURE ACCURACY ± 2% 0-5 V OR 4-20 MA OUTPUT
14825-R0	\$	130.08	HUMIDITY SENSOR TRANSMITTER WITH DISPLAY DELTA STYLE ENCLOSURE ACCURACY ± 2% 0-5 VDC OR 4-20 MA OUTPUT MUST SPECIFY COLOR
14826-R0	\$	119.94	DUCT HUMIDITY SENSOR ACCURACY ± 2% 0-10 V OUTPUT EQUALS 0-100% RH MUST SPECIFY [1] ANALOG OUTPUT [0-5 VDC/4-20 MA OR 0-10 VDC] [2] ENCLOSURE TYPE
14827-R0	\$	119.94	OUTSIDE AIR HUMIDITY SENSOR ACCURACY ± 2% 0-10 V OUTPUT MUST SPECIFY ENCLOSURE TYPE
14828-R0	\$	114.65	HUMIDITY SENSOR DELTA STYLE ENCLOSURE ACCURACY ± 2% RH 0-10 V OUTPUT MUST SPECIFY COLOR
14829-R0	\$	130.08	HUMIDITY SENSOR TRANSMITTER WITH DISPLAY DELTA STYLE ENCLOSURE ± 2% ACCURACY 0-10 VDC MUST SPECIFY COLOR
48332-R0	\$	111.12	DUCT HUMIDITY SENSOR ACCURACY ± 3% RH 0-5 V OR 4-20 MA BAPI BOX ENCLOSURE
48333-R0	\$	111.12	DUCT HUMIDITY SENSOR ACCURACY ± 3% RH 0-5 V OR 4-20 MA BAPI BOX 2 ENCLOSURE
14834-R0	\$	111.12	DUCT HUMIDITY SENSOR ACCURACY ± 3% RH 0-5 V OR 4-20 MA MUST SPECIFY ENCLOSURE TYPE
14835-R0	\$	111.12	OUTSIDE AIR HUMIDITY SENSOR ACCURACY ± 3% RH 0-5 V OR 4-20 MA MUST SPECIFY ENCLOSURE TYPE
14836-R0	\$	105.83	HUMIDITY SENSOR DELTA STYLE ENCLOSURE ACCURACY ± 3% RH 0-5 V OR 4-20 MA MUST SPECIFY 2 OPTIONS [1] COMMUNICATIONS JACK [2] COLOR
14837-R0	\$	121.26	HUMIDITY SENSOR TRANSMITTER WITH DISPLAY ACCURACY ± 3% RH 0-5 VDC OR 4-20 MA OUTPUT MUST SPECIFY COLOR
14838-R0	\$	111.12	DUCT HUMIDITY SENSOR ACCURACY ± 3% RH 0-10 V OUTPUT MUST SPECIFY ENCLOSURE TYPE
14839-R0	\$	111.12	OUTSIDE AIR HUMIDITY SENSOR ACCURACY ± 3% RH 0-10 V OUTPUT MUST SPECIFY ENCLOSURE TYPE
14840-R0	\$	105.83	HUMIDITY SENSOR DELTA STYLE ENCLOSURE ACCURACY ± 3% RH 0-10 V OUTPUT MUST SPECIFY COLOR
14841-R0	\$	121.26	HUMIDITY SENSORS TRANSMITTER WITH DISPLAY DELTA STYLE ENCLOSURE ACCURACY ± 3% RH 0-10 VDC OUTPUT MUST SPECIFY COLOR
48676-R0	\$	132.29	418 MHZ RECEIVER COMES WITH 79 INCH EXTENDABLE ANTENNA FOR OPTIMUM RECEPTION 100 FOOT RANGE EZ ENCLOSURE ACCOMMODATES SURFACESNAPTRACK OR DIN RAIL MOUNTING

44625-R0	\$	49.53	DUCT AVERAGING 12 FT COPPER TUBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
48677-R0	\$	295.44	900 MHZ RECEIVER WITH ATTACHED ANTENNA 1000 FOOT RANGE WITH A REPEATER OPTIONAL 79 INCH EXTENDABLE ANTENNA FOR OPTIMUM RECEPTION EZ ENCLOSURE ACCOMMODATES SURFACESNAPTRACK OR DIN RAIL MOUNTING
48678-R0	\$	66.14	RESISTANCE OUTPUT MODULE 10K-2 THERMISTOR CURVE RECEIVES DATA FROM A BAPI 418 OR 900 MHZ RECEIVER THROUGH AN RS485 FOUR-WIRE BUS OR OPTICALLY VIA AN INFRARED EMITTER/DETECTOR COMBINATION NEW EZ ENCLOSURE ACCOMMODATES SURFACE2.75 INCH SNAPTRACK OR 35 MM DIN RAIL MOUNTING.
45812-R0	\$	105.83	RELAY PACK FOR ALC ZN551 CONTROLLER
48296-R0	\$	55.12	MICROPROCESSOR BASED ROOM SENSOR -3 TO +3 DEG F DISPLAY RANGE WITH LCD READOUT FOR TEMP AND SETPOINT ADJUSTMENT OVERRIDE COMMON GROUND NO SETPOINT LOCKOUT
48297-R0	\$	55.12	MICROPROCESSOR BASED ROOM SENSOR -5 TO +5 DEG F DISPLAY RANGE WITH LCD READOUT FOR TEMP AND SETPOINT ADJUSTMENT OVERRIDE COMMON GROUND NO SETPOINT LOCKOUT
48295-R0	\$	55.12	MICROPROCESSOR BASED ROOM SENSOR 50-90 DEG F DISPLAY RANGE WITH LCD READOUT FOR TEMP AND SETPOINT ADJUSTMENT OVERRIDE COMMON GROUND NO SETPOINT LOCKOUT
27540-R0	\$	55.12	DECORA STYLE ROOM SENSOR PUSHBUTTON SETPOINT ADJUSTMENT LCD READOUT TEMPERATURE DISPLAYED IN DEG C -3-3 DEG C DISPLAY 4.75-24.75K OHM RANGE 5 VDC 10K-2 DIRECT OUT SENSOR COMMON GROUND
27542-R0	\$	55.12	DECORA STYLE ROOM SENSOR PUSHBUTTON SETPOINT ADJUSTMENT LCD READOUT TEMPERATURE DISPLAYED IN DEG C 13-30 DEG C DISPLAY 4.75-24.75K OHM RANGE 5 VDC 10K-2 DIRECT OUT SENSOR COMMON GROUND
48298-R0	\$	55.12	MICROPROCESSOR BASED ROOM SENSOR 55-85 DEG F DISPLAY RANGE WITH LCD READOUT FOR TEMP AND SETPOINT ADJUSTMENT OVERRIDE COMMON GROUND NO SETPOINT LOCKOUT
27539-R0	\$	55.12	DECORA STYLE ROOM SENSOR PUSHBUTTON SETPOINT ADJUSTMENT LCD READOUT TEMPERATURE DISPLAYED IN DEGREES F -3 -3 DEG F DISPLAY 4.75-24.75K OHM RANGE 5 VDC 10K-2 DIRECT OUT SENSOR COMMON GROUND
27541-R0	\$	55.12	DECORA STYLE ROOM SENSOR PUSHBUTTON SETPOINT ADJUSTMENT LCD READOUT TEMPERATURE DISPLAYED IN DEGREES F 55-85 DEG F DISPLAY 4.75-24.75K OHM RANGE 5 VDC 10K-2 DIRECT OUT SENSOR COMMON GROUND
48299-R0	\$	55.12	MICROPROCESSOR BASED ROOM SENSOR 60-80 DEG F DISPLAY RANGE WITH LCD READOUT FOR TEMP AND SETPOINT ADJUSTMENT OVERRIDE COMMON GROUND NO SETPOINT LOCKOUT
48300-R0	\$	55.12	MICROPROCESSOR BASED ROOM SENSOR 65-80 DEG F DISPLAY RANGE WITH LCD READOUT FOR TEMP AND SETPOINT ADJUSTMENT OVERRIDE COMMON GROUND NO SETPOINT LOCKOUT
19502-R0	\$	171.96	COMBINATION TEMP/HUMIDITY SENSOR RUGGEDIZED-ACCURACY ± 2% RH 1000 OHM PLATINUM RTD WITH TEMPERATURE TRANSMITTER MUST SPECIFY 3 OPTIONS [1] RANGE [2] OUTPUT SIGNAL [3] ENCLOSURE
25329-R0	\$	154.34	HUMIDITY SENSOR ACCURACY ± 2% RH 1000 OHM PLATINUM RTD MUST SPECIFY 4 OPTIONS [1] RANGE [2] OUTPUT SIGNAL [3] DISPLAY [4] COMMUNICATIONS JACK
19501-R0	\$	163.15	COMBINATION TEMP/HUMIDITY SENSOR TEMPERATURE TRANSMITTER ACCURACY ± 3% RH 1000 OHM PLATINUM RTD MUST SPECIFY 2 OPTIONS [1] RANGE [2] OUTPUT SIGNAL [3] ENCLOSURE
25328-R0	\$	145.51	HUMIDITY SENSOR ACCURACY ± 3% RH 1000 OHM PLATINUM RTD MUST SPECIFY 4 OPTIONS [1] RANGE [2] OUTPUT SIGNAL [3] DISPLAY [4] COMMUNICATIONS JACK
14882-R0	\$	65.26	ROOM SENSOR IN POWERS STYLE ENCLOSURE WITH BI-METAL INDICATOR
14846-R0	\$	44.10	WALL PLATE ROOM SENSOR 2 X 4 INCH ALUMINUM SWITCH PLATE FULLY INSULATED
14847-R0	\$	48.50	WALL PLATE ROOM SENSOR 2 X 4 INCH ALUMINUM PLATE WITH LOUVRES SINGLE GANG HORIZONTAL MOUNT
14848-R0	\$	48.50	WALL PLATE ROOM SENSOR 2 X 4 INCH ALUMINUM PLATE WITH LOUVERS SINGLE GANG VERTICAL MOUNT
14849-R0	\$	52.91	WALL PLATE ROOM SENSOR 2 X 4 INCH ALUMINUM PLATE WITH LOUVERS TWO GANG BOX MOUNT
14850-R0	\$	58.20	1K OHM RTD WITH TRANSMITTER DUCT SENSOR 12 INCH PROBE STANDARD RUGGEDIZED TRANSMITTER
14851-R0	\$	58.20	1K OHM RTD WITH TRANSMITTER DUCT SENSOR 18 INCH PROBE STANDARD RUGGEDIZED TRANSMITTER
14852-R0	\$	58.20	1K OHM RTD WITH TRANSMITTER DUCT SENSOR 4 INCH PROBE STANDARD RUGGEDIZED TRANSMITTER
14853-R0	\$	58.20	1K OHM RTD WITH TRANSMITTER DUCT SENSOR 8 INCH PROBE STANDARD RUGGEDIZED TRANSMITTER
16719-R0	\$	175.06	COMBINATION TEMP/HUMIDITY SENSOR ACCURACY ± 2% RH MUST SPECIFY 4 OPTIONS [1] RANGE [2] OUTPUT SIGNAL [3] DISPLAY [4] COMMUNICATIONS JACK
16721-R0	\$	166.24	COMBINATION TEMP/HUMIDITY SENSOR ACCURACY ± 3% RH MUST SPECIFY 3 OPTIONS [1] RANGE [2] OUTPUT SIGNAL [3] ENCLOSURE
14860-R0	\$	58.20	1000 OHM RTD WITH TRANSMITTER IMMERSION SENSOR 4 INCH PROBE 0.5 INCH NPT RUGGEDIZED
14861-R0	\$	58.20	1000 OHM RTD WITH TRANSMITTER IMMERSION SENSOR 8 INCH PROBE 0.5 INCH NPT RUGGEDIZED
14862-R0	\$	60.41	OUTSIDE AIR SENSOR 1000 OHM PLATINUM RTD RUGGEDIZED WEATHERPROOF ENCLOSURE WITH TEMPERATURE TRANSMITTER
19499-R0	\$	60.41	OUTSIDE AIR SENSOR 1K OHM RTD TRANSMITTER 5 INCH PROBE USED WITH VAISALA DTR-503B WEATHER SHIELD
14863-R0	\$	44.10	ROOM SENSOR IN DELTA STYLE ENCLOSURE OUTPUT SIGNAL 4-20 MA ELEMENT 1000 OHM RTD WITH TRANSMITTER
21633-R0	\$	154.34	MULTI POINT 1000 OHM PLATINUM RTD WITH TRANSMITTER RIGID STAINLESS STEEL AVERAGING 12 INCH PROBE
21634-R0	\$	154.34	MULTI POINT 1000 OHM PLATINUM RTD RIGID STAINLESS STEEL AVERAGING 2 FT PROBE
14864-R0	\$	66.14	ROOM SENSOR IN DELTA STYLE ENCLOSURE BI-METAL INDICATOR WITH COMMUNICATION JACK OUTPUT SIGNAL 4-20 MA ELEMENT 1000 OHM RTD WITH TRANSMITTER
14867-R0	\$	41.89	ROOM SENSOR IN DELTA STYLE ENCLOSURE WITH OVERRIDE OUTPUT SIGNAL 4-20 MA ELEMENT 1000 OHM RTD WITH TRANSMITTER
14869-R0	\$	68.34	ROOM SENSOR IN DELTA STYLE ENCLOSURE WITH BI-METAL INDICATOR AND OVERRIDE OUTPUT SIGNAL 4-20 MA ELEMENT 1000 OHM RTD WITH TRANSMITTER
14873-R0	\$	42.33	ROOM SENSOR WITH SETPOINT IN DELTA STYLE ENCLOSURE OUTPUT SIGNAL 4-20 MA ELEMENT 1000 OHM RTD WITH TRANSMITTER
14874-R0	\$	68.78	ROOM SENSOR IN DELTA STYLE ENCLOSURE BI-METAL INDICATOR WITH SETPOINT OUTPUT SIGNAL 4-20 MA ELEMENT 1000 OHM RTD WITH TRANSMITTER

44625-R0	\$	49.53	DUCT AVERAGING 12 FT COPPER TUBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
14877-R0	\$	44.54	ROOM SENSOR WITH SETPOINT AND OVERRIDE IN DELTA STYLE ENCLOSURE OUTPUT SIGNAL 4-20 MA ELEMENT 1000 OHM RTD WITH TRANSMITTER
14878-R0	\$	70.99	ROOM SENSOR IN DELTA STYLE ENCLOSURE WITH BI-METAL INDICATOR SETPOINT AND OVERRIDE OUTPUT SIGNAL 4-20 MA ELEMENT 1000 OHM RTD WITH TRANSMITTER
14881-R0	\$	57.32	ROOM SENSOR WITH POWERS STYLE ENCLOSURE OUTPUT SIGNAL 4-20 MA ELEMENT 1000 OHM RTD WITH TRANSMITTER
14883-R0	\$	48.50	ROOM SENSOR WITH PRECON STYLE ENCLOSURE OUTPUT SIGNAL 4-20 MA ELEMENT 1000 OHM RTD WITH TRANSMITTER
14884-R0	\$	74.96	ROOM SENSOR WITH PRECON STYLE ENCLOSURE BIMETAL INDICATOR
14886-R0	\$	59.53	CLAMP ON STRAP FITS 2-5 INCH PIPE WITH ADJUSTABLE HOSE CLAMP 4-20 MA TEMPERATURE TRANSMITTER RUGGEDIZED
14887-R0	\$	44.10	WALL PLATE ROOM SENSOR 2 X 4 INCH STAINLESS SWITCH PLATE FULLY INSULATED
14888-R0	\$	48.50	WALL PLATE ROOM SENSOR 2 X 4 INCH STAINLESS PLATE WITH LOUVRES SINGLE GANG HORIZONTAL/ STRAP MOUNT
14889-R0	\$	48.50	WALL PLATE ROOM SENSOR 2 X 4 INCH STAINLESS PLATE WITH LOUVRES SINGLE GANG VERTICAL/ BOX MOUNT
14890-R0	\$	52.91	WALL PLATE ROOM SENSOR 2 X 4 INCH STAINLESS PLATE WITH LOUVRES TWO GANG PLATE STRAP MOUNT
14891-R0	\$	55.12	SPRING LOADED STRAP FITS 5-12.5 INCH PIPE ADJUSTABLE NYLON STRAPS 4-20 MA TEMPERATURE TRANSMITTER RUGGEDIZED
			THERMOBUFFER SENSOR FOR COOLERS & FREEZERS. 1K PLATINUM RTDSENSORPROBE AVAILABLE IN 304 STAINLESS STEEL OR ALUMINUM2 INCH OR 4 INCH PROBE LENGTH IN WATERTIGHT BAPI-
56837-R0	\$	145.07	BOX OR BAPI BOX 2 ENCLOSURE. DESIGNED FOR MOUNTING ON FREEZER WALL SAVING VALUABLE SHELF SPACE.
14893-R0	\$	44.10	TRANSMITTER ONLY IN A RUGGEDIZED PACKAGE SPECIFY RANGE
			THERMOBUFFER SENSOR FOR COOLERS & FREEZERS. 1K PLATINUM RTD SENSORALUMINUM PROBE4 INCH PROBE LENGTH IN WATERTIGHT BAPI-BOX 2 ENCLOSURE. DESIGNED FOR MOUNTING ON
56836-R0	\$	118.61	FREEZER WALL SAVING VALUABLE SHELF SPACE.
			COMBINATION TEMP/HUMIDITY SENSOR MATCHED TRANSMITTER ACCURACY ± 2% RH MUST SPECIFY 3 OPTIONS [1] RANGE [2] OUTPUT SIGNAL [3] ENCLOSURE [EU ENCLOSURE NOT
43257-R0	\$	243.40	AVAILABLE ON UNITS W/ 2 TRANSMITTERS]
16723-R0	\$	243.40	COMBINATION TEMP/HUMIDITY SENSOR ACCURACY ± 2% RH MUST SPECIFY 3 OPTIONS [1] RANGE [2] OUTPUT SIGNAL [3] ENCLOSURE
22726-R0	\$	126.56	1000 OHM RTD WITH TRANSMITTER IMMERSION SENSOR 2 INCH PROBE 0.5 INCH NPT MATCHED TEMPERATURE TRANSMITTER RUGGEDIZED
20751-R0	\$	126.56	1000 OHM RTD WITH TRANSMITTER IMMERSION SENSOR 4 INCH PROBE 0.5 INCH NPT MATCHED TEMPERATURE TRANSMITTER RUGGEDIZED
20752-R0	\$	126.56	1000 OHM RTD WITH TRANSMITTER IMMERSION SENSOR 8 INCH PROBE 0.5 INCH NPT MATCHED TEMPERATURE TRANSMITTER RUGGEDIZED
			ALC PREFIX HIGH RANGE ZONE PRESSURE TRANSMITTER - FIELD ADJUSTABLE RANGES FROM 0 TO 30 INCHES WC FOR DRY MEDIA IN BAPI-BOX ENCLOSURE - A RUGGED NEMA 1 RATED ENCLOSURE
64094-R0	\$	149.93	3 YEAR WARRANTY
			ALC PREFIX HIGH RANGE ZONE PRESSURE TRANSMITTER WITH DISPLAY -FIELD ADJUSTABLE RANGES FROM -0 TO 30 INCHES WC FOR DRY MEDIA IN BAPI-BOX ENCLOSURE - A RUGGED NEMA 1
64101-R0	\$	149.93	RATED ENCLOSURE 3 YEAR WARRANTY
			ALC PREFIX LOW RANGE PRESSURE SENSOR - COMPLETELY FIELD ADJUSTABLE FROM -1 TO 1 INCH WC MULTI-RANGE DIFFERENTIAL PRESSURE TRANSMITTER FOR DRY MEDIA IN BAPI-BOX -
64095-R0	\$	149.93	RUGGED IP66 UV-RESISTANT HOUSING ONE TOUCH SET UP AUTO ZERO RANGES/OUTPUTS FIELD RESETTABLE 3 YEAR WARRANTY
			ALC PREFIX LOW RANGE PRESSURE SENSOR WITH DISPLAY - COMPLETELY FIELD ADJUSTABLE FROM -1 TO 1 INCH WC MULTI-RANGE DIFFERENTIAL PRESSURE TRANSMITTER FOR DRY MEDIA IN
64100-R0	\$	149.93	BAPI-BOX ENCLOSURE - RUGGED IP66 RATEDUV-RESISTANT HOUSING ONE TOUCH SET UP AUTO ZERO RANGES/OUTPUTS FIELD RESETTABLE 3 YEAR WARRANTY
			ALC PREFIX LOW RANGE PRESSURE SENSOR - COMPLETELY FIELD ADJUSTABLE FROM -1 TO 1 INCH WC MULTI-RANGE DIFFERENTIAL PRESSURE TRANSMITTER FOR DRY MEDIA IN A RUGGED IP66
64096-R0	\$	141.10	HOUSING ONE TOUCH SET UP AUTO ZERO RANGES/OUTPUTS FIELD RESETTABLE 3 YEAR WARRANTY
			ALC PREFIX STANDARD RANGE ZONE PRESSURE TRANSMITTER (NO DISPLAY) 10 FIELD ADJUSTABLE RANGES FROM -5 TO 5 INCHES WC PIEZORESISTIVE FOR DRY MEDIA IN BAPI-BOX ENCLOSURE -
64097-R0	\$	149.93	A RUGGED NEMA 1 RATED ENCLOSURE 3 YEAR WARRANTY
			ALC PREFIX STANDARD RANGE ZONE PRESSURE TRANSMITTER WITH DISPLAY - 10 FIELD ADJUSTABLE RANGES FROM -5 TO 5 INCHES WC FOR DRY MEDIA IN BAPI-BOX ENCLOSURE - A RUGGED
64099-R0	\$	149.93	NEMA 1 RATED ENCLOSURE 3 YEAR WARRANTY
			ALC PREFIX STANDARD RANGE EZ PRESSURE SENSOR - COMPLETELY FIELD ADJUSTABLE FROM -5 TO 5 INCHES W.C. MULTI-RANGE DIFFERENTIAL PRESSURE TRANSMITTER FOR DRY MEDIA IN A
64098-R0	\$	141.10	RUGGED IP66 HOUSING ONE TOUCH SET UP AUTO ZERO RANGES/OUTPUTS FIELD RESETTABLE 3 YEAR WARRANTY
22343-R0	\$	7.54	PRESSURE PICKUP PORT 2 X 4 INCH STAINLESS STEEL WALL PLATE STATIC PICKUP ALC LOGO OPTIONAL TEMPERATURE SENSOR
22338-R0	\$	6.28	PRESSURE PICKUP PORT ROOM MOUNT DELTA STYLE ENCLOSURE STATIC PICKUP OPTIONAL TEMP SENSOR ALC LOGO
44329-R0	\$	16.74	OUTSIDE AIR PRESSURE PICKUP PORT CONDUIT & TUBING NOT INCLUDED
9227-R0	\$	12.79	ROOM TEMPERATURE SENSOR WITH LOGIPORT ONLY
15332-R0	\$	12.79	ROOM TEMPERATURE SENSOR
27660-R0	\$	83.79	ROOM HUMIDITY AND TEMPERATURE SENSOR WITH LOGIPORT
9228-R0	\$	15.87	FLUSH MOUNTED TEMPERATURE SENSOR CONCEALED LOGIPORT
9229-R0	\$	15.87	ROOM TEMPERATURE SENSOR SETPOINT OVERRIDE LOGIPORT LED
15331-R0	\$	15.87	ROOM TEMPERATURE SENSOR SETPOINT OVERRIDE LED
27661-R0	\$	88.19	ROOM HUMIDITY AND TEMPERATURE SENSOR SETPOINT OVERRIDE LED
51802-R0	\$	15.87	ROOM TEMPERATURE SENSOR SETPOINT OVERRIDE LOGIPORT NO LED
10718-R0	\$	15.87	ROOM TEMPERATURE SENSOR SETPOINT LOGIPORT NO OVERRIDE OR LED
10719-R0	\$	15.87	ROOM TEMPERATURE SENSOR SETPOINT OVERRIDE LOGIPORT NO LED
10717-R0	\$	15.87	ROOM TEMPERATURE SENSOR SETPOINT LOGIPORT OVERRIDE
10720-R0	\$	15.87	ROOM TEMPERATURE SENSOR OVERRIDE LOGIPORT LED NO SETPOINT
9230-R0	\$	41.89	ROOM TEMPERATURE SENSOR LCD DISPLAY KEYPAD AND LOGIPORT FOR USE IN TEST AND BALANCING OF OTHER LOGISTAT SENSORS

44625-R0	\$	49.53	DUCT AVERAGING 12 FT COPPER TUBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
10679-R0	\$	4.41	COMMUNICATION CABLE FOR LOGISTAT SENSORS
10680-R0	\$	130.00	LOGISTAT TEST AND BALANCE KIT LSPRO CLIPBOARD CABLE CALCULATOR PEN NOTEPAD
45814-R0	\$	13.23	TERMINAL BOARD DESIGNED FOR ALCM4106P MX4106P M4106NX M4106 MX4106 OR MX440 CONTROLLERS.
49457-R0	\$	44.10	TERMINAL BOARD DESIGNED FOR ALC SE6104A
49463-R0	\$	52.91	TERMINAL BOARD DESIGNED FOR ALC SE6166 CONTROLLER
45813-R0	\$	37.48	TERMINAL BOARD DESIGNED FOR ALC M8102 M8102NX M880NX MX880 M16160 OR MX16160 CONTROLLERS.
34497-R0	\$	91.34	COMBINATION TEMP/HUMIDITY SENSOR ACCURACY ± 2% RH TEMP SENSOR 10K-2 THERMISTOR
35521-R0	\$	129.19	HUMIDITY SENSORS DELTA STYLE ENCLOSURE LCD DISPLAY ACCURACY ± 3% RH 0-5 VDC/4-20 MA OUTPUT
35727-R0	\$	7.94	ROOM SENSOR OUTPUT SIGNAL RESISTANCE ELEMENT 10K-2 THERMISTOR
34495-R0	\$	31.50	ROOM TEMPERATURE SENSOR LCD DISPLAY KEYPAD AND LOGIPORT FOR USE IN TEST AND BALANCING OF OTHER LOGISTAT SENSORS
21611-R0	\$	41.89	ROOM TEMPERATURE SENSOR LCD DISPLAY KEYPAD AND LOGIPORT FOR USE IN TEST AND BALANCING OF OTHER LOGISTAT SENSORS NO LOGO
21655-R0	\$	52.91	VOLTAGE CONVERTER 33 VDC TO 12 VDC
21660-R0	\$	655.12	ENCLOSURE 44 X 20 X 8 STEEL
21661-R0	\$	1,902.38	ENCLOSURE 44 X 20 X 8 PAINTED STEEL
21664-R0	\$	10.08	BRACKET CABLE GUIDE SET OF 2
21649-R0	\$	7.55	MATING PAIR BELIMO CONNECTORS
21662-R0	\$	50.39	LARGE BACKPLATE FOR 44 X 20 X 8
21642-R0	\$	17.64	4-POSITION INTERFACE BACKPLANE
21663-R0	\$	22.05	SMALL BACKPLATE
21641-R0	\$	28.67	8-POSITION INTERFACE BACKPLANE
21639-R0	\$	26.46	CARBON DIOXIDE SENSOR POWER SUPPLY
21652-R0	\$	23.31	CONTROLLER MTG BRKT W/ PEMS FOR 33-CN / 33-ZC / PREMLK
21644-R0	\$	28.67	COMMUNICATIONS CABLE TERMINAL BLOCK
21656-R0	\$	24.26	COMMUNICATIONS SURGE PROTECTOR
21635-R0	\$	41.89	DISCRETE SUMMARY MODULE 8 INPUT
21636-R0	\$	46.31	2-POSITION ACTUATOR INTERFACE 1 OUTPUT
21637-R0	\$	38.36	MODULATING ACTUATOR INTERFACE MODULE
21657-R0	\$	149.93	RS-485 FIBER OPTIC TRANSCEIVER
21665-R0	\$	10.14	OUTPUT ADJUST MODULE
21648-R0	\$	24.57	PANDUIT 1 X 3 X 16 INCH WIRE DUCT
21653-R0	\$	46.31	PREMIER LINK CONNECTOR 1
21654-R0	\$	39.69	PREMIER LINK CONNECTOR 2
21643-R0	\$	132.29	POWER SUPPLY FUSE BLOCK WITH OPTIONAL CIRCUIT BREAKERS
21645-R0	\$	55.12	RELAY INTERFACE MODULE 9 OUTPUT
21659-R0	\$	39.69	REPEATER BACKPLANE AVAILABLE WITH OPTIONAL SNAPTRACK
21658-R0	\$	94.81	RS-485 REPEATER
21638-R0	\$	46.31	4-STEP SEQUENCER MODULE ROTATION AND ALARM OPTIONS AVAILABLE
21650-R0	\$	24.26	TB18 PLUGGABLE TERMINAL BLOCK SEE OPTIONS ALSO AVAILABLE WITH ALL ODD TERMINALS COMMON OR ALL ODD TERMINALS COMMON AND ALL EVEN TERMINALS COMMON.
21646-R0	\$	3.15	TR2 SNAPTRACK AVAILABLE IN LENGTHS OF 1.27 / 2 / 4 / 8 / 12 / 18 / OR 48 INCHES
21651-R0	\$	9.70	MINICOM VAV BO X COMM. BLOCK TERMINAL UNIT COMMUNICATIONS BLOCK
58280-R0	\$	188.96	DAMPER ACTUATOR ON/OFF 120 VAC SPRING RETURN 133 IN-LB 3 FT. CABLE 150 SEC RUNTIME
58281-R0	\$	222.21	DAMPER ACTUATOR ON/OFF 120 VAC SPRING RETURN 133 IN-LB 3 FT. CABLE 150 SEC RUNTIME 2 SPDT7A @ 250 VAC
58282-R0	\$	232.04	DAMPER ACTUATOR ON/OFF 230 VAC SPRING RETURN 133 IN-LB 3 FT. CABLE 150 SEC RUNTIME
58283-R0	\$	265.29	DAMPER ACTUATOR ON/OFF 230 VAC SPRING RETURN 133 IN-LB 3 FT. CABLE 150 SEC RUNTIME 2 SPDT7A @ 250 VAC
58278-R0	\$	168.94	DAMPER ACTUATOR ON/OFF 24 VAC / VDC SPRING RETURN 133 IN-LB 3 FT. CABLE 150 SEC RUNTIME
58288-R0	\$	232.04	DAMPER ACTUATOR PROGRAMMABLE 24 VAC / VDC SPRING RETURN 133 IN-LB 3 FT. CABLE MUST SPECIFY [1] INPUT & FEEDBACK
58289-R0	\$	265.29	DAMPER ACTUATOR PROGRAMMABLE 24 VAC / VDC SPRING RETURN 133 IN-LB 3 FT. CABLE 2 SPDT7A @ 250 VAC MUST SPECIFY [1] INPUT & FEEDBACK
58279-R0	\$	201.80	DAMPER ACTUATOR ON/OFF 24 VAC / VDC SPRING RETURN 133 IN-LB 3 FT. CABLE 150 SEC RUNTIME 2 SPDT7A @ 250 VAC
58284-R0	\$	210.51	DAMPER ACTUATOR PROPORTIONAL 24 VAC / VDC SPRING RETURN 133 IN-LB 3 FT. CABLE 150 SEC RUNTIME
58285-R0	\$	190.46	DAMPER ACTUATOR PROPORTIONAL (NO FEEDBACK) 24 VAC / VDC SPRING RETURN 133 IN-LB 3 FT. CABLE 150 SEC RUNTIME
58220-R0	\$	168.94	DAMPER ACTUATOR ON/OFF 24 VAC / VDC SPRING RETURN 180 IN-LB 3 FT. CABLE <75 SEC RUNTIME
58221-R0	\$	232.04	DAMPER ACTUATOR PROGRAMMABLE (2-10/2-10) 24 VAC / VDC SPRING RETURN 180 IN-LB 3 FT. CABLE 150 SEC RUNTIME
58223-R0	\$	265.29	DAMPER ACTUATOR PROGRAMMABLE (2-10/2-10) 24 VAC / VDC SPRING RETURN 180 IN-LB 3 FT. CABLE 150 SEC RUNTIME 2 SPDT3A @ 250 VAC
58224-R0	\$	201.80	DAMPER ACTUATOR ON/OFF 24 VAC / VDC SPRING RETURN 180 IN-LB 3 FT. CABLE <75 SEC RUNTIME 2 SPDT3A @ 250 VAC

44625-R0	\$	49.53	DUCT AVERAGING 12 FT COPPER TUBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
63777-R0	\$	210.51	DAMPER ACTUATOR PROPORTIONAL 24 VAC / VDC SPRING RETURN 180 IN-LB 3 FT. CABLE 95 SEC RUNTIME
38350-R0	\$	8.70	CONDUIT CONNECTOR FOR AF ACTUATORS
38351-R0	\$	3.03	ANTI-ROTATION BRACKET
38352-R0	\$	10.21	NMB(X) AND AMB(X) CRANKARM
58302-R0	\$	135.29	DAMPER ACTUATOR ON/OFF & FLOATING POINT 24 VAC / VDC 4" LINEAR STROKE - NON-SPRING RETURN 101 LB-F 3 FT. CABLE 300 SEC RUNTIME
58303-R0	\$	143.99	DAMPER ACTUATOR ON/OFF & FLOATING POINT 24 VAC / VDC 8" LINEAR STROKE - NON-SPRING RETURN 101 LB-F 3 FT. CABLE 300 SEC RUNTIME
58307-R0	\$	186.69	DAMPER ACTUATOR PROPORTIONAL 24 VAC / VDC 4" LINEAR STROKE - NON-SPRING RETURN 101 LB-F 3 FT. CABLE 300 SEC RUNTIME
58308-R0	\$	194.64	DAMPER ACTUATOR PROPORTIONAL 24 VAC / VDC 8" LINEAR STROKE - NON-SPRING RETURN 101 LB-F 3 FT. CABLE 300 SEC RUNTIME
38353-R0	\$	12.48	GMB(X) CRANKARM
58309-R0	\$	219.57	DAMPER ACTUATOR ON/OFF 24 VAC / VDC 4" LINEAR STROKE - NON-SPRING RETURN 44 LB-F 3 FT. CABLE 7 SEC RUNTIME
58310-R0	\$	235.07	DAMPER ACTUATORQUICK RUNNING PROGRAMMABLE 24 VAC / VDC 4" LINEAR STROKE - NON-SPRING RETURN 44 LB-F 3 FT. CABLE 7 SEC RUNTIME
58326-R0	\$	116.78	DAMPER ACTUATOR ON/OFF & FLOATING POINT 24 VAC / VDC NON-SPRING RETURN 180 IN-LB 3 FT. CABLE 95 SEC RUNTIME
58327-R0	\$	151.92	DAMPER ACTUATOR ON/OFF & FLOATING POINT 24 VAC / VDC NON-SPRING RETURN 180 IN-LB 3 FT. CABLE 95 SEC RUNTIME 1 SPDT3A @ 250 VAC
58329-R0	\$	169.69	DAMPER ACTUATOR PROPORTIONAL 24 VAC / VDC NON-SPRING RETURN 180 IN-LB 3 FT. CABLE 95 SEC RUNTIME
58332-R0	\$	163.64	DAMPER ACTUATORQUICK RUNNING ON/OFF 24 VAC / VDC NON-SPRING RETURN 140 IN-LB 3 FT. CABLE 7 SEC RUNTIME
58338-R0	\$	116.78	DAMPER ACTUATOR ON/OFF & FLOATING POINT 24 VAC / VDC NON-SPRING RETURN 180 IN-LB 95 SEC RUNTIME MUST SPECIFY [1] CABLE LENGTH
58345-R0	\$	169.69	DAMPER ACTUATOR PROPORTIONAL 24 VAC / VDC NON-SPRING RETURN 180 IN-LB 95 SEC RUNTIME MUST SPECIFY [1] CABLE LENGTH
58346-R0	\$	160.24	DAMPER ACTUATOR PROPORTIONAL 24 VAC / VDC NON-SPRING RETURN 180 IN-LB 95 SEC RUNTIME TERMINAL STRIP
49532-R0	\$	177.24	ELECTRIC ACTUATOR NON-SPRING RETURN 180 IN-LB MINIMUM TORQUE 24 VAC/VDC PROPORTIONAL
60043-R0	\$	191.98	1/2" 2-WAY CHARACTERIZED CONTROL VALVE CV 0.3 24 VAC / VDC PROPORTIONAL SPRING RETURN 35 IN-LB 3 FOOT CABLE 150 SEC RUNTIME STAINLESS STEEL MUST SPECIFY [1]
			VALVE SETUP
60080-R0	\$	155.70	1/2" 2-WAY CHARACTERIZED CONTROL VALVE CV 0.3 24 VAC / VDC PROPORTIONAL SPRING RETURN 18 IN-LB 3 FOOT CABLE 95 SEC RUNTIME STAINLESS STEEL MUST SPECIFY [1]
			VALVE SETUP
60051-R0	\$	131.90	1/2" 2-WAY CHARACTERIZED CONTROL VALVE CV 0.3 24 VAC / VDC PROPORTIONAL NON-SPRING RETURN 45 IN-LB 3 FOOT CABLE 90 SEC RUNTIME STAINLESS STEEL MUST SPECIFY [1]
			VALVE SETUP
60111-R0	\$	184.81	1/2" 2-WAY CHARACTERIZED CONTROL VALVE CV 0.3 24 VAC / VDC PROPORTIONAL SPRING RETURN 35 IN-LB 3 FOOT CABLE 150 SEC RUNTIME BRASS TRIM MUST SPECIFY [1] VALVE
			SETUP
60126-R0	\$	150.41	1/2" 2-WAY CHARACTERIZED CONTROL VALVE CV 0.3 24 VAC / VDC PROPORTIONAL SPRING RETURN 18 IN-LB 3 FOOT CABLE 95 SEC RUNTIME BRASS TRIM MUST SPECIFY [1] VALVE
			SETUP
60118-R0	\$	131.14	1/2" 2-WAY CHARACTERIZED CONTROL VALVE CV 0.3 24 VAC / VDC PROPORTIONAL NON-SPRING RETURN 45 IN-LB 3 FOOT CABLE 90 SEC RUNTIME BRASS TRIM MUST SPECIFY [1]
			VALVE SETUP
60148-R0	\$	105.05	1/2" 2-WAY CHARACTERIZED CONTROL VALVE CV 0.3 24 VAC / VDC PROPORTIONAL NON-SPRING RETURN 18 IN-LB 3 FOOT CABLE 90 SEC RUNTIME BRASS TRIM MUST SPECIFY [1]
			VALVE SETUP
60159-R0	\$	191.98	1/2" 2-WAY CHARACTERIZED CONTROL VALVE CV 0.46 24 VAC / VDC PROPORTIONAL SPRING RETURN 35 IN-LB 3 FOOT CABLE 150 SEC RUNTIME STAINLESS STEEL MUST SPECIFY [1]
			VALVE SETUP
60196-R0	\$	155.70	1/2" 2-WAY CHARACTERIZED CONTROL VALVE CV 0.46 24 VAC / VDC PROPORTIONAL SPRING RETURN 18 IN-LB 3 FOOT CABLE 95 SEC RUNTIME STAINLESS STEEL MUST SPECIFY [1]
			VALVE SETUP
60167-R0	\$	131.90	1/2" 2-WAY CHARACTERIZED CONTROL VALVE CV 0.46 24 VAC / VDC PROPORTIONAL NON-SPRING RETURN 45 IN-LB 3 FOOT CABLE 90 SEC RUNTIME STAINLESS STEEL MUST SPECIFY
			[1] VALVE SETUP
60218-R0	\$	124.35	1/2" 2-WAY CHARACTERIZED CONTROL VALVE CV 0.46 24 VAC / VDC PROPORTIONAL NON-SPRING RETURN 18 IN-LB 3 FOOT CABLE 90 SEC RUNTIME STAINLESS STEEL MUST SPECIFY
			[1] VALVE SETUP
60227-R0	\$	184.81	1/2" 2-WAY CHARACTERIZED CONTROL VALVE CV 0.46 24 VAC / VDC PROPORTIONAL SPRING RETURN 35 IN-LB 3 FOOT CABLE 150 SEC RUNTIME BRASS TRIM MUST SPECIFY [1] VALVE
			SETUP
60242-R0	\$	150.41	1/2" 2-WAY CHARACTERIZED CONTROL VALVE CV 0.46 24 VAC / VDC PROPORTIONAL SPRING RETURN 18 IN-LB 3 FOOT CABLE 95 SEC RUNTIME BRASS TRIM MUST SPECIFY [1] VALVE
			SETUP
60234-R0	\$	131.14	1/2" 2-WAY CHARACTERIZED CONTROL VALVE CV 0.46 24 VAC / VDC PROPORTIONAL NON-SPRING RETURN 45 IN-LB 3 FOOT CABLE 90 SEC RUNTIME BRASS TRIM MUST SPECIFY [1]
			VALVE SETUP
60264-R0	\$	105.05	1/2" 2-WAY CHARACTERIZED CONTROL VALVE CV 0.46 24 VAC / VDC PROPORTIONAL NON-SPRING RETURN 18 IN-LB 3 FOOT CABLE 90 SEC RUNTIME BRASS TRIM MUST SPECIFY [1]
			VALVE SETUP
60275-R0	\$	191.98	1/2" 2-WAY CHARACTERIZED CONTROL VALVE CV 0.8 24 VAC / VDC PROPORTIONAL SPRING RETURN 35 IN-LB 3 FOOT CABLE 150 SEC RUNTIME STAINLESS STEEL MUST SPECIFY [1]
			VALVE SETUP
60312-R0	\$	155.70	1/2" 2-WAY CHARACTERIZED CONTROL VALVE CV 0.8 24 VAC / VDC PROPORTIONAL SPRING RETURN 18 IN-LB 3 FOOT CABLE 95 SEC RUNTIME STAINLESS STEEL MUST SPECIFY [1]
			VALVE SETUP

44625-R0	\$	49.53	DUCT AVERAGING 12 FT COPPER TUBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
			1/2" 2-WAY CHARACTERIZED CONTROL VALVE CV 0.8 24 VAC / VDC PROPORTIONAL NON-SPRING RETURN 45 IN-LB 3 FOOT CABLE 90 SEC RUNTIME STAINLESS STEEL MUST SPECIFY [1]
60283-R0	\$	131.90	VALVE SETUP
			1/2" 2-WAY CHARACTERIZED CONTROL VALVE CV 0.8 24 VAC / VDC PROPORTIONAL NON-SPRING RETURN 18 IN-LB 3 FOOT CABLE 90 SEC RUNTIME STAINLESS STEEL MUST SPECIFY [1]
60334-R0	\$	124.35	VALVE SETUP
			1/2" 2-WAY CHARACTERIZED CONTROL VALVE CV 0.8 24 VAC / VDC PROPORTIONAL SPRING RETURN 35 IN-LB 3 FOOT CABLE 150 SEC RUNTIME BRASS TRIM MUST SPECIFY [1] VALVE
60343-R0	\$	184.81	SETUP
			1/2" 2-WAY CHARACTERIZED CONTROL VALVE CV 0.8 24 VAC / VDC PROPORTIONAL SPRING RETURN 18 IN-LB 3 FOOT CABLE 95 SEC RUNTIME BRASS TRIM MUST SPECIFY [1] VALVE
60358-R0	\$	150.41	SETUP
			1/2" 2-WAY CHARACTERIZED CONTROL VALVE CV 0.8 24 VAC / VDC PROPORTIONAL NON-SPRING RETURN 45 IN-LB 3 FOOT CABLE 90 SEC RUNTIME BRASS TRIM MUST SPECIFY [1]
60350-R0	\$	131.14	VALVE SETUP
			1/2" 2-WAY CHARACTERIZED CONTROL VALVE CV 0.8 24 VAC / VDC PROPORTIONAL NON-SPRING RETURN 18 IN-LB 3 FOOT CABLE 90 SEC RUNTIME BRASS TRIM MUST SPECIFY [1]
60380-R0	\$	105.05	VALVE SETUP
			1/2" 2-WAY CHARACTERIZED CONTROL VALVE CV 1.2 24 VAC / VDC PROPORTIONAL SPRING RETURN 35 IN-LB 3 FOOT CABLE 150 SEC RUNTIME STAINLESS STEEL MUST SPECIFY [1]
60391-R0	\$	192.74	VALVE SETUP
			1/2" 2-WAY CHARACTERIZED CONTROL VALVE CV 1.2 24 VAC / VDC PROPORTIONAL SPRING RETURN 18 IN-LB 3 FOOT CABLE 95 SEC RUNTIME STAINLESS STEEL MUST SPECIFY [1]
60428-R0	\$	156.46	VALVE SETUP
			1/2" 2-WAY CHARACTERIZED CONTROL VALVE CV 1.2 24 VAC / VDC PROPORTIONAL NON-SPRING RETURN 45 IN-LB 3 FOOT CABLE 90 SEC RUNTIME STAINLESS STEEL MUST SPECIFY [1]
60399-R0	\$	132.65	VALVE SETUP
			1/2" 2-WAY CHARACTERIZED CONTROL VALVE CV 1.2 24 VAC / VDC PROPORTIONAL NON-SPRING RETURN 18 IN-LB 3 FOOT CABLE 90 SEC RUNTIME STAINLESS STEEL MUST SPECIFY [1]
60450-R0	\$	125.10	VALVE SETUP
			1/2" 2-WAY CHARACTERIZED CONTROL VALVE CV 1.2 24 VAC / VDC PROPORTIONAL SPRING RETURN 35 IN-LB 3 FOOT CABLE 150 SEC RUNTIME BRASS TRIM MUST SPECIFY [1] VALVE
60459-R0	\$	185.56	SETUP
			1/2" 2-WAY CHARACTERIZED CONTROL VALVE CV 1.2 24 VAC / VDC PROPORTIONAL SPRING RETURN 18 IN-LB 3 FOOT CABLE 95 SEC RUNTIME BRASS TRIM MUST SPECIFY [1] VALVE
60474-R0	\$	151.16	SETUP
			1/2" 2-WAY CHARACTERIZED CONTROL VALVE CV 1.2 24 VAC / VDC PROPORTIONAL NON-SPRING RETURN 45 IN-LB 3 FOOT CABLE 90 SEC RUNTIME BRASS TRIM MUST SPECIFY [1]
60466-R0	\$	131.90	VALVE SETUP
			1/2" 2-WAY CHARACTERIZED CONTROL VALVE CV 1.2 24 VAC / VDC PROPORTIONAL NON-SPRING RETURN 18 IN-LB 3 FOOT CABLE 90 SEC RUNTIME BRASS TRIM MUST SPECIFY [1]
60496-R0	\$	105.82	VALVE SETUP
			1/2" 2-WAY CHARACTERIZED CONTROL VALVE CV 1.9 24 VAC / VDC PROPORTIONAL SPRING RETURN 35 IN-LB 3 FOOT CABLE 150 SEC RUNTIME STAINLESS STEEL MUST SPECIFY [1]
60507-R0	\$	192.74	VALVE SETUP
			1/2" 2-WAY CHARACTERIZED CONTROL VALVE CV 1.9 24 VAC / VDC PROPORTIONAL SPRING RETURN 18 IN-LB 3 FOOT CABLE 95 SEC RUNTIME STAINLESS STEEL MUST SPECIFY [1]
60544-R0	\$	156.46	VALVE SETUP
			1/2" 2-WAY CHARACTERIZED CONTROL VALVE CV 1.9 24 VAC / VDC PROPORTIONAL NON-SPRING RETURN 45 IN-LB 3 FOOT CABLE 90 SEC RUNTIME STAINLESS STEEL MUST SPECIFY [1]
60515-R0	\$	132.65	VALVE SETUP
			1/2" 2-WAY CHARACTERIZED CONTROL VALVE CV 1.9 24 VAC / VDC PROPORTIONAL NON-SPRING RETURN 18 IN-LB 3 FOOT CABLE 90 SEC RUNTIME STAINLESS STEEL MUST SPECIFY [1]
60566-R0	\$	125.10	VALVE SETUP
			1/2" 2-WAY CHARACTERIZED CONTROL VALVE CV 1.9 24 VAC / VDC PROPORTIONAL SPRING RETURN 35 IN-LB 3 FOOT CABLE 150 SEC RUNTIME BRASS TRIM MUST SPECIFY [1] VALVE
60575-R0	\$	185.56	SETUP
			1/2" 2-WAY CHARACTERIZED CONTROL VALVE CV 1.9 24 VAC / VDC PROPORTIONAL SPRING RETURN 18 IN-LB 3 FOOT CABLE 95 SEC RUNTIME BRASS TRIM MUST SPECIFY [1] VALVE
60590-R0	\$	151.16	SETUP
			1/2" 2-WAY CHARACTERIZED CONTROL VALVE CV 1.9 24 VAC / VDC PROPORTIONAL NON-SPRING RETURN 45 IN-LB 3 FOOT CABLE 90 SEC RUNTIME BRASS TRIM MUST SPECIFY [1]
60582-R0	\$	131.90	VALVE SETUP
			1/2" 2-WAY CHARACTERIZED CONTROL VALVE CV 1.9 24 VAC / VDC PROPORTIONAL NON-SPRING RETURN 18 IN-LB 3 FOOT CABLE 90 SEC RUNTIME BRASS TRIM MUST SPECIFY [1]
60612-R0	\$	105.82	VALVE SETUP
			1/2" 2-WAY CHARACTERIZED CONTROL VALVE CV 3.0 24 VAC / VDC PROPORTIONAL SPRING RETURN 35 IN-LB 3 FOOT CABLE 150 SEC RUNTIME STAINLESS STEEL MUST SPECIFY [1]
60623-R0	\$	195.00	VALVE SETUP
			1/2" 2-WAY CHARACTERIZED CONTROL VALVE CV 3.0 24 VAC / VDC PROPORTIONAL SPRING RETURN 18 IN-LB 3 FOOT CABLE 95 SEC RUNTIME STAINLESS STEEL MUST SPECIFY [1]
60660-R0	\$	158.72	VALVE SETUP
			1/2" 2-WAY CHARACTERIZED CONTROL VALVE CV 3.0 24 VAC / VDC PROPORTIONAL NON-SPRING RETURN 45 IN-LB 3 FOOT CABLE 90 SEC RUNTIME STAINLESS STEEL MUST SPECIFY [1]
60631-R0	\$	133.41	VALVE SETUP
			1/2" 2-WAY CHARACTERIZED CONTROL VALVE CV 3.0 24 VAC / VDC PROPORTIONAL NON-SPRING RETURN 18 IN-LB 3 FOOT CABLE 90 SEC RUNTIME STAINLESS STEEL MUST SPECIFY [1]
60682-R0	\$	125.85	VALVE SETUP
			1/2" 2-WAY CHARACTERIZED CONTROL VALVE CV 3.0 24 VAC / VDC PROPORTIONAL SPRING RETURN 35 IN-LB 3 FOOT CABLE 150 SEC RUNTIME BRASS TRIM MUST SPECIFY [1] VALVE
60691-R0	\$	187.82	SETUP

44625-R0	\$	49.53	DUCT AVERAGING 12 FT COPPER TUBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
60706-R0	\$	151.92	1/2" 2-WAY CHARACTERIZED CONTROL VALVE CV 3.0 24 VAC / VDC PROPORTIONAL SPRING RETURN 18 IN-LB 3 FOOT CABLE 95 SEC RUNTIME BRASS TRIM MUST SPECIFY [1] VALVE SETUP
60698-R0	\$	134.93	1/2" 2-WAY CHARACTERIZED CONTROL VALVE CV 3.0 24 VAC / VDC PROPORTIONAL NON-SPRING RETURN 45 IN-LB 3 FOOT CABLE 90 SEC RUNTIME BRASS TRIM MUST SPECIFY [1] VALVE SETUP
60728-R0	\$	108.08	1/2" 2-WAY CHARACTERIZED CONTROL VALVE CV 3.0 24 VAC / VDC PROPORTIONAL NON-SPRING RETURN 18 IN-LB 3 FOOT CABLE 90 SEC RUNTIME BRASS TRIM MUST SPECIFY [1] VALVE SETUP
60739-R0	\$	195.75	1/2" 2-WAY CHARACTERIZED CONTROL VALVE CV 4.7 24 VAC / VDC PROPORTIONAL SPRING RETURN 35 IN-LB 3 FOOT CABLE 150 SEC RUNTIME STAINLESS STEEL MUST SPECIFY [1] VALVE SETUP
60776-R0	\$	159.48	1/2" 2-WAY CHARACTERIZED CONTROL VALVE CV 4.7 24 VAC / VDC PROPORTIONAL SPRING RETURN 18 IN-LB 3 FOOT CABLE 95 SEC RUNTIME STAINLESS STEEL MUST SPECIFY [1] VALVE SETUP
60747-R0	\$	134.93	1/2" 2-WAY CHARACTERIZED CONTROL VALVE CV 4.7 24 VAC / VDC PROPORTIONAL NON-SPRING RETURN 45 IN-LB 3 FOOT CABLE 90 SEC RUNTIME STAINLESS STEEL MUST SPECIFY [1] VALVE SETUP
60798-R0	\$	127.36	1/2" 2-WAY CHARACTERIZED CONTROL VALVE CV 4.7 24 VAC / VDC PROPORTIONAL NON-SPRING RETURN 18 IN-LB 3 FOOT CABLE 90 SEC RUNTIME STAINLESS STEEL MUST SPECIFY [1] VALVE SETUP
60807-R0	\$	188.59	1/2" 2-WAY CHARACTERIZED CONTROL VALVE CV 4.7 24 VAC / VDC PROPORTIONAL SPRING RETURN 35 IN-LB 3 FOOT CABLE 150 SEC RUNTIME BRASS TRIM MUST SPECIFY [1] VALVE SETUP
60822-R0	\$	154.19	1/2" 2-WAY CHARACTERIZED CONTROL VALVE CV 4.7 24 VAC / VDC PROPORTIONAL SPRING RETURN 18 IN-LB 3 FOOT CABLE 95 SEC RUNTIME BRASS TRIM MUST SPECIFY [1] VALVE SETUP
60814-R0	\$	136.44	1/2" 2-WAY CHARACTERIZED CONTROL VALVE CV 4.7 24 VAC / VDC PROPORTIONAL NON-SPRING RETURN 45 IN-LB 3 FOOT CABLE 90 SEC RUNTIME BRASS TRIM MUST SPECIFY [1] VALVE SETUP
60844-R0	\$	109.59	1/2" 2-WAY CHARACTERIZED CONTROL VALVE CV 4.7 24 VAC / VDC PROPORTIONAL NON-SPRING RETURN 18 IN-LB 3 FOOT CABLE 90 SEC RUNTIME BRASS TRIM MUST SPECIFY [1] VALVE SETUP
60855-R0	\$	196.51	1/2" 2-WAY CHARACTERIZED CONTROL VALVE CV 7.4 24 VAC / VDC PROPORTIONAL SPRING RETURN 35 IN-LB 3 FOOT CABLE 150 SEC RUNTIME STAINLESS STEEL MUST SPECIFY [1] VALVE SETUP
60892-R0	\$	160.24	1/2" 2-WAY CHARACTERIZED CONTROL VALVE CV 7.4 24 VAC / VDC PROPORTIONAL SPRING RETURN 18 IN-LB 3 FOOT CABLE 95 SEC RUNTIME STAINLESS STEEL MUST SPECIFY [1] VALVE SETUP
60863-R0	\$	136.44	1/2" 2-WAY CHARACTERIZED CONTROL VALVE CV 7.4 24 VAC / VDC PROPORTIONAL NON-SPRING RETURN 45 IN-LB 3 FOOT CABLE 90 SEC RUNTIME STAINLESS STEEL MUST SPECIFY [1] VALVE SETUP
60914-R0	\$	128.87	1/2" 2-WAY CHARACTERIZED CONTROL VALVE CV 7.4 24 VAC / VDC PROPORTIONAL NON-SPRING RETURN 18 IN-LB 3 FOOT CABLE 90 SEC RUNTIME STAINLESS STEEL MUST SPECIFY [1] VALVE SETUP
60923-R0	\$	189.35	1/2" 2-WAY CHARACTERIZED CONTROL VALVE CV 7.4 24 VAC / VDC PROPORTIONAL SPRING RETURN 35 IN-LB 3 FOOT CABLE 150 SEC RUNTIME BRASS TRIM MUST SPECIFY [1] VALVE SETUP
60938-R0	\$	154.95	1/2" 2-WAY CHARACTERIZED CONTROL VALVE CV 7.4 24 VAC / VDC PROPORTIONAL SPRING RETURN 18 IN-LB 3 FOOT CABLE 95 SEC RUNTIME BRASS TRIM MUST SPECIFY [1] VALVE SETUP
60930-R0	\$	138.70	1/2" 2-WAY CHARACTERIZED CONTROL VALVE CV 7.4 24 VAC / VDC PROPORTIONAL NON-SPRING RETURN 45 IN-LB 3 FOOT CABLE 90 SEC RUNTIME BRASS TRIM MUST SPECIFY [1] VALVE SETUP
60960-R0	\$	111.87	1/2" 2-WAY CHARACTERIZED CONTROL VALVE CV 7.4 24 VAC / VDC PROPORTIONAL NON-SPRING RETURN 18 IN-LB 3 FOOT CABLE 90 SEC RUNTIME BRASS TRIM MUST SPECIFY [1] VALVE SETUP
60971-R0	\$	197.28	1/2" 2-WAY CCV NO CHARACTERIZING DISC CV 10.0 24 VAC / VDC PROPORTIONAL SPRING RETURN 35 IN-LB 3 FOOT CABLE 150 SEC RUNTIME STAINLESS STEEL MUST SPECIFY [1] VALVE SETUP
61008-R0	\$	161.75	1/2" 2-WAY CCV NO CHARACTERIZING DISC CV 10.0 24 VAC / VDC PROPORTIONAL SPRING RETURN 18 IN-LB 3 FOOT CABLE 95 SEC RUNTIME STAINLESS STEEL MUST SPECIFY [1] VALVE SETUP
60979-R0	\$	138.70	1/2" 2-WAY CCV NO CHARACTERIZING DISC CV 10.0 24 VAC / VDC PROPORTIONAL NON-SPRING RETURN 45 IN-LB 3 FOOT CABLE 90 SEC RUNTIME STAINLESS STEEL MUST SPECIFY [1] VALVE SETUP
61030-R0	\$	129.64	1/2" 2-WAY CCV NO CHARACTERIZING DISC CV 10.0 24 VAC / VDC PROPORTIONAL NON-SPRING RETURN 18 IN-LB 3 FOOT CABLE 90 SEC RUNTIME STAINLESS STEEL MUST SPECIFY [1] VALVE SETUP
61039-R0	\$	190.10	1/2" 2-WAY CCV NO CHARACTERIZED DISC CV 10.0 24 VAC / VDC PROPORTIONAL SPRING RETURN 35 IN-LB 3 FOOT CABLE 150 SEC RUNTIME BRASS TRIM MUST SPECIFY [1] VALVE SETUP
61054-R0	\$	155.70	1/2" 2-WAY CCV NO CHARACTERIZED DISC CV 10.0 24 VAC / VDC PROPORTIONAL SPRING RETURN 18 IN-LB 3 FOOT CABLE 95 SEC RUNTIME BRASS TRIM MUST SPECIFY [1] VALVE SETUP
61046-R0	\$	139.45	1/2" 2-WAY CCV NO CHARACTERIZED DISC CV 10.0 24 VAC / VDC PROPORTIONAL NON-SPRING RETURN 45 IN-LB 3 FOOT CABLE 90 SEC RUNTIME BRASS TRIM MUST SPECIFY [1] VALVE SETUP
61076-R0	\$	112.62	1/2" 2-WAY CCV NO CHARACTERIZED DISC CV 10.0 24 VAC / VDC PROPORTIONAL NON-SPRING RETURN 18 IN-LB 3 FOOT CABLE 90 SEC RUNTIME BRASS TRIM MUST SPECIFY [1] VALVE SETUP

44625-R0	\$	49.53	DUCT AVERAGING 12 FT COPPER TUBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
			3/4" 2-WAY CHARACTERIZED CONTROL VALVE CV 4.7 24 VAC / VDC PROPORTIONAL SPRING RETURN 35 IN-LB 3 FOOT CABLE 150 SEC RUNTIME STAINLESS STEEL MUST SPECIFY [1]
61087-R0	\$	209.37	VALVE SETUP
			3/4" 2-WAY CHARACTERIZED CONTROL VALVE CV 4.7 24 VAC / VDC PROPORTIONAL SPRING RETURN 18 IN-LB 3 FOOT CABLE 95 SEC RUNTIME STAINLESS STEEL MUST SPECIFY [1]
61124-R0	\$	175.73	VALVE SETUP
			3/4" 2-WAY CHARACTERIZED CONTROL VALVE CV 4.7 24 VAC / VDC PROPORTIONAL NON-SPRING RETURN 45 IN-LB 3 FOOT CABLE 90 SEC RUNTIME STAINLESS STEEL MUST SPECIFY [1]
61095-R0	\$	142.09	VALVE SETUP
			3/4" 2-WAY CHARACTERIZED CONTROL VALVE CV 4.7 24 VAC / VDC PROPORTIONAL NON-SPRING RETURN 18 IN-LB 3 FOOT CABLE 90 SEC RUNTIME STAINLESS STEEL MUST SPECIFY [1]
61146-R0	\$	135.68	VALVE SETUP
			3/4" 2-WAY CHARACTERIZED CONTROL VALVE CV 4.7 24 VAC / VDC PROPORTIONAL SPRING RETURN 35 IN-LB 3 FOOT CABLE 150 SEC RUNTIME BRASS TRIM MUST SPECIFY [1] VALVE
61155-R0	\$	204.83	SETUP
			3/4" 2-WAY CHARACTERIZED CONTROL VALVE CV 4.7 24 VAC / VDC PROPORTIONAL SPRING RETURN 18 IN-LB 3 FOOT CABLE 95 SEC RUNTIME BRASS TRIM MUST SPECIFY [1] VALVE
61170-R0	\$	170.44	SETUP
			3/4" 2-WAY CHARACTERIZED CONTROL VALVE CV 4.7 24 VAC / VDC PROPORTIONAL NON-SPRING RETURN 45 IN-LB 3 FOOT CABLE 90 SEC RUNTIME BRASS TRIM MUST SPECIFY [1]
61162-R0	\$	145.12	VALVE SETUP
			3/4" 2-WAY CHARACTERIZED CONTROL VALVE CV 4.7 24 VAC / VDC PROPORTIONAL NON-SPRING RETURN 18 IN-LB 3 FOOT CABLE 90 SEC RUNTIME BRASS TRIM MUST SPECIFY [1]
61192-R0	\$	119.05	VALVE SETUP
			3/4" 2-WAY CHARACTERIZED CONTROL VALVE CV 7.4 24 VAC / VDC PROPORTIONAL SPRING RETURN 35 IN-LB 3 FOOT CABLE 150 SEC RUNTIME STAINLESS STEEL MUST SPECIFY [1]
61203-R0	\$	210.12	VALVE SETUP
			3/4" 2-WAY CHARACTERIZED CONTROL VALVE CV 7.4 24 VAC / VDC PROPORTIONAL SPRING RETURN 18 IN-LB 3 FOOT CABLE 95 SEC RUNTIME STAINLESS STEEL MUST SPECIFY [1]
61240-R0	\$	176.49	VALVE SETUP
			3/4" 2-WAY CHARACTERIZED CONTROL VALVE CV 7.4 24 VAC / VDC PROPORTIONAL NON-SPRING RETURN 45 IN-LB 3 FOOT CABLE 90 SEC RUNTIME STAINLESS STEEL MUST SPECIFY [1]
61211-R0	\$	142.84	VALVE SETUP
			3/4" 2-WAY CHARACTERIZED CONTROL VALVE CV 7.4 24 VAC / VDC PROPORTIONAL NON-SPRING RETURN 18 IN-LB 3 FOOT CABLE 90 SEC RUNTIME STAINLESS STEEL MUST SPECIFY [1]
61262-R0	\$	136.44	VALVE SETUP
			3/4" 2-WAY CHARACTERIZED CONTROL VALVE CV 7.4 24 VAC / VDC PROPORTIONAL SPRING RETURN 35 IN-LB 3 FOOT CABLE 150 SEC RUNTIME BRASS TRIM MUST SPECIFY [1] VALVE
61271-R0	\$	205.58	SETUP
			3/4" 2-WAY CHARACTERIZED CONTROL VALVE CV 7.4 24 VAC / VDC PROPORTIONAL SPRING RETURN 18 IN-LB 3 FOOT CABLE 95 SEC RUNTIME BRASS TRIM MUST SPECIFY [1] VALVE
61286-R0	\$	171.20	SETUP
			3/4" 2-WAY CHARACTERIZED CONTROL VALVE CV 7.4 24 VAC / VDC PROPORTIONAL NON-SPRING RETURN 45 IN-LB 3 FOOT CABLE 90 SEC RUNTIME BRASS TRIM MUST SPECIFY [1]
61278-R0	\$	146.63	VALVE SETUP
			3/4" 2-WAY CHARACTERIZED CONTROL VALVE CV 7.4 24 VAC / VDC PROPORTIONAL NON-SPRING RETURN 18 IN-LB 3 FOOT CABLE 90 SEC RUNTIME BRASS TRIM MUST SPECIFY [1]
61308-R0	\$	120.56	VALVE SETUP
			3/4" 2-WAY CHARACTERIZED CONTROL VALVE CV 10.0 24 VAC / VDC PROPORTIONAL SPRING RETURN 35 IN-LB 3 FOOT CABLE 150 SEC RUNTIME STAINLESS STEEL MUST SPECIFY [1]
61319-R0	\$	210.87	VALVE SETUP
			3/4" 2-WAY CHARACTERIZED CONTROL VALVE CV 10.0 24 VAC / VDC PROPORTIONAL SPRING RETURN 18 IN-LB 3 FOOT CABLE 95 SEC RUNTIME STAINLESS STEEL MUST SPECIFY [1]
61356-R0	\$	177.24	VALVE SETUP
			3/4" 2-WAY CHARACTERIZED CONTROL VALVE CV 10.0 24 VAC / VDC PROPORTIONAL NON-SPRING RETURN 45 IN-LB 3 FOOT CABLE 90 SEC RUNTIME STAINLESS STEEL MUST SPECIFY
61327-R0	\$	143.61	[1] VALVE SETUP
			3/4" 2-WAY CHARACTERIZED CONTROL VALVE CV 10.0 24 VAC / VDC PROPORTIONAL NON-SPRING RETURN 18 IN-LB 3 FOOT CABLE 90 SEC RUNTIME STAINLESS STEEL MUST SPECIFY
61378-R0	\$	138.70	[1] VALVE SETUP
			3/4" 2-WAY CHARACTERIZED CONTROL VALVE CV 10.0 24 VAC / VDC PROPORTIONAL SPRING RETURN 35 IN-LB 3 FOOT CABLE 150 SEC RUNTIME BRASS TRIM MUST SPECIFY [1] VALVE
61387-R0	\$	206.34	SETUP
			3/4" 2-WAY CHARACTERIZED CONTROL VALVE CV 10.0 24 VAC / VDC PROPORTIONAL SPRING RETURN 18 IN-LB 3 FOOT CABLE 95 SEC RUNTIME BRASS TRIM MUST SPECIFY [1] VALVE
61402-R0	\$	171.95	SETUP
			3/4" 2-WAY CHARACTERIZED CONTROL VALVE CV 10.0 24 VAC / VDC PROPORTIONAL NON-SPRING RETURN 45 IN-LB 3 FOOT CABLE 90 SEC RUNTIME BRASS TRIM MUST SPECIFY [1]
61394-R0	\$	147.38	VALVE SETUP
			3/4" 2-WAY CHARACTERIZED CONTROL VALVE CV 10.0 24 VAC / VDC PROPORTIONAL NON-SPRING RETURN 18 IN-LB 3 FOOT CABLE 90 SEC RUNTIME BRASS TRIM MUST SPECIFY [1]
61424-R0	\$	122.07	VALVE SETUP
			3/4" 2-WAY CCV NO CHARACTERIZED DISC CV 24.0 24 VAC / VDC PROPORTIONAL SPRING RETURN 35 IN-LB 3 FOOT CABLE 150 SEC RUNTIME STAINLESS STEEL MUST SPECIFY [1]
61435-R0	\$	211.63	VALVE SETUP
			3/4" 2-WAY CCV NO CHARACTERIZED DISC CV 24.0 24 VAC / VDC PROPORTIONAL SPRING RETURN 18 IN-LB 3 FOOT CABLE 95 SEC RUNTIME STAINLESS STEEL MUST SPECIFY [1]
61472-R0	\$	178.01	VALVE SETUP
			3/4" 2-WAY CCV NO CHARACTERIZED DISC CV 24.0 24 VAC / VDC PROPORTIONAL NON-SPRING RETURN 45 IN-LB 3 FOOT CABLE 90 SEC RUNTIME STAINLESS STEEL MUST SPECIFY [1]
61443-R0	\$	144.37	VALVE SETUP

44625-R0	\$	49.53	DUCT AVERAGING 12 FT COPPER TUBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
61503-R0	\$	207.09	3/4" 2-WAY CCV NO CHARACTERIZED DISC CV 24.0 24 VAC / VDC PROPORTIONAL SPRING RETURN 35 IN-LB 3 FOOT CABLE 150 SEC RUNTIME BRASS TRIM MUST SPECIFY [1] VALVE SETUP
61510-R0	\$	148.14	3/4" 2-WAY CCV NO CHARACTERIZED DISC CV 24.0 24 VAC / VDC PROPORTIONAL NON-SPRING RETURN 45 IN-LB 3 FOOT CABLE 90 SEC RUNTIME BRASS TRIM MUST SPECIFY [1] VALVE SETUP
61551-R0	\$	213.14	1" 2-WAY CHARACTERIZED CONTROL VALVE CV 7.4 24 VAC / VDC PROPORTIONAL SPRING RETURN 35 IN-LB 3 FOOT CABLE 150 SEC RUNTIME STAINLESS STEEL TRIM MUST SPECIFY [1] VALVE SETUP
61559-R0	\$	148.90	1" 2-WAY CHARACTERIZED CONTROL VALVE CV 7.4 24 VAC / VDC PROPORTIONAL NON-SPRING RETURN 45 IN-LB 3 FOOT CABLE 90 SEC RUNTIME STAINLESS STEEL TRIM MUST SPECIFY [1] VALVE SETUP
61588-R0	\$	216.92	1" 2-WAY CHARACTERIZED CONTROL VALVE CV 10.0 24 VAC / VDC PROPORTIONAL SPRING RETURN 35 IN-LB 3 FOOT CABLE 150 SEC RUNTIME STAINLESS STEEL TRIM MUST SPECIFY [1] VALVE SETUP
61596-R0	\$	149.66	1" 2-WAY CHARACTERIZED CONTROL VALVE CV 10.0 24 VAC / VDC PROPORTIONAL NON-SPRING RETURN 45 IN-LB 3 FOOT CABLE 90 SEC RUNTIME STAINLESS STEEL TRIM MUST SPECIFY [1] VALVE SETUP
61625-R0	\$	219.57	1" 2-WAY CHARACTERIZED CONTROL VALVE CV 19.0 24 VAC / VDC PROPORTIONAL SPRING RETURN 35 IN-LB 3 FOOT CABLE 150 SEC RUNTIME STAINLESS STEEL TRIM MUST SPECIFY [1] VALVE SETUP
61633-R0	\$	151.16	1" 2-WAY CHARACTERIZED CONTROL VALVE CV 19.0 24 VAC / VDC PROPORTIONAL NON-SPRING RETURN 45 IN-LB 3 FOOT CABLE 90 SEC RUNTIME STAINLESS STEEL TRIM MUST SPECIFY [1] VALVE SETUP
61662-R0	\$	222.60	1" 2-WAY CCV NO CHARACTERIZED DISC CV 30.0 24 VAC / VDC PROPORTIONAL SPRING RETURN 35 IN-LB 3 FOOT CABLE 150 SEC RUNTIME STAINLESS STEEL TRIM MUST SPECIFY [1] VALVE SETUP
61670-R0	\$	151.92	1" 2-WAY CCV NO CHARACTERIZED DISC CV 30.0 24 VAC / VDC PROPORTIONAL NON-SPRING RETURN 45 IN-LB 3 FOOT CABLE 90 SEC RUNTIME STAINLESS STEEL TRIM MUST SPECIFY [1] VALVE SETUP
61699-R0	\$	227.89	1 1/4" 2-WAY CHARACTERIZED CONTROL VALVE CV 10.0 24 VAC / VDC PROPORTIONAL SPRING RETURN 35 IN-LB 3 FOOT CABLE 150 SEC RUNTIME STAINLESS STEEL TRIM MUST SPECIFY [1] VALVE SETUP
61707-R0	\$	163.25	1 1/4" 2-WAY CHARACTERIZED CONTROL VALVE CV 10.0 24 VAC / VDC PROPORTIONAL NON-SPRING RETURN 45 IN-LB 3 FOOT CABLE 90 SEC RUNTIME STAINLESS STEEL TRIM MUST SPECIFY [1] VALVE SETUP
61736-R0	\$	228.64	1 1/4" 2-WAY CCV NO CHARACTERIZED DISC CV 19.0 24 VAC / VDC PROPORTIONAL SPRING RETURN 35 IN-LB 3 FOOT CABLE 150 SEC RUNTIME STAINLESS STEEL TRIM MUST SPECIFY [1] VALVE SETUP
61744-R0	\$	164.78	1 1/4" 2-WAY CCV NO CHARACTERIZED DISC CV 19.0 24 VAC / VDC PROPORTIONAL NON-SPRING RETURN 45 IN-LB 3 FOOT CABLE 90 SEC RUNTIME STAINLESS STEEL TRIM MUST SPECIFY [1] VALVE SETUP
61770-R0	\$	263.78	1 1/4" 2-WAY CHARACTERIZED CONTROL VALVE CV 25.0 24 VAC / VDC PROPORTIONAL SPRING RETURN 133 IN-LB 2 X SPDT7A @ 250 VAC 3 FOOT CABLE 150 SEC RUNTIME STAINLESS STEEL TRIM MUST SPECIFY [1] VALVE SETUP
61781-R0	\$	204.83	1 1/4" 2-WAY CHARACTERIZED CONTROL VALVE CV 25.0 24 VAC / VDC PROPORTIONAL NON-SPRING RETURN 180 IN-LB 3 FOOT CABLE 90 SEC RUNTIME STAINLESS STEEL TRIM MUST SPECIFY [1] VALVE SETUP
61811-R0	\$	264.54	1 1/4" 2-WAY CCV NO CHARACTERIZED DISC CV 37.0 24 VAC / VDC PROPORTIONAL SPRING RETURN 133 IN-LB 2 X SPDT7A @ 250 VAC 3 FOOT CABLE 150 SEC RUNTIME STAINLESS STEEL TRIM MUST SPECIFY [1] VALVE SETUP
61822-R0	\$	206.34	1 1/4" 2-WAY CCV NO CHARACTERIZED DISC CV 37.0 24 VAC / VDC PROPORTIONAL NON-SPRING RETURN 180 IN-LB 3 FOOT CABLE 90 SEC RUNTIME STAINLESS STEEL TRIM MUST SPECIFY [1] VALVE SETUP
61852-R0	\$	266.80	1 1/2" 2-WAY CHARACTERIZED CONTROL VALVE CV 19.0 24 VAC / VDC PROPORTIONAL SPRING RETURN 133 IN-LB 2 X SPDT7A @ 250 VAC 3 FOOT CABLE 150 SEC RUNTIME STAINLESS STEEL TRIM MUST SPECIFY [1] VALVE SETUP
61863-R0	\$	209.37	1 1/2" 2-WAY CHARACTERIZED CONTROL VALVE CV 19.0 24 VAC / VDC PROPORTIONAL NON-SPRING RETURN 180 IN-LB 3 FOOT CABLE 90 SEC RUNTIME STAINLESS STEEL TRIM MUST SPECIFY [1] VALVE SETUP
61893-R0	\$	268.70	1 1/2" 2-WAY CHARACTERIZED CONTROL VALVE CV 29.0 24 VAC / VDC PROPORTIONAL SPRING RETURN 133 IN-LB 2 X SPDT7A @ 250 VAC 3 FOOT CABLE 150 SEC RUNTIME STAINLESS STEEL TRIM MUST SPECIFY [1] VALVE SETUP
61904-R0	\$	210.12	1 1/2" 2-WAY CHARACTERIZED CONTROL VALVE CV 29.0 24 VAC / VDC PROPORTIONAL NON-SPRING RETURN 180 IN-LB 3 FOOT CABLE 90 SEC RUNTIME STAINLESS STEEL TRIM MUST SPECIFY [1] VALVE SETUP
61934-R0	\$	270.22	1 1/2" 2-WAY CCV NO CHARACTERIZED DISC CV 37.0 24 VAC / VDC PROPORTIONAL SPRING RETURN 133 IN-LB 2 X SPDT7A @ 250 VAC 3 FOOT CABLE 150 SEC RUNTIME STAINLESS STEEL TRIM MUST SPECIFY [1] VALVE SETUP
61945-R0	\$	210.87	1 1/2" 2-WAY CCV NO CHARACTERIZED DISC CV 37.0 24 VAC / VDC PROPORTIONAL NON-SPRING RETURN 180 IN-LB 3 FOOT CABLE 90 SEC RUNTIME STAINLESS STEEL TRIM MUST SPECIFY [1] VALVE SETUP
61975-R0	\$	359.78	2" 2-WAY CHARACTERIZED CONTROL VALVE CV 29.0 24 VAC / VDC PROPORTIONAL SPRING RETURN 133 IN-LB 2 X SPDT7A @ 250 VAC 3 FOOT CABLE 150 SEC RUNTIME STAINLESS STEEL TRIM MUST SPECIFY [1] VALVE SETUP
61986-R0	\$	253.96	2" 2-WAY CHARACTERIZED CONTROL VALVE CV 29.0 24 VAC / VDC PROPORTIONAL NON-SPRING RETURN 180 IN-LB 3 FOOT CABLE 90 SEC RUNTIME STAINLESS STEEL TRIM MUST SPECIFY [1] VALVE SETUP
62016-R0	\$	362.04	2" 2-WAY CHARACTERIZED CONTROL VALVE CV 46.0 24 VAC / VDC PROPORTIONAL SPRING RETURN 133 IN-LB 2 X SPDT7A @ 250 VAC 3 FOOT CABLE 150 SEC RUNTIME STAINLESS STEEL TRIM MUST SPECIFY [1] VALVE SETUP

44625-R0	\$	49.53	DUCT AVERAGING 12 FT COPPER TUBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
54754-R0	\$	186.32	1/2" 3-WAY CCV CV 4.7 24 VAC / VDC PROPORTIONAL SPRING RETURN 18 IN-LB 3 FT. CABLE FEMALE NPT 95 SEC RUNTIME STAINLESS STEEL TRIM MUST SPECIFY [1] VALVE SETUP
54730-R0	\$	161.75	1/2" 3-WAY CCV CV 4.7 24 VAC / VDC PROPORTIONAL NON-SPRING RETURN 3 FT. CABLE FEMALE NPT 90 SEC RUNTIME STAINLESS STEEL TRIM MUST SPECIFY [1] VALVE SETUP
54776-R0	\$	150.41	1/2" 3-WAY CCV CV 4.7 24 VAC / VDC PROPORTIONAL NON-SPRING RETURN 3 FT. CABLE FEMALE NPT 90 SEC RUNTIME STAINLESS STEEL TRIM MUST SPECIFY [1] VALVE SETUP
54786-R0	\$	218.82	1/2" 3-WAY CCV CV 4.7 24 VAC / VDC PROPORTIONAL SPRING RETURN 35 IN-LB 3 FT. CABLE FEMALE NPT 150 SEC RUNTIME BRASS TRIM MUST SPECIFY [1] VALVE SETUP
54801-R0	\$	181.03	1/2" 3-WAY CCV CV 4.7 24 VAC / VDC PROPORTIONAL SPRING RETURN 18 IN-LB 3 FT. CABLE FEMALE NPT 95 SEC RUNTIME BRASS TRIM MUST SPECIFY [1] VALVE SETUP
54793-R0	\$	150.41	1/2" 3-WAY CCV CV 4.7 24 VAC / VDC PROPORTIONAL NON-SPRING RETURN 3 FT. CABLE FEMALE NPT 90 SEC RUNTIME BRASS TRIM MUST SPECIFY [1] VALVE SETUP
54823-R0	\$	134.16	1/2" 3-WAY CCV CV 4.7 24 VAC / VDC PROPORTIONAL NON-SPRING RETURN 3 FT. CABLE FEMALE NPT 90 SEC RUNTIME BRASS TRIM MUST SPECIFY [1] VALVE SETUP
54836-R0	\$	230.15	1/2" 3-WAY CCV NO CHARACTERIZING DISC CV 10.0 24 VAC / VDC PROPORTIONAL SPRING RETURN 35 IN-LB 3 FT. CABLE FEMALE NPT 150 SEC RUNTIME STAINLESS STEEL TRIM MUST SPECIFY [1] VALVE SETUP
			1/2" 3-WAY CCV NO CHARACTERIZING DISC CV 10.0 24 VAC / VDC PROPORTIONAL SPRING RETURN 18 IN-LB 3 FT. CABLE FEMALE NPT 95 SEC RUNTIME STAINLESS STEEL TRIM MUST SPECIFY [1] VALVE SETUP
54868-R0	\$	187.07	1/2" 3-WAY CCV NO CHARACTERIZING DISC CV 10.0 24 VAC / VDC PROPORTIONAL NON-SPRING RETURN 3 FT. CABLE FEMALE NPT 90 SEC RUNTIME STAINLESS STEEL TRIM MUST SPECIFY [1] VALVE SETUP
54844-R0	\$	163.25	1/2" 3-WAY CCV NO CHARACTERIZING DISC CV 10.0 24 VAC / VDC PROPORTIONAL NON-SPRING RETURN 3 FT. CABLE FEMALE NPT 90 SEC RUNTIME STAINLESS STEEL TRIM MUST SPECIFY [1] VALVE SETUP
			1/2" 3-WAY CCV NO CHARACTERIZING DISC CV 10.0 24 VAC / VDC PROPORTIONAL NON-SPRING RETURN 3 FT. CABLE FEMALE NPT 90 SEC RUNTIME STAINLESS STEEL TRIM MUST SPECIFY [1] VALVE SETUP
54890-R0	\$	151.16	1/2" 3-WAY CCV NO CHARACTERIZING DISC CV 10.0 24 VAC / VDC PROPORTIONAL SPRING RETURN 35 IN-LB 3 FT. CABLE FEMALE NPT 150 SEC RUNTIME BRASS TRIM MUST SPECIFY [1] VALVE SETUP
54900-R0	\$	219.57	1/2" 3-WAY CCV NO CHARACTERIZING DISC CV 10.0 24 VAC / VDC PROPORTIONAL SPRING RETURN 18 IN-LB 3 FT. CABLE FEMALE NPT 95 SEC RUNTIME BRASS TRIM MUST SPECIFY [1] VALVE SETUP
			1/2" 3-WAY CCV NO CHARACTERIZING DISC CV 10.0 24 VAC / VDC PROPORTIONAL SPRING RETURN 35 IN-LB 3 FT. CABLE FEMALE NPT 150 SEC RUNTIME BRASS TRIM MUST SPECIFY [1] VALVE SETUP
54915-R0	\$	181.78	1/2" 3-WAY CCV NO CHARACTERIZING DISC CV 10.0 24 VAC / VDC PROPORTIONAL NON-SPRING RETURN 3 FT. CABLE FEMALE NPT 90 SEC RUNTIME BRASS TRIM MUST SPECIFY [1] VALVE SETUP
54907-R0	\$	151.16	1/2" 3-WAY CCV NO CHARACTERIZING DISC CV 10.0 24 VAC / VDC PROPORTIONAL NON-SPRING RETURN 3 FT. CABLE FEMALE NPT 90 SEC RUNTIME BRASS TRIM MUST SPECIFY [1] VALVE SETUP
			1/2" 3-WAY CCV NO CHARACTERIZING DISC CV 10.0 24 VAC / VDC PROPORTIONAL NON-SPRING RETURN 3 FT. CABLE FEMALE NPT 90 SEC RUNTIME BRASS TRIM MUST SPECIFY [1] VALVE SETUP
54937-R0	\$	134.93	3/4" 3-WAY CCV CV 4.7 24 VAC / VDC PROPORTIONAL SPRING RETURN 35 IN-LB 3 FT. CABLE FEMALE NPT 150 SEC RUNTIME STAINLESS STEEL TRIM MUST SPECIFY [1] VALVE SETUP
54950-R0	\$	236.20	3/4" 3-WAY CCV CV 4.7 24 VAC / VDC PROPORTIONAL SPRING RETURN 18 IN-LB 3 FT. CABLE FEMALE NPT 95 SEC RUNTIME STAINLESS STEEL TRIM MUST SPECIFY [1] VALVE SETUP
54982-R0	\$	201.80	3/4" 3-WAY CCV CV 4.7 24 VAC / VDC PROPORTIONAL NON-SPRING RETURN 3 FT. CABLE FEMALE NPT 90 SEC RUNTIME STAINLESS STEEL TRIM MUST SPECIFY [1] VALVE SETUP
54958-R0	\$	174.98	3/4" 3-WAY CCV CV 4.7 24 VAC / VDC PROPORTIONAL SPRING RETURN 35 IN-LB 3 FT. CABLE FEMALE NPT 150 SEC RUNTIME BRASS TRIM MUST SPECIFY [1] VALVE SETUP
55004-R0	\$	169.69	3/4" 3-WAY CCV CV 4.7 24 VAC / VDC PROPORTIONAL NON-SPRING RETURN 3 FT. CABLE FEMALE NPT 90 SEC RUNTIME STAINLESS STEEL TRIM MUST SPECIFY [1] VALVE SETUP
55014-R0	\$	231.66	3/4" 3-WAY CCV CV 4.7 24 VAC / VDC PROPORTIONAL SPRING RETURN 18 IN-LB 3 FT. CABLE FEMALE NPT 95 SEC RUNTIME BRASS TRIM MUST SPECIFY [1] VALVE SETUP
55029-R0	\$	194.25	3/4" 3-WAY CCV CV 4.7 24 VAC / VDC PROPORTIONAL NON-SPRING RETURN 3 FT. CABLE FEMALE NPT 90 SEC RUNTIME BRASS TRIM MUST SPECIFY [1] VALVE SETUP
55021-R0	\$	158.72	3/4" 3-WAY CCV CV 4.7 24 VAC / VDC PROPORTIONAL SPRING RETURN 35 IN-LB 3 FT. CABLE FEMALE NPT 150 SEC RUNTIME BRASS TRIM MUST SPECIFY [1] VALVE SETUP
55051-R0	\$	142.09	3/4" 3-WAY CCV NO CHARACTERIZING DISC CV 24.0 24 VAC / VDC PROPORTIONAL SPRING RETURN 35 IN-LB 3 FT. CABLE FEMALE NPT 150 SEC RUNTIME STAINLESS STEEL TRIM MUST SPECIFY [1] VALVE SETUP
55064-R0	\$	226.38	3/4" 3-WAY CCV CV 7.4 24 VAC / VDC PROPORTIONAL SPRING RETURN 18 IN-LB 3 FT. CABLE FEMALE NPT 95 SEC RUNTIME BRASS TRIM MUST SPECIFY [1] VALVE SETUP
55096-R0	\$	203.32	3/4" 3-WAY CCV CV 7.4 24 VAC / VDC PROPORTIONAL NON-SPRING RETURN 3 FT. CABLE FEMALE NPT 90 SEC RUNTIME STAINLESS STEEL TRIM MUST SPECIFY [1] VALVE SETUP
55072-R0	\$	175.73	3/4" 3-WAY CCV CV 7.4 24 VAC / VDC PROPORTIONAL SPRING RETURN 35 IN-LB 3 FT. CABLE FEMALE NPT 150 SEC RUNTIME BRASS TRIM MUST SPECIFY [1] VALVE SETUP
55118-R0	\$	170.44	3/4" 3-WAY CCV CV 7.4 24 VAC / VDC PROPORTIONAL NON-SPRING RETURN 3 FT. CABLE FEMALE NPT 90 SEC RUNTIME STAINLESS STEEL TRIM MUST SPECIFY [1] VALVE SETUP
55128-R0	\$	232.43	3/4" 3-WAY CCV CV 7.4 24 VAC / VDC PROPORTIONAL SPRING RETURN 18 IN-LB 3 FT. CABLE FEMALE NPT 95 SEC RUNTIME BRASS TRIM MUST SPECIFY [1] VALVE SETUP
55143-R0	\$	195.00	3/4" 3-WAY CCV CV 7.4 24 VAC / VDC PROPORTIONAL NON-SPRING RETURN 3 FT. CABLE FEMALE NPT 90 SEC RUNTIME BRASS TRIM MUST SPECIFY [1] VALVE SETUP
55135-R0	\$	159.48	3/4" 3-WAY CCV CV 7.4 24 VAC / VDC PROPORTIONAL SPRING RETURN 35 IN-LB 3 FT. CABLE FEMALE NPT 150 SEC RUNTIME BRASS TRIM MUST SPECIFY [1] VALVE SETUP
55165-R0	\$	142.84	3/4" 3-WAY CCV NO CHARACTERIZING DISC CV 24.0 24 VAC / VDC PROPORTIONAL SPRING RETURN 35 IN-LB 3 FT. CABLE FEMALE NPT 150 SEC RUNTIME STAINLESS STEEL TRIM MUST SPECIFY [1] VALVE SETUP
55178-R0	\$	227.14	3/4" 3-WAY CCV NO CHARACTERIZING DISC CV 24.0 24 VAC / VDC PROPORTIONAL SPRING RETURN 35 IN-LB 3 FT. CABLE FEMALE NPT 150 SEC RUNTIME STAINLESS STEEL TRIM MUST SPECIFY [1] VALVE SETUP

44625-R0	\$	49.53	DUCT AVERAGING 12 FT COPPER TUBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
55186-R0	\$	177.24	3/4" 3-WAY CCV NO CHARACTERIZING DISC CV 24.0 24 VAC / VDC PROPORTIONAL NON-SPRING RETURN 3 FT. CABLE FEMALE NPT 90 SEC RUNTIME STAINLESS STEEL TRIM MUST SPECIFY [1] VALVE SETUP
55242-R0	\$	233.94	3/4" 3-WAY CCV NO CHARACTERIZING DISC CV 24.0 24 VAC / VDC PROPORTIONAL SPRING RETURN 35 IN-LB 3 FT. CABLE FEMALE NPT 150 SEC RUNTIME BRASS TRIM MUST SPECIFY [1] VALVE SETUP
55249-R0	\$	160.24	3/4" 3-WAY CCV NO CHARACTERIZING DISC CV 24.0 24 VAC / VDC PROPORTIONAL NON-SPRING RETURN 3 FT. CABLE FEMALE NPT 90 SEC RUNTIME BRASS TRIM MUST SPECIFY [1] VALVE SETUP
55292-R0	\$	247.16	1" 3-WAY CCV CV 7.4 24 VAC / VDC PROPORTIONAL SPRING RETURN 35 IN-LB 3 FT. CABLE FEMALE NPT 150 SEC RUNTIME STAINLESS STEEL TRIM MUST SPECIFY [1] VALVE SETUP
55300-R0	\$	198.78	1" 3-WAY CCV CV 7.4 24 VAC / VDC PROPORTIONAL NON-SPRING RETURN 3 FT. CABLE FEMALE NPT 90 SEC RUNTIME STAINLESS STEEL TRIM MUST SPECIFY [1] VALVE SETUP
55326-R0	\$	247.91	1" 3-WAY CCV CV 10.0 24 VAC / VDC PROPORTIONAL SPRING RETURN 35 IN-LB 3 FT. CABLE FEMALE NPT 150 SEC RUNTIME STAINLESS STEEL TRIM MUST SPECIFY [1] VALVE SETUP
55334-R0	\$	199.54	1" 3-WAY CCV CV 10.0 24 VAC / VDC PROPORTIONAL NON-SPRING RETURN 3 FT. CABLE FEMALE NPT 90 SEC RUNTIME STAINLESS STEEL TRIM MUST SPECIFY [1] VALVE SETUP
55360-R0	\$	248.66	1" 3-WAY CCV NO CHARACTERIZING DISC CV 30.0 24 VAC / VDC PROPORTIONAL SPRING RETURN 35 IN-LB 3 FT. CABLE FEMALE NPT 150 SEC RUNTIME STAINLESS STEEL TRIM MUST SPECIFY [1] VALVE SETUP
55368-R0	\$	201.80	1" 3-WAY CCV NO CHARACTERIZING DISC CV 30.0 24 VAC / VDC PROPORTIONAL NON-SPRING RETURN 3 FT. CABLE FEMALE NPT 90 SEC RUNTIME STAINLESS STEEL TRIM MUST SPECIFY [1] VALVE SETUP
55389-R0	\$	289.86	1 1/4" 3-WAY CCV CV 10.0 24 VAC / VDC PROPORTIONAL SPRING RETURN 133 IN-LB 3 FT. CABLE FEMALE NPT 150 SEC RUNTIME STAINLESS STEEL TRIM MUST SPECIFY [1] VALVE SETUP
55401-R0	\$	211.63	1 1/4" 3-WAY CCV CV 10.0 24 VAC / VDC PROPORTIONAL NON-SPRING RETURN 3 FT. CABLE FEMALE NPT 90 SEC RUNTIME STAINLESS STEEL TRIM MUST SPECIFY [1] VALVE SETUP
55419-R0	\$	291.38	1 1/4" 3-WAY CCV CV 19.0 24 VAC / VDC PROPORTIONAL SPRING RETURN 133 IN-LB 3 FT. CABLE FEMALE NPT 150 SEC RUNTIME STAINLESS STEEL TRIM MUST SPECIFY [1] VALVE SETUP
55431-R0	\$	213.14	1 1/4" 3-WAY CCV CV 19.0 24 VAC / VDC PROPORTIONAL NON-SPRING RETURN 3 FT. CABLE FEMALE NPT 90 SEC RUNTIME STAINLESS STEEL TRIM MUST SPECIFY [1] VALVE SETUP
55449-R0	\$	349.95	1 1/4" 3-WAY CCV CV 25.0 24 VAC / VDC PROPORTIONAL SPRING RETURN 133 IN-LB 3 FT. CABLE FEMALE NPT 150 SEC RUNTIME STAINLESS STEEL TRIM MUST SPECIFY [1] VALVE SETUP
55461-R0	\$	279.28	1 1/4" 3-WAY CCV CV 25.0 24 VAC / VDC PROPORTIONAL NON-SPRING RETURN 3 FT. CABLE FEMALE NPT 90 SEC RUNTIME STAINLESS STEEL TRIM MUST SPECIFY [1] VALVE SETUP
55480-R0	\$	355.24	1 1/2" 3-WAY CCV CV 19.0 24 VAC / VDC PROPORTIONAL SPRING RETURN 133 IN-LB 3 FT. CABLE FEMALE NPT 150 SEC RUNTIME STAINLESS STEEL TRIM MUST SPECIFY [1] VALVE SETUP
55492-R0	\$	284.57	1 1/2" 3-WAY CCV CV 19.0 24 VAC / VDC PROPORTIONAL NON-SPRING RETURN 3 FT. CABLE FEMALE NPT 90 SEC RUNTIME STAINLESS STEEL TRIM MUST SPECIFY [1] VALVE SETUP
55510-R0	\$	362.04	1 1/2" 3-WAY CCV CV 29.0 24 VAC / VDC PROPORTIONAL SPRING RETURN 133 IN-LB 3 FT. CABLE FEMALE NPT 150 SEC RUNTIME STAINLESS STEEL TRIM MUST SPECIFY [1] VALVE SETUP
55522-R0	\$	286.09	1 1/2" 3-WAY CCV CV 29.0 24 VAC / VDC PROPORTIONAL NON-SPRING RETURN 3 FT. CABLE FEMALE NPT 90 SEC RUNTIME STAINLESS STEEL TRIM MUST SPECIFY [1] VALVE SETUP
55540-R0	\$	363.55	1 1/2" 3-WAY CCV CV 37.0 24 VAC / VDC PROPORTIONAL SPRING RETURN 133 IN-LB 3 FT. CABLE FEMALE NPT 150 SEC RUNTIME STAINLESS STEEL TRIM MUST SPECIFY [1] VALVE SETUP
55552-R0	\$	287.60	1 1/2" 3-WAY CCV CV 37.0 24 VAC / VDC PROPORTIONAL NON-SPRING RETURN 3 FT. CABLE FEMALE NPT 90 SEC RUNTIME STAINLESS STEEL TRIM MUST SPECIFY [1] VALVE SETUP
55570-R0	\$	426.67	1 1/2" 3-WAY CCV CV 46.0 24 VAC / VDC PROPORTIONAL SPRING RETURN 133 IN-LB 3 FT. CABLE FEMALE NPT 150 SEC RUNTIME STAINLESS STEEL TRIM MUST SPECIFY [1] VALVE SETUP
55582-R0	\$	289.11	1 1/2" 3-WAY CCV CV 46.0 24 VAC / VDC PROPORTIONAL NON-SPRING RETURN 3 FT. CABLE FEMALE NPT 90 SEC RUNTIME STAINLESS STEEL TRIM MUST SPECIFY [1] VALVE SETUP
55598-R0	\$	484.11	2" 3-WAY CCV CV 29.0 24 VAC / VDC PROPORTIONAL SPRING RETURN 133 IN-LB 3 FT. CABLE FEMALE NPT 150 SEC RUNTIME STAINLESS STEEL TRIM MUST SPECIFY [1] VALVE SETUP
55610-R0	\$	355.99	2" 3-WAY CCV CV 29.0 24 VAC / VDC PROPORTIONAL NON-SPRING RETURN 3 FT. CABLE FEMALE NPT 90 SEC RUNTIME STAINLESS STEEL TRIM MUST SPECIFY [1] VALVE SETUP
55626-R0	\$	484.86	2" 3-WAY CCV CV 37.0 24 VAC / VDC PROPORTIONAL SPRING RETURN 133 IN-LB 3 FT. CABLE FEMALE NPT 150 SEC RUNTIME STAINLESS STEEL TRIM MUST SPECIFY [1] VALVE SETUP
55638-R0	\$	356.75	2" 3-WAY CCV CV 37.0 24 VAC / VDC PROPORTIONAL NON-SPRING RETURN 3 FT. CABLE FEMALE NPT 90 SEC RUNTIME STAINLESS STEEL TRIM MUST SPECIFY [1] VALVE SETUP
55656-R0	\$	485.63	2" 3-WAY CCV CV 46.0 24 VAC / VDC PROPORTIONAL SPRING RETURN 133 IN-LB 3 FT. CABLE FEMALE NPT 150 SEC RUNTIME STAINLESS STEEL TRIM MUST SPECIFY [1] VALVE SETUP
55668-R0	\$	358.25	2" 3-WAY CCV CV 46.0 24 VAC / VDC PROPORTIONAL NON-SPRING RETURN 3 FT. CABLE FEMALE NPT 90 SEC RUNTIME STAINLESS STEEL TRIM MUST SPECIFY [1] VALVE SETUP
55686-R0	\$	489.40	2" 3-WAY CCV CV 57.0 24 VAC / VDC PROPORTIONAL SPRING RETURN 133 IN-LB 3 FT. CABLE FEMALE NPT 150 SEC RUNTIME STAINLESS STEEL TRIM MUST SPECIFY [1] VALVE SETUP
55698-R0	\$	359.02	2" 3-WAY CCV CV 57.0 24 VAC / VDC PROPORTIONAL NON-SPRING RETURN 3 FT. CABLE FEMALE NPT 90 SEC RUNTIME STAINLESS STEEL TRIM MUST SPECIFY [1] VALVE SETUP
55716-R0	\$	566.11	2" 3-WAY CCV CV 68.0 24 VAC / VDC PROPORTIONAL SPRING RETURN 133 IN-LB 3 FT. CABLE FEMALE NPT 150 SEC RUNTIME STAINLESS STEEL TRIM MUST SPECIFY [1] VALVE SETUP
55728-R0	\$	362.04	2" 3-WAY CCV CV 68.0 24 VAC / VDC PROPORTIONAL NON-SPRING RETURN 3 FT. CABLE FEMALE NPT 90 SEC RUNTIME STAINLESS STEEL TRIM MUST SPECIFY [1] VALVE SETUP
55745-R0	\$	586.90	2" 3-WAY CCV CV 83.0 24 VAC / VDC PROPORTIONAL SPRING RETURN 133 IN-LB 3 FT. CABLE FEMALE NPT 150 SEC RUNTIME STAINLESS STEEL TRIM MUST SPECIFY [1] VALVE SETUP
55757-R0	\$	364.30	2" 3-WAY CCV CV 83.0 24 VAC / VDC PROPORTIONAL NON-SPRING RETURN 3 FT. CABLE FEMALE NPT 90 SEC RUNTIME STAINLESS STEEL TRIM MUST SPECIFY [1] VALVE SETUP
58348-R0	\$	64.25	DAMPER ACTUATOR ON/OFF & FLOATING POINT 24 VAC / VDC NON-SPRING RETURN 18 IN-LB 3 FT. CABLE 35 SEC RUNTIME
58350-R0	\$	102.79	DAMPER ACTUATOR PROPORTIONAL - COUNTERCLOCKWISE ROTATION 24 VAC / VDC NON-SPRING RETURN 18 IN-LB 3 FT. CABLE 35 SEC RUNTIME
58351-R0	\$	102.79	DAMPER ACTUATOR PROPORTIONAL - CLOCKWISE ROTATION 24 VAC / VDC NON-SPRING RETURN 18 IN-LB 3 FT. CABLE 35 SEC RUNTIME
65402-R0	\$	365.07	DAMPER ACTUATOR ON/OFF 24 VAC / VDC SPRING RETURN 270 IN-LB 3 FT. CABLE 75 SEC RUNTIME 2 SPDT3A @ 250 VAC
65234-R0	\$	380.17	DAMPER ACTUATOR PROPORTIONAL 24 VAC / VDC SPRING RETURN 270 IN-LB 3 FT. CABLE 95 SEC RUNTIME

44625-R0	\$	49.53	DUCT AVERAGING 12 FT COPPER TUBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
62655-R0	\$	389.64	1/2" 2-WAY GLOBE VALVE CV 0.4 24 VAC / VDC PROPORTIONAL SPRING RETURN 35 IN-LB 3 FT. CABLE FEMALE NPT CLOSE-OFF 250 PSI 150 SEC RUNTIME BRONZE TRIM MUST SPECIFY [1] VALVE SETUP
62671-R0	\$	488.25	1/2" 2-WAY GLOBE VALVE CV 0.4 24 VAC / VDC PROPORTIONAL SPRING RETURN 35 IN-LB 3 FT. CABLE FEMALE NPT CLOSE-OFF 250 PSI 150 SEC RUNTIME STAINLESS STEEL TRIM MUST SPECIFY [1] VALVE SETUP
62687-R0	\$	390.39	1/2" 2-WAY GLOBE VALVE CV 1.3 24 VAC / VDC PROPORTIONAL SPRING RETURN 35 IN-LB 3 FT. CABLE FEMALE NPT CLOSE-OFF 250 PSI 150 SEC RUNTIME BRONZE TRIM MUST SPECIFY [1] VALVE SETUP
62703-R0	\$	489.02	1/2" 2-WAY GLOBE VALVE CV 1.3 24 VAC / VDC PROPORTIONAL SPRING RETURN 35 IN-LB 3 FT. CABLE FEMALE NPT CLOSE-OFF 250 PSI 150 SEC RUNTIME STAINLESS STEEL TRIM MUST SPECIFY [1] VALVE SETUP
62719-R0	\$	391.14	1/2" 2-WAY GLOBE VALVE CV 2.2 24 VAC / VDC PROPORTIONAL SPRING RETURN 35 IN-LB 3 FT. CABLE FEMALE NPT CLOSE-OFF 250 PSI 150 SEC RUNTIME BRONZE TRIM MUST SPECIFY [1] VALVE SETUP
62735-R0	\$	489.78	1/2" 2-WAY GLOBE VALVE CV 2.2 24 VAC / VDC PROPORTIONAL SPRING RETURN 35 IN-LB 3 FT. CABLE FEMALE NPT CLOSE-OFF 250 PSI 150 SEC RUNTIME STAINLESS STEEL TRIM MUST SPECIFY [1] VALVE SETUP
62751-R0	\$	391.90	1/2" 2-WAY GLOBE VALVE CV 4.4 24 VAC / VDC PROPORTIONAL SPRING RETURN 35 IN-LB 3 FT. CABLE FEMALE NPT CLOSE-OFF 250 PSI 150 SEC RUNTIME BRONZE TRIM MUST SPECIFY [1] VALVE SETUP
62767-R0	\$	490.53	1/2" 2-WAY GLOBE VALVE CV 4.4 24 VAC / VDC PROPORTIONAL SPRING RETURN 35 IN-LB 3 FT. CABLE FEMALE NPT CLOSE-OFF 250 PSI 150 SEC RUNTIME STAINLESS STEEL TRIM MUST SPECIFY [1] VALVE SETUP
62783-R0	\$	400.97	3/4" 2-WAY GLOBE VALVE CV 5.5 24 VAC / VDC PROPORTIONAL SPRING RETURN 35 IN-LB 3 FT. CABLE FEMALE NPT CLOSE-OFF 250 PSI 150 SEC RUNTIME BRONZE TRIM MUST SPECIFY [1] VALVE SETUP
62799-R0	\$	564.23	3/4" 2-WAY GLOBE VALVE CV 5.5 24 VAC / VDC PROPORTIONAL SPRING RETURN 35 IN-LB 3 FT. CABLE FEMALE NPT CLOSE-OFF 250 PSI 150 SEC RUNTIME STAINLESS STEEL TRIM MUST SPECIFY [1] VALVE SETUP
62816-R0	\$	402.48	3/4" 2-WAY GLOBE VALVE CV 7.5 24 VAC / VDC PROPORTIONAL SPRING RETURN 35 IN-LB 3 FT. CABLE FEMALE NPT CLOSE-OFF 250 PSI 150 SEC RUNTIME BRONZE TRIM MUST SPECIFY [1] VALVE SETUP
62832-R0	\$	564.98	3/4" 2-WAY GLOBE VALVE CV 7.5 24 VAC / VDC PROPORTIONAL SPRING RETURN 35 IN-LB 3 FT. CABLE FEMALE NPT CLOSE-OFF 250 PSI 150 SEC RUNTIME STAINLESS STEEL TRIM MUST SPECIFY [1] VALVE SETUP
62912-R0	\$	571.40	1 1/2" 2-WAY GLOBE VALVE CV 28.0 24 VAC / VDC PROPORTIONAL SPRING RETURN 133 IN-LB 3 FT. CABLE FEMALE NPT 150 SEC RUNTIME BRONZE TRIM MUST SPECIFY [1] VALVE SETUP
62928-R0	\$	863.54	1 1/2" 2-WAY GLOBE VALVE CV 28.0 24 VAC / VDC PROPORTIONAL SPRING RETURN 133 IN-LB 3 FT. CABLE FEMALE NPT 150 SEC RUNTIME STAINLESS STEEL TRIM MUST SPECIFY [1] VALVE SETUP
62944-R0	\$	613.35	2" 2-WAY GLOBE VALVE CV 40.0 24 VAC / VDC PROPORTIONAL SPRING RETURN 133 IN-LB 3 FT. CABLE FEMALE NPT 150 SEC RUNTIME BRONZE TRIM MUST SPECIFY [1] VALVE SETUP
62960-R0	\$	930.05	2" 2-WAY GLOBE VALVE CV 40.0 24 VAC / VDC PROPORTIONAL SPRING RETURN 133 IN-LB 3 FT. CABLE FEMALE NPT 150 SEC RUNTIME STAINLESS STEEL TRIM MUST SPECIFY [1] VALVE SETUP
62978-R0	\$	391.14	1/2" 3-WAY GLOBE VALVE CV 2.2 24 VAC / VDC PROPORTIONAL SPRING RETURN 35 IN-LB 3 FT. CABLE FEMALE NPT 150 SEC RUNTIME BRONZE TRIM MUST SPECIFY [1] VALVE SETUP
62994-R0	\$	391.90	1/2" 3-WAY GLOBE VALVE CV 4.4 24 VAC / VDC PROPORTIONAL SPRING RETURN 35 IN-LB 3 FT. CABLE FEMALE NPT 150 SEC RUNTIME BRONZE TRIM MUST SPECIFY [1] VALVE SETUP
63010-R0	\$	450.85	1/2" 3-WAY DIVERTING GLOBE VALVE CV 4.4 24 VAC / VDC PROPORTIONAL SPRING RETURN 35 IN-LB 3 FT. CABLE FEMALE NPT 150 SEC RUNTIME BRONZE TRIM MUST SPECIFY [1] VALVE SETUP
63026-R0	\$	393.03	3/4" 3-WAY GLOBE VALVE CV 7.5 24 VAC / VDC PROPORTIONAL SPRING RETURN 35 IN-LB 3 FT. CABLE FEMALE NPT 150 SEC RUNTIME BRONZE TRIM MUST SPECIFY [1] VALVE SETUP
63042-R0	\$	458.03	3/4" 3-WAY DIVERTING GLOBE VALVE CV 7.5 24 VAC / VDC PROPORTIONAL SPRING RETURN 35 IN-LB 3 FT. CABLE FEMALE NPT 150 SEC RUNTIME BRONZE TRIM MUST SPECIFY [1] VALVE SETUP
63100-R0	\$	625.44	1 1/2" 3-WAY GLOBE VALVE CV 28.0 24 VAC / VDC PROPORTIONAL SPRING RETURN 133 IN-LB 3 FT. CABLE FEMALE NPT 150 SEC RUNTIME BRONZE TRIM MUST SPECIFY [1] VALVE SETUP
63115-R0	\$	758.08	1 1/2" 3-WAY DIVERTING GLOBE VALVE CV 28.0 24 VAC / VDC PROPORTIONAL SPRING RETURN 133 IN-LB 3 FT. CABLE FEMALE NPT 150 SEC RUNTIME BRONZE TRIM MUST SPECIFY [1] VALVE SETUP
63129-R0	\$	676.09	2" 3-WAY GLOBE VALVE CV 41.0 24 VAC / VDC PROPORTIONAL SPRING RETURN 133 IN-LB 3 FT. CABLE FEMALE NPT 150 SEC RUNTIME BRONZE TRIM MUST SPECIFY [1] VALVE SETUP
63143-R0	\$	1,059.66	2" 3-WAY DIVERTING GLOBE VALVE CV 41.0 24 VAC / VDC PROPORTIONAL SPRING RETURN 133 IN-LB 3 FT. CABLE FEMALE NPT 150 SEC RUNTIME BRONZE TRIM MUST SPECIFY [1] VALVE SETUP
63161-R0	\$	1,179.46	4" 2-WAY PRESSURE COMPENSATED GLOBE VALVE CV 170.0 24 VAC / VDC PROGRAMMABLE NON-SPRING RETURN 360 IN-LB 3 FT. CABLE ANSI 125 FLANGE BRONZE TRIM MUST SPECIFY [1] VALVE SETUP [2] INPUT & FEEDBACK
63187-R0	\$	1,738.78	5" 2-WAY PRESSURE COMPENSATED GLOBE VALVE CV 263.0 24 VAC / VDC PROGRAMMABLE NON-SPRING RETURN 360 IN-LB 3 FT. CABLE ANSI 125 FLANGE BRONZE TRIM MUST SPECIFY [1] VALVE SETUP [2] INPUT & FEEDBACK

44625-R0	\$	49.53	DUCT AVERAGING 12 FT COPPER TUBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
63213-R0	\$	1,926.21	6" 2-WAY PRESSURE COMPENSATED GLOBE VALVE CV 344.0 24 VAC / VDC PROGRAMMABLE NON-SPRING RETURN 360 IN-LB 3 FT. CABLE ANSI 125 FLANGE BRONZE TRIM MUST SPECIFY [1] VALVE SETUP [2] INPUT & FEEDBACK
63246-R0	\$	795.12	2 1/2" 2-WAY GLOBE VALVE CV 65.0 24 VAC / VDC PROGRAMMABLE SPRING RETURN 180 IN-LB 3 FT. CABLE ANSI 125 FLANGE BRONZE TRIM MUST SPECIFY [1] VALVE SETUP [2] INPUT & FEEDBACK
63248-R0	\$	822.33	2 1/2" 2-WAY GLOBE VALVE CV 65.0 24 VAC / VDC PROGRAMMABLE NON-SPRING RETURN 360 IN-LB 3 FT. CABLE ANSI 125 FLANGE BRONZE TRIM MUST SPECIFY [1] VALVE SETUP [2] INPUT & FEEDBACK
63274-R0	\$	1,013.56	2 1/2" 2-WAY PRESSURE COMPENSATED GLOBE VALVE CV 65.0 24 VAC / VDC PROGRAMMABLE SPRING RETURN 180 IN-LB 3 FT. CABLE ANSI 125 FLANGE BRONZE TRIM MUST SPECIFY [1] VALVE SETUP [2] INPUT & FEEDBACK
63352-R0	\$	841.23	3" 2-WAY GLOBE VALVE CV 90.0 24 VAC / VDC PROGRAMMABLE SPRING RETURN 180 IN-LB 3 FT. CABLE ANSI 125 FLANGE BRONZE TRIM MUST SPECIFY [1] VALVE SETUP [2] INPUT & FEEDBACK
63354-R0	\$	883.18	3" 2-WAY GLOBE VALVE CV 90.0 24 VAC / VDC PROGRAMMABLE NON-SPRING RETURN 360 IN-LB 3 FT. CABLE ANSI 125 FLANGE BRONZE TRIM MUST SPECIFY [1] VALVE SETUP [2] INPUT & FEEDBACK
63380-R0	\$	1,106.14	3" 2-WAY PRESSURE COMPENSATED GLOBE VALVE CV 90.0 24 VAC / VDC PROGRAMMABLE SPRING RETURN 180 IN-LB 3 FT. CABLE ANSI 125 FLANGE BRONZE TRIM MUST SPECIFY [1] VALVE SETUP [2] INPUT & FEEDBACK
63449-R0	\$	1,142.05	4" 3-WAY GLOBE VALVE CV 190.0 24 VAC / VDC PROGRAMMABLE NON-SPRING RETURN 360 IN-LB 3 FT. CABLE ANSI 125 FLANGE BRONZE TRIM MUST SPECIFY [1] VALVE SETUP [2] INPUT & FEEDBACK
63501-R0	\$	2,046.76	5" 3-WAY GLOBE VALVE CV 280.0 24 VAC / VDC DUAL ACTUATORS PROGRAMMABLE NON-SPRING RETURN 360 IN-LB 3 FT. CABLE ANSI 125 FLANGE BRONZE TRIM MUST SPECIFY [1] VALVE SETUP [2] INPUT & FEEDBACK
63534-R0	\$	2,276.91	6" 3-WAY GLOBE VALVE CV 340.0 24 VAC / VDC DUAL ACTUATORS PROGRAMMABLE NON-SPRING RETURN 360 IN-LB 3 FT. CABLE ANSI 125 FLANGE BRONZE TRIM MUST SPECIFY [1] VALVE SETUP [2] INPUT & FEEDBACK
63581-R0	\$	857.86	2 1/2" 3-WAY GLOBE VALVE CV 68.0 24 VAC / VDC PROGRAMMABLE SPRING RETURN 180 IN-LB 3 FT. CABLE FLANGE BRONZE TRIM MUST SPECIFY [1] VALVE SETUP [2] INPUT & FEEDBACK
63583-R0	\$	891.87	2 1/2" 3-WAY GLOBE VALVE CV 68.0 24 VAC / VDC PROGRAMMABLE NON-SPRING RETURN 360 IN-LB 3 FT. CABLE FLANGE BRONZE TRIM MUST SPECIFY [1] VALVE SETUP [2] INPUT & FEEDBACK
63684-R0	\$	934.95	3" 3-WAY GLOBE VALVE CV 91.0 24 VAC / VDC PROGRAMMABLE SPRING RETURN 180 IN-LB 3 FT. CABLE ANSI 125 FLANGE BRONZE TRIM MUST SPECIFY [1] VALVE SETUP [2] INPUT & FEEDBACK
63686-R0	\$	970.48	3" 3-WAY GLOBE VALVE CV 91.0 24 VAC / VDC PROGRAMMABLE NON-SPRING RETURN 360 IN-LB 3 FT. CABLE ANSI 125 FLANGE BRONZE TRIM MUST SPECIFY [1] VALVE SETUP [2] INPUT & FEEDBACK
58291-R0	\$	380.94	DAMPER ACTUATOR ON/OFF & FLOATING POINT 24 VAC / VDC ELECTRONIC FAIL-SAFE 360 IN-LB 3 FT. CABLE
58292-R0	\$	474.66	DAMPER ACTUATOR PROPORTIONAL 24 VAC / VDC ELECTRONIC FAIL-SAFE 360 IN-LB 3 FT. CABLE
57317-R0	\$	474.66	ELECTRONIC FAILSAFE ACTUATOR PROPORTIONAL 24 VAC / VDC SPRING RETURN 360 IN-LB 150 SEC RUNTIME MUST SPECIFY [1] CABLE LENGTH
58352-R0	\$	165.15	DAMPER ACTUATOR ON/OFF & FLOATING POINT 24 VAC / VDC NON-SPRING RETURN 360 IN-LB 3 FT. CABLE 150 SEC RUNTIME
58354-R0	\$	220.32	DAMPER ACTUATOR PROPORTIONAL 24 VAC / VDC NON-SPRING RETURN 360 IN-LB 3 FT. CABLE 150 SEC RUNTIME
58356-R0	\$	165.15	DAMPER ACTUATOR ON/OFF & FLOATING POINT 24 VAC / VDC NON-SPRING RETURN 360 IN-LB 150 SEC RUNTIME MUST SPECIFY [1] CABLE LENGTH
58361-R0	\$	220.32	DAMPER ACTUATOR PROPORTIONAL 24 VAC / VDC NON-SPRING RETURN 360 IN-LB 150 SEC RUNTIME MUST SPECIFY [1] CABLE LENGTH
30093-R0	\$	3.78	POSITION INDICATOR FOR AF/NF ACTUATORS
30094-R0	\$	3.78	POSITION INDICATOR FOR LF ACTUATORS
30096-R0	\$	8.70	CLAMP FOR JACKSHAFTS (3/4"-1.05") - AF/NF/AM ACUATORS
30099-R0	\$	7.94	BALL JOINT (3/8")
30100-R0	\$	5.68	BALL JOINT (5/16")
30101-R0	\$	7.19	BALL JOINT (5/16" - 90 DEGREES)
30107-R0	\$	6.44	UNIVERSAL CRANKARM FOR USE WITH KG6 BALL JOINT
30108-R0	\$	6.44	UNIVERSAL CRANKARM FOR USE WITH KG8 BALL JOINT
30102-R0	\$	9.07	CRANKARM SHAFTS TO 3/4" FOR AF/NF ACTUATORS
30103-R0	\$	16.63	CRANKARM JACKSHAFTS TO 1/05" FOR AF/NF ACTUATORS
49874-R0	\$	9.45	CRANK ARM ADAPTOR KIT FOR AFB(X)/NFB(X) ACTUATORS WITH SHAFTS TO 3/4"
30104-R0	\$	4.54	CRANKARM - V-BOLT KIT FOR DIRECT COUPLE USING KH-AF(-1)
30105-R0	\$	8.70	CRANKARM SHAFTS TO 1/2" FOR LF ACTUATORS
30106-R0	\$	3.78	CRANKARM - V-BOLT KIT FOR DIRECT COUPLE USING KH-LF
58234-R0	\$	128.87	DAMPER ACTUATOR ON/OFF 120 VAC SPRING RETURN 35 IN-LB 3 FT. CABLE <40-75 SEC RUNTIME
58236-R0	\$	159.48	DAMPER ACTUATOR ON/OFF 230 VAC SPRING RETURN 35 IN-LB 3 FT. CABLE <40-75 SEC RUNTIME
58238-R0	\$	116.40	DAMPER ACTUATOR ON/OFF 24 VAC / VDC SPRING RETURN 35 IN-LB 3 FT. CABLE <40-75 SEC RUNTIME
58239-R0	\$	141.73	DAMPER ACTUATOR FLOATING POINT 24 VAC / VDC SPRING RETURN 35 IN-LB 3 FT. CABLE 150 SEC RUNTIME
58240-R0	\$	162.50	DAMPER ACTUATOR FLOATING POINT 24 VAC / VDC SPRING RETURN 35 IN-LB 3 FT. CABLE 150 SEC RUNTIME 1 SPDT3A @ 250 VAC

44625-R0	\$	49.53	DUCT AVERAGING 12 FT COPPER TUBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
58246-R0	\$	137.19	DAMPER ACTUATOR ON/OFF 24 VAC / VDC SPRING RETURN 35 IN-LB 3 FT. CABLE <40-75 SEC RUNTIME 1 SPDT3A @ 250 VAC
58247-R0	\$	159.48	DAMPER ACTUATOR PROPORTIONAL 24 VAC / VDC SPRING RETURN 35 IN-LB 3 FT. CABLE 150 SEC RUNTIME
43315-R0	\$	3.03	ANTI-ROTATION BRACKET FOR LF ACTUATORS
58367-R0	\$	120.56	DAMPER ACTUATOR PROPORTIONAL - 4" LINEAR STROKE 24 VAC / VDC NON-SPRING RETURN 34 LB-F 3 FT. CABLE 150 SEC RUNTIME
58368-R0	\$	129.25	DAMPER ACTUATOR PROPORTIONAL - 8" LINEAR STROKE 24 VAC / VDC NON-SPRING RETURN 34 LB-F 3 FT. CABLE 300 SEC RUNTIME
58387-R0	\$	64.25	DAMPER ACTUATOR ON/OFF & FLOATING POINT 24 VAC / VDC NON-SPRING RETURN 45 IN-LB 3 FT. CABLE 95 SEC RUNTIME
58394-R0	\$	102.79	DAMPER ACTUATOR PROPORTIONAL 24 VAC / VDC NON-SPRING RETURN 45 IN-LB 3 FT. CABLE 95 SEC RUNTIME
58395-R0	\$	91.08	DAMPER ACTUATOR PROPORTIONAL 24 VAC / VDC NON-SPRING RETURN 45 IN-LB TERMINAL STRIP 95 SEC RUNTIME
58396-R0	\$	75.58	DAMPER ACTUATOR ON/OFF & FLOATING POINT 24 VAC / VDC NON-SPRING RETURN 45 IN-LB 3 FT. CABLE 35 SEC RUNTIME
58398-R0	\$	115.27	DAMPER ACTUATOR PROPORTIONAL 24 VAC / VDC NON-SPRING RETURN 45 IN-LB 3 FT. CABLE 35 SEC RUNTIME
58400-R0	\$	154.19	DAMPER ACTUATORQUICK RUNNING ON/OFF 24 VAC / VDC NON-SPRING RETURN 35 IN-LB 3 FT. CABLE 2.5 SEC RUNTIME
58413-R0	\$	102.79	DAMPER ACTUATOR PROPORTIONAL 24 VAC / VDC NON-SPRING RETURN 45 IN-LB 95 SEC RUNTIME MUST SPECIFY [1] CABLE LENGTH
58414-R0	\$	90.32	DAMPER ACTUATOR PROPORTIONAL 24 VAC / VDC NON-SPRING RETURN 45 IN-LB TERMINAL STRIP 95 SEC RUNTIME
30224-R0	\$	88.82	DAMPER ACTUATOR NON-SPRING RETURN 27 IN-LB MINIMUM TORQUE 24 VAC/VDC ON/OFF & FLOATING 3 FOOT CABLE
30225-R0	\$	121.32	DAMPER ACTUATOR NON-SPRING RETURN 27 IN-LB MINIMUM TORQUE 24 VAC/VDC PROPORTIONAL 3 FOOT CABLE
30109-R0	\$	55.17	BELIMO MFT CONFIGURATION SOFTWARE [BELIMO ACTUATE] - INCLUDES PROGRAMMING SOFTWARE
58252-R0	\$	138.32	DAMPER ACTUATOR ON/OFF 24 VAC / VDC SPRING RETURN 90 IN-LB 3 FT. CABLE <75 SEC RUNTIME
58255-R0	\$	171.57	DAMPER ACTUATOR ON/OFF 24 VAC / VDC SPRING RETURN 90 IN-LB 3 FT. CABLE <75 SEC RUNTIME 2 SPDT3A @ 250 VAC
58256-R0	\$	184.42	DAMPER ACTUATOR PROPORTIONAL 24 VAC / VDC SPRING RETURN 90 IN-LB 3 FT. CABLE 95 SEC RUNTIME
58300-R0	\$	275.87	DAMPER ACTUATOR PROPORTIONAL 24 VAC / VDC ELECTRONIC FAIL-SAFE 54 IN-LB 3 FT. CABLE 4 SEC RUNTIME
58297-R0	\$	275.87	DAMPER ACTUATOR PROPORTIONAL 24 VAC / VDC ELECTRONIC FAIL-SAFE 54 IN-LB 4 SEC RUNTIME MUST SPECIFY [1] CABLE LENGTH
58415-R0	\$	83.14	DAMPER ACTUATOR ON/OFF & FLOATING POINT 24 VAC / VDC NON-SPRING RETURN 90 IN-LB 3 FT. CABLE 95 SEC RUNTIME
58416-R0	\$	74.07	DAMPER ACTUATOR ON/OFF & FLOATING POINT 24 VAC / VDC NON-SPRING RETURN 90 IN-LB TERMINAL STRIP 95 SEC RUNTIME
58418-R0	\$	116.78	DAMPER ACTUATOR PROPORTIONAL 24 VAC / VDC NON-SPRING RETURN 90 IN-LB 3 FT. CABLE 95 SEC RUNTIME
58419-R0	\$	96.37	DAMPER ACTUATORQUICK RUNNING ON/OFF & FLOATING POINT 24 VAC / VDC NON-SPRING RETURN 90 IN-LB 3 FT. CABLE 45 SEC RUNTIME
58420-R0	\$	130.75	DAMPER ACTUATORQUICK RUNNING PROPORTIONAL 24 VAC / VDC NON-SPRING RETURN 90 IN-LB 3 FT. CABLE 45 SEC RUNTIME
58422-R0	\$	171.20	DAMPER ACTUATORQUICK RUNNING ON/OFF 24 VAC / VDC NON-SPRING RETURN 70 IN-LB 3 FT. CABLE 4 SEC RUNTIME
58434-R0	\$	116.78	DAMPER ACTUATOR PROPORTIONAL 24 VAC / VDC NON-SPRING RETURN 90 IN-LB 95 SEC RUNTIME MUST SPECIFY [1] CABLE LENGTH
58435-R0	\$	108.08	DAMPER ACTUATOR PROPORTIONAL 24 VAC / VDC NON-SPRING RETURN 90 IN-LB TERMINAL STRIP 95 SEC RUNTIME
30110-R0	\$	274.74	BATTERY BACK-UP SYSTEM - REQUIRES 2 NSV-BAT
30111-R0	\$	41.95	12 V BATTERY - 2 REQUIRED FOR NSV-24 USE
30114-R0	\$	29.47	1X SPDT AUXILIARY SWITCH3A (0.5A INDUCTIVE) @ 250 VAC FOR ALL NON SPRING RETURN ACTUATORS
30115-R0	\$	43.84	2X SPDT AUXILIARY SWITCH3A (0.5A INDUCTIVE) @ 250 VAC FOR ALL NON SPRING RETURN ACTUATORS
30118-R0	\$	11.73	PUSH ROD (36" LONG - 3/8" DIA)
30119-R0	\$	8.70	PUSH ROD (36" LONG - 5/16" DIA)
58268-R0	\$	112.62	DAMPER ACTUATOR ON/OFF 120 VAC SPRING RETURN 18 IN-LB 3 FT. CABLE <75 SEC RUNTIME
58269-R0	\$	132.65	DAMPER ACTUATOR ON/OFF 120 VAC SPRING RETURN 18 IN-LB 3 FT. CABLE <75 SEC RUNTIME 1 SPDT3A @ 250 VAC
58270-R0	\$	96.37	DAMPER ACTUATOR ON/OFF 24 VAC / VDC SPRING RETURN 18 IN-LB 3 FT. CABLE <75 SEC RUNTIME
58271-R0	\$	125.85	DAMPER ACTUATOR FLOATING POINT 24 VAC / VDC SPRING RETURN 18 IN-LB 3 FT. CABLE 95 SEC RUNTIME
58274-R0	\$	116.40	DAMPER ACTUATOR ON/OFF 24 VAC / VDC SPRING RETURN 18 IN-LB 3 FT. CABLE <75 SEC RUNTIME 1 SPDT3A @ 250 VAC
58275-R0	\$	137.19	DAMPER ACTUATOR PROPORTIONAL 24 VAC / VDC SPRING RETURN 18 IN-LB 3 FT. CABLE 95 SEC RUNTIME
58276-R0	\$	157.21	DAMPER ACTUATOR PROPORTIONAL 24 VAC / VDC SPRING RETURN 18 IN-LB 3 FT. CABLE 95 SEC RUNTIME 1 SPDT3A @ 250 VAC
58277-R0	\$	139.45	DAMPER ACTUATOR ON/OFF 100-240 VAC SPRING RETURN 18 IN-LB 3 FT. CABLE <30 SEC RUNTIME 1 SPDT3A @ 250 VAC
49936-R0	\$	4.54	CONDUIT CONNECTOR FOR TF ACTUATORS
38033-R0	\$	48.37	ELECTRIC VALVE ACTUATOR NON-SPRING RETURN 24 VAC/VDC ON/OFF & FLOATING MUST SPECIFY [1] CABLE LENGTH/TERMINAL STRIP
38034-R0	\$	82.38	ELECTRIC VALVE ACTUATOR NON-SPRING RETURN 24 VAC/VDC PROPORTIONAL MUST SPECIFY [1] CABLE LENGTH/TERMINAL STRIP
30120-R0	\$	6.44	ROTATION LIMITER FOR AF/NF ACTUATORS
30121-R0	\$	29.11	MOUNTING BRACKET FOR AF/NF/GM/AM/SM ACTUATORS
30122-R0	\$	29.11	MOUNTING BRACKET FOR AF/NF/GM/AM/SM ACTUATORS
30123-R0	\$	28.35	MOUNTING BRACKET FOR MULTIPLE ACTUATORS - GM/AM/SM/AF
30124-R0	\$	21.16	MOUNTING BRACKET FOR GM/AM/SM ACTUATORS
30125-R0	\$	21.16	MOUNTING BRACKET FOR AF/NF/GM/AM/SM ACTUATORS
30126-R0	\$	15.87	MOUNTING BRACKET FOR AF/NF ACTUATORS
30127-R0	\$	15.87	MOUNTING BRACKET FOR AF/NF ACTUATORS

44625-R0	\$	49.53	DUCT AVERAGING 12 FT COPPER TUBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
30129-R0	\$	11.73	MOUNTING BRACKET FOR LF ACTUATORS
30130-R0	\$	26.85	CRANKARM ADAPTOR KIT FOR AF/NF ACTUATORS - INCLUDES BRACKET / CRANKARM / HARDWARE
30131-R0	\$	28.35	CRANKARM ADAPTOR KIT FOR AF/NF ACTUATORS - INCLUDES BRACKET / CRANKARM / HARDWARE
55807-R0	\$	29.86	CRANKARM ADAPTOR KIT FOR AFB/NFB ACTUATORS - INCLUDES BRACKET / CRANKARM / HARDWARE
56787-R0	\$	29.11	CRANKARM ADAPTOR KIT FOR AFB/NFB ACTUATORS - INCLUDES BRACKET / CRANKARM / HARDWARE
30132-R0	\$	13.61	DAMPER CLIP FOR DAMPER BLADE - 3.5 IN WIDTH
30133-R0	\$	15.12	DAMPER CLIP FOR DAMPER BLADE - 6.0 IN WIDTH
65700-R0	\$	36.28	CRANKARM ADAPTOR KIT FOR EFB ACTUATORS - INCLUDES BRACKET / CRANKARM / HARDWARE
43963-R0	\$	31.37	CRANKARM ADAPTOR KIT FOR GMB/GMX ACTUATORS
30134-R0	\$	99.40	ACTUATOR THERMOSTAT/HEATER
30135-R0	\$	67.65	1" JACKSHAFT ADAPTOR
30136-R0	\$	148.14	1 5/16" JACKSHAFT ADAPTOR
30137-R0	\$	124.71	1.05" JACKSHAFT ADAPTOR
49891-R0	\$	94.48	JACKSHAFT LINKAGE TRANSFERS ACTUATOR TORQUE TO THE JACKSHAFT ATTACHES TO ALL BELIMO ACTUATORS
30138-R0	\$	18.90	CRANKARM ADAPTOR KIT FOR LF ACTUATORS - INCLUDES BRACKET / CRANKARM / HARDWARE
30139-R0	\$	21.92	CRANKARM ADAPTOR KIT FOR LF ACTUATORS - INCLUDES BRACKET / CRANKARM / HARDWARE
30140-R0	\$	24.18	SHAFT EXTENSION FOR 1/2" DIAMETER SHAFTS - LM ACTUATORS
30141-R0	\$	21.16	SHAFT EXTENSION FOR 3/8" DIAMETER SHAFTS - LM/LF ACTUATORS
43967-R0	\$	21.16	5" SHAFT EXTENSION: LFLM ACTUATORS (FOR 1/2" OD)
43968-R0	\$	5.68	GM TO GMB(X) RETROFIT MOUNTING BRACKET
43969-R0	\$	21.16	CRANKARM ADAPTOR KIT FOR AMB/AMX AND NMB/NMX ACTUATORS
30142-R0	\$	18.90	SHAFT EXTENSION FOR 1/2" DIAMETER SHAFTS - NM ACTUATORS
30148-R0	\$	7.94	MOUNTING PLATE FOR SGF24
43970-R0	\$	19.66	CRANKARM ADAPTOR KIT FOR TF ACTUATORS INCLUDES ZG-113 AND KH-TF)
43971-R0	\$	16.63	CRANKARM ADAPTOR KIT FOR TF ACTUATORS INCLUDES MOUNTING HARDWARE
			24 VAC RS 232 INTERFACE MODULE - USED WITH BELIMO ACTUATE PC SOFTWARE [PART # MFT-P] TO INTERFACE BETWEEN A PC AND MFT ACTUATORS VIA AN RS 232 PORT - ENABLES MONITORING
30150-R0	\$	234.30	AND PARAMETERIZATION OF A SINGLE MFT ACTUATOR - LED INDICATORS
30151-R0	\$	52.53	GALVANIZED WEATHER SHIELD
30152-R0	\$	11.73	BASE PLATE FOR ZS-100
30153-R0	\$	58.96	POLYCARBONATE WEATHER SHIELD
30154-R0	\$	871.09	EXPLOSION-PROOF HOUSING - SHAFT FRONT / REAR
30155-R0	\$	718.03	NEMA 4X HOUSING
14905-R0	\$	69.29	MULTI POINT 10K-2 TYPE THERMISTOR BENDABLE ALUMINUM AVERAGING 12 FT
14906-R0	\$	84.41	MULTI POINT 10K-2 TYPE THERMISTOR BENDABLE ALUMINUM AVERAGING 24 FT
14907-R0	\$	66.14	MULTI POINT 10K-2 TYPE THERMISTOR BENDABLE ALUMINUM AVERAGING 8 FT
14908-R0	\$	7.94	2 X 4 INCH ALUMINUM SWITCH PLATE FULLY INSULATED OUTPUT SIGNAL RESISTANCE ELEMENT 10K-2 THERMISTOR
135-R0	\$	12.35	ALUMINUM PLATE WITH LOUVERS SINGLE GANG HORIZONTAL MOUNT OUTPUT SIGNAL RESISTANCE ELEMENT 10K-2 THERMISTOR OPTIONAL SECURITY SCREWS
134-R0	\$	12.35	ALUMINUM PLATE WITH LOUVERS SINGLE GANG VERTICAL MOUNT OUTPUT SIGNAL RESISTANCE ELEMENT 10K-2 THERMISTOR
136-R0	\$	16.76	ALUMINUM PLATE WITH LOUVERS TWO GANG PLATE VERTICAL MOUNT OUTPUT SIGNAL RESISTANCE ELEMENT 10K-2 THERMISTOR
14909-R0	\$	12.35	ALUMINUM PLATE WITH COMM. JACK 1/8 INCH STEREO PHONO STYLE JACK OUTPUT SIGNAL RESISTANCE ELEMENT 10K-2 THERMISTOR
14910-R0	\$	27.78	ALUMINUM PLATE WITH KEYSWITCH OVERRIDE MOMENTARY NORMALLY OPEN OUTPUT SIGNAL RESISTANCE ELEMENT 10K-2 THERMISTOR
14911-R0	\$	12.35	ALUMINUM PLATE WITH PUSHBUTTON OVERRIDE MOMENTARY NORMALLY OPEN OUTPUT SIGNAL RESISTANCE ELEMENT 10K-2 THERMISTOR
24289-R0	\$	7.94	ROOM SENSOR IN BAPI 2 ENCLOSURE OUTPUT SIGNAL RESISTANCE 10K-2 THERMISTOR
14912-R0	\$	11.02	10K-2 THERMISTOR DUCT SENSOR 12 INCH PROBE
14913-R0	\$	13.01	10K-2 THERMISTOR DUCT SENSOR 10 FT LEADS PLENUM RATED CABLE NO JUNCTION BOX
14914-R0	\$	13.66	10K-2 THERMISTOR DUCT SENSOR 12 INCH PROBE 15 FT LEADS PLENUM RATED CABLE NO JUNCTION BOX
14915-R0	\$	11.02	10K-2 THERMISTOR DUCT SENSOR 12 INCH PROBE 18 INCH LEADS PLENUM RATED CABLE NO JUNCTION BOX
14916-R0	\$	11.91	10K-2 THERMISTOR DUCT SENSOR 12 INCH PROBE 5 FT LEADS PLENUM RATED CABLE NO JUNCTION BOX
14917-R0	\$	11.02	10K-2 THERMISTOR DUCT SENSOR 18 INCH PROBE
14918-R0	\$	12.79	10K-2 THERMISTOR DUCT SENSOR 18 INCH PROBE 10 FT LEADS PLENUM RATED CABLE NO JUNCTION BOX
14919-R0	\$	13.66	10K-2 THERMISTOR DUCT SENSOR 18 INCH PROBE 15 FT LEADS PLENUM RATED CABLE NO JUNCTION BOX
14920-R0	\$	11.02	10K-2 THERMISTOR DUCT SENSOR 18 INCH PROBE 18 INCH LEADS PLENUM RATED CABLE NO JUNCTION BOX
14921-R0	\$	11.91	10K-2 THERMISTOR DUCT SENSOR 18 INCH PROBE 5 FT LEADS PLENUM RATED CABLE NO JUNCTION BOX
46519-R0	\$	13.66	10K-2 THERMISTOR DUCT SENSOR 2 INCH PROBE 15 FT LEADS PLENUM RATED CABLE NO JUNCTION BOX

44625-R0	\$	49.53	DUCT AVERAGING 12 FT COPPER TUBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
48319-R0	\$	16.32	10K-2 THERMISTOR DUCT SENSOR 2 INCH PROBE 30 FT LEADS PLENUM RATED CABLE NO JUCTION BOX
14922-R0	\$	11.02	10K-2 THERMISTOR DUCT SENSOR 4 INCH PROBE
14923-R0	\$	12.79	10K-2 THERMISTOR DUCT SENSOR 4 INCH PROBE 10 FT LEADS PLENUM RATED CABLE NO JUCTION BOX
14924-R0	\$	13.66	10K-2 THERMISTOR DUCT SENSOR 4 INCH PROBE 15 FT LEADS PLENUM RATED CABLE NO JUNCTION BOX
14925-R0	\$	11.02	10K-2 THERMISTOR DUCT SENSOR 4 INCH PROBE 18 INCH LEADS PLENUM RATED CABLE NO JUCTION BOX
14926-R0	\$	11.91	10K-2 THERMISTOR DUCT SENSOR 4 INCH PROBE 5 FT LEADS PLENUM RATED CABLE NO JUCTION BOX
14927-R0	\$	11.02	10K-2 THERMISTOR DUCT SENSOR 8 INCH PROBE
21625-R0	\$	12.79	10K-2 THERMISTOR DUCT SENSOR 8 INCH PROBE 10 FT LEADS PLENUM RATED CABLE NO JUNCTION BOX
14929-R0	\$	13.66	10K-2 THERMISTOR DUCT SENSOR 8 INCH PROBE 15 FT LEADS PLENUM RATED CABLE NO JUNCTION BOX
14930-R0	\$	11.02	10K-2 THERMISTOR DUCT SENSOR 8 INCH PROBE 18 INCH LEADS PLENUM RATED CABLE NO JUNCTION BOX
14931-R0	\$	11.91	10K-2 THERMISTOR DUCT SENSOR 8 INCH PROBE 5 FT LEADS PLENUM RATED CABLE NO JUNCTION BOX
48882-R0	\$	14.55	8" DUCT PROBE WITH REMOVABLE JB BOX OPTIONAL 18" TFE TERMINATION WIRE
15365-R0	\$	11.02	10K-2 THERMISTOR WITH IMMERSION SENSOR 2 INCH PROBE 0.5 INCH NPT
14942-R0	\$	11.02	10K-2 THERMISTOR IMMERSION SENSOR 4 INCH PROBE 0.5 INCH NPT
14943-R0	\$	11.02	10K-2 THERMISTOR IMMERSION SENSOR 8 INCH PROBE 0.5 INCH NPT
49271-R0	\$	11.02	LOW PROFILE "BUTTON" SENSOR : 10K-2 THERMISTOR WALL MOUNT FITTING: LOW PROFILE FLUSH MOUNTING SHEATH SELECTABLE LENGTH: ETCHED TEFLON OR PLENUM RATED CABLE
19872-R0	\$	13.23	OUTSIDE AIR SENSOR 10K-2 THERMISTOR 5 INCH PROBE USE WITH VAISALA DTR-503B WEATHER SHIELD
14944-R0	\$	13.23	OUTSIDE AIR SENSOR 10K-2 THERMISTOR RUGGEDIZED WEATHERPROOF ENCLOSURE
51928-R0	\$	7.94	REPLACEMENT PROBE FOR BAPI DUCT 6 INCH OR IMMERSION 4 INCH STOCK "FLARED" PROBE 6.5"
57627-R0	\$	7.94	REPLACEMENT PROBE - STOCK "FLARED" PROBE8.25 INCHES. REPLACEMENT PROBE FOR BAPI DUCT 8 INCH PROBE
65209-R0	\$	7.94	REMOTE SENSOR PROBE 10K-2 THERMISTOR 18" BLACK TEFLON LEADS
43278-R0	\$	7.94	REMOTE SENSOR 10K-2 THERMISTOR ETCHED TEFLON LEAD WIRES MUST SPECIFY [1] LEAD LENGTH [2] ENCLOSURE
41665-R0	\$	7.94	DELTA STYLE ROOM SENSOR OUTPUT SIGNAL RESISTANCE 10K-2 THERMISTOR MUST SPECIFY [1] PRECISION [2] SETPOINT RANGE [3] SETPOINT LEGEND [4] OVERRIDE CONFIG [5] COMMUNICATION JACK [6] INDICATOR [7] TEST & BALANCE [8] CONNECT CONFIG
21628-R0	\$	86.93	MULTI POINT 10K-2 TYPE THERMISTOR RIGID STAINLESS STEEL AVERAGING 12 INCH PROBE
20849-R0	\$	86.93	MULTI POINT 10K-2 TYPE THERMISTOR RIGID STAINLESS STEEL AVERAGING 2 FT PROBE
20848-R0	\$	86.93	MULTI POINT 10K-3 TYPE THERMISTOR RIGID STAINLESS STEEL AVERAGING 20 INCH PROBE
22047-R0	\$	137.32	MULTI POINT 10K-2 TYPE THERMISTOR RIGID STAINLESS STEEL AVERAGING 4 FT PROBE
14946-R0	\$	34.40	ROOM SENSOR WITH BI-METAL DISPLAY OUTPUT SIGNAL RESISTANCE ELEMENT 10K-2 THERMISTOR
41641-R0	\$	9.26	REMOTE PROBE 10K-2 THERMISTOR 22 AWG FEP CABLE 0.25 X 1.5 INCH STAINLESS STEEL CUP MUST SPECIFY [1] PRECISION [2] LEAD LENGTH [3] ENCLOSURE TYPE
50429-R0	\$	12.35	REMOTE PROBE SUITABLE FOR EXTENDED SUBMERSION 10K-2 THERMISTOR 22 AWG FEP CABLE 0.25 X 1.5 INCH STAINLESS STEEL CUP MUST SPECIFY [1] PRECISION [2] LEAD LENGTH [3] OPTIONAL ENCLOSURE TYPE
339-R0	\$	9.70	REMOTE PROBE 10K-2 THERMISTOR 22 AWG PLENUM CABLE 10 FT LEADS 0.25 X 1.5 INCH STAINLESS STEEL CUP
340-R0	\$	10.58	REMOTE PROBE 10K-2 THERMISTOR 22 AWG PLENUM CABLE 15 FT LEADS 0.25 X 1.5 INCH STAINLESS STEEL CUP
337-R0	\$	7.94	REMOTE PROBE 10K-2 THERMISTOR 22 AWG PLENUM CABLE 18 INCH LEADS 0.25 X 1.5 INCH STAINLESS STEEL CUP
341-R0	\$	11.47	REMOTE PROBE 10K-2 THERMISTOR 22 AWG PLENUM CABLE 20 FT LEADS 0.25 X 1.5 INCH STAINLESS STEEL CUP
342-R0	\$	12.35	REMOTE PROBE 10K-2 THERMISTOR 22 AWG PLENUM CABLE 25 FT LEADS 0.25 X 1.5 INCH STAINLESS STEEL CUP
338-R0	\$	8.81	REMOTE PROBE 10K-2 THERMISTOR 22 AWG PLENUM CABLE 5 FT LEADS 0.25 X 1.5 INCH STAINLESS STEEL CUP
49355-R0	\$	7.94	REMOTE PROBE 10K-2 THERMISTOR 22 AWG PLENUM CABLE 6 IN. LEADS 0.25 X 1.5 INCH STAINLESS STEEL CUP
14957-R0	\$	21.16	ROOM SENSOR POWERS STYLE ENCLOSURE OUTPUT SIGNAL RESISTANCE ELEMENT 10K-2
14958-R0	\$	47.62	ROOM SENSOR WITH BI-METAL DISPLAY POWERS STYLE ENCLOSURE OUTPUT SIGNAL RESISTANCE ELEMENT 10K-2
14959-R0	\$	16.76	ROOM SENSOR PRECON STYLE ENCLOSURE RESISTANCE OUTPUT SIGNAL 10K-2 THERMISTOR ELEMENT
14960-R0	\$	27.34	ROOM SENSOR PRECON STYLE ENCLOSURE SETPOINT OVERRIDE COMMUNICATION JACK RESISTANCE OUTPUT SIGNAL 10K-2 THERMISTOR
14961-R0	\$	53.79	ROOM SENSOR WITH BI-METAL DISPLAY PRECON STYLE ENCLOSURE SETPOINT OVERRIDE AND COMM. JACK OUTPUT SIGNAL RESISTANCE ELEMENT 10K-2
14962-R0	\$	43.21	ROOM SENSOR WITH BI-METAL DISPLAY PRECON STYLE ENCLOSURE OUTPUT SIGNAL RESISTANCE ELEMENT 10K-2
41680-R0	\$	7.94	DELTA STYLE ROOM SENSOR OUTPUT SIGNAL RESISTANCE 10K-2 THERMISTOR
14963-R0	\$	12.35	CLAMP ON STRAP FITS 2-5 INCH PIPE ADJUSTABLE HOSE CLAMP 10K-2 THERMISTOR OPTIONAL BAPI BOX ENCLOSURE
27675-R0	\$	92.60	SUBMERSIBLE DUCT UNIT 12 INCH LENGTH 1/8 INCH DIAMETER STAINLESS STEEL PROBE 2 X 4 INCH STEEL J-BOX STANDARD OPTIONAL WEATHERPROOF ENCLOSURES AVAILABLE
14964-R0	\$	7.94	2 X 4 INCH STAINLESS STEEL SWITCH PLATE FULLY INSULATED OUTPUT SIGNAL RESISTANCE ELEMENT 10K-2 THERMISTOR OPTIONAL OVERRIDES & COMMUNICATION JACK
138-R0	\$	12.35	STAINLESS STEEL PLATE WITH LOUVERS SINGLE GANG HORIZONTAL MOUNT OUTPUT SIGNAL RESISTANCE ELEMENT 10K-2 THERMISTOR
137-R0	\$	12.35	STAINLESS STEEL PLATE WITH LOUVERS SINGLE GANG VERTICAL / BOX MOUNT OUTPUT SIGNAL RESISTANCE ELEMENT 10K-2 THERMISTOR
139-R0	\$	16.76	STAINLESS STEEL PLATE WITH LOUVERS TWO GANG PLATE VERTICAL MOUNT OUTPUT SIGNAL RESISTANCE ELEMENT 10K-2 THERMISTOR

44625-R0	\$	49.53	DUCT AVERAGING 12 FT COPPER TUBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
14968-R0	\$	18.97	SPRING LOADED STRAP FITS 5-12.5 INCH PIPE ADJUSTABLE NYLON STRAPS 10K-2 THERMISTOR THERMOBUFFER SENSOR FOR COOLERS & FREEZERS. 10K-2 THERMISTOR SENSORPROBE AVAILABLE IN 304 STAINLESS STEEL OR ALUMINUM2 INCH OR 4 INCH PROBE LENGTH IN WATERTIGHT BAPI-
36956-R0	\$	97.89	BOX ENCLOSURE. DESIGNED FOR MOUNTING ON FREEZER WALL SAVING VALUABLE SHELF SPACE.
203-R0	\$	40.57	ROOM SENSOR WITH BI-METAL DISPLAY POWERS STYLE ENCLOSURE OUTPUT SIGNAL RESISTANCE ELEMENT 10K-3 THERMISTOR
49535-R0	\$	66.14	MULTI POINT 10K-3[11K] TYPE THERMISTOR BENDABLE ALUMINUM AVERAGING 8 FT
49534-R0	\$	11.02	10K-3[11K] THERMISTOR DUCT SENSOR 12 INCH PROBE
57189-R0	\$	11.02	10K-3[11K] THERMISTOR DUCT SENSOR 18 INCH PROBE
48886-R0	\$	11.02	10K-3[11K] THERMISTOR IMMERSION SENSOR 4 INCH PROBE 0.5 INCH NPT LOW PROFILE "BUTTON" SENSOR : 10K-3 THERMISTOR WITH 11K SHUNT RESISTOR WALL MOUNT FITTING: LOW PROFILE FLUSH MOUNTING SHEATH SELECTABLE LENGTH: ETCHED TEFLON OR
49276-R0	\$	14.11	PLENUM RATED CABLE
43280-R0	\$	7.94	REMOTE SENSOR 10K-3[11K] THERMISTOR ETCHED TEFLON LEAD WIRES MUST SPECIFY [1] LEAD LENGTH [2] ENCLOSURE DELTA STYLE ROOM SENSOR OUTPUT SIGNAL RESISTANCE 10K-3[11K] THERMISTOR MUST SPECIFY [1] PRECISION [2] SETPOINT RANGE [3] SETPOINT LEGEND [4] OVERRIDE CONFIG [5]
41667-R0	\$	26.46	COMMUNICATION JACK [6] INDICATOR [7] TEST & BALANCE [8] CONNECT CONFIG
41643-R0	\$	9.26	REMOTE PROBE 10K-3[11K] THERMISTOR 22 AWG FEP CABLE 0.25 X 1.5 INCH STAINLESS STEEL CUP MUST SPECIFY [1] PRECISION [2] LEAD LENGTH [3] ENCLOSURE TYPE
12395-R0	\$	69.29	MULTI POINT 10K-3 TYPE THERMISTOR BENDABLE ALUMINUM AVERAGING 12 FT
12396-R0	\$	84.41	MULTI POINT 10K-3 TYPE THERMISTOR BENDABLE ALUMINUM AVERAGING 24 FT
12397-R0	\$	66.14	MULTI POINT 10K-3 TYPE THERMISTOR BENDABLE ALUMINUM AVERAGING 8 FT
165-R0	\$	7.94	2 X 4 INCH ALUMINUM SWITCH PLATE FULLY INSULATED OUTPUT SIGNAL RESISTANCE ELEMENT 10K-3 THERMISTOR
174-R0	\$	12.35	ALUMINUM PLATE WITH LOUVERS SINGLE GANG HORIZONTAL MOUNT OUTPUT SIGNAL RESISTANCE ELEMENT 10K-3 THERMISTOR
173-R0	\$	12.35	ALUMINUM PLATE WITH LOUVERS SINGLE GANG VERTICAL BOX MOUNT OUTPUT SIGNAL RESISTANCE ELEMENT 10K-3 THERMISTOR
175-R0	\$	16.76	ALUMINUM PLATE WITH LOUVERS TWO GANG PLATE BOX MOUNT OUTPUT SIGNAL RESISTANCE ELEMENT 10K-3 THERMISTOR
167-R0	\$	12.35	ALUMINUM PLATE WITH COMM. JACK 1/8 INCH STEREO PHONO STYLE JACK OUTPUT SIGNAL RESISTANCE ELEMENT 10K-3 THERMISTOR
168-R0	\$	27.78	ALUMINUM PLATE WITH KEYSWITCH OVERRIDE MOMENTARY NORMALLY OPEN OUTPUT SIGNAL RESISTANCE ELEMENT 10K-3 THERMISTOR
166-R0	\$	12.35	ALUMINUM PLATE WITH PUSHBUTTON OVERRIDE MOMENTARY NORMALLY OPEN OUTPUT SIGNAL RESISTANCE ELEMENT 10K-3 THERMISTOR
351-R0	\$	11.02	10K-3 THERMISTOR DUCT SENSOR 12 INCH PROBE
12289-R0	\$	12.79	10K-3 THERMISTOR DUCT SENSOR 12 INCH PROBE 10 FT LEADS 22 AWG TWISTED PAIR NO JUNCTION BOX
12290-R0	\$	13.66	10K-3 THERMISTOR DUCT SENSOR 12 INCH PROBE 15 FT LEADS 22 AWG TWISTED PAIR NO JUNCTION BOX
12291-R0	\$	11.02	10K-3 THERMISTOR DUCT SENSOR 12 INCH PROBE 18 INCH LEADS 22 AWG TWISTED PAIR NO JUNCTION BOX
12292-R0	\$	11.91	10K-3 THERMISTOR DUCT SENSOR 12 INCH PROBE 5 FT LEADS 22 AWG TWISTED PAIR NO JUNCTION BOX
352-R0	\$	11.02	10K-3 THERMISTOR DUCT SENSOR 18 INCH PROBE
12293-R0	\$	12.79	10K-3 THERMISTOR DUCT SENSOR 18 INCH PROBE 10 FT LEADS 22 AWG TWISTED PAIR NO JUNCTION BOX
12294-R0	\$	13.66	10K-3 THERMISTOR DUCT SENSOR 18 INCH PROBE 15 FT LEADS 22 AWG TWISTED PAIR NO JUNCTION BOX
12295-R0	\$	11.02	10K-3 THERMISTOR DUCT SENSOR 18 INCH PROBE 18 INCH LEADS 22 AWG TWISTED PAIR NO JUNCTION BOX
12296-R0	\$	11.91	10K-3 THERMISTOR DUCT SENSOR 18 INCH PROBE 5 FT LEADS 22 AWG TWISTED PAIR NO JUNCTION BOX
349-R0	\$	11.02	10K-3 THERMISTOR DUCT SENSOR 4 INCH PROBE
12297-R0	\$	12.79	10K-3 THERMISTOR DUCT SENSOR 4 INCH PROBE 10 FT LEADS 22 AWG TWISTED PAIR NO JUCTION BOX
12298-R0	\$	13.66	10K-3 THERMISTOR DUCT SENSOR 4 INCH PROBE 15 FT LEADS 22 AWG TWISTED PAIR NO JUNCTION BOX
12299-R0	\$	11.02	10K-3 THERMISTOR DUCT SENSOR 4 INCH PROBE 18 INCH LEADS 22 AWG TWISTED PAIR NO JUCTION BOX
12300-R0	\$	11.91	10K-3 THERMISTOR DUCT SENSOR 4 INCH PROBE 5 FT LEADS 22 AWG TWISTED PAIR NO JUCTION BOX
350-R0	\$	11.02	10K-3 THERMISTOR DUCT SENSOR 8 INCH PROBE
12301-R0	\$	12.79	10K-3 THERMISTOR DUCT SENSOR 8 INCH PROBE 10 FT LEADS 22 AWG TWISTED PAIR NO JUNCTION BOX
12302-R0	\$	13.66	10K-3 THERMISTOR DUCT SENSOR 8 INCH PROBE 15 FT LEADS 22 AWG TWISTED PAIR NO JUNCTION BOX
12303-R0	\$	11.02	10K-3 THERMISTOR DUCT SENSOR 8 INCH PROBE 18 INCH LEADS 22 AWG TWISTED PAIR NO JUNCTION BOX
12304-R0	\$	11.91	10K-3 THERMISTOR DUCT SENSOR 8 INCH PROBE 5 FT LEADS 22 AWG TWISTED PAIR NO JUNCTION BOX
35688-R0	\$	11.02	10K-3 THERMISTOR IMMERSION SENSOR 2 INCH PROBE 0.5 INCH NPT
372-R0	\$	11.02	10K-3 THERMISTOR IMMERSION SENSOR 4 INCH PROBE 0.5 INCH NPT
373-R0	\$	11.02	10K-3 THERMISTOR IMMERSION SENSOR 8 INCH PROBE 0.5 INCH NPT
49275-R0	\$	11.02	LOW PROFILE "BUTTON" SENSOR : 10K-3 THERMISTOR WALL MOUNT FITTING: LOW PROFILE FLUSH MOUNTING SHEATH SELECTABLE LENGTH: ETCHED TEFLON OR PLENUM RATED CABLE
376-R0	\$	13.23	OUTSIDE AIR SENSOR 10K-3 THERMISTOR RUGGEDIZED WEATHERPROOF ENCLOSURE
49542-R0	\$	7.94	REPLACEMENT PROBE FOR DUCT 8 INCH. STOCK "FLARED" PROBE 8.25" 10K TYPE 3 THERMISTOR SENSOR.
43279-R0	\$	7.94	REMOTE SENSOR 10K-3 THERMISTOR ETCHED TEFLON LEAD WIRES MUST SPECIFY [1] LEAD LENGTH [2] ENCLOSURE DELTA STYLE ROOM SENSOR OUTPUT SIGNAL RESISTANCE 10K-3 THERMISTOR MUST SPECIFY [1] PRECISION [2] SETPOINT RANGE [3] SETPOINT LEGEND [4] OVERRIDE CONFIG [5]
41666-R0	\$	7.94	COMMUNICATION JACK [6] INDICATOR [7] TEST & BALANCE [8] CONNECT CONFIG

44625-R0	\$	49.53	DUCT AVERAGING 12 FT COPPER TUBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
14106-R0	\$	34.40	ROOM SENSOR WITH BI-METAL DISPLAY OUTPUT SIGNAL RESISTANCE ELEMENT 10K-3 THERMISTOR
41642-R0	\$	9.26	REMOTE PROBE 10K-3 THERMISTOR 22 AWG FEP CABLE 0.25 X 1.5 INCH STAINLESS STEEL CUP MUST SPECIFY [1] PRECISION [2] LEAD LENGTH [3] ENCLOSURE TYPE
379-R0	\$	9.70	REMOTE PROBE 10K-3 THERMISTOR 22 AWG PLENUM CABLE 10 FT LEADS 0.25 X 1.5 INCH STAINLESS STEEL CUP
380-R0	\$	10.58	REMOTE PROBE 10K-3 THERMISTOR 22 AWG PLENUM CABLE 15 FT LEADS 0.25 X 1.5 INCH STAINLESS STEEL CUP
377-R0	\$	7.94	REMOTE PROBE 10K-3 THERMISTOR 22 AWG PLENUM CABLE 18 INCH LEADS 0.25 X 1.5 INCH STAINLESS STEEL CUP
381-R0	\$	11.47	REMOTE PROBE 10K-3 THERMISTOR 22 AWG PLENUM CABLE 20 FT LEADS 0.25 X 1.5 INCH STAINLESS STEEL CUP
382-R0	\$	12.35	REMOTE PROBE 10K-3 THERMISTOR 22 AWG PLENUM CABLE 25 FT LEADS 0.25 X 1.5 INCH STAINLESS STEEL CUP
378-R0	\$	8.81	REMOTE PROBE 10K-3 THERMISTOR 22 AWG PLENUM CABLE 5 FT LEADS 0.25 X 1.5 INCH STAINLESS STEEL CUP
164-R0	\$	21.16	ROOM SENSOR POWERS STYLE ENCLOSURE OUTPUT SIGNAL RESISTANCE ELEMENT 10K-3 THERMISTOR
162-R0	\$	16.76	ROOM SENSOR PRECON STYLE ENCLOSURE OUTPUT SIGNAL RESISTANCE ELEMENT 10K-3 THERMISTOR
163-R0	\$	27.34	ROOM SENSOR PRECON STYLE ENCLOSURE SETPOINT OVERRIDE AND COMMUNICATION JACK OUTPUT SIGNAL RESISTANCE ELEMENT 10K-3 THERMISTOR
202-R0	\$	53.79	ROOM SENSOR WITH BI-METAL DISPLAY PRECON STYLE ENCLOSURE SETPOINT OVERRIDE AND COMM. JACK OUTPUT SIGNAL RESISTANCE ELEMENT 10K-3 THERMISTOR
201-R0	\$	43.21	ROOM SENSOR WITH BI-METAL DISPLAY PRECON STYLE ENCLOSURE OUTPUT SIGNAL RESISTANCE ELEMENT 10K-3 THERMISTOR
374-R0	\$	12.35	CLAMP ON STRAP FITS 2-5 INCH PIPE ADJUSTABLE HOSE CLAMP 10K-3 THERMISTOR
169-R0	\$	7.94	2 X 4 INCH STAINLESS STEEL SWITCH PLATE FULLY INSULATED OUTPUT SIGNAL RESISTANCE ELEMENT 10K-3 THERMISTOR
45272-R0	\$	7.94	2 X 4 INCH STAINLESS STEEL SWITCH PLATE FULLY INSULATED OUTPUT SIGNAL RESISTANCE ELEMENT 10K-3 THERMISTOR OPTIONAL OVERRIDES & COMMUNICATION JACK
177-R0	\$	12.35	STAINLESS STEEL PLATE WITH LOUVERS SINGLE GANG HORIZONTAL BOX MOUNT OUTPUT SIGNAL RESISTANCE ELEMENT 10K-3 THERMISTOR
176-R0	\$	12.35	STAINLESS STEEL PLATE WITH LOUVERS SINGLE GANG VERTICAL BOX MOUNT OUTPUT SIGNAL RESISTANCE ELEMENT 10K-3 THERMISTOR
178-R0	\$	16.76	STAINLESS STEEL PLATE WITH LOUVERS TWO GANG PLATE / STRAP MOUNT OUTPUT SIGNAL RESISTANCE ELEMENT 10K-3 THERMISTOR
171-R0	\$	12.35	STAINLESS STEEL PLATE WITH COMM. JACK 1/8 INCH STEREO PHONO STYLE JACK OUTPUT SIGNAL RESISTANCE ELEMENT 10K-3 THERMISTOR
172-R0	\$	27.78	STAINLESS STEEL PLATE WITH KEYSWITCH OVERRIDE MOMENTARY NORMALLY OPEN OUTPUT SIGNAL RESISTANCE ELEMENT 10K-3 THERMISTOR
170-R0	\$	12.35	STAINLESS STEEL PLATE WITH PUSHBUTTON OVERRIDE MOMENTARY NORMALLY OPEN OUTPUT SIGNAL RESISTANCE ELEMENT 10K-3 THERMISTOR
375-R0	\$	18.97	SPRING LOADED STRAP FITS 5-12.5 INCH PIPE ADJUSTABLE NYLON STRAPS 10K-3 THERMISTOR
778-R0	\$	3.15	FLATHEAD SCREWDRIVER WITH 1/16 INCH ALLEN WRENCH
14191-R0	\$	12.60	6.75 INCH SCREWDRIVER AND ALLEN WRENCH COMBINATION [TOP]
524-R0	\$	40.57	ROOM SENSOR WITH POWERS STYLE ENCLOSURE AND BI-METAL INDICATOR
24059-R0	\$	130.96	COMBINATION TEMP/HUMIDITY SENSOR ACCURACY ± 2% RH TEMP 1000 OHM/.375 RTD MUST SPECIFY 2 OPTIONS [1] ANALOG OUTPUT [0-5 VDC/4-20 MA OR 0-10 VDC] [2] ENCLOSURE TYPE
24061-R0	\$	130.96	COMBINATION TEMP/HUMIDITY SENSOR ACCURACY ± 2% RH TEMP 1000 OHM/.375 RTD MUST SPECIFY 2 OPTIONS [1] ANALOG OUTPUT [0-5 VDC/4-20 MA OR 0-10 VDC] [2] ENCLOSURE TYPE
23989-R0	\$	125.67	HUMIDITY SENSOR DELTA STYLE ENCLOSURE ACCURACY ± 2% RH TEMP 1000 OHM/.375 RTD MUST SPECIFY ANALOG OUTPUT [0-5 VDC/4-20 MA OR 0-10 VDC]
24060-R0	\$	122.15	COMBINATION TEMP/HUMIDITY SENSOR ACCURACY ± 3% RH TEMP 1000 OHM/.375 RTD MUST SPECIFY 2 OPTIONS [1] ANALOG OUTPUT [0-5 VDC/4-20 MA OR 0-10 VDC] [2] ENCLOSURE TYPE
24062-R0	\$	122.15	COMBINATION TEMP/HUMIDITY SENSOR ACCURACY ± 3% RH TEMP 1000 OHM/.375 RTD MUST SPECIFY 2 OPTIONS [1] ANALOG OUTPUT [0-5 VDC/4-20 MA OR 0-10 VDC] [2] ENCLOSURE TYPE
23990-R0	\$	116.86	HUMIDITY SENSOR DELTA STYLE ENCLOSURE ACCURACY ± 3% RH TEMP 1000 OHM/.375 RTD MUST SPECIFY ANALOG OUTPUT [0-5 VDC/4-20 MA OR 0-10 VDC]
580-R0	\$	73.70	MULTI POINT 1000 OHM PLATINUM RTD BENDABLE ALUMINUM AVERAGING 12 FT
581-R0	\$	88.82	MULTI POINT 1000 OHM PLATINUM RTD BENDABLE ALUMINUM AVERAGING 24 FT
579-R0	\$	70.55	MULTI POINT 1000 OHM PLATINUM RTD BENDABLE ALUMINUM AVERAGING 8 FT
525-R0	\$	11.02	ALUMINUM WALL PLATE 2 X 4 INCH ALUM. PLATE FULLY INSULATED
534-R0	\$	15.43	ALUM WALL PLATE SENSOR WITH LOUVERS SINGLE GANG HORIZONTAL/STRAP MOUNT
533-R0	\$	15.43	ALUM WALL PLATE WITH LOUVRES SINGLE GANG VERTICAL/BOX MOUNT
535-R0	\$	19.84	ALUM WALL PLATE WITH LOUVERS TWO GANG PLATE STRAP MOUNT
527-R0	\$	15.43	ALUM WALL PLATE WITH COMM. JACK 1/8 INCH STEREO PHONO STYLE JACK
528-R0	\$	30.86	ALUM PLATE WITH KEYSWITCH OVERRIDE MOMENTARY NORMALLY OPEN
526-R0	\$	15.43	ALUM WALL PLATE WITH PUSHBUTTON OVERRIDE MOMENTARY NORMALLY OPEN
561-R0	\$	14.11	1000 OHM RTD DUCT SENSOR 12 INCH PROBE JUNCTION BOX
12305-R0	\$	15.87	1000 OHM RTD DUCT SENSOR 12 INCH PROBE 10 FT LEADS 22 AWG TWISTED PAIR NO JUNCTION BOX
12306-R0	\$	16.76	1000 OHM RTD DUCT SENSOR 12 INCH PROBE 15 FT LEADS 22 AWG TWISTED PAIR NO JUNCTION BOX
12307-R0	\$	14.11	1000 OHM RTD DUCT SENSOR 12 INCH PROBE 18 INCH LEADS 22 AWG TWISTED PAIR NO JUNCTION BOX
12308-R0	\$	14.99	1000 OHM RTD DUCT SENSOR 12 INCH PROBE 5 FT LEADS 22 AWG TWISTED PAIR NO JUNCTION BOX
562-R0	\$	14.11	1000 OHM RTD DUCT SENSOR 18 INCH PROBE JUNCTION BOX
12309-R0	\$	15.87	1000 OHM RTD DUCT SENSOR 18 INCH PROBE 10 FT LEADS 22 AWG TWISTED PAIR NO JUNCTION BOX
12310-R0	\$	16.76	1000 OHM RTD DUCT SENSOR 18 INCH PROBE 15 FT LEADS 22 AWG TWISTED PAIR NO JUNCTION BOX

44625-R0	\$	49.53	DUCT AVERAGING 12 FT COPPER TUBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
12311-R0	\$	14.11	1000 OHM RTD DUCT SENSOR 18 INCH PROBE 18 INCH LEADS 22 AWG TWISTED PAIR NO JUNCTION BOX
12312-R0	\$	14.99	1000 OHM RTD DUCT SENSOR 18 INCH PROBE 5 FT LEADS 22 AWG TWISTED PAIR NO JUNCTION BOX
559-R0	\$	14.11	1000 OHM RTD DUCT SENSOR 4 INCH PROBE JUNCTION BOX
12313-R0	\$	15.87	1000 OHM RTD DUCT SENSOR 4 INCH PROBE 10 FT LEADS 22 AWG TWISTED PAIR NO JUCTION BOX
12314-R0	\$	16.76	1000 OHM RTD DUCT SENSOR 4 INCH PROBE 15 FT LEADS 22 AWG TWISTED PAIR NO JUNCTION BOX
12315-R0	\$	14.11	1000 OHM RTD DUCT SENSOR 4 INCH PROBE 18 INCH LEADS 22 AWG TWISTED PAIR NO JUCTION BOX
12316-R0	\$	14.99	1000 OHM RTD DUCT SENSOR 4 INCH PROBE 5 FT LEADS 22 AWG TWISTED PAIR NO JUCTION BOX
560-R0	\$	14.11	1000 OHM RTD DUCT SENSOR 8 INCH PROBE JUNCTION BOX
12317-R0	\$	15.87	1000 OHM RTD DUCT SENSOR 8 INCH PROBE 10 FT LEADS 22 AWG TWISTED PAIR NO JUNCTION BOX
12318-R0	\$	16.76	1000 OHM RTD DUCT SENSOR 8 INCH PROBE 15 FT LEADS 22 AWG TWISTED PAIR NO JUNCTION BOX
12319-R0	\$	14.11	1000 OHM RTD DUCT SENSOR 8 INCH PROBE 18 INCH LEADS 22 AWG TWISTED PAIR NO JUNCTION BOX
12320-R0	\$	14.99	1000 OHM RTD DUCT SENSOR 8 INCH PROBE 5 FT LEADS 22 AWG TWISTED PAIR NO JUNCTION BOX
18597-R0	\$	130.96	COMBINATION TEMP/HUMIDITY SENSOR ACCURACY ± 2% RH TEMP SENSOR 1K RTD MUST SPECIFY 2 OPTIONS [1] ANALOG OUTPUT [0-5 VDC/4-20 MA OR 0-10 VDC] [2] ENCLOSURE TYPE
16692-R0	\$	130.96	COMBINATION TEMP/HUMIDITY SENSOR ACCURACY ± 2% RH TEMP SENSOR 1K RTD MUST SPECIFY ANALOG OUTPUT [0-5 VDC/4-20 MA OR 0-10 VDC]
14972-R0	\$	125.67	HUMIDITY SENSOR DELTA STYLE ENCLOSURE ACCURACY ± 2% RH TEMP SENSOR 1K RTD MUST SPECIFY ANALOG OUTPUT [0-5 VDC/4-20 MA OR 0-10 VDC]
769-R0	\$	141.10	COMBINATION TEMP/HUMIDITY SENSOR LCD DISPLAY DELTA STYLE ENCLOSURE ACCURACY ± 2% RH SELECT OUTPUT MUST SPECIFY ANALOG OUTPUT [0-5 VDC/4-20 MA OR 0-10 VDC]
18598-R0	\$	122.15	COMBINATION TEMP/HUMIDITY SENSOR ACCURACY ± 3% RH TEMP SENSOR 1K RTD MUST SPECIFY 2 OPTIONS [1] ANALOG OUTPUT [0-5 VDC/4-20 MA OR 0-10 VDC] [2] ENCLOSURE TYPE
16694-R0	\$	122.15	COMBINATION TEMP/HUMIDITY SENSOR ACCURACY ± 3% RH TEMP SENSOR 1K RTD MUST SPECIFY 2 OPTIONS [1] ANALOG OUTPUT [0-5 VDC/4-20 MA OR 0-10 VDC] [2] ENCLOSURE TYPE
14975-R0	\$	116.86	HUMIDITY SENSOR DELTA STYLE ENCLOSURE ACCURACY ± 3% RH TEMP SENSOR 1K RTD MUST SPECIFY ANALOG OUTPUT [0-5 VDC/4-20 MA OR 0-10 VDC]
22045-R0	\$	14.11	1000 OHM RTD IMMERSION SENSOR 2 INCH PROBE 0.5 INCH NPT
582-R0	\$	14.11	1000 OHM RTD IMMERSION SENSOR 4 INCH PROBE 0.5 INCH NPT
583-R0	\$	14.11	1000 OHM RTD IMMERSION SENSOR 8 INCH PROBE 0.5 INCH NPT
49272-R0	\$	14.11	LOW PROFILE "BUTTON" SENSOR : 1K RTD WALL MOUNT FITTING: LOW PROFILE FLUSH MOUNTING SHEATH SELECTABLE LENGTH: ETCHED TEFLON OR PLENUM RATED CABLE
586-R0	\$	16.32	OUTSIDE AIR SENSOR 1000 OHM PLATINUM RTD RUGGEDIZED WEATHERPROOF ENCLOSURE
41659-R0	\$	11.02	REMOTE SENSOR 1K OHM PLATINUM RTD PLENUM RATED CABLE MUST SPECIFY [1] CABLE LEADS [2] ENCLOSURE
41675-R0	\$	11.02	INDICATOR [6] TEST & BALANCE [7] CONNECT CONFIG
20851-R0	\$	91.34	MULTI POINT 1000 OHM PLATINUM RTD RIGID STAINLESS STEEL AVERAGING 12 INCH PROBE
22046-R0	\$	91.34	MULTI-POINT 1000 OHM RIGID AVERAGING SENSOR 2 FT PROBE
20850-R0	\$	141.74	MULTI POINT 1000 OHM RTD RIGID STAINLESS STEEL AVERAGING 4 FT PROBE
57179-R0	\$	11.02	REMOTE PROBE 1K OHM PLATINUM RTD 22 AWG TEFLON CABLE 12 INCH LEADS 0.25 X 1.5 INCH STAINLESS STEEL CUP
41650-R0	\$	12.35	REMOTE PROBE 1K OHM PLATINUM RTD 22 AWG FEP CABLE 0.25 X 1.5 INCH STAINLESS STEEL CUP MUST SPECIFY [1] CABLE LEADS [2] ENCLOSURE
589-R0	\$	12.79	REMOTE PROBE 1000 OHM PLATINUM RTD 22 AWG PLENUM CABLE 10 FT LEADS 0.25 X 1.5 INCH STAINLESS STEEL CUP
590-R0	\$	13.66	REMOTE PROBE 1000 OHM PLATINUM RTD 22 AWG PLENUM CABLE 15 FT LEADS 0.25 X 1.5 INCH STAINLESS STEEL CUP
587-R0	\$	11.02	REMOTE PROBE 1000 OHM PLATINUM RTD 22 AWG PLENUM CABLE 18 INCH LEADS 0.25 X 1.5 INCH STAINLESS STEEL CUP
591-R0	\$	14.55	REMOTE PROBE 1000 OHM PLATINUM RTD 22 AWG PLENUM CABLE 20 FT LEADS 0.25 X 1.5 INCH STAINLESS STEEL CUP
592-R0	\$	15.43	REMOTE PROBE 1000 OHM PLATINUM RTD 22 AWG PLENUM CABLE 25 FT LEADS 0.25 X 1.5 INCH STAINLESS STEEL CUP
588-R0	\$	11.91	REMOTE PROBE 1000 OHM PLATINUM RTD 22 AWG PLENUM CABLE 5 FT LEADS 0.25 X 1.5 INCH STAINLESS STEEL CUP
523-R0	\$	24.26	ROOM SENSOR WITH POWERS STYLE ENCLOSURE
517-R0	\$	19.84	ROOM SENSOR WITH PRECON STYLE ENCLOSURE
520-R0	\$	21.61	ROOM SENSOR WITH PRECON STYLE ENCLOSURE
522-R0	\$	56.89	ROOM SENSOR WITH PRECON STYLE ENCLOSURE BIMETAL INDICATOR 10-30 DEG C
519-R0	\$	46.31	ROOM SENSOR WITH PRECON STYLE ENCLOSURE AND BI-METAL INDICATOR
584-R0	\$	15.43	CLAMP ON STRAP FITS 2-5 INCH PIPE ADJUSTABLE HOSE CLAMP 1K OHM PLATINUM RTD
22335-R0	\$	91.34	SUBMERSIBLE SENSOR CONTINUOUS ELEMENT 1K PRTD
529-R0	\$	11.02	2 X 4 INCH STAINLESS PLATE FULLY INSULATED
537-R0	\$	15.43	STAINLESS PLATE WITH LOUVRES SINGLE GANG HORIZONTAL/STRAP MOUNT OPTIONAL SECURITY SCREWS
536-R0	\$	15.43	STAINLESS WALL PLATE WITH LOUVERS SINGLE GANG VERTICAL/BOX MOUNT
538-R0	\$	19.84	STAINLESS WALL PLATE WITH LOUVERS TWO GANG PLATE
531-R0	\$	15.43	STAINLESS WALL PLATE WITH COMM JACK 1/8 INCH STEREO PHONO STYLE JACK

44625-R0	\$	49.53	DUCT AVERAGING 12 FT COPPER TUBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
532-R0	\$	30.86	STAINLESS WALL PLATE SENSOR WITH KEYSWITCH OVERRIDE MOMENTARY NORMALLY OPEN
530-R0	\$	15.43	STAINLESS WALL PLATE PLATE WITH PUSHBUTTON OVERRIDE
585-R0	\$	22.05	SPRING LOADED STRAP FITS 5-12.5 INCH PIPE ADJUSTABLE NYLON STRAPS 1 K OHM PLATINUM RTD
14230-R0	\$	13.86	THERMOWELL 2 INCH 2 PART STAINLESS STEEL
14229-R0	\$	20.16	MACHINED THERMOWELL 2.5 INCH 304 STAINLESS STEEL
19905-R0	\$	27.72	MACHINED THERMOWELL 2 INCH 316 STAINLESS STEEL
14231-R0	\$	14.48	MACHINED THERMOWELL 2 INCH BRASS
24430-R0	\$	611.03	ENCLOSURE 20 X 20 X 8 STEEL
24429-R0	\$	648.83	ENCLOSURE 32 X 20 X 8 STEEL
286-R0	\$	15.12	THERMOWELL 4 INCH 2 PART STAINLESS STEEL
288-R0	\$	27.72	MACHINED THERMOWELL 4 INCH 304 STAINLESS STEEL
290-R0	\$	31.50	MACHINED THERMOWELL 4 INCH 316 STAINLESS STEEL
292-R0	\$	16.38	MACHINED THERMOWELL 4 INCH BRASS
23399-R0	\$	308.66	CO ELECTROCHEMICAL SENSOR WITH DISPLAY 0 – 100 PPM WITH OPTIONAL 0 – 300 PPM RANGE 4 – 20 MA LINEAR OUTPUT TWO [2]WIRE LOOP POWERED 12 – 27 VDC POWER OPTIONAL CASE STYLE AND MOUNTING KITS
			CO ELECTROCHEMICAL SENSOR 0 – 100 PPM WITH OPTIONAL 0 – 300 PPM RANGE 4 – 20 MA LINEAR OUTPUT TWO [2] WIRE LOOP POWERED 12 – 27 VDC POWER OPTIONAL CASE STYLE AND MOUNTING KITS
23398-R0	\$	251.97	AND MOUNTING KITS
287-R0	\$	17.64	THERMOWELL 8 INCH 2 PART STAINLESS STEEL
289-R0	\$	40.95	MACHINED THERMOWELL 8 INCH 304 STAINLESS STEEL
291-R0	\$	50.39	MACHINED THERMOWELL 8 INCH 316 STAINLESS STEEL
293-R0	\$	28.35	MACHINED THERMOWELL 8 INCH BRASS
44313-R0	\$	7.94	ADAPTOR PLATE FOR BAPI SENSOR 3.75" X 5.5" MUST SPECIFY [1] COLOR
44314-R0	\$	7.94	ADAPTOR PLATE FOR BAPI SENSOR 3.75" X 5.5" EUROPEAN PLATE MUST SPECIFY [1] COLOR
14976-R0	\$	7.94	ADAPTOR PLATE FOR BAPI SENSOR 5.25" X 7.00" MUST SPECIFY [1] COLOR
44312-R0	\$	7.94	ADAPTOR PLATE FOR BAPI SENSOR 5.3" X 5.3" MUST SPECIFY [1] COLOR
30394-R0	\$	5.04	WALL ANCHORS 1.36 INCH NYLON ANCHOR FOR #10 SCREWS PACK OF 100
24422-R0	\$	19.84	LARGE BAPI GUARD THERMOSTAT PROTECTOR INCLUDES MOUNTING HARDWARE FITS THE BAPI-STAT
24427-R0	\$	15.43	SMALLER BAPI-GUARD 2 THERMOSTAT PROTECTOR INCLUDES MOUNTING HARDWARE FITS BAPI-STAT 2 AND DELTA STYLE ENCLOSURES
24436-R0	\$	13.23	2-POSITION INTERFACE BACKPLANE
24514-R0	\$	94.81	WIRELESS TEMPERATURE TRANSMITTER IN BAPI-STAT 2 STYLE ENCLOSURE TRANSMITTED SIGNALS CAN BE CONVERTED TO VOLTAGE/CURRENT OR RESISTIVE INPUTS 100 FOOT RANGE EXTENDABLE TO 1000 FT WITH REPEATER BUILT-IN ERROR DETECTION 5-8 YEAR BATTERY LIFE.
			WIRELESS TEMPERATURE & HUMIDITY TRANSMITTER IN BAPI-STAT 2 STYLE ENCLOSURE TRANSMITTED SIGNALS CAN BE CONVERTED TO VOLTAGE/CURRENT OR RESISTIVE INPUTS 100 FOOT RANGE EXTENDABLE TO 1000 FT WITH REPEATER BUILT-IN ERROR DETECTION 5-8 YEAR BATTERY LIFE.
24515-R0	\$	116.86	WIRELESS TEMPERATURE & HUMIDITY TRANSMITTER WITH OVERRIDE IN BAPI-STAT 2 STYLE ENCLOSURE TRANSMITTED SIGNALS CAN BE CONVERTED TO VOLTAGE/CURRENT OR RESISTIVE INPUTS 100 FOOT RANGE EXTENDABLE TO 1000 FT WITH REPEATER BUILT-IN ERROR DETECTION 5-8 YEAR BATTERY LIFE.
38534-R0	\$	119.05	WIRELESS TEMPERATURE & HUMIDITY TRANSMITTER WITH SETPOINT IN BAPI-STAT 2 STYLE ENCLOSURE TRANSMITTED SIGNALS CAN BE CONVERTED TO VOLTAGE/CURRENT OR RESISTIVE INPUTS 100 FOOT RANGE EXTENDABLE TO 1000 FT WITH REPEATER BUILT-IN ERROR DETECTION 5-8 YEAR BATTERY LIFE.
38535-R0	\$	119.50	WIRELESS TEMPERATURE & HUMIDITY TRANSMITTER WITH SETPOINT AND OVERRIDE IN BAPI-STAT 2 STYLE ENCLOSURE TRANSMITTED SIGNALS CAN BE CONVERTED TO VOLTAGE/CURRENT OR RESISTIVE INPUTS 100 FOOT RANGE EXTENDABLE TO 1000 FT WITH REPEATER BUILT-IN ERROR DETECTION 5-8 YEAR BATTERY LIFE.
38536-R0	\$	121.71	WIRELESS TEMPERATURE & HUMIDITY TRANSMITTER WITH SETPOINT AND OVERRIDE IN BAPI-STAT 2 STYLE ENCLOSURE TRANSMITTED SIGNALS CAN BE CONVERTED TO VOLTAGE/CURRENT OR RESISTIVE INPUTS 100 FOOT RANGE EXTENDABLE TO 1000 FT WITH REPEATER BUILT-IN ERROR DETECTION 5-8 YEAR BATTERY LIFE.
38531-R0	\$	97.01	WIRELESS TEMPERATURE TRANSMITTER WITH OVERRIDE IN BAPI-STAT 2 STYLE ENCLOSURE TRANSMITTED SIGNALS CAN BE CONVERTED TO VOLTAGE/CURRENT OR RESISTIVE INPUTS 100 FOOT RANGE EXTENDABLE TO 1000 FT WITH REPEATER BUILT-IN ERROR DETECTION 5-8 YEAR BATTERY LIFE.
38532-R0	\$	97.45	WIRELESS TEMPERATURE TRANSMITTER WITH SETPOINT IN BAPI-STAT 2 STYLE ENCLOSURE TRANSMITTED SIGNALS CAN BE CONVERTED TO VOLTAGE/CURRENT OR RESISTIVE INPUTS 100 FOOT RANGE EXTENDABLE TO 1000 FT WITH REPEATER BUILT-IN ERROR DETECTION 5-8 YEAR BATTERY LIFE.
38533-R0	\$	99.66	WIRELESS TEMPERATURE TRANSMITTER WITH SETPOINT AND OVERRIDE IN BAPI-STAT 2 STYLE ENCLOSURE TRANSMITTED SIGNALS CAN BE CONVERTED TO VOLTAGE/CURRENT OR RESISTIVE INPUTS 100 FOOT RANGE EXTENDABLE TO 1000 FT WITH REPEATER BUILT-IN ERROR DETECTION 5-8 YEAR BATTERY LIFE.
64055-R0	\$	268.10	INDOOR ENVIRONMENT QUALITY SENSOR- ROOM MOUNT IN BAPI-STAT 3 ENCLOSURE - WITH OPTIONS FOR LCD DISPLAYHUMIDITY TRANSMITTERRESISTIVE SENSOROVERRIDE & COMMUNICATION JACK.
57205-R0	\$	209.46	INDOOR ENVIRONMENT QUALITY SENSOR- ROOM MOUNT IN BAPI-STAT 3 ENCLOSURE - WITH OPTIONS FOR LCD DISPLAYHUMIDITY TRANSMITTERRESISTIVE SENSOROVERRIDE & COMMUNICATION JACK.
48675-R0	\$	66.14	CELCIUS CURRENT OUTPUT MODULE 4-20 MA OUTPUT LOOP POWERED RECEIVES DATA FROM A BAPI 418 OR 900 MHZ RECEIVER THROUGH AN RS485 FOUR-WIRE BUS OR OPTICALLY VIA AN INFRARED EMITTER/DETECTOR COMBINATION NEW EZ ENCLOSURE IS SURFACE 2.75 INCH SNAPTRACK OR 35 MM DIN RAIL MOUNTABLE.
24522-R0	\$	66.14	FARENHEIT CURRENT OUTPUT MODULE 4-20 MA OUTPUT LOOP POWERED RECEIVES DATA FROM A BAPI 418 OR 900 MHZ RECEIVER THROUGH AN RS485 FOUR-WIRE BUS OR OPTICALLY VIA AN INFRARED EMITTER/DETECTOR COMBINATION NEW EZ ENCLOSURE IS SURFACE 2.75 INCH SNAPTRACK OR 35 MM DIN RAIL MOUNTABLE.
24431-R0	\$	41.89	DRY SWITCH MONITOR

44625-R0	\$	49.53	DUCT AVERAGING 12 FT COPPER TUBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
62648-R0	\$	59.64	DRY SWITCH MONITOR KIT
779-R0	\$	0.62	0.25 INCH FOAM PAD CLOSED CELL ADHESIVE BACKED
49541-R0	\$	0.62	0.125 INCH FOAM PAD CLOSED CELL ADHESIVE BACKED WHITE
44138-R0	\$	197.80	FLEXIBLE PROBE BRACKET USED TO MOUNT AVERAGING PROBES 100 PACK
44137-R0	\$	98.90	FLEXIBLE PROBE BRACKET USED TO MOUNT AVERAGING PROBES 50 PACK
14977-R0	\$	119.94	HUMIDITY SENSOR ACCURACY ± 2% RH 0-5 V OR 4-20 MA MUST SPECIFY ENCLOSURE TYPE
14978-R0	\$	119.94	HUMIDITY SENSOR +/- ACCURACY ± 2% RH 0-5 V OR 4-20 MA OUTPUT MUST SPECIFY ENCLOSURE TYPE
14979-R0	\$	114.65	HUMIDITY SENSOR DELTA STYLE ACCURACY ± 2% RH 0-5 V OR 4-20 MA OUTPUT MUST SPECIFY COLOR
14980-R0	\$	130.08	HUMIDITY SENSOR DELTA STYLE TRANSMITTER WITH DISPLAY ACCURACY ± 2% RH 0-5 V OR 4-20 MA OUTPUT MUST SPECIFY COLOR
14989-R0	\$	111.12	HUMIDITY SENSOR ACCURACY ± 3% RH 0-5 V OR 4-20 MA OUTPUT MUST SPECIFY ENCLOSURE TYPE
14990-R0	\$	111.12	HUMIDITY SENSOR ACCURACY ± 3% RH 0-5 V OR 4-20 MA OUTPUT MUST SPECIFY ENCLOSURE TYPE
14991-R0	\$	105.83	HUMIDITY SENSOR DELTA STYLE ROOM ACCURACY ± 3% RH 0-5 V OR 4-20 MA OUTPUT MUST SPECIFY COLOR
14992-R0	\$	121.26	ROOM SENSOR DELTA STYLE ENCLOSURE TRANSMITTER WITH DISPLAY ACCURACY ± 3% RH 0-5 V OR 4-20 MA OUTPUT MUST SPECIFY COLOR
24516-R0	\$	13.23	FULL AA SIZE 3.6V LITHIUM ION BATTERY FOR USE WITH BAPI WIRELESS TEMPERATURE AND TEMPERATURE/HUMIDITY TRANSMITTERS 5-8 YEAR ESTIMATED BATTERY LIFE.
770-R0	\$	77.17	STAND ALONE DISPLAY LCD 2 WIRE DELTA STYLE ENCLOSURE
24432-R0	\$	12.13	PULSE METER PULSE BUFFER
24438-R0	\$	132.29	POWER SUPPLY FUSE BLOCK 99 VA 120 VAC - 33 VDC @ 3A UL LISTED TRACK MOUNTABLE MUST SPECIFY [1] CIRCUIT BREAKERS
24517-R0	\$	132.29	418 MHZ RECEIVER COMES WITH 79 INCH EXTENDABLE ANTENNA FOR OPTIMUM RECEPTION 100 FOOT RANGE EZ ENCLOSURE ACCOMMODATES SURFACESNAPTRACK OR DIN RAIL MOUNTING
24518-R0	\$	242.53	900 MHZ RECEIVER WITH ATTACHED ANTENNA 1000 FOOT RANGE WITH A REPEATER OPTIONAL 79 INCH EXTENDABLE ANTENNA FOR OPTIMUM RECEPTION EZ ENCLOSURE ACCOMMODATES SURFACESNAPTRACK OR DIN RAIL MOUNTING
49754-R0	\$	205.04	REFRIGERANT LEAK DETECTOR IN A BAPI-BOX ENCLOSURE.
24519-R0	\$	66.14	RESISTANCE OUTPUT MODULE 10K-2 THERMISTOR CURVE RECEIVES DATA FROM A BAPI 418 OR 900 MHZ RECEIVER THROUGH AN RS485 FOUR-WIRE BUS OR OPTICALLY VIA AN INFRARED EMITTER/DETECTOR COMBINATION NEW EZ ENCLOSURE ACCOMMODATES SURFACE2.75 INCH SNAPTRACK OR 35 MM DIN RAIL MOUNTING.
24520-R0	\$	66.14	RESISTANCE OUTPUT MODULE 10K-3 THERMISTOR CURVE RECEIVES DATA FROM A BAPI 418 OR 900 MHZ RECEIVER THROUGH AN RS485 FOUR-WIRE BUS OR OPTICALLY VIA AN INFRARED EMITTER/DETECTOR COMBINATION NEW EZ ENCLOSURE ACCOMMODATES SURFACE2.75 INCH SNAPTRACK OR 35 MM DIN RAIL MOUNTING.
24523-R0	\$	324.10	418 TO 900 MHZ REPEATER EXTENDS TRANSMITTER RANGE TO 1000 FEET SURFACE SNAPTRACK OR DIN RAIL MOUNTABLE WITH AN ATTACHED ANTENNA AND OPTIONAL 79 INCH EXTENDABLE ANTENNA
27676-R0	\$	147.72	RS-485 REPEATER COMMUNICATION KIT INCLUDES [1] ONE RS-485 REPEATER MODULE [2] 350 MA VOLTAGE CONVERTER VC350 [3] SINGLE REPEATER BACKPLANE - SRBP [4] 4 INCH PIECE OF 2.75INCH SNAPTRACK
49316-R0	\$	66.14	RELAY OUTPUT MODULE CONVERTS DATA FROM RECEIVER INTO FLOATING SOLID STATE SWITCH CLOSURE FOR DDC CONTROLLER
41570-R0	\$	66.14	SETPOINT OUTPUT MODULE MUST SPECIFY OUTPUT. NEW EZ ENCLOSURE ACCOMMODATES SURFACE2.75" SNAPTRACK OR 35MM DIN RAIL MOUNTING.
48816-R0	\$	119.05	DOUBLE GANG STAINLESS PLATE KEYSWITCH
19906-R0	\$	25.19	SPANNER SECURITY SCREWS 6-32 X 1 INCH BOX OF 50
19907-R0	\$	4.10	SPANNER BIT FOR SPANNER SECURITY SCREWS
48815-R0	\$	24.26	2.78 X 4.5 INCH STAINLESS PLATE LIGHT SENSOR
62642-R0	\$	26.01	2.78 X 4.5 INCH STAINLESS PLATE LOW PROFILE STYLE PUSHBUTTON OVERRIDE WITH SECURITY SCREWS.
48814-R0	\$	110.24	2.78 X 4.5 INCH STAINLESS PLATE KEYSWITCH
48813-R0	\$	125.67	2.78 X 4.5 INCH STAINLESS PLATE KEYSWITCH & LIGHT SENSOR
24428-R0	\$	22.05	SINGLE REPEATER BACKPLANE AVAILABLE WITH OPTIONAL SNAPTRACK
24433-R0	\$	3.30	TRANSIENT SUPPRESSOR VOLTAGE
24434-R0	\$	3.30	TRANSIENT SUPPRESSOR CURRENT
24435-R0	\$	25.13	TERMINAL UNIT RELAY BOARD AVAILABLE WITH OPTIONAL TR2 SNAPTRACK
24636-R0	\$	10.14	VOLTAGE CONVERTER 5.8 VA 18-30 VAC/24 VDC - 12 VDC @ 100MA HALF-WAVE RECTIFIED MUST SPECIFY [1] SNAPTRACK MOUNT
24637-R0	\$	10.14	VOLTAGE CONVERTER 5.8 VA 18-30 VAC/24 VDC - 15 VDC @ 100MA HALF-WAVE RECTIFIED MUST SPECIFY [1] SNAPTRACK MOUNT
24635-R0	\$	10.14	VOLTAGE CONVERTER 5.8 VA 18-30 VAC/24 VDC - 5 VDC @ 100MA HALF-WAVE RECTIFIED MUST SPECIFY [1] SNAPTRACK MOUNT
24638-R0	\$	11.02	VOLTAGE CONVERTER 5.8 VA 18-30 VAC/24 VDC - 5-24 ADJUSTABLE VDC @ 100MA HALF-WAVE RECTIFIED MUST SPECIFY [1] SNAPTRACK MOUNT
24437-R0	\$	52.91	VOLTAGE CONVERTER 60 VA 24 VAC - 1.2-24 VDC @ 2.5A NO BACKPLATE MUST SPECIFY [1] FULL WAVE/HALF WAVE
10902-R0	\$	52.91	VOLTAGE CONVERTER 60 VA 24 VAC - 1.2-24 VDC @ 2.5A BACKPLATE INCLUDED MUST SPECIFY [1] FULL WAVE/HALF WAVE
24640-R0	\$	15.43	VOLTAGE CONVERTER 18.25 VA 18-30 VAC/24 VDC - 12 VDC @ 350MA HALF-WAVE RECTIFIED MUST SPECIFY [1] SNAPTRACK MOUNT
24641-R0	\$	15.43	VOLTAGE CONVERTER 18.25 VA 18-30 VAC/24 VDC - 15 VDC @ 350MA HALF-WAVE RECTIFIED MUST SPECIFY [1] SNAPTRACK MOUNT
24639-R0	\$	15.43	VOLTAGE CONVERTER 18.25 VA 18-30 VAC/24 VDC - 5 VDC @ 350MA HALF-WAVE RECTIFIED MUST SPECIFY [1] SNAPTRACK MOUNT
24642-R0	\$	15.43	VOLTAGE CONVERTER 18.25 VA 18-30 VAC/24 VDC - 5-24 ADJUSTABLE VDC @ 350MA HALF-WAVE RECTIFIED MUST SPECIFY [1] SNAPTRACK MOUNT
64015-R0	\$	18.97	EZ MOUNT ENCLOSURE VOLTAGE CONVERTER 18.25 VA 18-30 VAC/24 VDC - 12 VDC @ 350MA HALF-WAVE RECTIFIED MUST SPECIFY [1] SNAPTRACK MOUNT

44625-R0	\$	49.53	DUCT AVERAGING 12 FT COPPER TUBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
64016-R0	\$	18.97	EZ MOUNT ENCLOSURE VOLTAGE CONVERTER 18.25 VA 18-30 VAC/24 VDC - 15 VDC @ 350MA HALF-WAVE RECTIFIED MUST SPECIFY [1] SNAPTRACK MOUNT
64013-R0	\$	18.97	EZ MOUNT ENCLOSURE VOLTAGE CONVERTER 18.25 VA 18-30 VAC/24 VDC - 5 VDC @ 350MA HALF-WAVE RECTIFIED MUST SPECIFY [1] SNAPTRACK MOUNT
64014-R0	\$	18.97	EZ MOUNT ENCLOSURE VOLTAGE CONVERTER 18.25 VA 18-30 VAC/24 VDC - 5-24 ADJUSTABLE VDC @ 350MA HALF-WAVE RECTIFIED MUST SPECIFY [1] SNAPTRACK MOUNT
24634-R0	\$	10.14	VOLTAGE CONVERTER 5.8 VA 18-30 VAC/24 VDC - 12 VDC @ 75MA HALF-WAVE RECTIFIED MUST SPECIFY [1] SNAPTRACK MOUNT
24462-R0	\$	10.14	VOLTAGE CONVERTER 5.8 VA 18-30 VAC/24 VDC - 15 VDC @ 75MA HALF-WAVE RECTIFIED MUST SPECIFY [1] SNAPTRACK MOUNT
10904-R0	\$	10.14	VOLTAGE CONVERTER 5.8 VA 18-30 VAC/24 VDC - 5 VDC @ 75MA HALF-WAVE RECTIFIED MUST SPECIFY [1] SNAPTRACK MOUNT
24463-R0	\$	11.02	VOLTAGE CONVERTER 5.8 VA 18-30 VAC/24 VDC - 5-24 ADJUSTABLE VDC @ 75MA HALF-WAVE RECTIFIED MUST SPECIFY [1] SNAPTRACK MOUNT
49755-R0	\$	214.75	VOC SENSOR- 0 TO 5 VDC - DUCT MOUNT - IN BAPI-BOX ENCLOSURE
57204-R0	\$	214.75	VOC DUCT SENSOR- 0 TO 10 VDC -DUCT MOUNT IN BAPI-STAT 3 ENCLOSURE
48679-R0	\$	66.14	CELCIUS VOLTAGE OUTPUT MODULE FACTORY CALIBRATED 0-5 OR 0-10 V RECEIVES DATA FROM A BAPI 418 OR 900 MHZ RECEIVER THROUGH AN RS485 FOUR-WIRE BUS OR OPTICALLY VIA INFRARED EMITTER/DETECTOR COMBINATION NEW EZ ENCLOSURE ACCOMMODATES SURFACE2.75 INCH SNAPTRACK OR 35 MM DIN RAIL MOUNTING.
24521-R0	\$	66.14	FARENHEIT VOLTAGE OUTPUT MODULE FACTORY CALIBRATED 0-5 OR 0-10 V RECEIVES DATA FROM A BAPI 418 OR 900 MHZ RECEIVER THROUGH AN RS485 FOUR-WIRE BUS OR OPTICALLY VIA INFRARED EMITTER/DETECTOR COMBINATION EZ ENCLOSURE ACCOMMODATES SURFACE2.75 INCH SNAPTRACK OR 35 MM DIN RAIL MOUNTING.
49514-R0	\$	66.14	FULL SCALEVOLTAGE OUTPUT MODULE FACTORY CALIBRATED 0-5 OR 0-10 V OUTPUT FULL SCALE RECEIVES DATA FROM A BAPI 418 OR 900 MHZ RECEIVER THROUGH AN RS485 FOUR-WIRE BUS OR OPTICALLY VIA INFRARED EMITTER/DETECTOR COMBINATION EZ ENCLOSURE ACCOMMODATES SURFACE2.75 INCH SNAPTRACK OR 35 MM DIN RAIL MOUNTING.
49512-R0	\$	66.14	% RELATIVE HUMIDITY VOLTAGE OUTPUT MODULE FACTORY CALIBRATED 0-5 OR 0-10 V 0 TO 100% RH RECEIVES DATA FROM A BAPI 418 OR 900 MHZ RECEIVER THROUGH AN RS485 FOUR-WIRE BUS OR OPTICALLY VIA INFRARED EMITTER/DETECTOR COMBINATION EZ ENCLOSURE ACCOMMODATES SURFACE2.75 INCH SNAPTRACK OR 35 MM DIN RAIL MOUNTING.
49513-R0	\$	66.14	% RELATIVE HUMIDITY VOLTAGE OUTPUT MODULE FACTORY CALIBRATED 0-5 OR 0-10 V 35 TO 70% RH RECEIVES DATA FROM A BAPI 418 OR 900 MHZ RECEIVER THROUGH AN RS485 FOUR-WIRE BUS OR OPTICALLY VIA INFRARED EMITTER/DETECTOR COMBINATION EZ ENCLOSURE ACCOMMODATES SURFACE2.75 INCH SNAPTRACK OR 35 MM DIN RAIL MOUNTING.
35428-R0	\$	147.72	WIRELESS DUCT TEMPERATURE TRANSMITTER12” PROBE LENGTH • 8 YEAR BATTERY LIFE (WITH TWO 3.6 VOLT LITHIUM BATTERIESFULL AA SIZE) • 100 FOOT RANGEEXTENDABLE TO 1 000 FEET WITH REPEATER• TRANSMITTED SIGNALS CAN BE CONVERTED TO VOLTAGECURRENT OR RESISTIVE OUTPUTS• WATERTIGHT BAPI-BOX ENCLOSURE AND STAINLESS STEEL PROBES• MEDICAL-GRADE FOAM PADDINGETCHED TEFLON LEADWIRES & DOUBLE ENCAPSULATED SENSORS
35429-R0	\$	147.72	WIRELESS DUCT TEMPERATURE TRANSMITTER18” PROBE LENGTH • 8 YEAR BATTERY LIFE (WITH TWO 3.6 VOLT LITHIUM BATTERIESFULL AA SIZE) • 100 FOOT RANGEEXTENDABLE TO 1 000 FEET WITH REPEATER• TRANSMITTED SIGNALS CAN BE CONVERTED TO VOLTAGECURRENT OR RESISTIVE OUTPUTS• WATERTIGHT BAPI-BOX ENCLOSURE AND STAINLESS STEEL PROBES• MEDICAL-GRADE FOAM PADDINGETCHED TEFLON LEADWIRES & DOUBLE ENCAPSULATED SENSORS
35426-R0	\$	147.72	WIRELESS DUCT TEMPERATURE TRANSMITTER4” PROBE LENGTH • 8 YEAR BATTERY LIFE (WITH TWO 3.6 VOLT LITHIUM BATTERIESFULL AA SIZE) • 100 FOOT RANGEEXTENDABLE TO 1 000 FEET WITH REPEATER• TRANSMITTED SIGNALS CAN BE CONVERTED TO VOLTAGECURRENT OR RESISTIVE OUTPUTS • WATERTIGHT BAPI-BOX ENCLOSURE AND STAINLESS STEEL PROBES• MEDICAL-GRADE FOAM PADDINGETCHED TEFLON LEADWIRES & DOUBLE ENCAPSULATED SENSORS
35427-R0	\$	147.72	WIRELESS DUCT TEMPERATURE TRANSMITTER8” PROBE LENGTH • 8 YEAR BATTERY LIFE (WITH TWO 3.6 VOLT LITHIUM BATTERIESFULL AA SIZE) • 100 FOOT RANGEEXTENDABLE TO 1 000 FEET WITH REPEATER• TRANSMITTED SIGNALS CAN BE CONVERTED TO VOLTAGECURRENT OR RESISTIVE OUTPUTS• WATERTIGHT BAPI-BOX ENCLOSURE AND STAINLESS STEEL PROBES• MEDICAL-GRADE FOAM PADDINGETCHED TEFLON LEADWIRES & DOUBLE ENCAPSULATED SENSORS
35430-R0	\$	235.91	WIRELESS DUCT TEMP. & HUMIDITY TRANSMITTER5” PROBE LENGTH • 8 YEAR BATTERY LIFE (WITH TWO 3.6 VOLT LITHIUM BATTERIESFULL AA SIZE) • 100 FOOT RANGEEXTENDABLE TO 1 000 FEET WITH REPEATER• TRANSMITTED SIGNALS CAN BE CONVERTED TO VOLTAGECURRENT OR RESISTIVE OUTPUTS• WATERTIGHT BAPI-BOX ENCLOSURE AND STAINLESS STEEL PROBES• MEDICAL-GRADE FOAM PADDINGETCHED TEFLON LEADWIRES & DOUBLE ENCAPSULATED SENSORS
35432-R0	\$	233.70	WIRELESS OUTSIDE AIR TEMPERATURE AND HUMIDITY TRANSMITTER. • 8 YEAR BATTERY LIFE (WITH TWO 3.6 VOLT LITHIUM BATTERIESFULL AA SIZE) • 100 FEET RANGEEXTENDABLE TO 1 000 FEET WITH REPEATER• TRANSMITTED SIGNALS CAN BE CONVERTED TO VOLTAGECURRENT OR RESISTIVE OUTPUTS• WATERTIGHT BAPI-BOX ENCLOSURE• QUICK RESPONSE SENSOR• 2% RH ACCURACY
35423-R0	\$	147.72	WIRELESS IMMERSION TEMPERATURE TRANSMITTER2” PROBE LENGTH • 8 YEAR BATTERY LIFE (WITH TWO 3.6V LITHIUM BATTERIESFULL AA SIZE) • 100 FOOT RANGEEXTENDABLE TO 1 000 FEET WITH REPEATER• TRANSMITTED SIGNALS CAN BE CONVERTED TO VOLTAGECURRENT OR RESISTIVE OUTPUTS• PROBE LENGTHS: 2”4” AND 8” (FIT STANDARD BAPI THERMOWELLS)• WATERTIGHT BAPI-BOX ENCLOSURE AND STAINLESS STEEL PROBES• ETCHED TEFLON LEADWIRES & DOUBLE ENCAPSULATED SENSORS
35424-R0	\$	147.72	WIRELESS IMMERSION TEMPERATURE TRANSMITTER4” PROBE LENGTH • 8 YEAR BATTERY LIFE (WITH TWO 3.6V LITHIUM BATTERIESFULL AA SIZE) • 100 FOOT RANGEEXTENDABLE TO 1 000 FEET WITH REPEATER• TRANSMITTED SIGNALS CAN BE CONVERTED TO VOLTAGECURRENT OR RESISTIVE OUTPUTS• WATERTIGHT BAPI-BOX ENCLOSURE AND STAINLESS STEEL PROBES• ETCHED TEFLON LEADWIRES & DOUBLE ENCAPSULATED SENSORS
35425-R0	\$	147.72	WIRELESS IMMERSION TEMPERATURE TRANSMITTER8” PROBE LENGTH • 8 YEAR BATTERY LIFE (WITH TWO 3.6V LITHIUM BATTERIESFULL AA SIZE) • 100 FOOT RANGEEXTENDABLE TO 1 000 FEET WITH REPEATER• TRANSMITTED SIGNALS CAN BE CONVERTED TO VOLTAGECURRENT OR RESISTIVE OUTPUTS• WATERTIGHT BAPI-BOX ENCLOSURE AND STAINLESS STEEL PROBES• ETCHED TEFLON LEADWIRES & DOUBLE ENCAPSULATED SENSORS
35431-R0	\$	147.72	WIRELESS OUTSIDE AIR TEMPERATURE TRANSMITTER• 8 YEAR BATTERY LIFE (WITH TWO 3.6 VOLT LITHIUM BATTERIESFULL AA SIZE) • 100 FEET RANGEEXTENDABLE TO 1 000 FEET WITH REPEATER• TRANSMITTED SIGNALS CAN BE CONVERTED TO VOLTAGECURRENT OR RESISTIVE OUTPUTS• WATERTIGHT BAPI-BOX ENCLOSURE• QUICK RESPONSE SENSOR
35439-R0	\$	156.53	REMOTE PROBEPLENUM RATED CABLE - 10' LEADS • 8 YEAR BATTERY LIFE (WITH TWO 3.6V LITHIUM BATTERIESFULL AA SIZE) • 100 FOOT RANGEEXTENDABLE TO 1 000 FEET WITH REPEATER• TRANSMITTED SIGNALS CAN BE CONVERTED TO VOLTAGECURRENT OR RESISTIVE OUTPUTS• FEP JACKETED CABLE• DOUBLE ENCAPSULATED PROBE SENSOR

44625-R0	\$	49.53	DUCT AVERAGING 12 FT COPPER TUBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
35440-R0	\$	158.74	REMOTE PROBEPLENUM RATED CABLE - 15' LEADS • 8 YEAR BATTERY LIFE (WITH TWO 3.6V LITHIUM BATTERIESFULL AA SIZE) • 100 FOOT RANGEEXTENDABLE TO 1 000 FEET WITH REPEATER•
35441-R0	\$	160.95	TRANSMITTED SIGNALS CAN BE CONVERTED TO VOLTAGECURRENT OR RESISTIVE OUTPUTS• FEP JACKETED CABLE• DOUBLE ENCAPSULATED PROBE SENSOR
35442-R0	\$	163.15	REMOTE PROBEPLENUM RATED CABLE - 20' LEADS • 8 YEAR BATTERY LIFE (WITH TWO 3.6V LITHIUM BATTERIESFULL AA SIZE) • 100 FOOT RANGEEXTENDABLE TO 1 000 FEET WITH REPEATER•
35438-R0	\$	154.34	TRANSMITTED SIGNALS CAN BE CONVERTED TO VOLTAGECURRENT OR RESISTIVE OUTPUTS• FEP JACKETED CABLE• DOUBLE ENCAPSULATED PROBE SENSOR
35434-R0	\$	153.89	REMOTE PROBEPLENUM RATED CABLE - 10' LEADS • 8 YEAR BATTERY LIFE (WITH TWO 3.6V LITHIUM BATTERIESFULL AA SIZE) • 100 FOOT RANGEEXTENDABLE TO 1 000 FEET WITH REPEATER•
35435-R0	\$	154.78	TRANSMITTED SIGNALS CAN BE CONVERTED TO VOLTAGECURRENT OR RESISTIVE OUTPUTS• PLENUM RATED CABLE• DOUBLE ENCAPSULATED PROBE SENSOR
35436-R0	\$	155.65	REMOTE PROBEPLENUM RATED CABLE - 15' LEADS • 8 YEAR BATTERY LIFE (WITH TWO 3.6V LITHIUM BATTERIESFULL AA SIZE) • 100 FOOT RANGEEXTENDABLE TO 1 000 FEET WITH REPEATER•
35437-R0	\$	156.53	TRANSMITTED SIGNALS CAN BE CONVERTED TO VOLTAGECURRENT OR RESISTIVE OUTPUTS• PLENUM RATED CABLE• DOUBLE ENCAPSULATED PROBE SENSOR
35433-R0	\$	153.01	REMOTE PROBEPLENUM RATED CABLE - 20' LEADS • 8 YEAR BATTERY LIFE (WITH TWO 3.6V LITHIUM BATTERIESFULL AA SIZE) • 100 FOOT RANGEEXTENDABLE TO 1 000 FEET WITH REPEATER•
44361-R0	\$	234.59	TRANSMITTED SIGNALS CAN BE CONVERTED TO VOLTAGECURRENT OR RESISTIVE OUTPUTS• PLENUM RATED CABLE• DOUBLE ENCAPSULATED PROBE SENSOR
44362-R0	\$	208.13	WIRELESS THERMOBUFFER 304 SS CHAMBER BAPI-BOX ENCLOSURE MUST SPECIFY [1] PROBE LENGTH
43893-R0	\$	94.81	WIRELESS THERMOBUFFER MACHINED ALUMINUM BAPI-BOX ENCLOSURE MUST SPECIFY [1] PROBE LENGTH
43892-R0	\$	116.86	WIRELESS TEMPERATURE TRANSMITTER IN LS3 STYLE ENCLOSURE TRANSMITTED SIGNALS CAN BE CONVERTED TO VOLTAGE/CURRENT OR RESISTIVE INPUTS 100 FOOT RANGE EXTENDABLE TO 1000 FT WITH REPEATER BUILT-IN ERROR DETECTION 5-8 YEAR BATTERY LIFE.
56958-R0	\$	119.05	WIRELESS TEMPERATURE & HUMIDITY TRANSMITTER IN LS3 STYLE ENCLOSURE TRANSMITTED SIGNALS CAN BE CONVERTED TO VOLTAGE/CURRENT OR RESISTIVE INPUTS 100 FOOT RANGE EXTENDABLE TO 1000 FT WITH REPEATER BUILT-IN ERROR DETECTION 5-8 YEAR BATTERY LIFE.
56959-R0	\$	119.50	WIRELESS TEMPERATURE & HUMIDITY TRANSMITTER WITH SETPOINT IN LS3 STYLE ENCLOSURE TRANSMITTED SIGNALS CAN BE CONVERTED TO VOLTAGE/CURRENT OR RESISTIVE INPUTS 100 FOOT RANGE EXTENDABLE TO 1000 FT WITH REPEATER BUILT-IN ERROR DETECTION 5-8 YEAR BATTERY LIFE.
56960-R0	\$	121.71	WIRELESS TEMPERATURE & HUMIDITY TRANSMITTER WITH SETPOINT AND OVERRIDE IN LS3 STYLE ENCLOSURE TRANSMITTED SIGNALS CAN BE CONVERTED TO VOLTAGE/CURRENT OR RESISTIVE INPUTS 100 FOOT RANGE EXTENDABLE TO 1000 FT WITH REPEATER BUILT-IN ERROR DETECTION 5-8 YEAR BATTERY LIFE.
56955-R0	\$	97.01	WIRELESS TEMPERATURE TRANSMITTER WITH OVERRIDE IN LS3 STYLE ENCLOSURE TRANSMITTED SIGNALS CAN BE CONVERTED TO VOLTAGE/CURRENT OR RESISTIVE INPUTS 100 FOOT RANGE EXTENDABLE TO 1000 FT WITH REPEATER BUILT-IN ERROR DETECTION 5-8 YEAR BATTERY LIFE.
56956-R0	\$	97.45	WIRELESS TEMPERATURE TRANSMITTER WITH SETPOINT IN LS3 STYLE ENCLOSURE TRANSMITTED SIGNALS CAN BE CONVERTED TO VOLTAGE/CURRENT OR RESISTIVE INPUTS 100 FOOT RANGE EXTENDABLE TO 1000 FT WITH REPEATER BUILT-IN ERROR DETECTION 5-8 YEAR BATTERY LIFE.
56957-R0	\$	99.66	WIRELESS TEMPERATURE TRANSMITTER WITH SETPOINT AND OVERRIDE IN LS3 STYLE ENCLOSURE TRANSMITTED SIGNALS CAN BE CONVERTED TO VOLTAGE/CURRENT OR RESISTIVE INPUTS 100 FOOT RANGE EXTENDABLE TO 1000 FT WITH REPEATER BUILT-IN ERROR DETECTION 5-8 YEAR BATTERY LIFE.
45815-R0	\$	15.87	TERMINAL BOARD DESIGNED FOR ALC ME812U MEX816U MEX88U MEX016U AND ME812U-LGR CONTROLLERS.
62623-R0	\$	142.32	HIGH RANGE ZONE PRESSURE TRANSMITTER - FIELD ADJUSTABLE RANGES FROM 0 TO 30 INCHES WC FOR DRY MEDIA IN BAPI-BOX ENCLOSURE - A RUGGED NEMA 1 RATED ENCLOSURE 3 YEAR WARRANTY
62622-R0	\$	142.32	HIGH RANGE ZONE PRESSURE TRANSMITTER WITH DISPLAY -FIELD ADJUSTABLE RANGES FROM -0 TO 30 INCHES WC FOR DRY MEDIA IN BAPI-BOX ENCLOSURE - A RUGGED NEMA 1 RATED ENCLOSURE 3 YEAR WARRANTY
62619-R0	\$	142.32	LOW RANGE PRESSURE SENSOR - COMPLETELY FIELD ADJUSTABLE FROM -1 TO 1 INCH WC MULTI-RANGE DIFFERENTIAL PRESSURE TRANSMITTER FOR DRY MEDIA IN BAPI-BOX - RUGGED IP66 UV-RESISTANT HOUSING ONE TOUCH SET UP AUTO ZERO RANGES/OUTPUTS FIELD RESETTABLE 3 YEAR WARRANTY
62620-R0	\$	142.32	LOW RANGE PRESSURE SENSOR WITH DISPLAY - COMPLETELY FIELD ADJUSTABLE FROM -1 TO 1 INCH WC MULTI-RANGE DIFFERENTIAL PRESSURE TRANSMITTER FOR DRY MEDIA IN BAPI-BOX ENCLOSURE - RUGGED IP66 RATEDUV-RESISTANT HOUSING ONE TOUCH SET UP AUTO ZERO RANGES/OUTPUTS FIELD RESETTABLE 3 YEAR WARRANTY
44780-R0	\$	133.95	LOW RANGE PRESSURE SENSOR - COMPLETELY FIELD ADJUSTABLE FROM -1 TO 1 INCH WC MULTI-RANGE DIFFERENTIAL PRESSURE TRANSMITTER FOR DRY MEDIA IN A RUGGED IP66 HOUSING ONE TOUCH SET UP AUTO ZERO RANGES/OUTPUTS FIELD RESETTABLE 3 YEAR WARRANTY
62618-R0	\$	142.32	STANDARD RANGE ZONE PRESSURE TRANSMITTER (NO DISPLAY) 10 FIELD ADJUSTABLE RANGES FROM -5 TO 5 INCHES WC PIEZORESISTIVE FOR DRY MEDIA IN BAPI-BOX ENCLOSURE - A RUGGED NEMA 1 RATED ENCLOSURE 3 YEAR WARRANTY
62621-R0	\$	142.32	STANDARD RANGE ZONE PRESSURE TRANSMITTER WITH DISPLAY - 10 FIELD ADJUSTABLE RANGES FROM -5 TO 5 INCHES WC FOR DRY MEDIA IN BAPI-BOX ENCLOSURE - A RUGGED NEMA 1 RATED ENCLOSURE 3 YEAR WARRANTY
62617-R0	\$	133.95	STANDARD RANGE EZ PRESSURE SENSOR - COMPLETELY FIELD ADJUSTABLE FROM -5 TO 5 INCHES W.C. MULTI-RANGE DIFFERENTIAL PRESSURE TRANSMITTER FOR DRY MEDIA IN A RUGGED IP66 HOUSING ONE TOUCH SET UP AUTO ZERO RANGES/OUTPUTS FIELD RESETTABLE 3 YEAR WARRANTY
20854-R0	\$	7.54	PRESSURE PICKUP PORT 2 X 4 INCH STAINLESS STEEL WALL PLATE STATIC PICKUP OPTIONAL TEMPERATURE SENSOR

44625-R0	\$	49.53	DUCT AVERAGING 12 FT COPPER TUBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
20855-R0	\$	6.28	PRESSURE PICKUP PORT ROOM MOUNT DELTA STYLE ENCLOSURE STATIC PICKUP OPTIONAL TEMP SENSOR
20856-R0	\$	6.28	PRESSURE PICKUP PORT CEILING MOUNT 4 X 4 INCH COVER STATIC PICKUP
20857-R0	\$	7.11	PRESSURE PICKUP PORT CEILING MOUNT 2 X 4 INCH COVER AND BOX STATIC PICKUP
20858-R0	\$	10.67	STATIC PRESSURE PROBE ASSEMBLY
20859-R0	\$	5.02	PITOT TUBE ONLY WITH CIRCULAR FOAM NO HOSE OR SURGE DAMPER
20860-R0	\$	5.45	HOSE WITH SURGE DAMPER
22051-R0	\$	16.74	OUTSIDE AIR PRESSURE PICKUP PORT CONDUIT & TUBING NOT INCLUDED
35689-R0	\$	16.74	VERTICAL MOUNT OUTSIDE AIR PRESSURE PICKUP PORT CONDUIT & TUBING NOT INCLUDED -
24423-R0	\$	30.13	PITOT PRESSURE PROBE ASSEMBLY 3.5 INCH LONG INCLUDES STATIC & TOTAL PROBE ASSEMBLIES
24424-R0	\$	30.13	PITOT PRESSURE PROBE ASSEMBLY 6 INCH LONG INCLUDES STATIC & TOTAL PROBE ASSEMBLIES
27658-R0	\$	5.45	ZONE PRESSURE SENSOR STATIC PROBE ASSEMBLY 3.5 INCH TOTAL TUBE ONLY WITH CIRCULAR FOAM DOES NOT INCLUDE HOSES & DAMPER
27669-R0	\$	5.45	ZONE PRESSURE SENSOR STATIC PROBE ASSEMBLY 6 INCH TOTAL TUBE ONLY WITH CIRCULAR FOAM DOES NOT INCLUDE HOSES & DAMPER
51927-R0	\$	3.15	SURGE DAMPER ONLY5 MICRON
57224-R0	\$	12.56	LOW PROFILE PRESSURE PICKUP PORT
62628-R0	\$	142.32	UNCONFIGURED HIGH RANGE PART NUMBER FOR BAPI-BOX PRESSURE. NO TUBE - UOM/INCHES W.C. COMPLETELY FIELD ADJUSTABLE FROM 0 TO 30 INCH WC PIEZORESISTIVE MULTI-RANGE DIFFERENTIAL PRESSURE TRANSMITTER FOR DRY MEDIA IN A RUGGED IP66 HOUSING ONE TOUCH SET UP AUTO ZERO RANGES/OUTPUTS FIELD RESETTABLE 3 YEAR WARRANTY
62629-R0	\$	142.32	UNCONFIGURED HIGH RANGE PART NUMBER FOR BAPI-BOX PRESSURE. NO TUBE - UOM/PASCALS.COMPLETELY FIELD ADJUSTABLE FROM 0 TO 7 400 PASCALS PIEZORESISTIVE MULTI-RANGE DIFFERENTIAL PRESSURE TRANSMITTER FOR DRY MEDIA IN A RUGGED IP66 HOUSING ONE TOUCH SET UP AUTO ZERO RANGES/OUTPUTS FIELD RESETTABLE 3 YEAR WARRANTY
62630-R0	\$	142.32	UNCONFIGURED HIGH RANGE PART NUMBER FOR BAPI-BOX PRESSURE. WITH STATIC TUBE - UOM/INCHES W.C.COMPLETELY FIELD ADJUSTABLE FROM 0 TO 30 INCH WC PIEZORESISTIVE MULTI- RANGE DIFFERENTIAL PRESSURE TRANSMITTER FOR DRY MEDIA IN A RUGGED IP66 HOUSING ONE TOUCH SET UP AUTO ZERO RANGES/OUTPUTS FIELD RESETTABLE 3 YEAR WARRANTY
62631-R0	\$	142.32	UNCONFIGURED HIGH RANGE PART NUMBER FOR BAPI-BOX PRESSURE. WITH STATIC TUBE - UOM/PASCALCOMPLETELY FIELD ADJUSTABLE FROM 0 TO 7 400 PASCALS PIEZORESISTIVE MULTI- RANGE DIFFERENTIAL PRESSURE TRANSMITTER FOR DRY MEDIA IN A RUGGED IP66 HOUSING ONE TOUCH SET UP AUTO ZERO RANGES/OUTPUTS FIELD RESETTABLE 3 YEAR WARRANTY
62632-R0	\$	142.32	UNCONFIGURED LOW RANGE PART NUMBER FOR BAPI-BOX PRESSURE. NO TUBE - UOM/INCHES W.C. COMPLETELY FIELD ADJUSTABLE FROM -1 TO 1 INCH WC PIEZORESISTIVE MULTI-RANGE DIFFERENTIAL PRESSURE TRANSMITTER FOR DRY MEDIA IN A RUGGED IP66 HOUSING ONE TOUCH SET UP AUTO ZERO RANGES/OUTPUTS FIELD RESETTABLE 3 YEAR WARRANTY
62633-R0	\$	142.32	UNCONFIGURED LOW RANGE PART NUMBER FOR BAPI-BOX PRESSURE. NO TUBE - UOM/PASCALS.COMPLETELY FIELD ADJUSTABLE FROM0 TO 250 PASCALS PIEZORESISTIVE MULTI-RANGE DIFFERENTIAL PRESSURE TRANSMITTER FOR DRY MEDIA IN A RUGGED IP66 HOUSING ONE TOUCH SET UP AUTO ZERO RANGES/OUTPUTS FIELD RESETTABLE 3 YEAR WARRANTY
62634-R0	\$	142.32	UNCONFIGURED LOW RANGE PART NUMBER FOR BAPI-BOX PRESSURE. WITH STATIC TUBE - UOM/INCHES W.C.COMPLETELY FIELD ADJUSTABLE FROM -1 TO 1 INCH WC PIEZORESISTIVE MULTI- RANGE DIFFERENTIAL PRESSURE TRANSMITTER FOR DRY MEDIA IN A RUGGED IP66 HOUSING ONE TOUCH SET UP AUTO ZERO RANGES/OUTPUTS FIELD RESETTABLE 3 YEAR WARRANTY
62635-R0	\$	142.32	UNCONFIGURED LOW RANGE PART NUMBER FOR BAPI-BOX PRESSURE. WITH STATIC TUBE - UOM/PASCALS.COMPLETELY FIELD ADJUSTABLE FROM 0 TO 250 PASCALS PIEZORESISTIVE MULTI- RANGE DIFFERENTIAL PRESSURE TRANSMITTER FOR DRY MEDIA IN A RUGGED IP66 HOUSING ONE TOUCH SET UP AUTO ZERO RANGES/OUTPUTS FIELD RESETTABLE 3 YEAR WARRANTY
62624-R0	\$	133.95	UNCONFIGURED LOW RANGE PART NUMBER FOR EZ PRESSURE. NO TUBE - UOM/INCHES W.C. COMPLETELY FIELD ADJUSTABLE FROM -1 TO 1 INCH WC PIEZORESISTIVE MULTI-RANGE DIFFERENTIAL PRESSURE TRANSMITTER FOR DRY MEDIA IN A RUGGED IP66 HOUSING ONE TOUCH SET UP AUTO ZERO RANGES/OUTPUTS FIELD RESETTABLE 3 YEAR WARRANTY
62625-R0	\$	133.95	UNCONFIGURED LOW RANGE PART NUMBER FOR EZ PRESSURE. NO TUBE - UOM/PASCALS.COMPLETELY FIELD ADJUSTABLE FROM0 TO 250 PASCALS PIEZORESISTIVE MULTI-RANGE PRESSURE TRANSMITTER FOR DRY MEDIA IN A RUGGED IP66 HOUSING ONE TOUCH SET UP AUTO ZERO RANGES/OUTPUTS FIELD RESETTABLE 3 YEAR WARRANTY
62626-R0	\$	133.95	UNCONFIGURED LOW RANGE PART NUMBER FOR EZ PRESSURE. WITH STATIC TUBE - UOM/INCHES W.C.COMPLETELY FIELD ADJUSTABLE FROM -1 TO 1 INCH WC PIEZORESISTIVE MULTI-RANGE DIFFERENTIAL PRESSURE TRANSMITTER FOR DRY MEDIA IN A RUGGED IP66 HOUSING ONE TOUCH SET UP AUTO ZERO RANGES/OUTPUTS FIELD RESETTABLE 3 YEAR WARRANTY
62627-R0	\$	133.95	UNCONFIGURED LOW RANGE PART NUMBER FOR EZ PRESSURE. WITH STATIC TUBE - UOM/PASCALS.COMPLETELY FIELD ADJUSTABLE FROM 0 TO 250 PASCALS PIEZORESISTIVE MULTI-RANGE DIFFERENTIAL PRESSURE TRANSMITTER FOR DRY MEDIA IN A RUGGED IP66 HOUSING ONE TOUCH SET UP AUTO ZERO RANGES/OUTPUTS FIELD RESETTABLE 3 YEAR WARRANTY
59229-R0	\$	43.95	50 FT. ROLL OF SILICONE RUBBER TUBING
62636-R0	\$	142.32	UNCONFIGURED STANDARD RANGE PART NUMBER FOR BAPI-BOXPRESSURE. NO TUBE - UOM/INCHES W.C. COMPLETELY FIELD ADJUSTABLE FROM -5 TO 5 INCH WC PIEZORESISTIVE MULTI- RANGE DIFFERENTIAL PRESSURE TRANSMITTER FOR DRY MEDIA IN A RUGGED IP66 HOUSING ONE TOUCH SET UP AUTO ZERO RANGES/OUTPUTS FIELD RESETTABLE 3 YEAR WARRANTY

44625-R0	\$	49.53	DUCT AVERAGING 12 FT COPPER TUBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
62637-R0	\$	142.32	UNCONFIGURED STANDARD RANGE PART NUMBER FOR BAPI-BOX PRESSURE. NO TUBE - UOM/PASCALS.COMPLETELY FIELD ADJUSTABLE FROM 0 TO 1 250 PASCALS PIEZORESISTIVE MULTI-RANGE DIFFERENTIAL PRESSURE TRANSMITTER FOR DRY MEDIA IN A RUGGED IP66 HOUSING ONE TOUCH SET UP AUTO ZERO RANGES/OUTPUTS FIELD RESETTABLE 3 YEAR WARRANTY
62638-R0	\$	142.32	UNCONFIGURED STANDARD RANGE PART NUMBER FOR BAPI-BOXPRESSURE. WITH STATIC TUBE - UOM/INCHES W.C.COMPLETELY FIELD ADJUSTABLE FROM -5 TO 5 INCH WC PIEZORESISTIVE MULTI-RANGE DIFFERENTIAL PRESSURE TRANSMITTER FOR DRY MEDIA IN A RUGGED IP66 HOUSING ONE TOUCH SET UP AUTO ZERO RANGES/OUTPUTS FIELD RESETTABLE 3 YEAR WARRANTY
62639-R0	\$	142.32	UNCONFIGURED STANDARD RANGE PART NUMBER FOR BAPI-BOX PRESSURE. WITH STATIC TUBE - UOM/PASCALS.COMPLETELY FIELD ADJUSTABLE FROM 0 TO 1 250 PASCALS PIEZORESISTIVE MULTI-RANGE DIFFERENTIAL PRESSURE TRANSMITTER FOR DRY MEDIA IN A RUGGED IP66 HOUSING ONE TOUCH SET UP AUTO ZERO RANGES/OUTPUTS FIELD RESETTABLE 3 YEAR WARRANTY
45817-R0	\$	133.95	UNCONFIGURED STANDARD RANGE PART NUMBER FOR EZ PRESSURE. NO TUBE - UOM/INCHES W.C. COMPLETELY FIELD ADJUSTABLE FROM -5 TO 5 INCH WC PIEZORESISTIVE MULTI-RANGE DIFFERENTIAL PRESSURE TRANSMITTER FOR DRY MEDIA IN A RUGGED IP66 HOUSING ONE TOUCH SET UP AUTO ZERO RANGES/OUTPUTS FIELD RESETTABLE 3 YEAR WARRANTY
45818-R0	\$	133.95	UNCONFIGURED STANDARD RANGE PART NUMBER FOR EZ PRESSURE. NO TUBE - UOM/PASCALS.COMPLETELY FIELD ADJUSTABLE FROM 0 TO 1 250 PASCALS PIEZORESISTIVE MULTI-RANGE DIFFERENTIAL PRESSURE TRANSMITTER FOR DRY MEDIA IN A RUGGED IP66 HOUSING ONE TOUCH SET UP AUTO ZERO RANGES/OUTPUTS FIELD RESETTABLE 3 YEAR WARRANTY
45820-R0	\$	133.95	UNCONFIGURED STANDARD RANGE PART NUMBER FOR EZ PRESSURE. WITH STATIC TUBE - UOM/INCHES W.C.COMPLETELY FIELD ADJUSTABLE FROM -5 TO 5 INCH WC PIEZORESISTIVE MULTI-RANGE DIFFERENTIAL PRESSURE TRANSMITTER FOR DRY MEDIA IN A RUGGED IP66 HOUSING ONE TOUCH SET UP AUTO ZERO RANGES/OUTPUTS FIELD RESETTABLE 3 YEAR WARRANTY
45819-R0	\$	133.95	UNCONFIGURED STANDARD RANGE PART NUMBER FOR EZ PRESSURE. WITH STATIC TUBE - UOM/PASCALS.COMPLETELY FIELD ADJUSTABLE FROM 0 TO 1 250 PASCALS PIEZORESISTIVE MULTI-RANGE DIFFERENTIAL PRESSURE TRANSMITTER FOR DRY MEDIA IN A RUGGED IP66 HOUSING ONE TOUCH SET UP AUTO ZERO RANGES/OUTPUTS FIELD RESETTABLE 3 YEAR WARRANTY
36540-R0	\$	33.07	DIFFERENTIAL PRESSURE SWITCHFIELD ADJUSTABLE SETPOINT FROM 0.1" TO 35"W.C.RUGGED PLASTIC ENCLOSUREQUICK CONNECT WIRING TERMINATIONS. MOUNTS DIRECTLY ON FLAT SURFACE W/RUGGED MOUNTING FEET. ACCEPTS 3/16" OR 1/4" TUBING.
14340-R0	\$	2.65	STATIC PRESSURE PROBE ASPIRATION 2.0 INCH MUST SPECIFY [1] END FITTING
14342-R0	\$	2.65	STATIC PRESSURE PROBE ASPIRATION 4.0 INCH MUST SPECIFY [1] END FITTING
14344-R0	\$	2.65	STATIC PRESSURE PROBE ASPIRATION 6.0 INCH MUST SPECIFY [1] END FITTING
14346-R0	\$	2.73	STATIC PRESSURE PROBE ASPIRATION 8.0 INCH MUST SPECIFY [1] END FITTING
41814-R0	\$	2.65	TOTAL PRESSURE PROBE IMPACT 2.0 INCH MUST SPECIFY [1] END FITTING
14350-R0	\$	2.85	TOTAL PRESSURE PROBE IMPACT 4.0 INCH MUST SPECIFY [1] END FITTING
41817-R0	\$	3.02	TOTAL PRESSURE PROBE IMPACT 6.0 INCH MUST SPECIFY [1] END FITTING
41819-R0	\$	3.25	TOTAL PRESSURE PROBE IMPACT 8.0 INCH MUST SPECIFY [1] END FITTING
14339-R0	\$	2.65	STATIC PRESSURE PROBE ASPIRATION 1.5 INCH MUST SPECIFY [1] END FITTING
41811-R0	\$	2.65	STATIC PRESSURE PROBE ASPIRATION 3.5 INCH MUST SPECIFY [1] END FITTING
14343-R0	\$	2.65	STATIC PRESSURE PROBE ASPIRATION 5.5 INCH MUST SPECIFY [1] END FITTING
41812-R0	\$	2.65	STATIC PRESSURE PROBE ASPIRATION 7.5 INCH MUST SPECIFY [1] END FITTING
41813-R0	\$	2.65	TOTAL PRESSURE PROBE IMPACT 1.5 INCH MUST SPECIFY [1] END FITTING
41815-R0	\$	2.77	TOTAL PRESSURE PROBE IMPACT 3.5 INCH MUST SPECIFY [1] END FITTING
41816-R0	\$	2.99	TOTAL PRESSURE PROBE IMPACT 5.5 INCH MUST SPECIFY [1] END FITTING
41818-R0	\$	3.16	TOTAL PRESSURE PROBE IMPACT 7.5 INCH MUST SPECIFY [1] END FITTING
24993-R0	\$	2.47	FIELD INSTALLED ADAPTER KIT 2 BARBED SLIP ON ADAPTERS 0.25 INCH OD X 1.25 INCH LONG ALUMINUM TUBING 0.9 INCH ID 45° FLANGES
41820-R0	\$	3.41	TOTAL PRESSURE PROBE IMPACT 10.0 INCH MUST SPECIFY [1] END FITTING
41821-R0	\$	3.61	TOTAL PRESSURE PROBE IMPACT 12.0 INCH MUST SPECIFY [1] END FITTING
9707-R0	\$	20.74	AIR FLOW SWITCH ADJUSTABLE SET POINT RANGE 0.05 .02 INCH WC - 12 INCH WC 0.125 INCH NPT FITTINGS STANDARD SPDT CONTACTS
9708-R0	\$	20.74	AIR FLOW SWITCH ADJUSTABLE SET POINT RANGE 0.05 INCH WC TO 12.0 INCH WC 0.25 INCH COMPRESSION FITTINGS STANDARD SPDT CONTACTS
12249-R0	\$	21.81	AIR FLOW SWITCH ADJUSTABLE SET POINT RANGE 0.05 INCH WC TO 2.0 INCH WC 0.25 INCH COMPRESSION FITTINGS STANDARD SPDT CONTACTS
65526-R0	\$	29.64	AIR FLOW SWITCH ADJUSTABLE SET POINT RANGE 0.05 INCH WC TO 2.0 INCH WC 1/4" BARBED FITTINGS STANDARD SPDT CONTACTS
43546-R0	\$	79.44	AIR FLOW SWITCH ADJUSTABLE SET POINT RANGE 0.40 .06 INCH WC - 12 INCH WC 0.125 INCH NPT FITTINGS STANDARD SPDT CONTACTS
49440-R0	\$	30.36	AIR FLOW SWITCH ADJUSTABLE SET POINT RANGE 0.05 .02 INCH WC - 12 INCH WC 0.125 INCH NPT FITTINGS GOLD SPDT CONTACTS
12251-R0	\$	29.93	AIR FLOW SWITCH ADJUSTABLE SET POINT RANGE 0.40 INCH WC - 12.0 INCH WC 0.25 INCH COMPRESSION FITTINGS SPST-NC CONTACTS W/ MANUAL RESET
12253-R0	\$	82.49	120 VAC DPDT AIR FLOW SWITCH ADJUSTABLE SET POINT RANGE 0.40 INCH WC - 12.0 INCH WC 0.25 INCH COMPRESSION FITTINGS DPDT 2 FORM-C CONTACTS W/ MANUAL RESET
12254-R0	\$	82.49	24 VAC DPDT AIR FLOW SWITCH ADJUSTABLE SET POINT RANGE 0.40 INCH WC - 12.0 INCH WC 0.25 INCH COMPRESSION FITTINGS DPDT 2 FORM-C CONTACTS W/ MANUAL RESET

44625-R0	\$	49.53	DUCT AVERAGING 12 FT COPPER TUBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
12252-R0	\$	74.58	AIR FLOW SWITCH WITH DUAL SNAP ACTING SWITCHES ADJUSTABLE RANGE 1.25 INCH WC - 12.0 INCH WC 0.25 INCH COMPRESSION FITTINGS 2 SPST-NC CONTACTS WITH MANUAL RESET AIR PRESSURE SENSING SWITCH W/ DUAL INDEPENDENTLY ADJUSTABLE SETPOINTS BOTH RANGES = 0.05 - 2.0 INCH WC SPDT MALE 7/16 INCH COMPRESSION FITTINGS W/ NUT & FERRULE 3
24991-R0	\$	88.70	MALE "SPADE" CONNECT TERMINALS/SWITCH TUBING ADAPTORS AVAILABLE AS AN OPTION AIR PRESSURE SENSING SWITCH W/ DUAL INDEPENDENTLY ADJUSTABLE SETPOINTS BOTH RANGES = 0.05 - 2.0 INCH WC SPDT MALE 7/16 INCH COMPRESSION FITTINGS ENCLOSED COVER W/
24992-R0	\$	88.70	SCREW TERMINALS & CUP WASHERS TUBING ADAPTORS AVAILABLE AS AN OPTION
64200-R0	\$	40.78	AIR PRESSURE SENSING SWITCH FIXED SETPOINT +/- 0.05 AT .02 INCH WC MALE 0.25" 90 DEGREE QUICK-CONNECT TERMINALS STANDARD SPDT CONTACTS
51806-R0	\$	47.92	AIR PRESSURE SENSING SWITCH FIXED SETPOINT +/- 0.03 AT .02 INCH WC 2 BARBED 1/4" SLIP-ON CONNECTORS STANDARD SPDT CONTACTS
57223-R0	\$	42.82	AIR PRESSURE SENSING SWITCH FIXED SETPOINT +/- 0.05 AT .02 INCH WC 0.125 INCH NPT FITTINGS STANDARD SPDT CONTACTS
45149-R0	\$	47.92	PRESSURE SENSING AIRFLOW SWITCH FIXED SET POINT
49236-R0	\$	76.47	AIR PRESSURE SENSING SWITCH .10 +/- 0.02" WC -40 - 190F FACTORY SET AT 1.0" W.C. +/- 0.05" WC 22/2 CONTROL CABLE ARCENT 156 ARC156 PLENUM RATED UL TYPE CMP SHIELDED GREEN FLEX PLENUM JACKET LOW CAPACITANCE QUANTITY 1 = 1 000 FOOT MUST SPECIFY REEL OR
18539-R0	\$	254.15	BOX SAME AS W221P-2227
18541-R0	\$	143.52	22/4 STRANDED LOGISTAT CONTROL CABLE PLENUM RATED UL TYPE CMP NOT SHIELDED WHITE PLENUM JACKET QUANTITY 1 = 1 000 FT MUST SPECIFY PACKAGING
18540-R0	\$	143.52	22/4 SOLID LOGISTAT CONTROL CABLE PLENUM RATED UL TYPE CMP NOT SHIELDED WHITE PLENUM JACKET QUANTITY 1 = 1 000 FT MUST SPECIFY PACKAGING 14/2 & 22/2 CONTROL U-LINE CABLE PLENUM RATED UL TYPE CMP NOT SHIELDED PINK PLENUM JACKET QUANTITY 1 = 1 000 FT REEL IN BOX ONLY FREE GROUND SHIP FOR ORDERS OVER
18542-R0	\$	426.08	\$1 100.00 [CONT US ONLY]
18543-R0	\$	541.19	1 PAIR 12 GAUGE STRANDED CONTROL CABLE PLENUM RATED UL TYPE CMP NOT SHIELDED WHITE PLENUM JACKET QUANTITY 1 = 1 000 FT REEL 12/2 SOLID COPPER CONDUCTORS UL TYPE FPLP PLENUM RATED UNSHIELDED RED FLEXGUARD PVC JACKET COLOR CODED 300 V MEETS UL 910 FLAME TEST QUANTITY 1 = 1 000 FT
24750-R0	\$	415.61	REEL 12/2 SOLID COPPER CONDUCTORS UL TYPE FPLP PLENUM RATED SHIELDED W/ POLYESTER SUPPORTED ALUMINUM FOIL STRANDED TINNED COPPER DRAIN WIRE RED PVC JACKET COLOR
24757-R0	\$	533.72	CODED 300 V MEETS UL 910 FLAME TEST QUANTITY 1 = 1 000 FT REEL
18544-R0	\$	348.34	14/2 STRANDED CONTROL CABLE PLENUM RATED UL TYPE CMP NOT SHIELDED WHITE PLENUM JACKET QUANTITY 1 = 1 000 FT MUST SPECIFY REEL OR BOX 14/2 SOLID COPPER CONDUCTORS UL TYPE FPLP PLENUM RATED SHIELDED W/ POLYESTER SUPPORTED ALUMINUM FOIL STRANDED TINNED COPPER DRAIN WIRE RED PVC JACKET COLOR
24755-R0	\$	304.98	CODED 300 V MEETS UL 910 FLAME TEST QUANTITY 1 = 1 000 FT REEL 14/2 SOLID COPPER CONDUCTORS UL TYPE FPLP PLENUM RATED SHIELDED W/ POLYESTER SUPPORTED ALUMINUM FOIL STRANDED TINNED COPPER DRAIN WIRE BLUE PVC JACKET COLOR
24987-R0	\$	306.48	CODED 300 V MEETS UL 910 FLAME TEST QUANTITY 1 = 1 000 FT REEL 14/2 SOLID COPPER CONDUCTORS UL TYPE FPLP PLENUM RATED SHIELDED W/ POLYESTER SUPPORTED ALUMINUM FOIL STRANDED TINNED COPPER DRAIN WIRE YELLOW PVC JACKET
24988-R0	\$	306.48	COLOR CODED 300 V MEETS UL 910 FLAME TEST QUANTITY 1 = 1 000 FT REEL 14/2 SOLID COPPER CONDUCTORS UL TYPE FPLP PLENUM RATED NOT SHIELDED RED FLEXGUARD PVC JACKET COLOR CODED 300 V MEETS UL 910 FLAME TEST QUANTITY 1 = 1 000 FT
24748-R0	\$	269.10	REEL 14/2 SOLID COPPER CONDUCTORS UL TYPE FPLP PLENUM RATED NOT SHIELDED BLUE FLEXGUARD PVC JACKET COLOR CODED 300 V MEETS UL 910 FLAME TEST QUANTITY 1 = 1 000 FT
24981-R0	\$	269.10	REEL 14/2 SOLID COPPER CONDUCTORS UL TYPE FPLP PLENUM RATED NOT SHIELDED YELLOW FLEXGUARD PVC JACKET COLOR CODED 300 V MEETS UL 910 FLAME TEST QUANTITY 1 = 1 000
24982-R0	\$	269.10	FT REEL 14/4 SOLID COPPER CONDUCTORS UL TYPE FPLP PLENUM RATED NOT SHIELDED RED FLEXGUARD PVC JACKET COLOR CODED 300 V MEETS UL 910 FLAME TEST QUANTITY 1 = 1 000 FT
24749-R0	\$	542.69	REEL 14/4 SOLID COPPER CONDUCTORS UL TYPE FPLP ARTICLE 760 PLENUM RATED SHIELDED W/ POLYESTER SUPPORTED ALUMINUM FOIL STRANDED TINNED COPPER DRAIN WIRE RED PVC
24756-R0	\$	725.08	JACKET COLOR CODED 300 V MEETS UL 910 FLAME TEST QUANTITY 1 = 1 000 FT REEL
21567-R0	\$	240.70	16 GAUGE SINGLE CONDUCTOR STRANDED TFFN HOOK UP WIRE 4 X 500 FT COILS IN CARTON [2000 FT]
18546-R0	\$	239.20	16/2 STRANDED CONTROL CABLE PLENUM RATED UL TYPE CMP NOT SHIELDED WHITE FLEX PLENUM JACKET QUANTITY 1 = 1 000 FT REEL MUST SPECIFY REEL OR BOX 16/2 SOLID COPPER CONDUCTORS UL TYPE FPLP PLENUM RATED NOT SHIELDED RED FLEXGUARD PVC JACKET COLOR CODED 300 V MEETS UL 910 FLAME TEST QUANTITY 1 = 1 000 FT
24746-R0	\$	198.84	REEL 16/2 SOLID COPPER CONDUCTORS UL TYPE FPLP PLENUM RATED NOT SHIELDED BLUE FLEXGUARD PVC JACKET COLOR CODED 300 V MEETS UL 910 FLAME TEST QUANTITY 1 = 1 000 FT
24979-R0	\$	198.84	REEL 16/2 SOLID COPPER CONDUCTORS UL TYPE FPLP PLENUM RATED NOT SHIELDED YELLOW FLEXGUARD PVC JACKET COLOR CODED 300 V MEETS UL 910 FLAME TEST QUANTITY 1 = 1 000
24980-R0	\$	198.84	FT REEL 16/2 SOLID COPPER CONDUCTORS UL TYPE FPLP PLENUM RATED SHIELDED W/ POLYESTER SUPPORTED ALUMINUM FOIL STRANDED TINNED COPPER DRAIN WIRE RED PVC JACKET COLOR
24753-R0	\$	233.22	CODED 300 V MEETS UL 910 FLAME TEST QUANTITY 1 = 1 000 FT REEL 16/2 SOLID COPPER CONDUCTORS UL TYPE FPLP ARTICLE 760 PLENUM RATED SHIELDED W/ POLYESTER SUPPORTED ALUMINUM FOIL STRANDED TINNED COPPER DRAIN WIRE BLUE PVC
24985-R0	\$	233.22	JACKET COLOR CODED 300 V MEETS UL 910 FLAME TEST QUANTITY 1 = 1 000 FT REEL 16/2 SOLID COPPER CONDUCTORS UL TYPE FPLP PLENUM RATED SHIELDED W/ POLYESTER SUPPORTED ALUMINUM FOIL STRANDED TINNED COPPER DRAIN WIRE YELLOW PVC JACKET
24986-R0	\$	233.22	COLOR CODED 300 V MEETS UL 910 FLAME TEST QUANTITY 1 = 1 000 FT REEL

44625-R0	\$	49.53	DUCT AVERAGING 12 FT COPPER TUBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
24754-R0	\$	337.87	16/4 SOLID COPPER CONDUCTORS UL TYPE FPLP ARTICLE 760 PLENUM RATED SHIELDED W/ POLYESTER SUPPORTED ALUMINUM FOIL STRANDED TINNED COPPER DRAIN WIRE RED PVC JACKET COLOR CODED 300 V MEETS UL 910 FLAME TEST QUANTITY 1 = 1 000 FT REEL
24747-R0	\$	427.57	16/4 SOLID COPPER CONDUCTORS UL TYPE FPLP PLENUM RATED NOT SHIELDED RED FLEXGUARD PVC JACKET COLOR CODED 300 V MEETS UL 910 FLAME TEST QUANTITY 1 = 1 000 FT REEL
22048-R0	\$	183.89	18 GAUGE STRANDED SINGLE CONDUCTOR TFFN HOOK UP WIRE UL STANDARD 66 4 X 500 FT COILS IN CARTON [2000 FT]
18547-R0	\$	125.58	18/2 STRANDED CONTROL CABLE RISER UL TYPE CMR NOT SHIELDED GRAY PVC JACKET MUST SPECIFY REEL OR BOX QUANTITY 1 = 1 000 FT
18548-R0	\$	145.02	18/2 STRANDED CONTROL CABLE RISER UL TYPE CMR SHIELDED GRAY PVC JACKET MUST SPECIFY REEL OR BOX AND COLOR QUANTITY 1 = 1 000 FT
26593-R0	\$	384.22	1 PAIR 18 AWG STRANDED FLEX PLENUM CABLE PLENUM RATED UL TYPE CMP SHIELDED - ALUMINUM/POLYESTER TAPE FOIL IN 20 AWG TC DRAIN WIRE PURPLE 1000 FOOT REEL IN A BOX TRANE COMM 4 CABLE [TRANE #400-2028]
24269-R0	\$	176.41	18/2 STRANDED CONTROL CABLE MULTIPLE STRIPED JACKETS PLENUM RATED UL TYPE CMP SHIELDED QUANTITY 1 = 1 000 FT REEL IN A BOX ONLY MUST SPECIFY JACKET PATTERN
18549-R0	\$	176.41	18/2 STRANDED CONTROL CABLE PLENUM RATED UL TYPE CMP SHIELDED QUANTITY 1 = 1 000 FT REEL MUST SPECIFY JACKET COLOR & PACKAGING
44280-R0	\$	149.50	18/2 STRANDED CONTROL CABLE PLENUM RATED UL TYPE CMP NOT SHIELDED BLACK/RED CONDUCTORS QUANTITY 1 = 1 000 FT WHITE JACKET MUST SPECIFY PACKAGING
18550-R0	\$	149.50	18/2 STRANDED CONTROL CABLE PLENUM RATED UL TYPE CMP NOT SHIELDED QUANTITY 1 = 1 000 FT MUST SPECIFY JACKET COLOR & PACKAGING
24270-R0	\$	149.50	18/2 STRANDED CONTROL CABLE MULTIPLE STRIPED JACKETS PLENUM RATED UL TYPE CMP NOT SHIELDED QUANTITY 1 = 1 000 FT REEL IN A BOX ONLY MUST SPECIFY JACKET PATTERN
24743-R0	\$	134.55	18/2 SOLID COPPER CONDUCTORS UL TYPE FPLP PLENUM RATED NOT SHIELDED RED FLEXGUARD PVC JACKET COLOR CODED 300 V MEETS UL 910 FLAME TEST QUANTITY 1 = 1 000 FT REEL
24751-R0	\$	149.50	18/2 SOLID COPPER CONDUCTORS UL TYPE FPLP PLENUM RATED SHIELDED W/ POLYESTER SUPPORTED ALUMINUM FOIL STRANDED TINNED COPPER DRAIN WIRE RED PVC JACKET COLOR CODED 300 V MEETS UL 910 FLAME TEST QUANTITY 1 = 1 000 FT REEL
24983-R0	\$	149.50	18/2 SOLID COPPER CONDUCTORS UL TYPE FPLP PLENUM RATED SHIELDED W/ POLYESTER SUPPORTED ALUMINUM FOIL STRANDED TINNED COPPER DRAIN WIRE BLUE PVC JACKET COLOR CODED 300 V MEETS UL 910 FLAME TEST QUANTITY 1 = 1 000 FT REEL
24984-R0	\$	149.50	18/2 SOLID COPPER CONDUCTORS UL TYPE FPLP PLENUM RATED SHIELDED W/ POLYESTER SUPPORTED ALUMINUM FOIL STRANDED TINNED COPPER DRAIN WIRE YELLOW PVC JACKET COLOR CODED 300 V MEETS UL 910 FLAME TEST QUANTITY 1 = 1 000 FT REEL
18551-R0	\$	194.35	18/3 STRANDED CONTROL CABLE RISER UL TYPE CMR NOT SHIELDED GRAY PVC JACKET QUANTITY 1 = 1 000 FT IN BOXES ONLY
18552-R0	\$	206.31	18/3 STRANDED CONTROL CABLE RISER UL TYPE CMR SHIELDED GRAY PVC JACKET QUANTITY 1 = 1 000 FT MUST SPECIFY PACKAGING
24271-R0	\$	201.83	18/3 STRANDED CONTROL CABLE PLENUM RATED UL TYPE CMP NOT SHIELDED QUANTITY 1 = 1 000 FT REEL IN A BOX ONLY MUST SPECIFY JACKET PATTERN
18553-R0	\$	201.83	18/3 STRANDED CONTROL CABLE PLENUM RATED UL TYPE CMP NOT SHIELDEDQUANTITY 1 = 1 000 FT MUST SPECIFY JACKET COLOR & PACKAGING
24272-R0	\$	234.72	18/3 STRANDED CONTROL CABLE PLENUM RATED UL TYPE CMP SHIELDED QUANTITY 1 = 1 000 FT REEL IN A BOX ONLY MUST SPECIFY JACKET PATTERN
18554-R0	\$	234.72	18/3 STRANDED CONTROL CABLE PLENUM RATED UL TYPE CMP SHIELDED QUANTITY 1 = 1 000 FT MUST SPECIFY JACKET COLOR & PACKAGING
18555-R0	\$	225.75	18/4 STRANDED CONTROL CABLE RISER UL TYPE CMR NOT SHIELDED GRAY PVC JACKET QUANTITY 1 = 1 000 FT MUST SPECIFY PACKAGING
18556-R0	\$	293.02	18/4 STRANDED CONTROL CABLE RISER UL TYPE CMR SHIELDED GRAY PVC JACKET QUANTITY 1 = 1 000 FT MUST SPECIFY PACKAGING
18557-R0	\$	324.42	18/4 STRANDED CONTROL CABLE PLENUM RATED UL TYPE CMP SHIELDED QUANTITY 1 = 1 000 FT MUST SPECIFY JACKET COLOR & PACKAGING
24273-R0	\$	269.10	18/4 STRANDED CONTROL CABLE PLENUM RATED UL TYPE CMP NOT SHIELDED QUANTITY 1 = 1 000 FT MUST SPECIFY JACKET PATTERN & PACKAGING
18558-R0	\$	269.10	18/4 STRANDED CONTROL CABLE PLENUM RATED UL TYPE CMP NOT SHIELDED QUANTITY 1 = 1 000 FT MUST SPECIFY JACKET COLOR & PACKAGING
24744-R0	\$	264.62	18/4 SOLID COPPER CONDUCTORS UL TYPE FPLP PLENUM RATED NOT SHIELDED RED FLEXGUARD PVC JACKET COLOR CODED 300 V UL ARTICLE 760 MEETS UL 910 FLAME TEST QUANTITY 1 = 1 000 FT REEL
24752-R0	\$	300.50	18/4 SOLID COPPER CONDUCTORS UL TYPE FPLP PLENUM RATED SHIELDED W/ POLYESTER SUPPORTED ALUMINUM FOIL STRANDED TINNED COPPER DRAIN WIRE RED PVC JACKET COLOR CODED 300 V MEETS UL 910 FLAME TEST QUANTITY 1 = 1 000 FT REEL
18559-R0	\$	364.78	18/6 STRANDED CONTROL CABLE RISER UL TYPE CMR NOT SHIELDED GRAY PVC JACKET QUANTITY 1 = 1 000 FT MUST SPECIFY PACKAGING
18560-R0	\$	388.70	18/6 STRANDED CONTROL CABLE PLENUM RATED UL TYPE CMP NOT SHIELDED WHITE PVC JACKET QUANTITY 1 = 1 000 FT MUST SPECIFY PACKAGING
18561-R0	\$	444.02	18/6 STRANDED CONTROL CABLE PLENUM RATED UL TYPE CMP SHIELDED WHITE PVC JACKET QUANTITY 1 = 1 000 FT REEL
24745-R0	\$	423.09	18/6 SOLID COPPER CONDUCTORS UL TYPE FPLP PLENUM RATED NOT SHIELDED RED FLEXGUARD PVC JACKET COLOR CODED 300 V UL ARTICLE 760 MEETS UL 910 FLAME TEST QUANTITY 1 = 1 000 FT REEL
18562-R0	\$	508.30	18/8 STRANDED CONTROL CABLE PLENUM RATED UL TYPE CMP SHIELDED WHITE PVC JACKET QUANTITY 1 = 1 000 FT MUST SPECIFY PACKAGING
18563-R0	\$	454.48	18/8 STRANDED CONTROL CABLE PLENUM RATED UL TYPE CMP NOT SHIELDED WHITE PVC JACKET QUANTITY 1 = 1 000 FT REEL
18564-R0	\$	119.60	20/2 STRANDED CONTROL CABLE RISER UL TYPE CMR SHIELDED GRAY PVC JACKET QUANTITY 1 = 1 000 FT MUST SPECIFY PACKAGING
18565-R0	\$	134.55	20/2 STRANDED CONTROL CABLE PLENUM RATED UL TYPE CMP NOT SHIELDED WHITE PVC JACKET QUANTITY 1 = 1 000 FT MUST SPECIFY PACKAGING
35535-R0	\$	216.78	20/4 STRANDED CONTROL CABLE NON PLENUM RATED UL TYPE CMR SHIELDED QUANTITY 1 = 1 000 FT
35536-R0	\$	349.83	20/4 STRANDED CONTROL CABLE PLENUM RATED UL TYPE CMP SHIELDED QUANTITY 1 = 1 000 FT
18566-R0	\$	98.67	22/2 STRANDED CONTROL CABLE RISER UL TYPE CMR NOT SHIELDED GRAY PVC JACKET QUANTITY 1 = 1 000 FT MUST SPECIFY PACKAGING
17976-R0	\$	116.61	22/2 STRANDED LONWORKS TWISTED PAIR CABLE NON PLENUM RATED UL TYPE CM NOT SHIELDED GRAY PVC JACKET QUANTITY 1 = 1 000 FT BOX ONLY
17977-R0	\$	152.49	22/2 STRANDED LONWORKS TWISTED PAIR CABLE NON PLENUM RATED UL TYPE CM NOT SHIELDED GRAY PVC JACKET QUANTITY 1 = 1 000 FT REEL IN BOX ONLY

44625-R0	\$	49.53	DUCT AVERAGING 12 FT COPPER TUBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
19870-R0	\$	74.75	22/2 STRANDED CONTROL CABLE RISER UL TYPE CMR NOT SHIELDED GRAY PVC JACKET QUANTITY 1 = 1 000 FT MUST SPECIFY PACKAGING
17973-R0	\$	155.48	22/2 STRANDED LONWORKS TWISTED PAIR CABLE PLENUM RATED UL TYPE CMP NOT SHIELDED QUANTITY 1 = 1 000 FT MUST SPECIFY JACKET COLOR & PACKAGING
17974-R0	\$	248.17	22/2 STRANDED LONWORKS TWISTED PAIR CABLE PLENUM RATED UL TYPE CMP SHIELDED LIGHT BLUE FR-PVC JACKET QUANTITY 1 = 1 000 FT
18567-R0	\$	100.17	22/2 STRANDED CONTROL CABLE PLENUM RATED UL TYPE CMP NOT SHIELDED WHITE FLEXGUARD JACKET QUANTITY 1 = 1 000 FT MUST SPECIFY PACKAGING
18568-R0	\$	128.57	22/2 STRANDED CONTROL CABLE PLENUM RATED UL TYPE CMP SHIELDED QUANTITY 1 = 1 000 FT MUST SPECIFY JACKET COLOR & PACKAGING
18569-R0	\$	254.15	22/2 STRANDED LOW CAPACITANCE CONTROL CABLE PLENUM RATED UL TYPE CMP SHIELDED GREEN PLENUM JACKET QUANTITY 1 = 1 000 FT MUST SPECIFY PACKAGING
			22/2 STRANDED BACTALK MS/TP PLENUM CABLE PLENUM RATED UL TYPE CMP NOT SHIELDED 24 AWG DRAIN WIRE FLEXGUARD PVC JACKET QUANTITY 1 = 1 000 FT MUST SPECIFY
26594-R0	\$	155.48	PACKAGING AND COLOR ALERTON APPROVED
17978-R0	\$	164.45	22/4 STRANDED LEVEL 4 LONWORKS 2 PAIR CABLE NON PLENUM RATED UL TYPE CM NOT SHIELDED GRAY PVC JACKET QUANTITY 1 = 1 000 FT MUST SPECIFY PACKAGING
17979-R0	\$	233.22	22/4 STRANDED LEVEL 4 LONWORKS 2 PAIR CABLE NON PLENUM RATED UL TYPE CM SHIELDED GRAY PVC JACKET QUANTITY 1 = 1 000 FT REEL
17975-R0	\$	394.68	22/4 STRANDED LEVEL 4 LONWORKS PLENUM RATED CABLE PLENUM RATED UL TYPE CMP NOT SHIELDED LIGHT BLUE PVC JACKET QUANTITY 1 = 1 000 FT REEL
18788-R0	\$	148.01	22/3 STRANDED CONTROL CABLE PLENUM RATED UL TYPE CMP NOT SHIELDED WHITE PLENUM JACKET QUANTITY 1 = 1 000 FT MUST SPECIFY PACKAGING
64078-R0	\$	134.55	22/3 STRANDED CONTROL CABLE PLENUM RATED UL TYPE CMP SHIELDED FC BLUE PLENUM JACKET QUANTITY 1 = 1 000 FT REEL IN BOX
64077-R0	\$	131.56	22/3 STRANDED CONTROL CABLE PLENUM RATED UL TYPE CMP SHIELDED WHITE PLENUM JACKET QUANTITY 1 = 1 000 FT REEL IN BOX
18570-R0	\$	139.04	22/4 STRANDED CONTROL CABLE RISER UL TYPE CMR SHIELDED GRAY PVC JACKET 24 AWG DRAIN WIRE QUANTITY 1 = 1 000 FT MUST SPECIFY PACKAGING
24308-R0	\$	125.58	22/4 STRANDED CONTROL CABLE RISER UL TYPE CMR NOT SHIELDED GRAY PVC JACKET QUANTITY 1 = 1 000 FT MUST SPECIFY PACKAGING
18572-R0	\$	155.48	22/4 STRANDED CONTROL CABLE PLENUM RATED UL TYPE CMP SHIELDED QUANTITY 1 = 1 000 FT MUST SPECIFY JACKET COLOR & PACKAGING
18573-R0	\$	143.52	22/4 STRANDED CONTROL CABLE PLENUM RATED UL TYPE CMP NOT SHIELDED WHITE PLENUM JACKET QUANTITY 1 = 1 000 FT MUST SPECIFY PACKAGING
18575-R0	\$	173.42	22/6 STRANDED CONTROL CABLE RISER UL TYPE CMR NOT SHIELDED GRAY PVC JACKET QUANTITY 1 = 1 000 FT MUST SPECIFY PACKAGING
18576-R0	\$	206.31	22/6 STRANDED CONTROL CABLE RISER UL TYPE CMR SHIELDED GRAY PVC JACKET QUANTITY 1 = 1 000 FT MUST SPECIFY PACKAGING
18577-R0	\$	225.75	22/6 STRANDED CONTROL CABLE PLENUM RATED UL TYPE CMP SHIELDED WHITE PLENUM JACKET QUANTITY 1 = 1 000 FT MUST SPECIFY PACKAGING
18578-R0	\$	206.31	22/6 STRANDED CONTROL CABLE PLENUM RATED UL TYPE CMP NOT SHIELDED WHITE PLENUM JACKET QUANTITY 1 = 1 000 FT MUST SPECIFY PACKAGING
18579-R0	\$	258.64	22/8 STRANDED BC CONTROL CABLE RISER UL TYPE CMR SHIELDED GRAY PVC JACKET QUANTITY 1 = 1 000 FT MUST SPECIFY PACKAGING
18580-R0	\$	209.30	22/8 STRANDED CONTROL CABLE RISER UL TYPE CMR NOT SHIELDED GRAY PVC JACKET QUANTITY 1 = 1 000 FT MUST SPECIFY PACKAGING
18582-R0	\$	246.68	22/8 STRANDED CONTROL CABLE PLENUM RATED UL TYPE CMP NOT SHIELDED WHITE PLENUM JACKET QUANTITY 1 = 1 000 FT MUST SPECIFY PACKAGING
49947-R0	\$	209.30	#24 AWG 7/32 TC STRANDED SHIELDED LOW CAP FLEX PLUNUM CABLE ORANGE JACKET CMP QUANTITY 1 = 1000 FT REEL IN BOX
			CAT 5E 24 AWG SOLID BARE ANNEALED COPPER RISER UL TYPE CMR PVC FLAME RETARDANT JACKET RIP CORD POLY INSULATION QUANTITY 1 = 1 000 FT PULL PAC MUST SPECIFY
27152-R0	\$	122.59	JACKET COLOR
			CAT 5E 24 AWG SOLID BARE ANNEALED COPPER PLENUM RATED UL TYPE CMP FLEXGUARD PLENUM JACKET INSULATION - 3 PAIRS FEP/1 PAIR POLYOLEFIN QUANTITY 1 = 1 000 FT PULL
27162-R0	\$	276.58	PAC MUST SPECIFY JACKET COLOR
11863-R0	\$	276.58	24/4 AWG SOLID CAT-5 ENHANCED PLENUM CABLE CAT 5E PLENUM RATED UL TYPE CMP WHITE JACKET QUANTITY 1 = 1 000 FT MUST SPECIFY PACKAGING
			OUTDOOR STATIC PRESSURE SENSORPROVIDES AVERAGE OUTDOOR PRESSURE SIGNAL FOR REFERENCE IN BUILDING PRESSURIZATION APPLICATIONSINCLUDES SENSOR50 FT VINYL
44526-R0	\$	63.99	TUBINGMOUNTING BRACKET AND HARDWARE.
			OUTDOOR STATIC PRESSURE SENSORPROVIDES AVERAGE OUTDOOR PRESSURE SIGNAL FOR REFERENCE IN BUILDING PRESSURIZATION APPLICATIONSINCLUDES SENSOR50 FT VINYL
44527-R0	\$	63.99	TUBINGMOUNTING BRACKET AND HARDWARE.SAME AS A-306 BUT WITH GRAY HOUSING
48362-R0	\$	2.99	4" STRAIGHT STATIC PRESSURE TIP WITH FLANGESTAINLESS STEEL PROBE & FLANGEINTEGRAL GASKETINCLUDES TWO MOUNTING SCREWS TAPERED BARB CONNECTION
65403-R0	\$	760.72	CURRENT TRANSFORMER TERMINALS 4.1" WINDOW WIDTH 11.7" WINDOW LENGTH 3000:5 CURRENT RATIO 600 VOLTS FULL WAVE
64151-R0	\$	112.44	100/5A SPLIT CORE CT 0.84" X 2.0" WINDOW
64152-R0	\$	112.44	200/5A SPLIT CORE CT 0.84" X 2.0" WINDOW
64154-R0	\$	145.85	600/5A SPLIT CORE CT 2.19" X 3.25" WINDOW
64155-R0	\$	145.85	800/5A SPLIT CORE CT 2.19" X 3.25" WINDOW
64156-R0	\$	193.58	1200/5A SPLIT CORE CT 2.88" X 4.25" WINDOW
64153-R0	\$	252.94	400/5A SPLIT CORE CT 1.3" X 1.6" WINDOW
64157-R0	\$	263.65	1600/5A SPLIT CORE CT 2.88" X 6.25" WINDOW
64158-R0	\$	354.64	2000/5A SPLIT CORE CT 4.0" X 7.5" WINDOW
64159-R0	\$	396.38	3000/5A SPLIT CORE CT 4.0" X 7.5" WINDOW
64160-R0	\$	476.79	4000/5A SPLIT CORE CT 4.0" X 7.5" WINDOW
64161-R0	\$	138.96	PROTECTIVE FUSE / FUSE BLOCK KIT
64149-R0	\$	1,133.81	SHARK 200 METER 60 HZ FREQ 5 AMPS SEC. DEFAULT V1 OPTION UNIVERSAL AC POWER SUPPLY
64150-R0	\$	1,552.41	SHARK 200 METER 60 HZ FREQ 5 AMPS SEC. V2 OPTION UNIVERSAL AC POWER SUPPLY
64148-R0	\$	1,905.23	SHARK 200 METER 60 HZ FREQ 5 AMPS SEC. ADVANCED V3 OPTION UNIVERSAL AC POWER SUPPLY
65208-R0	\$	201.83	COLD WATER METER PULSE OUTPUT 3/4" X 3/4" X 7 1/2" BRONZE BODY WITH INDOOR REGISTER
19887-R0	\$	3,109.60	FT2 INLINE MASS FLOWMETER & TEMPERATURE TRANSMITTER MUST FILL OUT ATTACHED ORDER FORM WITH ORDER
19886-R0	\$	2,631.20	FT2 INSERTION MASS FLOWMETER & TEMPERATURE TRANSMITTER MUST FILL OUT ATTACHED ORDER FORM WITH ORDER

44625-R0	\$	49.53	DUCT AVERAGING 12 FT COPPER TUBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
14236-R0	\$	38.47	GRAY METAL NEMA 1 HOUSING 14.5" H X 7.7" W X 3.9" D SCREW DOWN COVER 18 GAUGE STEEL UL LISTED
14237-R0	\$	40.78	GRAY METAL NEMA 1 HOUSING 14.5" H X 7.7" W X 3.9" D SCREW DOWN COVER 18 GAUGE STEEL WITH MT4-12 - 4 X 12 INCH PLASTIC MOUNTING TRACK UL LISTED
14238-R0	\$	40.78	GRAY METAL NEMA 1 HOUSING 14.5" H X 7.7" W X 3.9" D SCREW DOWN COVER 18 GAUGE STEEL WITH MT212-12 - 2.75 X 12 INCH PLASTIC MOUNTING TRACK UL LISTED
14239-R0	\$	33.92	GRAY METAL NEMA 1 HOUSING 8.3" H X 7.7" W X 3.9" D SCREW DOWN COVER 18 GAUGE STEEL UL LISTED
14240-R0	\$	35.56	GRAY METAL NEMA 1 HOUSING 8.3" H X 7.7" W X 3.9" D SCREW DOWN COVER 18 GAUGE STEEL WITH MT4-8 MOUNTING TRACK - 4" X 8" UL LISTED
14241-R0	\$	35.56	GRAY METAL NEMA 1 HOUSING 8.3" H X 7.7" W X 3.9" D SCREW DOWN COVER 18 GAUGE STEEL WITH MT212-8 MOUNTING TRACK - 2.75" X 8" UL LISTED
43917-R0	\$	68.84	GRAY METAL NEMA 1 HOUSING 12.125" H X 12.125" W X 6.00" D SCREW DOWN COVER 18 GAUGE STEEL MOUNTING OPTION 1 UL LISTED
14232-R0	\$	47.94	GRAY METAL NEMA 1 HOUSING 12.5" H X 12.5" W X 7" D VERTICAL LIFT SCREW DOWN COVER NO SUBPANEL 18 GAUGE STEEL UL LISTED
14234-R0	\$	62.86	GRAY METAL NEMA 1 HOUSING 12.5" H X 12.5" W X 7" D VERTICAL LIFT KEY LATCH COVER 18 GAUGE STEEL UL LISTED SUBPANESL SP3303 OR SP3304 AVAILABLE SEPARATELY
14233-R0	\$	55.32	GRAY METAL NEMA 1 HOUSING 12.5" H X 12.5" W X 7" D VERTICAL LIFT SCREW DOWN COVER WHITE POLYMETAL SUBPANEL 18 GAUGE STEEL UL LISTED
14235-R0	\$	70.23	GRAY METAL NEMA 1 HOUSING 12.5" H X 12.5" W X 7" D VERTICAL LIFT KEY LATCH COVER WHITE POLYMETAL SUBPANEL 18 GAUGE STEEL UL LISTED
20092-R0	\$	83.80	GRAY METAL NEMA 1 HOUSING 12.5" H X 12.5" W X 7" D VERTICAL LIFT SCREW DOWN PERFORATED STEEL SUBPANEL 18 GAUGE STEEL UL LISTED
20093-R0	\$	94.28	GRAY METAL NEMA 1 HOUSING 12.5" H X 12.5" W X 7" D VERTICAL LIFT KEY LATCH COVER PERFORATED STEEL SUBPANEL 18 GAUGE STEEL UL LISTED
14242-R0	\$	74.69	GRAY METAL NEMA 1 HOUSING 24.5" H X 10.25" W X 3.9" D REVERSIBLE HOOK HINGE KEY LATCH DOOR NO SUBPANEL OR TRACK 18 GAUGE STEEL UL LISTED
14243-R0	\$	82.59	GRAY METAL NEMA 1 HOUSING 24.5" H X 10.25" W X 3.9" D REVERSIBLE HOOK HINGE KEY LATCH DOOR NO SUBPANEL OR TRACK 18 GAUGE STEEL UL LISTED WITH MT4-24 - 4 X 24 INCH PLASTIC MOUNTING TRACK
14244-R0	\$	82.59	GRAY METAL NEMA 1 HOUSING 24.5" H X 10.25" W X 3.9" D REVERSIBLE HOOK HINGE KEY LATCH DOOR NO SUBPANEL OR TRACK 18 GAUGE STEEL UL LISTED WITH MT212-24 - 2.75 X 24 INCH PLASTIC MOUNTING TRACK
14245-R0	\$	99.74	GRAY METAL NEMA 1 HOUSING 24.5" H X 12.5" W X 6.5" D REVERSIBLE HOOK HINGE KEY LATCH DOOR NO SUBPANEL OR TRACK 18 GAUGE STEEL UL LISTED
27388-R0	\$	99.74	GRAY METAL NEMA 1 HOUSING 24.5" H X 12.5" W X 6.5" D REVERSIBLE HOOK HINGE COIN LATCH DOOR NO SUBPANEL OR TRACK 18 GAUGE STEEL UL LISTED
14246-R0	\$	112.16	GRAY METAL NEMA 1 HOUSING 24.5" H X 12.5" W X 6.5" D REVERSIBLE HOOK HINGE KEY LATCH DOOR LARGE SP3803L POLYMETAL SUBPANEL 18 GAUGE STEEL UL LISTED
14247-R0	\$	108.88	GRAY METAL NEMA 1 HOUSING 24.5" H X 12.5" W X 6.5" D REVERSIBLE HOOK HINGE KEY LATCH DOOR LARGE SP3803S POLYMETAL SUBPANEL 18 GAUGE STEEL UL LISTED
20094-R0	\$	126.93	GRAY METAL NEMA 1 HOUSING 24.5" H X 12.5" W X 6.5" D REVERSIBLE HOOK HINGE KEY LATCH DOOR PERFORATED STEEL SUBPANEL 18 GAUGE STEEL UL LISTED
27389-R0	\$	126.93	GRAY METAL NEMA 1 HOUSING 24.5" H X 12.5" W X 6.5" D REVERSIBLE HOOK HINGE COIN LATCH DOOR PERFORATED STEEL SUBPANEL 18 GAUGE STEEL UL LISTED
20095-R0	\$	119.09	GRAY METAL NEMA 1 HOUSING 24.5" H X 12.5" W X 6.5" D REVERSIBLE HOOK HINGE KEY LATCH DOOR LARGE SP3804S POLYMETAL SUBPANEL 18 GAUGE STEEL UL LISTED
14248-R0	\$	103.49	GRAY METAL NEMA 1 HOUSING 24.5" H X 12.5" W X 6.5" D REVERSIBLE HOOK HINGE KEY LATCH DOOR 18 GAUGE STEEL UL LISTED WITH MT4-18 - 4 X 18 INCH MOUNTING TRACK
14249-R0	\$	103.49	GRAY METAL NEMA 1 HOUSING 24.5" H X 12.5" W X 6.5" D REVERSIBLE HOOK HINGE KEY LATCH DOOR 18 GAUGE STEEL UL LISTED WITH MT212-18 - 2.75 X 18 INCH MOUNTING TRACK
14250-R0	\$	106.28	GRAY METAL HOUSING NEMA 1 HOUSING 18" H X 18" H X 7" D FULL HINGE KEY LATCH DOOR 16 GAUGE STEEL UL LISTED
14251-R0	\$	120.59	GRAY METAL HOUSING NEMA 1 HOUSING 18" H X 18" H X 7" D FULL HINGE KEY LATCH DOOR 16 GAUGE STEEL UL LISTED WITH LARGE SP4403L POLYMETAL SUBPANEL
27390-R0	\$	136.36	GRAY METAL HOUSING NEMA 1 HOUSING 18" H X 18" H X 7" D FULL HINGE KEY LATCH DOOR 16 GAUGE STEEL UL LISTED WITH LARGE SP4404L POLYMETAL SUBPANEL
14252-R0	\$	162.98	GRAY METAL HOUSING NEMA1 25" H X 25" W X 9.5" D FULL HINGE KEY LATCH DOOR 14 GAUGE STEEL UL LISTED
27391-R0	\$	162.98	GRAY METAL HOUSING NEMA1 25" H X 25" W X 9.5" D FULL HINGE COIN LATCH DOOR 14 GAUGE STEEL UL LISTED
14253-R0	\$	200.11	GRAY METAL HOUSING NEMA1 25" H X 25" W X 9.5" D FULL HINGE KEY LATCH DOOR 14 GAUGE STEEL UL LISTED WITH LARGE SP5503L POLYMETAL SUBPANEL
27392-R0	\$	210.63	GRAY METAL HOUSING NEMA1 25" H X 25" W X 9.5" D FULL HINGE KEY LATCH DOOR 14 GAUGE STEEL UL LISTED WITH LARGE SP5504L POLYMETAL SUBPANEL
27393-R0	\$	210.63	GRAY METAL HOUSING NEMA1 25" H X 25" W X 9.5" D FULL HINGE COIN LATCH DOOR 14 GAUGE STEEL UL LISTED WITH LARGE SP5504L POLYMETAL SUBPANEL
14254-R0	\$	196.87	GRAY METAL HOUSING NEMA1 36" H X 25" W X 9.5" D FULL HINGE KEY LATCH DOOR 14 GAUGE STEEL UL LISTED
14255-R0	\$	251.85	GRAY METAL HOUSING NEMA1 36" H X 25" W X 9.5" D FULL HINGE KEY LATCH DOOR 14 GAUGE STEEL UL LISTED WITH LARGE SP5803L POLYMETAL SUBPANEL
65512-R0	\$	262.80	METAL HOUSING NEMA1 36.0H X 25.0W X 9.5D W/ SP5803L SUBPANELCOIN LATCH
27394-R0	\$	283.06	GRAY METAL HOUSING NEMA1 36" H X 25" W X 9.5" D FULL HINGE KEY LATCH DOOR 14 GAUGE STEEL UL LISTED WITH LARGE SP5804L POLYMETAL SUBPANEL
27404-R0	\$	11.73	POLYAMIDE KEY LATCH KEYED THE SAME FOR USE WITH ANY KEY LATCH ENCLOSURES (EXCEPT MH3300K)
27405-R0	\$	14.51	MH3300K LOCKING KEY HOOK LATCH KEYED THE SAME
27406-R0	\$	19.01	METAL KEY LATCH KEYED THE SAME FOR USE WITH ANY KEY LATCH ENCLOSURES (EXCEPT MH3300K)
27407-R0	\$	5.80	COIN KEY LATCH ASSEMBLY FOR USE WITH ANY KEY LATCH ENCLOSURE (EXCEPT MH3300K)
35498-R0	\$	10.79	PLASTIC HOUSING NEMA 1 4.28" H X 7" W X 2" D SCREW DOWN COVER .75" NPT NIPPLE UL LISTED
35501-R0	\$	20.14	PLASTIC HOUSING NEMA 4/4X 4.28" H X 7" W X 2" D SCREW DOWN COVER .75" NPT NIPPLE UL LISTED
35499-R0	\$	11.96	PLASTIC HOUSING NEMA 1 4.28" H X 7" W X 2" D SCREW DOWN COVER .75" NPT NIPPLE UL LISTED WITH MT4-4 MOUNTING TRACK
35502-R0	\$	21.32	PLASTIC HOUSING NEMA 4/4X 4.28" H X 7" W X 2" D SCREW DOWN COVER .75" NPT NIPPLE UL LISTED WITH MT4-4 MOUNTING TRACK
35500-R0	\$	12.48	PLASTIC HOUSING NEMA 1 4.28" H X 7" W X 2" D SCREW DOWN COVER .75" NPT NIPPLE UL LISTED WITH MT212.6-4 MOUNTING TRACK
35503-R0	\$	21.80	PLASTIC HOUSING NEMA 4/4X 4.28" H X 7" W X 2" D SCREW DOWN COVER .75" NPT NIPPLE UL LISTED WITH MT212.6-4 MOUNTING TRACK
12198-R0	\$	18.02	ENCLOSED RELAY 20 AMP SPDT 24 VAC/VDC / 120 VAC
11866-R0	\$	10.44	ENCLOSED RELAY 10 AMP SPDT 24 VAC/VDC / 120 VAC
12143-R0	\$	20.28	ENCLOSED RELAY 10 AMP DPDT 24 VAC/VDC / 120 VAC

44625-R0	\$	49.53	DUCT AVERAGING 12 FT COPPER TUBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
27344-R0	\$	25.10	ENCLOSED RELAY NEMA4/4X 10 AMP DPDT 24 VAC/VDC / 120 VAC
20098-R0	\$	21.05	ENCLOSED RELAY 10 AMP DPDT 24 VAC/VDC / 120 VAC RED HOUSING
12200-R0	\$	23.28	ENCLOSED RELAY 20 AMP SPST - N/O + OVERRIDE 24 VAC/VDC / 120 VAC
12208-R0	\$	30.30	ENCLOSED RELAY 20 AMP SPDT + OVERRIDE 24 VAC/VDC / 120 VAC
27345-R0	\$	23.28	ENCLOSED RELAY 20 AMP SPST - N/C + OVERRIDE 24 VAC/VDC / 120 VAC
12199-R0	\$	19.76	ENCLOSED RELAY 20 AMP SPDT 24 VAC/VDC 208 - 277 VAC
12144-R0	\$	21.80	ENCLOSED RELAY 10 AMP DPDT 24 VAC/VDC / 208 - 277 VAC
27346-R0	\$	26.62	ENCLOSED RELAY NEMA4/4X 10 AMP DPDT 24 VAC/VDC / 208 - 277 VAC
20099-R0	\$	22.58	ENCLOSED RELAY 10 AMP DPDT 24 VAC/VDC 208 - 277 VAC RED HOUSING
12201-R0	\$	25.55	ENCLOSED RELAY 20 AMP SPST - N/O + OVERRIDE 24 VAC/VDC / 208 - 277 VAC
12209-R0	\$	32.54	ENCLOSED RELAY 20 AMP SPDT + OVERRIDE 24 VAC/VDC / 208 - 277 VAC
27347-R0	\$	25.55	ENCLOSED RELAY 20 AMP SPST - N/C + OVERRIDE 24 VAC/VDC / 208 - 277 VAC
38955-R0	\$	22.88	ENCLOSED RELAY 20 AMP SPDT 24 VAC/VDC 120 - 277 VAC UL LISTED
20100-R0	\$	15.54	ENCLOSED RELAY 10 AMP SPDT 24 VAC/VDC 120 - 277 VAC UL LISTED
20101-R0	\$	20.35	ENCLOSED RELAY - NEMA4/4X - 10 AMP - SPDT - 24 VAC/VDC / 120 - 277 VAC NOT UL LISTED
20102-R0	\$	16.29	ENCLOSED RELAY 10 AMP SPDT 24 VAC/VDC 120 - 277 VAC NOT UL LISTED RED HOUSING
65513-R0	\$	28.04	ENCLOSED RELAY 20AMP SPDT-NC + OVERRIDE 24VAC/DC/120VAC/208-277VAC
12210-R0	\$	40.81	ENCLOSED RELAY 20 AMP TPST 24 VAC/VDC - N/O
26995-R0	\$	40.81	ENCLOSED RELAY 20 AMP TPST - N/C 24 VAC/VDC
27348-R0	\$	10.87	ENCLOSED RELAY 10 AMP SPDT POLARIZED 24 VDC 24 VAC
27349-R0	\$	15.68	ENCLOSED RELAY NEMA4/4X 10 AMP SPDT POLARIZED 24 VDC 24 VAC
20103-R0	\$	11.62	ENCLOSED RELAY 10 AMP SPDT POLARIZED 24 VAC/VDC RED HOUSING
12202-R0	\$	24.36	ENCLOSED RELAY 20 AMP DPDT 24 VAC/VDC
12214-R0	\$	36.66	ENCLOSED RELAY 30 AMP DPDT 24 VAC/VDC
27350-R0	\$	27.60	ENCLOSED RELAY 20 AMP DPDT POLARIZED 24 VAC/VDC
12207-R0	\$	35.88	ENCLOSED RELAY 20 AMP DPST - N/O + OVERRIDE 24 VAC/VDC
27351-R0	\$	35.88	ENCLOSED RELAY 20 AMP DPST - N/C + OVERRIDE 24 VAC/VDC
27352-R0	\$	15.73	ENCLOSED RELAY 10A SPST + OVERRIDE POLARIZED 24VAC/VDC
20104-R0	\$	16.50	ENCLOSED RELAY 10 AMP SPST + OVERRIDE POLARIZED 24 VAC RED HOUSING
12206-R0	\$	31.72	ENCLOSED RELAY 30 AMP SPST - N/O + N/C 24 VAC/VDC
12145-R0	\$	13.59	ENCLOSED RELAY 10 AMP SPDT 10 - 30 VAC/VDC / 208 - 277 VAC
27353-R0	\$	18.43	ENCLOSED RELAY NEMA4/4X 10 AMP SPDT 10 - 30 VAC/VDC / 208 - 277 VAC
20105-R0	\$	14.39	ENCLOSED RELAY 10 AMP SPDT 10 - 30 VAC/VDC / 208 - 277 VAC WITH RED HOUSING
12164-R0	\$	17.55	ENCLOSED PILOT RELAY 15 AMP SPDT 10 - 30 VAC/VDC 208 - 277 VAC
12146-R0	\$	20.16	ENCLOSED RELAY 10 AMP SPST - N/O + OVERRIDE 10 - 30 VAC/VDC / 208 - 277 VAC
12147-R0	\$	25.86	ENCLOSED RELAY 10 AMP SPDT + OVERRIDE 10 - 30 VAC/VDC / 208 - 277 VAC
12148-R0	\$	25.82	ENCLOSED RELAY 10 AMP SPST - N/O + OVERRIDE + MONITOR 10 - 30 VAC/VDC / 208 - 277 VAC
27354-R0	\$	25.82	ENCLOSED RELAY 10 AMP SPST - N/C + OVERRIDE + MONITOR 10 - 30 VAC/VDC / 208 - 277 VAC
27355-R0	\$	20.16	ENCLOSED RELAY 10 AMP SPST - N/C + OVERRIDE 10 - 30 VAC/VDC / 208 - 277 VAC
12149-R0	\$	24.92	ENCLOSED RELAYS 10 AMP 2 SPDT 10 - 30 VAC/VDC / 208 - 277 VAC
44761-R0	\$	35.01	INTERNAL W/CONTACT STATUS OPERATING RANGE .35-20 AMPS THRESHOLD FIXED .35 AMP OUTPUT 30 VAC/DC 100MA ENCLOSED SPST-NO NO OVERRIDE SWITCH
20584-R0	\$	12.17	ENCLOSED RELAYS 10 - 30 VDC 1 RELAY SPDT 10 AMP RESISTIVE RATING
27356-R0	\$	12.94	ENCLOSED RELAY 10 AMP SPDT 10 - 30 VDC RED HOUSING
65517-R0	\$	48.79	ENCLOSED RELAY LATCHING 20AMP 24VAC/DC
65518-R0	\$	62.30	ENCLOSED RELAY LATCHING 20AMP 24VAC/DC WITH SWITCH + AUX CONTACT
65521-R0	\$	49.52	ENCLOSED RELAY LATCHING 20AMP 24VAC/DC WITH SWITCH
65522-R0	\$	64.61	ENCLOSED RELAY LATCHING 20AMP 24VAC/DC WITH SWITCH + AUX CONTACT
12150-R0	\$	34.85	ENCLOSED RELAYS 10 AMP 3 SPST - N/O 10 - 30 VAC/VDC
27357-R0	\$	34.85	ENCLOSED RELAYS 10 AMP 3 SPST - N/C 10 - 30 VAC/VDC
12151-R0	\$	45.53	ENCLOSED RELAYS 10 AMP 3 SPST - N/O + 1 SPDT 10 - 30 VAC/VDC
27358-R0	\$	45.05	ENCLOSED RELAYS 10 AMP 3 SPST - N/C + 1 SPDT 10 - 30 VAC/VDC
49456-R0	\$	87.70	ENCLOSED FAN SAFETY LOGIC BOARD 24 VAC POWER 4 INPUTS - LATCHING LOW LIMIT INPUT - TEMP - STATIC PRESSURE & SMOKE DETECTOR - OUTPUT TO A FAN SAFETY RELAY
36541-R0	\$	62.80	ENCLOSED FAN SAFETY LOGIC BOARD 24 VAC POWER 2 INPUTS - LOW LIMIT - TEMP - STATIC PRESSURE & SMOKE DETECTOR OUTPUT TO A FAN SAFETY RELAY
36542-R0	\$	78.83	ENCLOSEDFAN SAFETY LOGIC BOARD 24 VAC POWER 4 INPUTS - LOW LIMIT - TEMP - STATIC PRESSURE & SMOKE DETECTOR OUTPUT TO A FAN SAFETY RELAY

44625-R0	\$	49.53	DUCT AVERAGING 12 FT COPPER TUBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
36544-R0	\$	95.43	ENCLOSED FAN SAFETY LOGIC BOARD 24 VAC POWER 6 INPUTS - LOW LIMIT - TEMP - STATIC PRESSURE & SMOKE DETECTOR OUTPUT TO A FAN SAFETY RELAY
12228-R0	\$	15.39	4 TRACK MOUNT RELAY 20 AMP SPDT 24 VAC/VDC / 120 VAC
12175-R0	\$	14.65	4 TRACK MOUNT RELAY 10 AMP DPDT 24 VAC/VDC / 120 VAC
12230-R0	\$	20.67	4 TRACK MOUNT RELAY 20 AMP SPST 24 VAC/VDC / 120 VAC OVERRIDE
12235-R0	\$	27.21	4 TRACK MOUNT RELAY 20 AMP SPDT 24 VAC/VDC / 120 VAC OVERRIDE
12229-R0	\$	16.51	4 TRACK MOUNT RELAY 20 AMP SPDT 24 VAC/VDC / 208-277 VAC
12176-R0	\$	17.72	4 TRACK MOUNT RELAY 10 AMP DPDT 24 VAC/VDC / 208-277 VAC
12231-R0	\$	21.78	4 TRACK MOUNT RELAY 20 AMP SPST 24 VAC/VDC / 208-277 VAC OVERRIDE
12236-R0	\$	28.28	4 TRACK MOUNT RELAY 20 AMP SPDT 24 VAC/VDC / 208-277 VAC OVERRIDE
12237-R0	\$	29.82	4 TRACK MOUNT RELAY 20 AMP TPDT 24 VAC / VDC
12173-R0	\$	8.26	4 TRACK MOUNT RELAY 15 AMP SPDT 24 VAC / VDC
12174-R0	\$	9.44	4 TRACK MOUNT RELAY 15 AMP SPST 24 VAC / VDC OVERRIDE
12234-R0	\$	27.94	4 TRACK MOUNT RELAY 30 AMP DPST NORMALLY OPEN 24 VAC / VDC
27459-R0	\$	27.94	PANEL RELAY 4 X 2.35 INCH 30 AMP DPST NORMALLY CLOSED 24 VAC / VDC
27460-R0	\$	27.94	PANEL RELAY 4 X 2.35 INCH 30 AMP DPST NORMALLY OPEN/NORMALLY CLOSED 24 VAC / VDC
12233-R0	\$	25.06	4 TRACK MOUNT RELAY 30 AMP DPDT 24 VAC / VDC
27461-R0	\$	21.33	PANEL RELAY 4 X 2.05 INCH 20 AMP SPDT 24 VAC/VDC / 120 VAC 5-30 VAC / VDC
27462-R0	\$	34.52	PANEL RELAY 4 X 3.1 INCH 20 AMP DPST 24 VAC/VDC / 120 VAC 5-30 VAC / VDC
27463-R0	\$	26.62	PANEL RELAY 4 X 2.55 INCH 20 AMP SPST 24 VAC/VDC / 120 VAC 5-30 VAC / VDC OVERRIDE
27464-R0	\$	22.45	PANEL RELAY 4 X 2.05 INCH 20 AMP SPDT 24 VAC/VDC / 208-277 VAC 5-30 VAC / VDC
27465-R0	\$	37.23	PANEL RELAY 4 X 3.1 INCH 20 AMP DPST 24 VAC/VDC / 208-277 VAC 5-30 VAC / VDC
27466-R0	\$	27.73	PANEL RELAY 4 X 2.55 INCH 20 AMP SPST 24 VAC/VDC / 208-277 VAC 5-30 VAC / VDC
12178-R0	\$	14.39	4 TRACK MOUNT RELAY 15 AMP SPDT 10-30 VAC/VDC / 208-277 VAC
12182-R0	\$	16.26	4 TRACK MOUNT RELAY 15 AMP SPST NORMALLY OPEN 10-30 VAC/VDC / 208-277 VAC OVERRIDE
12186-R0	\$	22.76	4 TRACK MOUNT RELAY 15 AMP SPDT 10-30 VAC/VDC / 208-277 VAC OVERRIDE
12184-R0	\$	21.84	4 TRACK MOUNT RELAY 15 AMP SPST 10-30 VAC/VDC / 208-277 VAC MONITOR
27467-R0	\$	16.26	PANEL RELAY 4 X 1.275 INCH 15 AMP SPST NORMALLY CLOSED 10-30 VAC/VDC / 208-277 VAC OVERRIDE
12191-R0	\$	14.65	TRACK MOUNT RELAY 10 AMP DPDT 24 VAC/VDC / 120 VAC
12189-R0	\$	8.26	TRACK MOUNT RELAY 15 AMP SPDT 24 VAC / VDC
24254-R0	\$	35.78	TRACK MOUNT RELAY 4-PACK 2.75 INCH 15 AMP SPDT 24 VAC / VDC 2.75 X 6 INCH MOUNTING TRACK
27470-R0	\$	8.26	PANEL RELAY 2.75 X 1.1 INCH 15 AMP SPDT 24 VAC / VDC POLARIZED
32554-R0	\$	48.41	2.75" TRACK MOUNT 2 OUTPUT I/O EXPANDER WITH 24 VAC/VDC POWER AND 0-10 VDC /0-5 VDC CONTROL INPUT
34378-R0	\$	59.62	2.75" TRACK MOUNT 3 OUTPUT I/O EXPANDER WITH 24 VAC/VDC POWER AND 0-10 VDC / 0-5 VDC CONTROL INPUT
34379-R0	\$	70.82	2.75" TRACK MOUNT 4 OUTPUT I/O EXPANDER WITH 24 VAC/VDC POWER AND 0-10 VDC / 0-5 VDC CONTROL INPUT
48788-R0	\$	66.22	PANEL SEQUENCER 2.75IN FIELD PROGAM 4-SPDT INPUT 24VAC/DC 0-10VDC W/MT212-6
12190-R0	\$	9.44	TRACK MOUNT RELAY 2.75 INCH 15 AMP SPST 24 VAC / VDC OVERRIDE
24255-R0	\$	40.53	TRACK MOUNT RELAY 4-PACK 2.75 INCH 15 AMP SPST 24 VAC / VDC OVERRIDE 2.75 X 6 INCH MOUNTING TRACK
65510-R0	\$	61.88	4 PANEL RIBMN24S-MNOS1-MT212-6
27473-R0	\$	9.44	PANEL RELAY 2.75 X 1.25 INCH 15 AMP SPST 24 VAC / VDC POLARIZED OVERRIDE
27474-R0	\$	10.58	PANEL RELAY 2.75 X 1.25 INCH 15 AMP SPST 24 VAC / VDC JUMPER SELECTABLE OVERRIDE
65511-R0	\$	14.78	PANEL RELAY 2.75IN 15AMP SPST + MOMENTARY N/O OVERRIDE 24VAC/DC
38956-R0	\$	27.94	TRACK MOUNT RELAY 30 AMP DPST-N/O 24 VAC / VDC
38957-R0	\$	27.94	TRACK MOUNT RELAY 30 AMP DPST-N/C 24 VAC / VDC
12193-R0	\$	14.39	TRACK MOUNT RELAY 2.75 INCH 15 AMP SPDT 10-30 VAC/VDC / 208-277 VAC
12195-R0	\$	16.26	TRACK MOUNT RELAY 2.75 INCH 15 AMP SPST 10-30 VAC/VDC / 208-277 VAC OVERRIDE
12197-R0	\$	21.84	TRACK MOUNT RELAY 2.75 INCH 15 AMP SPST 10-30 VAC / VDC MONITOR AND OVERRIDE
24262-R0	\$	75.47	2.75" TRACK MOUNT FAN SAFETY LOGIC BOARD 24 VAC POWER 4 INPUTS - LATCHING LOW LIMIT INPUT - TEMP - STATIC PRESSURE & SMOKE DETECTOR - OUTPUT TO A FAN SAFETY RELAY
34377-R0	\$	50.57	2.75" TRACK MOUNT FAN SAFETY LOGIC BOARD 24 VAC POWER 2 INPUTS - LOW LIMIT - TEMP - STATIC PRESSURE & SMOKE DETECTOR OUTPUT TO A FAN SAFETY RELAY
32555-R0	\$	66.61	2.75" TRACK MOUNT FAN SAFETY LOGIC BOARD 24 VAC POWER 4 INPUTS - LOW LIMIT - TEMP - STATIC PRESSURE & SMOKE DETECTOR OUTPUT TO A FAN SAFETY RELAY
32556-R0	\$	83.20	2.75" TRACK MOUNT FAN SAFETY LOGIC BOARD 24 VAC POWER 6 INPUTS - LOW LIMIT - TEMP - STATIC PRESSURE & SMOKE DETECTOR OUTPUT TO A FAN SAFETY RELAY
12192-R0	\$	12.51	TRACK MOUNT RELAY 2.75 INCH 15 AMP SPDT 10-30 VAC / VDC / 120 VAC
12194-R0	\$	14.39	TRACK MOUNT RELAY 2.75 INCH 15 AMP SPST 10-30 VAC / VDC / 120 VAC OVERRIDE
12196-R0	\$	18.98	TRACK MOUNT RELAY 2.75 INCH 15 AMP SPST 10-30 VAC / VDC / 120 VAC MONITOR AND OVERRIDE

44625-R0	\$	49.53	DUCT AVERAGING 12 FT COPPER TUBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
63950-R0	\$	164.93	2.75" TRACK MOUNT 12 BINARY INPUT BACNET MSTP DEVICE WITH 24 VAC/VDC POWER
44457-R0	\$	113.26	BACNET® MS/TP NETWORK TRACK MOUNT RELAY DEVICE; ONE DISCRETE OUTPUT (20 AMP RELAY SPDT);TWO DISCRETE INPUTS (ONE CURRENT SENSOR 0.25 - 20 AMPRELAY LOAD SENSING & ONE DRY CONTACT DIGITAL INPUT)24 VAC/DC OR 120 VAC POWER INPUT
44459-R0	\$	125.19	LONWORKS® TWISTED-PAIR FT-10 NETWORK DUAL I/O CONTROLLER; ONE DISCRETE OUTPUT (20 AMP RELAY SPST + OVERRIDE);ONE DISCRETE INPUT (CURRENT SENSOR 0.25 - 20 AMPRELAY LOAD SENSING)24 VAC/DC OR 120 VAC POWER INPUT
44460-R0	\$	130.22	LONWORKS® TWISTED-PAIR FT-10 NETWORK DUAL I/O CONTROLLER; ONE DISCRETE OUTPUT (20 AMP RELAY SPST + OVERRIDE);ONE DISCRETE INPUT (CURRENT SENSOR 0.25 - 20 AMPRELAY LOAD SENSING)24 VAC/DC OR 208-277 VAC POWER INPUT
12177-R0	\$	12.51	4 TRACK MOUNT RELAY 15 AMP SPDT 10-30 VAC / VDC / 120 VAC
12181-R0	\$	14.39	4 TRACK MOUNT RELAY 15 AMP SPST NORMALLY OPEN 10-30 VAC / VDC / 120 VAC OVERRIDE
12185-R0	\$	20.89	4 TRACK MOUNT RELAY 15 AMP SPDT 10-30 VAC / VDC / 120 VAC OVERRIDE
12183-R0	\$	18.98	4 TRACK MOUNT RELAY 15 AMP SPST 10-30 VAC / VDC / 120 VAC OVERRIDE AND MONITOR
27475-R0	\$	14.39	PANEL RELAY 4 X 1.275 INCH 15 AMP SPST NORMALLY CLOSED 10-30 VAC / VDC / 120 VAC OVERRIDE
12179-R0	\$	21.35	4 TRACK MOUNT RELAY 15 AMP 2 SPDT 10-30 VAC / VDC / 120 VAC
34376-R0	\$	104.65	LONWORKS RELAY 4" TRACK MOUNT 20 AMP SPST W/HOA 24 VAC/VDC 1 DIGITAL INPUT / 1 ANALOG INPUT 5V/10V THERMISTOR
65509-R0	\$	107.15	LONWORKS PANEL RELAY 4IN 20AMP [CUSTOM PROGRAM FOR AIC]
41682-R0	\$	104.65	LONWORKS TWISTED-PAIR FT-10 NETWORK THREE I/O CONTROLLER; ONE DISCRETE OUTPUT (20 AMP RELAY SPST + OVERRIDE)ONE DISCRETE INPUT; PRECON TYPE 2 THERMISTOR INPUT; 24VAC/DC POWER
23308-R0	\$	37.62	INTERNAL W/CONTACT STATUS OPERATING RANGE .50-20 AMP ADJUSTABLE THRESHOLD CONTACT OUTPUT SPDT NO OVERRIDE SWITCH TRACK MOUNTED
27408-R0	\$	33.23	INTERNAL W/CONTACT STATUS OPERATING RANGE .50-20 AMP FIXED THRESHOLD CONTACT OUTPUT SPDT NO OVERRIDE SWITCH TRACK MOUNTED
27409-R0	\$	33.23	INTERNAL W/VOLTAGE OUTPUT OPERATING RANGE 0-20 AMP ANALOG THRESHOLD OUTPUT 0-5/0-10 VDC SPDT NO OVERRIDE SWITCH TRACK MOUNTED
27410-R0	\$	40.89	INTERNAL W/CONTACT STATUS OPERATING RANGE .50-20 AMP ADJUSTABLE THRESHOLD CONTACT OUTPUT SPST OVERRIDE SWITCH TRACK MOUNTED
27411-R0	\$	34.80	INTERNAL W/CONTACT STATUS OPERATING RANGE .50-20 AMP FIXED THRESHOLD CONTACT OUTPUT SPST OVERRIDE SWITCH TRACK MOUNTED
27412-R0	\$	34.80	INTERNAL W/VOLTAGE OUTPUT OPERATING RANGE 0-20 AMP ANALOG THRESHOLD OUTPUT 0-5/0-10 VDC SPST OVERRIDE SWITCH TRACK MOUNTED
27413-R0	\$	29.68	INTERNAL W/CONTACT STATUS OPERATING RANGE .50-20 AMPS ADJUSTABLE THRESHOLD CONTACT OUTPUT TRACK MOUNTED
27414-R0	\$	22.18	INTERNAL W/CONTACT STATUS OPERATING RANGE .50-20 AMPS FIXED THRESHOLD CONTACT OUTPUT TRACK MOUNTED
27415-R0	\$	51.44	EXTERNAL W/CONTACT STATUS OPERATING RANGE 10-150 AMPS ADJUSTABLE THRESHOLD CONTACT OUTPUT TRACK MOUNTED SPLIT RING REMOTE
27416-R0	\$	42.64	EXTERNAL W/CONTACT STATUS OPERATING RANGE 10-150 AMPS FIXED THRESHOLD CONTACT OUTPUT TRACK MOUNTED SPLIT RING REMOTE
27417-R0	\$	42.34	EXTERNAL W/CONTACT STATUS OPERATING RANGE 3-150 AMPS ADJUSTABLE THRESHOLD CONTACT OUTPUT TRACK MOUNTED SOLID RING REMOTE
27418-R0	\$	33.53	EXTERNAL W/CONTACT STATUS OPERATING RANGE 3-150 AMPS FIXED THRESHOLD CONTACT OUTPUT TRACK MOUNTED SOLID RING REMOTE
27419-R0	\$	22.18	INTERNAL W/VOLTAGE OUTPUT OPERATING RANGE 0-20 AMPS ANALOG THRESHOLD OUTPUT 0-5/0-10 VDC TRACK MOUNTED
12216-R0	\$	21.91	ENCLOSED RELAY HI/LOW SEP 20 AMP SPDT 24 VAC/VDC / 120 VAC
12169-R0	\$	23.34	ENCLOSED RELAY HI/LOW SEP 10 AMP SPDT 24 VAC/VDC / 120 VAC
12221-R0	\$	25.34	ENCLOSED RELAY HI/LOW SEP 20 AMP SPST + OVERRIDE 24 VAC/VDC / 120 VAC
12223-R0	\$	32.34	ENCLOSED RELAY HI/LOW SEP 20 AMP SPDT + OVERRIDE 24 VAC/VDC / 120 VAC
12170-R0	\$	31.75	ENCLOSED RELAY 10 AMP DPST - N/O + OVERRIDE 24 VAC/VDC / 120 VAC
12217-R0	\$	22.10	ENCLOSED RELAY HI/LOW SEP 20 AMP SPDT 24 VAC/VDC / 208 - 277 VAC
12222-R0	\$	26.66	ENCLOSED RELAY HI/LOW SEP 20 AMP SPST + OVERRIDE 24 VAC/VDC / 208 - 277 VAC
12224-R0	\$	33.64	ENCLOSED RELAY HI/LOW SEP 20 AMP SPDT + OVERRIDE 24 VAC/VDC / 208 - 277 VAC
43904-R0	\$	32.18	ENCLOSED RELAY HI/LOW SEP 20 AMP 2 SPDT 24 VAC/VDC
12219-R0	\$	45.40	ENCLOSED RELAY HI/LOW SEP 20 AMP 2 SPST + 1 SPDT 24 VAC/VDC
12227-R0	\$	43.38	ENCLOSED RELAY HI/LOW SEP 20 AMP TPST 24 VAC/VDC
27361-R0	\$	43.38	ENCLOSED RELAY HI/LOW SEP 20 AMP 3PST 24 VAC/VDC
12215-R0	\$	20.24	ENCLOSED RELAY HI/LOW SEP 20 AMP SPDT 24 VAC/VDC
27362-R0	\$	18.93	ENCLOSED RELAY HI/LOW SEP 20 AMP SPDT 24 VAC/VDC
12225-R0	\$	30.91	ENCLOSED RELAY HI/LOW SEP 20 AMP DPDT 24 VAC/VDC
27363-R0	\$	48.05	ENCLOSED RELAY HI/LO SEP 20 AMP DPST - N/O + OVERRIDE 24 VAC/VDC
27364-R0	\$	35.88	ENCLOSED RELAY HI/LO SEP 20 AMP DPST - N/C + OVERRIDE 24 VAC/VDC
12220-R0	\$	24.40	ENCLOSED RELAY HI/LOW SEP 20 AMP SPST + OVERRIDE 24 VAC/VDC
12226-R0	\$	35.46	ENCLOSED RELAY HI/LOW SEP 30 AMP 1 SPST- N/O + 1 SPST-N/C 24 VAC/VDC
43902-R0	\$	51.36	ENCLOSED TIME DELAY RELAY 20 AMP SPDT 24 VAC/VDC 120 VAC
27371-R0	\$	24.87	ENCLOSED RELAY HI/LOW SEP 20 AMP SPDT 24 VAC/VDC POWER + 5 - 30 VAC/VDC CONTROL
27372-R0	\$	36.87	ENCLOSED RELAY HI/LOW SEP 20 AMP DPDT 24 VAC/VDC POWER + 5 - 30 VAC/VDC CONTROL
27373-R0	\$	33.84	ENCLOSED RELAY HI/LOW SEP 20 AMP SPST 24 VAC/VDC POWER + 5 - 30 VAC/VDC CONTROL
27374-R0	\$	21.20	ENCLOSED RELAY HI/LOW SEP 10 AMP SPDT 10 - 30 VAC/VDC POWER + 5 - 30 VAC/VDC CONTROL

44625-R0	\$	49.53	DUCT AVERAGING 12 FT COPPER TUBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
27375-R0	\$	25.60	ENCLOSED RELAY HI/LOW SEP 10 AMP SPST + OVERRIDE 10 - 30 VAC/VDC POWER + 5 - 30 VAC/VDC
12160-R0	\$	18.54	ENCLOSED RELAY HI/LOW SEP 10 AMP SPDT 10 - 30 VAC/VDC - 208 - 277 VAC
12166-R0	\$	24.14	ENCLOSED RELAY HI/LOW SEP 10 AMP SPST + OVERRIDE 10 - 30 VAC/VDC - 208 - 277 VAC
12168-R0	\$	29.06	ENCLOSED RELAY HI/LOW SEP 10 AMP SPDT + OVERRIDE 10 - 30 VAC/VDC - 208 - 277 VAC
12162-R0	\$	31.67	ENCLOSED RELAYS HI/LOW SEP 10 AMP 2 SPDT 10 - 30 VAC/VDC - 208 - 277 VAC
12159-R0	\$	19.77	ENCLOSED RELAY HI/LOW SEP 10 AMP SPDT 10 - 30 VAC/VDC / 120 VAC
12165-R0	\$	22.14	ENCLOSED RELAY HI/LOW SEP 10 AMP SPST + OVERRIDE 10 - 30 VAC/VDC / 120 VAC
12167-R0	\$	26.62	ENCLOSED RELAY HI/LOW SEP 10 AMP SPDT + OVERRIDE 10 - 30 VAC/VDC / 120 VAC
12161-R0	\$	27.55	ENCLOSED RELAYS HI/LOW SEP 10 AMP 2 SPDT 10 - 30 VAC/VDC / 120 VAC
43907-R0	\$	97.73	BACNET MS/TP NETWORK ENCLOSED DUAL I/O CONTROLLER ONE DISCRETE OUTPUT 20 AMP RELAY SPDT ONE DISCRETE INPUT 24 VAC/VDC 120 VAC
63949-R0	\$	166.30	ETHERNET ENCLOSED DUAL I/O CONTROLLER ONE DISCRETE OUTPUT 20 AMP RELAY SPDT ONE DISCRETE INPUT 24 VAC/VDC 120 VAC
22721-R0	\$	97.97	LONWORKS ENCLOSED RELAY 20 AMP SPDT 24 VAC/VDC OR 120 VAC
24256-R0	\$	105.07	LONWORKS ENCLOSED RELAY 20 AMP SPST - N/O WITH OVERRIDE 24 VAC/VDC OR 120 VAC POWER INPUT
49744-R0	\$	99.58	BACNET ENCLOSED RELAY 20 AMP SPDT 24 VAC/VDC OR 208 - 277 VAC POWER INPUT
22722-R0	\$	99.65	LONWORKS ENCLOSED RELAY 20 AMP SPDT 24 VAC/VDC OR 208 - 277 VAC POWER INPUT
24257-R0	\$	106.74	LONWORKS ENCLOSED RELAY 20 AMP SPST - N/O WITH OVERRIDE 24 VAC/VDC OR 208 - 277 VAC POWER INPUT
65235-R0	\$	143.59	BACNET ENCLOSED RELAY 20AMP 24VAC/DC; ANALOG IN.
35385-R0	\$	119.17	LONWORKS TWISTED PAIR FT-10 NETWORK ENCLOSED THREE I/O CONTROLLER; ONE DISCRETE OUTPUT (20AMP RELAY SPST+OVERRIDE)ONE DISCRETE INPUT; ONE ANALOG INPUT (0-5VDC/0-
			10VDC); 24VAC/DC POWER.KIT CONSISTS OF ENCLOSURE MODEL PE6010+RIBMW24SB-LNAI)
			LONWORKS TWISTED-PAIR FT-10 NETWORK THREE I/O CONTROLLER; ONE DISCRETE OUTPUT (20 AMP RELAY SPST + OVERRIDE)ONE DISCRETE INPUT; PRECON TYPE 2 THERMISTOR INPUT; 24VAC/DC
41681-R0	\$	119.17	POWERENCLOSED
48787-R0	\$	126.40	BACNET ENCLOSED RELAY 20AMP 120VAC/24VAC/DC CURRENT SENSE STATUSPE6020 HOUSING
44446-R0	\$	135.01	LONWORKS® TWISTED-PAIR FT-10 NETWORK DUAL I/O CONTROLLER; ONE DISCRETE OUTPUT (20 AMP RELAY SPST + OVERRIDE);ONE DISCRETE INPUT (CURRENT SENSOR 0.25 - 20 AMPRELAY LOAD
			SENSING)24 VAC/DC OR 120 VAC POWER INPUT
			LONWORKS® TWISTED-PAIR FT-10 NETWORK DUAL I/O CONTROLLER; ONE DISCRETE OUTPUT (20 AMP RELAY SPST + OVERRIDE);ONE DISCRETE INPUT (CURRENT SENSOR 0.25 - 20 AMPRELAY LOAD
44447-R0	\$	136.55	SENSING)24 VAC/DC OR 208-277 VAC POWER INPUT
12152-R0	\$	16.97	ENCLOSED RELAY NEMA4/4X 10 AMP SPDT 10 - 30 VAC/VDC / 120 VAC
20106-R0	\$	12.92	ENCLOSED RELAY 10 AMP 10 - 30 VAC/VDC 120 VAC RED HOUSING
12163-R0	\$	15.38	ENCLOSED PILOT RELAY HI/LOW SEP 15 AMP SPDT 10 - 30 VAC/VDC / 120 VAC
12153-R0	\$	17.41	ENCLOSED RELAY 10 AMP SPST - N/O + OVERRIDE 10 - 30 VAC/VDC / 120 VAC
12154-R0	\$	24.39	ENCLOSED RELAY 10 AMP SPDT + OVERRIDE 10 - 30 VAC/VDC / 120 VAC
12155-R0	\$	22.46	ENCLOSED RELAY 10 AMP SPST - N/O + OVERRIDE + MONITOR 10 - 30 VAC/VDC / 120 VAC
27376-R0	\$	22.46	ENCLOSED RELAY 10 AMP SPST - N/C + OVERRIDE + MONITOR 10 - 30 VAC/VDC / 120 VAC
27377-R0	\$	17.41	ENCLOSED RELAY 10 AMP SPST - N/C + OVERRIDE 10 - 30 VAC/VDC/120 VAC
12156-R0	\$	22.23	ENCLOSED RELAYS 10 AMP 2 SPDT 10 - 30 VAC/VDC / 120 VAC
12157-R0	\$	30.82	ENCLOSED RELAYS 10 AMP 2 SPST - N/O + OVERRIDE 10 - 30 VAC/VDC / 120 VAC
48789-R0	\$	41.60	ENCLOSED RELAYS 10AMP 2 SPST-NO + MOMENTARY OVERRIDE 10-30VAC/DC/120VAC
27378-R0	\$	30.82	ENCLOSED RELAYS 10 AMP 2 SPST - N/C + OVERRIDE 10 - 30 VAC/VDC / 120 VAC
12158-R0	\$	27.56	ENCLOSED RELAYS 10 AMP 1 SPST-NO + OVERRIDE + 1 SPDT 10 - 30 VAC/VDC / 120 VAC
27379-R0	\$	27.56	ENCLOSED RELAYS 10 AMP 1 SPST - N/C + OVERRIDE 1 SPDT 10 - 30 VAC/VDC / 120 VAC
44760-R0	\$	152.09	ENOCEAN ENABLED WIRELESS TRANSMITTER 24 VAC/DC DRY CONTACT INPUT 5-25 VAC/DC INPUT
14256-R0	\$	66.76	INTERNAL W/CONTACT SENSING OPERATING RANGE .50-20 AMPS ADJUSTABLE THRESHOLD CONTACT OUTPUT ENCLOSED NORMALLY OPEN 24 VAC/VDC COIL
27420-R0	\$	66.76	INTERNAL W/CONTACT SENSING OPERATING RANGE .50-20 AMPS ADJUSTABLE THRESHOLD CONTACT OUTPUT ENCLOSED NORMALLY CLOSED 24 VAC/VDC COIL
14257-R0	\$	64.90	INTERNAL W/CONTACT STATUS OPERATING RANGE .50-20 AMPS FIXED THRESHOLD CONTACT OUTPUT ENCLOSED NORMALLY OPEN 24 VAC/VDC COIL
27421-R0	\$	64.90	INTERNAL W/CONTACT STATUS OPERATING RANGE .50-20 AMPS FIXED THRESHOLD CONTACT OUTPUT ENCLOSED NORMALLY CLOSED 24 VAC/VDC COIL
27442-R0	\$	64.90	INTERNAL W/VOLTAGE OUTPUT OPERATING RANGE 0-20 AMPS ANALOG THRESHOLD OUTPUT 0-10 VDC ENCLOSED RELAY 24 VAC/VDC COIL
14258-R0	\$	34.72	INTERNAL W/CONTACT STATUS OPERATING RANGE .50-20 AMPS ADJUSTABLE THRESHOLD CONTACT OUTPUT ENCLOSED SPDT NO OVERRIDE SWITCH
14259-R0	\$	32.89	INTERNAL W/CONTACT STATUS OPERATING RANGE .50-20 AMPS FIXED THRESHOLD CONTACT OUTPUT ENCLOSED SPDT NO OVERRIDE SWITCH
15348-R0	\$	32.89	INTERNAL W/VOLTAGE OUTPUT OPERATING RANGE 0-20 AMPS ANALOG THRESHOLD OUTPUT 0-5/0-10 VDC ENCLOSED SPDT NO OVERRIDE SWITCH
14260-R0	\$	38.68	INTERNAL W/CONTACT STATUS OPERATING RANGE .50-20 AMPS ADJUSTABLE THRESHOLD CONTACT OUTPUT ENCLOSED SPST OVERRIDE SWITCH
14261-R0	\$	36.84	INTERNAL W/CONTACT STATUS OPERATING RANGE .50-20 AMPS FIXED THRESHOLD CONTACT OUTPUT ENCLOSED SPST OVERRIDE SWITCH
27443-R0	\$	36.84	INTERNAL W/VOLTAGE OUTPUT OPERATING RANGE 0-20 AMPS ANALOG THRESHOLD OUTPUT 0-5/0-10 VDC ENCLOSED SPST OVERRIDE SWITCH
14262-R0	\$	24.91	INTERNAL W/CONTACT STATUS OPERATING RANGE .50-30 AMPS ADJUSTABLE THRESHOLD CONTACT OUTPUT ENCLOSED
14264-R0	\$	22.05	INTERNAL W/CONTACT STATUS OPERATING RANGE .50-30 AMPS FIXED THRESHOLD CONTACT OUTPUT ENCLOSED

44625-R0	\$	49.53	DUCT AVERAGING 12 FT COPPER TUBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
49517-R0	\$	60.94	SPLIT CORE OPERATING RANGE 0-100 AMP 30 MA MAX OUTPUT CURRENT 600 VAC MAX SENSE VOLTAGE LOOP POWERED 4-20 MA TRANSMITTER (PRE-WIRED)
49515-R0	\$	60.94	SPLIT CORE OPERATING RANGE 0-20 AMP 30 MA MAX OUTPUT CURRENT 600 VAC MAX SENSE VOLTAGE LOOP POWERED 4-20 MA TRANSMITTER (PRE-WIRED)
49516-R0	\$	60.94	SPLIT CORE OPERATING RANGE 0-50 AMP 30 MA MAX OUTPUT CURRENT 600 VAC MAX SENSE VOLTAGE LOOP POWERED 4-20 MA TRANSMITTER (PRE-WIRED)
20107-R0	\$	28.70	SPLIT CORE OPERATING RANGE .75-150 AMP ADJUSTABLE THRESHOLD CONTACT OUTPUT SPST SPLIT RING LED 1 - OVER TRIP POINTLED 2 - UNDER TRIP POINT
51926-R0	\$	39.00	SPLIT CORE OPERATING RANGE .75-150 AMP SELF CALIBRATING THRESHOLD CONTACT OUTPUT SPST WIRE LEADS
20108-R0	\$	23.54	SPLIT CORE OPERATING RANGE .35-150 AMP FIXED THRESHOLD CONTACT OUTPUT SPST SPLIT RING
22530-R0	\$	26.04	SPLIT CORE OPERATING RANGE .75-150 AMP FIXED THRESHOLD CONTACT OUTPUT SPST SPLIT RING LED 1 - OVER TRIP POINT
26550-R0	\$	33.90	SPLIT CORE OPERATING RANGE .75-150 AMP ADJUSTABLE THRESHOLD OUTPUT 120 VAC1 AMP SPST LED 1 - OVER TRIP POINTLED 2 - UNDER TRIP POINT
26169-R0	\$	27.59	SPLIT CORE OPERATING RANGE .50-150 AMP FIXED THRESHOLD OUTPUT 120 VAC1 AMP SPST
26551-R0	\$	34.83	SPLIT CORE OPERATING RANGE .75-150 AMP ADJUSTABLE THRESHOLD OUTPUT 120 VAC1 AMP SPST LED 1 - OVER TRIP POINTLED 2 - UNDER TRIP POINT TERMINAL STRIP
26549-R0	\$	27.86	SPLIT CORE OPERATING RANGE .50-150 AMP FIXED THRESHOLD OUTPUT 120 VAC1 AMP SPST TERMINAL STRIP
20110-R0	\$	28.98	SPLIT CORE OPERATING RANGE .75-150 AMP ADJUSTABLE THRESHOLD CONTACT OUTPUT SPST ENCLOSED SPLIT RING LED 1 - OVER TRIP POINTLED 2 - UNDER TRIP POINT TERMINAL STRIP
38518-R0	\$	39.00	SPLIT CORE OPERATING RANGE 3-150 AMP SELF CALIBRATING THRESHOLD CONTACT OUTPUT SPST TERMINAL STRIP
20111-R0	\$	24.15	SPLIT CORE OPERATING RANGE .35-150 AMP FIXED THRESHOLD CONTACT OUTPUT SPST ENCLOSED SPLIT RING TERMINAL STRIP
27422-R0	\$	26.61	SPLIT CORE OPERATING RANGE .75-150 AMP FIXED THRESHOLD CONTACT OUTPUT SPST ENCLOSED SPLIT RING LED 1 - OVER TRIP POINT TERMINAL STRIP
64007-R0	\$	37.40	AC TRANSDUCER0-10 VDC OUTSPLIT CORE0-20 AMP50 AMP & 100 AMP
14265-R0	\$	39.68	EXTERNAL W/CONTACT STATUS OPERATING RANGE 3-150 AMPS ADJUSTABLE THRESHOLD CONTACT OUTPUT ENCLOSED SPLIT RING REMOTE
14266-R0	\$	36.84	EXTERNAL W/CONTACT STATUS OPERATING RANGE 3-150 AMPS FIXED THRESHOLD CONTACT OUTPUT ENCLOSED SPLIT RING REMOTE
48785-R0	\$	134.71	ENCLOSED ENOCEAN ENABLED WIRELESS SPLIT RING REMOTE FIXED 3-150 AMP CURRENT SENSOR MAX SENSE VOLTAGE 600 VAC 315 MHZ FREQUENCY
27423-R0	\$	29.71	INTERNAL OPERATING RANGE .25-150 AMPS FIXED THRESHOLD CONTACT OUTPUT RELAY NO OVERRIDE SWITCH LED 1 ON - ACTIVATED
26997-R0	\$	22.57	INTERNAL W/TRANSMITTER OUTPUT OPERATING RANGE 0-100 AMPS LOOP POWERED 4-20 MA TRANSMITTER
15349-R0	\$	22.57	INTERNAL W/TRANSMITTER OUTPUT OPERATING RANGE 0-20 AMPS LOOP POWERED 4-20 MA TRANSMITTER
26996-R0	\$	22.57	INTERNAL W/TRANSMITTER OUTPUT OPERATING RANGE 0-50 AMPS LOOP POWERED 4-20 MA TRANSMITTER
24447-R0	\$	32.44	SOLID CORE OPERATING RANGE .50-150 AMP ADJUSTABLE THRESHOLD CONTACT OUTPUT SPST LED 1 - OVER TRIP POINTLED 2 - UNDER TRIP POINT ENCLOSED
13883-R0	\$	16.33	SOLID CORE OPERATING RANGE .25-150 AMP FIXED THRESHOLD CONTACT OUTPUT SPST
24448-R0	\$	32.44	SOLID CORE OPERATING RANGE .50-150 AMP ADJUSTABLE THRESHOLD CONTACT OUTPUT SPST LED 1 - OVER TRIP POINTLED 2 - UNDER TRIP POINT ENCLOSED TERMINAL STRIP
18605-R0	\$	16.33	SOLID CORE OPERATING RANGE .25-150 AMP FIXED THRESHOLD CONTACT OUTPUT SPST LED 1 - OVER TRIP POINTLED 2 - UNDER TRIP POINT ENCLOSED TERMINAL STRIP
32553-R0	\$	22.57	SOLID CORE OPERATING RANGE 0-10 AMP OUTPUT 0-5 VDC ENCLOSED TRANSDUCER TERMINAL STRIP
33983-R0	\$	22.57	SOLID CORE OPERATING RANGE 0-100 AMP OUTPUT 0-5 VDC ENCLOSED TRANSDUCER TERMINAL STRIP
33981-R0	\$	22.57	SOLID CORE OPERATING RANGE 0-20 AMP OUTPUT 0-5 VDC ENCLOSED TRANSDUCER TERMINAL STRIP
33982-R0	\$	22.57	SOLID CORE OPERATING RANGE 0-50 AMP OUTPUT 0-5 VDC ENCLOSED TRANSDUCER TERMINAL STRIP
14267-R0	\$	30.50	INTERNAL W/CONTACT STATUS OPERATING RANGE .50-10 AMPS ADJUSTABLE THRESHOLD CONTACT OUTPUT ENCLOSED W/RELAY SPDT LED ON - ACTIVATED 10-30 VAC/DC COIL
14268-R0	\$	44.75	INTERNAL W/CONTACT STATUS OPERATING RANGE .125-5 AMPS ADJUSTABLE THRESHOLD CONTACT OUTPUT ENCLOSED W/RELAY SPDT LED ON - ACTIVATED 10-30 VAC/DC COIL
27444-R0	\$	30.36	INTERNAL W/VOLTAGE OUTPUT OPERATING RANGE 0-5 AMPS ANALOG THRESHOLD OUTPUT 0-5/0-10 VDC ENCLOSED W/RELAY SPDT LED ON - ACTIVATED 10-30 VAC/DC COIL
14269-R0	\$	28.65	INTERNAL W/CONTACT STATUS OPERATING RANGE .50-10 AMPS FIXED THRESHOLD CONTACT OUTPUT ENCLOSED W/RELAY SPDT LED ON - ACTIVATED 10-30 VAC/DC COIL
14270-R0	\$	45.64	EXTERNAL W/CONTACT STATUS OPERATING RANGE 3-150 AMPS ADJUSTABLE THRESHOLD CONTACT OUTPUT ENCLOSED W/RELAY SPDT LED ON - ACTIVATED 10-30 VAC/DC COIL
14271-R0	\$	43.88	EXTERNAL W/CONTACT STATUS OPERATING RANGE 3-150 AMPS FIXED THRESHOLD CONTACT OUTPUT ENCLOSED W/RELAY SPDT LED ON - ACTIVATED 10-30 VAC/DC COIL
14272-R0	\$	36.88	EXTERNAL W/CONTACT STATUS OPERATING RANGE 1.25-150 AMPS ADJUSTABLE THRESHOLD CONTACT OUTPUT ENCLOSED W/RELAY SPDT LED ON - ACTIVATED 10-30 VAC/DC COIL
14273-R0	\$	35.17	EXTERNAL W/CONTACT STATUS OPERATING RANGE 1.25-150 AMPS FIXED THRESHOLD CONTACT OUTPUT ENCLOSED W/RELAY SPDT LED ON - ACTIVATED 10-30 VAC/DC COIL
27445-R0	\$	28.65	INTERNAL W/VOLTAGE OUTPUT OPERATING RANGE 0-10 AMPS ANALOG THRESHOLD OUTPUT 0-5/0-10 VDC ENCLOSED W/RELAY SPDT LED ON - ACTIVATED 10-30 VAC/DC COIL
14274-R0	\$	33.18	INTERNAL W/CONTACT STATUS OPERATING RANGE .50-10 AMPS ADJUSTABLE THRESHOLD CONTACT OUTPUT ENCLOSED W/RELAY SPST OVERRIDE SWITCH 10-30 VAC/DC COIL
14275-R0	\$	48.44	INTERNAL W/CONTACT STATUS OPERATING RANGE .125-5 AMPS ADJUSTABLE THRESHOLD CONTACT OUTPUT ENCLOSED W/RELAY SPST OVERRIDE SWITCH 10-30 VAC/DC COIL
27446-R0	\$	33.22	INTERNAL W/VOLTAGE OUTPUT OPERATING RANGE 0-5 AMPS ANALOG THRESHOLD CONTACT OUTPUT ENCLOSED W/RELAY SPST OVERRIDE SWITCH 10-30 VAC/DC COIL

44625-R0	\$	49.53	DUCT AVERAGING 12 FT COPPER TUBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
14276-R0	\$	31.50	INTERNAL W/CONTACT STATUS OPERATING RANGE .50-10 AMPS FIXED THRESHOLD CONTACT OUTPUT ENCLOSED W/RELAY SPST OVERRIDE SWITCH 10-30 VAC/DC COIL
14277-R0	\$	48.49	EXTERNAL W/CONTACT STATUS OPERATING RANGE 3-150 AMPS ADJUSTABLE THRESHOLD CONTACT OUTPUT ENCLOSED W/RELAY SPST OVERRIDE SWITCH 10-30 VAC/DC COIL
14278-R0	\$	46.77	EXTERNAL W/CONTACT STATUS OPERATING RANGE 3-150 AMPS FIXED THRESHOLD CONTACT OUTPUT ENCLOSED W/RELAY SPST OVERRIDE SWITCH 10-30 VAC/DC COIL
14279-R0	\$	39.74	EXTERNAL W/CONTACT STATUS OPERATING RANGE 1.25-150 AMPS ADJUSTABLE THRESHOLD CONTACT OUTPUT ENCLOSED W/RELAY SPST OVERRIDE SWITCH 10-30 VAC/DC COIL
38519-R0	\$	43.69	EXTERNAL W/CONTACT STATUS OPERATING RANGE 1.25-150 AMPS ADJUSTABLE THRESHOLD OUTPUT 30VAC/DC ENCLOSED SPST OVERRIDE SWITCH
14280-R0	\$	39.62	EXTERNAL W/CONTACT STATUS OPERATING RANGE 1.25-150 AMPS FIXED THRESHOLD CONTACT OUTPUT ENCLOSED W/RELAY SPST OVERRIDE SWITCH 10-30 VAC/DC COIL
27447-R0	\$	31.50	INTERNAL W/VOLTAGE OUTPUT OPERATING RANGE 0-10 AMPS ANALOG THRESHOLD OUTPUT 0-5/0-10 VDC ENCLOSED W/RELAY SPST OVERRIDE SWITCH 10-30 VAC/DC COIL
14281-R0	\$	30.93	EXTERNAL W/CONTACT STATUS OPERATING RANGE 1.25-150 AMPS ADJUSTABLE THRESHOLD CONTACT OUTPUT ENCLOSED SOLID RING REMOTE
14282-R0	\$	28.09	EXTERNAL W/CONTACT STATUS OPERATING RANGE 1.25-150 AMPS FIXED THRESHOLD CONTACT STATUS ENCLOSED SOLID RING REMOTE
19561-R0	\$	22.05	INTERNAL W/VOLTAGE OUTPUT OPERATING RANGE 0-30 AMPS ANALOG THRESHOLD OUTPUT 0-5/0-10 VDC ENCLOSED 0-10 VDC TRANSDUCER
27395-R0	\$	9.44	11.33" H X 11.40" W X 0.13" D MH3300 SUBPANEL POLYMETAL
20113-R0	\$	26.47	MH3300 SUBPANEL 11.4 X 11.33 X 0.25 INCH PERFORATED STEEL
27396-R0	\$	18.33	23.00" H X 11.75" W X 0.13" D MH3800 SUBPANEL POLYMETAL
27397-R0	\$	15.42	19.00" H X 11.75" W X 0.13" D MH3800 SUBPANEL POLYMETAL
20114-R0	\$	44.89	MH3300 SUBPANEL 23 X 11.75 X 0.25 INCH PERFORATED STEEL
27398-R0	\$	37.60	19.00" INCH H X 11.75" W X 0.25" D MH3800 SUBPANEL PERFORATED STEEL
27399-R0	\$	17.03	16.875" H X 15.75" W X 0.13" D MH4400 SUBPANEL PLYMETAL
20115-R0	\$	26.60	15.75" H X 16.00" W X 0.25" D MH4400 SUBPANEL PERFORATED STEEL
27400-R0	\$	35.44	23.00" H X 22.50" W X 0.13" D MH5500 SUBPANEL POLYMETAL
27401-R0	\$	36.65	23.00" H X 22.50" W X 0.25" D MH5500 SUBPANEL PERFORATED STEEL
27402-R0	\$	45.86	34.125" H X 22.50" W X 0.13" D MH5800 SUBPANEL POLYMETAL
27403-R0	\$	59.20	34.125" H X 22.50" W X 0.25" D MH5800 SUBPANEL PERFORATED STEEL
7797-R0	\$	23.48	CONTROL TRANSFORMER 100 VA 120 VAC INPUT - 24 VAC OUTPUT FOOT & SINGLE THREADED HUB CIRCUIT BREAKER
27175-R0	\$	24.47	CONTROL TRANSFORMER 100 VA 120 VAC INPUT - 24 VAC OUTPUT FOOT & SINGLE THREADED HUB 28" WIRE CIRCUIT BREAKER
7798-R0	\$	23.78	CONTROL TRANSFORMER 100 VA 120 VAC INPUT - 24 VAC OUTPUT FOOT & DUAL THREADED HUB CIRCUIT BREAKER
43912-R0	\$	24.47	CONTROL TRANSFORMER 100 VA 120 VAC INPUT - 24 VAC OUTPUT FOOT & DUAL THREADED HUB CIRCUIT BREAKER 20" SECONDARY WIRE
7799-R0	\$	27.13	CONTROL TRANSFORMER 100 VA 120/240/277/480 VAC INPUT - 24 VAC OUTPUT FOOT & DUAL THREADED HUB CIRCUIT BREAKER 20" SECONDARY WIRE
38954-R0	\$	27.76	CONTROL TRANSFORMER 100 VA 120/240/277/480 VAC INPUT - 24 VAC OUTPUT FOOT & SINGLE THREADED HUB CIRCUIT BREAKER 20" SECONDARY WIRE
43913-R0	\$	28.54	CONTROL TRANSFORMER 100 VA 120/240/277/480 VAC INPUT - 120 VAC OUTPUT FOOT & DUAL THREADED HUB CIRCUIT BREAKER 20" SECONDARY WIRE
7800-R0	\$	30.43	CONTROL TRANSFORMER 150 VA 120 VAC INPUT - 24 VAC OUTPUT CIRCUIT BREAKER FOOT & SINGLE THREADED HUB
43914-R0	\$	34.87	CONTROL TRANSFORMER 150 VA 120 VAC INPUT - 24 VAC OUTPUT CIRCUIT BREAKER FOOT & DUAL THREADED HUB
7801-R0	\$	36.49	CONTROL TRANSFORMER 175 VA 120 VAC INPUT - 24 VAC OUTPUT FOOT MOUNT & DUAL THREADED HUB
7802-R0	\$	32.29	CONTROL TRANSFORMER 175 VA 120 VAC INPUT - 24 VAC OUTPUT FOOT MOUNT & DUAL THREADED HUB
43916-R0	\$	32.97	CONTROL TRANSFORMER 175 VA 120 VAC INPUT - 24 VAC OUTPUT THERMAL FUSE ON PRIMARY FOOT MOUNT & SINGLE THREADED HUB
7781-R0	\$	7.83	CONTROL TRANSFORMER 20 VA 120 VAC INPUT - 24 VAC OUTPUT FOOT MOUNT & SINGLE THREADED HUB
20758-R0	\$	7.97	CONTROL TRANSFORMER 20 VA 208 VAC INPUT - 24 VAC OUTPUT FOOT MOUNT & DUAL THREADED HUB
7782-R0	\$	8.35	CONTROL TRANSFORMER 20 VA 24 VAC INPUT - 24 VAC OUTPUT FOOT MOUNT & SINGLE THREADED HUB
7783-R0	\$	7.97	CONTROL TRANSFORMER 20 VA 277 VAC INPUT - 24 VAC OUTPUT FOOT MOUNT & SINGLE THREADED HUB
7803-R0	\$	38.62	CONTROL TRANSFORMER 240 VA 120 VAC INPUT - 24 VAC OUTPUT FOOT MOUNT & SINGLE THREADED HUB WITH BOTTOM OPENING
23396-R0	\$	51.96	CONTROL TRANSFORMER 300 VA 120/208/240/480 VAC INPUT - 24 VAC OUTPUT CIRCUIT BREAKER FOOT MOUNT & DUAL END-BELL OPENINGS
7804-R0	\$	48.49	CONTROL TRANSFORMER 375 VA 120 VAC INPUT - 24 VAC OUTPUT FOOT MOUNT & DUAL BOTTOM OPENINGS
7784-R0	\$	9.37	CONTROL TRANSFORMER 40 VA 120 VAC INPUT - 24 VAC OUTPUT FOOT & SINGLE THREADED HUB UL LISTED
7785-R0	\$	9.84	CONTROL TRANSFORMER 40 VA 120 VAC INPUT - 24 VAC OUTPUT FOOT & DUAL THREADED HUB
7786-R0	\$	10.86	CONTROL TRANSFORMER 40 VA 24 VAC INPUT - 24 VAC OUTPUT FOOT & SINGLE THREADED HUB
12246-R0	\$	10.39	CONTROL TRANSFORMER 40 VA 120/208/240/277 VAC INPUT - 24 VAC OUTPUT FOOT & DUAL THREADED HUB
43911-R0	\$	19.42	CONTROL TRANSFORMER 40 VA 208/240/277/480 VAC INPUT - 120 VAC OUTPUT FOOT & SINGLE THREADED HUB CIRCUIT BREAKER
20116-R0	\$	10.63	CONTROL TRANSFORMER 40 VA 120/208/240 VAC INPUT - 24 VAC OUTPUT FOOT & SINGLE THREADED HUB
20117-R0	\$	9.54	CONTROL TRANSFORMER 40 VA 120 VAC INPUT - 24 VAC OUTPUT FOOT & DUAL THREADED HUB WITH 30" SECONDARY WIRES
20118-R0	\$	10.66	CONTROL TRANSFORMER 40 VA 120/208/240 VAC INPUT - 24 VAC OUTPUT FOOT & SINGLE THREADED HUB DUAL TERMINAL SECONDARY
7792-R0	\$	11.41	CONTROL TRANSFORMER 50 VA 120 VAC INPUT - 24 VAC OUTPUT FOOT & SINGLE THREADED HUB

44625-R0	\$	49.53	DUCT AVERAGING 12 FT COPPER TUBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
7787-R0	\$	11.99	CONTROL TRANSFORMER 50 VA 120 VAC INPUT - 24 VAC OUTPUT FOOT & DUAL THREADED HUB
7788-R0	\$	11.60	CONTROL TRANSFORMER 50 VA 208/240 VAC INPUT - 24 VAC OUTPUT FOOT & DUAL THREADED HUB
7789-R0	\$	18.51	CONTROL TRANSFORMER 50 VA 120/240/277/480 VAC INPUT - 24 VAC OUTPUT FOOT & DUAL THREADED HUB CIRCUIT BREAKER
12247-R0	\$	14.53	CONTROL TRANSFORMER 50 VA 120 VAC INPUT - 24 VAC OUTPUT FOOT & SINGLE THREADED HUB CIRCUIT BREAKER
27176-R0	\$	15.15	CONTROL TRANSFORMER 50 VA 120 VAC INPUT - 24 VAC OUTPUT FOOT & SINGLE THREADED HUB CIRCUIT BREAKER 28" WIRE
7790-R0	\$	15.52	CONTROL TRANSFORMER 50 VA 277 VAC INPUT - 24 VAC OUTPUT FOOT & SINGLE THREADED HUB
7791-R0	\$	16.02	CONTROL TRANSFORMER 50 VA 277 VAC INPUT - 24 VAC OUTPUT FOOT & DUAL THREADED HUB
20407-R0	\$	18.51	CONTROL TRANSFORMER 50 VA 208/240/277/480 VAC INPUT - 120 VAC OUTPUT FOOT & DUAL THREADED HUB
12248-R0	\$	16.60	CONTROL TRANSFORMER 50 VA 120/208/240 VAC INPUT - 24 VAC OUTPUT FOOT & DUAL THREADED HUB
20408-R0	\$	15.04	CONTROL TRANSFORMER 50 VA 277 VAC INPUT - 24 VAC OUTPUT FOOT & SINGLE THREADED HUB CIRCUIT BREAKER
20581-R0	\$	19.57	CONTROL TRANSFORMER 50 VA 120/208/240/277/480 VAC INPUT - 24 VAC OUTPUT FOOT & SINGLE THREADED HUB CIRCUIT BREAKER
20582-R0	\$	17.26	CONTROL TRANSFORMER 50 VA 120/208/240 VAC INPUT - 24 VAC OUTPUT FOOT & SINGLE THREADED HUB CIRCUIT BREAKER
20583-R0	\$	17.81	CONTROL TRANSFORMER 50 VA 208/277/480 VAC INPUT - 24 VAC OUTPUT FOOT & SINGLE THREADED HUB CIRCUIT BREAKER
27325-R0	\$	19.24	CONTROL TRANSFORMER 50 VA 208/240/277/480 VAC INPUT - 120 VAC OUTPUT 90 DEGREE CONDUIT CONNECTOR AND MOUNTING PLATE OPENING
27326-R0	\$	11.93	CONTROL TRANSFORMER 50 VA 120/277 VAC INPUT - 24 VAC OUTPUT FOOT MOUNT & DUAL END-BELL OPENINGS
7793-R0	\$	21.15	CONTROL TRANSFORMER 75 VA 120 VAC INPUT - 24 VAC OUTPUT FOOT & SINGLE THREADED HUB CIRCUIT BREAKER
25317-R0	\$	22.05	CONTROL TRANSFORMER 75 VA 120 VAC INPUT - 24 VAC OUTPUT FOOT & SINGLE THREADED HUB CIRCUIT BREAKER 28" WIRE
7794-R0	\$	21.46	CONTROL TRANSFORMER 75 VA 120 VAC INPUT - 24 VAC OUTPUT FOOT & DUAL THREADED HUB CIRCUIT BREAKER
20409-R0	\$	22.02	CONTROL TRANSFORMER 75 VA 277 VAC INPUT - 24 VAC OUTPUT FOOT & SINGLE THREADED HUB CIRCUIT BREAKER
7795-R0	\$	23.43	CONTROL TRANSFORMER 75 VA 120/208/240/480 VAC INPUT - 24 VAC OUTPUT FOOT & SINGLE THREADED HUB & SIDE OPENING CIRCUIT BREAKER
15269-R0	\$	23.43	CONTROL TRANSFORMER 75 VA 120/208/240/480 VAC INPUT - 24 VAC OUTPUT FOOT & SINGLE THREADED HUB CIRCUIT BREAKER
43288-R0	\$	24.13	CONTROL TRANSFORMER 75 VA 120/208/240/480 VAC INPUT - 24 VAC OUTPUT FOOT & DUAL THREADED HUB CIRCUIT BREAKER
34291-R0	\$	324.99	18/4 STRANDED LOW VOLTAGE CABLE NON-PLENUM UL TYPE CM NOT SHIELDED GRAY PVC JACKET QUANTITY 1 = 1 000 FOOT MUST SPECIFY BOX OR REEL
34293-R0	\$	174.95	18/2 STRANDED LOW VOLTAGE CABLE NON-PLENUM UL TYPE CM SHIELDED GRAY PVC JACKET QUANTITY 1 = 1 000 FOOT MUST SPECIFY BOX OR REEL
34296-R0	\$	92.05	22/2 STRANDED LOW VOLTAGE CABLE PLENUM RATED UL TYPE CMP NOT SHIELDED NATURAL PVC JACKET QUANTITY 1 = 1 000 FOOT MUST SPECIFY REEL IN A BOX OR REEL
34305-R0	\$	247.53	22/8 STRANDED LOW VOLTAGE CABLE PLENUM RATED UL TYPE CMP NOT SHIELDED NATURAL PLENUM PVC JACKET QUANTITY 1 = 1 000 FOOT MUST SPECIFY BOX OR REEL
34324-R0	\$	207.61	16/2 STRANDED LOW VOLTAGE CABLE PLENUM RATED UL TYPE CMP NOT SHIELDED NATURAL PLENUM PVC JACKET QUANTITY 1 = 1 000 FOOT MUST SPECIFY BOX OR REEL
34290-R0	\$	202.49	22/8 STRANDED LOW VOLTAGE CABLE NON-PLENUM UL TYPE CM NOT SHIELDED WHITE PVC JACKET QUANTITY 1 = 1 000 FOOT BOX
44412-R0	\$	92.11	22/2 STRANDED LOW VOLTAGE CABLE NON-PLENUM UL TYPE CM SHIELDED GRAY PVC JACKET QUANTITY 1 = 1 000 FOOT MUST SPECIFY BOX OR REEL
34295-R0	\$	294.18	18/4 STRANDED LOW VOLTAGE CABLE NON-PLENUM UL TYPE CM SHIELDED GRAY PVC JACKET QUANTITY 1 = 1 000 FOOT REEL
44140-R0	\$	280.89	18/4 STRANDED LOW VOLTAGE CABLE RISER UL TYPE CMR SHIELDED GRAY PVC JACKET QUANTITY 1 = 1 000 FOOT BOX
34298-R0	\$	113.69	22/4 SOLID LOW VOLTAGE CABLE PLENUM RATED UL TYPE CMP NOT SHIELDED NATURAL PLENUM PVC JACKET QUANTITY 1 = 1 000 FOOT MUST SPECIFY BOX OR REEL
34303-R0	\$	137.12	22/4 STRANDED LOW VOLTAGE CABLE PLENUM RATED UL TYPE CMP NOT SHIELDED NATURAL PLENUM PVC JACKET QUANTITY 1 = 1 000 FOOT MUST SPECIFY REELBOXOR REEL IN A BOX
34304-R0	\$	199.30	22/6 STRANDED LOW VOLTAGE CABLE PLENUM RATED UL TYPE CMP NOT SHIELDED NATURAL PLENUM PVC JACKET QUANTITY 1 = 1 000 FOOT REEL
34307-R0	\$	126.24	20/2 STRANDED LOW VOLTAGE CABLE PLENUM RATED UL TYPE CMP NOT SHIELDED NATURAL PLENUM PVC JACKET QUANTITY 1 = 1 000 FOOT REEL
34308-R0	\$	184.90	18/2 STRANDED LOW VOLTAGE CABLE PLENUM RATED UL TYPE CMP NOT SHIELDED QUANTITY 1 = 1 000 FOOT MUST SPECIFY REELBOXOR REEL IN BOX AND JACKET COLOR
34316-R0	\$	306.77	18/4 STRANDED LOW VOLTAGE CABLE PLENUM RATED UL TYPE CMP NOT SHIELDED PVC JACKET QUANTITY 1 = 1 000 FOOT MUST SPECIFY REEL/BOX/REEL IN BOX AND JACKET COLOR
34321-R0	\$	420.25	18/6 STRANDED LOW VOLTAGE CABLE PLENUM RATED UL TYPE CMP NOT SHIELDED NATURAL PLENUM PVC JACKET QUANTITY 1 = 1 000 FOOT REEL
34322-R0	\$	533.70	18/8 STRANDED LOW VOLTAGE CABLE PLENUM RATED UL TYPE CMP NOT SHIELDED NATURAL PLENUM PVC JACKET QUANTITY 1 = 1 000 FOOT REEL NATURAL
34326-R0	\$	353.08	14/2 STRANDED LOW VOLTAGE CABLE PLENUM RATED UL TYPE CMP NOT SHIELDED NATURAL PLENUM PVC JACKET QUANTITY 1 = 1 000 FOOT MUST SPECIFY COLOR
34328-R0	\$	504.92	12/2 STRANDED LOW VOLTAGE CABLE PLENUM RATED UL TYPE CMP NOT SHIELDED NATURAL COLORED JACKET QUANTITY 1 = 1 000 FOOT
34333-R0	\$	253.59	18/3 STRANDED LOW VOLTAGE CABLE PLENUM RATED UL TYPE CMP NOT SHIELDED QUANTITY 1 = 1 000 FOOT MUST SPECIFY BOX/REEL/REEL IN BOX AND JACKET COLOR
34340-R0	\$	132.38	22/2 STRANDED LOW VOLTAGE CABLE PLENUM RATED UL TYPE CMP SHIELDED NATURAL PLENUM PVC JACKET QUANTITY 1 = 1 000 FOOT BOX
34341-R0	\$	179.13	22/4 STRANDED LOW VOLTAGE CABLE PLENUM RATED UL TYPE CMP SHIELDED QUANTITY 1 = 1 000 FOOT MUST SPECIFY BOX/REEL
34344-R0	\$	197.17	18/2 STRANDED LOW VOLTAGE CABLE PLENUM RATED UL TYPE CMP SHIELDED QUANTITY 1 = 1 000 FOOT MUST SPECIFY REEL/BOX
34351-R0	\$	321.49	18/4 STRANDED LOW VOLTAGE CABLE PLENUM RATED UL TYPE CMP SHIELDED QUANTITY 1 = 1 000 FOOT MUST SPECIFY REEL/BOX/REEL IN BOX AND JACKET COLOR
34357-R0	\$	464.36	18/6 STRANDED LOW VOLTAGE CABLE PLENUM RATED UL TYPE CMP SHIELDED NATURAL PLENUM PVC JACKET QUANTITY 1 = 1 000 MUST SPECIFY REEL OR REEL IN BOX
34358-R0	\$	570.10	18/8 STRANDED LOW VOLTAGE CABLE PLENUM RATED UL TYPE CMP SHIELDED NATURAL PLENUM PVC JACKET QUANTITY 1 = 1 000 FOOT REEL
34359-R0	\$	270.04	18/3 STRANDED LOW VOLTAGE CABLE PLENUM RATED UL TYPE CMP SHIELDED QUANTITY 1 = 1 000 FOOT MUST SPECIFY REEL/BOX/REEL IN BOX AND JACKET COLOR
34368-R0	\$	181.75	22/2 STRANDED LOW VOLTAGE CABLE PLENUM RATED UL TYPE CMP NOT SHIELDED QUANTITY 1 = 1 000 FOOT REEL IN A BOX MUST SPECIFY JACKET COLOR
34370-R0	\$	179.79	16/2 SOLID LOW VOLTAGE CABLE PLENUM PVC INSULATION UL TYPE FPLP [FIRE RATED] NOT SHIELDED RED PLENUM PVC JACKET QUANTITY 1 = 1 000 FOOT REEL
34371-R0	\$	262.42	14/2 SOLID LOW VOLTAGE CABLE PLENUM PVC INSULATION UL TYPE FPLP [FIRE RATED] NOT SHIELDED QUANTITY 1 = 1 000 FOOT REEL RED

44625-R0	\$	49.53	DUCT AVERAGING 12 FT COPPER TUBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
34373-R0	\$	229.91	16/2 SOLID LOW VOLTAGE CABLE PLENUM PVC INSULATION UL TYPE FPLP [FIRE RATED] OVERALL SHIELD RED PLENUM PVC JACKET QUANTITY 1 = 1 000 FOOT REEL
35451-R0	\$	95.69	24 GAUGE 4 PAIR SOLID UNSHIELDED TWISTED PAIR CABLE CAT 5E RISER CMR RATED BY ETL [RISER] QUANTITY 1 = 1 000 FOOT REEL IN A BOX MUST SPECIFY JACKET COLOR
35461-R0	\$	249.98	24 GAUGE 4 PAIR SOLID UNSHIELDED TWISTED PAIR CABLE CAT 5E PLENUM RATED CMP RATED BY UL [PLENUM] 100% FEP INSULATION QUANTITY 1 = 1 000 FOOT REEL IN A BOX MUST SPECIFY JACKET COLOR
35492-R0	\$	176.32	23 GAUGE 4 PAIR SOLID UNSHIELDED TWISTED PAIR CABLE CAT 6 RISER CMR RATED BY ETL [RISER] QUANTITY 1 = 1 000 FOOT REEL IN A BOX MUST SPECIFY JACKET COLOR
34289-R0	\$	317.01	24 GAUGE 4 PAIR SOLID UNSHIELDED TWISTED PAIR CABLE CAT 5E PLENUM RATED CMP RATED BY UL [PLENUM] BLUE LSPVC JACKET W/ RIPCORDER UNDER JACKET & SEQUENTIAL FOOTAGE MARKINGS 100% FEP INSULATION QUANTITY 1 = 1 000 FOOT BOX
35494-R0	\$	432.61	23 GAUGE 4 PAIR SOLID UNSHIELDED TWISTED PAIR CABLE CAT 6 PLENUM RATED CMP RATED BY UL [PLENUM] 100% FEP INSULATION QUANTITY 1 = 1 000 FOOT BOX
35386-R0	\$	292.81	22/2 STRANDED LOW VOLTAGE CABLE ARCNET156 PLENUM RATED UL TYPE CMP SHIELDED QUANTITY 1 = 1 000 FOOT REEL MUST SPECIFY JACKET COLOR
43429-R0	\$	67.18	10" H X 8" W X 6" D NEMA 12/13 CONTINUOUS HINGE 14 GAUGE STEEL BUTT PLATE OPTIONAL MUST SPECIFY [1] BACKPLATE [2] LATCH
43424-R0	\$	59.53	10" H X 8" W X 4" D NEMA 12/13 CONTINUOUS HINGE 14 GAUGE STEEL BUTT PLATE OPTIONAL MUST SPECIFY [1] BACKPLATE [2] LATCH
43425-R0	\$	58.99	10" H X 8" W X 4" D NEMA 12/13 CONTINUOUS HINGE 14 GAUGE STEEL BUTT PLATE OPTIONAL HINGED ON SHORT SIDE MUST SPECIFY [1] BACKPLATE [2] LATCH
43430-R0	\$	74.09	10" H X 10" W X 6" D NEMA 12/13 CONTINUOUS HINGE 14 GAUGE STEEL BUTT PLATE OPTIONAL MUST SPECIFY [1] BACKPLATE [2] LATCH
43344-R0	\$	42.39	10" H X 10" W X 4" D NEMA 1 BUTT HINGE 16 GAUGE STEEL BUTT PLATE OPTIONAL UL LISTED MUST SPECIFY [1] BACKPLATE [2] LATCH
43351-R0	\$	48.11	10" H X 10" W X 6" D NEMA 1 BUTT HINGE 16 GAUGE STEEL BUTT PLATE OPTIONAL UL LISTED MUST SPECIFY [1] BACKPLATE [2] LATCH
8765-R0	\$	4.80	8.25" H X 8.25" W NEMA 1 WHITE SOLID STEEL SUB PANEL FITS A10N104 AND A10N106 PANELS
57260-R0	\$	5.11	8.25" H X 8.25" W PERFORATED 16 GAUGE STEEL FITS 10" H X 10" W PANEL GRAY
43343-R0	\$	38.53	10" H X 8" W X 4" D NEMA 1 BUTT HINGE 16 GAUGE STEEL BUTT PLATE OPTIONAL UL LISTED MUST SPECIFY [1] BACKPLATE [2] LATCH
43350-R0	\$	43.55	10" H X 8" W X 6" D NEMA 1 BUTT HINGE 16 GAUGE STEEL BUTT PLATE OPTIONAL UL LISTED MUST SPECIFY [1] BACKPLATE [2] LATCH
8764-R0	\$	4.11	6.25" H X 8.25" W NEMA 1 WHITE SOLID STEEL SUB PANEL FITS A10N84 AND A10N86 PANELS
57259-R0	\$	4.39	8.25" H X 6.25" W PERFORATED 16 GAUGE STEEL FITS 10" H X 8" W PANEL GRAY
8755-R0	\$	5.55	8.88" H X 8.75" W WHITE SOLID STEEL SUB PANEL FITS A10106CH PANEL
8752-R0	\$	4.69	6.88" H X 8.75" W WHITE SOLID STEEL SUB PANEL FITS A10086CH PANEL
43426-R0	\$	59.42	12" H X 6" W X 4" D NEMA 12/13 CONTINUOUS HINGE 14 GAUGE STEEL BUTT PLATE OPTIONAL MUST SPECIFY [1] BACKPLATE [2] LATCH
43438-R0	\$	92.95	12" H X 10" W X 8" D NEMA 12/13 CONTINUOUS HINGE 14 GAUGE STEEL BUTT PLATE OPTIONAL MUST SPECIFY [1] BACKPLATE [2] LATCH
43427-R0	\$	76.25	12" H X 10" W X 5" D NEMA 12/13 CONTINUOUS HINGE 14 GAUGE STEEL BUTT PLATE OPTIONAL MUST SPECIFY [1] BACKPLATE [2] LATCH
35735-R0	\$	75.53	12" H X 12" W X 6" D NEMA 1 GREY INTEGRATED PERFORATED PANEL ENCLOSURE CYLINDER LOCK KIT INSTALLED UL LISTED
43431-R0	\$	88.74	12" H X 12" W X 6" D NEMA 12/13 CONTINUOUS HINGE 14 GAUGE STEEL BUTT PLATE OPTIONAL MUST SPECIFY [1] BACKPLATE [2] LATCH
59070-R0	\$	258.15	12" H X 24" W X 6" D NEMA 12/13 CONTINUOUS HINGE 16 GAUGE STEEL SCREW-DOWN DOOR CLAMPS WALL MOUNT MUST SPECIFY [1] SUB-PANEL
59071-R0	\$	272.70	12" H X 24" W X 8" D NEMA 12/13 CONTINUOUS HINGE 16 GAUGE STEEL SCREW-DOWN DOOR CLAMPS WALL MOUNT MUST SPECIFY [1] SUB-PANEL
43345-R0	\$	46.42	12" H X 10" W X 4" D NEMA 1 BUTT HINGE 16 GAUGE STEEL BUTT PLATE OPTIONAL UL LISTED MUST SPECIFY [1] BACKPLATE [2] LATCH
43352-R0	\$	52.51	12" H X 10" W X 6" D NEMA 1 BUTT HINGE 16 GAUGE STEEL BUTT PLATE OPTIONAL UL LISTED MUST SPECIFY [1] BACKPLATE [2] LATCH
8766-R0	\$	5.58	8.25" H X 10.25" W NEMA 1 WHITE SOLID STEEL SUB PANEL FITS A12N104 & A12N106 PANELS
57261-R0	\$	5.98	10.25" H X 8.25" W PERFORATED 16 GAUGE STEEL FITS 12" H X 10" W PANEL GRAY
43346-R0	\$	50.82	12" H X 12" W X 4" D NEMA 1 BUTT HINGE 16 GAUGE STEEL BUTT PLATE OPTIONAL UL LISTED MUST SPECIFY [1] BACKPLATE [2] LATCH
43353-R0	\$	57.67	12" H X 12" W X 6" D NEMA 1 BUTT HINGE 16 GAUGE STEEL BUTT PLATE OPTIONAL UL LISTED MUST SPECIFY [1] BACKPLATE [2] LATCH
43357-R0	\$	64.48	12" H X 12" W X 8" D NEMA 1 BUTT HINGE 16 GAUGE STEEL BUTT PLATE OPTIONAL UL LISTED MUST SPECIFY [1] BACKPLATE [2] LATCH
8767-R0	\$	6.64	10.25" H X 10.25" W NEMA 1 WHITE SOLID STEEL SUB PANEL FITS A12N124A12N126A12N128 PANELS
57262-R0	\$	7.14	10.25" H X 10.25" W PERFORATED 16 GAUGE STEEL FITS 12" H X 12" W PANEL GRAY
8754-R0	\$	6.34	8.88" H X 10.75" W WHITE SOLID STEEL SUB PANEL FITS A1210CHA1210CHS& A12108CH PANELS
8756-R0	\$	7.46	10.88" H X 10.75" W WHITE SOLID STEEL SUB PANEL FITS A1212CH PANEL
8753-R0	\$	4.39	4.88" H X 10.75" W WHITE SOLID STEEL SUB PANEL FITS A12064CH PANEL
11867-R0	\$	58.10	ALC COMBO 12"H X 10"W X 6"D GALVANIZED NEMA 3 BUTT PLATE OPTIONAL HINGE COVER
48779-R0	\$	48.15	12"H X 12"W X 6"D GALVANIZED NEMA 3R LIFT OFF HINGE COVER
43432-R0	\$	81.63	14" H X 8" W X 6" D NEMA 12/13 CONTINUOUS HINGE 14 GAUGE STEEL BUTT PLATE OPTIONAL MUST SPECIFY [1] BACKPLATE [2] LATCH
43439-R0	\$	110.45	14" H X 12" W X 8" D NEMA 12/13 CONTINUOUS HINGE 14 GAUGE STEEL BUTT PLATE OPTIONAL MUST SPECIFY [1] BACKPLATE [2] LATCH
43433-R0	\$	96.34	14" H X 12" W X 6" D NEMA 12/13 CONTINUOUS HINGE 14 GAUGE STEEL BUTT PLATE OPTIONAL MUST SPECIFY [1] BACKPLATE [2] LATCH
43434-R0	\$	95.42	14" H X 12" W X 6" D NEMA 12/13 CONTINUOUS HINGE 14 GAUGE STEEL BUTT PLATE OPTIONAL HINGED ON SHORT SIDE MUST SPECIFY [1] BACKPLATE [2] LATCH
43347-R0	\$	55.43	14" H X 12" W X 4" D NEMA 1 BUTT HINGE 16 GAUGE STEEL BUTT PLATE OPTIONAL UL LISTED MUST SPECIFY [1] BACKPLATE [2] LATCH
43354-R0	\$	62.79	14" H X 12" W X 6" D NEMA 1 BUTT HINGE 16 GAUGE STEEL BUTT PLATE OPTIONAL UL LISTED MUST SPECIFY [1] BACKPLATE [2] LATCH
43358-R0	\$	70.10	14" H X 12" W X 8" D NEMA 1 BUTT HINGE 16 GAUGE STEEL BUTT PLATE OPTIONAL UL LISTED MUST SPECIFY [1] BACKPLATE [2] LATCH
8768-R0	\$	7.45	10.25" H X 12.25" W NEMA 1 WHITE SOLID STEEL SUB PANEL FITS A14N124A14N126& A14N128PANELS
57263-R0	\$	7.98	12.25" H X 10.25" W PERFORATED 16 GAUGE STEEL FITS 14" H X 12" W PANEL GRAY
8758-R0	\$	8.29	10.88" H X 12.75" W WHITE SOLID STEEL SUB PANEL FITS A1412CHA1412CHS& A14128CH PANELS

44625-R0	\$	49.53	DUCT AVERAGING 12 FT COPPER TUBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
8757-R0	\$	6.08	6.88" H X 12.75" W WHITE SOLID STEEL SUB PANEL FITS A14086CH PANEL
20404-R0	\$	101.95	NEMA 3R 14 X 14 X 4 WALL MOUNT ENCLOSURE DESIGNLINE BEIGE INSTALLED PERF PANEL HINGED DOOR PROVISION FOR PADLOCKING KNOCKOUTS IN BOTTOM
43435-R0	\$	97.36	16" H X 10" W X 6" D NEMA 12/13 CONTINUOUS HINGE 14 GAUGE STEEL BUTT PLATE OPTIONAL MUST SPECIFY [1] BACKPLATE [2] LATCH
59072-R0	\$	222.98	16" H X 12" W X 6" D NEMA 12/13 CONTINUOUS HINGE 16 GAUGE STEEL SCREW-DOWN DOOR CLAMPS WALL MOUNT MUST SPECIFY [1] SUB-PANEL
59073-R0	\$	234.03	16" H X 12" W X 8" D NEMA 12/13 CONTINUOUS HINGE 16 GAUGE STEEL SCREW-DOWN DOOR CLAMPS WALL MOUNT MUST SPECIFY [1] SUB-PANEL
59074-R0	\$	251.84	16" H X 12" W X 10" D NEMA 12/13 CONTINUOUS HINGE 16 GAUGE STEEL SCREW-DOWN DOOR CLAMPS WALL MOUNT MUST SPECIFY [1] SUB-PANEL
35691-R0	\$	88.62	16" H X 12" W X 6" D NEMA 1 GREY INTEGRATED PERFORATED PANEL ENCLOSURE CYLINDER LOCK KIT INSTALLED UL LISTED
43441-R0	\$	142.79	16" H X 14" W X 10" D NEMA 12/13 CONTINUOUS HINGE 14 GAUGE STEEL BUTT PLATE OPTIONAL MUST SPECIFY [1] BACKPLATE [2] LATCH
43440-R0	\$	125.80	16" H X 14" W X 8" D NEMA 12/13 CONTINUOUS HINGE 14 GAUGE STEEL BUTT PLATE OPTIONAL MUST SPECIFY [1] BACKPLATE [2] LATCH
43436-R0	\$	113.48	16" H X 14" W X 6" D NEMA 12/13 CONTINUOUS HINGE 14 GAUGE STEEL BUTT PLATE OPTIONAL MUST SPECIFY [1] BACKPLATE [2] LATCH
43437-R0	\$	112.40	16" H X 14" W X 6" D NEMA 12/13 CONTINUOUS HINGE 14 GAUGE STEEL BUTT PLATE OPTIONAL HINGED ON SHORT SIDE MUST SPECIFY [1] BACKPLATE [2] LATCH
59075-R0	\$	240.01	16" H X 16" W X 6" D NEMA 12/13 CONTINUOUS HINGE 16 GAUGE STEEL SCREW-DOWN DOOR CLAMPS WALL MOUNT MUST SPECIFY [1] SUB-PANEL
59076-R0	\$	252.72	16" H X 16" W X 8" D NEMA 12/13 CONTINUOUS HINGE 16 GAUGE STEEL SCREW-DOWN DOOR CLAMPS WALL MOUNT MUST SPECIFY [1] SUB-PANEL
59077-R0	\$	264.71	16" H X 20" W X 6" D NEMA 12/13 CONTINUOUS HINGE 16 GAUGE STEEL SCREW-DOWN DOOR CLAMPS WALL MOUNT MUST SPECIFY [1] SUB-PANEL
59078-R0	\$	279.25	16" H X 20" W X 8" D NEMA 12/13 CONTINUOUS HINGE 16 GAUGE STEEL SCREW-DOWN DOOR CLAMPS WALL MOUNT MUST SPECIFY [1] SUB-PANEL
43355-R0	\$	67.98	16" H X 12" W X 6" D NEMA 1 BUTT HINGE 16 GAUGE STEEL BUTT PLATE OPTIONAL UL LISTED MUST SPECIFY [1] BACKPLATE [2] LATCH
43359-R0	\$	95.30	16" H X 12" W X 6.62" D NEMA 1 BUTT HINGE 16 GAUGE STEEL BUTT PLATE OPTIONAL UL LISTED MUST SPECIFY [1] COLOR [2] BACKPLATE [3] LATCH
43370-R0	\$	93.59	16" H X 12" W X 8.62" D NEMA 1 BUTT HINGE 16 GAUGE STEEL BUTT PLATE OPTIONAL UL LISTED MUST SPECIFY [1] BACKPLATE [2] LATCH
12406-R0	\$	8.06	13.00" H X 10.50" W NEMA 1 WHITE SOLID SUB PANEL
57266-R0	\$	8.48	13.0" H X 10.5" W PERFORATED 16 GAUGE STEEL FITS 16" H X 12" W MEDIUM TYPE 1 ENCLOSURE GRAY
8769-R0	\$	8.37	10.25" H X 14.25" W WHITE SOLID STEEL SUB PANEL FITS A16N126 PANEL
57264-R0	\$	8.96	13.0" H X 10.5" W PERFORATED 16 GAUGE STEEL FITS 16" H X 12" W SMALL TYPE 1 ENCLOSURE GRAY
43360-R0	\$	106.46	16" H X 16" W X 6.62" D NEMA 1 BUTT HINGE 16 GAUGE STEEL GREY BUTT PLATE OPTIONAL UL LISTED MUST SPECIFY [1] BACKPLATE [2] LATCH
12407-R0	\$	10.27	14.50" H X 13.00" W NEMA 1 WHITE SOLID SUB PANEL
57267-R0	\$	11.00	13.0" H X 14.5" W PERFORATED 16 GAUGE STEEL FITS 16" H X 16" W MEDIUM TYPE 1 ENCLOSURE GRAY
43361-R0	\$	117.59	16" H X 20" W X 6.62" D NEMA 1 BUTT HINGE GREY 16 GAUGE STEEL BUTT PLATE OPTIONAL UL LISTED MUST SPECIFY [1] BACKPLATE [2] LATCH
57268-R0	\$	13.53	13.0" H X 18.5" W PERFORATED 16 GAUGE STEEL FITS 16" H X 20" W MEDIUM TYPE 1 ENCLOSURE GRAY
8759-R0	\$	8.10	8.88" H X 14.75" W WHITE SOLID STEEL SUB PANEL FITS A16106CH PANEL
57281-R0	\$	15.07	13.12" H X 10.62" W PERFORATED 16 GAUGE STEEL FITS 16" H X 12" W MEDIUM TYPE 3R HINGED ENCLOSURE GRAY
8760-R0	\$	10.97	12.88" H X 14.75" W WHITE SOLID STEEL SUB PANEL FITS A1614CHA1614CHSA16148CH& A161410CH PANELS
49362-R0	\$	19.83	13" H X 13" W WHITE SOLID STEEL SUB PANEL
57282-R0	\$	18.56	14.62" H X 13.12" W PERFORATED 16 GAUGE STEEL FITS 16" H X 16" W MEDIUM TYPE 3R HINGED ENCLOSURE GRAY
44342-R0	\$	62.61	16"H X 12"W X 6"D GALVANIZED NEMA 3R LIFT OFF HINGE COVER
49360-R0	\$	81.76	16" H X 12" W X 6" D HINGED COVER TYPE 3R MEDIUM 16 GAUGE ENCLOSURE GRAY CONTINUOUS HINGE [STAINLESS STEEL PIN] OPTIONAL BUTT PLATE AVAIL.
49361-R0	\$	95.80	16" H X 16" W X 6" D HINGED COVER TYPE 3R MEDIUM 16 GAUGE ENCLOSURE GRAY CONTINUOUS HINGE [STAINLESS STEEL PIN] OPTIONAL BUTT PLATE AVAIL.
43381-R0	\$	128.69	18" H X 18" W X 10.62" D NEMA 1 BUTT HINGE 16 GAUGE STEEL BUTT PLATE OPTIONAL UL LISTED MUST SPECIFY [1] BACKPLATE [2] LATCH
57269-R0	\$	14.68	17.12" H X 17.12" W PERFORATED 16 GAUGE STEEL FITS 18" H X 18" W MEDIUM TYPE 1 ENCLOSURE GRAY
49363-R0	\$	14.96	16.75" H X 14.88" W WHITE SOLID STEEL SUB PANEL
57284-R0	\$	20.22	17.12" H X 14.63" W PERFORATED 16 GAUGE STEEL FITS 18" H X 18" W MEDIUM TYPE 3R HINGED ENCLOSURE GRAY
59079-R0	\$	243.96	20" H X 12" W X 6" D NEMA 12/13 CONTINUOUS HINGE 16 GAUGE STEEL SCREW-DOWN DOOR CLAMPS WALL MOUNT MUST SPECIFY [1] SUB-PANEL
59080-R0	\$	256.72	20" H X 12" W X 8" D NEMA 12/13 CONTINUOUS HINGE 16 GAUGE STEEL SCREW-DOWN DOOR CLAMPS WALL MOUNT MUST SPECIFY [1] SUB-PANEL
59081-R0	\$	257.27	20" H X 16" W X 6" D NEMA 12/13 CONTINUOUS HINGE 16 GAUGE STEEL SCREW-DOWN DOOR CLAMPS WALL MOUNT MUST SPECIFY [1] SUB-PANEL
59082-R0	\$	271.53	20" H X 16" W X 8" D NEMA 12/13 CONTINUOUS HINGE 16 GAUGE STEEL SCREW-DOWN DOOR CLAMPS WALL MOUNT MUST SPECIFY [1] SUB-PANEL
59083-R0	\$	285.47	20" H X 16" W X 10" D NEMA 12/13 CONTINUOUS HINGE 16 GAUGE STEEL SCREW-DOWN DOOR CLAMPS WALL MOUNT MUST SPECIFY [1] SUB-PANEL
59084-R0	\$	308.05	20" H X 16" W X 12" D NEMA 12/13 CONTINUOUS HINGE 16 GAUGE STEEL SCREW-DOWN DOOR CLAMPS WALL MOUNT MUST SPECIFY [1] SUB-PANEL
35692-R0	\$	102.99	20" H X 16" W X 6.62" D NEMA 1 GREY INTEGRATED PERFORATED PANEL ENCLOSURE CYLINDER LOCK KIT INSTALLED UL LISTED
59085-R0	\$	277.54	20" H X 20" W X 6" D NEMA 12/13 CONTINUOUS HINGE 16 GAUGE STEEL SCREW-DOWN DOOR CLAMPS WALL MOUNT MUST SPECIFY [1] SUB-PANEL
59086-R0	\$	293.18	20" H X 20" W X 8" D NEMA 12/13 CONTINUOUS HINGE 16 GAUGE STEEL SCREW-DOWN DOOR CLAMPS WALL MOUNT MUST SPECIFY [1] SUB-PANEL
59087-R0	\$	308.72	20" H X 20" W X 10" D NEMA 12/13 CONTINUOUS HINGE 16 GAUGE STEEL SCREW-DOWN DOOR CLAMPS WALL MOUNT MUST SPECIFY [1] SUB-PANEL
59088-R0	\$	306.49	20" H X 24" W X 6" D NEMA 12/13 CONTINUOUS HINGE 16 GAUGE STEEL SCREW-DOWN DOOR CLAMPS WALL MOUNT MUST SPECIFY [1] SUB-PANEL
59089-R0	\$	315.11	20" H X 24" W X 8" D NEMA 12/13 CONTINUOUS HINGE 16 GAUGE STEEL SCREW-DOWN DOOR CLAMPS WALL MOUNT MUST SPECIFY [1] SUB-PANEL
22886-R0	\$	343.14	20" H X 16" W X 6" D 16 GAUGE STEEL GRAY ENCLOSURE OIL NEMA4 RESISTANT DOOR GASKET SUB PANEL OPTIONAL
49365-R0	\$	370.12	20" H X 20" W X 6.00" D NEMA 4 BUTT HINGE 16 GAUGE STEEL GREY BUTT PLATE OPTIONAL MUST SPECIFY [1] BACKPLATE [2] LATCH
43356-R0	\$	78.17	20" H X 12" W X 6" D NEMA 1 BUTT HINGE 16 GAUGE STEEL BUTT PLATE OPTIONAL UL LISTED MUST SPECIFY [1] BACKPLATE [2] LATCH

44625-R0	\$	49.53	DUCT AVERAGING 12 FT COPPER TUBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
43371-R0	\$	116.14	20" H X 12" W X 8.62" D NEMA 1 BUTT HINGE 16 GAUGE STEEL BUTT PLATE OPTIONAL UL LISTED MUST SPECIFY [1] BACKPLATE [2] LATCH
57270-R0	\$	12.35	17.00" H X 10.5" W PERFORATED 16 GAUGE STEEL FITS 20" H X 12" W MEDIUM TYPE 1 ENCLOSURE GRAY
8770-R0	\$	10.24	10.25" H X 18.25" W NEMA 1 WHITE SOLID STEEL SUB PANEL FITS A20N126 PANEL
57265-R0	\$	10.99	18.25" H X 10.25" W PERFORATED 16 GAUGE STEEL FITS 20" H X 12" W SMALL TYPE 1 ENCLOSURE GRAY
43362-R0	\$	88.76	20" H X 16" W X 6.62" D NEMA 1 BUTT HINGE 16 GAUGE STEEL BUTT PLATE OPTIONAL UL LISTED MUST SPECIFY [1] COLOR [2] BACKPLATE [3] LATCH
43372-R0	\$	117.96	20" H X 16" W X 8.62" D NEMA 1 BUTT HINGE 16 GAUGE STEEL BUTT PLATE OPTIONAL UL LISTED MUST SPECIFY [1] BACKPLATE [2] LATCH
12410-R0	\$	12.64	17.00" H X 14.50" W NEMA 1 WHITE SOLID SUB PANEL
57271-R0	\$	13.53	17.0" H X 14.5" W PERFORATED 16 GAUGE STEEL FITS 20" H X 16" W MEDIUM TYPE 1 ENCLOSURE GRAY
43363-R0	\$	128.93	20" H X 20" W X 6.62" D NEMA 1 BUTT HINGE 16 GAUGE STEEL BUTT PLATE OPTIONAL UL LISTED MUST SPECIFY [1] COLOR [2] BACKPLATE [3] LATCH
43373-R0	\$	129.18	20" H X 20" W X 8.62" D NEMA 1 BUTT HINGE 16 GAUGE STEEL BUTT PLATE OPTIONAL UL LISTED MUST SPECIFY [1] BACKPLATE [2] LATCH
12411-R0	\$	17.45	17.00" H X 18.50" W NEMA 1 WHITE SOLID SUB PANEL
57272-R0	\$	18.36	17.0" H X 18.5" W PERFORATED 16 GAUGE STEEL FITS 20" H X 20" W MEDIUM TYPE 1 ENCLOSURE GRAY
22887-R0	\$	23.56	17.00" H X 13.00" W NEMA 12 SOLID WHITE STEEL SUB PANEL
57283-R0	\$	22.06	17.13" H X 14.63" W PERFORATED 16 GAUGE STEEL FITS 20" H X 16" W MEDIUM TYPE 3R HINGED ENCLOSURE GRAY
49366-R0	\$	28.44	17" H X 17" W WHITE SOLID STEEL SUB PANEL
57285-R0	\$	26.62	18.63" H X 17.13" W PERFORATED 16 GAUGE STEEL FITS 20" H X 20" W MEDIUM TYPE 3R HINGED ENCLOSURE GRAY
49367-R0	\$	109.67	20" H X 16" W X 6" D HINGED COVER TYPE 3R MEDIUM 16 GAUGE ENCLOSURE GRAY CONTINUOUS HINGE [STAINLESS STEEL PIN] OPTIONAL BUTT PLATE AVAIL.
49368-R0	\$	114.79	20" H X 20" W X 8" D HINGED COVER TYPE 3R MEDIUM 16 GAUGE ENCLOSURE GRAY CONTINUOUS HINGE [STAINLESS STEEL PIN] OPTIONAL BUTT PLATE AVAIL.
59090-R0	\$	258.15	24" H X 12" W X 6" D NEMA 12/13 CONTINUOUS HINGE 16 GAUGE STEEL SCREW-DOWN DOOR CLAMPS WALL MOUNT MUST SPECIFY [1] SUB-PANEL
59091-R0	\$	272.70	24" H X 12" W X 8" D NEMA 12/13 CONTINUOUS HINGE 16 GAUGE STEEL SCREW-DOWN DOOR CLAMPS WALL MOUNT MUST SPECIFY [1] SUB-PANEL
59092-R0	\$	287.30	24" H X 12" W X 10" D NEMA 12/13 CONTINUOUS HINGE 16 GAUGE STEEL SCREW-DOWN DOOR CLAMPS WALL MOUNT MUST SPECIFY [1] SUB-PANEL
59093-R0	\$	282.63	24" H X 16" W X 6" D NEMA 12/13 CONTINUOUS HINGE 16 GAUGE STEEL SCREW-DOWN DOOR CLAMPS WALL MOUNT MUST SPECIFY [1] SUB-PANEL
59094-R0	\$	290.02	24" H X 16" W X 8" D NEMA 12/13 CONTINUOUS HINGE 16 GAUGE STEEL SCREW-DOWN DOOR CLAMPS WALL MOUNT MUST SPECIFY [1] SUB-PANEL
59095-R0	\$	297.83	24" H X 20" W X 6" D NEMA 12/13 CONTINUOUS HINGE 16 GAUGE STEEL SCREW-DOWN DOOR CLAMPS WALL MOUNT MUST SPECIFY [1] SUB-PANEL
59096-R0	\$	315.11	24" H X 20" W X 8" D NEMA 12/13 CONTINUOUS HINGE 16 GAUGE STEEL SCREW-DOWN DOOR CLAMPS WALL MOUNT MUST SPECIFY [1] SUB-PANEL
59097-R0	\$	332.29	24" H X 20" W X 10" D NEMA 12/13 CONTINUOUS HINGE 16 GAUGE STEEL SCREW-DOWN DOOR CLAMPS WALL MOUNT MUST SPECIFY [1] SUB-PANEL
59098-R0	\$	359.49	24" H X 20" W X 12" D NEMA 12/13 CONTINUOUS HINGE 16 GAUGE STEEL SCREW-DOWN DOOR CLAMPS WALL MOUNT MUST SPECIFY [1] SUB-PANEL
59099-R0	\$	395.01	24" H X 20" W X 16" D NEMA 12/13 CONTINUOUS HINGE 16 GAUGE STEEL SCREW-DOWN DOOR CLAMPS WALL MOUNT MUST SPECIFY [1] SUB-PANEL
35693-R0	\$	141.09	24" H X 20" W X 6.62" D NEMA 1 GREY INTEGRATED PERFORATED PANEL ENCLOSURE CYLINDER LOCK KIT INSTALLED UL LISTED
59100-R0	\$	321.43	24" H X 24" W X 6" D NEMA 12/13 CONTINUOUS HINGE 16 GAUGE STEEL SCREW-DOWN DOOR CLAMPS WALL MOUNT MUST SPECIFY [1] SUB-PANEL
59101-R0	\$	340.07	24" H X 24" W X 8" D NEMA 12/13 CONTINUOUS HINGE 16 GAUGE STEEL SCREW-DOWN DOOR CLAMPS WALL MOUNT MUST SPECIFY [1] SUB-PANEL
59102-R0	\$	358.77	24" H X 24" W X 10" D NEMA 12/13 CONTINUOUS HINGE 16 GAUGE STEEL SCREW-DOWN DOOR CLAMPS WALL MOUNT MUST SPECIFY [1] SUB-PANEL
59103-R0	\$	377.42	24" H X 24" W X 12" D NEMA 12/13 CONTINUOUS HINGE 16 GAUGE STEEL SCREW-DOWN DOOR CLAMPS WALL MOUNT MUST SPECIFY [1] SUB-PANEL
59104-R0	\$	426.75	24" H X 24" W X 16" D NEMA 12/13 CONTINUOUS HINGE 16 GAUGE STEEL SCREW-DOWN DOOR CLAMPS WALL MOUNT MUST SPECIFY [1] SUB-PANEL
59105-R0	\$	377.42	24" H X 30" W X 8" D NEMA 12/13 CONTINUOUS HINGE 14 GAUGE STEEL SCREW-DOWN DOOR CLAMPS WALL MOUNT MUST SPECIFY [1] SUB-PANEL
59106-R0	\$	596.57	24" H X 42" W X 8" D NEMA 12 CONTINUOUS HINGE W/2 DOOR 14 GAUGE STEEL MUST SPECIFY [1] SUB-PANEL
59107-R0	\$	646.52	24" H X 48" W X 8" D NEMA 12 CONTINUOUS HINGE W/2 DOOR 14 GAUGE STEEL MUST SPECIFY [1] SUB-PANEL
49370-R0	\$	408.90	24" H X 20" W X 6.00" D NEMA 4 BUTT HINGE 16 GAUGE STEEL GREY BUTT PLATE OPTIONAL MUST SPECIFY [1] BACKPLATE [2] LATCH
22888-R0	\$	440.79	24" H X 24" W X 6" D NEMA 4 16 GAUGE STEEL GRAY ENCLOSURE OIL RESISTANT DOOR GASKET SUB PANEL OPTIONAL
43364-R0	\$	128.23	24" H X 16" W X 6.62" D NEMA 1 BUTT HINGE GREY 16 GAUGE STEEL BUTT PLATE OPTIONAL UL LISTED MUST SPECIFY [1] BACKPLATE [2] LATCH
57273-R0	\$	16.64	21.0" H X 14.5" W PERFORATED 16 GAUGE STEEL FITS 24" H X 16" W MEDIUM TYPE 1 ENCLOSURE GRAY
43365-R0	\$	117.51	24" H X 20" W X 6.62" D NEMA 1 BUTT HINGE 16 GAUGE STEEL BUTT PLATE OPTIONAL UL LISTED MUST SPECIFY [1] COLOR [2] BACKPLATE [3] LATCH
43374-R0	\$	156.26	24" H X 20" W X 8.62" D NEMA 1 BUTT HINGE 16 GAUGE STEEL BUTT PLATE OPTIONAL UL LISTED MUST SPECIFY [1] BACKPLATE [2] LATCH
43382-R0	\$	169.74	24" H X 20" W X 10.62" D NEMA 1 BUTT HINGE 16 GAUGE STEEL BUTT PLATE OPTIONAL UL LISTED MUST SPECIFY [1] BACKPLATE [2] LATCH
12414-R0	\$	19.36	21.00" H X 18.50" W NEMA 1 WHITE SOLID SUB PANEL
57274-R0	\$	20.74	21.0" H X 18.5" W PERFORATED 16 GAUGE STEEL FITS 24" H X 20" W MEDIUM TYPE 1 ENCLOSURE GRAY
43366-R0	\$	126.09	24" H X 24" W X 6.62" D NEMA 1 BUTT HINGE 16 GAUGE STEEL BUTT PLATE OPTIONAL UL LISTED MUST SPECIFY [1] COLOR [2] BACKPLATE [3] LATCH
43375-R0	\$	146.04	24" H X 24" W X 8.62" D NEMA 1 BUTT HINGE 16 GAUGE STEEL BUTT PLATE OPTIONAL UL LISTED MUST SPECIFY [1] BACKPLATE [2] LATCH
43384-R0	\$	188.66	24" H X 24" W X 12.62" D NEMA 1 BUTT HINGE 16 GAUGE STEEL BUTT PLATE OPTIONAL UL LISTED MUST SPECIFY [1] BACKPLATE [2] LATCH
12415-R0	\$	36.41	21.00" H X 22.50" W NEMA 1 WHITE SOLID SUB PANEL
57275-R0	\$	39.00	21.0" H X 22.5" W PERFORATED 16 GAUGE STEEL FITS 24" H X 24" W MEDIUM TYPE 1 ENCLOSURE GRAY
20366-R0	\$	36.80	21.00" H X 17.00" W NEMA 12 SOLID WHITE STEEL SUB PANEL
57286-R0	\$	34.46	21.13" H X 18.63" W PERFORATED 16 GAUGE STEEL FITS 24" H X 20" W MEDIUM TYPE 3R HINGED ENCLOSURE GRAY
24426-R0	\$	42.29	21.00" H X 21.00" W NEMA 12 SOLID WHITE STEEL SUB PANEL

44625-R0	\$	49.53	DUCT AVERAGING 12 FT COPPER TUBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
57287-R0	\$	39.60	22.62" H X 21.13" W PERFORATED 16 GAUGE STEEL FITS 24" H X 24" W MEDIUM TYPE 3R HINGED ENCLOSURE GRAY
49373-R0	\$	129.19	24"H X 20"W X 8"D GALVANIZED NEMA 3R LIFT OFF HINGE COVER
49372-R0	\$	175.97	24" H X 20" W X 8" D HINGED COVER TYPE 3R MEDIUM 16 GAUGE ENCLOSURE GRAY CONTINUOUS HINGE [STAINLESS STEEL PIN] OPTIONAL BUTT PLATE AVAIL.
15367-R0	\$	198.58	HINGED COVER TYPE 3R MEDIUM 16 GAUGE ENCLOSURE GRAY CONTINUOUS HINGE OPTIONAL BUTT PLATE AVAIL.
59108-R0	\$	308.72	30" H X 16" W X 6" D NEMA 12/13 CONTINUOUS HINGE 14 GAUGE STEEL SCREW-DOWN DOOR CLAMPS WALL MOUNT MUST SPECIFY [1] SUB-PANEL
59109-R0	\$	337.51	30" H X 20" W X 6" D NEMA 12/13 CONTINUOUS HINGE 14 GAUGE STEEL SCREW-DOWN DOOR CLAMPS WALL MOUNT MUST SPECIFY [1] SUB-PANEL
59110-R0	\$	357.93	30" H X 20" W X 8" D NEMA 12/13 CONTINUOUS HINGE 14 GAUGE STEEL SCREW-DOWN DOOR CLAMPS WALL MOUNT MUST SPECIFY [1] SUB-PANEL
59111-R0	\$	377.92	30" H X 20" W X 10" D NEMA 12/13 CONTINUOUS HINGE 14 GAUGE STEEL SCREW-DOWN DOOR CLAMPS WALL MOUNT MUST SPECIFY [1] SUB-PANEL
59112-R0	\$	366.70	30" H X 24" W X 6" D NEMA 12/13 CONTINUOUS HINGE 14 GAUGE STEEL SCREW-DOWN DOOR CLAMPS WALL MOUNT MUST SPECIFY [1] SUB-PANEL
59113-R0	\$	377.42	30" H X 24" W X 8" D NEMA 12/13 CONTINUOUS HINGE 14 GAUGE STEEL SCREW-DOWN DOOR CLAMPS WALL MOUNT MUST SPECIFY [1] SUB-PANEL
59114-R0	\$	398.74	30" H X 24" W X 10" D NEMA 12/13 CONTINUOUS HINGE 14 GAUGE STEEL SCREW-DOWN DOOR CLAMPS WALL MOUNT MUST SPECIFY [1] SUB-PANEL
59115-R0	\$	419.54	30" H X 24" W X 12" D NEMA 12/13 CONTINUOUS HINGE 14 GAUGE STEEL SCREW-DOWN DOOR CLAMPS WALL MOUNT MUST SPECIFY [1] SUB-PANEL
59116-R0	\$	474.92	30" H X 24" W X 16" D NEMA 12/13 CONTINUOUS HINGE 14 GAUGE STEEL SCREW-DOWN DOOR CLAMPS WALL MOUNT MUST SPECIFY [1] SUB-PANEL
59117-R0	\$	518.54	30" H X 24" W X 20" D NEMA 12/13 CONTINUOUS HINGE 14 GAUGE STEEL SCREW-DOWN DOOR CLAMPS WALL MOUNT MUST SPECIFY [1] SUB-PANEL
59118-R0	\$	562.72	30" H X 24" W X 24" D NEMA 12/13 CONTINUOUS HINGE 14 GAUGE STEEL SCREW-DOWN DOOR CLAMPS WALL MOUNT MUST SPECIFY [1] SUB-PANEL
59119-R0	\$	422.05	30" H X 30" W X 8" D NEMA 12/13 CONTINUOUS HINGE 14 GAUGE STEEL SCREW-DOWN DOOR CLAMPS WALL MOUNT MUST SPECIFY [1] SUB-PANEL
59120-R0	\$	468.92	30" H X 30" W X 12" D NEMA 12/13 CONTINUOUS HINGE 14 GAUGE STEEL SCREW-DOWN DOOR CLAMPS WALL MOUNT MUST SPECIFY [1] SUB-PANEL
59121-R0	\$	479.87	30" H X 36" W X 8" D NEMA 12/13 CONTINUOUS HINGE 14 GAUGE STEEL SCREW-DOWN DOOR CLAMPS WALL MOUNT MUST SPECIFY [1] SUB-PANEL
59122-R0	\$	712.00	30" H X 42" W X 10" D NEMA 12 CONTINUOUS HINGE W/2 DOOR 14 GAUGE STEEL MUST SPECIFY [1] SUB-PANEL
59123-R0	\$	775.27	30" H X 48" W X 10" D NEMA 12 CONTINUOUS HINGE W/2 DOOR 14 GAUGE STEEL MUST SPECIFY [1] SUB-PANEL
59124-R0	\$	926.76	30" H X 60" W X 10" D NEMA 12 CONTINUOUS HINGE W/2 DOOR 14 GAUGE STEEL MUST SPECIFY [1] SUB-PANEL
49468-R0	\$	450.52	30" H X 20" W X 8.62" D NEMA 4 16 GAUGE STEEL MUST SPECIFY [1] BACKPLATE
49375-R0	\$	488.89	30" H X 24" W X 6.00" D NEMA 4 BUTT HINGE 16 GAUGE STEEL GREY BUTT PLATE OPTIONAL MUST SPECIFY [1] BACKPLATE [2] LATCH
49376-R0	\$	503.41	30" H X 24" W X 8.00" D NEMA 4 BUTT HINGE 16 GAUGE STEEL BUTT PLATE OPTIONAL MUST SPECIFY [1] BACKPLATE [2] LATCH
43376-R0	\$	168.35	30" H X 20" W X 8.62" D NEMA 1 BUTT HINGE 16 GAUGE STEEL BUTT PLATE OPTIONAL UL LISTED MUST SPECIFY [1] BACKPLATE [2] LATCH
20367-R0	\$	41.59	26.00" H X 18.50" W NEMA 1 SOLID WHITE STEEL SUB PANEL
57276-R0	\$	45.32	26.0" H X 18.5" W PERFORATED 16 GAUGE STEEL FITS 30" H X 20" W MEDIUM TYPE 1 ENCLOSURE GRAY
43367-R0	\$	160.59	30" H X 24" W X 6.62" D NEMA 1 BUTT HINGE 16 GAUGE STEEL BUTT PLATE OPTIONAL UL LISTED MUST SPECIFY [1] COLOR [2] BACKPLATE [3] LATCH
43377-R0	\$	177.44	30" H X 24" W X 8.62" D NEMA 1 BUTT HINGE 16 GAUGE STEEL BUTT PLATE OPTIONAL UL LISTED MUST SPECIFY [1] BACKPLATE [2] LATCH
43383-R0	\$	191.83	30" H X 24" W X 10.62" D NEMA 1 BUTT HINGE 16 GAUGE STEEL BUTT PLATE OPTIONAL UL LISTED MUST SPECIFY [1] BACKPLATE [2] LATCH
43385-R0	\$	210.42	30" H X 24" W X 12.62" D NEMA 1 BUTT HINGE 16 GAUGE STEEL BUTT PLATE OPTIONAL UL LISTED MUST SPECIFY [1] BACKPLATE [2] LATCH
12416-R0	\$	48.23	26.00" H X 22.50" W NEMA 1 SOLID WHITE STEEL SUB PANEL
57277-R0	\$	51.66	26.0" H X 22.5" W PERFORATED 16 GAUGE STEEL FITS 30" H X 24" W MEDIUM TYPE 1 ENCLOSURE GRAY
43378-R0	\$	201.68	30" H X 30" W X 8.62" D NEMA 1 BUTT HINGE 16 GAUGE STEEL BUTT PLATE OPTIONAL UL LISTED MUST SPECIFY [1] BACKPLATE [2] LATCH
49377-R0	\$	58.46	28.5" H X 26.0" W NEMA 1 WHITE SOLID SUB PANEL
57278-R0	\$	62.65	26.0" H X 28.5" W PERFORATED 16 GAUGE STEEL FITS 30" H X 30" W MEDIUM TYPE 1 ENCLOSURE GRAY
24425-R0	\$	51.35	27.00" H X 21.00" W NEMA 12 SOLID WHITE STEEL SUB PANEL
57288-R0	\$	48.02	28.12" H X 26.12" W PERFORATED 16 GAUGE STEEL FITS 30" H X 24" W MEDIUM TYPE 3R HINGED ENCLOSURE GRAY
57290-R0	\$	67.68	28.13" H X 28.13" W PERFORATED 16 GAUGE STEEL FITS 30" H X 30" W MEDIUM TYPE 3R HINGED ENCLOSURE GRAY
49380-R0	\$	170.30	30"H X 24"W X 8"D GALVANIZED NEMA 3R LIFT OFF HINGE COVER
24421-R0	\$	232.12	30" H X 24" W X 8" D HINGED COVER TYPE 3R MEDIUM 16 GAUGE ENCLOSURE GRAY CONTINUOUS HINGE [STAINLESS STEEL PIN] OPTIONAL BUTT PLATE AVAIL.
49381-R0	\$	246.31	30" H X 30" W X 8" D HINGED COVER TYPE 3R MEDIUM 16 GAUGE ENCLOSURE GRAY CONTINUOUS HINGE [STAINLESS STEEL PIN] OPTIONAL BUTT PLATE AVAIL.
59125-R0	\$	402.88	36" H X 24" W X 6" D NEMA 12/13 CONTINUOUS HINGE 14 GAUGE STEEL SCREW-DOWN DOOR CLAMPS WALL MOUNT MUST SPECIFY [1] SUB-PANEL
59126-R0	\$	414.93	36" H X 24" W X 8" D NEMA 12/13 CONTINUOUS HINGE 14 GAUGE STEEL SCREW-DOWN DOOR CLAMPS WALL MOUNT MUST SPECIFY [1] SUB-PANEL
59127-R0	\$	438.30	36" H X 24" W X 10" D NEMA 12/13 CONTINUOUS HINGE 14 GAUGE STEEL SCREW-DOWN DOOR CLAMPS WALL MOUNT MUST SPECIFY [1] SUB-PANEL
59128-R0	\$	461.88	36" H X 24" W X 12" D NEMA 12/13 CONTINUOUS HINGE 14 GAUGE STEEL SCREW-DOWN DOOR CLAMPS WALL MOUNT MUST SPECIFY [1] SUB-PANEL
35694-R0	\$	197.82	36" H X 24" W X 6.62" D NEMA 1 GREY INTEGRATED PERFORATED PANEL ENCLOSURE CYLINDER LOCK KIT INSTALLED UL LISTED
59129-R0	\$	453.06	36" H X 30" W X 6" D NEMA 12/13 CONTINUOUS HINGE 14 GAUGE STEEL SCREW-DOWN DOOR CLAMPS WALL MOUNT MUST SPECIFY [1] SUB-PANEL
59130-R0	\$	466.54	36" H X 30" W X 8" D NEMA 12/13 CONTINUOUS HINGE 14 GAUGE STEEL SCREW-DOWN DOOR CLAMPS WALL MOUNT MUST SPECIFY [1] SUB-PANEL
59131-R0	\$	492.23	36" H X 30" W X 10" D NEMA 12/13 CONTINUOUS HINGE 14 GAUGE STEEL SCREW-DOWN DOOR CLAMPS WALL MOUNT MUST SPECIFY [1] SUB-PANEL
59132-R0	\$	517.83	36" H X 30" W X 12" D NEMA 12/13 CONTINUOUS HINGE 14 GAUGE STEEL SCREW-DOWN DOOR CLAMPS WALL MOUNT MUST SPECIFY [1] SUB-PANEL
59133-R0	\$	587.13	36" H X 30" W X 16" D NEMA 12/13 CONTINUOUS HINGE 14 GAUGE STEEL SCREW-DOWN DOOR CLAMPS WALL MOUNT MUST SPECIFY [1] SUB-PANEL
59134-R0	\$	639.85	36" H X 30" W X 20" D NEMA 12/13 CONTINUOUS HINGE 14 GAUGE STEEL SCREW-DOWN DOOR CLAMPS WALL MOUNT MUST SPECIFY [1] SUB-PANEL
35695-R0	\$	271.99	36" H X 30" W X 6.62" D NEMA 1 GREY INTEGRATED PERFORATED PANEL ENCLOSURE CYLINDER LOCK KIT INSTALLED UL LISTED

44625-RO	\$	49.53	DUCT AVERAGING 12 FT COPPER TUBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
59135-RO	\$	517.83	36" H X 36" W X 8" D NEMA 12/13 CONTINUOUS HINGE 14 GAUGE STEEL SCREW-DOWN DOOR CLAMPS WALL MOUNT MUST SPECIFY [1] SUB-PANEL
59136-RO	\$	574.37	36" H X 36" W X 12" D NEMA 12/13 CONTINUOUS HINGE 14 GAUGE STEEL SCREW-DOWN DOOR CLAMPS WALL MOUNT MUST SPECIFY [1] SUB-PANEL
59137-RO	\$	857.95	36" H X 42" W X 12" D NEMA 12 CONTINUOUS HINGE W/2 DOOR 14 GAUGE STEEL MUST SPECIFY [1] SUB-PANEL
59138-RO	\$	909.00	36" H X 48" W X 12" D NEMA 12 CONTINUOUS HINGE W/2 DOOR 14 GAUGE STEEL MUST SPECIFY [1] SUB-PANEL
59139-RO	\$	1,058.84	36" H X 60" W X 12" D NEMA 12 CONTINUOUS HINGE W/2 DOOR 14 GAUGE STEEL MUST SPECIFY [1] SUB-PANEL
49384-RO	\$	537.33	36" H X 24" W X 6.00" D NEMA 4 BUTT HINGE 16 GAUGE STEEL GREY BUTT PLATE OPTIONAL MUST SPECIFY [1] BACKPLATE [2] LATCH
48781-RO	\$	542.96	36" H X 24" W X 8" D WALL-MOUNT NEMA 4 ENCLOSURE
43368-RO	\$	163.02	36" H X 24" W X 6.62" D NEMA 1 BUTT HINGE 16 GAUGE STEEL BUTT PLATE OPTIONAL UL LISTED MUST SPECIFY [1] COLOR [2] BACKPLATE [3] LATCH
43379-RO	\$	205.35	36" H X 24" W X 8.62" D NEMA 1 BUTT HINGE 16 GAUGE STEEL BUTT PLATE OPTIONAL UL LISTED MUST SPECIFY [1] BACKPLATE [2] LATCH
10941-RO	\$	49.53	32.00" H X 22.50" W NEMA 1 SOLID WHITE STEEL SUB PANEL
57279-RO	\$	53.05	32.0" H X 22.5" W PERFORATED 16 GAUGE STEEL FITS 36" H X 24" W MEDIUM TYPE 1 ENCLOSURE GRAY
43369-RO	\$	204.63	36" H X 30" W X 6.62" D NEMA 1 BUTT HINGE 16 GAUGE STEEL BUTT PLATE OPTIONAL UL LISTED MUST SPECIFY [1] COLOR [2] BACKPLATE [3] LATCH
43380-RO	\$	224.97	36" H X 30" W X 8.62" D NEMA 1 BUTT HINGE 16 GAUGE STEEL BUTT PLATE OPTIONAL UL LISTED MUST SPECIFY [1] BACKPLATE [2] LATCH
43386-RO	\$	265.25	36" H X 30" W X 12.62" D NEMA 1 BUTT HINGE 16 GAUGE STEEL BUTT PLATE OPTIONAL UL LISTED MUST SPECIFY [1] BACKPLATE [2] LATCH
20368-RO	\$	71.25	32.00" H X 28.50" W NEMA 1 SOLID WHITE STEEL SUB PANEL
57280-RO	\$	76.41	32.0" H X 28.5" W PERFORATED 16 GAUGE STEEL FITS 36" H X 30" W MEDIUM TYPE 1 ENCLOSURE GRAY
48782-RO	\$	61.45	33" H X 21" W WHITE SOLID STEEL SUB PANEL FITS 36 X 24 PANEL
57289-RO	\$	57.62	37.62" H X 26.12" W PERFORATED 16 GAUGE STEEL FITS 36" H X 24" W MEDIUM TYPE 3R HINGED ENCLOSURE GRAY
49385-RO	\$	81.97	33.00" H X 27.00" W NEMA 12 SOLID WHITE STEEL SUB PANEL
57291-RO	\$	76.75	37.62" H X 29.62" W PERFORATED 16 GAUGE STEEL FITS 36" H X 30" W MEDIUM TYPE 3R HINGED ENCLOSURE GRAY
57292-RO	\$	89.97	59.62" H X 35.62" W PERFORATED 16 GAUGE STEEL FITS 36" H X 36" W MEDIUM TYPE 3R HINGED ENCLOSURE GRAY
49386-RO	\$	354.81	36" H X 24" W X 12" D HINGED COVER TYPE 3R MEDIUM 16 GAUGE ENCLOSURE GRAY CONTINUOUS HINGE [STAINLESS STEEL PIN] OPTIONAL BUTT PLATE AVAIL.
49387-RO	\$	377.92	36" H X 30" W X 12" D HINGED COVER TYPE 3R MEDIUM 16 GAUGE ENCLOSURE GRAY CONTINUOUS HINGE [STAINLESS STEEL PIN] OPTIONAL BUTT PLATE AVAIL.
43420-RO	\$	36.31	4" H X 4" W X 4" D NEMA 12/13 CONTINUOUS HINGE 16 GAUGE STEEL MUST SPECIFY [1] LATCH
43417-RO	\$	34.80	4" H X 4" W X 3" D NEMA 12/13 CONTINUOUS HINGE 16 GAUGE STEEL MUST SPECIFY [1] LATCH
59140-RO	\$	465.32	42" H X 24" W X 8" D NEMA 12/13 CONTINUOUS HINGE 14 GAUGE STEEL SCREW-DOWN DOOR CLAMPS WALL MOUNT MUST SPECIFY [1] SUB-PANEL
59141-RO	\$	525.64	42" H X 30" W X 8" D NEMA 12/13 CONTINUOUS HINGE 14 GAUGE STEEL SCREW-DOWN DOOR CLAMPS WALL MOUNT MUST SPECIFY [1] SUB-PANEL
59142-RO	\$	554.45	42" H X 30" W X 10" D NEMA 12/13 CONTINUOUS HINGE 14 GAUGE STEEL SCREW-DOWN DOOR CLAMPS WALL MOUNT MUST SPECIFY [1] SUB-PANEL
59143-RO	\$	583.80	42" H X 30" W X 12" D NEMA 12/13 CONTINUOUS HINGE 14 GAUGE STEEL SCREW-DOWN DOOR CLAMPS WALL MOUNT MUST SPECIFY [1] SUB-PANEL
48783-RO	\$	586.03	WALL MOUNT MUST SPECIFY [1] SUB-PANEL
59144-RO	\$	586.03	42" H X 36" W X 8" D NEMA 12/13 CONTINUOUS HINGE 14 GAUGE STEEL SCREW-DOWN DOOR CLAMPS WALL MOUNT MUST SPECIFY [1] SUB-PANEL
59145-RO	\$	617.66	42" H X 36" W X 10" D NEMA 12/13 CONTINUOUS HINGE 14 GAUGE STEEL SCREW-DOWN DOOR CLAMPS WALL MOUNT MUST SPECIFY [1] SUB-PANEL
59146-RO	\$	630.97	42" H X 36" W X 12" D NEMA 12/13 CONTINUOUS HINGE 14 GAUGE STEEL SCREW-DOWN DOOR CLAMPS WALL MOUNT MUST SPECIFY [1] SUB-PANEL
59147-RO	\$	713.10	42" H X 36" W X 16" D NEMA 12/13 CONTINUOUS HINGE 14 GAUGE STEEL SCREW-DOWN DOOR CLAMPS WALL MOUNT MUST SPECIFY [1] SUB-PANEL
59148-RO	\$	943.96	42" H X 42" W X 12" D NEMA 12 CONTINUOUS HINGE W/2 DOOR 14 GAUGE STEEL MUST SPECIFY [1] SUB-PANEL
59149-RO	\$	1,031.08	42" H X 48" W X 12" D NEMA 12 CONTINUOUS HINGE W/2 DOOR 14 GAUGE STEEL MUST SPECIFY [1] SUB-PANEL
59150-RO	\$	1,171.48	42" H X 60" W X 12" D NEMA 12 CONTINUOUS HINGE W/2 DOOR 14 GAUGE STEEL MUST SPECIFY [1] SUB-PANEL
43387-RO	\$	382.41	42" H X 30" W X 9.25" D NEMA 1 BUTT HINGE 16 GAUGE STEEL BUTT PLATE OPTIONAL UL LISTED MUST SPECIFY [1] COLOR [2] BACKPLATE [3] LATCH
43391-RO	\$	436.74	42" H X 30" W X 13.25" D NEMA 1 BUTT HINGE 16 GAUGE STEEL BUTT PLATE OPTIONAL UL LISTED MUST SPECIFY [1] BACKPLATE [2] LATCH
43388-RO	\$	446.26	42" H X 36" W X 9.25" D NEMA 1 BUTT HINGE 16 GAUGE STEEL BUTT PLATE OPTIONAL UL LISTED MUST SPECIFY [1] COLOR [2] BACKPLATE [3] LATCH
43392-RO	\$	494.66	42" H X 36" W X 13.25" D NEMA 1 BUTT HINGE 16 GAUGE STEEL BUTT PLATE OPTIONAL UL LISTED MUST SPECIFY [1] BACKPLATE [2] LATCH
12418-RO	\$	93.77	39.00" H X 27.00" W NEMA 12 SOLID WHITE STEEL SUB PANEL
48784-RO	\$	110.31	39.00" H X 33.00" W NEMA 12 WHITE SOLID STEEL SUB PANEL
49389-RO	\$	424.89	42" H X 30" W X 12" D HINGED COVER TYPE 3R MEDIUM 16 GAUGE ENCLOSURE GRAY CONTINUOUS HINGE [STAINLESS STEEL PIN] OPTIONAL BUTT PLATE AVAIL.
59151-RO	\$	503.89	48" H X 24" W X 8" D NEMA 12/13 CONTINUOUS HINGE 14 GAUGE STEEL SCREW-DOWN DOOR CLAMPS WALL MOUNT MUST SPECIFY [1] SUB-PANEL
59152-RO	\$	571.60	48" H X 30" W X 8" D NEMA 12/13 CONTINUOUS HINGE 14 GAUGE STEEL SCREW-DOWN DOOR CLAMPS WALL MOUNT MUST SPECIFY [1] SUB-PANEL
59153-RO	\$	603.79	48" H X 30" W X 10" D NEMA 12/13 CONTINUOUS HINGE 14 GAUGE STEEL SCREW-DOWN DOOR CLAMPS WALL MOUNT MUST SPECIFY [1] SUB-PANEL
59154-RO	\$	622.10	48" H X 36" W X 8" D NEMA 12/13 CONTINUOUS HINGE 14 GAUGE STEEL SCREW-DOWN DOOR CLAMPS WALL MOUNT MUST SPECIFY [1] SUB-PANEL
59155-RO	\$	654.28	48" H X 36" W X 10" D NEMA 12/13 CONTINUOUS HINGE 14 GAUGE STEEL SCREW-DOWN DOOR CLAMPS WALL MOUNT MUST SPECIFY [1] SUB-PANEL
59156-RO	\$	688.13	48" H X 36" W X 12" D NEMA 12/13 CONTINUOUS HINGE 14 GAUGE STEEL SCREW-DOWN DOOR CLAMPS WALL MOUNT MUST SPECIFY [1] SUB-PANEL
59157-RO	\$	754.72	48" H X 36" W X 16" D NEMA 12/13 CONTINUOUS HINGE 14 GAUGE STEEL SCREW-DOWN DOOR CLAMPS WALL MOUNT MUST SPECIFY [1] SUB-PANEL
59158-RO	\$	844.64	48" H X 36" W X 20" D NEMA 12/13 CONTINUOUS HINGE 14 GAUGE STEEL SCREW-DOWN DOOR CLAMPS WALL MOUNT MUST SPECIFY [1] SUB-PANEL
59159-RO	\$	1,096.56	48" H X 48" W X 12" D NEMA 12 CONTINUOUS HINGE W/2 DOOR 14 GAUGE STEEL MUST SPECIFY [1] SUB-PANEL
43389-RO	\$	481.59	48" H X 36" W X 9.25" D NEMA 1 BUTT HINGE 16 GAUGE STEEL BUTT PLATE OPTIONAL UL LISTED MUST SPECIFY [1] COLOR [2] BACKPLATE [3] LATCH

44625-R0	\$	49.53	DUCT AVERAGING 12 FT COPPER TUBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
43390-R0	\$	516.65	48" H X 36" W X 11.25" D NEMA 1 BUTT HINGE 16 GAUGE STEEL BUTT PLATE OPTIONAL UL LISTED MUST SPECIFY [1] BACKPLATE [2] LATCH
43393-R0	\$	546.66	48" H X 36" W X 13.25" D NEMA 1 BUTT HINGE 16 GAUGE STEEL BUTT PLATE OPTIONAL UL LISTED MUST SPECIFY [1] BACKPLATE [2] LATCH
43394-R0	\$	605.44	48" H X 36" W X 17.25" D NEMA 1 BUTT HINGE 16 GAUGE STEEL BUTT PLATE OPTIONAL UL LISTED MUST SPECIFY [1] BACKPLATE [2] LATCH
49391-R0	\$	79.90	45.00" H X 21.00" W NEMA 12 SOLID WHITE STEEL SUB PANEL
12420-R0	\$	124.59	45.00" H X 33.00" W NEMA 12 SOLID WHITE STEEL SUB PANEL
59188-R0	\$	1,522.61	54.00" H X 42.00" W X 8.00" D NEMA 12 TWO-DOOR WITH 12" FLOOR STANDS 12 GAUGE STEEL
59160-R0	\$	747.51	60" H X 36" W X 8" D NEMA 12/13 CONTINUOUS HINGE 14 GAUGE STEEL SCREW-DOWN DOOR CLAMPS WALL MOUNT MUST SPECIFY [1] SUB-PANEL
59161-R0	\$	763.05	60" H X 36" W X 10" D NEMA 12/13 CONTINUOUS HINGE 14 GAUGE STEEL SCREW-DOWN DOOR CLAMPS WALL MOUNT MUST SPECIFY [1] SUB-PANEL
59162-R0	\$	800.79	60" H X 36" W X 12" D NEMA 12/13 CONTINUOUS HINGE 14 GAUGE STEEL SCREW-DOWN DOOR CLAMPS WALL MOUNT MUST SPECIFY [1] SUB-PANEL
59163-R0	\$	902.89	60" H X 36" W X 16" D NEMA 12/13 CONTINUOUS HINGE 14 GAUGE STEEL SCREW-DOWN DOOR CLAMPS WALL MOUNT MUST SPECIFY [1] SUB-PANEL
59164-R0	\$	980.59	60" H X 36" W X 20" D NEMA 12/13 CONTINUOUS HINGE 14 GAUGE STEEL SCREW-DOWN DOOR CLAMPS WALL MOUNT MUST SPECIFY [1] SUB-PANEL
43421-R0	\$	42.13	6" H X 4" W X 4" D NEMA 12/13 CONTINUOUS HINGE 16 GAUGE STEEL BUTT PLATE OPTIONAL MUST SPECIFY [1] BACKPLATE [2] LATCH
59189-R0	\$	2,070.81	60.00" H X 48.00" W X 8.00" D NEMA 12 TWO-DOOR WITH 12" FLOOR STANDS 12 GAUGE STEEL
59190-R0	\$	2,077.67	60.00" H X 48.00" W X 10.00" D NEMA 12 TWO-DOOR WITH 12" FLOOR STANDS 12 GAUGE STEEL
59191-R0	\$	2,143.25	60.00" H X 48.00" W X 12.00" D NEMA 12 TWO-DOOR WITH 12" FLOOR STANDS 12 GAUGE STEEL
59192-R0	\$	2,269.81	60.00" H X 48.00" W X 16.00" D NEMA 12 TWO-DOOR WITH 12" FLOOR STANDS 12 GAUGE STEEL
59193-R0	\$	2,468.05	60.00" H X 48.00" W X 20.00" D NEMA 12 TWO-DOOR WITH 12" FLOOR STANDS 12 GAUGE STEEL
59194-R0	\$	2,602.24	60.00" H X 48.00" W X 24.00" D NEMA 12 TWO-DOOR WITH 12" FLOOR STANDS 12 GAUGE STEEL
43418-R0	\$	39.87	6" H X 4" W X 3" D NEMA 12/13 CONTINUOUS HINGE 16 GAUGE STEEL BUTT PLATE OPTIONAL MUST SPECIFY [1] BACKPLATE [2] LATCH
59195-R0	\$	2,394.86	60.00" H X 60.00" W X 10.00" D NEMA 12 TWO-DOOR WITH 12" FLOOR STANDS 12 GAUGE STEEL
59196-R0	\$	2,400.19	60.00" H X 60.00" W X 12.00" D NEMA 12 TWO-DOOR WITH 12" FLOOR STANDS 12 GAUGE STEEL
59197-R0	\$	2,542.77	60.00" H X 60.00" W X 16.00" D NEMA 12 TWO-DOOR WITH 12" FLOOR STANDS 12 GAUGE STEEL
59198-R0	\$	2,908.75	60.00" H X 60.00" W X 24.00" D NEMA 12 TWO-DOOR WITH 12" FLOOR STANDS 12 GAUGE STEEL
43422-R0	\$	45.15	6" H X 6" W X 4" D NEMA 12/13 CONTINUOUS HINGE 16 GAUGE STEEL BUTT PLATE OPTIONAL MUST SPECIFY [1] BACKPLATE [2] LATCH
43340-R0	\$	28.98	6" H X 6" W X 4" D NEMA 1 BUTT HINGE 16 GAUGE STEEL BUTT PLATE OPTIONAL UL LISTED MUST SPECIFY [1] BACKPLATE [2] LATCH
8761-R0	\$	2.55	4.25" H X 4.25" W NEMA 1 SOLID WHITE STEEL SUB PANEL FITS A6N64 PANEL
57256-R0	\$	2.72	4.25" H X 4.25" W PERFORATED 16 GAUGE STEEL FITS 6" H X 6" W SMALL TYPE 1 ENCLOSURE GRAY
8748-R0	\$	2.50	2.88" H X 4.88" W SOLID WHITE STEEL SUB PANEL FITS A604CH AND A6044CH PANELS
8750-R0	\$	3.00	4.88" H X 4.88" W SOLID WHITE STEEL SUB PANEL FITS A606CH PANEL
59165-R0	\$	914.55	72" H X 36" W X 12" D NEMA 12/13 CONTINUOUS HINGE 14 GAUGE STEEL SCREW-DOWN DOOR CLAMPS WALL MOUNT MUST SPECIFY [1] SUB-PANEL
59199-R0	\$	2,740.24	72.00" H X 60.00" W X 10.00" D NEMA 12 TWO-DOOR WITH 12" FLOOR STANDS 12 GAUGE STEEL
59200-R0	\$	2,743.30	72.00" H X 60.00" W X 12.00" D NEMA 12 TWO-DOOR WITH 12" FLOOR STANDS 12 GAUGE STEEL
59201-R0	\$	2,904.94	72.00" H X 60.00" W X 16.00" D NEMA 12 TWO-DOOR WITH 12" FLOOR STANDS 12 GAUGE STEEL
59202-R0	\$	3,155.78	72.00" H X 60.00" W X 20.00" D NEMA 12 TWO-DOOR WITH 12" FLOOR STANDS 12 GAUGE STEEL
59203-R0	\$	3,318.94	72.00" H X 60.00" W X 24.00" D NEMA 12 TWO-DOOR WITH 12" FLOOR STANDS 12 GAUGE STEEL
59204-R0	\$	3,047.51	72.00" H X 72.00" W X 10.00" D NEMA 12 TWO-DOOR WITH 12" FLOOR STANDS 12 GAUGE STEEL
59205-R0	\$	3,052.86	72.00" H X 72.00" W X 12.00" D NEMA 12 TWO-DOOR WITH 12" FLOOR STANDS 12 GAUGE STEEL
59206-R0	\$	3,228.98	72.00" H X 72.00" W X 16.00" D NEMA 12 TWO-DOOR WITH 12" FLOOR STANDS 12 GAUGE STEEL
59207-R0	\$	3,505.75	72.00" H X 72.00" W X 20.00" D NEMA 12 TWO-DOOR WITH 12" FLOOR STANDS 12 GAUGE STEEL
59208-R0	\$	3,685.68	72.00" H X 72.00" W X 24.00" D NEMA 12 TWO-DOOR WITH 12" FLOOR STANDS 12 GAUGE STEEL
43428-R0	\$	56.90	8" H X 6" W X 6" D NEMA 12/13 CONTINUOUS HINGE 14 GAUGE STEEL BUTT PLATE OPTIONAL MUST SPECIFY [1] BACKPLATE [2] LATCH
43419-R0	\$	47.97	8" H X 6" W X 3.5" D NEMA 12/13 CONTINUOUS HINGE 14 GAUGE STEEL BUTT PLATE OPTIONAL MUST SPECIFY [1] BACKPLATE [2] LATCH
43423-R0	\$	54.48	8" H X 8" W X 4" D NEMA 12/13 CONTINUOUS HINGE 14 GAUGE STEEL BUTT PLATE OPTIONAL MUST SPECIFY [1] BACKPLATE [2] LATCH
43341-R0	\$	31.62	8" H X 6" W X 4" D NEMA 1 BUTT HINGE 16 GAUGE STEEL BUTT PLATE OPTIONAL UL LISTED MUST SPECIFY [1] BACKPLATE [2] LATCH
43348-R0	\$	35.65	8" H X 6" W X 6" D NEMA 1 BUTT HINGE 16 GAUGE STEEL BUTT PLATE OPTIONAL UL LISTED MUST SPECIFY [1] BACKPLATE [2] LATCH
8762-R0	\$	2.99	4.25" H X 6.25" W NEMA 1 SOLID WHITE STEEL SUB PANEL FITS A8N64 & A8N66 PANELS
57257-R0	\$	3.21	6.25" H X 4.25" W PERFORATED 16 GAUGE STEEL FITS 8" H X 6" W SMALL TYPE 1 ENCLOSURE GRAY
43342-R0	\$	35.10	8" H X 8" W X 4" D NEMA 1 BUTT HINGE 16 GAUGE STEEL BUTT PLATE OPTIONAL UL LISTED MUST SPECIFY [1] BACKPLATE [2] LATCH
43349-R0	\$	39.49	8" H X 8" W X 6" D NEMA 1 BUTT HINGE 16 GAUGE STEEL BUTT PLATE OPTIONAL UL LISTED MUST SPECIFY [1] BACKPLATE [2] LATCH
8763-R0	\$	3.51	6.25" H X 6.25" W NEMA 1 SOLID WHITE STEEL SUB PANEL FITS A8N84 & A8N86 PANELS
57258-R0	\$	3.74	6.25" H X 6.25" W PERFORATED 16 GAUGE STEEL FITS 8" H X 8" W SMALL TYPE 1 ENCLOSURE GRAY
8749-R0	\$	3.45	4.88" H X 6.75" W SOLID WHITE STEEL SUB PANEL FITS A806CH & A8066CH PANELS
8751-R0	\$	4.04	6.88" H X 6.75" W SOLID WHITE STEEL SUB PANEL FITS A808CH PANEL
65474-R0	\$	18.25	DATA POCKET

44625-R0	\$	49.53	DUCT AVERAGING 12 FT COPPER TUBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE			
43400-R0	\$	24.80	10" H X 10" W X 4" D NEMA 1 HINGE COVER PULL BOX WITH KNOCKOUTS 16 GAUGE STEEL UL LISTED			
43405-R0	\$	29.33	10" H X 10" W X 6" D NEMA 1 HINGE COVER PULL BOX WITH KNOCKOUTS 16 GAUGE STEEL UL LISTED			
43399-R0	\$	21.54	10" H X 8" W X 4" D NEMA 1 HINGE COVER PULL BOX WITH KNOCKOUTS 16 GAUGE STEEL UL LISTED			
43404-R0	\$	25.71	10" H X 8" W X 6" D NEMA 1 HINGE COVER PULL BOX WITH KNOCKOUTS 16 GAUGE STEEL UL LISTED			
21561-R0	\$	27.99	12" H X 10" W X 4" D NEMA 1 HINGE COVER PULL BOX WITH KNOCKOUTS 16 GAUGE STEEL UL LISTED			
43406-R0	\$	33.15	12" H X 10" W X 6" D NEMA 1 HINGE COVER PULL BOX WITH KNOCKOUTS 16 GAUGE STEEL UL LISTED			
38113-R0	\$	31.80	12" H X 12" W X 4" D NEMA 1 HINGE COVER PULL BOX WITH KNOCKOUTS 16 GAUGE STEEL UL LISTED			
43407-R0	\$	37.27	12" H X 12" W X 6" D NEMA 1 HINGE COVER PULL BOX WITH KNOCKOUTS 16 GAUGE STEEL UL LISTED			
43401-R0	\$	24.53	12" H X 8" W X 4" D NEMA 1 HINGE COVER PULL BOX WITH KNOCKOUTS 16 GAUGE STEEL UL LISTED			
38114-R0	\$	38.43	16" H X 12" W X 4" D NEMA 1 HINGE COVER PULL BOX WITH KNOCKOUTS 16 GAUGE STEEL UL LISTED			
43408-R0	\$	44.76	16" H X 12" W X 6" D NEMA 1 HINGE COVER PULL BOX WITH KNOCKOUTS 16 GAUGE STEEL UL LISTED			
43409-R0	\$	52.23	16" H X 16" W X 6" D NEMA 1 HINGE COVER PULL BOX WITH KNOCKOUTS 16 GAUGE STEEL UL LISTED			
43410-R0	\$	49.76	18" H X 12" W X 6" D NEMA 1 HINGE COVER PULL BOX WITH KNOCKOUTS 16 GAUGE STEEL UL LISTED			
43411-R0	\$	66.48	18" H X 18" W X 6" D NEMA 1 HINGE COVER PULL BOX WITH KNOCKOUTS 16 GAUGE STEEL UL LISTED			
43412-R0	\$	108.25	24" H X 18" W X 6" D NEMA 1 HINGE COVER PULL BOX WITH KNOCKOUTS 16 GAUGE STEEL UL LISTED			
43413-R0	\$	134.68	24" H X 24" W X 6" D NEMA 1 HINGE COVER PULL BOX WITH KNOCKOUTS 16 GAUGE STEEL UL LISTED			
43414-R0	\$	161.33	30" H X 24" W X 6" D NEMA 1 HINGE COVER PULL BOX WITH KNOCKOUTS 16 GAUGE STEEL UL LISTED			
43415-R0	\$	187.93	36" H X 24" W X 6" D NEMA 1 HINGE COVER PULL BOX WITH KNOCKOUTS 16 GAUGE STEEL UL LISTED			
43416-R0	\$	201.83	36" H X 24" W X 8" D NEMA 1 HINGE COVER PULL BOX WITH KNOCKOUTS 16 GAUGE STEEL UL LISTED			
43395-R0	\$	11.43	6" H X 4" W X 4" D NEMA 1 HINGE COVER PULL BOX WITH KNOCKOUTS 16 GAUGE STEEL UL LISTED			
43396-R0	\$	13.69	6" H X 6" W X 4" D NEMA 1 HINGE COVER PULL BOX WITH KNOCKOUTS 16 GAUGE STEEL UL LISTED			
43402-R0	\$	16.60	6" H X 6" W X 6" D NEMA 1 HINGE COVER PULL BOX WITH KNOCKOUTS 16 GAUGE STEEL UL LISTED			
43397-R0	\$	16.08	8" H X 6" W X 4" D NEMA 1 HINGE COVER PULL BOX WITH KNOCKOUTS 16 GAUGE STEEL UL LISTED			
43398-R0	\$	18.80	8" H X 8" W X 4" D NEMA 1 HINGE COVER PULL BOX WITH KNOCKOUTS 16 GAUGE STEEL UL LISTED			
43403-R0	\$	22.56	8" H X 8" W X 6" D NEMA 1 HINGE COVER PULL BOX WITH KNOCKOUTS 16 GAUGE STEEL UL LISTED			
14193-R0	\$	8.89	KEY LOCK KIT FOR HOFFMAN ENCLOSURES			
14194-R0	\$	10.74	T-HANDLE LATCH KIT FOR HOFFMAN ENCLOSURES			
63843-R0	\$	10.56	PANEL MOUNTING KIT FITS 14 GAUGE TYPE HOFFMAN HINGED-COVER LIFT-OFF TYPE 3R ENCLOSURES			
48780-R0	\$	9.74	PANEL MOUNTING KIT FITS 16 GAUGE TYPE HOFFMAN HINGED-COVER LIFT-OFF TYPE 3R ENCLOSURES			
49401-R0	\$	27.03	12" H X 12" W X 4" D NEMA 1 SCREW COVER PULL BOX WITH KNOCKOUTS 16 GAUGE STEEL UL LISTED			
44339-R0	\$	38.26	16" H X 12" W X 4" D NEMA 1 SCREW COVER PULL BOX WITH KNOCKOUTS 16 GAUGE STEEL UL LISTED			
49501-R0	\$	41.86	18" H X 12" W X 4" D NEMA 1 SCREW COVER PULL BOX WITH KNOCKOUTS 16 GAUGE STEEL UL LISTED			
48778-R0	\$	11.66	6" H X 6" W X 4" D NEMA 1 SCREW COVER PULL BOX WITH KNOCKOUTS 16 GAUGE STEEL UL LISTED			
12425-R0	\$	12.53	DESIGNLINE BEIGE TOUCHUP PAINT (1 SPRAY CAN)			
49950-R0	\$	26.34	LOUVER KIT4L X 4.00 IN.			
64076-R0	\$	113.56	BACKPLATE SOLID 34.20" X 28.20" FITS 36X30 PANEL			
43442-R0	\$	183.00	12" H X 12" W X 6" D NEMA 4 HIDDEN HINGES FOR CLEAN AESTHETIC APPEARANCE 16 GAUGE STEEL BUTT PLATE OPTIONAL MUST SPECIFY [1] BACKPLATE [2] LATCH			
43467-R0	\$	211.69	16" H X 12" W X 10" D NEMA 4 HIDDEN HINGES FOR CLEAN AESTHETIC APPEARANCE 16 GAUGE STEEL BUTT PLATE OPTIONAL MUST SPECIFY [1] BACKPLATE [2] LATCH			
43443-R0	\$	195.35	16" H X 12" W X 6" D NEMA 4 HIDDEN HINGES FOR CLEAN AESTHETIC APPEARANCE 16 GAUGE STEEL BUTT PLATE OPTIONAL MUST SPECIFY [1] BACKPLATE [2] LATCH			
43451-R0	\$	204.79	16" H X 12" W X 8" D NEMA 4 HIDDEN HINGES FOR CLEAN AESTHETIC APPEARANCE 16 GAUGE STEEL BUTT PLATE OPTIONAL MUST SPECIFY [1] BACKPLATE [2] LATCH			
43468-R0	\$	226.62	16" H X 16" W X 10" D NEMA 4 HIDDEN HINGES FOR CLEAN AESTHETIC APPEARANCE 16 GAUGE STEEL BUTT PLATE OPTIONAL MUST SPECIFY [1] BACKPLATE [2] LATCH [3] DATA POCKET			
43444-R0	\$	210.28	16" H X 16" W X 6" D NEMA 4 HIDDEN HINGES FOR CLEAN AESTHETIC APPEARANCE 16 GAUGE STEEL BUTT PLATE OPTIONAL MUST SPECIFY [1] BACKPLATE [2] LATCH [3] DATA POCKET			
43452-R0	\$	221.18	16" H X 16" W X 8" D NEMA 4 HIDDEN HINGES FOR CLEAN AESTHETIC APPEARANCE 16 GAUGE STEEL BUTT PLATE OPTIONAL MUST SPECIFY [1] BACKPLATE [2] LATCH [3] DATA POCKET			
43469-R0	\$	243.54	16" H X 20" W X 10" D NEMA 4 HIDDEN HINGES FOR CLEAN AESTHETIC APPEARANCE 16 GAUGE STEEL BUTT PLATE OPTIONAL MUST SPECIFY [1] BACKPLATE [2] LATCH [3] DATA POCKET			
43445-R0	\$	231.82	16" H X 20" W X 6" D NEMA 4 HIDDEN HINGES FOR CLEAN AESTHETIC APPEARANCE 16 GAUGE STEEL BUTT PLATE OPTIONAL MUST SPECIFY [1] BACKPLATE [2] LATCH [3] DATA POCKET			
43453-R0	\$	244.61	16" H X 20" W X 8" D NEMA 4 HIDDEN HINGES FOR CLEAN AESTHETIC APPEARANCE 16 GAUGE STEEL BUTT PLATE OPTIONAL MUST SPECIFY [1] BACKPLATE [2] LATCH [3] DATA POCKET			
43470-R0	\$	243.54	20" H X 16" W X 10" D NEMA 4 HIDDEN HINGES FOR CLEAN AESTHETIC APPEARANCE 16 GAUGE STEEL BUTT PLATE OPTIONAL MUST SPECIFY [1] BACKPLATE [2] LATCH [3] DATA POCKET			

44625-R0	\$	49.53	DUCT AVERAGING 12 FT COPPER TUBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE			
43446-R0	\$	225.42	20" H X 16" W X 6" D NEMA 4 HIDDEN HINGES FOR CLEAN AESTHETIC APPEARANCE 16 GAUGE STEEL BUTT PLATE OPTIONAL MUST SPECIFY [1] BACKPLATE [2] LATCH [3] DATA POCKET			
43454-R0	\$	237.52	20" H X 16" W X 8" D NEMA 4 HIDDEN HINGES FOR CLEAN AESTHETIC APPEARANCE 16 GAUGE STEEL BUTT PLATE OPTIONAL MUST SPECIFY [1] BACKPLATE [2] LATCH [3] DATA POCKET			
43471-R0	\$	263.99	20" H X 20" W X 10" D NEMA 4 HIDDEN HINGES FOR CLEAN AESTHETIC APPEARANCE 16 GAUGE STEEL BUTT PLATE OPTIONAL MUST SPECIFY [1] BACKPLATE [2] LATCH [3] DATA POCKET			
43487-R0	\$	292.34	20" H X 20" W X 12" D NEMA 4 HIDDEN HINGES FOR CLEAN AESTHETIC APPEARANCE 16 GAUGE STEEL BUTT PLATE OPTIONAL MUST SPECIFY [1] BACKPLATE [2] LATCH [3] DATA POCKET			
43447-R0	\$	243.26	20" H X 20" W X 6" D NEMA 4 HIDDEN HINGES FOR CLEAN AESTHETIC APPEARANCE 16 GAUGE STEEL BUTT PLATE OPTIONAL MUST SPECIFY [1] BACKPLATE [2] LATCH [3] DATA POCKET			
43455-R0	\$	256.91	20" H X 20" W X 8" D NEMA 4 HIDDEN HINGES FOR CLEAN AESTHETIC APPEARANCE 16 GAUGE STEEL BUTT PLATE OPTIONAL MUST SPECIFY [1] BACKPLATE [2] LATCH [3] DATA POCKET			
43472-R0	\$	282.85	20" H X 24" W X 10" D NEMA 4 HIDDEN HINGES FOR CLEAN AESTHETIC APPEARANCE 16 GAUGE STEEL BUTT PLATE OPTIONAL MUST SPECIFY [1] BACKPLATE [2] LATCH [3] DATA POCKET			
43456-R0	\$	283.95	20" H X 24" W X 8" D NEMA 4 HIDDEN HINGES FOR CLEAN AESTHETIC APPEARANCE 16 GAUGE STEEL BUTT PLATE OPTIONAL MUST SPECIFY [1] BACKPLATE [2] LATCH [3] DATA POCKET			
43473-R0	\$	260.74	24" H X 16" W X 10" D NEMA 4 HIDDEN HINGES FOR CLEAN AESTHETIC APPEARANCE 16 GAUGE STEEL BUTT PLATE OPTIONAL MUST SPECIFY [1] BACKPLATE [2] LATCH [3] DATA POCKET			
43448-R0	\$	247.25	24" H X 16" W X 6" D NEMA 4 HIDDEN HINGES FOR CLEAN AESTHETIC APPEARANCE 16 GAUGE STEEL BUTT PLATE OPTIONAL MUST SPECIFY [1] BACKPLATE [2] LATCH [3] DATA POCKET			
43457-R0	\$	254.05	24" H X 16" W X 8" D NEMA 4 HIDDEN HINGES FOR CLEAN AESTHETIC APPEARANCE 16 GAUGE STEEL BUTT PLATE OPTIONAL MUST SPECIFY [1] BACKPLATE [2] LATCH [3] DATA POCKET			
43474-R0	\$	283.83	24" H X 20" W X 10" D NEMA 4 HIDDEN HINGES FOR CLEAN AESTHETIC APPEARANCE 16 GAUGE STEEL BUTT PLATE OPTIONAL MUST SPECIFY [1] BACKPLATE [2] LATCH [3] DATA POCKET			
43488-R0	\$	314.93	24" H X 20" W X 12" D NEMA 4 HIDDEN HINGES FOR CLEAN AESTHETIC APPEARANCE 16 GAUGE STEEL BUTT PLATE OPTIONAL MUST SPECIFY [1] BACKPLATE [2] LATCH [3] DATA POCKET			
43449-R0	\$	268.46	24" H X 20" W X 6" D NEMA 4 HIDDEN HINGES FOR CLEAN AESTHETIC APPEARANCE 16 GAUGE STEEL BUTT PLATE OPTIONAL MUST SPECIFY [1] BACKPLATE [2] LATCH [3] DATA POCKET			
43458-R0	\$	275.89	24" H X 20" W X 8" D NEMA 4 HIDDEN HINGES FOR CLEAN AESTHETIC APPEARANCE 16 GAUGE STEEL BUTT PLATE OPTIONAL MUST SPECIFY [1] BACKPLATE [2] LATCH [3] DATA POCKET			
43475-R0	\$	306.68	24" H X 24" W X 10" D NEMA 4 HIDDEN HINGES FOR CLEAN AESTHETIC APPEARANCE 16 GAUGE STEEL BUTT PLATE OPTIONAL MUST SPECIFY [1] BACKPLATE [2] LATCH [3] DATA POCKET			
43489-R0	\$	330.81	24" H X 24" W X 12" D NEMA 4 HIDDEN HINGES FOR CLEAN AESTHETIC APPEARANCE 16 GAUGE STEEL BUTT PLATE OPTIONAL MUST SPECIFY [1] BACKPLATE [2] LATCH [3] DATA POCKET			
43499-R0	\$	374.13	24" H X 24" W X 16" D NEMA 4 HIDDEN HINGES FOR CLEAN AESTHETIC APPEARANCE 16 GAUGE STEEL BUTT PLATE OPTIONAL MUST SPECIFY [1] BACKPLATE [2] LATCH [3] DATA POCKET			
43502-R0	\$	407.51	24" H X 24" W X 20" D NEMA 4 HIDDEN HINGES FOR CLEAN AESTHETIC APPEARANCE 16 GAUGE STEEL BUTT PLATE OPTIONAL MUST SPECIFY [1] BACKPLATE [2] LATCH [3] DATA POCKET			
43450-R0	\$	289.54	24" H X 24" W X 6" D NEMA 4 HIDDEN HINGES FOR CLEAN AESTHETIC APPEARANCE 16 GAUGE STEEL BUTT PLATE OPTIONAL MUST SPECIFY [1] BACKPLATE [2] LATCH [3] DATA POCKET			
43459-R0	\$	298.00	24" H X 24" W X 8" D NEMA 4 HIDDEN HINGES FOR CLEAN AESTHETIC APPEARANCE 16 GAUGE STEEL BUTT PLATE OPTIONAL MUST SPECIFY [1] BACKPLATE [2] LATCH [3] DATA POCKET			
43476-R0	\$	339.73	24" H X 30" W X 10" D NEMA 4 HIDDEN HINGES FOR CLEAN AESTHETIC APPEARANCE 16 GAUGE STEEL BUTT PLATE OPTIONAL MUST SPECIFY [1] BACKPLATE [2] LATCH [3] DATA POCKET			
43460-R0	\$	330.81	24" H X 30" W X 8" D NEMA 4 HIDDEN HINGES FOR CLEAN AESTHETIC APPEARANCE 16 GAUGE STEEL BUTT PLATE OPTIONAL MUST SPECIFY [1] BACKPLATE [2] LATCH [3] DATA POCKET			
43477-R0	\$	313.08	30" H X 20" W X 10" D NEMA 4 HIDDEN HINGES FOR CLEAN AESTHETIC APPEARANCE 16 GAUGE STEEL BUTT PLATE OPTIONAL MUST SPECIFY [1] BACKPLATE [2] LATCH [3] DATA POCKET			
43461-R0	\$	313.48	30" H X 20" W X 8" D NEMA 4 HIDDEN HINGES FOR CLEAN AESTHETIC APPEARANCE 16 GAUGE STEEL BUTT PLATE OPTIONAL MUST SPECIFY [1] BACKPLATE [2] LATCH [3] DATA POCKET			
43478-R0	\$	340.52	30" H X 24" W X 10" D NEMA 4 HIDDEN HINGES FOR CLEAN AESTHETIC APPEARANCE 16 GAUGE STEEL BUTT PLATE OPTIONAL MUST SPECIFY [1] BACKPLATE [2] LATCH [3] DATA POCKET			
43490-R0	\$	367.56	30" H X 24" W X 12" D NEMA 4 HIDDEN HINGES FOR CLEAN AESTHETIC APPEARANCE 16 GAUGE STEEL BUTT PLATE OPTIONAL MUST SPECIFY [1] BACKPLATE [2] LATCH [3] DATA POCKET			

44625-R0	\$	49.53	DUCT AVERAGING 12 FT COPPER TUBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE			
43503-R0	\$	454.09	30" H X 24" W X 20" D NEMA 4 HIDDEN HINGES FOR CLEAN AESTHETIC APPEARANCE 16 GAUGE STEEL BUTT PLATE OPTIONAL MUST SPECIFY [1] BACKPLATE [2] LATCH [3] DATA POCKET			
43462-R0	\$	330.81	30" H X 24" W X 8" D NEMA 4 HIDDEN HINGES FOR CLEAN AESTHETIC APPEARANCE 16 GAUGE STEEL BUTT PLATE OPTIONAL MUST SPECIFY [1] BACKPLATE [2] LATCH [3] DATA POCKET			
19221-R0	\$	475.87	30" H X 24" W X 8" D NEMA 4 CONCEPT WALL MOUNT LIGHT GRAY ENCLOSURE W/ WINDOW			
43479-R0	\$	380.71	30" H X 30" W X 10" D NEMA 4 HIDDEN HINGES FOR CLEAN AESTHETIC APPEARANCE 16 GAUGE STEEL BUTT PLATE OPTIONAL MUST SPECIFY [1] BACKPLATE [2] LATCH [3] DATA POCKET			
43491-R0	\$	410.76	30" H X 30" W X 12" D NEMA 4 HIDDEN HINGES FOR CLEAN AESTHETIC APPEARANCE 16 GAUGE STEEL BUTT PLATE OPTIONAL MUST SPECIFY [1] BACKPLATE [2] LATCH [3] DATA POCKET			
43463-R0	\$	369.67	30" H X 30" W X 8" D NEMA 4 HIDDEN HINGES FOR CLEAN AESTHETIC APPEARANCE 16 GAUGE STEEL BUTT PLATE OPTIONAL MUST SPECIFY [1] BACKPLATE [2] LATCH [3] DATA POCKET			
43480-R0	\$	374.65	36" H X 24" W X 10" D NEMA 4 HIDDEN HINGES FOR CLEAN AESTHETIC APPEARANCE 16 GAUGE STEEL BUTT PLATE OPTIONAL MUST SPECIFY [1] BACKPLATE [2] LATCH [3] DATA POCKET			
43492-R0	\$	416.03	36" H X 24" W X 12" D NEMA 4 HIDDEN HINGES FOR CLEAN AESTHETIC APPEARANCE 16 GAUGE STEEL BUTT PLATE OPTIONAL MUST SPECIFY [1] BACKPLATE [2] LATCH [3] DATA POCKET			
43464-R0	\$	363.39	36" H X 24" W X 8" D NEMA 4 HIDDEN HINGES FOR CLEAN AESTHETIC APPEARANCE 16 GAUGE STEEL BUTT PLATE OPTIONAL MUST SPECIFY [1] BACKPLATE [2] LATCH [3] DATA POCKET			
43481-R0	\$	420.65	36" H X 30" W X 10" D NEMA 4 HIDDEN HINGES FOR CLEAN AESTHETIC APPEARANCE 16 GAUGE STEEL BUTT PLATE OPTIONAL MUST SPECIFY [1] BACKPLATE [2] LATCH [3] DATA POCKET			
43493-R0	\$	453.62	36" H X 30" W X 12" D NEMA 4 HIDDEN HINGES FOR CLEAN AESTHETIC APPEARANCE 16 GAUGE STEEL BUTT PLATE OPTIONAL MUST SPECIFY [1] BACKPLATE [2] LATCH [3] DATA POCKET			
43500-R0	\$	513.07	36" H X 30" W X 16" D NEMA 4 HIDDEN HINGES FOR CLEAN AESTHETIC APPEARANCE 16 GAUGE STEEL BUTT PLATE OPTIONAL MUST SPECIFY [1] BACKPLATE [2] LATCH [3] DATA POCKET			
43504-R0	\$	559.72	36" H X 30" W X 20" D NEMA 4 HIDDEN HINGES FOR CLEAN AESTHETIC APPEARANCE 16 GAUGE STEEL BUTT PLATE OPTIONAL MUST SPECIFY [1] BACKPLATE [2] LATCH [3] DATA POCKET			
43465-R0	\$	408.36	36" H X 30" W X 8" D NEMA 4 HIDDEN HINGES FOR CLEAN AESTHETIC APPEARANCE 16 GAUGE STEEL BUTT PLATE OPTIONAL MUST SPECIFY [1] BACKPLATE [2] LATCH [3] DATA POCKET			
43482-R0	\$	466.44	36" H X 36" W X 10" D NEMA 4 HIDDEN HINGES FOR CLEAN AESTHETIC APPEARANCE 16 GAUGE STEEL BUTT PLATE OPTIONAL MUST SPECIFY [1] BACKPLATE [2] LATCH [3] DATA POCKET			
43494-R0	\$	517.43	36" H X 36" W X 12" D NEMA 4 HIDDEN HINGES FOR CLEAN AESTHETIC APPEARANCE 16 GAUGE STEEL BUTT PLATE OPTIONAL MUST SPECIFY [1] BACKPLATE [2] LATCH [3] DATA POCKET			
43466-R0	\$	453.62	36" H X 36" W X 8" D NEMA 4 HIDDEN HINGES FOR CLEAN AESTHETIC APPEARANCE 16 GAUGE STEEL BUTT PLATE OPTIONAL MUST SPECIFY [1] BACKPLATE [2] LATCH [3] DATA POCKET			
43483-R0	\$	529.75	42" H X 36" W X 10" D NEMA 4 HIDDEN HINGES FOR CLEAN AESTHETIC APPEARANCE 16 GAUGE STEEL BUTT PLATE OPTIONAL MUST SPECIFY [1] BACKPLATE [2] LATCH [3] DATA POCKET			
43495-R0	\$	552.23	42" H X 36" W X 12" D NEMA 4 HIDDEN HINGES FOR CLEAN AESTHETIC APPEARANCE 16 GAUGE STEEL BUTT PLATE OPTIONAL MUST SPECIFY [1] BACKPLATE [2] LATCH [3] DATA POCKET			
43484-R0	\$	562.45	48" H X 24" W X 10" D NEMA 4 HIDDEN HINGES FOR CLEAN AESTHETIC APPEARANCE 16 GAUGE STEEL BUTT PLATE OPTIONAL MUST SPECIFY [1] BACKPLATE [2] LATCH [3] DATA POCKET			
43496-R0	\$	556.00	48" H X 24" W X 12" D NEMA 4 HIDDEN HINGES FOR CLEAN AESTHETIC APPEARANCE 16 GAUGE STEEL BUTT PLATE OPTIONAL MUST SPECIFY [1] BACKPLATE [2] LATCH [3] DATA POCKET			
43485-R0	\$	577.25	48" H X 36" W X 10" D NEMA 4 HIDDEN HINGES FOR CLEAN AESTHETIC APPEARANCE 16 GAUGE STEEL BUTT PLATE OPTIONAL MUST SPECIFY [1] BACKPLATE [2] LATCH [3] DATA POCKET			
43497-R0	\$	601.82	48" H X 36" W X 12" D NEMA 4 HIDDEN HINGES FOR CLEAN AESTHETIC APPEARANCE 16 GAUGE STEEL BUTT PLATE OPTIONAL MUST SPECIFY [1] BACKPLATE [2] LATCH [3] DATA POCKET			
43501-R0	\$	659.56	48" H X 36" W X 16" D NEMA 4 HIDDEN HINGES FOR CLEAN AESTHETIC APPEARANCE 16 GAUGE STEEL BUTT PLATE OPTIONAL MUST SPECIFY [1] BACKPLATE [2] LATCH [3] DATA POCKET			
43486-R0	\$	672.13	60" H X 36" W X 10" D NEMA 4 HIDDEN HINGES FOR CLEAN AESTHETIC APPEARANCE 16 GAUGE STEEL BUTT PLATE OPTIONAL MUST SPECIFY [1] BACKPLATE [2] LATCH [3] DATA POCKET			
43498-R0	\$	701.27	60" H X 36" W X 12" D NEMA 4 HIDDEN HINGES FOR CLEAN AESTHETIC APPEARANCE 16 GAUGE STEEL BUTT PLATE OPTIONAL MUST SPECIFY [1] BACKPLATE [2] LATCH [3] DATA POCKET			
24204-R0	\$	202.44	18.00" H X 16.00" W X 8.00" D FIBERGLASS ENCLOSURE NEMA 4X LIGHT GRAY W/ FLAT SOLID HINGED DOOR WITH TWO SCREWS			
48776-R0	\$	9.72	10.4" H X 11.5" W ENCLOSURE PANEL PERFORATED STEEL FITS 12X12 ENCLOSURE			
48777-R0	\$	4.88	4.4" H X 5.5" W ENCLOSURE PANEL PERFORATED STEEL FITS 6X6 ENCLOSURE			

44625-R0	\$	49.53	DUCT AVERAGING 12 FT COPPER TUBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE			
15149-R0	\$	20.12	3POSITION SELECTOR SWITCH - 2 NO CONTACT (XOO -OOX) - KNOB - IP65 RATING - 22 MM SIZE - MAINTAINED CONTROL ACTION			
8708-R0	\$	4.80	POWER RELAY COMPACT BLADE TERMINAL SPDT CURRENT RATING - 10 A 120 VAC ORDER 5 BLADE SH1B-05 SOCKET SEPARATELY			
8709-R0	\$	4.52	POWER RELAY COMPACT BLADE TERMINAL SPDT CURRENT RATING - 10 A 24 VAC ORDER 5 BLADE SH1B-05 SOCKET SEPARATELY			
10917-R0	\$	4.17	POWER RELAY COMPACT BLADE TERMINAL SPDT CURRENT RATING - 10 A 12 VDC ORDER 5 BLADE SH1B-05 SOCKET SEPARATELY			
8710-R0	\$	5.46	POWER RELAY COMPACT BLADE TERMINAL SPDT CURRENT RATING - 10 A 24 VDC ORDER 5 BLADE SH1B-05 SOCKET SEPARATELY			
8706-R0	\$	8.36	POWER RELAY COMPACT BLADE TERMINAL SPDT CURRENT RATING - 10 A 120 VAC INDICATOR ORDER 5 BLADE SH1B-05 SOCKET SEPARATELY			
35687-R0	\$	6.85	POWER RELAY COMPACT BLADE TERMINAL SPDT CURRENT RATING - 10 A 120 VAC INDICATOR & CHECK BUTTON ORDER 5 BLADE SH1B-05 SOCKET SEPARATELY			
21599-R0	\$	9.22	POWER RELAY COMPACT BLADE TERMINAL SPDT CURRENT RATING - 10 A 24 VAC INDICATOR & CHECK BUTTON ORDER 5 BLADE SH1B-05 SOCKET SEPARATELY			
30496-R0	\$	6.18	POWER RELAY COMPACT BLADE TERMINAL SPDT CURRENT RATING - 10 A 24 VDC INDICATOR & CHECK BUTTON ORDER 5 BLADE SH1B-05 SOCKET SEPARATELY			
21572-R0	\$	8.65	POWER RELAY COMPACT BLADE TERMINAL SPDT CURRENT RATING - 10 A 24 VDC INDICATOR ORDER 5 BLADE SH1B-05 SOCKET SEPARATELY			
8711-R0	\$	3.95	POWER RELAY COMPACT BLADE DPDT CURRENT RATING - 10 A 120 VAC ORDER 5 BLADE SH2B-05 SOCKET SEPARATELY			
8713-R0	\$	3.86	POWER RELAY COMPACT BLADE DPDT CURRENT RATING - 10 A 24 VDC ORDER 5 BLADE SH2B-05 SOCKET SEPARATELY			
8714-R0	\$	5.56	POWER RELAY COMPACT BLADE DPDT CURRENT RATING - 10 A 120 VAC INDICATOR ORDER 5 BLADE SH2B-05 SOCKET SEPARATELY			
44307-R0	\$	9.76	POWER RELAY COMPACT BLADE DPDT CURRENT RATING - 10 A 120 VAC INDICATOR & CHECK BUTTON ORDER 5 BLADE SH2B-05 SOCKET SEPARATELY			
21600-R0	\$	9.44	POWER RELAY COMPACT BLADE DPDT CURRENT RATING - 10 A 24 VAC INDICATOR & CHECK BUTTON ORDER 5 BLADE SH2B-05 SOCKET SEPARATELY			
22292-R0	\$	9.06	POWER RELAY COMPACT BLADE DPDT CURRENT RATING - 10 A 24 VDC INDICATOR & CHECK BUTTON ORDER 5 BLADE SH2B-05 SOCKET SEPARATELY			
8716-R0	\$	4.88	POWER RELAY COMPACT BLADE DPDT CURRENT RATING - 10 A 24 VDC INDICATOR ORDER 5 BLADE SH2B-05 SOCKET SEPARATELY			
22026-R0	\$	7.20	POWER RELAY COMPACT BLADE W/ TOP BRACKET MOUNTING DPDT CURRENT RATING - 10 A 24 VAC ORDER 5 BLADE SH2B-05 SOCKET SEPARATELY			
48901-R0	\$	9.87	POWER RELAY COMPACT BLADE W/ TOP BRACKET MOUNTING DPDT CURRENT RATING - 10 A 24 VDC ORDER 5 BLADE SH2B-05 SOCKET SEPARATELY			
34684-R0	\$	11.73	POWER RELAY COMPACT PCB TERMINAL DPDT CURRENT RATING - 10 A 24 VDC INDICATOR ORDER SH2B-62 SOCKET SEPARATELY			
8717-R0	\$	10.37	POWER RELAY COMPACT BLADE 3PDT CURRENT RATING - 10 A 120 VAC ORDER 5 BLADE SH3B-05 SOCKET SEPARATELY			
8718-R0	\$	10.14	POWER RELAY COMPACT BLADE 3PDT CURRENT RATING - 10 A 24 VAC ORDER 5 BLADE SH3B-05 SOCKET SEPARATELY			
34686-R0	\$	11.87	POWER RELAY COMPACT BLADE 3PDT CURRENT RATING - 10 A 24 VDC ORDER 5 BLADE SH3B-05 SOCKET SEPARATELY			
8719-R0	\$	11.93	POWER RELAY COMPACT BLADE 3PDT CURRENT RATING - 10 A 120 VAC INDICATOR ORDER 5 BLADE SH3B-05 SOCKET SEPARATELY			
27758-R0	\$	16.29	POWER RELAY COMPACT BLADE 3PDT CURRENT RATING - 10 A 240 VAC INDICATOR ORDER 5 BLADE SH3B-05 SOCKET SEPARATELY			
8720-R0	\$	12.05	POWER RELAY COMPACT BLADE 3PDT CURRENT RATING - 10 A 24 VAC INDICATOR ORDER 5 BLADE SH3B-05 SOCKET SEPARATELY			
21850-R0	\$	14.13	POWER RELAY COMPACT BLADE 3PDT CURRENT RATING - 10 A 24 VAC INDICATOR & CHECK BUTTON ORDER 5 BLADE SH3B-05 SOCKET SEPARATELY			
55806-R0	\$	15.76	POWER RELAY COMPACT BLADE 3PDT CURRENT RATING - 10 A 24 VDC INDICATOR & CHECK BUTTON ORDER 5 BLADE SH3B-05 SOCKET SEPARATELY			
32756-R0	\$	14.46	POWER RELAY COMPACT BLADE 3PDT CURRENT RATING - 10 A 24 VDC INDICATOR ORDER 5 BLADE SH3B-05 SOCKET SEPARATELY			
8721-R0	\$	13.65	POWER RELAY COMPACT BLADE 4PDT CURRENT RATING - 10 A 120 VAC ORDER 5 BLADE SH4B-05 SOCKET SEPARATELY			
8722-R0	\$	13.39	POWER RELAY COMPACT BLADE 4PDT CURRENT RATING - 10 A 24 VAC ORDER 5 BLADE SH4B-05 SOCKET SEPARATELY			
19506-R0	\$	13.25	POWER RELAY COMPACT BLADE 4PDT CURRENT RATING - 10 A 24 VDC ORDER 5 BLADE SH4B-05 SOCKET SEPARATELY			
8723-R0	\$	15.20	POWER RELAY COMPACT BLADE 4PDT CURRENT RATING - 10 A 120 VAC INDICATOR ORDER 5 BLADE SH4B-05 SOCKET SEPARATELY			
22901-R0	\$	15.80	POWER RELAY COMPACT BLADE 4PDT CURRENT RATING - 10 A 240 VAC INDICATOR ORDER 5 BLADE SH4B-05 SOCKET SEPARATELY			
64136-R0	\$	19.15	POWER RELAY COMPACT BLADE 4PDT CURRENT RATING - 10 A 120 VAC INDICATOR & CHECK BUTTON ORDER 5 BLADE SH4B-05 SOCKET SEPARATELY			
26606-R0	\$	14.78	POWER RELAY COMPACT BLADE 4PDT CURRENT RATING - 10 A 24 VDC INDICATOR ORDER 5 BLADE SH4B-05 SOCKET SEPARATELY			
33985-R0	\$	15.94	POWER RELAY COMPACT BLADE W/TOP BRACKET MOUNTING 4PDT CURRENT RATING - 10 A 120 VAC ORDER 5 BLADE SH4B-05 SOCKET SEPARATELY			
43806-R0	\$	24.65	LATCH RELAY SELF-MAINTAINED BLADE DPDT CURRENT RATING - 3A 120 VAC ORDER SY4S-05 SOCKET SEPARATELY			
59214-R0	\$	24.65	LATCH RELAY SELF-MAINTAINED BLADE DPDT CURRENT RATING - 3A 24 VAC ORDER SY4S-05 SOCKET SEPARATELY			
44308-R0	\$	23.63	LATCH RELAY SELF-MAINTAINED BLADE DPDT CURRENT RATING - 3A 24 VDC CHECK BUTTON ORDER SY4S-05 SOCKET SEPARATELY			
49357-R0	\$	23.09	LATCH RELAY SELF-MAINTAINED BLADE DPDT CURRENT RATING - 3A 24 VDC ORDER SY4S-05 SOCKET SEPARATELY			
45586-R0	\$	8.22	MINIATURE 5 BLADE SOCKET FOR SPDT RARB& RH SERIES RELAYS SCREW TERMINAL DIN RAIL FINGERSAFE			
44131-R0	\$	1.47	MINIATURE 5 BLADE SOCKET FOR SPDT RARB& RH SERIES RELAYS 1 POLE PCB MOUNT			
44141-R0	\$	1.66	MINIATURE 8 BLADE SOCKET FOR SPDT RARB& RH SERIES RELAYS 2 POLE PCB MOUNT			
9198-R0	\$	9.19	11 BLADE SOCKET FOR 3PDT RH & RH2L SERIES RELAYS SCREW TERMINAL DIN RAIL			
65471-R0	\$	7.36	MINIATURE 11BLADE SOCKET FOR 3PDT RHSERIES RELAYS SCREW TERMINAL FINGER SAFE			
62643-R0	\$	14.39	14 BLADE SOCKET FOR 4PDT RH SERIES RELAYS SCREW TERMINAL DIN RAIL FINGER SAFE			
33194-R0	\$	76.06	LIQUID FLOW SWITCH STAINLESS STEEL PADDLE NEMA 1 ENCLOSURE 1 INCH NPT CONNECT SPDT SWITCH			
33195-R0	\$	88.47	LIQUID FLOW SWITCH STAINLESS STEEL PADDLE NEMA 4 ENCLOSURE 1 INCH NPT CONNECT SPDT SWITCH			
33192-R0	\$	58.58	NEMA 1 AIR FLOW SWITCH SS PADDLE ADJUSTABLE SETPOINT			
33193-R0	\$	67.54	NEMA 4 AIR FLOW SWITCH 24 / 250 VAC ADJUSTABLE SETPOINT			
33178-R0	\$	87.89	LOW-LIMIT CONTROL 20 FT CAPILLARY ELEMENT 24-250 VAC AUTOMATIC RESET 15 AMP RELAY RATING 2 SPDT			
33180-R0	\$	94.19	LOW-LIMIT CONTROL 20 FT CAPILLARY ELEMENT 24-250 VAC MANUAL RESET 15 AMP RELAY RATING 2 SPDT			
33182-R0	\$	83.76	LOW-LIMIT CONTROL 6 FT CAPILLARY ELEMENT 24-250 VAC AUTOMATIC RESET 15 AMP RELAY RATING 2 SPDT			

44625-R0	\$	49.53	DUCT AVERAGING 12 FT COPPER TUBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
35508-R0	\$	72.22	LOW-LIMIT CONTROL 6 FT CAPILLARY ELEMENT 24-250 VAC MANUAL RESET 8 AMP RELAY RATING SPDT IP 54 REPLACED BY TF18R
33184-R0	\$	90.56	LOW-LIMIT CONTROL 6 FT CAPILLARY ELEMENT 24-250 VAC MANUAL RESET 15 AMP RELAY RATING 2 SPDT
33185-R0	\$	66.95	LOW-LIMIT CONTROL 10 FT CAPILLARY ELEMENT 24-250 VAC AUTOMATIC RESET 8 AMP RELAY RATING SPDT REPLACED BY TF30
33186-R0	\$	85.29	LOW-LIMIT CONTROL 10 FT CAPILLARY ELEMENT 24-250 VAC AUTOMATIC RESET 15 AMP RELAY RATING 2 SPDT
35509-R0	\$	66.95	LOW-LIMIT CONTROL 10 FT CAPILLARY ELEMENT 24-250 VAC AUTOMATIC RESET 8 AMP RELAY RATING SPDT IP 54 REPLACED BY TF30
35510-R0	\$	73.23	LOW-LIMIT CONTROL 10 FT CAPILLARY ELEMENT 24-250 VAC MANUAL RESET 8 AMP RELAY RATING SPDT IP 54 REPLACED BY TF30R
33188-R0	\$	91.57	LOW-LIMIT CONTROL 10 FT CAPILLARY ELEMENT 24-250 VAC MANUAL RESET 15 AMP RELAY RATING 2 SPDT
33189-R0	\$	5.30	CAPILLARY MOUNTING BRACKET 6 PIECES PER SET
35511-R0	\$	4.89	FREEZESTAT MOUNTING BRACKET
62647-R0	\$	64.01	LOW-LIMIT CONTROL 6 FT CAPILLARY ELEMENT 24-250 VAC AUTOMATIC RESET 8 AMP RELAY RATING SPDT IP 54
65477-R0	\$	56.21	LOW-LIMIT CONTROL 6 FT CAPILLARY ELEMENT 24-250 VAC MANUAL RESET 8 AMP RELAY RATING SPDT IP
59231-R0	\$	66.95	LOW-LIMIT CONTROL 10 FT CAPILLARY ELEMENT 24-250 VAC AUTOMATIC RESET 8 AMP RELAY RATING SPDT IP 65
57624-R0	\$	69.60	LOW-LIMIT CONTROL 20 FT CAPILLARY ELEMENT 24-250 VAC AUTOMATIC RESET 8 AMP RELAY RATING SPDT IP 65
57625-R0	\$	75.87	LOW-LIMIT CONTROL 20 FT CAPILLARY ELEMENT 24-250 VAC MANUAL RESET 8 AMP RELAY RATING SPDT IP 65
24113-R0	\$	121.59	TWO POSITION ELECTRIC DUCT HUMIDITY CONTROLLER SPDT SWITCHING SCALE RANGE 15-95% RH LOW OR LINE VOLTAGE
16525-R0	\$	75.56	REMOTE BULB TEMPERATURE CONTROL 6 FT CAP SPST NEMA 1 0.375 X 4 INCH BULB MANUAL RESET OPEN LOW
18511-R0	\$	147.00	A-4000 OIL REMOVAL FILTER ACTIVATED CARBON FILTER ELEMENT 10 (4.7)SCFM
18514-R0	\$	32.90	FILTER ELEMENT 10 SCFM WITH O-RINGS
18515-R0	\$	44.69	DRAIN VALVE AUTOMATIC DRAIN VALVE AUTOMATIC
18525-R0	\$	6.79	REPLACEMENT PARTICLE FILTER FOR -4000-156 & A-4000-158 CONDENSATE DRAINS
22119-R0	\$	145.69	TWO CIRCUIT TEMP CONTROL 15/55 F DIFF 5 FIXED NO/NC MAIN OPEN LOW 1/8 X 20 FT BULB MANUAL RESET
65503-R0	\$	126.52	TWO CIRCUIT TEMP CONTROL 35/80 F DIFF 6 FIXED NO/NC MAIN OPEN LOW 3/8 X 3" BULB MANUAL RESET
19816-R0	\$	14.05	CONTROL DAMPER REPLACEMENT PARTS BLADE SEAL STANDARD TEMP 16-GAUGE AFTER 06/96 1 PIECE=48 INCH/PRICE PER PIECE)
19720-R0	\$	30.10	FILTER CARTRIDGE
19730-R0	\$	89.57	PLUG 0.25 INCH OR 5/32 INCH BARB MINIMUM ORDER QUANTITY 1 = 100 PIECE BAG
10289-R0	\$	141.52	STAINLESS STEEL PADDLE FOR NEMA 3R ENCLOSURE SPDT 1 INCH NPT CONNECTION
24440-R0	\$	196.86	HUMIDITY TRANSMITTER DUCT MOUNT PROBE HUMIDITY ELEMENT WITH NICKEL TEMPERATURE SENSORS 0 -05/10
24494-R0	\$	234.36	HUMIDITY DEV MULTI-FUNCTION MULTI-FUNCTION HUMIDITY DEVICE WITH TEMPERATURE SENSOR 0 - 10 VDC OR 0 - 20 MA
15827-R0	\$	203.68	24 X 20 X 9.25 INCH ANSI 61 GREY STEEL PERFORATED SUB PANEL GROUND STUDS ON DOOR JOHNSON CONTROLS LOGO APPEARS ON PANEL
15828-R0	\$	231.48	24 X 20 X 9.25 INCH ANSI 61 GREY STEEL PERFORATED SUB PANEL GROUND STUDS ON DOOR JOHNSON CONTROLS LOGO APPEARS ON PANEL
15829-R0	\$	292.58	36 X 24 X 9.25 INCH ANSI 61 GREY STEEL CONTROL PANEL ENCLOSURE WITH KNOCKOUTS JOHNSON CONTROLS LOGO APPEARS ON PANEL
15830-R0	\$	310.36	36 X 24 X 9.25 INCH ANSI 61 GREY STEEL CONTROL PANEL ENCLOSURE FOR FACE MOUNTED DX CONTROL PANELS JOHNSON CONTROLS LOGO APPEARS ON PANEL
15831-R0	\$	351.83	36 X 24 X 9.25 INCH ANSI 61 GREY STEEL CONTROL PANEL ENCLOSURE STEEL PERFORATED SUB PANEL JOHNSON CONTROLS LOGO APPEARS ON PANEL
15832-R0	\$	472.20	42 X 30 X 9.25 INCH ANSI 61 GREY STEEL CONTROL PANEL ENCLOSURE KNOCKOUT JOHNSON CONTROLS LOGO APPEARS ON PANEL
15833-R0	\$	546.26	42 X 30 X 9.25 INCH ANSI 61 GREY STEEL CONTROL PANEL ENCLOSURE STEEL PERFORATED JOHNSON CONTROLS LOGO APPEARS ON PANEL
15835-R0	\$	675.87	48 X 36 X 9.25 ANSI 61 GREY STEEL CONTROL PANEL ENCLOSURE STEEL PERFORATED SUB PANEL JOHNSON CONTROLS LOGO APPEARS ON PANEL
15917-R0	\$	76.26	HIGH VOLUME OUTPUT THERMOSTAT SINGLE TEMPERATURE THERMOSTAT DIRECT ACTING VERTICAL MOUNTING
43781-R0	\$	214.41	ACTUATOR 24 VAC PROP.LB0 - 10 VDCPROPORTIONAL CONTROL
25262-R0	\$	692.64	BULB WELL ASSY COPPER 4-15/16 LG F TEMPERATURE ACTING CONTROLS QTY 1 = 25 UNITS
15588-R0	\$	11.64	3-5/32 INCH DP SENSING PROBE SENSING POINTS - 1 SET LIGHT ALMOND ABS/POLYCARBONATE WITH 0.25 INCH NIPPLES FOR 0.375 INCH POLY TUBING
15589-R0	\$	13.09	3-5/32 INCH DP SENSING PROBE SENSING POINTS - 2 SET LIGHT ALMOND ABS/POLYCARBONATE WITH 0.25 INCH NIPPLES FOR 0.375 INCH POLY TUBING
15590-R0	\$	15.51	7-21/32 INCH DP SENSING PROBE SENSING POINTS - 3 SET LIGHT ALMOND ABS/POLYCARBONATE WITH 0.25 INCH NIPPLES FOR 0.375 INCH POLY TUBING
15591-R0	\$	17.94	9-29/32 INCH DP SENSING PROBE SENSING POINTS - 4 SET LIGHT ALMOND ABS/POLYCARBONATE WITH 0.25 INCH NIPPLES FOR 0.375 INCH POLY TUBING
58895-R0	\$	120.03	E/I-P TRANSDUCER 24 VAC OR 24 VDC 3 USER-SELECTABLE INPUT RANGES (1-5 VDC2-10 VDCOR 4-20 MA) 3-15 PSI OUTPUT SIGNAL
21798-R0	\$	21.13	LEVITON COMPANION ADD-A-RELAY FOR OCCUPANCY SENSORS
21785-R0	\$	72.75	OCCUPANCY SENSOR CEILING MOUNT PASSIVE INFRARED SELF ADJUSTING 24 VDC POWER TIMER SETTING 30 SEC. - 30 MIN. COVERAGE AREA 450 SQ. FT.
21795-R0	\$	107.21	OCCUPANCY SENSOR CEILING MOUNT MULTI-TECHNOLOGY ULTRASONIC & PIR SELF ADJUSTING 24 VDC POWER TIMER SETTING 30 SEC. - 30 MIN. COVERAGE AREA 500 SQ. FT.
21786-R0	\$	88.99	OCCUPANCY SENSOR CEILING MOUNT ULTRASONIC SELF ADJUSTING 24 VDC POWER TIMER SETTING 30 SEC. - 30 MIN. COVERAGE AREA 500 SQ. FT.
21796-R0	\$	125.41	OCCUPANCY SENSOR CEILING MOUNT MULTI-TECHNOLOGY ULTRASONIC & PIR SELF ADJUSTING 24 VDC POWER TIMER SETTING 30 SEC. - 30 MIN. COVERAGE AREA 1000 SQ. FT.
21792-R0	\$	72.75	OCCUPANCY SENSOR CEILING MOUNT PASSIVE INFRARED SELF ADJUSTING 24 VDC POWER TIMER SETTING 30 SEC. - 30 MIN. COVERAGE AREA 1500 SQ. FT.
21797-R0	\$	134.17	OCCUPANCY SENSOR CEILING MOUNT MULTI-TECHNOLOGY ULTRASONIC & PIR SELF ADJUSTING 24 VDC POWER TIMER SETTING 30 SEC. - 30 MIN. COVERAGE AREA 2000 SQ. FT.

44625-R0	\$	49.53	DUCT AVERAGING 12 FT COPPER TUBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
21787-R0	\$	125.41	OCCUPANCY SENSOR CEILING MOUNT ULTRASONIC SELF ADJUSTING 24 VDC POWER TIMER SETTING 30 SEC. - 30 MIN. COVERAGE AREA 2000 SQ. FT.
21790-R0	\$	32.79	POWER PACK FOR LEVITON OCCUPANCY SENSORS POWER INPUT 120/230/277 VAC 20 A RATING
21791-R0	\$	40.00	POWER PACK WITH HVAC RELAY FOR LEVITON OCCUPANCY SENSORS POWER INPUT 120/230/277 VAC INPUT 20 A RATING
21788-R0	\$	143.60	OCCUPANCY SENSOR WALL/CORNER MOUNT ULTRASONIC & PIR SELF ADJUSTING/CALIBRATING 24 VDC POWER TIMER SETTING 30 SEC. - 30 MIN. COVERAGE AREA 1200 SQ. FT.
21793-R0	\$	118.50	OCCUPANCY SENSOR AISLE [HIGH BAY] SENSOR PIR SELF ADJUSTING 24 VDC POWER TIMER SETTING 30 SEC. - 30 MIN. COVERAGE AREA 55 FT. - 7 FT. WIDE @ 30 FT. HEIGHT
21794-R0	\$	118.09	OCCUPANCY SENSOR AISLE [LONG RANGE] SENSOR PIR SELF ADJUSTING/CALIBRATING 24 VDC POWER TIMER SETTING 30 SEC. - 30 MIN. COVERAGE AREA 100 FT. - 14 FT. W @ 10 FT. H
21789-R0	\$	100.00	OCCUPANCY SENSOR WALL/CEILING MOUNT PIR SELF ADJUSTING 24 VDC POWER TIMER SETTING 30 SEC. - 30 MIN. COVERAGE AREA 2500 SQ. FT. @ 8 FT. H
65343-R0	\$	148.97	LEVNET RF 2-CHANNEL ROOM CONTROLLER 2 INPUTS/2 OUTPUTS 8-30 VDC ENOCEAN 315MHZ
65344-R0	\$	148.97	LEVNET RF 3-CHANNEL ROOM CONTROLLER 1 INPUTS/3 OUTPUTS 8-30 VDC ENOCEAN 315MHZ
65345-R0	\$	148.97	LEVNET RF 4-CHANNEL ROOM CONTROLLER 0 INPUTS/4 OUTPUTS 8-30 VDC ENOCEAN 315MHZ
65346-R0	\$	148.97	LEVNET RF 2-CHANNEL SHADE CONTROLLER 8-30 VDC ENOCEAN 315MHZ
65347-R0	\$	148.97	RS-232 SERIAL BOX DATA INTERFACE ENOCEAN ENABLED RECEIVES AND TRANSMITS TO AND FROM LEVNET RF DEVICES
65348-R0	\$	259.56	LEVNET RF THERMOSTAT 24 VAC ENOCEAN 315MHZ 50-150 FT RANGE 50-85F SETPOINT LCD DISPLAY
65294-R0	\$	152.15	SELF-POWERED OCCUPANCY SENSOR ENOCEAN 315MHZ PIR 450 SF COVERAGE
65295-R0	\$	159.74	SELF-POWERED OCCUPANCY SENSOR ENOCEAN 315MHZ PIR 450 SF COVERAGE
65296-R0	\$	175.71	SELF-POWERED OCCUPANCY SENSOR ENOCEAN 315MHZ PIR 1500 SF COVERAGE
65293-R0	\$	176.72	LIGHT SENSOR SELF-POWERED ENOCEAN 315MHZ
65297-R0	\$	148.97	DIMMER MODULE 0-10V ON/OFF CONTROL AND SENSOR INPUT ENOCEAN 315MHZ ALSO FUNCTIONS AS A REPEATER
65298-R0	\$	148.97	DIMMER MODULE RF CONSTANT VOLTAGE LED 8-28 VDC ENOCEAN 315MHZ 50-150 FT RANGE
65299-R0	\$	101.28	DIMMER MODULE CONSTANT VOLTAGE LED 8-28 VDC NO WIRELESS AVAILABLE
65300-R0	\$	130.39	LEVNET RF PLUG-IN DIMMER RECEIVER ENOCEAN 315MHZ
65301-R0	\$	130.39	LEVNET RF PLUG-IN ON/OFF RELAY RECEIVER ENOCEAN 315MHZ
65302-R0	\$	239.36	SIGNAL STRENGTH METER 50-150 FT RANGE 315 MHZ MEASURES FIELD STRENGTH OF ENOCEAN TELEGRAMS
65305-R0	\$	83.84	LEVNET RF 5-WIRE 300 RELAY RECEIVER 24 VAC ENOCEAN 315MHZ
65306-R0	\$	71.54	LEVNET RF 3-WIRE 500 RELAY RECEIVER 120 VAC ENOCEAN 315MHZ
65307-R0	\$	71.54	LEVNET RF 3-WIRE 1200 RELAY RECEIVER 277 VAC ENOCEAN 315MHZ
65308-R0	\$	71.54	LEVNET RF 3-WIRE 1000 RELAY RECEIVER 240 VAC ENOCEAN 315MHZ
65309-R0	\$	84.44	LEVNET RF 5-WIRE 1500 RELAY RECEIVER 120 VAC ENOCEAN 315MHZ
65310-R0	\$	84.44	LEVNET RF 5-WIRE 3200 RELAY RECEIVER 277 VAC ENOCEAN 315MHZ
65311-R0	\$	84.44	LEVNET RF 5-WIRE 3000 RELAY RECEIVER 240 VAC ENOCEAN 315MHZ
65303-R0	\$	148.97	LEVNET RF 4-CHANNEL RELAY RECEIVER 8-30 VAC/VDC ENOCEAN 315MHZ
65304-R0	\$	174.19	LEVNET RF 8-CHANNEL RELAY RECEIVER 8-30 VAC/VDC ENOCEAN 315MHZ
65320-R0	\$	87.78	1-GANG SINGLE ROCKER DECORA SWITCH LEVNET RF/ENOCEAN ENABLED 315 MHZ 50-150 FT RANGE EBONY
65319-R0	\$	87.78	1-GANG SINGLE ROCKER DECORA SWITCH LEVNET RF/ENOCEAN ENABLED 315 MHZ 50-150 FT RANGE GRAY
65317-R0	\$	87.78	1-GANG SINGLE ROCKER DECORA SWITCH LEVNET RF/ENOCEAN ENABLED 315 MHZ 50-150 FT RANGE IVORY
65318-R0	\$	87.78	1-GANG SINGLE ROCKER DECORA SWITCH LEVNET RF/ENOCEAN ENABLED 315 MHZ 50-150 FT RANGE LIGHT ALMOND
65316-R0	\$	87.78	1-GANG SINGLE ROCKER DECORA SWITCH LEVNET RF/ENOCEAN ENABLED 315 MHZ 50-150 FT RANGE WHITE
65325-R0	\$	103.65	1-GANG DUAL ROCKER DECORA SWITCH LEVNET RF/ENOCEAN ENABLED 315 MHZ 50-150 FT RANGE EBONY
65324-R0	\$	103.65	1-GANG DUAL ROCKER DECORA SWITCH LEVNET RF/ENOCEAN ENABLED 315 MHZ 50-150 FT RANGE GRAY
65322-R0	\$	103.65	1-GANG DUAL ROCKER DECORA SWITCH LEVNET RF/ENOCEAN ENABLED 315 MHZ 50-150 FT RANGE IVORY
65323-R0	\$	103.65	1-GANG DUAL ROCKER DECORA SWITCH LEVNET RF/ENOCEAN ENABLED 315 MHZ 50-150 FT RANGE LIGHT ALMOND
65321-R0	\$	103.65	1-GANG DUAL ROCKER DECORA SWITCH LEVNET RF/ENOCEAN ENABLED 315 MHZ 50-150 FT RANGE WHITE
65328-R0	\$	122.50	3 X 3 SINGLE ROCKER SWITCH LEVNET RF/ENOCEAN ENABLED 315 MHZ 50-150 FT RANGE EBONY
65327-R0	\$	122.50	3 X 3 SINGLE ROCKER SWITCH LEVNET RF/ENOCEAN ENABLED 315 MHZ 50-150 FT RANGE WHITE
65330-R0	\$	122.50	3 X 3 DUAL ROCKER SWITCH LEVNET RF/ENOCEAN ENABLED 315 MHZ 50-150 FT RANGE EBONY
65329-R0	\$	122.50	3 X 3 DUAL ROCKER SWITCH LEVNET RF/ENOCEAN ENABLED 315 MHZ 50-150 FT RANGE WHITE
65315-R0	\$	129.78	HOTEL KEY CARD HOLDER LEVNET RF/ENOCEAN ENABLED 315 MHZ 50-150 FT RANGE WHITE
65326-R0	\$	103.65	HANDHELD 4-BUTTON REMOTE SWITCH LEVNET RF/ENOCEAN ENABLED 315 MHZ 50-150 FT RANGE WHITE
65331-R0	\$	117.01	LEVNET RF DECORA BASIC RF WALL SWITCH RECEIVER ENOCEAN 315MHZ
65333-R0	\$	128.74	LEVNET RF BASIC RF WALL SWITCH RECEIVER NON-NEUTRAL ENOCEAN 315MHZ
65334-R0	\$	132.59	LEVNET RF DECORA ADVANCED RF WALL SWITCH RECEIVER ENOCEAN 315MHZ
65332-R0	\$	120.54	LEVNET RF ADVANCED RF WALL SWITCH RECEIVER ENOCEAN 315MHZ

44625-R0	\$	49.53	DUCT AVERAGING 12 FT COPPER TUBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
65312-R0	\$	88.53	SWITCH LEG TRANSMITTER RF SELF-POWERED ENOCEAN 315MHZ 50-150 FT RANGE 120 VAC
65314-R0	\$	148.97	4 CHANNEL SLT TRANSMITTER RF-SELF-POWERED ENOCEAN 315MHZ 50-150 FT RANGE 8-28 VDC
65313-R0	\$	88.53	SWITCH LEG TRANSMITTER RF SELF-POWERED ENOCEAN 315MHZ 50-150 FT RANGE 24 VAC
65336-R0	\$	124.18	LEVNET RF 5-WIRE 300 RELAY RECEIVER THREADED MOUNT 24 VAC ENOCEAN 315MHZ
65337-R0	\$	105.21	LEVNET RF 3-WIRE 500 RELAY RECEIVER THREADED MOUNT 120 VAC ENOCEAN 315MHZ
65338-R0	\$	105.21	LEVNET RF 3-WIRE 1200 RELAY RECEIVER THREADED MOUNT 277 VAC ENOCEAN 315MHZ
65339-R0	\$	105.21	LEVNET RF 3-WIRE 1000 RELAY RECEIVER THREADED MOUNT 240 VAC ENOCEAN 315MHZ
65340-R0	\$	124.18	LEVNET RF 5-WIRE 1500 RELAY RECEIVER THREADED MOUNT 120 VAC ENOCEAN 315MHZ
65341-R0	\$	124.18	LEVNET RF 5-WIRE 3200 RELAY RECEIVER THREADED MOUNT 277 VAC ENOCEAN 315MHZ
65342-R0	\$	124.18	LEVNET RF 5-WIRE 3000 RELAY RECEIVER THREADED MOUNT 240 VAC ENOCEAN 315MHZ
65335-R0	\$	130.22	SWITCH LEG TRANSMITTER RF SELF-POWERED ENOCEAN 315MHZ 50-150 FT RANGE THREADED MOUNT 120 VAC
24597-R0	\$	468.07	SINGLE LCD DISPLAY MODULE IINDICATING FLOW RATE & / OR TOTAL FOR USE WITH AN ONICON FLOW METER INPUT VOLTAGE [120 VAC] OUTPUT VOLTAGE [24 VDC]
19516-R0	\$	707.38	SINGLE TURBINE INSERTION FLOW METER FREQUENCY OUTPUT PROVIDES A HIGH-RESOLUTION FREQUENCY OUTPUT FOR CONNECTION TO AN ONICON DISPLAY OR BTU METER.
19517-R0	\$	989.07	SINGLE TURBINE INSERTION FLOW METER ANALOG OUTPUT PROVIDES 4-20 MA & 0-10 V ANALOG OUTPUTS.
19518-R0	\$	1,044.12	SINGLE TURBINE INSERTION FLOW METER ISOLATED ANALOG OUTPUT PROVIDES ISOLATED 4-20 MA & 0-10 V ANALOG OUTPUTS.
19519-R0	\$	870.45	SINGLE TURBINE INSERTION FLOW METER DIVIDED OUTPUT PROVIDES A CONDITIONED BINARY/DIGITAL OUTPUT SIGNAL CORRESPONDING TO FLOW RATE.
19520-R0	\$	923.42	SINGLE TURBINE INSERTION FLOW METER SCALED OUTPUT PROVIDES A SCALED BINARY/DIGITAL OUTPUT FOR FLOW TOTALIZATION.
14436-R0	\$	1,124.60	DUAL TURBINE INSERTION FLOW METER FREQUENCY OUTPUT PROVIDES A HIGH-RESOLUTION FREQUENCY OUTPUT FOR CONNECTION TO AN ONICON DISPLAY OR BTU METER.
19507-R0	\$	1,361.82	DUAL TURBINE INSERTION FLOW METER ANALOG OUTPUT PROVIDES 4-20 MA & 0-10 V ANALOG OUTPUTS.
19508-R0	\$	1,432.76	DUAL TURBINE INSERTION FLOW METER ISOLATED ANALOG OUTPUT PROVIDES ISOLATED 4-20 MA & 0-10 V ANALOG OUTPUTS
19509-R0	\$	1,259.09	DUAL TURBINE INSERTION FLOW METER DIVIDED OUTPUT PROVIDES A CONDITIONED BINARY/DIGITAL OUTPUT SIGNAL CORRESPONDING TO FLOW RATE.
19510-R0	\$	1,310.99	DUAL TURBINE INSERTION FLOW METER SCALED OUTPUT PROVIDES A SCALED BINARY/DIGITAL OUTPUT FOR FLOW TOTALIZATION.
19545-R0	\$	408.76	INLINE TURBINE FLOW METER 0.75 – 1.0 INCH PIPE SIZE FREQUENCY OUTPUT 0-15 V PEAK PULSE ACCURACY ± 2% FROM 0.8-38 GPM - 50:1 RANGE 24 VAC / VDC @ 30 MA
19546-R0	\$	690.43	INLINE TURBINE FLOW METER 0.75–1.0 INCH PIPE SIZE ANALOG OUTPUT ACCURACY ± 2% FROM 0.8-38 GPM - 50:1 RANGE 24 VAC / VDC @ 30 MA
19547-R0	\$	767.73	INLINE TURBINE FLOW METER 0.75–1.0 INCH PIPE SIZE ISOLATED ANALOG OUTPUT ACCURACY ± 2% FROM 0.8-38 GPM - 50:1 RANGE 24 VAC / VDC @ 30 MA
19548-R0	\$	573.95	INLINE TURBINE FLOW METER 0.75–1.0 INCH PIPE SIZE DIVIDED OUTPUT FREQUENCY OUTPUT 0-15 V PEAK PULSE ACCURACY ± 2% FROM 0.8-38 GPM - 50:1 RANGE 24 VAC / VDC @ 30 MA
19549-R0	\$	573.95	INLINE TURBINE FLOW METER 0.75 – 1.0 INCH PIPE SIZE SCALED OUTPUT FREQUENCY OUTPUT 0-15 V PEAK PULSE ACCURACY ± 2% FROM 0.8-38 GPM - 50:1 RANGE 24 VAC / VDC @ 30 MA
49544-R0	\$	4,797.81	3" VORTEX FLOW METER LOOP POWERED 1000 OHM PLATINUM RTD +/-0.75% LIQUIDS/ +/- 1% STEAM AND GASES ACCURACY CLASS 300 FLANGE NEMA6 ENCLOSURE 2-WIRE4-20 MA14-36 VDC OUTPUT
49522-R0	\$	5,581.72	4" VORTEX FLOW METER LOOP POWERED 1000 OHM PLATINUM RTD +/-0.75% LIQUIDS/ +/- 1% STEAM AND GASES ACCURACY CLASS 300 FLANGE NEMA6 ENCLOSURE 2-WIRE4-20 MA14-36 VDC OUTPUT
57233-R0	\$	4,460.01	1/2" VORTEX FLOW METER LOOP POWERED 1000 OHM PLATINUM RTD +/-0.75% LIQUIDS/ +/- 1% STEAM AND GASES ACCURACY CLASS 300 FLANGE NEMA6 ENCLOSURE 2-WIRE4-20 MA14-36 VDC OUTPUT
45148-R0	\$	2,900.35	SINGLE TURBINE INSERTION ELECTROMAGNETIC FLOW METER CALIBRATED TO WITHIN +/- 1.0% OF READING FOR USE ON PIPES 3" - 72" IN DIAMETER SINGLE ANALOG OUTPUT - HIGH RESOLUTION FREQUENCY OUTPUT
49902-R0	\$	4,236.96	THERMAL MASS INSERTION FLOW METER 1" PIPE SIZE ACCURACY +/- 2% FROM 100-500 SFPM 5-35000 SPFM FLOW RANGE ANALOG 4-20 MA OUTPUT MODBUS NETWORK INTERFACE 316 SS MUST SPECIFY [1] PROPANE CALIBRATION [2] AIR CALIBRATION [3] POWER [4] REMOTE MOUNT TRANSMITTER
49905-R0	\$	4,251.52	THERMAL MASS INSERTION FLOW METER 2" PIPE SIZE ACCURACY +/- 2% FROM 100-500 SFPM 5-35000 SPFM FLOW RANGE ANALOG 4-20 MA OUTPUT MODBUS NETWORK INTERFACE 316 SS MUST SPECIFY [1] PROPANE CALIBRATION [2] AIR CALIBRATION [3] POWER [4] REMOTE MOUNT TRANSMITTER
49903-R0	\$	4,397.12	THERMAL MASS INSERTION FLOW METER 1 1/4" PIPE SIZE ACCURACY +/- 2% FROM 100-500 SFPM 5-35000 SPFM FLOW RANGE ANALOG 4-20 MA OUTPUT MODBUS NETWORK INTERFACE 316 SS MUST SPECIFY [1] PROPANE CALIBRATION [2] AIR CALIBRATION [3] POWER [4] REMOTE MOUNT TRANSMITTER
49904-R0	\$	4,440.80	THERMAL MASS INSERTION FLOW METER 1 1/2" PIPE SIZE ACCURACY +/- 2% FROM 100-500 SFPM 5-35000 SPFM FLOW RANGE ANALOG 4-20 MA OUTPUT MODBUS NETWORK INTERFACE 316 SS MUST SPECIFY [1] PROPANE CALIBRATION [2] AIR CALIBRATION [3] POWER [4] REMOTE MOUNT TRANSMITTER
49901-R0	\$	4,542.72	THERMAL MASS INSERTION FLOW METER 3/4" PIPE SIZE ACCURACY +/- 2% FROM 100-500 SFPM 5-35000 SPFM FLOW RANGE ANALOG 4-20 MA OUTPUT MODBUS NETWORK INTERFACE 316 SS MUST SPECIFY [1] PROPANE CALIBRATION [2] AIR CALIBRATION [3] POWER [4] REMOTE MOUNT TRANSMITTER
19511-R0	\$	1,646.66	BI-DIRECTIONAL INSERTION TURBINE FLOW METER FREQUENCY OUTPUT PROVIDES HIGH-RESOLUTION FREQUENCY OUTPUT FOR FLOW RATE AND A BINARY/DIGITAL OUTPUT FOR FLOW DIRECTION FOR CONNECTION TO AN ONICON DISPLAY OR BTU METER.
19512-R0	\$	1,883.87	BI-DIRECTIONAL INSERTION TURBINE FLOW METER ANALOG OUTPUT PROVIDES 4-20 MA & 0-10 V ANALOG OUTPUTS FOR FLOW RATE AND A BINARY/DIGITAL OUTPUT FOR FLOW DIRECTION.
19515-R0	\$	1,942.11	BI-DIRECTIONAL INSERTION TURBINE FLOW METER ISOLATED ANALOG OUTPUT PROVIDES ISOLATED 4-20 MA & 0-10 V ANALOG OUTPUTS FOR FLOW RATE AND A BINARY/DIGITAL OUTPUT FOR FLOW DIRECTION.

44625-R0	\$	49.53	DUCT AVERAGING 12 FT COPPER TUBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
19513-R0	\$	1,781.16	BI-DIRECTIONAL INSERTION TURBINE FLOW METER DIVIDED OUTPUT PROVIDES TWO CONDITIONED BINARY/DIGITAL OUTPUT SIGNALS CORRESPONDING TO FLOW RATE AND FLOW DIRECTION.
19514-R0	\$	1,834.09	BI-DIRECTIONAL INSERTION TURBINE FLOW METER SCALED OUTPUT PROVIDES TWO SCALED BINARY/DIGITAL OUTPUTS FOR FLOW TOTALIZATION AND FLOW DIRECTION.
18669-R0	\$	370.64	HOT TAP THERMOWELLS SS BRONZE ISOLATION VALVES BRASS CLOSE NIPPLES AND WELD-ON CARBON STEEL BRANCH OUTLETS FOR BTU METERS PRICE IS PER PAIR
14422-R0	\$	54.00	STANDARD INSTALL KIT FOR WELDED CARBON STEEL / BLACK IRON PIPE
64104-R0	\$	158.85	STANDARD INSTALL KIT FOR 1 1/2" TO 6" PVC PIPE
14424-R0	\$	103.78	HOT TAP INSTALL KIT FOR 1.25 INCH & LARGER WELDED CARBON STEEL / BLACK IRON PIPE
14448-R0	\$	312.39	HOT TAP INSTALL KIT FOR 2.5 - 6 INCH COPPER TUBE
14445-R0	\$	86.84	STANDARD INSTALL KIT FOR 1.0 - 2.0 INCH COPPER TUBE MUST SPECIFY [1] PIPE SIZE
14446-R0	\$	136.60	STANDARD INSTALL KIT FOR 2.5 - 3 INCH COPPER TUBE MUST SPECIFY [1] PIPE SIZE
14423-R0	\$	103.78	STANDARD INSTALL KIT FOR THREADED CARBON STEEL / BLACK IRON PIPE
14447-R0	\$	247.79	STANDARD INSTALL KIT FOR 4 INCH COPPER TUBE
18663-R0	\$	942.47	BTU MEASUREMENT SYSTEM ALPHANUMERIC DISPLAY MATCHED SOLID STATE TEMPERATURE SENSORS REQUIRES ONICON FLOW METER
			BTU MEASUREMENT SYSTEM WITH 4 ANALOG OUTPUTS [1 ENERGY RATE - 2 LIQUID FLOW RATE - 3 SUPPLY TEMP - 4 RETURN TEMP] ALPHANUMERIC DISPLAY MATCHED SOLID STATE
34380-R0	\$	1,567.24	TEMPERATURE SENSORS REQUIRES ONICON FLOW METER
			BACNET SERIAL INTERFACE BTU MEASUREMENT SYSTEM WITH 4 ANALOG OUTPUTS [1 ENERGY RATE - 2 LIQUID FLOW RATE - 3 SUPPLY TEMP - 4 RETURN TEMP] ALPHANUMERIC DISPLAY
34384-R0	\$	1,884.92	MATCHED SOLID STATE TEMPERATURE SENSORS REQUIRES ONICON FLOW METER
24311-R0	\$	1,260.16	BACNET SERIAL INTERFACE BTU MEASUREMENT SYSTEM ALPHANUMERIC DISPLAY MATCHED SOLID STATE TEMPERATURE SENSORS REQUIRES ONICON FLOW METER
57424-R0	\$	1,260.16	MODBUS/RTU RS485 INTERFACE BTU MEASUREMENT SYSTEM ALPHANUMERIC DISPLAY MATCHED SOLID STATE TEMPERATURE SENSORS REQUIRES ONICON FLOW METER
57423-R0	\$	1,260.16	MODBUS/TCP-IP INTERFACE BTU MEASUREMENT SYSTEM ALPHANUMERIC DISPLAY MATCHED SOLID STATE TEMPERATURE SENSORS REQUIRES ONICON FLOW METER
10815-R0	\$	2.87	1/2" WIDE DUCT COVER 6 FT. LONG PIECE MUST SPECIFY [1] COLOR
10816-R0	\$	2.96	3/4" WIDE DUCT COVER 6 FT. LONG PIECE MUST SPECIFY [1] COLOR
10818-R0	\$	3.77	1 1/2" WIDE DUCT COVER 6 FT. LONG PIECE MUST SPECIFY [1] COLOR
10817-R0	\$	3.32	1" WIDE DUCT COVER 6 FT. LONG PIECE MUST SPECIFY [1] COLOR
10819-R0	\$	4.49	2" WIDE DUCT COVER 6 FT. LONG PIECE MUST SPECIFY [1] COLOR
10820-R0	\$	6.90	3" WIDE DUCT COVER 6 FT. LONG PIECE MUST SPECIFY [1] COLOR
10821-R0	\$	8.35	4" WIDE DUCT COVER 6 FT. LONG PIECE MUST SPECIFY [1] COLOR
63844-R0	\$	16.06	1 1/2"W X 2"H NARROW FINGER/SLOTTED WIRE DUCT 6 FT. LONG PIECE MUST SPECIFY COLOR [LIGHT GREY OR WHITE] COVER IS SOLD SEPERATELY EX. C1.5#6
24490-R0	\$	20.10	1 1/2"W X 3"H NARROW FINGER/SLOTTED WIRE DUCT 6 FT. LONG PIECE MUST SPECIFY COLOR [LIGHT GREY OR WHITE] COVER IS SOLD SEPERATELY EX. C1.5#6
44381-R0	\$	14.26	1"W X 2"H NARROW FINGER/SLOTTED WIRE DUCT 6 FT. LONG PIECE MUST SPECIFY COLOR [LIGHT GREY OR WHITE] COVER IS SOLD SEPERATELY EX. C1#6
22598-R0	\$	18.66	1"W X 3"H NARROW FINGER/SLOTTED WIRE DUCT 6 FT. LONG PIECE MUST SPECIFY COLOR [LIGHT GREY OR WHITE] COVER IS SOLD SEPERATELY EX. C1#6
44718-R0	\$	15.96	2"W X 2"H NARROW FINGER/SLOTTED WIRE DUCT 6 FT. LONG PIECE MUST SPECIFY COLOR [LIGHT GREY OR WHITE] COVER IS SOLD SEPERATELY EX. C2#6
22599-R0	\$	20.01	2"W X 3"H NARROW FINGER/SLOTTED WIRE DUCT 6 FT. LONG PIECE MUST SPECIFY COLOR [LIGHT GREY OR WHITE] COVER IS SOLD SEPERATELY EX. C2#6
49728-R0	\$	25.92	2"W X 4"H NARROW FINGER/SLOTTED WIRE DUCT 6 FT. LONG PIECE MUST SPECIFY COLOR [LIGHT GREY OR WHITE] COVER IS SOLD SEPERATELY EX. C2#6
10786-R0	\$	8.79	1/2"W X 1/2"H WIDE FINGER/SLOTTED WIRE DUCT 6 FT. LONG PIECE MUST SPECIFY COLOR [LIGHT GREY OR WHITE] COVER IS SOLD SEPERATELY EX. C.5#6
10787-R0	\$	10.23	1/2"W X 1"H WIDE FINGER/SLOTTED WIRE DUCT 6 FT. LONG PIECE MUST SPECIFY COLOR [LIGHT GREY OR WHITE] COVER IS SOLD SEPERATELY EX. C.5#6
10789-R0	\$	13.01	3/4"W X 1 1/2"H WIDE FINGER/SLOTTED WIRE DUCT 6 FT. LONG PIECE MUST SPECIFY COLOR [LIGHT GREY OR WHITE] COVER IS SOLD SEPERATELY EX. C.75#6
10796-R0	\$	14.81	1 1/2"W X 1 1/2"H WIDE FINGER/SLOTTED WIRE DUCT 6 FT. LONG PIECE MUST SPECIFY COLOR [LIGHT GREY OR WHITE] COVER IS SOLD SEPERATELY EX. C1.5#6
10795-R0	\$	12.74	1 1/2"W X 1"H WIDE FINGER/SLOTTED WIRE DUCT 6 FT. LONG PIECE MUST SPECIFY COLOR [LIGHT GREY OR WHITE] COVER IS SOLD SEPERATELY EX. C1.5#6
10797-R0	\$	15.87	1 1/2"W X 2"H WIDE FINGER/SLOTTED WIRE DUCT 6 FT. LONG PIECE MUST SPECIFY COLOR [LIGHT GREY OR WHITE] COVER IS SOLD SEPERATELY EX. C1.5#6
10798-R0	\$	18.84	1 1/2"W X 3"H WIDE FINGER/SLOTTED WIRE DUCT 6 FT. LONG PIECE MUST SPECIFY COLOR [LIGHT GREY OR WHITE] COVER IS SOLD SEPERATELY EX. C1.5#6
10791-R0	\$	13.55	1"W X 1 1/2"H WIDE FINGER/SLOTTED WIRE DUCT 6 FT. LONG PIECE MUST SPECIFY COLOR [LIGHT GREY OR WHITE] COVER IS SOLD SEPERATELY EX. C1#6
10790-R0	\$	11.13	1"W X 1"H WIDE FINGER/SLOTTED WIRE DUCT 6 FT. LONG PIECE MUST SPECIFY COLOR [LIGHT GREY OR WHITE] COVER IS SOLD SEPERATELY EX. C1#6
10792-R0	\$	14.81	1"W X 2"H WIDE FINGER/SLOTTED WIRE DUCT 6 FT. LONG PIECE MUST SPECIFY COLOR [LIGHT GREY OR WHITE] COVER IS SOLD SEPERATELY EX. C1#6
10793-R0	\$	18.66	1"W X 3"H WIDE FINGER/SLOTTED WIRE DUCT 6 FT. LONG PIECE MUST SPECIFY COLOR [LIGHT GREY OR WHITE] COVER IS SOLD SEPERATELY EX. C1#6
10794-R0	\$	22.79	1"W X 4"H WIDE FINGER/SLOTTED WIRE DUCT 6 FT. LONG PIECE MUST SPECIFY COLOR [LIGHT GREY OR WHITE] COVER IS SOLD SEPERATELY EX. C1#6
10801-R0	\$	15.16	2"W X 1 1/2"H WIDE FINGER/SLOTTED WIRE DUCT 6 FT. LONG PIECE MUST SPECIFY COLOR [LIGHT GREY OR WHITE] COVER IS SOLD SEPERATELY EX. C2#6
10802-R0	\$	15.52	2"W X 2"H WIDE FINGER/SLOTTED WIRE DUCT 6 FT. LONG PIECE MUST SPECIFY COLOR [LIGHT GREY OR WHITE] COVER IS SOLD SEPERATELY EX. C2#6
10803-R0	\$	20.63	2"W X 3"H WIDE FINGER/SLOTTED WIRE DUCT 6 FT. LONG PIECE MUST SPECIFY COLOR [LIGHT GREY OR WHITE] COVER IS SOLD SEPERATELY EX. C2#6
10804-R0	\$	24.31	2"W X 4"H WIDE FINGER/SLOTTED WIRE DUCT 6 FT. LONG PIECE MUST SPECIFY COLOR [LIGHT GREY OR WHITE] COVER IS SOLD SEPERATELY EX. C2#6
10807-R0	\$	20.81	3"W X 2"H WIDE FINGER/SLOTTED WIRE DUCT 6 FT. LONG PIECE MUST SPECIFY COLOR [LIGHT GREY OR WHITE] COVER IS SOLD SEPERATELY EX. C3#6
10808-R0	\$	25.74	3"W X 3"H WIDE FINGER/SLOTTED WIRE DUCT 6 FT. LONG PIECE MUST SPECIFY COLOR [LIGHT GREY OR WHITE] COVER IS SOLD SEPERATELY EX. C3#6
49608-R0	\$	112.28	CLAMP TIE CABLE TIE 4.3 X 0.190 INCH PACKAGE OF 1000 USES #4 SCREW (NOT INCLUDED)
49598-R0	\$	103.16	CLAMP TIE CABLE TIE 7.9 X 0.190 INCH PACKAGE OF 1000 USES #10 SCREW (NOT INCLUDED)

44625-R0	\$	49.53	DUCT AVERAGING 12 FT COPPER TUBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
49607-R0	\$	109.14	CLAMP TIE CABLE TIE 7.9 X 0.190 INCH PACKAGE OF 1000 USES #6 SCREW (NOT INCLUDED)
14287-R0	\$	20.85	NYLON INTERMEDIATE CROSS SECTION CABLE TIES BLACK WEATHER RESISTANT 5.6 X 0.142 INCH PACKAGE OF 1000
14284-R0	\$	10.09	NYLON MINIATURE CROSS SECTION CABLE TIES 3.9 X .098 INCH PACKAGE OF 1000
14285-R0	\$	27.66	NYLON STANDARD CROSS SECTION CABLE TIES 4.8 X 0.190 INCH PACKAGE OF 1000
14286-R0	\$	27.59	NYLON STANDARD CROSS SECTION CABLE TIES BLACK WEATHER RESISTANT 4.8 X 0.190 INCH PACKAGE OF 1000
14288-R0	\$	25.64	NYLON STANDARD CROSS SECTION CABLE TIES 7.4 X 0.190 INCH PACKAGE OF 1000
14289-R0	\$	29.46	NYLON STANDARD CROSS SECTION CABLE TIES BLACK WEATHER RESISTANT 7.4 X 0.190 INCH PACKAGE OF 1000
14290-R0	\$	60.92	NYLON STANDARD CROSS SECTION CABLE TIES 11.5 X 0.190 INCH PACKAGE OF 1000
19596-R0	\$	107.11	HEAVY DUTY ROUND CONTROL DAMPER 10 INCH DIAMETER
19597-R0	\$	107.11	HEAVY DUTY ROUND CONTROL DAMPER 11 INCH DIAMETER
19598-R0	\$	107.11	HEAVY DUTY ROUND CONTROL DAMPER 12 INCH DIAMETER
19599-R0	\$	123.76	HEAVY DUTY ROUND CONTROL DAMPER 13 INCH DIAMETER
19600-R0	\$	123.76	HEAVY DUTY ROUND CONTROL DAMPER 14 INCH DIAMETER
19601-R0	\$	123.76	HEAVY DUTY ROUND CONTROL DAMPER 15 INCH DIAMETER
19602-R0	\$	123.76	HEAVY DUTY ROUND CONTROL DAMPER 16 INCH DIAMETER
19603-R0	\$	141.61	HEAVY DUTY ROUND CONTROL DAMPER 17 INCH DIAMETER
19604-R0	\$	141.61	HEAVY DUTY ROUND CONTROL DAMPER 18 INCH DIAMETER
19605-R0	\$	141.61	HEAVY DUTY ROUND CONTROL DAMPER 19 INCH DIAMETER
19606-R0	\$	141.61	HEAVY DUTY ROUND CONTROL DAMPER 20 INCH DIAMETER
19607-R0	\$	159.46	HEAVY DUTY ROUND CONTROL DAMPER 21 INCH DIAMETER
19608-R0	\$	159.46	HEAVY DUTY ROUND CONTROL DAMPER 22 INCH DIAMETER
19609-R0	\$	159.46	HEAVY DUTY ROUND CONTROL DAMPER 23 INCH DIAMETER
19610-R0	\$	159.46	HEAVY DUTY ROUND CONTROL DAMPER 24 INCH DIAMETER
19611-R0	\$	217.78	HEAVY DUTY ROUND CONTROL DAMPER 25 INCH DIAMETER
19612-R0	\$	217.78	HEAVY DUTY ROUND CONTROL DAMPER 26 INCH DIAMETER
19613-R0	\$	217.78	HEAVY DUTY ROUND CONTROL DAMPER 27 INCH DIAMETER
19614-R0	\$	217.78	HEAVY DUTY ROUND CONTROL DAMPER 28 INCH DIAMETER
19615-R0	\$	240.38	HEAVY DUTY ROUND CONTROL DAMPER 29 INCH DIAMETER
19616-R0	\$	240.38	HEAVY DUTY ROUND CONTROL DAMPER 30 INCH DIAMETER
19617-R0	\$	240.38	HEAVY DUTY ROUND CONTROL DAMPER 31 INCH DIAMETER
19618-R0	\$	240.38	HEAVY DUTY ROUND CONTROL DAMPER 32 INCH DIAMETER
19619-R0	\$	270.13	HEAVY DUTY ROUND CONTROL DAMPER 33 INCH DIAMETER
19620-R0	\$	270.13	HEAVY DUTY ROUND CONTROL DAMPER 34 INCH DIAMETER
19621-R0	\$	270.13	HEAVY DUTY ROUND CONTROL DAMPER 35 INCH DIAMETER
19622-R0	\$	270.13	HEAVY DUTY ROUND CONTROL DAMPER 36 INCH DIAMETER
19623-R0	\$	298.70	HEAVY DUTY ROUND CONTROL DAMPER 37 INCH DIAMETER
19624-R0	\$	298.70	HEAVY DUTY ROUND CONTROL DAMPER 38 INCH DIAMETER
19625-R0	\$	298.70	HEAVY DUTY ROUND CONTROL DAMPER 39 INCH DIAMETER
13895-R0	\$	92.82	HEAVY DUTY ROUND CONTROL DAMPER 4 INCH DIAMETER
19626-R0	\$	298.70	HEAVY DUTY ROUND CONTROL DAMPER 40 INCH DIAMETER
19627-R0	\$	453.40	HEAVY DUTY ROUND CONTROL DAMPER 41 INCH DIAMETER
19628-R0	\$	453.40	HEAVY DUTY ROUND CONTROL DAMPER 42 INCH DIAMETER
19629-R0	\$	453.40	HEAVY DUTY ROUND CONTROL DAMPER 43 INCH DIAMETER
19630-R0	\$	453.40	HEAVY DUTY ROUND CONTROL DAMPER 44 INCH DIAMETER
19631-R0	\$	505.77	HEAVY DUTY ROUND CONTROL DAMPER 45 INCH DIAMETER
19632-R0	\$	505.77	HEAVY DUTY ROUND CONTROL DAMPER 46 INCH DIAMETER
19633-R0	\$	505.77	HEAVY DUTY ROUND CONTROL DAMPER 47 INCH DIAMETER
19634-R0	\$	505.77	HEAVY DUTY ROUND CONTROL DAMPER 48 INCH DIAMETER
19591-R0	\$	92.82	HEAVY DUTY ROUND CONTROL DAMPER 5 INCH DIAMETER
19592-R0	\$	92.82	HEAVY DUTY ROUND CONTROL DAMPER 6 INCH DIAMETER
19593-R0	\$	92.82	HEAVY DUTY ROUND CONTROL DAMPER 7 INCH DIAMETER
19594-R0	\$	92.82	HEAVY DUTY ROUND CONTROL DAMPER 8 INCH DIAMETER
19595-R0	\$	107.11	HEAVY DUTY ROUND CONTROL DAMPER 9 INCH DIAMETER
19640-R0	\$	52.59	ROUND CONTROL DAMPER 10 INCH DIAMETER

44625-R0	\$	49.53	DUCT AVERAGING 12 FT COPPER TUBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
19641-R0	\$	54.57	ROUND CONTROL DAMPER 12 INCH DIAMETER
19642-R0	\$	57.55	ROUND CONTROL DAMPER 14 INCH DIAMETER
19643-R0	\$	60.53	ROUND CONTROL DAMPER 16 INCH DIAMETER
19644-R0	\$	64.49	ROUND CONTROL DAMPER 18 INCH DIAMETER
19645-R0	\$	68.46	ROUND CONTROL DAMPER 20 INCH DIAMETER
19646-R0	\$	93.26	ROUND CONTROL DAMPER 22 INCH DIAMETER
19647-R0	\$	103.18	ROUND CONTROL DAMPER 24 INCH DIAMETER
13894-R0	\$	44.64	ROUND CONTROL DAMPER 4 INCH DIAMETER
19635-R0	\$	46.63	ROUND CONTROL DAMPER 5 INCH DIAMETER
19636-R0	\$	47.63	ROUND CONTROL DAMPER 6 INCH DIAMETER
19637-R0	\$	48.61	ROUND CONTROL DAMPER 7 INCH DIAMETER
19638-R0	\$	49.61	ROUND CONTROL DAMPER 8 INCH DIAMETER
19639-R0	\$	50.61	ROUND CONTROL DAMPER 9 INCH DIAMETER
38389-R0	\$	29.90	STAND-OFF & MOTOR BRACKET FOR CDRS DAMPER
24564-R0	\$	241.80	COMBO WALL MOUNT CO ² / TEMPERATURE TRANSMITTER WITH DISPLAY RANGE 0-3000 PPM / -40-70 DEG C ACCURACY ±1% ANALOG OUTPUTS 0-10 V / 4-20 MA POWER INPUT 24 VAC / VDC NDIR SENSOR COMBO WALL MOUNT CO ² / TEMPERATURE TRANSMITTER WITH DISPLAY RANGE 0-3000 PPM / -40-70 DEG C / -40-158 DEG F ACCURACY ±1% ANALOG OUTPUTS 0-10 V / 4-20 MA POWER INPUT 24 VAC / VDC NDIR SENSOR NO RELAY OUTPUT MUST SPECIFY 2 OPTIONS [1] LON ADAPTER [2] RS485
24565-R0	\$	290.16	COMBO DUCT MOUNTED CO ² / TEMPERATURE TRANSMITTER WITHOUT DISPLAY RANGE 0-3000 PPM / -40 TO 70 DEG C ACCURACY ±1 % ANALOG OUTPUTS 0-10 V / 4-20 MA POWER INPUT 24 VAC/VDC NDIR SENSOR COMBO DUCT MOUNTED CO ² / TEMPERATURE TRANSMITTER WITHOUT DISPLAY RANGE 0-3000 PPM / -40 TO 70 DEG C / -40-158 DEG F ACCURACY ±1 % ANALOG OUTPUTS 0-10 V / 4-20 MA POWER INPUT 24 VAC/VDC NDIR SENSOR NO RELAY OUTPUT MUST SPECIFY 2 OPTIONS [1] LON ADAPTER [2] RS485
58939-R0	\$	146.25	CO ² WALL MOUNT TRANSMITTER WITHOUT DISPLAY 0-2000 PPM ACCURACY ± 30 PPM OUTPUT 1 = 0-5 VDC OUTPUT 2 = 4-20 MA INPUT POWER 24 VAC/VDC NDIR SENSOR FITS EUROPEAN J-BOX
38946-R0	\$	176.28	CO ² WALL MOUNT TRANSMITTER WITH DISPLAY 0-2000 PPM ACCURACY ±30 PPM OUTPUT 1 = 0-10 VDC OUTPUT 2 = 0-5 VDC POWER INPUT 24 VAC/VDC NDIR SENSOR FITS AMERICAN STYLE J-BOX
27754-R0	\$	146.64	CO ² TRANSMITTER RANGE 0-2000 PPM IP50 "ALL-ROUND" HOUSING WITHOUT DISPLAY THIS PRODUCT IS INSTALLED INSIDE THE DUCT; IT DOES NOT ACCEPT PITOT TUBES OR PROBES OUTPUT SIGNAL LINEAR 0-5 VDC = 0-2000 PM CO ² CONNECTION 12 IN 3-WIRE PIGTAIL
22534-R0	\$	41.67	UNREGULATED POWER SUPPLY 120 VAC - 24 VDC SCREW TERMINAL USED FOR PRESSURE TRANSDUCER EXCITATION 2009 ARRA "BUY AMERICAN" CERTIFIED
15366-R0	\$	188.75	3 VALVE MANIFOLD FOR MODEL 230/231 ONLY 2009 ARRA "BUY AMERICAN" CERTIFIED
7777-R0	\$	226.36	GAUGE PRESSURE TRANSDUCER ACCURACY ± 0.13% FS 1/4 INCH NPT MALE FITTING 2 FOOT CABLE NO DISPLAY 2009 ARRA "BUY AMERICAN" CERTIFIED MUST SPECIFY 3 OPTIONS [1] PRESSURE RANGE [2] OUTPUT SIGNAL [3] NIST CERTIFICATION
7779-R0	\$	226.36	GAUGE PRESSURE TRANSDUCER ACCURACY ± 0.13% FS 1/4 INCH NPT MALE FITTING TERMINAL STRIP NO DISPLAY 2009 ARRA "BUY AMERICAN" CERTIFIED MUST SPECIFY 3 OPTIONS [1] PRESSURE RANGE [2] OUTPUT SIGNAL [3] NIST CERTIFICATION
7776-R0	\$	129.62	GAUGE PRESSURE TRANSDUCER ACCURACY ± 0.25% FS 1/8 INCH NPT MALE FITTING NO DISPLAY 2009 ARRA "BUY AMERICAN" CERTIFIED MUST SPECIFY 4 OPTIONS [1] PRESSURE RANGE [2] OUTPUT SIGNAL [3] ELECTRICAL TERMINATION [4] OVERPRESSURE - ONLY AVAILABLE FOR 50-1500 PSI
7775-R0	\$	129.62	GAUGE PRESSURE TRANSDUCER ACCURACY ± 0.25% FS 1/4 INCH NPT MALE FITTING NO DISPLAY 2009 ARRA "BUY AMERICAN" CERTIFIED MUST SPECIFY 4 OPTIONS [1] PRESSURE RANGE [2] OUTPUT SIGNAL [3] ELECTRICAL TERMINATION [4] OVERPRESSURE - ONLY AVAILABLE FOR 50-1500 PSI
64080-R0	\$	146.07	GAUGE PRESSURE TRANSDUCER ACCURACY ± 0.25% FS 1/4 INCH FEMALE SAE FITTING NO DISPLAY 2009 ARRA "BUY AMERICAN" CERTIFIED MUST SPECIFY 4 OPTIONS [1] PRESSURE RANGE [2] OUTPUT SIGNAL [3] ELECTRICAL TERMINATION [4] OVERPRESSURE - ONLY AVAILABLE FOR 50-1500 PSI
24201-R0	\$	129.62	VACUUM PRESSURE TRANSDUCER RANGE 0-14.7 PSI ACCURACY ± 0.25% FS 1/8 INCH NPT MALE FITTING NO DISPLAY 2009 ARRA "BUY AMERICAN" CERTIFIED MUST SPECIFY 2 OPTIONS [1] OUTPUT SIGNAL [2] ELECTRICAL TERMINATION
24202-R0	\$	129.62	VACUUM PRESSURE TRANSDUCER RANGE 0-14.7 PSI ACCURACY ± 0.25% FS 1/4 INCH NPT MALE FITTING NO DISPLAY 2009 ARRA "BUY AMERICAN" CERTIFIED MUST SPECIFY 2 OPTIONS [1] OUTPUT SIGNAL [2] ELECTRICAL TERMINATION
7721-R0	\$	345.77	WET/WET DIFFERENTIAL PRESSURE TRANSDUCER ACCURACY ± 0.25% FS 1/4 INCH NPT FEMALE FITTING TERMINAL BLOCK CONNECTION NO DISPLAY 2009 ARRA "BUY AMERICAN" CERTIFIED MUST SPECIFY 4 OPTIONS [1] PRESSURE RANGE [2] OUTPUT SIGNAL [3] BLEED SCREW SEAL [4] NIST CERTIFICATION
10569-R0	\$	534.52	WET/WET DIFFERENTIAL PRESSURE TRANSDUCER W/3 VALVE MANIFOLD ASSEMBLY OUTPUT 4-20 MA ACCURACY ± 0.25% FS TERMINAL BLOCK CONNECTION NO DISPLAY 2009 ARRA "BUY AMERICAN" CERTIFIED MUST SPECIFY 3 OPTIONS [1] PRESSURE RANGE [2] BLEED SCREW SEAL [3] NIST CERTIFICATION
10570-R0	\$	534.52	WET/WET DIFFERENTIAL PRESSURE TRANSDUCER W/3 VALVE MANIFOLD ASSEMBLY OUTPUT 0-5 VDC ACCURACY ± 0.25% FS TERMINAL BLOCK CONNECTION NO DISPLAY 2009 ARRA "BUY AMERICAN" CERTIFIED MUST SPECIFY 3 OPTIONS [1] PRESSURE RANGE [2] BLEED SCREW SEAL [3] NIST CERTIFICATION
10571-R0	\$	534.52	WET/WET DIFFERENTIAL PRESSURE TRANSDUCER W/3 VALVE MANIFOLD ASSEMBLY OUTPUT 0-10 VDC ACCURACY ± 0.25% FS TERMINAL BLOCK CONNECTION NO DISPLAY 2009 ARRA "BUY AMERICAN" CERTIFIED MUST SPECIFY 3 OPTIONS [1] PRESSURE RANGE [2] BLEED SCREW SEAL [3] NIST CERTIFICATION
65218-R0	\$	499.33	REMOTE MULTI SENSE WET-WET DIFFERENTIAL LIQUID/GAS PRESSURE TRANSMITTER TWO 1/4-18 NPT MALE REMOTE SENSORS (CONDUIT VERSION) INPUT POWER [12-30 VDC] 4 OUTPUTS [0-5/1-5/0-10 VDC OR 4-20MA] REMOTE ZERO 2009 ARRA "BUY AMERICAN" CERTIFIED MUST SPECIFY 2 OPTIONS [1] PRESSURE RANGE [2] OPTIONAL DISPLAY

44625-R0	\$	49.53	DUCT AVERAGING 12 FT COPPER TUBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
65219-R0	\$	544.18	REMOTE MULTI SENSE WET-WET DIFFERENTIAL LIQUID/GAS PRESSURE TRANSMITTER TWO 1/4-18 NPT MALE REMOTE SENSORS (CABLE VERSION) INPUT POWER [12-30 VDC] 4 OUTPUTS [0-5/1-5/0-10 VDC OR 4-20MA] REMOTE ZERO 2009 ARRA "BUY AMERICAN" CERTIFIED MUST SPECIFY 3 OPTIONS [1] PRESSURE RANGE [2] OPTIONAL DISPLAY [3] SENSOR CABLE LENGTH
27606-R0	\$	375.97	MULTI SENSE WET-WET DIFFERENTIAL LIQUID/GAS PRESSURE TRANSMITTER LCD DISPLAY 1/8-18 NPT FEMALE FITTING INPUT POWER [12-30 VDC] 4 OUTPUTS [0-5/1-5/0-10 VDC OR 4-20MA] 2009 ARRA "BUY AMERICAN" CERTIFIED MUST SPECIFY 2 OPTIONS [1] PRESSURE RANGE [2] OPTIONAL MANIFOLD
27605-R0	\$	354.84	MULTI SENSE WET-WET DIFFERENTIAL LIQUID/GAS PRESSURE TRANSMITTER NO DISPLAY 1/8-18 NPT FEMALE FITTING INPUT POWER [12-30 VDC] 4 OUTPUTS [0-5/1-5/0-10 VDC OR 4-20MA] 2009 ARRA "BUY AMERICAN" CERTIFIED MUST SPECIFY 2 OPTIONS [1] PRESSURE RANGE [2] OPTIONAL MANIFOLD
34388-R0	\$	253.15	INDUSTRIAL GAUGE PRESSURE TRANSDUCER LIQUID OR GAS 24 VDC 2 WIRE ACCURACY ± 0.13-0.25% FS MULTIPLE PRESSURE RANGES NO DISPLAY 2 - 1/2" CONDUIT PORTS 2009 ARRA "BUY AMERICAN" CERTIFIED MUST SPECIFY 4 OPTIONS [1] RANGE [2] PRESSURE FITTING [3] OUTPUT SIGNAL [4] CERTIFICATION
21699-R0	\$	125.05	VERY LOW DIFFERENTIAL CONFIGURABLE PRESSURE TRANSDUCER UNI & BI - DIRECTIONAL ACCURACY ± 1% HINGED LID SELECTABLE OUTPUT [1-50-5 & 0-10 VDC OR 4-20MA] 2009 ARRA "BUY AMERICAN" CERTIFIED MUST SPECIFY 2 OPTIONS [1] PRESSURE RANGE [2] OPTIONAL DISPLAY
7718-R0	\$	123.15	VERY LOW PRESSURE DIFFERENTIAL TRANSDUCER 3/16" BARBED BRASS PRESSURE FITTING 1/2 INCH CONDUIT ELECTRICAL CONNECTION NO DISPLAY 2009 ARRA "BUY AMERICAN" CERTIFIED MUST SPECIFY 3 OPTIONS [1] PRESSURE RANGE [2] OUTPUT [3] ACCURACY/CERTIFICATION
7717-R0	\$	120.47	VERY LOW PRESSURE DIFFERENTIAL TRANSDUCER 3/16" BARBED BRASS PRESSURE FITTING TERMINAL BLOCK ELECTRICAL CONNECTION NO DISPLAY 2009 ARRA "BUY AMERICAN" CERTIFIED MUST SPECIFY 3 OPTIONS [1] PRESSURE RANGE [2] OUTPUT [3] ACCURACY/CERTIFICATION
7720-R0	\$	109.72	VERY LOW PRESSURE DIFFERENTIAL TRANSDUCER 3/16" BARBED BRASS PRESSURE FITTING 1/2 INCH CONDUIT ELECTRICAL CONNECTION NO DISPLAY 2009 ARRA "BUY AMERICAN" CERTIFIED MUST SPECIFY 3 OPTIONS [1] PRESSURE RANGE [2] OUTPUT [3] ACCURACY/CERTIFICATION
7719-R0	\$	107.03	VERY LOW PRESSURE DIFFERENTIAL TRANSDUCER 3/16" BARBED BRASS PRESSURE FITTING TERMINAL BLOCK ELECTRICAL CONNECTION NO DISPLAY 2009 ARRA "BUY AMERICAN" CERTIFIED MUST SPECIFY 3 OPTIONS [1] PRESSURE RANGE [2] OUTPUT [3] ACCURACY/CERTIFICATION
7772-R0	\$	229.44	LOW PRESSURE DIFFERENTIAL SINGLE RANGE TRANSDUCER ACCURACY ±0.5% 3/16" BARBED BRASS FITTING 1/2 INCH CONDUIT ELECTRICAL CONNECTION LCD DISPLAY NIST CERTIFIED 2009 ARRA "BUY AMERICAN" CERTIFIED MUST SPECIFY 3 OPTIONS [1] PRESSURE RANGE [2] DIFFERENTIAL [3] OUTPUT
64053-R0	\$	155.52	LOW PRESSURE DIFFERENTIAL SINGLE RANGE TRANSDUCER ACCURACY ±0.5% 3/16" BARBED BRASS FITTING 1/2 INCH CONDUIT ELECTRICAL CONNECTION 11 POINT CALIBRATION NIST CERTIFIED 2009 ARRA "BUY AMERICAN" CERTIFIED MUST SPECIFY 3 OPTIONS [1] PRESSURE RANGE [2] DIFFERENTIAL [3] OUTPUT
7774-R0	\$	235.60	LOW PRESSURE DIFFERENTIAL SINGLE RANGE TRANSDUCER W/DUCT PROBE ACCURACY ±0.5% 3/16" BARBED BRASS FITTING 1/2 INCH CONDUIT ELECTRICAL CONNECTION LCD DISPLAY NIST CERTIFIED 2009 ARRA "BUY AMERICAN" CERTIFIED MUST SPECIFY 3 OPTIONS [1] PRESSURE RANGE [2] DIFFERENTIAL [3] OUTPUT
64054-R0	\$	155.52	LOW PRESSURE DIFFERENTIAL SINGLE RANGE TRANSDUCER W/DUCT PROBE ACCURACY ±0.5% 3/16" BARBED BRASS FITTING 1/2 INCH CONDUIT ELECTRICAL CONNECTION 11 POINT CALIBRATION NIST CERTIFIED 2009 ARRA "BUY AMERICAN" CERTIFIED MUST SPECIFY 3 OPTIONS [1] PRESSURE RANGE [2] DIFFERENTIAL [3] OUTPUT
49536-R0	\$	124.72	LOW PRESSURE DIFFERENTIAL TRANSDUCER ACCURACY ±1.0% 3/16" BARBED BRASS FITTING 1/2 INCH CONDUIT ELECTRICAL CONNECTION NO DISPLAY 2009 ARRA "BUY AMERICAN" CERTIFIED MUST SPECIFY 2 OPTIONS [1] PRESSURE RANGE [2] OUTPUT
7713-R0	\$	130.88	LOW PRESSURE DIFFERENTIAL MULTI RANGE TRANSDUCER ACCURACY ±1.0% 3/16" BARBED BRASS FITTING 1/2 INCH CONDUIT ELECTRICAL CONNECTION NO DISPLAY 2009 ARRA "BUY AMERICAN" CERTIFIED MUST SPECIFY 2 OPTIONS [1] PRESSURE RANGE [2] OUTPUT
7715-R0	\$	138.44	LOW PRESSURE DIFFERENTIAL MULTI RANGE TRANSDUCER ACCURACY ±1.0% 3/16" BARBED BRASS FITTING 1/2 INCH CONDUIT ELECTRICAL CONNECTION NO DISPLAY NIST CERTIFIED 2009 ARRA "BUY AMERICAN" CERTIFIED MUST SPECIFY 2 OPTIONS [1] PRESSURE RANGE [2] OUTPUT
7714-R0	\$	137.05	LOW PRESSURE DIFFERENTIAL MULTI RANGE TRANSDUCER W/DUCT PROBE ACCURACY ±1.0% 3/16" BARBED BRASS FITTING 1/2 INCH CONDUIT ELECTRICAL CONNECTION NO DISPLAY 2009 ARRA "BUY AMERICAN" CERTIFIED MUST SPECIFY 2 OPTIONS [1] PRESSURE RANGE [2] OUTPUT
7716-R0	\$	146.29	LOW PRESSURE DIFFERENTIAL MULTI RANGE TRANSDUCER W/DUCT PROBE ACCURACY ±1.0% 3/16" BARBED BRASS FITTING 1/2 INCH CONDUIT ELECTRICAL CONNECTION NO DISPLAY NIST CERTIFIED 2009 ARRA "BUY AMERICAN" CERTIFIED MUST SPECIFY 2 OPTIONS [1] PRESSURE RANGE [2] OUTPUT
44279-R0	\$	700.41	VERY LOW DIFFERENTIAL TRANSDUCER / HIGH PERFORMANCE APPLICATION RANGES +/-0.05" WC UP TO 0-10"WC 4-20 MA OUTPUT DIN RAIL OR BASE MOUNT OPTIONAL DISPLAY AND ACCURACY CHOICES: +/- 1.0% +/- 0.5% OR +/- 0.25% 2009 ARRA "BUY AMERICAN" CERTIFIED ORDER PART #269425-02 FOR USER CALIBRATION MUST SPECIFY 4 OPTIONS [1] PRESSURE RANGE [2] MOUNT [3] DISPLAY [4] ACCURACY
7778-R0	\$	226.36	GAUGE PRESSURE TRANSDUCER 4-20 MA OUTPUT ACCURACY ± 0.13% FS 1/4 INCH NPT MALE FITTING 2 FOOT CABLE NO DISPLAY MUST SPECIFY PRESSURE RANGE 2009 ARRA "BUY AMERICAN" CERTIFIED
65401-R0	\$	226.36	GAUGE PRESSURE TRANSDUCER 4-20 MA OUTPUT ACCURACY ± 0.13% FS 1/4 INCH NPT MALE FITTING TERMINAL STRIP NO DISPLAY MUST SPECIFY PRESSURE RANGE 2009 ARRA "BUY AMERICAN" CERTIFIED
43932-R0	\$	23.88	ROOM PRESSURE SNUBBER WALL MOUNT PRESSURE TAPS STAINLESS STEEL STATIC PRESSURE SENSOR 2.75" W X 4.5" H 2009 ARRA "BUY AMERICAN" CERTIFIED
43931-R0	\$	138.76	REMOTE ANNUNCIATOR GREEN LED - NORMAL INDICATION RED LED - ALARM INDICATION BUZZER AUDIO ALARM MADI FROM SRPM ACKNOWLEDGE SWITCH 2009 ARRA "BUY AMERICAN" CERTIFIED
49444-R0	\$	1,204.54	ROOM CONDITION PRESSURE MONITOR FLUSH-MOUNT DESIGN 2 IN 1 DISPLAY ROOM CONDITION & PRESSURE HIGH RESOLUTION COLOR TOUCH SCREEN DISPLAY LOCAL AUDIBLE ALARM SPDT RELAY OUTPUT SELECTABLE ANALOG OUTPUT (CURRENT OR VDC) LED INDICATORS RANGE +/- 1.0 IN. W.C. OPTIONAL ACCESSORIES: MODEL SRAN - REMOTE ANNUNCIATOR AND MODEL RPS - ROOM PRESSURE SNUBBER 2009 ARRA "BUY AMERICAN" CERTIFIED MUST SPECIFY [1] ACCURACY [2] REMOTE PRESSURE SNUBBER
49446-R0	\$	1,204.54	ROOM CONDITION PRESSURE MONITOR FLUSH-MOUNT DESIGN 2 IN 1 DISPLAY ROOM CONDITION & PRESSURE HIGH RESOLUTION COLOR TOUCH SCREEN DISPLAY LOCAL AUDIBLE ALARM SPDT RELAY OUTPUT SELECTABLE ANALOG OUTPUT (CURRENT OR VDC) LED INDICATORS RANGE +/- 5.0 IN. W.C. OPTIONAL ACCESSORIES: MODEL SRAN - REMOTE ANNUNCIATOR AND MODEL RPS - ROOM PRESSURE SNUBBER 2009 ARRA "BUY AMERICAN" CERTIFIED MUST SPECIFY [1] ACCURACY [2] REMOTE PRESSURE SNUBBER

44625-R0	\$	49.53	DUCT AVERAGING 12 FT COPPER TUBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
64895-R0	\$	127.30	1/2" 3-WAY MIXING BALL VALVE CV 0.63 24 VAC / VDC PROPORTIONAL NON-SPRING RETURN 44 LB-IN DUAL AUX SWITCH 3 FT. CABLE CLOSE-OFF 200 PSI 90 SEC RUNTIME BRASS TRIM
64896-R0	\$	127.30	1/2" 3-WAY MIXING BALL VALVE CV 1.0 24 VAC / VDC PROPORTIONAL NON-SPRING RETURN 44 LB-IN DUAL AUX SWITCH 3 FT. CABLE CLOSE-OFF 200 PSI 90 SEC RUNTIME BRASS TRIM
64897-R0	\$	127.30	1/2" 3-WAY MIXING BALL VALVE CV 2.5 24 VAC / VDC PROPORTIONAL NON-SPRING RETURN 44 LB-IN DUAL AUX SWITCH 3 FT. CABLE CLOSE-OFF 200 PSI 90 SEC RUNTIME BRASS TRIM
64898-R0	\$	127.30	1/2" 3-WAY MIXING BALL VALVE CV 4.0 24 VAC / VDC PROPORTIONAL NON-SPRING RETURN 44 LB-IN DUAL AUX SWITCH 3 FT. CABLE CLOSE-OFF 200 PSI 90 SEC RUNTIME BRASS TRIM
64899-R0	\$	127.30	1/2" 3-WAY MIXING BALL VALVE CV 10.0 24 VAC / VDC PROPORTIONAL NON-SPRING RETURN 44 LB-IN DUAL AUX SWITCH 3 FT. CABLE CLOSE-OFF 200 PSI 90 SEC RUNTIME BRASS TRIM
64900-R0	\$	135.58	3/4" 3-WAY MIXING BALL VALVE CV 16.0 24 VAC / VDC PROPORTIONAL NON-SPRING RETURN 44 LB-IN DUAL AUX SWITCH 3 FT. CABLE CLOSE-OFF 200 PSI 90 SEC RUNTIME BRASS TRIM
64901-R0	\$	154.48	1" 3-WAY MIXING BALL VALVE CV 10.0 24 VAC / VDC PROPORTIONAL NON-SPRING RETURN 44 LB-IN DUAL AUX SWITCH 3 FT. CABLE CLOSE-OFF 200 PSI 90 SEC RUNTIME BRASS TRIM
64902-R0	\$	154.48	1" 3-WAY MIXING BALL VALVE CV 16.0 24 VAC / VDC PROPORTIONAL NON-SPRING RETURN 44 LB-IN DUAL AUX SWITCH 3 FT. CABLE CLOSE-OFF 200 PSI 90 SEC RUNTIME BRASS TRIM
64903-R0	\$	154.48	1" 3-WAY MIXING BALL VALVE CV 25.0 24 VAC / VDC PROPORTIONAL NON-SPRING RETURN 44 LB-IN DUAL AUX SWITCH 3 FT. CABLE CLOSE-OFF 200 PSI 90 SEC RUNTIME BRASS TRIM
64904-R0	\$	182.33	1 1/4" 3-WAY MIXING BALL VALVE CV 16.0 24 VAC / VDC PROPORTIONAL NON-SPRING RETURN 44 LB-IN DUAL AUX SWITCH 3 FT. CABLE CLOSE-OFF 200 PSI 90 SEC RUNTIME BRASS TRIM
64905-R0	\$	182.33	1 1/4" 3-WAY MIXING BALL VALVE CV 40.0 24 VAC / VDC PROPORTIONAL NON-SPRING RETURN 44 LB-IN DUAL AUX SWITCH 3 FT. CABLE CLOSE-OFF 200 PSI 90 SEC RUNTIME BRASS TRIM
64618-R0	\$	91.83	1/2" 2-WAY BALL VALVE CV 0.4 24 VAC / VDC PROPORTIONAL NON-SPRING RETURN - NORMALLY OPEN 44 LB-IN DUAL AUX SWITCHES 3 FT. CABLE CLOSE-OFF 200 PSI 90 SEC RUNTIME BRASS TRIM
64620-R0	\$	91.83	1/2" 2-WAY BALL VALVE CV 0.63 24 VAC / VDC PROPORTIONAL NON-SPRING RETURN - NORMALLY OPEN 44 LB-IN DUAL AUX SWITCHES 3 FT. CABLE CLOSE-OFF 200 PSI 90 SEC RUNTIME BRASS TRIM
64622-R0	\$	91.83	1/2" 2-WAY BALL VALVE CV 1.0 24 VAC / VDC PROPORTIONAL NON-SPRING RETURN - NORMALLY OPEN 44 LB-IN DUAL AUX SWITCHES 3 FT. CABLE CLOSE-OFF 200 PSI 90 SEC RUNTIME BRASS TRIM
64624-R0	\$	91.83	1/2" 2-WAY BALL VALVE CV 1.6 24 VAC / VDC PROPORTIONAL NON-SPRING RETURN - NORMALLY OPEN 44 LB-IN DUAL AUX SWITCHES 3 FT. CABLE CLOSE-OFF 200 PSI 90 SEC RUNTIME BRASS TRIM
64626-R0	\$	91.83	1/2" 2-WAY BALL VALVE CV 2.5 24 VAC / VDC PROPORTIONAL NON-SPRING RETURN - NORMALLY OPEN 44 LB-IN DUAL AUX SWITCHES 3 FT. CABLE CLOSE-OFF 200 PSI 90 SEC RUNTIME BRASS TRIM
64628-R0	\$	91.83	1/2" 2-WAY BALL VALVE CV 4.0 24 VAC / VDC PROPORTIONAL NON-SPRING RETURN - NORMALLY OPEN 44 LB-IN DUAL AUX SWITCHES 3 FT. CABLE CLOSE-OFF 200 PSI 90 SEC RUNTIME BRASS TRIM
64630-R0	\$	91.83	1/2" 2-WAY BALL VALVE CV 6.3 24 VAC / VDC PROPORTIONAL NON-SPRING RETURN - NORMALLY OPEN 44 LB-IN DUAL AUX SWITCHES 3 FT. CABLE CLOSE-OFF 200 PSI 90 SEC RUNTIME BRASS TRIM
64632-R0	\$	91.83	1/2" 2-WAY BALL VALVE CV 10.0 24 VAC / VDC PROPORTIONAL NON-SPRING RETURN - NORMALLY OPEN 44 LB-IN DUAL AUX SWITCHES 3 FT. CABLE CLOSE-OFF 200 PSI 90 SEC RUNTIME BRASS TRIM
64634-R0	\$	106.41	3/4" 2-WAY BALL VALVE CV 6.3 24 VAC / VDC PROPORTIONAL NON-SPRING RETURN - NORMALLY OPEN 44 LB-IN DUAL AUX SWITCHES 3 FT. CABLE CLOSE-OFF 200 PSI 90 SEC RUNTIME BRASS TRIM
64636-R0	\$	106.41	3/4" 2-WAY BALL VALVE CV 10.0 24 VAC / VDC PROPORTIONAL NON-SPRING RETURN - NORMALLY OPEN 44 LB-IN DUAL AUX SWITCHES 3 FT. CABLE CLOSE-OFF 200 PSI 90 SEC RUNTIME BRASS TRIM
64638-R0	\$	106.41	3/4" 2-WAY BALL VALVE CV 16.0 24 VAC / VDC PROPORTIONAL NON-SPRING RETURN - NORMALLY OPEN 44 LB-IN DUAL AUX SWITCHES 3 FT. CABLE CLOSE-OFF 200 PSI 90 SEC RUNTIME BRASS TRIM
64640-R0	\$	106.41	3/4" 2-WAY BALL VALVE CV 25.0 24 VAC / VDC PROPORTIONAL NON-SPRING RETURN - NORMALLY OPEN 44 LB-IN DUAL AUX SWITCHES 3 FT. CABLE CLOSE-OFF 200 PSI 90 SEC RUNTIME BRASS TRIM
64642-R0	\$	123.65	1" 2-WAY BALL VALVE CV 10.0 24 VAC / VDC PROPORTIONAL NON-SPRING RETURN - NORMALLY OPEN 44 LB-IN DUAL AUX SWITCHES 3 FT. CABLE CLOSE-OFF 200 PSI 90 SEC RUNTIME BRASS TRIM
64644-R0	\$	123.65	1" 2-WAY BALL VALVE CV 16.0 24 VAC / VDC PROPORTIONAL NON-SPRING RETURN - NORMALLY OPEN 44 LB-IN DUAL AUX SWITCHES 3 FT. CABLE CLOSE-OFF 200 PSI 90 SEC RUNTIME BRASS TRIM
64646-R0	\$	123.65	1" 2-WAY BALL VALVE CV 25.0 24 VAC / VDC PROPORTIONAL NON-SPRING RETURN - NORMALLY OPEN 44 LB-IN DUAL AUX SWITCHES 3 FT. CABLE CLOSE-OFF 200 PSI 90 SEC RUNTIME BRASS TRIM
64648-R0	\$	123.65	1" 2-WAY BALL VALVE CV 40.0 24 VAC / VDC PROPORTIONAL NON-SPRING RETURN - NORMALLY OPEN 44 LB-IN DUAL AUX SWITCHES 3 FT. CABLE CLOSE-OFF 200 PSI 90 SEC RUNTIME BRASS TRIM

44625-R0	\$	49.53	DUCT AVERAGING 12 FT COPPER TUBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
64650-R0	\$	123.65	1" 2-WAY BALL VALVE CV 63.0 24 VAC / VDC PROPORTIONAL NON-SPRING RETURN - NORMALLY OPEN 44 LB-IN DUAL AUX SWITCHES 3 FT. CABLE CLOSE-OFF 200 PSI 90 SEC RUNTIME BRASS TRIM
64652-R0	\$	144.53	1 1/4" 2-WAY BALL VALVE CV 16.0 24 VAC / VDC PROPORTIONAL NON-SPRING RETURN - NORMALLY OPEN 44 LB-IN DUAL AUX SWITCHES 3 FT. CABLE CLOSE-OFF 200 PSI 90 SEC RUNTIME BRASS TRIM
64654-R0	\$	144.53	1 1/4" 2-WAY BALL VALVE CV 25.0 24 VAC / VDC PROPORTIONAL NON-SPRING RETURN - NORMALLY OPEN 44 LB-IN DUAL AUX SWITCHES 3 FT. CABLE CLOSE-OFF 200 PSI 90 SEC RUNTIME BRASS TRIM
64656-R0	\$	144.53	1 1/4" 2-WAY BALL VALVE CV 40.0 24 VAC / VDC PROPORTIONAL NON-SPRING RETURN - NORMALLY OPEN 44 LB-IN DUAL AUX SWITCHES 3 FT. CABLE CLOSE-OFF 200 PSI 90 SEC RUNTIME BRASS TRIM
64658-R0	\$	144.53	1 1/4" 2-WAY BALL VALVE CV 63.0 24 VAC / VDC PROPORTIONAL NON-SPRING RETURN - NORMALLY OPEN 44 LB-IN DUAL AUX SWITCHES 3 FT. CABLE CLOSE-OFF 200 PSI 90 SEC RUNTIME BRASS TRIM
64660-R0	\$	144.53	1 1/4" 2-WAY BALL VALVE CV 100.0 24 VAC / VDC PROPORTIONAL NON-SPRING RETURN - NORMALLY OPEN 44 LB-IN DUAL AUX SWITCHES 3 FT. CABLE CLOSE-OFF 200 PSI 90 SEC RUNTIME BRASS TRIM
64906-R0	\$	238.68	1 1/2" 3-WAY MIXING BALL VALVE CV 16.0 24 VAC / VDC PROPORTIONAL NON-SPRING RETURN 88 LB-IN DUAL AUX SWITCH 3 FT. CABLE CLOSE-OFF 200 PSI 90 SEC RUNTIME BRASS TRIM
64907-R0	\$	238.68	1 1/2" 3-WAY MIXING BALL VALVE CV 25.0 24 VAC / VDC PROPORTIONAL NON-SPRING RETURN 88 LB-IN DUAL AUX SWITCH 3 FT. CABLE CLOSE-OFF 200 PSI 90 SEC RUNTIME BRASS TRIM
64908-R0	\$	238.68	1 1/2" 3-WAY MIXING BALL VALVE CV 63.0 24 VAC / VDC PROPORTIONAL NON-SPRING RETURN 88 LB-IN DUAL AUX SWITCH 3 FT. CABLE CLOSE-OFF 200 PSI 90 SEC RUNTIME BRASS TRIM
64909-R0	\$	297.36	2" 3-WAY MIXING BALL VALVE CV 25.0 24 VAC / VDC PROPORTIONAL NON-SPRING RETURN 88 LB-IN DUAL AUX SWITCH 3 FT. CABLE CLOSE-OFF 200 PSI 90 SEC RUNTIME BRASS TRIM
64910-R0	\$	297.36	2" 3-WAY MIXING BALL VALVE CV 40.0 24 VAC / VDC PROPORTIONAL NON-SPRING RETURN 88 LB-IN DUAL AUX SWITCH 3 FT. CABLE CLOSE-OFF 200 PSI 90 SEC RUNTIME BRASS TRIM
64911-R0	\$	297.36	2" 3-WAY MIXING BALL VALVE CV 100.0 24 VAC / VDC PROPORTIONAL NON-SPRING RETURN 88 LB-IN DUAL AUX SWITCH 3 FT. CABLE CLOSE-OFF 200 PSI 90 SEC RUNTIME BRASS TRIM
64768-R0	\$	170.39	1 1/2" 2-WAY BALL VALVE CV 25.0 24 VAC / VDC PROPORTIONAL NON-SPRING RETURN - NORMALLY CLOSED 88 LB-IN DUAL AUX SWITCHES 3 FT. CABLE CLOSE-OFF 200 PSI 125 SEC RUNTIME BRASS TRIM
64770-R0	\$	170.39	1 1/2" 2-WAY BALL VALVE CV 40.0 24 VAC / VDC PROPORTIONAL NON-SPRING RETURN - NORMALLY CLOSED 88 LB-IN DUAL AUX SWITCHES 3 FT. CABLE CLOSE-OFF 200 PSI 125 SEC RUNTIME BRASS TRIM
64772-R0	\$	170.39	1 1/2" 2-WAY BALL VALVE CV 63.0 24 VAC / VDC PROPORTIONAL NON-SPRING RETURN - NORMALLY CLOSED 88 LB-IN DUAL AUX SWITCHES 3 FT. CABLE CLOSE-OFF 200 PSI 125 SEC RUNTIME BRASS TRIM
64774-R0	\$	170.39	1 1/2" 2-WAY BALL VALVE CV 100.0 24 VAC / VDC PROPORTIONAL NON-SPRING RETURN - NORMALLY CLOSED 88 LB-IN DUAL AUX SWITCHES 3 FT. CABLE CLOSE-OFF 200 PSI 125 SEC RUNTIME BRASS TRIM
64776-R0	\$	170.39	1 1/2" 2-WAY BALL VALVE CV 160.0 24 VAC / VDC PROPORTIONAL NON-SPRING RETURN - NORMALLY CLOSED 88 LB-IN DUAL AUX SWITCHES 3 FT. CABLE CLOSE-OFF 200 PSI 125 SEC RUNTIME BRASS TRIM
64778-R0	\$	202.22	2" 2-WAY BALL VALVE CV 40.0 24 VAC / VDC PROPORTIONAL NON-SPRING RETURN - NORMALLY CLOSED 88 LB-IN DUAL AUX SWITCHES 3 FT. CABLE CLOSE-OFF 200 PSI 125 SEC RUNTIME BRASS TRIM
64780-R0	\$	202.22	2" 2-WAY BALL VALVE CV 63.0 24 VAC / VDC PROPORTIONAL NON-SPRING RETURN - NORMALLY CLOSED 88 LB-IN DUAL AUX SWITCHES 3 FT. CABLE CLOSE-OFF 200 PSI 125 SEC RUNTIME BRASS TRIM
64782-R0	\$	202.22	2" 2-WAY BALL VALVE CV 100.0 24 VAC / VDC PROPORTIONAL NON-SPRING RETURN - NORMALLY CLOSED 88 LB-IN DUAL AUX SWITCHES 3 FT. CABLE CLOSE-OFF 200 PSI 125 SEC RUNTIME BRASS TRIM
64784-R0	\$	202.22	2" 2-WAY BALL VALVE CV 160.0 24 VAC / VDC PROPORTIONAL NON-SPRING RETURN - NORMALLY CLOSED 88 LB-IN DUAL AUX SWITCHES 3 FT. CABLE CLOSE-OFF 200 PSI 125 SEC RUNTIME BRASS TRIM
64858-R0	\$	174.70	1/2" 3-WAY MIXING BALL VALVE CV 0.4 24 VAC / VDC PROPORTIONAL SPRING RETURN 62 LB-IN DUAL AUX SWITCH 3 FT. CABLE CLOSE-OFF 200 PSI 90 SEC RUNTIME BRASS TRIM
64859-R0	\$	174.70	1/2" 3-WAY MIXING BALL VALVE CV 0.63 24 VAC / VDC PROPORTIONAL SPRING RETURN 62 LB-IN DUAL AUX SWITCH 3 FT. CABLE CLOSE-OFF 200 PSI 90 SEC RUNTIME BRASS TRIM
64860-R0	\$	174.70	1/2" 3-WAY MIXING BALL VALVE CV 1.0 24 VAC / VDC PROPORTIONAL SPRING RETURN 62 LB-IN DUAL AUX SWITCH 3 FT. CABLE CLOSE-OFF 200 PSI 90 SEC RUNTIME BRASS TRIM
64861-R0	\$	174.70	1/2" 3-WAY MIXING BALL VALVE CV 2.5 24 VAC / VDC PROPORTIONAL SPRING RETURN 62 LB-IN DUAL AUX SWITCH 3 FT. CABLE CLOSE-OFF 200 PSI 90 SEC RUNTIME BRASS TRIM
64862-R0	\$	174.70	1/2" 3-WAY MIXING BALL VALVE CV 4.0 24 VAC / VDC PROPORTIONAL SPRING RETURN 62 LB-IN DUAL AUX SWITCH 3 FT. CABLE CLOSE-OFF 200 PSI 90 SEC RUNTIME BRASS TRIM
64863-R0	\$	174.70	1/2" 3-WAY MIXING BALL VALVE CV 10.0 24 VAC / VDC PROPORTIONAL SPRING RETURN 62 LB-IN DUAL AUX SWITCH 3 FT. CABLE CLOSE-OFF 200 PSI 90 SEC RUNTIME BRASS TRIM

44625-R0	\$	49.53	DUCT AVERAGING 12 FT COPPER TUBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
64864-R0	\$	182.33	3/4" 3-WAY MIXING BALL VALVE CV 16.0 24 VAC / VDC PROPORTIONAL SPRING RETURN 62 LB-IN DUAL AUX SWITCH 3 FT. CABLE CLOSE-OFF 200 PSI 90 SEC RUNTIME BRASS TRIM
64865-R0	\$	211.17	1" 3-WAY MIXING BALL VALVE CV 10.0 24 VAC / VDC PROPORTIONAL SPRING RETURN 62 LB-IN DUAL AUX SWITCH 3 FT. CABLE CLOSE-OFF 200 PSI 90 SEC RUNTIME BRASS TRIM
64866-R0	\$	211.17	1" 3-WAY MIXING BALL VALVE CV 16.0 24 VAC / VDC PROPORTIONAL SPRING RETURN 62 LB-IN DUAL AUX SWITCH 3 FT. CABLE CLOSE-OFF 200 PSI 90 SEC RUNTIME BRASS TRIM
64867-R0	\$	211.17	1" 3-WAY MIXING BALL VALVE CV 25.0 24 VAC / VDC PROPORTIONAL SPRING RETURN 62 LB-IN DUAL AUX SWITCH 3 FT. CABLE CLOSE-OFF 200 PSI 90 SEC RUNTIME BRASS TRIM
64868-R0	\$	239.34	1 1/4" 3-WAY MIXING BALL VALVE CV 16.0 24 VAC / VDC PROPORTIONAL SPRING RETURN 62 LB-IN DUAL AUX SWITCH 3 FT. CABLE CLOSE-OFF 200 PSI 90 SEC RUNTIME BRASS TRIM
64869-R0	\$	239.34	1 1/4" 3-WAY MIXING BALL VALVE CV 40.0 24 VAC / VDC PROPORTIONAL SPRING RETURN 62 LB-IN DUAL AUX SWITCH 3 FT. CABLE CLOSE-OFF 200 PSI 90 SEC RUNTIME BRASS TRIM
64870-R0	\$	294.70	1 1/2" 3-WAY MIXING BALL VALVE CV 16.0 24 VAC / VDC PROPORTIONAL SPRING RETURN 62 LB-IN DUAL AUX SWITCH 3 FT. CABLE CLOSE-OFF 200 PSI 90 SEC RUNTIME BRASS TRIM
64871-R0	\$	294.70	1 1/2" 3-WAY MIXING BALL VALVE CV 25.0 24 VAC / VDC PROPORTIONAL SPRING RETURN 62 LB-IN DUAL AUX SWITCH 3 FT. CABLE CLOSE-OFF 200 PSI 90 SEC RUNTIME BRASS TRIM
64872-R0	\$	294.70	1 1/2" 3-WAY MIXING BALL VALVE CV 63.0 24 VAC / VDC PROPORTIONAL SPRING RETURN 62 LB-IN DUAL AUX SWITCH 3 FT. CABLE CLOSE-OFF 200 PSI 90 SEC RUNTIME BRASS TRIM
64873-R0	\$	356.36	2" 3-WAY MIXING BALL VALVE CV 25.0 24 VAC / VDC PROPORTIONAL SPRING RETURN 62 LB-IN DUAL AUX SWITCH 3 FT. CABLE CLOSE-OFF 200 PSI 90 SEC RUNTIME BRASS TRIM
64874-R0	\$	356.36	2" 3-WAY MIXING BALL VALVE CV 40.0 24 VAC / VDC PROPORTIONAL SPRING RETURN 62 LB-IN DUAL AUX SWITCH 3 FT. CABLE CLOSE-OFF 200 PSI 90 SEC RUNTIME BRASS TRIM
64875-R0	\$	356.36	2" 3-WAY MIXING BALL VALVE CV 100.0 24 VAC / VDC PROPORTIONAL SPRING RETURN 62 LB-IN DUAL AUX SWITCH 3 FT. CABLE CLOSE-OFF 200 PSI 90 SEC RUNTIME BRASS TRIM
64421-R0	\$	181.66	1" 2-WAY BALL VALVE CV 10.0 24 VAC / VDC PROPORTIONAL SPRING RETURN - NORMALLY OPEN 62 LB-IN 3 FT. CABLE CLOSE-OFF 200 PSI 90 SEC RUNTIME BRASS TRIM
64423-R0	\$	181.66	1" 2-WAY BALL VALVE CV 16.0 24 VAC / VDC PROPORTIONAL SPRING RETURN - NORMALLY OPEN 62 LB-IN 3 FT. CABLE CLOSE-OFF 200 PSI 90 SEC RUNTIME BRASS TRIM
64425-R0	\$	181.66	1" 2-WAY BALL VALVE CV 25.0 24 VAC / VDC PROPORTIONAL SPRING RETURN - NORMALLY OPEN 62 LB-IN 3 FT. CABLE CLOSE-OFF 200 PSI 90 SEC RUNTIME BRASS TRIM
64427-R0	\$	181.66	1" 2-WAY BALL VALVE CV 40.0 24 VAC / VDC PROPORTIONAL SPRING RETURN - NORMALLY OPEN 62 LB-IN 3 FT. CABLE CLOSE-OFF 200 PSI 90 SEC RUNTIME BRASS TRIM
64429-R0	\$	181.66	1" 2-WAY BALL VALVE CV 63.0 24 VAC / VDC PROPORTIONAL SPRING RETURN - NORMALLY OPEN 62 LB-IN 3 FT. CABLE CLOSE-OFF 200 PSI 90 SEC RUNTIME BRASS TRIM
64431-R0	\$	202.55	1 1/4" 2-WAY BALL VALVE CV 16.0 24 VAC / VDC PROPORTIONAL SPRING RETURN - NORMALLY OPEN 62 LB-IN 3 FT. CABLE CLOSE-OFF 200 PSI 90 SEC RUNTIME BRASS TRIM
64433-R0	\$	202.55	1 1/4" 2-WAY BALL VALVE CV 25.0 24 VAC / VDC PROPORTIONAL SPRING RETURN - NORMALLY OPEN 62 LB-IN 3 FT. CABLE CLOSE-OFF 200 PSI 90 SEC RUNTIME BRASS TRIM
64435-R0	\$	202.55	1 1/4" 2-WAY BALL VALVE CV 40.0 24 VAC / VDC PROPORTIONAL SPRING RETURN - NORMALLY OPEN 62 LB-IN 3 FT. CABLE CLOSE-OFF 200 PSI 90 SEC RUNTIME BRASS TRIM
64437-R0	\$	202.55	1 1/4" 2-WAY BALL VALVE CV 63.0 24 VAC / VDC PROPORTIONAL SPRING RETURN - NORMALLY OPEN 62 LB-IN 3 FT. CABLE CLOSE-OFF 200 PSI 90 SEC RUNTIME BRASS TRIM
64439-R0	\$	202.55	1 1/4" 2-WAY BALL VALVE CV 100.0 24 VAC / VDC PROPORTIONAL SPRING RETURN - NORMALLY OPEN 62 LB-IN 3 FT. CABLE CLOSE-OFF 200 PSI 90 SEC RUNTIME BRASS TRIM
64441-R0	\$	228.40	1 1/2" 2-WAY BALL VALVE CV 25.0 24 VAC / VDC PROPORTIONAL SPRING RETURN - NORMALLY OPEN 62 LB-IN 3 FT. CABLE CLOSE-OFF 200 PSI 90 SEC RUNTIME BRASS TRIM
64443-R0	\$	228.40	1 1/2" 2-WAY BALL VALVE CV 40.0 24 VAC / VDC PROPORTIONAL SPRING RETURN - NORMALLY OPEN 62 LB-IN 3 FT. CABLE CLOSE-OFF 200 PSI 90 SEC RUNTIME BRASS TRIM
64445-R0	\$	228.40	PROPORTIONAL SPRING RETURN - NORMALLY OPEN
64447-R0	\$	228.40	PROPORTIONAL SPRING RETURN - NORMALLY OPEN
64449-R0	\$	228.40	1 1/2" 2-WAY BALL VALVE CV 160.0 24 VAC / VDC PROPORTIONAL SPRING RETURN - NORMALLY OPEN 62 LB-IN 3 FT. CABLE CLOSE-OFF 200 PSI 90 SEC RUNTIME BRASS TRIM
64451-R0	\$	260.23	2" 2-WAY BALL VALVE CV 40.0 24 VAC / VDC PROPORTIONAL SPRING RETURN - NORMALLY OPEN 62 LB-IN 3 FT. CABLE CLOSE-OFF 200 PSI 90 SEC RUNTIME BRASS TRIM
64453-R0	\$	260.23	2" 2-WAY BALL VALVE CV 63.0 24 VAC / VDC PROPORTIONAL SPRING RETURN - NORMALLY OPEN 62 LB-IN 3 FT. CABLE CLOSE-OFF 200 PSI 90 SEC RUNTIME BRASS TRIM
64455-R0	\$	260.23	2" 2-WAY BALL VALVE CV 100.0 24 VAC / VDC PROPORTIONAL SPRING RETURN - NORMALLY OPEN 62 LB-IN 3 FT. CABLE CLOSE-OFF 200 PSI 90 SEC RUNTIME BRASS TRIM
64457-R0	\$	260.23	2" 2-WAY BALL VALVE CV 160.0 24 VAC / VDC PROPORTIONAL SPRING RETURN - NORMALLY OPEN 62 LB-IN 3 FT. CABLE CLOSE-OFF 200 PSI 90 SEC RUNTIME BRASS TRIM

44625-R0	\$	49.53	DUCT AVERAGING 12 FT COPPER TUBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE 1/2" 2-WAY BALL VALVE CV 0.4 24 VAC / VDC PROPORTIONAL SPRING RETURN - NORMALLY OPEN 20 LB-IN DUAL AUX SWITCHES 3 FT. CABLE CLOSE-OFF 200 PSI 15 SEC RUNTIME
64249-R0	\$	143.21	BRASS TRIM 1/2" 2-WAY BALL VALVE CV 0.63 24 VAC / VDC PROPORTIONAL SPRING RETURN - NORMALLY OPEN 20 LB-IN DUAL AUX SWITCHES 3 FT. CABLE CLOSE-OFF 200 PSI 15 SEC RUNTIME
64251-R0	\$	143.21	BRASS TRIM 1/2" 2-WAY BALL VALVE CV 1.0 24 VAC / VDC PROPORTIONAL SPRING RETURN - NORMALLY OPEN 20 LB-IN DUAL AUX SWITCHES 3 FT. CABLE CLOSE-OFF 200 PSI 15 SEC RUNTIME
64253-R0	\$	143.21	BRASS TRIM 1/2" 2-WAY BALL VALVE CV 1.6 24 VAC / VDC PROPORTIONAL SPRING RETURN - NORMALLY OPEN 20 LB-IN DUAL AUX SWITCHES 3 FT. CABLE CLOSE-OFF 200 PSI 15 SEC RUNTIME
64255-R0	\$	143.21	BRASS TRIM 1/2" 2-WAY BALL VALVE CV 2.5 24 VAC / VDC PROPORTIONAL SPRING RETURN - NORMALLY OPEN 20 LB-IN DUAL AUX SWITCHES 3 FT. CABLE CLOSE-OFF 200 PSI 15 SEC RUNTIME
64257-R0	\$	143.21	BRASS TRIM 1/2" 2-WAY BALL VALVE CV 4.0 24 VAC / VDC PROPORTIONAL SPRING RETURN - NORMALLY OPEN 20 LB-IN DUAL AUX SWITCHES 3 FT. CABLE CLOSE-OFF 200 PSI 15 SEC RUNTIME
64259-R0	\$	143.21	BRASS TRIM 1/2" 2-WAY BALL VALVE CV 6.3 24 VAC / VDC PROPORTIONAL SPRING RETURN - NORMALLY OPEN 20 LB-IN DUAL AUX SWITCHES 3 FT. CABLE CLOSE-OFF 200 PSI 15 SEC RUNTIME
64261-R0	\$	143.21	BRASS TRIM 1/2" 2-WAY BALL VALVE CV 10.0 24 VAC / VDC PROPORTIONAL SPRING RETURN - NORMALLY OPEN 20 LB-IN DUAL AUX SWITCHES 3 FT. CABLE CLOSE-OFF 200 PSI 15 SEC RUNTIME
64263-R0	\$	143.21	BRASS TRIM 3/4" 2-WAY BALL VALVE CV 6.3 24 VAC / VDC PROPORTIONAL SPRING RETURN - NORMALLY OPEN 20 LB-IN DUAL AUX SWITCHES 3 FT. CABLE CLOSE-OFF 200 PSI 15 SEC RUNTIME
64265-R0	\$	157.79	BRASS TRIM 3/4" 2-WAY BALL VALVE CV 10.0 24 VAC / VDC PROPORTIONAL SPRING RETURN - NORMALLY OPEN 20 LB-IN DUAL AUX SWITCHES 3 FT. CABLE CLOSE-OFF 200 PSI 15 SEC RUNTIME
64267-R0	\$	157.79	BRASS TRIM 3/4" 2-WAY BALL VALVE CV 16.0 24 VAC / VDC PROPORTIONAL SPRING RETURN - NORMALLY OPEN 20 LB-IN DUAL AUX SWITCHES 3 FT. CABLE CLOSE-OFF 200 PSI 15 SEC RUNTIME
64269-R0	\$	157.79	BRASS TRIM 3/4" 2-WAY BALL VALVE CV 25.0 24 VAC / VDC PROPORTIONAL SPRING RETURN - NORMALLY OPEN 20 LB-IN DUAL AUX SWITCHES 3 FT. CABLE CLOSE-OFF 200 PSI 15 SEC RUNTIME
64271-R0	\$	157.79	BRASS TRIM
19834-R0	\$	28.51	3-WAY ELECTRO-PNEUMATIC VALVE MODEL 2 AIRFLOW 600 SCIM INLET PRESSURE 20 PSIG DIFFERENTIAL PRESSURE 1 PSIG CV FLOW FACTOR 0.06 IN² 24 VAC 1/4" BARBED FITTING
19835-R0	\$	27.14	3-WAY ELECTRO-PNEUMATIC VALVE MODEL 2 AIRFLOW 600 SCIM INLET PRESSURE 20 PSIG DIFFERENTIAL PRESSURE 1 PSIG CV FLOW FACTOR 0.06 IN² 120 VAC 1/4" BARBED FITTING
51805-R0	\$	28.96	3-WAY ELECTRO-PNEUMATIC VALVE MODEL 2 AIRFLOW 600 SCIM INLET PRESSURE 20 PSIG DIFFERENTIAL PRESSURE 1 PSIG CV FLOW FACTOR 0.06 IN² 208 VAC 1/4" BARBED FITTING 3-WAY ELECTRO-PNEUMATIC VALVE MODEL 2 AIRFLOW 600 SCIM INLET PRESSURE 20 PSIG DIFFERENTIAL PRESSURE 1 PSIG CV FLOW FACTOR 0.06 IN² 480 VAC 1/4" BARBED FITTING
59037-R0	\$	29.77	OPEN FRAME 3-WAY ELECTRO-PNEUMATIC VALVE MODEL 2 AIRFLOW 600 SCIM INLET PRESSURE 20 PSIG DIFFERENTIAL PRESSURE 1 PSIG CV FLOW FACTOR 0.06 IN² 120 VAC 1/4" BARBED FITTING
45808-R0	\$	25.81	OPEN FRAME
5389-R0	\$	573.79	1/2" 2-WAY GLOBE VALVE CV 1.0 24 0-10 VDC / 4-20 MA SPRING RETURN 250 LB-IN FEMALE NPT NORMALLY OPEN STAINLESS STEEL TRIM
5390-R0	\$	573.79	1/2" 2-WAY GLOBE VALVE CV 1.6 24 0-10 VDC / 4-20 MA SPRING RETURN 250 LB-IN FEMALE NPT NORMALLY OPEN STAINLESS STEEL TRIM
5391-R0	\$	573.79	1/2" 2-WAY GLOBE VALVE CV 2.5 24 0-10 VDC / 4-20 MA SPRING RETURN 250 LB-IN FEMALE NPT NORMALLY OPEN STAINLESS STEEL TRIM
5392-R0	\$	573.79	1/2" 2-WAY GLOBE VALVE CV 4.0 24 0-10 VDC / 4-20 MA SPRING RETURN 250 LB-IN FEMALE NPT NORMALLY OPEN STAINLESS STEEL TRIM
5393-R0	\$	584.38	3/4" 2-WAY GLOBE VALVE CV 6.3 24 0-10 VDC / 4-20 MA SPRING RETURN 250 LB-IN FEMALE NPT NORMALLY OPEN STAINLESS STEEL TRIM
5394-R0	\$	593.65	1" 2-WAY GLOBE VALVE CV 10.0 24 0-10 VDC / 4-20 MA SPRING RETURN 250 LB-IN FEMALE NPT NORMALLY OPEN STAINLESS STEEL TRIM
5395-R0	\$	636.00	1 1/4" 2-WAY GLOBE VALVE CV 16.0 24 0-10 VDC / 4-20 MA SPRING RETURN 250 LB-IN FEMALE NPT NORMALLY OPEN STAINLESS STEEL TRIM
5396-R0	\$	714.52	1 1/2" 2-WAY GLOBE VALVE CV 25.0 24 0-10 VDC / 4-20 MA SPRING RETURN 250 LB-IN FEMALE NPT NORMALLY OPEN STAINLESS STEEL TRIM
5397-R0	\$	792.17	2" 2-WAY GLOBE VALVE CV 40.0 24 0-10 VDC / 4-20 MA SPRING RETURN 250 LB-IN FEMALE NPT NORMALLY OPEN STAINLESS STEEL TRIM
5398-R0	\$	615.47	1/2" 2-WAY GLOBE VALVE CV 1.0 24 0-10 VDC / 4-20 MA SPRING RETURN 250 LB-IN FEMALE NPT X UNION FEMALE NORMALLY OPEN STAINLESS STEEL TRIM
5399-R0	\$	615.47	1/2" 2-WAY GLOBE VALVE CV 1.6 24 0-10 VDC / 4-20 MA SPRING RETURN 250 LB-IN FEMALE NPT X UNION FEMALE NORMALLY OPEN STAINLESS STEEL TRIM
5400-R0	\$	615.47	1/2" 2-WAY GLOBE VALVE CV 2.5 24 0-10 VDC / 4-20 MA SPRING RETURN 250 LB-IN FEMALE NPT X UNION FEMALE NORMALLY OPEN STAINLESS STEEL TRIM
5401-R0	\$	615.47	1/2" 2-WAY GLOBE VALVE CV 4.0 24 0-10 VDC / 4-20 MA SPRING RETURN 250 LB-IN FEMALE NPT X UNION FEMALE NORMALLY OPEN STAINLESS STEEL TRIM
5870-R0	\$	573.79	1/2" 2-WAY GLOBE VALVE CV 1.0 24 0-10 VDC / 4-20 MA SPRING RETURN 250 LB-IN FEMALE NPT NORMALLY CLOSED STAINLESS STEEL TRIM
5871-R0	\$	573.79	1/2" 2-WAY GLOBE VALVE CV 1.6 24 0-10 VDC / 4-20 MA SPRING RETURN 250 LB-IN FEMALE NPT NORMALLY CLOSED STAINLESS STEEL TRIM
5872-R0	\$	573.79	1/2" 2-WAY GLOBE VALVE CV 2.5 24 0-10 VDC / 4-20 MA SPRING RETURN 250 LB-IN FEMALE NPT NORMALLY CLOSED STAINLESS STEEL TRIM
5873-R0	\$	573.79	1/2" 2-WAY GLOBE VALVE CV 4.0 24 0-10 VDC / 4-20 MA SPRING RETURN 250 LB-IN FEMALE NPT NORMALLY CLOSED STAINLESS STEEL TRIM
5874-R0	\$	584.38	3/4" 2-WAY GLOBE VALVE CV 6.3 24 0-10 VDC / 4-20 MA SPRING RETURN 250 LB-IN FEMALE NPT NORMALLY CLOSED STAINLESS STEEL TRIM
5875-R0	\$	593.65	1" 2-WAY GLOBE VALVE CV 10.0 24 0-10 VDC / 4-20 MA SPRING RETURN 250 LB-IN FEMALE NPT NORMALLY CLOSED STAINLESS STEEL TRIM
5876-R0	\$	636.00	1 1/4" 2-WAY GLOBE VALVE CV 16.0 24 0-10 VDC / 4-20 MA SPRING RETURN 250 LB-IN FEMALE NPT NORMALLY CLOSED STAINLESS STEEL TRIM

44625-R0	\$	49.53	DUCT AVERAGING 12 FT COPPER TUBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
5877-R0	\$	714.52	1 1/2" 2-WAY GLOBE VALVE CV 25.0 24 0-10 VDC / 4-20 MA SPRING RETURN 250 LB-IN FEMALE NPT NORMALLY CLOSED STAINLESS STEEL TRIM
5878-R0	\$	792.17	2" 2-WAY GLOBE VALVE CV 40.0 24 0-10 VDC / 4-20 MA SPRING RETURN 250 LB-IN FEMALE NPT NORMALLY CLOSED STAINLESS STEEL TRIM
5879-R0	\$	615.47	1/2" 2-WAY GLOBE VALVE CV 1.0 24 0-10 VDC / 4-20 MA SPRING RETURN 250 LB-IN FEMALE NPT X UNION FEMALE NORMALLY CLOSED STAINLESS STEEL TRIM
5880-R0	\$	615.47	1/2" 2-WAY GLOBE VALVE CV 1.6 24 0-10 VDC / 4-20 MA SPRING RETURN 250 LB-IN FEMALE NPT X UNION FEMALE NORMALLY CLOSED STAINLESS STEEL TRIM
5881-R0	\$	615.47	1/2" 2-WAY GLOBE VALVE CV 2.5 24 0-10 VDC / 4-20 MA SPRING RETURN 250 LB-IN FEMALE NPT X UNION FEMALE NORMALLY CLOSED STAINLESS STEEL TRIM
5882-R0	\$	615.47	1/2" 2-WAY GLOBE VALVE CV 4.0 24 0-10 VDC / 4-20 MA SPRING RETURN 250 LB-IN FEMALE NPT X UNION FEMALE NORMALLY CLOSED STAINLESS STEEL TRIM
5883-R0	\$	627.49	3/4" 2-WAY GLOBE VALVE CV 6.3 24 0-10 VDC / 4-20 MA SPRING RETURN 250 LB-IN FEMALE NPT X UNION FEMALE NORMALLY CLOSED STAINLESS STEEL TRIM
5884-R0	\$	636.27	1" 2-WAY GLOBE VALVE CV 10.0 24 0-10 VDC / 4-20 MA SPRING RETURN 250 LB-IN FEMALE NPT X UNION FEMALE NORMALLY CLOSED STAINLESS STEEL TRIM
5891-R0	\$	707.67	1 1/4" 2-WAY GLOBE VALVE CV 16.0 24 0-10 VDC / 4-20 MA SPRING RETURN 250 LB-IN UNION FEMALE X UNION FEMALE NORMALLY CLOSED STAINLESS STEEL TRIM
5892-R0	\$	803.34	1 1/2" 2-WAY GLOBE VALVE CV 25.0 24 0-10 VDC / 4-20 MA SPRING RETURN 250 LB-IN UNION FEMALE X UNION FEMALE NORMALLY CLOSED STAINLESS STEEL TRIM
5893-R0	\$	897.63	2" 2-WAY GLOBE VALVE CV 40.0 24 0-10 VDC / 4-20 MA SPRING RETURN 250 LB-IN UNION FEMALE X UNION FEMALE NORMALLY CLOSED STAINLESS STEEL TRIM
5434-R0	\$	727.95	1 1/4" 2-WAY HIGH TEMPERATURE GLOBE VALVE CV 16.0 24 0-10 VDC / 4-20 MA SPRING RETURN 250 LB-IN UNION FEMALE X UNION FEMALE NORMALLY OPEN STAINLESS STEEL TRIM
5435-R0	\$	823.62	1 1/2" 2-WAY HIGH TEMPERATURE GLOBE VALVE CV 25.0 24 0-10 VDC / 4-20 MA SPRING RETURN 250 LB-IN UNION FEMALE X UNION FEMALE NORMALLY OPEN STAINLESS STEEL TRIM
5436-R0	\$	917.90	2" 2-WAY HIGH TEMPERATURE GLOBE VALVE CV 40.0 24 0-10 VDC / 4-20 MA SPRING RETURN 250 LB-IN UNION FEMALE X UNION FEMALE NORMALLY OPEN STAINLESS STEEL TRIM
5894-R0	\$	594.06	1/2" 2-WAY HIGH TEMPERATURE GLOBE VALVE CV 1.0 24 0-10 VDC / 4-20 MA SPRING RETURN 250 LB-IN FEMALE NPT NORMALLY CLOSED STAINLESS STEEL TRIM
5895-R0	\$	594.06	1/2" 2-WAY HIGH TEMPERATURE GLOBE VALVE CV 1.6 24 0-10 VDC / 4-20 MA SPRING RETURN 250 LB-IN FEMALE NPT NORMALLY CLOSED STAINLESS STEEL TRIM
5896-R0	\$	594.06	1/2" 2-WAY HIGH TEMPERATURE GLOBE VALVE CV 2.5 24 0-10 VDC / 4-20 MA SPRING RETURN 250 LB-IN FEMALE NPT NORMALLY CLOSED STAINLESS STEEL TRIM
5897-R0	\$	594.06	1/2" 2-WAY HIGH TEMPERATURE GLOBE VALVE CV 4.0 24 0-10 VDC / 4-20 MA SPRING RETURN 250 LB-IN FEMALE NPT NORMALLY CLOSED STAINLESS STEEL TRIM
5898-R0	\$	604.65	3/4" 2-WAY HIGH TEMPERATURE GLOBE VALVE CV 6.3 24 0-10 VDC / 4-20 MA SPRING RETURN 250 LB-IN FEMALE NPT NORMALLY CLOSED STAINLESS STEEL TRIM
5899-R0	\$	613.92	1" 2-WAY HIGH TEMPERATURE GLOBE VALVE CV 10.0 24 0-10 VDC / 4-20 MA SPRING RETURN 250 LB-IN FEMALE NPT NORMALLY CLOSED STAINLESS STEEL TRIM
5900-R0	\$	656.27	1 1/4" 2-WAY HIGH TEMPERATURE GLOBE VALVE CV 16.0 24 0-10 VDC / 4-20 MA SPRING RETURN 250 LB-IN FEMALE NPT NORMALLY CLOSED STAINLESS STEEL TRIM
5901-R0	\$	734.80	1 1/2" 2-WAY HIGH TEMPERATURE GLOBE VALVE CV 25.0 24 0-10 VDC / 4-20 MA SPRING RETURN 250 LB-IN FEMALE NPT NORMALLY CLOSED STAINLESS STEEL TRIM
5902-R0	\$	812.45	2" 2-WAY HIGH TEMPERATURE GLOBE VALVE CV 40.0 24 0-10 VDC / 4-20 MA SPRING RETURN 250 LB-IN FEMALE NPT NORMALLY CLOSED STAINLESS STEEL TRIM
5903-R0	\$	635.74	1/2" 2-WAY HIGH TEMPERATURE GLOBE VALVE CV 1.0 24 0-10 VDC / 4-20 MA SPRING RETURN 250 LB-IN FEMALE NPT X UNION FEMALE NORMALLY CLOSED STAINLESS STEEL TRIM
5904-R0	\$	635.74	1/2" 2-WAY HIGH TEMPERATURE GLOBE VALVE CV 1.6 24 0-10 VDC / 4-20 MA SPRING RETURN 250 LB-IN FEMALE NPT X UNION FEMALE NORMALLY CLOSED STAINLESS STEEL TRIM
5905-R0	\$	635.74	1/2" 2-WAY HIGH TEMPERATURE GLOBE VALVE CV 2.5 24 0-10 VDC / 4-20 MA SPRING RETURN 250 LB-IN FEMALE NPT X UNION FEMALE NORMALLY CLOSED STAINLESS STEEL TRIM
5906-R0	\$	635.74	1/2" 2-WAY HIGH TEMPERATURE GLOBE VALVE CV 4.0 24 0-10 VDC / 4-20 MA SPRING RETURN 250 LB-IN FEMALE NPT X UNION FEMALE NORMALLY CLOSED STAINLESS STEEL TRIM
5907-R0	\$	647.76	3/4" 2-WAY HIGH TEMPERATURE GLOBE VALVE CV 6.3 24 0-10 VDC / 4-20 MA SPRING RETURN 250 LB-IN FEMALE NPT X UNION FEMALE NORMALLY CLOSED STAINLESS STEEL TRIM
5908-R0	\$	656.54	1" 2-WAY HIGH TEMPERATURE GLOBE VALVE CV 10.0 24 0-10 VDC / 4-20 MA SPRING RETURN 250 LB-IN FEMALE NPT X UNION FEMALE NORMALLY CLOSED STAINLESS STEEL TRIM
5915-R0	\$	727.95	1 1/4" 2-WAY HIGH TEMPERATURE GLOBE VALVE CV 16.0 24 0-10 VDC / 4-20 MA SPRING RETURN 250 LB-IN UNION FEMALE X UNION FEMALE NORMALLY CLOSED STAINLESS STEEL TRIM
5916-R0	\$	823.62	1 1/2" 2-WAY HIGH TEMPERATURE GLOBE VALVE CV 25.0 24 0-10 VDC / 4-20 MA SPRING RETURN 250 LB-IN UNION FEMALE X UNION FEMALE NORMALLY CLOSED STAINLESS STEEL TRIM
5917-R0	\$	917.90	2" 2-WAY HIGH TEMPERATURE GLOBE VALVE CV 40.0 24 0-10 VDC / 4-20 MA SPRING RETURN 250 LB-IN UNION FEMALE X UNION FEMALE NORMALLY CLOSED STAINLESS STEEL TRIM
4452-R0	\$	573.79	1/2" 2-WAY GLOBE VALVE CV 1.0 24 0-10 VDC / 4-20 MA SPRING RETURN 250 LB-IN FEMALE NPT NORMALLY OPEN STAINLESS STEEL TRIM
4453-R0	\$	573.79	1/2" 2-WAY GLOBE VALVE CV 1.6 24 0-10 VDC / 4-20 MA SPRING RETURN 250 LB-IN FEMALE NPT NORMALLY OPEN STAINLESS STEEL TRIM
4454-R0	\$	573.79	1/2" 2-WAY GLOBE VALVE CV 2.5 24 0-10 VDC / 4-20 MA SPRING RETURN 250 LB-IN FEMALE NPT NORMALLY OPEN STAINLESS STEEL TRIM
4455-R0	\$	573.79	1/2" 2-WAY GLOBE VALVE CV 4.0 24 0-10 VDC / 4-20 MA SPRING RETURN 250 LB-IN FEMALE NPT NORMALLY OPEN STAINLESS STEEL TRIM
4456-R0	\$	584.38	3/4" 2-WAY GLOBE VALVE CV 6.3 24 0-10 VDC / 4-20 MA SPRING RETURN 250 LB-IN FEMALE NPT NORMALLY OPEN STAINLESS STEEL TRIM
4457-R0	\$	593.65	1" 2-WAY GLOBE VALVE CV 10.0 24 0-10 VDC / 4-20 MA SPRING RETURN 250 LB-IN FEMALE NPT NORMALLY OPEN STAINLESS STEEL TRIM
4458-R0	\$	636.00	1 1/4" 2-WAY GLOBE VALVE CV 16.0 24 0-10 VDC / 4-20 MA SPRING RETURN 250 LB-IN FEMALE NPT NORMALLY OPEN STAINLESS STEEL TRIM
4459-R0	\$	714.52	1 1/2" 2-WAY GLOBE VALVE CV 25.0 24 0-10 VDC / 4-20 MA SPRING RETURN 250 LB-IN FEMALE NPT NORMALLY OPEN STAINLESS STEEL TRIM
4460-R0	\$	792.17	2" 2-WAY GLOBE VALVE CV 40.0 24 0-10 VDC / 4-20 MA SPRING RETURN 250 LB-IN FEMALE NPT NORMALLY OPEN STAINLESS STEEL TRIM
4461-R0	\$	615.47	1/2" 2-WAY GLOBE VALVE CV 1.0 24 0-10 VDC / 4-20 MA SPRING RETURN 250 LB-IN FEMALE NPT X UNION FEMALE NORMALLY OPEN STAINLESS STEEL TRIM

44625-R0	\$	49.53	DUCT AVERAGING 12 FT COPPER TUBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
6587-R0	\$	1,076.43	2 1/2" 2-WAY GLOBE VALVE CV 63.0 24 0-10 VDC / 4-20 MA SPRING RETURN 250 LB-IN FLANGED NORMALLY OPEN ANSI 250 STAINLESS STEEL TRIM
6588-R0	\$	1,149.94	3" 2-WAY GLOBE VALVE CV 100.0 24 0-10 VDC / 4-20 MA SPRING RETURN 250 LB-IN FLANGE NORMALLY OPEN ANSI 250 STAINLESS STEEL TRIM
6579-R0	\$	1,076.43	2 1/2" 2-WAY GLOBE VALVE CV 63.0 24 0-10 VDC / 4-20 MA SPRING RETURN 250 LB-IN FLANGE NORMALLY CLOSED ANSI 250 STAINLESS STEEL TRIM
6580-R0	\$	1,149.94	3" 2-WAY GLOBE VALVE CV 100.0 24 0-10 VDC / 4-20 MA SPRING RETURN 250 LB-IN FLANGE NORMALLY CLOSED ANSI 250 STAINLESS STEEL TRIM
6589-R0	\$	742.26	2 1/2" 2-WAY GLOBE VALVE CV 63.0 24 0-10 VDC / 4-20 MA SPRING RETURN 250 LB-IN FLANGE NORMALLY OPEN ANSI 250 BRONZE TRIM
6590-R0	\$	799.90	3" 2-WAY GLOBE VALVE CV 100.0 24 0-10 VDC / 4-20 MA SPRING RETURN 250 LB-IN FLANGE NORMALLY OPEN ANSI 250 BRONZE TRIM
6581-R0	\$	742.26	2 1/2" 2-WAY GLOBE VALVE CV 63.0 24 0-10 VDC / 4-20 MA SPRING RETURN 250 LB-IN FLANGE NORMALLY CLOSED ANSI 250 BRONZE TRIM
6582-R0	\$	799.90	3" 2-WAY GLOBE VALVE CV 100.0 24 0-10 VDC / 4-20 MA SPRING RETURN 250 LB-IN FLANGE NORMALLY CLOSED ANSI 250 BRONZE TRIM
6327-R0	\$	1,030.48	2 1/2" 2-WAY GLOBE VALVE CV 63.0 24 0-10 VDC / 4-20 MA SPRING RETURN 250 LB-IN FLANGE NORMALLY OPEN ANSI 125 STAINLESS STEEL TRIM
6328-R0	\$	1,100.24	3" 2-WAY GLOBE VALVE CV 100.0 24 0-10 VDC / 4-20 MA SPRING RETURN 250 LB-IN FLANGE NORMALLY OPEN ANSI 125 STAINLESS STEEL TRIM
6319-R0	\$	1,030.48	2 1/2" 2-WAY GLOBE VALVE CV 63.0 24 0-10 VDC / 4-20 MA SPRING RETURN 250 LB-IN FLANGE NORMALLY CLOSED ANSI 125 STAINLESS STEEL TRIM
6320-R0	\$	1,100.24	3" 2-WAY GLOBE VALVE CV 100.0 24 0-10 VDC / 4-20 MA SPRING RETURN 250 LB-IN FLANGE NORMALLY CLOSED ANSI 125 STAINLESS STEEL TRIM
6329-R0	\$	718.04	2 1/2" 2-WAY GLOBE VALVE CV 63.0 24 0-10 VDC / 4-20 MA SPRING RETURN 250 LB-IN FLANGE NORMALLY OPEN ANSI 125 BRONZE TRIM
6330-R0	\$	795.72	3" 2-WAY GLOBE VALVE CV 100.0 24 0-10 VDC / 4-20 MA SPRING RETURN 250 LB-IN FLANGE NORMALLY OPEN ANSI 125 BRONZE TRIM
6321-R0	\$	718.04	2 1/2" 2-WAY GLOBE VALVE CV 63.0 24 0-10 VDC / 4-20 MA SPRING RETURN 250 LB-IN FLANGE NORMALLY CLOSED ANSI 125 BRONZE TRIM
6322-R0	\$	795.72	3" 2-WAY GLOBE VALVE CV 100.0 24 0-10 VDC / 4-20 MA SPRING RETURN 250 LB-IN FLANGE NORMALLY CLOSED ANSI 125 BRONZE TRIM
6333-R0	\$	1,030.48	2 1/2" 2-WAY HIGH TEMPERATURE GLOBE VALVE CV 63.0 24 0-10 VDC / 4-20 MA SPRING RETURN 250 LB-IN FLANGE NORMALLY OPEN ANSI 125 STAINLESS STEEL TRIM
6334-R0	\$	1,100.24	3" 2-WAY HIGH TEMPERATURE GLOBE VALVE CV 100.0 24 0-10 VDC / 4-20 MA SPRING RETURN 250 LB-IN FLANGE NORMALLY OPEN ANSI 125 STAINLESS STEEL TRIM
6325-R0	\$	1,030.48	2 1/2" 2-WAY HIGH TEMPERATURE GLOBE VALVE CV 63.0 24 0-10 VDC / 4-20 MA SPRING RETURN 250 LB-IN FLANGE NORMALLY CLOSED ANSI 125 STAINLESS STEEL TRIM
6326-R0	\$	1,100.24	3" 2-WAY HIGH TEMPERATURE GLOBE VALVE CV 100.0 24 0-10 VDC / 4-20 MA SPRING RETURN 250 LB-IN FLANGE NORMALLY CLOSED ANSI 125 STAINLESS STEEL TRIM
6331-R0	\$	1,030.48	2 1/2" 2-WAY GLOBE VALVE CV 63.0 24 0-10 VDC / 4-20 MA SPRING RETURN 250 LB-IN FLANGE NORMALLY OPEN ANSI 125 STAINLESS STEEL TRIM
6332-R0	\$	1,100.24	3" 2-WAY GLOBE VALVE CV 100.0 24 0-10 VDC / 4-20 MA SPRING RETURN 250 LB-IN FLANGE NORMALLY OPEN ANSI 125 STAINLESS STEEL TRIM
6323-R0	\$	1,030.48	2 1/2" 2-WAY GLOBE VALVE CV 63.0 24 0-10 VDC / 4-20 MA SPRING RETURN 250 LB-IN FLANGE NORMALLY CLOSED ANSI 125 STAINLESS STEEL TRIM
6324-R0	\$	1,100.24	3" 2-WAY GLOBE VALVE CV 100.0 24 0-10 VDC / 4-20 MA SPRING RETURN 250 LB-IN FLANGE NORMALLY CLOSED ANSI 125 STAINLESS STEEL TRIM
6593-R0	\$	1,076.43	2 1/2" 2-WAY HIGH TEMPERATURE GLOBE VALVE CV 63.0 24 0-10 VDC / 4-20 MA SPRING RETURN 250 LB-IN FLANGE NORMALLY OPEN ANSI 250 STAINLESS STEEL TRIM
6594-R0	\$	1,149.94	3" 2-WAY HIGH TEMPERATURE GLOBE VALVE CV 100.0 24 0-10 VDC / 4-20 MA SPRING RETURN 250 LB-IN FLANGE NORMALLY OPEN ANSI 250 STAINLESS STEEL TRIM
6585-R0	\$	1,076.43	2 1/2" 2-WAY HIGH TEMPERATURE GLOBE VALVE CV 63.0 24 0-10 VDC / 4-20 MA SPRING RETURN 250 LB-IN FLANGE NORMALLY CLOSED ANSI 250 STAINLESS STEEL TRIM
6586-R0	\$	1,149.94	3" 2-WAY HIGH TEMPERATURE GLOBE VALVE CV 100.0 24 0-10 VDC / 4-20 MA SPRING RETURN 250 LB-IN FLANGE NORMALLY CLOSED ANSI 250 STAINLESS STEEL TRIM
6591-R0	\$	1,076.43	2 1/2" 2-WAY GLOBE VALVE CV 63.0 24 0-10 VDC / 4-20 MA SPRING RETURN 250 LB-IN FLANGE NORMALLY OPEN ANSI 250 STAINLESS STEEL TRIM
6592-R0	\$	1,149.94	3" 2-WAY GLOBE VALVE CV 100.0 24 0-10 VDC / 4-20 MA SPRING RETURN 250 LB-IN FLANGE NORMALLY OPEN ANSI 250 STAINLESS STEEL TRIM
6583-R0	\$	1,076.43	2 1/2" 2-WAY GLOBE VALVE CV 63.0 24 0-10 VDC / 4-20 MA SPRING RETURN 250 LB-IN FLANGE NORMALLY CLOSED ANSI 250 STAINLESS STEEL TRIM
6584-R0	\$	1,149.94	3" 2-WAY GLOBE VALVE CV 100.0 24 0-10 VDC / 4-20 MA SPRING RETURN 250 LB-IN FLANGE NORMALLY CLOSED ANSI 250 STAINLESS STEEL TRIM
6337-R0	\$	771.91	2-1/2 INCH 3-WAY GLOBE VALVE CV 63 125 ANSI 24 VAC PROPORTIONAL WATER / STEAM / 50%GLYCOL BRONZE FLANGE LINEAR SPRING CLOSED 225 LBS FORCE
6338-R0	\$	893.04	3 INCH 3-WAY GLOBE VALVE CV 100 125 ANSI 24 VAC PROPORTIONAL WATER / STEAM / 50%GLYCOL BRONZE FLANGE LINEAR SPRING CLOSED 225 LBS FORCE
6335-R0	\$	1,143.68	2-1/2 INCH 3-WAY GLOBE VALVE CV 63 125 ANSI 24 VAC PROPORTIONAL WATER / STEAM / 50%GLYCOL STAINLESS STEEL FLANGE LINEAR SPRING CLOSED 225 LBS FORCE
6336-R0	\$	1,344.59	3 INCH 3-WAY GLOBE VALVE CV 100 125 ANSI 24 VAC PROPORTIONAL WATER / STEAM / 50%GLYCOL STAINLESS STEEL FLANGE LINEAR SPRING CLOSED 225 LBS FORCE
6597-R0	\$	777.76	2-1/2 INCH 3-WAY GLOBE VALVE CV 63 250 ANSI 24 VAC PROPORTIONAL WATER / STEAM / 50%GLYCOL BRONZE FLANGE LINEAR SPRING CLOSED 225 LBS FORCE
6598-R0	\$	903.08	3 INCH 3-WAY GLOBE VALVE CV 100 250 ANSI 24 VAC PROPORTIONAL WATER / STEAM / 50%GLYCOL BRONZE FLANGE LINEAR SPRING CLOSED 225 LBS FORCE
6595-R0	\$	1,215.52	2-1/2 INCH 3-WAY GLOBE VALVE CV 63 250 ANSI 24 VAC PROPORTIONAL WATER / STEAM / 50%GLYCOL STAINLESS STEEL FLANGE LINEAR SPRING CLOSED 225 LBS FORCE
6596-R0	\$	1,384.70	3 INCH 3-WAY GLOBE VALVE CV 100 250 ANSI 24 VAC PROPORTIONAL WATER / STEAM / 50%GLYCOL STAINLESS STEEL FLANGE LINEAR SPRING CLOSED 225 LBS FORCE
6607-R0	\$	1,347.94	2 1/2" 2-WAY GLOBE VALVE CV 63.0 24 PROPORTIONAL SPRING RETURN 1000 LB-IN FLANGED NORMALLY OPEN ANSI 250 STAINLESS STEEL TRIM
6608-R0	\$	1,421.47	3" 2-WAY GLOBE VALVE CV 100.0 24 PROPORTIONAL SPRING RETURN 1000 LB-IN FLANGE NORMALLY OPEN ANSI 250 STAINLESS STEEL TRIM
6599-R0	\$	1,347.94	2 1/2" 2-WAY GLOBE VALVE CV 63.0 24 PROPORTIONAL SPRING RETURN 1000 LB-IN FLANGE NORMALLY CLOSED ANSI 250 STAINLESS STEEL TRIM
6600-R0	\$	1,421.47	3" 2-WAY GLOBE VALVE CV 100.0 24 PROPORTIONAL SPRING RETURN 1000 LB-IN FLANGE NORMALLY CLOSED ANSI 250 STAINLESS STEEL TRIM
6609-R0	\$	1,013.78	2 1/2" 2-WAY GLOBE VALVE CV 63.0 24 PROPORTIONAL SPRING RETURN 1000 LB-IN FLANGE NORMALLY OPEN ANSI 250 BRONZE TRIM
6610-R0	\$	1,071.42	3" 2-WAY GLOBE VALVE CV 100.0 24 PROPORTIONAL SPRING RETURN 1000 LB-IN FLANGE NORMALLY OPEN ANSI 250 BRONZE TRIM
6601-R0	\$	1,013.78	2 1/2" 2-WAY GLOBE VALVE CV 63.0 24 PROPORTIONAL SPRING RETURN 1000 LB-IN FLANGE NORMALLY CLOSED ANSI 250 BRONZE TRIM
6602-R0	\$	1,071.42	3" 2-WAY GLOBE VALVE CV 100.0 24 PROPORTIONAL SPRING RETURN 1000 LB-IN FLANGE NORMALLY CLOSED ANSI 250 BRONZE TRIM

44625-R0	\$	49.53	DUCT AVERAGING 12 FT COPPER TUBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
6347-R0	\$	1,302.00	2 1/2" 2-WAY GLOBE VALVE CV 63.0 24 PROPORTIONAL SPRING RETURN 1000 LB-IN FLANGE NORMALLY OPEN ANSI 125 STAINLESS STEEL TRIM
6348-R0	\$	1,371.76	3" 2-WAY GLOBE VALVE CV 100.0 24 PROPORTIONAL SPRING RETURN 1000 LB-IN FLANGE NORMALLY OPEN ANSI 125 STAINLESS STEEL TRIM
6339-R0	\$	1,302.00	2 1/2" 2-WAY GLOBE VALVE CV 63.0 24 PROPORTIONAL SPRING RETURN 1000 LB-IN FLANGE NORMALLY CLOSED ANSI 125 STAINLESS STEEL TRIM
6340-R0	\$	1,371.76	3" 2-WAY GLOBE VALVE CV 100.0 24 PROPORTIONAL SPRING RETURN 1000 LB-IN FLANGE NORMALLY CLOSED ANSI 125 STAINLESS STEEL TRIM
6349-R0	\$	989.56	2 1/2" 2-WAY GLOBE VALVE CV 63.0 24 PROPORTIONAL SPRING RETURN 1000 LB-IN FLANGE NORMALLY OPEN ANSI 125 BRONZE TRIM
6350-R0	\$	1,067.24	3" 2-WAY GLOBE VALVE CV 100.0 24 PROPORTIONAL SPRING RETURN 1000 LB-IN FLANGE NORMALLY OPEN ANSI 125 BRONZE TRIM
6341-R0	\$	989.56	2 1/2" 2-WAY GLOBE VALVE CV 63.0 24 PROPORTIONAL SPRING RETURN 1000 LB-IN FLANGE NORMALLY CLOSED ANSI 125 BRONZE TRIM
6342-R0	\$	1,067.24	3" 2-WAY GLOBE VALVE CV 100.0 24 PROPORTIONAL SPRING RETURN 1000 LB-IN FLANGE NORMALLY CLOSED ANSI 125 BRONZE TRIM
6353-R0	\$	1,302.00	2 1/2" 2-WAY HIGH TEMPERATURE GLOBE VALVE CV 63.0 24 PROPORTIONAL SPRING RETURN 1000 LB-IN FLANGE NORMALLY OPEN ANSI 125 STAINLESS STEEL TRIM
6354-R0	\$	1,371.76	3" 2-WAY HIGH TEMPERATURE GLOBE VALVE CV 100.0 24 PROPORTIONAL SPRING RETURN 1000 LB-IN FLANGE NORMALLY OPEN ANSI 125 STAINLESS STEEL TRIM
6345-R0	\$	1,302.00	2 1/2" 2-WAY HIGH TEMPERATURE GLOBE VALVE CV 63.0 24 PROPORTIONAL SPRING RETURN 1000 LB-IN FLANGE NORMALLY CLOSED ANSI 125 STAINLESS STEEL TRIM
6346-R0	\$	1,371.76	3" 2-WAY HIGH TEMPERATURE GLOBE VALVE CV 100.0 24 PROPORTIONAL SPRING RETURN 1000 LB-IN FLANGE NORMALLY CLOSED ANSI 125 STAINLESS STEEL TRIM
6351-R0	\$	1,302.00	2 1/2" 2-WAY GLOBE VALVE CV 63.0 24 PROPORTIONAL SPRING RETURN 1000 LB-IN FLANGE NORMALLY OPEN ANSI 125 STAINLESS STEEL TRIM
6352-R0	\$	1,371.76	3" 2-WAY GLOBE VALVE CV 100.0 24 PROPORTIONAL SPRING RETURN 1000 LB-IN FLANGE NORMALLY OPEN ANSI 125 STAINLESS STEEL TRIM
6343-R0	\$	1,302.00	2 1/2" 2-WAY GLOBE VALVE CV 63.0 24 PROPORTIONAL SPRING RETURN 1000 LB-IN FLANGE NORMALLY CLOSED ANSI 125 STAINLESS STEEL TRIM
6344-R0	\$	1,371.76	3" 2-WAY GLOBE VALVE CV 100.0 24 PROPORTIONAL SPRING RETURN 1000 LB-IN FLANGE NORMALLY CLOSED ANSI 125 STAINLESS STEEL TRIM
6613-R0	\$	1,347.94	2 1/2" 2-WAY HIGH TEMPERATURE GLOBE VALVE CV 63.0 24 PROPORTIONAL SPRING RETURN 1000 LB-IN FLANGE NORMALLY OPEN ANSI 250 STAINLESS STEEL TRIM
6614-R0	\$	1,421.47	3" 2-WAY HIGH TEMPERATURE GLOBE VALVE CV 100.0 24 PROPORTIONAL SPRING RETURN 1000 LB-IN FLANGE NORMALLY OPEN ANSI 250 STAINLESS STEEL TRIM
6605-R0	\$	1,347.94	2 1/2" 2-WAY HIGH TEMPERATURE GLOBE VALVE CV 63.0 24 PROPORTIONAL SPRING RETURN 1000 LB-IN FLANGE NORMALLY CLOSED ANSI 250 STAINLESS STEEL TRIM
6606-R0	\$	1,421.47	3" 2-WAY HIGH TEMPERATURE GLOBE VALVE CV 100.0 24 PROPORTIONAL SPRING RETURN 1000 LB-IN FLANGE NORMALLY CLOSED ANSI 250 STAINLESS STEEL TRIM
6611-R0	\$	1,347.94	2 1/2" 2-WAY GLOBE VALVE CV 63.0 24 PROPORTIONAL SPRING RETURN 1000 LB-IN FLANGE NORMALLY OPEN ANSI 250 STAINLESS STEEL TRIM
6612-R0	\$	1,421.47	3" 2-WAY GLOBE VALVE CV 100.0 24 PROPORTIONAL SPRING RETURN 1000 LB-IN FLANGE NORMALLY OPEN ANSI 250 STAINLESS STEEL TRIM
6603-R0	\$	1,347.94	2 1/2" 2-WAY GLOBE VALVE CV 63.0 24 PROPORTIONAL SPRING RETURN 1000 LB-IN FLANGE NORMALLY CLOSED ANSI 250 STAINLESS STEEL TRIM
6604-R0	\$	1,421.47	3" 2-WAY GLOBE VALVE CV 100.0 24 PROPORTIONAL SPRING RETURN 1000 LB-IN FLANGE NORMALLY CLOSED ANSI 250 STAINLESS STEEL TRIM
6357-R0	\$	1,043.44	2-1/2 INCH 3-WAY GLOBE VALVE CV 63 125 ANSI 24 VAC FLOATING WATER / STEAM / 50%GLYCOL BRONZE FLANGE LINEAR SPRING CLOSED 610 LBS FORCE 3/4 INCH STROKE
6358-R0	\$	1,164.57	3 INCH 3-WAY GLOBE VALVE CV 100 125 ANSI 24 VAC FLOATING WATER / STEAM / 50%GLYCOL BRONZE FLANGE LINEAR SPRING CLOSED 610 LBS FORCE 3/4 INCH STROKE
6355-R0	\$	1,415.20	2-1/2 INCH 3-WAY GLOBE VALVE CV 63 125 ANSI 24 VAC FLOATING WATER / STEAM / 50%GLYCOL STAINLESS STEEL FLANGE LINEAR SPRING CLOSED 610 LBS FORCE 3/4 INCH STROKE
6356-R0	\$	1,616.11	3 INCH 3-WAY GLOBE VALVE CV 100 125 ANSI 24 VAC FLOATING WATER / STEAM / 50%GLYCOL STAINLESS STEEL FLANGE LINEAR SPRING CLOSED 610 LBS FORCE 3/4 INCH STROKE
6617-R0	\$	1,049.29	2-1/2 INCH 3-WAY GLOBE VALVE CV 63 250 ANSI 24 VAC FLOATING WATER / STEAM / 50%GLYCOL BRONZE FLANGE LINEAR SPRING CLOSED 610 LBS FORCE 3/4 INCH STROKE
6618-R0	\$	1,174.60	3 INCH 3-WAY GLOBE VALVE CV 100 250 ANSI 24 VAC FLOATING WATER / STEAM / 50%GLYCOL BRONZE FLANGE LINEAR SPRING CLOSED 610 LBS FORCE 3/4 INCH STROKE
6615-R0	\$	1,487.04	2-1/2 INCH 3-WAY GLOBE VALVE CV 63 250 ANSI 24 VAC FLOATING WATER / STEAM / 50%GLYCOL STAINLESS STEEL FLANGE LINEAR SPRING CLOSED 610 LBS FORCE 3/4 INCH STROKE
6616-R0	\$	1,656.22	3 INCH 3-WAY GLOBE VALVE CV 100 250 ANSI 24 VAC FLOATING WATER / STEAM / 50%GLYCOL STAINLESS STEEL FLANGE LINEAR SPRING CLOSED 610 LBS FORCE 3/4 INCH STROKE
6631-R0	\$	1,711.35	4" 2-WAY GLOBE VALVE CV 160.0 24 PROPORTIONAL SPRING RETURN 1000 LB-IN FLANGE NORMALLY OPEN ANSI 250 STAINLESS STEEL TRIM
6632-R0	\$	1,928.14	5" 2-WAY GLOBE VALVE CV 250.0 24 PROPORTIONAL SPRING RETURN 1000 LB-IN FLANGE NORMALLY OPEN ANSI 250 STAINLESS STEEL TRIM
6633-R0	\$	2,250.19	6" 2-WAY GLOBE VALVE CV 400.0 24 PROPORTIONAL SPRING RETURN 1000 LB-IN FLANGE NORMALLY OPEN ANSI 250 STAINLESS STEEL TRIM
6619-R0	\$	1,711.35	4" 2-WAY GLOBE VALVE CV 160.0 24 PROPORTIONAL SPRING RETURN 1000 LB-IN FLANGE NORMALLY CLOSED ANSI 250 STAINLESS STEEL TRIM
6620-R0	\$	1,928.14	5" 2-WAY GLOBE VALVE CV 250.0 24 PROPORTIONAL SPRING RETURN 1000 LB-IN FLANGE NORMALLY CLOSED ANSI 250 STAINLESS STEEL TRIM
6621-R0	\$	2,250.19	6" 2-WAY GLOBE VALVE CV 400.0 24 PROPORTIONAL SPRING RETURN 1000 LB-IN FLANGE NORMALLY CLOSED ANSI 250 STAINLESS STEEL TRIM
6634-R0	\$	1,291.56	4" 2-WAY GLOBE VALVE CV 160.0 24 PROPORTIONAL SPRING RETURN 1000 LB-IN FLANGE NORMALLY OPEN ANSI 250 BRONZE TRIM
6635-R0	\$	1,605.67	5" 2-WAY GLOBE VALVE CV 250.0 24 PROPORTIONAL SPRING RETURN 1000 LB-IN FLANGE NORMALLY OPEN ANSI 250 BRONZE TRIM
6636-R0	\$	1,928.14	6" 2-WAY GLOBE VALVE CV 400.0 24 PROPORTIONAL SPRING RETURN 1000 LB-IN FLANGE NORMALLY OPEN ANSI 250 BRONZE TRIM
6622-R0	\$	1,291.56	4" 2-WAY GLOBE VALVE CV 160.0 24 PROPORTIONAL SPRING RETURN 1000 LB-IN FLANGE NORMALLY CLOSED ANSI 250 BRONZE TRIM
6623-R0	\$	1,605.67	5" 2-WAY GLOBE VALVE CV 250.0 24 PROPORTIONAL SPRING RETURN 1000 LB-IN FLANGE NORMALLY CLOSED ANSI 250 BRONZE TRIM
6624-R0	\$	1,928.14	6" 2-WAY GLOBE VALVE CV 400.0 24 PROPORTIONAL SPRING RETURN 1000 LB-IN FLANGE NORMALLY CLOSED ANSI 250 BRONZE TRIM
6371-R0	\$	1,623.63	4" 2-WAY GLOBE VALVE CV 160.0 24 PROPORTIONAL SPRING RETURN 1000 LB-IN FLANGE NORMALLY OPEN ANSI 125 STAINLESS STEEL TRIM
6372-R0	\$	1,784.87	5" 2-WAY GLOBE VALVE CV 250.0 24 PROPORTIONAL SPRING RETURN 1000 LB-IN FLANGE NORMALLY OPEN ANSI 125 STAINLESS STEEL TRIM

44625-R0	\$	49.53	DUCT AVERAGING 12 FT COPPER TUBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE									
6373-R0	\$	2,071.42	6" 2-WAY GLOBE VALVE CV 400.0 24 PROPORTIONAL SPRING RETURN 1000 LB-IN FLANGE NORMALLY OPEN ANSI 125 STAINLESS STEEL TRIM									
6359-R0	\$	1,623.63	4" 2-WAY GLOBE VALVE CV 160.0 24 PROPORTIONAL SPRING RETURN 1000 LB-IN FLANGE NORMALLY CLOSED ANSI 125 STAINLESS STEEL TRIM									
6360-R0	\$	1,784.87	5" 2-WAY GLOBE VALVE CV 250.0 24 PROPORTIONAL SPRING RETURN 1000 LB-IN FLANGE NORMALLY CLOSED ANSI 125 STAINLESS STEEL TRIM									
6361-R0	\$	2,071.42	6" 2-WAY GLOBE VALVE CV 400.0 24 PROPORTIONAL SPRING RETURN 1000 LB-IN FLANGE NORMALLY CLOSED ANSI 125 STAINLESS STEEL TRIM									
6374-R0	\$	1,283.62	4" 2-WAY GLOBE VALVE CV 160.0 24 PROPORTIONAL SPRING RETURN 1000 LB-IN FLANGE NORMALLY OPEN ANSI 125 BRONZE TRIM									
6375-R0	\$	1,588.13	5" 2-WAY GLOBE VALVE CV 250.0 24 PROPORTIONAL SPRING RETURN 1000 LB-IN FLANGE NORMALLY OPEN ANSI 125 BRONZE TRIM									
6376-R0	\$	1,856.30	6" 2-WAY GLOBE VALVE CV 400.0 24 PROPORTIONAL SPRING RETURN 1000 LB-IN FLANGE NORMALLY OPEN ANSI 125 BRONZE TRIM									
6362-R0	\$	1,283.62	4" 2-WAY GLOBE VALVE CV 160.0 24 PROPORTIONAL SPRING RETURN 1000 LB-IN FLANGE NORMALLY CLOSED ANSI 125 BRONZE TRIM									
6363-R0	\$	1,588.13	5" 2-WAY GLOBE VALVE CV 250.0 24 PROPORTIONAL SPRING RETURN 1000 LB-IN FLANGE NORMALLY CLOSED ANSI 125 BRONZE TRIM									
6364-R0	\$	1,856.30	6" 2-WAY GLOBE VALVE CV 400.0 24 PROPORTIONAL SPRING RETURN 1000 LB-IN FLANGE NORMALLY CLOSED ANSI 125 BRONZE TRIM									
6380-R0	\$	1,623.63	4" 2-WAY HIGH TEMPERATURE GLOBE VALVE CV 160.0 24 PROPORTIONAL SPRING RETURN 1000 LB-IN FLANGE NORMALLY OPEN ANSI 125 STAINLESS STEEL TRIM									
6381-R0	\$	1,784.87	5" 2-WAY HIGH TEMPERATURE GLOBE VALVE CV 250.0 24 PROPORTIONAL SPRING RETURN 1000 LB-IN FLANGE NORMALLY OPEN ANSI 125 STAINLESS STEEL TRIM									
6382-R0	\$	2,071.42	6" 2-WAY HIGH TEMPERATURE GLOBE VALVE CV 400.0 24 PROPORTIONAL SPRING RETURN 1000 LB-IN FLANGE NORMALLY OPEN ANSI 125 STAINLESS STEEL TRIM									
6368-R0	\$	1,623.63	4" 2-WAY HIGH TEMPERATURE GLOBE VALVE CV 160.0 24 PROPORTIONAL SPRING RETURN 1000 LB-IN FLANGE NORMALLY CLOSED ANSI 125 STAINLESS STEEL TRIM									
6369-R0	\$	1,784.87	5" 2-WAY HIGH TEMPERATURE GLOBE VALVE CV 250.0 24 PROPORTIONAL SPRING RETURN 1000 LB-IN FLANGE NORMALLY CLOSED ANSI 125 STAINLESS STEEL TRIM									
6370-R0	\$	2,071.42	6" 2-WAY HIGH TEMPERATURE GLOBE VALVE CV 400.0 24 PROPORTIONAL SPRING RETURN 1000 LB-IN FLANGE NORMALLY CLOSED ANSI 125 STAINLESS STEEL TRIM									
6377-R0	\$	1,623.63	4" 2-WAY GLOBE VALVE CV 160.0 24 PROPORTIONAL SPRING RETURN 1000 LB-IN FLANGE NORMALLY OPEN ANSI 125 STAINLESS STEEL TRIM									
6378-R0	\$	1,784.87	5" 2-WAY GLOBE VALVE CV 250.0 24 PROPORTIONAL SPRING RETURN 1000 LB-IN FLANGE NORMALLY OPEN ANSI 125 STAINLESS STEEL TRIM									
6379-R0	\$	2,071.42	6" 2-WAY GLOBE VALVE CV 400.0 24 PROPORTIONAL SPRING RETURN 1000 LB-IN FLANGE NORMALLY OPEN ANSI 125 STAINLESS STEEL TRIM									
6365-R0	\$	1,623.63	4" 2-WAY GLOBE VALVE CV 160.0 24 PROPORTIONAL SPRING RETURN 1000 LB-IN FLANGE NORMALLY CLOSED ANSI 125 STAINLESS STEEL TRIM									
6366-R0	\$	1,784.87	5" 2-WAY GLOBE VALVE CV 250.0 24 PROPORTIONAL SPRING RETURN 1000 LB-IN FLANGE NORMALLY CLOSED ANSI 125 STAINLESS STEEL TRIM									
6367-R0	\$	2,071.42	6" 2-WAY GLOBE VALVE CV 400.0 24 PROPORTIONAL SPRING RETURN 1000 LB-IN FLANGE NORMALLY CLOSED ANSI 125 STAINLESS STEEL TRIM									
6640-R0	\$	1,711.35	4" 2-WAY HIGH TEMPERATURE GLOBE VALVE CV 160.0 24 PROPORTIONAL SPRING RETURN 1000 LB-IN FLANGE NORMALLY OPEN ANSI 250 STAINLESS STEEL TRIM									
6641-R0	\$	1,928.14	5" 2-WAY HIGH TEMPERATURE GLOBE VALVE CV 250.0 24 PROPORTIONAL SPRING RETURN 1000 LB-IN FLANGE NORMALLY OPEN ANSI 250 STAINLESS STEEL TRIM									
6642-R0	\$	2,250.19	6" 2-WAY HIGH TEMPERATURE GLOBE VALVE CV 400.0 24 PROPORTIONAL SPRING RETURN 1000 LB-IN FLANGE NORMALLY OPEN ANSI 250 STAINLESS STEEL TRIM									
6628-R0	\$	1,711.35	4" 2-WAY HIGH TEMPERATURE GLOBE VALVE CV 160.0 24 PROPORTIONAL SPRING RETURN 1000 LB-IN FLANGE NORMALLY CLOSED ANSI 250 STAINLESS STEEL TRIM									
6629-R0	\$	1,928.14	5" 2-WAY HIGH TEMPERATURE GLOBE VALVE CV 250.0 24 PROPORTIONAL SPRING RETURN 1000 LB-IN FLANGE NORMALLY CLOSED ANSI 250 STAINLESS STEEL TRIM									
6630-R0	\$	2,250.19	6" 2-WAY HIGH TEMPERATURE GLOBE VALVE CV 400.0 24 PROPORTIONAL SPRING RETURN 1000 LB-IN FLANGE NORMALLY CLOSED ANSI 250 STAINLESS STEEL TRIM									
6637-R0	\$	1,711.35	4" 2-WAY GLOBE VALVE CV 160.0 24 PROPORTIONAL SPRING RETURN 1000 LB-IN FLANGE NORMALLY OPEN ANSI 250 STAINLESS STEEL TRIM									
6638-R0	\$	1,928.14	5" 2-WAY GLOBE VALVE CV 250.0 24 PROPORTIONAL SPRING RETURN 1000 LB-IN FLANGE NORMALLY OPEN ANSI 250 STAINLESS STEEL TRIM									
6639-R0	\$	2,250.19	6" 2-WAY GLOBE VALVE CV 400.0 24 PROPORTIONAL SPRING RETURN 1000 LB-IN FLANGE NORMALLY OPEN ANSI 250 STAINLESS STEEL TRIM									
6625-R0	\$	1,711.35	4" 2-WAY GLOBE VALVE CV 160.0 24 PROPORTIONAL SPRING RETURN 1000 LB-IN FLANGE NORMALLY CLOSED ANSI 250 STAINLESS STEEL TRIM									
6626-R0	\$	1,928.14	5" 2-WAY GLOBE VALVE CV 250.0 24 PROPORTIONAL SPRING RETURN 1000 LB-IN FLANGE NORMALLY CLOSED ANSI 250 STAINLESS STEEL TRIM									
6627-R0	\$	2,250.19	6" 2-WAY GLOBE VALVE CV 400.0 24 PROPORTIONAL SPRING RETURN 1000 LB-IN FLANGE NORMALLY CLOSED ANSI 250 STAINLESS STEEL TRIM									
6386-R0	\$	1,430.65	4 INCH 3-WAY GLOBE VALVE CV 160 125 ANSI 24 VAC PROPORTIONAL WATER / STEAM / 50%GLYCOL BRONZE FLANGE LINEAR SPRING CLOSED 610 LBS FORCE 1-1/2 INCH									
			STROKE									
6387-R0	\$	1,691.30	5 INCH 3-WAY GLOBE VALVE CV 250 125 ANSI 24 VAC PROPORTIONAL WATER / STEAM / 50%GLYCOL BRONZE FLANGE LINEAR SPRING CLOSED 610 LBS FORCE 1-1/2 INCH									
			STROKE									
6388-R0	\$	1,964.06	6 INCH 3-WAY GLOBE VALVE CV 400 125 ANSI 24 VAC PROPORTIONAL WATER / STEAM / 50%GLYCOL BRONZE FLANGE LINEAR SPRING CLOSED 610 LBS FORCE 1-1/2 INCH									
			STROKE									
6383-R0	\$	1,928.14	4 INCH 3-WAY GLOBE VALVE CV 160 125 ANSI 24 VAC PROPORTIONAL WATER / STEAM / 50%GLYCOL STAINLESS STEEL FLANGE LINEAR SPRING CLOSED 610 LBS FORCE 1-1/2									
			INCH STROKE									
6384-R0	\$	2,286.12	5 INCH 3-WAY GLOBE VALVE CV 250 125 ANSI 24 VAC PROPORTIONAL WATER / STEAM / 50%GLYCOL STAINLESS STEEL FLANGE LINEAR SPRING CLOSED 610 LBS FORCE 1-1/2									
			INCH STROKE									
6385-R0	\$	2,858.80	6 INCH 3-WAY GLOBE VALVE CV 400 125 ANSI 24 VAC PROPORTIONAL WATER / STEAM / 50%GLYCOL STAINLESS STEEL FLANGE LINEAR SPRING CLOSED 610 LBS FORCE 1-1/2									
			INCH STROKE									
6646-R0	\$	1,462.82	4 INCH 3-WAY GLOBE VALVE CV 160 250 ANSI 24 VAC PROPORTIONAL WATER / STEAM / 50%GLYCOL BRONZE FLANGE LINEAR SPRING CLOSED 610 LBS FORCE 1-1/2 INCH									
			STROKE									
6647-R0	\$	1,730.99	5 INCH 3-WAY GLOBE VALVE CV 250 250 ANSI 24 VAC PROPORTIONAL WATER / STEAM / 50%GLYCOL BRONZE FLANGE LINEAR SPRING CLOSED 610 LBS FORCE 1-1/2 INCH									
			STROKE									
6648-R0	\$	2,035.49	6 INCH 3-WAY GLOBE VALVE CV 400 250 ANSI 24 VAC PROPORTIONAL WATER / STEAM / 50%GLYCOL BRONZE FLANGE LINEAR SPRING CLOSED 610 LBS FORCE 1-1/2 INCH									
			STROKE									
6643-R0	\$	1,991.63	4 INCH 3-WAY GLOBE VALVE CV 160 250 ANSI 24 VAC PROPORTIONAL WATER / STEAM / 50%GLYCOL STAINLESS STEEL FLANGE LINEAR SPRING CLOSED 610 LBS FORCE 1-1/2									
			INCH STROKE									

44625-R0	\$	49.53	DUCT AVERAGING 12 FT COPPER TUBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE			
6644-R0	\$	2,341.68	5 INCH 3-WAY GLOBE VALVE CV 250 250 ANSI 24 VAC PROPORTIONAL WATER / STEAM / 50%GLYCOL STAINLESS STEEL FLANGE LINEAR SPRING CLOSED 610 LBS FORCE 1-1/2 INCH STROKE			
6645-R0	\$	2,930.64	6 INCH 3-WAY GLOBE VALVE CV 400 250 ANSI 24 VAC PROPORTIONAL WATER / STEAM / 50%GLYCOL STAINLESS STEEL FLANGE LINEAR SPRING CLOSED 610 LBS FORCE 1-1/2 INCH STROKE			
43953-R0	\$	56.46	NEMA 3R RATED WEATHERSHIELD INCLUDES COVERBASE PLATE WITH FACTORY-INSTALLED GASKETING15 TEK SELF-DRILLING SCREWSAND ANTI-ROTATION MOUNTING BRACKET KNOCKOUTS FOR CONNECTION OF 1/2" CONDUIT ALSO INCLUDED ROTARY FOR USE WITH OPENAIR GCAGBBAND GIB SERIES ACTUATORS			
43954-R0	\$	54.42	NEMA 3R RATED WEATHERSHIELD INCLUDES COVERBASE PLATE WITH FACTORY-INSTALLED GASKETING15 TEK SELF-DRILLING SCREWSAND ANTI-ROTATION MOUNTING BRACKET KNOCKOUTS FOR CONNECTION OF 1/2" CONDUIT ALSO INCLUDED GAP SMALL FOR USE WITH OPENAIR GEB AND GMA SERIES DAMPER ACTUATORS			
43955-R0	\$	9.46	1/2" CONDUIT ADAPTER GDE/GLB QUANTITY 1			
43956-R0	\$	165.64	1/2" CONDUIT ADAPTER GDE/GLB QUANTITY 20			
48624-R0	\$	97.27	ELECTRIC DAMPER ACTUATOR NON-SPRING RETURN 24 VAC FLOATING POINT 221 LB-IN NEMA 2 3 FT. PLENUM CABLE WEATHER SHIELD KIT AVAILABLE - PART #ASK75.1U			
48623-R0	\$	92.85	ELECTRIC DAMPER ACTUATOR NON-SPRING RETURN 24 VAC FLOATING POINT 221 LB-IN NEMA 2 3 FT. STANDARD CABLE WEATHER SHIELD KIT AVAILABLE - PART #ASK75.1U			
48627-R0	\$	107.48	ELECTRIC DAMPER ACTUATOR NON-SPRING RETURN 24 VAC FLOATING POINT 221 LB-IN NEMA 2 3 FT. STANDARD CABLE POSITION FEEDBACK WEATHER SHIELD KIT AVAILABLE - PART #ASK75.1U			
48626-R0	\$	113.94	ELECTRIC DAMPER ACTUATOR NON-SPRING RETURN 24 VAC FLOATING POINT 221 LB-IN NEMA 2 3 FT. PLENUM CABLE DUAL AUX SWITCHES WEATHER SHIELD KIT AVAILABLE - PART #ASK75.1U			
48625-R0	\$	109.52	ELECTRIC DAMPER ACTUATOR NON-SPRING RETURN 24 VAC FLOATING POINT 221 LB-IN NEMA 2 3 FT. STANDARD CABLE DUAL AUX SWITCHES WEATHER SHIELD KIT AVAILABLE - PART #ASK75.1U			
14301-R0	\$	136.05	ELECTRIC DAMPER ACTUATOR NON-SPRING RETURN 24 VAC PROPORTIONAL (0-10 VDC) 221 LB-IN NEMA 2 3 FT. PLENUM CABLE WEATHER SHIELD KIT AVAILABLE - PART #ASK75.1U			
14302-R0	\$	131.29	ELECTRIC DAMPER ACTUATOR NON-SPRING RETURN 24 VAC PROPORTIONAL (0-10 VDC) 221 LB-IN NEMA 2 3 FT. STANDARD CABLE WEATHER SHIELD KIT AVAILABLE - PART #ASK75.1U			
14303-R0	\$	155.43	ELECTRIC DAMPER ACTUATOR NON-SPRING RETURN 24 VAC PROPORTIONAL (0-10 VDC) 221 LB-IN NEMA 2 3 FT. PLENUM CABLE SPAN/OFFSET ADJUSTABLE WEATHER SHIELD KIT AVAILABLE - PART #ASK75.1U			
14304-R0	\$	150.67	ELECTRIC DAMPER ACTUATOR NON-SPRING RETURN 24 VAC PROPORTIONAL (0-10 VDC) 221 LB-IN NEMA 2 3 FT. STANDARD CABLE SPAN/OFFSET ADJUSTABLE WEATHER SHIELD KIT AVAILABLE - PART #ASK75.1U			
14305-R0	\$	178.56	ELECTRIC DAMPER ACTUATOR NON-SPRING RETURN 24 VAC PROPORTIONAL (0-10 VDC) 221 LB-IN NEMA 2 3 FT. PLENUM CABLE DUAL AUX SWITCHES SPAN/OFFSET ADJUSTABLE WEATHER SHIELD KIT AVAILABLE - PART #ASK75.1U			
14306-R0	\$	173.80	ELECTRIC DAMPER ACTUATOR NON-SPRING RETURN 24 VAC PROPORTIONAL (0-10 VDC) 221 LB-IN NEMA 2 3 FT. STANDARD CABLE DUAL AUX SWITCHES SPAN/OFFSET ADJUSTABLE WEATHER SHIELD KIT AVAILABLE - PART #ASK75.1U			
14307-R0	\$	159.18	ELECTRIC DAMPER ACTUATOR NON-SPRING RETURN 24 VAC PROPORTIONAL (0-10 VDC) 221 LB-IN NEMA 2 3 FT. PLENUM CABLE DUAL AUX SWITCHES WEATHER SHIELD KIT AVAILABLE - PART #ASK75.1U			
14308-R0	\$	154.41	ELECTRIC DAMPER ACTUATOR NON-SPRING RETURN 24 VAC PROPORTIONAL (0-10 VDC) 221 LB-IN NEMA 2 3 FT. STANDARD CABLE DUAL AUX SWITCHES WEATHER SHIELD KIT AVAILABLE - PART #ASK75.1U			
8367-R0	\$	139.79	ELECTRIC DAMPER ACTUATOR SPRING RETURN 24 VAC/VDC ON/OFF 160 LB-IN NEMA 2 3 FT. PLENUM CABLE WEATHER SHIELD KIT AVAILABLE - PART #ASK75.1U			
8366-R0	\$	135.37	ELECTRIC DAMPER ACTUATOR SPRING RETURN 24 VAC/VDC ON/OFF 160 LB-IN NEMA 2 3 FT. STANDARD CABLE WEATHER SHIELD KIT AVAILABLE - PART #ASK75.1U			
48603-R0	\$	1,035.66	ELECTRIC DAMPER ACTUATOR SPRING RETURN 24 VAC/VDC ON/OFF 160 LB-IN NEMA 2 3 FT. STANDARD CABLE 8 PACK WEATHER SHIELD KIT AVAILABLE - PART #ASK75.1U			
8370-R0	\$	162.92	ELECTRIC DAMPER ACTUATOR SPRING RETURN 24 VAC/VDC ON/OFF 160 LB-IN NEMA 2 3 FT. PLENUM CABLE DUAL AUX SWITCHES WEATHER SHIELD KIT AVAILABLE - PART #ASK75.1U			
8369-R0	\$	158.50	ELECTRIC DAMPER ACTUATOR SPRING RETURN 24 VAC/VDC ON/OFF 160 LB-IN NEMA 2 3 FT. STANDARD CABLE DUAL AUX SWITCHES WEATHER SHIELD KIT AVAILABLE - PART #ASK75.1U			
8388-R0	\$	168.70	ELECTRIC DAMPER ACTUATOR SPRING RETURN 24 VAC/VDC FLOATING POINT 160 LB-IN NEMA 2 3 FT. PLENUM CABLE WEATHER SHIELD KIT AVAILABLE - PART #ASK75.1U			
8387-R0	\$	163.94	ELECTRIC DAMPER ACTUATOR SPRING RETURN 24 VAC/VDC FLOATING POINT 160 LB-IN NEMA 2 3 FT. STANDARD CABLE WEATHER SHIELD KIT AVAILABLE - PART #ASK75.1U			
48607-R0	\$	182.30	ELECTRIC DAMPER ACTUATOR SPRING RETURN 24 VAC/VDC FLOATING POINT 160 LB-IN NEMA 2 3 FT. STANDARD CABLE POSITION FEEDBACK WEATHER SHIELD KIT AVAILABLE - PART #ASK75.1U			
48606-R0	\$	198.29	ELECTRIC DAMPER ACTUATOR SPRING RETURN 24 VAC/VDC FLOATING POINT 160 LB-IN NEMA 2 3 FT. PLENUM CABLE DUAL AUX SWITCHES WEATHER SHIELD KIT AVAILABLE - PART #ASK75.1U			
48605-R0	\$	192.85	ELECTRIC DAMPER ACTUATOR SPRING RETURN 24 VAC/VDC FLOATING POINT 160 LB-IN NEMA 2 3 FT. STANDARD CABLE DUAL AUX SWITCHES WEATHER SHIELD KIT AVAILABLE - PART #ASK75.1U			
8375-R0	\$	186.05	ELECTRIC DAMPER ACTUATOR SPRING RETURN 24 VAC/VDC PROPORTIONAL (0-10/2-10 VDC) 160 LB-IN NEMA 2 3 FT. PLENUM CABLE SIGNAL INVERSION WEATHER SHIELD KIT AVAILABLE - PART #ASK75.1U			

44625-R0	\$	49.53	DUCT AVERAGING 12 FT COPPER TUBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
8374-R0	\$	182.30	ELECTRIC DAMPER ACTUATOR SPRING RETURN 24 VAC/VDC PROPORTIONAL (0-10/2-10 VDC) 160 LB-IN NEMA 2 3 FT. STANDARD CABLE SIGNAL INVERSION WEATHER SHIELD KIT AVAILABLE - PART #ASK75.1U
8377-R0	\$	207.47	ELECTRIC DAMPER ACTUATOR SPRING RETURN 24 VAC/VDC PROPORTIONAL (0-10/2-10 VDC) 160 LB-IN NEMA 2 3 FT. PLENUM CABLE DUAL AUX SWITCHES SIGNAL INVERSION WEATHER SHIELD KIT AVAILABLE - PART #ASK75.1U
8376-R0	\$	203.39	ELECTRIC DAMPER ACTUATOR SPRING RETURN 24 VAC/VDC PROPORTIONAL (0-10/2-10 VDC) 160 LB-IN NEMA 2 3 FT. STANDARD CABLE DUAL AUX SWITCHES SIGNAL INVERSION WEATHER SHIELD KIT AVAILABLE - PART #ASK75.1U
8373-R0	\$	178.56	ELECTRIC DAMPER ACTUATOR SPRING RETURN 24 VAC/VDC PROPORTIONAL (0-10 VDC) 160 LB-IN NEMA 2 3 FT. PLENUM CABLE WEATHER SHIELD KIT AVAILABLE - PART #ASK75.1U
48602-R0	\$	1,425.44	ELECTRIC DAMPER ACTUATOR SPRING RETURN 24 VAC/VDC PROPORTIONAL (0-10 VDC) 160 LB-IN NEMA 2 3 FT. PLENUM CABLE 8 PACK WEATHER SHIELD KIT AVAILABLE - PART #ASK75.1U
8372-R0	\$	173.80	ELECTRIC DAMPER ACTUATOR SPRING RETURN 24 VAC/VDC PROPORTIONAL (0-10 VDC) 160 LB-IN NEMA 2 3 FT. STANDARD CABLE WEATHER SHIELD KIT AVAILABLE - PART #ASK75.1U
8379-R0	\$	197.95	ELECTRIC DAMPER ACTUATOR SPRING RETURN 24 VAC/VDC PROPORTIONAL (0-10 VDC) 160 LB-IN NEMA 2 3 FT. PLENUM CABLE SPAN/OFFSET ADJUSTABLE WEATHER SHIELD KIT AVAILABLE - PART #ASK75.1U
8378-R0	\$	193.19	ELECTRIC DAMPER ACTUATOR SPRING RETURN 24 VAC/VDC PROPORTIONAL (0-10 VDC) 160 LB-IN NEMA 2 3 FT. STANDARD CABLE SPAN/OFFSET ADJUSTABLE WEATHER SHIELD KIT AVAILABLE - PART #ASK75.1U
8381-R0	\$	221.08	ELECTRIC DAMPER ACTUATOR SPRING RETURN 24 VAC/VDC PROPORTIONAL (0-10 VDC) 160 LB-IN NEMA 2 3 FT. PLENUM CABLE DUAL AUX SWITCHES SPAN/OFFSET ADJUSTABLE WEATHER SHIELD KIT AVAILABLE - PART #ASK75.1U
8380-R0	\$	216.32	ELECTRIC DAMPER ACTUATOR SPRING RETURN 24 VAC/VDC PROPORTIONAL (0-10 VDC) 160 LB-IN NEMA 2 3 FT. STANDARD CABLE DUAL AUX SWITCHES SPAN/OFFSET ADJUSTABLE WEATHER SHIELD KIT AVAILABLE - PART #ASK75.1U
8383-R0	\$	201.69	ELECTRIC DAMPER ACTUATOR SPRING RETURN 24 VAC/VDC PROPORTIONAL (0-10 VDC) 160 LB-IN NEMA 2 3 FT. PLENUM CABLE DUAL AUX SWITCHES WEATHER SHIELD KIT AVAILABLE - PART #ASK75.1U
8382-R0	\$	196.93	ELECTRIC DAMPER ACTUATOR SPRING RETURN 24 VAC/VDC PROPORTIONAL (0-10 VDC) 160 LB-IN NEMA 2 3 FT. STANDARD CABLE DUAL AUX SWITCHES WEATHER SHIELD KIT AVAILABLE - PART #ASK75.1U
8368-R0	\$	149.31	ELECTRIC DAMPER ACTUATOR SPRING RETURN 120 VAC ON/OFF 160 LB-IN NEMA 2 3 FT. STANDARD CABLE WEATHER SHIELD KIT AVAILABLE - PART #ASK75.1U
48604-R0	\$	1,177.83	ELECTRIC DAMPER ACTUATOR SPRING RETURN 120 VAC ON/OFF 160 LB-IN NEMA 2 3 FT. STANDARD CABLE 8 PACK WEATHER SHIELD KIT AVAILABLE - PART #ASK75.1U
8371-R0	\$	177.88	ELECTRIC DAMPER ACTUATOR SPRING RETURN 120 VAC ON/OFF 160 LB-IN NEMA 2 3 FT. STANDARD CABLE DUAL AUX SWITCHES WEATHER SHIELD KIT AVAILABLE - PART #ASK75.1U
64087-R0	\$	61.56	ELECTRIC DAMPER ACTUATOR SPRING RETURN 24 VAC ON/OFF & FLOATING POINT 28 LB-F NEMA 2 3 FT. PLENUM CABLE
8399-R0	\$	48.64	ELECTRIC DAMPER ACTUATOR NON-SPRING RETURN 24 VAC FLOATING POINT 44 LB-IN NEMA 2 3 FT. PLENUM CABLE
48610-R0	\$	1,118.99	ELECTRIC DAMPER ACTUATOR NON-SPRING RETURN 24 VAC FLOATING POINT 44 LB-IN NEMA 2 3 FT. PLENUM CABLE 24 PACK
48612-R0	\$	56.12	ELECTRIC DAMPER ACTUATOR NON-SPRING RETURN 24 VAC FLOATING POINT 44 LB-IN NEMA 2 6 FT. PLENUM CABLE
48613-R0	\$	590.79	ELECTRIC DAMPER ACTUATOR NON-SPRING RETURN 24 VAC FLOATING POINT 44 LB-IN NEMA 2 6 FT. PLENUM CABLE 12 PACK
48617-R0	\$	46.26	ELECTRIC DAMPER ACTUATOR NON-SPRING RETURN 24 VAC FLOATING POINT 44 LB-IN NEMA 2 3 FT. STANDARD CABLE TERMINAL STRIP
48618-R0	\$	1,057.43	ELECTRIC DAMPER ACTUATOR NON-SPRING RETURN 24 VAC FLOATING POINT 44 LB-IN NEMA 2 3 FT. STANDARD CABLE TERMINAL STRIP 24 PACK
8398-R0	\$	45.24	ELECTRIC DAMPER ACTUATOR NON-SPRING RETURN 24 VAC FLOATING POINT 44 LB-IN NEMA 2 3 FT. STANDARD CABLE
48611-R0	\$	1,029.54	ELECTRIC DAMPER ACTUATOR NON-SPRING RETURN 24 VAC FLOATING POINT 44 LB-IN NEMA 2 3 FT. STANDARD CABLE 24 PACK
8400-R0	\$	68.71	ELECTRIC DAMPER ACTUATOR NON-SPRING RETURN 24 VAC FLOATING POINT 44 LB-IN NEMA 2 3 FT. PLENUM CABLE POSITION FEEDBACK
8401-R0	\$	68.36	ELECTRIC DAMPER ACTUATOR NON-SPRING RETURN 24 VAC FLOATING POINT 44 LB-IN NEMA 2 3 FT. PLENUM CABLE DUAL AUX SWITCHES
8402-R0	\$	75.51	ELECTRIC DAMPER ACTUATOR NON-SPRING RETURN 24 VAC PROPORTIONAL (0-10 VDC) 44 LB-IN NEMA 2 3 FT. PLENUM CABLE
48609-R0	\$	1,789.37	ELECTRIC DAMPER ACTUATOR NON-SPRING RETURN 24 VAC PROPORTIONAL (0-10 VDC) 44 LB-IN NEMA 2 3 FT. PLENUM CABLE 24 PACK
48616-R0	\$	82.99	ELECTRIC DAMPER ACTUATOR NON-SPRING RETURN 24 VAC PROPORTIONAL (0-10 VDC) 44 LB-IN NEMA 2 TERMINAL STRIP 6 FT. PLENUM CABLE
48614-R0	\$	73.13	ELECTRIC DAMPER ACTUATOR NON-SPRING RETURN 24 VAC PROPORTIONAL (0-10 VDC) 44 LB-IN NEMA 2 3 FT. STANDARD CABLE TERMINAL STRIP
48615-R0	\$	1,752.97	ELECTRIC DAMPER ACTUATOR NON-SPRING RETURN 24 VAC PROPORTIONAL (0-10 VDC) 44 LB-IN NEMA 2 3 FT. STANDARD CABLE TERMINAL STRIP 24 PACK
8403-R0	\$	96.59	ELECTRIC DAMPER ACTUATOR NON-SPRING RETURN 24 VAC PROPORTIONAL (0-10 VDC) 44 LB-IN NEMA 2 3 FT. PLENUM CABLE SPAN/OFFSET ADJUSTMENT
8404-R0	\$	120.06	ELECTRIC DAMPER ACTUATOR NON-SPRING RETURN 24 VAC PROPORTIONAL (0-10 VDC) 44 LB-IN NEMA 2 3 FT. PLENUM CABLE DUAL AUX SWITCHES SPAN/OFFSET ADJUSTMENT
8405-R0	\$	100.33	ELECTRIC DAMPER ACTUATOR NON-SPRING RETURN 24 VAC PROPORTIONAL (0-10 VDC) 44 LB-IN NEMA 2 3 FT. PLENUM CABLE DUAL AUX SWITCHES
48622-R0	\$	84.01	ELECTRIC DAMPER ACTUATOR NON-SPRING RETURN 24 VAC FLOATING POINT 132 LB-IN NEMA 2 3 FT. PLENUM CABLE WEATHER SHIELD KIT AVAILABLE - PART #ASK75.3U
14332-R0	\$	79.93	ELECTRIC DAMPER ACTUATOR NON-SPRING RETURN 24 VAC FLOATING POINT 132 LB-IN NEMA 2 3 FT. STANDARD CABLE WEATHER SHIELD KIT AVAILABLE - PART #ASK75.3U
14333-R0	\$	100.33	ELECTRIC DAMPER ACTUATOR NON-SPRING RETURN 24 VAC FLOATING POINT 132 LB-IN NEMA 2 3 FT. STANDARD CABLE POSITION FEEDBACK ONLY WEATHER SHIELD KIT AVAILABLE - PART #ASK75.3U

44625-R0	\$	49.53	DUCT AVERAGING 12 FT COPPER TUBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
14334-R0	\$	98.29	ELECTRIC DAMPER ACTUATOR NON-SPRING RETURN 24 VAC FLOATING POINT 132 LB-IN NEMA 2 3 FT. STANDARD CABLE DUAL AUX SWITCHES WEATHER SHIELD KIT AVAILABLE - PART #ASK75.3U
48621-R0	\$	123.80	ELECTRIC DAMPER ACTUATOR NON-SPRING RETURN 24 VAC PROPORTIONAL (0-10 VDC) 132 LB-IN NEMA 2 3 FT. PLENUM CABLE WEATHER SHIELD KIT AVAILABLE - PART #ASK75.3U
14335-R0	\$	119.72	ELECTRIC DAMPER ACTUATOR NON-SPRING RETURN 24 VAC PROPORTIONAL (0-10 VDC) 132 LB-IN NEMA 2 3 FT. STANDARD CABLE WEATHER SHIELD KIT AVAILABLE - PART #ASK75.3U
14336-R0	\$	146.93	ELECTRIC DAMPER ACTUATOR NON-SPRING RETURN 24 VAC PROPORTIONAL (0-10 VDC) 132 LB-IN NEMA 2 3 FT. STANDARD CABLE DUAL AUX SWITCHES OFFSET/SPAN ADJUSTABLE WEATHER SHIELD KIT AVAILABLE - PART #ASK75.3U
48630-R0	\$	132.31	ELECTRIC DAMPER ACTUATOR NON-SPRING RETURN 24 VAC FLOATING POINT 310 LB-IN NEMA 2 3 FT. PLENUM CABLE WEATHER SHIELD KIT AVAILABLE - PART #ASK75.1U
48629-R0	\$	127.55	ELECTRIC DAMPER ACTUATOR NON-SPRING RETURN 24 VAC FLOATING POINT 310 LB-IN NEMA 2 3 FT. STANDARD CABLE WEATHER SHIELD KIT AVAILABLE - PART #ASK75.1U
48632-R0	\$	153.73	ELECTRIC DAMPER ACTUATOR NON-SPRING RETURN 24 VAC FLOATING POINT 310 LB-IN NEMA 2 3 FT. PLENUM CABLE POSITION FEEDBACK WEATHER SHIELD KIT AVAILABLE - PART #ASK75.1U
48631-R0	\$	156.46	ELECTRIC DAMPER ACTUATOR NON-SPRING RETURN 24 VAC FLOATING POINT 310 LB-IN NEMA 2 3 FT. PLENUM CABLE DUAL AUX SWITCHES WEATHER SHIELD KIT AVAILABLE - PART #ASK75.1U
45573-R0	\$	150.33	ELECTRIC DAMPER ACTUATOR NON-SPRING RETURN 24 VAC FLOATING POINT 310 LB-IN NEMA 2 3 FT. STANDARD CABLE DUAL AUX SWITCHES WEATHER SHIELD KIT AVAILABLE - PART #ASK75.1U
14317-R0	\$	188.43	ELECTRIC DAMPER ACTUATOR NON-SPRING RETURN 24 VAC PROPORTIONAL (0-10 VDC) 310 LB-IN NEMA 2 3 FT. PLENUM CABLE WEATHER SHIELD KIT AVAILABLE - PART #ASK75.1U
14320-R0	\$	184.01	ELECTRIC DAMPER ACTUATOR NON-SPRING RETURN 24 VAC PROPORTIONAL (0-10 VDC) 310 LB-IN NEMA 2 3 FT. STANDARD CABLE WEATHER SHIELD KIT AVAILABLE - PART #ASK75.1U
14321-R0	\$	207.81	ELECTRIC DAMPER ACTUATOR NON-SPRING RETURN 24 VAC PROPORTIONAL (0-10 VDC) 310 LB-IN NEMA 2 3 FT. PLENUM CABLE SPAN/OFFSET ADJUSTABLE WEATHER SHIELD KIT AVAILABLE - PART #ASK75.1U
14322-R0	\$	203.39	ELECTRIC DAMPER ACTUATOR NON-SPRING RETURN 24 VAC PROPORTIONAL (0-10 VDC) 310 LB-IN NEMA 2 3 FT. STANDARD CABLE SPAN/OFFSET ADJUSTABLE WEATHER SHIELD KIT AVAILABLE - PART #ASK75.1U
14323-R0	\$	230.94	ELECTRIC DAMPER ACTUATOR NON-SPRING RETURN 24 VAC PROPORTIONAL (0-10 VDC) 310 LB-IN NEMA 2 3 FT. PLENUM CABLE DUAL AUX SWITCHES SPAN/OFFSET ADJUSTABLE WEATHER SHIELD KIT AVAILABLE - PART #ASK75.1U
14325-R0	\$	226.52	ELECTRIC DAMPER ACTUATOR NON-SPRING RETURN 24 VAC PROPORTIONAL (0-10 VDC) 310 LB-IN NEMA 2 3 FT. STANDARD CABLE DUAL AUX SWITCHES SPAN/OFFSET ADJUSTABLE WEATHER SHIELD KIT AVAILABLE - PART #ASK75.1U
14326-R0	\$	211.89	ELECTRIC DAMPER ACTUATOR NON-SPRING RETURN 24 VAC PROPORTIONAL (0-10 VDC) 310 LB-IN NEMA 2 3 FT. PLENUM CABLE DUAL AUX SWITCHES WEATHER SHIELD KIT AVAILABLE - PART #ASK75.1U
14327-R0	\$	207.13	ELECTRIC DAMPER ACTUATOR NON-SPRING RETURN 24 VAC PROPORTIONAL (0-10 VDC) 310 LB-IN NEMA 2 3 FT. STANDARD CABLE DUAL AUX SWITCHES WEATHER SHIELD KIT AVAILABLE - PART #ASK75.1U
8391-R0	\$	61.90	ELECTRIC DAMPER ACTUATOR NON-SPRING RETURN 24 VAC FLOATING POINT 88 LB-IN NEMA 2 3 FT. PLENUM CABLE
48619-R0	\$	68.36	ELECTRIC DAMPER ACTUATOR NON-SPRING RETURN 24 VAC FLOATING POINT 88 LB-IN NEMA 2 6 FT. PLENUM CABLE
8392-R0	\$	85.03	ELECTRIC DAMPER ACTUATOR NON-SPRING RETURN 24 VAC FLOATING POINT 88 LB-IN NEMA 2 3 FT. PLENUM CABLE POTENTIOMETER
8393-R0	\$	81.29	ELECTRIC DAMPER ACTUATOR NON-SPRING RETURN 24 VAC FLOATING POINT 88 LB-IN NEMA 2 3 FT. PLENUM CABLE DUAL AUX SWITCHES
8394-R0	\$	92.85	ELECTRIC DAMPER ACTUATOR NON-SPRING RETURN 24 VAC PROPORTIONAL (0-10 VDC) 88 LB-IN NEMA 2 3 FT. PLENUM CABLE
48620-R0	\$	98.98	ELECTRIC DAMPER ACTUATOR NON-SPRING RETURN 24 VAC PROPORTIONAL (0-10 VDC) 88 LB-IN NEMA 2 6 FT. PLENUM CABLE
8395-R0	\$	115.98	ELECTRIC DAMPER ACTUATOR NON-SPRING RETURN 24 VAC PROPORTIONAL (0-10 VDC) 88 LB-IN NEMA 2 3 FT. PLENUM CABLE SPAN/OFFSET ADJUSTABLE
8396-R0	\$	135.37	ELECTRIC DAMPER ACTUATOR NON-SPRING RETURN 24 VAC PROPORTIONAL (0-10 VDC) 88 LB-IN NEMA 2 3 FT. PLENUM CABLE DUAL AUX SWITCHES SPAN/OFFSET ADJUSTABLE
8397-R0	\$	115.98	ELECTRIC DAMPER ACTUATOR NON-SPRING RETURN 24 VAC PROPORTIONAL (0-10 VDC) 88 LB-IN NEMA 2 3 FT. PLENUM CABLE DUAL AUX SWITCHES
10854-R0	\$	100.33	ELECTRIC DAMPER ACTUATOR SPRING RETURN 24 VAC/VDC ON/OFF 62 LB-IN NEMA 1 3 FT. PLENUM CABLE WEATHER SHIELD KIT AVAILABLE - PART #ASK75.3U
48596-R0	\$	981.58	ELECTRIC DAMPER ACTUATOR SPRING RETURN 24 VAC/VDC ON/OFF 62 LB-IN NEMA 1 3 FT. PLENUM CABLE 10 PACK WEATHER SHIELD KIT AVAILABLE - PART #ASK75.3U
10855-R0	\$	96.59	ELECTRIC DAMPER ACTUATOR SPRING RETURN 24 VAC/VDC ON/OFF 62 LB-IN NEMA 1 3 FT. STANDARD CABLE WEATHER SHIELD KIT AVAILABLE - PART #ASK75.3U
43827-R0	\$	936.01	ELECTRIC DAMPER ACTUATOR SPRING RETURN 24 VAC/VDC ON/OFF 62 LB-IN NEMA 1 3 FT. STANDARD CABLE 10 PACK WEATHER SHIELD KIT AVAILABLE - PART #ASK75.3U
48601-R0	\$	127.55	ELECTRIC DAMPER ACTUATOR SPRING RETURN 24 VAC/VDC ON/OFF 62 LB-IN NEMA 1 3 FT. PLENUM CABLE DUAL AUX SWITCHES WEATHER SHIELD KIT AVAILABLE - PART #ASK75.3U
10856-R0	\$	123.80	ELECTRIC DAMPER ACTUATOR SPRING RETURN 24 VAC/VDC ON/OFF 62 LB-IN NEMA 1 3 FT. STANDARD CABLE DUAL AUX SWITCHES WEATHER SHIELD KIT AVAILABLE - PART #ASK75.3U
48598-R0	\$	115.98	ELECTRIC DAMPER ACTUATOR SPRING RETURN 24 VAC/VDC FLOATING POINT 62 LB-IN NEMA 1 3 FT. PLENUM CABLE WEATHER SHIELD KIT AVAILABLE - PART #ASK75.3U

44625-R0	\$	49.53	DUCT AVERAGING 12 FT COPPER TUBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
10857-R0	\$	112.24	ELECTRIC DAMPER ACTUATOR SPRING RETURN 24 VAC/VDC FLOATING POINT 62 LB-IN NEMA 1 3 FT. STANDARD CABLE WEATHER SHIELD KIT AVAILABLE - PART #ASK75.3U
10858-R0	\$	142.85	ELECTRIC DAMPER ACTUATOR SPRING RETURN 24 VAC/VDC FLOATING POINT 62 LB-IN NEMA 1 3 FT. STANDARD CABLE POSITION FEEDBACK WEATHER SHIELD KIT AVAILABLE - PART #ASK75.3U
10859-R0	\$	146.93	ELECTRIC DAMPER ACTUATOR SPRING RETURN 24 VAC/VDC FLOATING POINT 62 LB-IN NEMA 1 3 FT. STANDARD CABLE DUAL AUX SWITCHES WEATHER SHIELD KIT AVAILABLE - PART #ASK75.3U
14292-R0	\$	139.11	ELECTRIC DAMPER ACTUATOR SPRING RETURN 24 VAC/VDC PROPORTIONAL (2-10/10-2 VDC) 62 LB-IN NEMA 1 3 FT. PLENUM CABLE SIGNAL INVERSION WEATHER SHIELD KIT AVAILABLE - PART #ASK75.3U
14291-R0	\$	135.37	ELECTRIC DAMPER ACTUATOR SPRING RETURN 24 VAC/VDC PROPORTIONAL (2-10/10-2 VDC) 62 LB-IN NEMA 1 3 FT. STANDARD CABLE SIGNAL INVERSION WEATHER SHIELD KIT AVAILABLE - PART #ASK75.3U
14294-R0	\$	166.32	ELECTRIC DAMPER ACTUATOR SPRING RETURN 24 VAC/VDC PROPORTIONAL (2-10/10-2 VDC) 62 LB-IN NEMA 1 3 FT. PLENUM CABLE DUAL AUX SWITCHES SIGNAL INVERSION WEATHER SHIELD KIT AVAILABLE - PART #ASK75.3U
14293-R0	\$	162.24	ELECTRIC DAMPER ACTUATOR SPRING RETURN 24 VAC/VDC PROPORTIONAL (2-10/10-2 VDC) 62 LB-IN NEMA 1 3 FT. STANDARD CABLE DUAL AUX SWITCHES SIGNAL INVERSION WEATHER SHIELD KIT AVAILABLE - PART #ASK75.3U
10860-R0	\$	139.11	ELECTRIC DAMPER ACTUATOR SPRING RETURN 24 VAC/VDC PROPORTIONAL (0-10 VDC) 62 LB-IN NEMA 1 3 FT. PLENUM CABLE WEATHER SHIELD KIT AVAILABLE - PART #ASK75.3U
10861-R0	\$	135.37	ELECTRIC DAMPER ACTUATOR SPRING RETURN 24 VAC/VDC PROPORTIONAL (0-10 VDC) 62 LB-IN NEMA 1 3 FT. STANDARD CABLE WEATHER SHIELD KIT AVAILABLE - PART #ASK75.3U
48599-R0	\$	150.67	ELECTRIC DAMPER ACTUATOR SPRING RETURN 24 VAC/VDC PROPORTIONAL (0-10 VDC) 62 LB-IN NEMA 1 3 FT. PLENUM CABLE SPAN/OFFSET ADJUSTABLE WEATHER SHIELD KIT AVAILABLE - PART #ASK75.3U
10862-R0	\$	146.93	ELECTRIC DAMPER ACTUATOR SPRING RETURN 24 VAC/VDC PROPORTIONAL (0-10 VDC) 62 LB-IN NEMA 1 3 FT. STANDARD CABLE SPAN/OFFSET ADJUSTABLE WEATHER SHIELD KIT AVAILABLE - PART #ASK75.3U
10863-R0	\$	170.06	ELECTRIC DAMPER ACTUATOR SPRING RETURN 24 VAC/VDC PROPORTIONAL (0-10 VDC) 62 LB-IN NEMA 1 3 FT. PLENUM CABLE DUAL AUX SWITCHES SPAN/OFFSET ADJUSTABLE WEATHER SHIELD KIT AVAILABLE - PART #ASK75.3U
48600-R0	\$	166.32	ELECTRIC DAMPER ACTUATOR SPRING RETURN 24 VAC/VDC PROPORTIONAL (0-10 VDC) 62 LB-IN NEMA 1 3 FT. STANDARD CABLE DUAL AUX SWITCHES WEATHER SHIELD KIT AVAILABLE - PART #ASK75.3U
10864-R0	\$	162.24	ELECTRIC DAMPER ACTUATOR SPRING RETURN 24 VAC/VDC PROPORTIONAL (0-10 VDC) 62 LB-IN NEMA 1 3 FT. PLENUM CABLE DUAL AUX SWITCHES WEATHER SHIELD KIT AVAILABLE - PART #ASK75.3U
10865-R0	\$	112.24	ELECTRIC DAMPER ACTUATOR SPRING RETURN 120 VAC ON/OFF 62 LB-IN NEMA 1 3 FT. STANDARD CABLE WEATHER SHIELD KIT AVAILABLE - PART #ASK75.3U
48597-R0	\$	1,114.23	ELECTRIC DAMPER ACTUATOR SPRING RETURN 120 VAC ON/OFF 62 LB-IN NEMA 1 3 FT. STANDARD CABLE 10 PACK WEATHER SHIELD KIT AVAILABLE - PART #ASK75.3U
49213-R0	\$	135.37	ELECTRIC DAMPER ACTUATOR SPRING RETURN 120 VAC ON/OFF 62 LB-IN NEMA 1 3 FT. STANDARD CABLE DUAL AUX SWITCHES WEATHER SHIELD KIT AVAILABLE - PART #ASK75.3U
44158-R0	\$	76.53	ELECTRIC DAMPER ACTUATOR SPRING RETURN 24 VAC/VDC ON/OFF 20 LB-IN NEMA 1 3 FT. PLENUM CABLE
48593-R0	\$	757.79	ELECTRIC DAMPER ACTUATOR SPRING RETURN 24 VAC/VDC ON/OFF 20 LB-IN NEMA 1 3 FT. PLENUM CABLE 10 PACK
44159-R0	\$	98.29	ELECTRIC DAMPER ACTUATOR SPRING RETURN 24 VAC/VDC FLOATING POINT 20 LB-IN NEMA 1 3 FT. PLENUM CABLE
48594-R0	\$	976.14	ELECTRIC DAMPER ACTUATOR SPRING RETURN 24 VAC/VDC FLOATING POINT 20 LB-IN NEMA 1 3 FT. PLENUM CABLE 10 PACK
44160-R0	\$	109.18	ELECTRIC DAMPER ACTUATOR SPRING RETURN 24 VAC/VDC PROPORTIONAL (2-10/10-2 VDC) 20 LB-IN NEMA 1 3 FT. PLENUM CABLE
48595-R0	\$	1,085.66	ELECTRIC DAMPER ACTUATOR SPRING RETURN 24 VAC/VDC PROPORTIONAL (2-10/10-2 VDC) 20 LB-IN NEMA 1 3 FT. PLENUM CABLE 10 PACK
64107-R0	\$	397.55	UPS DIN RAIL MOUNT 120 VAC 300 WATT
38423-R0	\$	32.99	HARDWIRED COMMERCIAL/RESIDENTIAL SURGE PROTECTOR 19 500 AMP TOTAL SURGE CURRENT DIAGNOSTIC LIGHT HARDWIRE IN PARALLEL
35733-R0	\$	845.00	ISOLATION ROOM PRESSURE MONITOR 24 VAC/VDC LCD DISPLAY LED INDICATORS ALARM INCLUDES ISOLATION MONITOR - INTERNAL SENSOR - FT OF TUBING - 120 VAC TO 24 VAC TRANSFORMER 0-5 VDC +/- 0.1" W.C. [-24.91- 24.91 PA]
49945-R0	\$	1,786.20	ISOLATION ROOM PRESSURE MONITOR 24 VAC LCD TOUCH SCREEN 4 ANALOG INPUTS & OUTPUTS 2 THERMISTOR INPUTS 4 DIGITAL INPUTS 2 RELAY OUTPUTS BACNET/N2/LONWORKS FLUSH MOUNT MUST SPECIFY [1] INTERNAL SENSOR/REMOTE SENSORS
49946-R0	\$	1,552.20	ISOLATION ROOM PRESSURE MONITOR 24 VAC LCD TOUCH SCREEN 4 ANALOG INPUTS & OUTPUTS 2 THERMISTOR INPUTS 4 DIGITAL INPUTS 2 RELAY OUTPUTS BACNET/N2/LONWORKS SURFACE MOUNT MUST SPECIFY [1] INTERNAL SENSOR/REMOTE SENSORS
20078-R0	\$	81.63	24 SERIES DIFFERENTIALPRESSURE SWITCH SPDT 1-10 PSIRANGE ADJUSTABLE SETPOINT 0.25 INCH FEMALE NPT BRASS CONNECTION
38849-R0	\$	30.12	FORM C POWER PACK 120 VAC 60 HZ 24 VDC OUTPUT 8A N/O / 5A N/C
38850-R0	\$	30.12	FORM C POWER PACK 277 VAC 60 HZ 24 VDC OUTPUT 6A N/O / 3A N/C
38820-R0	\$	59.32	INTELISWITCH AUTOMATIC CONTROL SWITCH PROVIDES MANUAL AND AUTOMATED LIGHTING CONTROL RECEIVES SIGNALS FROM LIGHTING CONTROL PANELS OR OTHER CONTROL SYSTEMS 120/277 VAC NO NEUTRAL REQUIRED MUST SPECIFY [1] COLOR
38823-R0	\$	1.68	BLANK PLATE FOR 2 GANG BOX MUST SPECIFY [1] COLOR
38824-R0	\$	1.68	2 GANG WALL PLATE SWITCH OPTION MUST SPECIFY [1] COLOR
38825-R0	\$	1.00	DECORATOR WALL PLATE SINGLE GANG

44625-R0	\$	49.53	DUCT AVERAGING 12 FT COPPER TUBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
38826-R0	\$	5.36	DECORATOR WALL PLATE S-347 & WA-160 SINGLE GANG
38827-R0	\$	2.09	BLANK WALL PLATE FOR 2 GANG BOX
38828-R0	\$	2.09	DECORATOR AND SWITCH WALL PLATE 2 GANG MUST SPECIFY [1] COLOR
38845-R0	\$	108.76	POWER SUPPLY 120 VAC FOR WATTSTOPPER SENSORS
38846-R0	\$	108.76	POWER SUPPLY 277 VAC FOR WATTSTOPPER SENSORS
38835-R0	\$	25.10	POWER PACK FOR WATTSTOPPER SENSORS 120 VAC 60 HZ OUTPUT 24 VDC
38837-R0	\$	25.10	POWER PACK FOR WATTSTOPPER SENSORS 220-240 VAC 50/60 HZ OUTPUT 24 VDC
38838-R0	\$	25.10	POWER PACK FOR WATTSTOPPER SENSORS 347 VAC 60 HZ OUTPUT 24 VDC
38842-R0	\$	36.50	POWER PACK DIN RAIL MOUNTED 100-300 VAC 50/60 HZ 24 VDC OUTPUT
38843-R0	\$	36.50	POWER PACK MANUAL-ON DIN RAIL MOUNTED 100-300 VAC 50/60 HZ 24 VDC OUTPUT
38858-R0	\$	164.27	POWER PACK FOR LCO-203 AND LCD-203 3 RELAYS 120-277 VAC MOUNTS ON DIN RAIL
49315-R0	\$	36.80	UNIVERSAL POWER PACK FOR WATTSTOPPER SENSORS 120/230/277 VAC 60 HZ OUTPUT 24 VDC
38841-R0	\$	36.50	POWER PACK FOR WATTSTOPPER SENSORS 480 VAC 2 PHASE 60 HZ OUTPUT 24 VDC
38840-R0	\$	34.68	UNIVERSAL POWER PACK FOR WATTSTOPPER SENSORS 120/277 VAC 60 HZ OUTPUT 24 VDC
38847-R0	\$	43.50	2 RELAY POWER PACK 120 VAC 60 HZ 24 VDC OUTPUT
38848-R0	\$	43.50	2 RELAY POWER PACK 277 VAC 60 HZ 24 VDC OUTPUT
			LOW TEMPERATURE OCCUPANCY SENSOR FOR INSTALLATION IN COLD AND DAMP CONDITIONS WATERTIGHT ENCLOSURE ISOLATED RELAY LOW TEMP SENSOR 24 VAC/VDC TURNS LIGHTS
38784-R0	\$	155.14	ON AND OFF BASED ON OCCUPANCY
38782-R0	\$	62.74	PASSIVE INFRARED CEILING OCCUPANCY SENSOR 12 VDC ISOLATED RELAY TURNS LIGHTS ON AND OFF BASED ON OCCUPANCY
38778-R0	\$	96.73	PASSIVE INFRARED CEILING OCCUPANCY SENSOR 24 VDC LIGHT LEVEL ISOLATED RELAY TURNS LIGHTS ON AND OFF BASED ON OCCUPANCY UP TO 1200 SQUARE FT. COVERAGE
48645-R0	\$	96.73	PASSIVE INFRARED CEILING OCCUPANCY SENSOR 24 VDC LIGHT LEVEL ISOLATED RELAY TURNS LIGHTS ON AND OFF BASED ON OCCUPANCY UP TO 500 SQUARE FT. COVERAGE
38779-R0	\$	73.62	PASSIVE INFRARED CEILING OCCUPANCY SENSOR 24 VDC NO LIGHT LEVEL NO ISOLATED RELAY TURNS LIGHTS ON AND OFF BASED ON OCCUPANCY
38783-R0	\$	62.74	PASSIVE INFRARED CEILING OCCUPANCY SENSOR 24 VAC/VDC ISOLATED RELAY TURNS LIGHTS ON AND OFF BASED ON OCCUPANCY STANDARD LENS 44 FT CIRCULAR PATTERN
45575-R0	\$	62.74	PASSIVE INFRARED CEILING OCCUPANCY SENSOR 24 VAC/VDC ISOLATED RELAY TURNS LIGHTS ON AND OFF BASED ON OCCUPANCY HIGH DENSITY LENS 24 FT CIRCULAR PATTERN
38780-R0	\$	100.39	PASSIVE INFRARED CEILING OCCUPANCY SENSOR 24 VDC LIGHT LEVEL ISOLATED RELAY TURNS LIGHTS ON AND OFF BASED ON OCCUPANCY CENTER MOUNT 360 DEGREE LOW PROFILE
			PASSIVE INFRARED CEILING OCCUPANCY SENSOR 24 VDC NO LIGHT LEVEL NO ISOLATED RELAY TURNS LIGHTS ON AND OFF BASED ON OCCUPANCY CENTER MOUNT 360 DEGREE LOW
38781-R0	\$	78.64	PROFILE
38776-R0	\$	96.73	PASSIVE INFRARED CEILING/WALL SENSOR TURNS LIGHTS ON AND OFF BASED ON OCCUPANCY 24 VDC ISOLATED RELAY LIGHT LEVEL
38777-R0	\$	73.62	PASSIVE INFRARED CEILING/WALL SENSOR TURNS LIGHTS ON AND OFF BASED ON OCCUPANCY 24 VDC NO LIGHT LEVEL OR ISOLATED RELAY
			DUAL TECHNOLOGY PIR/ULTRASONIC CEILING OCCUPANCY SENSOR 24 VDC CORNER MOUNT 2000 SQ. FT 40 KHZ FREQUENCY CONTROLS LIGHTING BASED ON OCCUPANCY LIGHT LEVEL
38806-R0	\$	155.14	ISOLATED RELAY
38807-R0	\$	125.49	DUAL TECHNOLOGY PIR/ULTRASONIC CEILING OCCUPANCY SENSOR 24 VDC CORNER MOUNT 2000 SQ. FT 40 KHZ FREQUENCY CONTROLS LIGHTING BASED ON OCCUPANCY
			DUAL TECHNOLOGY PIR/ULTRASONIC CEILING OCCUPANCY SENSOR 24 VDC FLAT CEILING MOUNT 1000 SQ. FT 40 KHZ FREQUENCY CONTROLS LIGHTING BASED ON OCCUPANCY LIGHT
38808-R0	\$	155.14	LEVEL ISOLATED RELAY
38809-R0	\$	125.49	DUAL TECHNOLOGY PIR/ULTRASONIC CEILING OCCUPANCY SENSOR 24 VDC FLAT CEILING MOUNT 1000 SQ. FT 40 KHZ FREQUENCY CONTROLS LIGHTING BASED ON OCCUPANCY
			DUAL TECHNOLOGY PIR/ULTRASONIC CEILING OCCUPANCY SENSOR 24 VDC FLAT CEILING MOUNT 1000 SQ. FT 40 KHZ FREQUENCY CONTROLS LIGHTING BASED ON OCCUPANCY LIGHT
38810-R0	\$	136.89	LEVEL
			DUAL TECHNOLOGY WALL SWITCH OCCUPANCY SENSOR PIR & ULTRASONIC 24 VAC/VDC 50/60 HZ 0-800/1200 WATTS TURNS LIGHTS ON AND OFF BASED ON OCCUPANCY BLACK
38773-R0	\$	105.86	INCLUDES ASP-211
			DUAL TECHNOLOGY WALL SWITCH OCCUPANCY SENSOR PIR & ULTRASONIC 347 VAC 50/60 HZ 0-800/1200 WATTS TURNS LIGHTS ON AND OFF BASED ON OCCUPANCY BLACK INCLUDES
38772-R0	\$	105.86	ASP-211
			DUAL TECHNOLOGY WALL SWITCH OCCUPANCY SENSOR PIR & ULTRASONIC 120/230/277 VAC 50/60 HZ 0-800/1200 WATTS TURNS LIGHTS ON AND OFF BASED ON OCCUPANCY INCLUDES
38771-R0	\$	105.86	ASP-211
			DUAL TECHNOLOGY WALL SWITCH OCCUPANCY SENSOR DUAL RELAY PIR & ULTRASONIC 120/230/277 VAC 50/60 HZ 0-800/1200 WATTS TURNS LIGHTS ON AND OFF BASED ON
38774-R0	\$	122.29	OCCUPANCY BLACK INCLUDES ASP-211
38886-R0	\$	88.99	EMERGENCY LIGHTING CONTROL UNIT DIN RAIL MOUNT UL 924 LISTED 10A BALLAST
58903-R0	\$	66.25	LOW VOLTAGE PHOTOCELL CONTROLS EXTERIOR LIGHTING WORKS WITH WATT STOPPER POWER PACKS AND LIGHTING CONTROL PANELS
38814-R0	\$	53.53	OUTDOOR MOTION SENSOR RATED FOR -40F - 130F OCCUPANCY BASED CONTROL OF OUTDOOR LIGHTING 24 VDC 180DEG COVERAGE MUST SPECIFY [1] COLOR

44625-R0	\$	49.53	DUCT AVERAGING 12 FT COPPER TUBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
38811-R0	\$	66.92	OUTDOOR MOTION SENSOR RATED FOR -40F - 130F OCCUPANCY BASED CONTROL OF OUTDOOR LIGHTING 120 VAC 270DEG COVERAGE ISOLATED RELAY MUST SPECIFY [1] COLOR
38812-R0	\$	66.92	OUTDOOR MOTION SENSOR RATED FOR -40F - 130F OCCUPANCY BASED CONTROL OF OUTDOOR LIGHTING 277 VAC 270DEG COVERAGE ISOLATED RELAY MUST SPECIFY [1] COLOR
38815-R0	\$	53.53	OUTDOOR MOTION SENSOR RATED FOR -40F - 130F OCCUPANCY BASED CONTROL OF OUTDOOR LIGHTING 24 VDC 270DEG COVERAGE MUST SPECIFY [1] COLOR
38813-R0	\$	97.05	OUTDOOR MOTION SENSOR RATED FOR -40F - 130F OCCUPANCY BASED CONTROL OF OUTDOOR LIGHTING 120 VAC 270DEG COVERAGE LAMP HOLDERS MUST SPECIFY [1] COLOR
38868-R0	\$	616.01	LIGHTING INTEGRATOR LIGHTING CONTROL PANEL BMS INTERFACE MODULE
38867-R0	\$	616.01	LIGHTING INTEGRATOR LIGHTING CONTROL PANEL NETWORK CLOCK OPTION
38877-R0	\$	102.67	DATALINE SWITCH FOR G1A SERIES SINGLE SWITCH
38878-R0	\$	130.05	DATALINE SWITCH FOR G1A SERIES DUAL SWITCH 2 INDIVIDUAL BUTTONS AND MASTER BUTTON
38879-R0	\$	177.96	DATALINE SWITCH FOR G1A SERIES QUAD SWITCH 4 INDIVIDUAL BUTTONS AND MASTER BUTTON
38880-R0	\$	273.78	DATALINE SWITCH FOR G1A SERIES OCTAL SWITCH 8 INDIVIDUAL BUTTONS AND MASTER BUTTON DOUBLE GANG
38876-R0	\$	30.25	HEAVY DUTY RELAY MECH LATCHING 5 PIN CONNECTOR PILOT CONTACTS OVERRIDE SWITCH 14000 AMP SCCR
38869-R0	\$	588.68	LIGHTING INTEGRATOR LIGHTING CONTROL PANEL PHOTOCONTROL PACKAGE WITH PHOTSENSOR
38870-R0	\$	410.67	LIGHTING INTEGRATOR LIGHTING CONTROL PANEL UNIVERSAL SWITCH INTERFACE MODULE
38851-R0	\$	217.50	INTELITIMER PRO LOGGER OCCUPANCY AND LIGHT LOGGER LITHIUM BATTERY IT-PROSOFT SOFTWARE INCLUDED
38865-R0	\$	2,527.82	LIGHTING INTEGRATOR LIGHTING CONTROL PANEL 24 RELAYS 24 CAPACITY LONWORKS BASED AUTOMATION AND CONTROL WITH SUPPORT FOR AUTOMATION MODULES AND DATALINE SWITCHES
38866-R0	\$	4,229.17	LIGHTING INTEGRATOR LIGHTING CONTROL PANEL 48 RELAYS 24 CAPACITY LONWORKS BASED AUTOMATION AND CONTROL WITH SUPPORT FOR AUTOMATION MODULES AND DATALINE SWITCHES
38864-R0	\$	1,299.42	LIGHTING INTEGRATOR LIGHTING CONTROL PANEL 8 RELAYS 24 CAPACITY LONWORKS BASED AUTOMATION AND CONTROL WITH SUPPORT FOR AUTOMATION MODULES AND DATALINE SWITCHES
38881-R0	\$	13.69	MULTI-BUTTON LOW VOLTAGE SWITCH SINGLE BUTTON/SINGLE GANG 18-30 VAC RECTIFIED OR DC
38882-R0	\$	21.91	MULTI-BUTTON LOW VOLTAGE SWITCH 3 BUTTON/SINGLE GANG 18-30 VAC RECTIFIED OR DC
38883-R0	\$	34.23	MULTI-BUTTON LOW VOLTAGE SWITCH 5 BUTTON/SINGLE GANG 18-30 VAC RECTIFIED OR DC
38884-R0	\$	88.99	MULTI-BUTTON LOW VOLTAGE SWITCH 9 BUTTON/DOUBLE GANG 18-30 VAC RECTIFIED OR DC
38844-R0	\$	196.21	DUAL CHANNEL/RELAY DIMMING 120/277 VAC 50/60 HZ 24 VDC OUTPUT
38890-R0	\$	365.04	LIGHTSAVER DIMMING CONTROLLER 3 CHANNEL 24 VDC MOUNTS ON DIN RAIL INCLUDES CONTROLLERBT-203 POWER PACKAND LS-290C PHOTOCCELL LCD DISPLAY OF LIGHT LEVEL READINGS CONTROLS 0-10 VDC BALLASTS
38889-R0	\$	365.04	LIGHTSAVER ON/OFF SWITCHING CONTROLLER 3 CHANNEL 24 VDC MOUNTS ON DIN RAIL INCLUDES CONTROLLERBT-203 POWER PACKAND LS-290C PHOTOCCELL LCD DISPLAY OF LIGHT LEVEL READINGS
38872-R0	\$	2,130.84	LIGHTING INTEGRATOR BASIC HARD WIRE PANEL 24 RELAYS NO CLOCK
38862-R0	\$	3,260.19	LIGHTING INTEGRATOR LIGHTING CONTROL PANEL 24 RELAY CAPACITY PANEL
38873-R0	\$	3,681.86	LIGHTING INTEGRATOR BASIC HARD WIRE PANEL 48 RELAYS NO CLOCK
38863-R0	\$	4,948.11	LIGHTING INTEGRATOR LIGHTING CONTROL PANEL 48 RELAY CAPACITY PANEL
38871-R0	\$	902.43	LIGHTING INTEGRATOR BASIC HARD WIRE PANEL 8 RELAYS NO CLOCK
38861-R0	\$	1,621.11	LIGHTING INTEGRATOR LIGHTING CONTROL PANEL 8 RELAY CAPACITY PANEL
38875-R0	\$	1,252.76	LIGHTING INTEGRATOR BASIC HARD WIRE PANEL WITH CLOCK 24 RELAYS 115/277 VOLT POWER SUPPLY
38874-R0	\$	889.79	LIGHTING INTEGRATOR BASIC HARD WIRE PANEL WITH CLOCK 8 RELAYS 115/277 VOLT POWER SUPPLY
38887-R0	\$	85.79	LIGHTSAVER DAYLIGHTING CONTROLLER SINGLE ZONE ON/OFF DEVICE FOR TURNING LIGHTING OFF AUTOMATICALLY WHEN SUFFICIENT NATURAL DAYLIGHT IS PRESENT
38856-R0	\$	100.39	PHOTOCCELL FOR LCO-203 AND LCD-203 3-6000 FOOTCANDLES FOR INTERIOR USE ONLY
38888-R0	\$	136.89	LIGHTSAVER DIMMING PHOTSENSOR SINGLE ZONE AUTOMATIC DIMMING BASED ON AMBIENT LIGHT LEVELS CONTROLLED VIA REMOTE CONTROL
38857-R0	\$	80.31	WALL SWITCH FOR LCD-203 AND LCO-203 ALLOWS MANUAL OVERRIDE
38860-R0	\$	114.08	NEMA 1 ENCLOSURE 12X12 SCREW COVER 2 ROWS OF DIN RAIL
38859-R0	\$	73.01	NEMA 1 ENCLOSURE 8X8 SCREW COVER 1 ROW OF DIN RAIL
38855-R0	\$	22.82	HANDHELD REMOTE CONTROL FOR LS-301 - OCCUPANT CONTROL VERSION (2 AAA BATTERIES INCLUDED)
38854-R0	\$	22.82	HANDHELD REMOTE CONTROL FOR LS-301 - SETUP VERSION (2 AAA BATTERIES INCLUDED)
38829-R0	\$	10.47	INDUSTRIAL MOUNTING BRACKET FOR CX OCCUPANCY SENSOR
38830-R0	\$	10.47	HID FIXTURE REFLECTOR SENSOR MOUNTING BRACKET
38852-R0	\$	12.55	ACCESSORY CONNECTOR CABLE FOR IT-200 TO PC
38760-R0	\$	60.23	PASSIVE INFRARED WALL SWITCH OCCUPANCY SENSOR 24 VAC/VDC 50/60 HZ 0-800/1200 WATTS TURNS LIGHTS ON AND OFF BASED ON OCCUPANCY
38759-R0	\$	60.23	PASSIVE INFRARED WALL SWITCH OCCUPANCY SENSOR 347 VAC 50/60 HZ 0-800/1200 WATTS TURNS LIGHTS ON AND OFF BASED ON OCCUPANCY BLACK
38758-R0	\$	60.23	PASSIVE INFRARED WALL SWITCH OCCUPANCY SENSOR 120/230/277 VAC 50/60 HZ 0-800/1200 WATTS TURNS LIGHTS ON AND OFF BASED ON OCCUPANCY

44625-R0	\$	49.53	DUCT AVERAGING 12 FT COPPER TUBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
38761-R0	\$	76.66	PASSIVE INFRARED WALL SWITCH OCCUPANCY SENSOR DUAL RELAY 120/230/277 VAC 50/60 HZ 0-800/1200 WATTS TURNS LIGHTS ON AND OFF BASED ON OCCUPANCY
38839-R0	\$	20.07	AUXILIARY PACK 120/277/347 VAC FOR WATTSTOPPER SENSORS
38853-R0	\$	33.46	USB-SERIAL CONVERTER FOR IT-200SBT-USC1K
38793-R0	\$	102.21	ULTRASONIC CEILING OCCUPANCY SENSOR 24 VAC/VDC 500 SQ. FT COVERAGE 32 KHZ FREQUENCY CONTROLS LIGHTING BASED ON OCCUPANCY ISOLATED RELAY FLAT MOUNTING
38794-R0	\$	120.46	ULTRASONIC CEILING OCCUPANCY SENSOR 24 VAC/VDC 1000 SQ. FT COVERAGE 32 KHZ FREQUENCY CONTROLS LIGHTING BASED ON OCCUPANCY ISOLATED RELAY FLAT MOUNTING
38795-R0	\$	138.71	ULTRASONIC CEILING OCCUPANCY SENSOR 24 VAC/VDC 2000 SQ. FT COVERAGE 32 KHZ FREQUENCY CONTROLS LIGHTING BASED ON OCCUPANCY ISOLATED RELAY FLAT MOUNTING
38796-R0	\$	87.00	ULTRASONIC CEILING OCCUPANCY SENSOR 24 VAC/VDC 500 SQ. FT COVERAGE 32 KHZ FREQUENCY CONTROLS LIGHTING BASED ON OCCUPANCY FLAT MOUNTING
38797-R0	\$	103.73	ULTRASONIC CEILING OCCUPANCY SENSOR 24 VAC/VDC 1000 SQ. FT COVERAGE 32 KHZ FREQUENCY CONTROLS LIGHTING BASED ON OCCUPANCY FLAT MOUNTING
38798-R0	\$	120.46	ULTRASONIC CEILING OCCUPANCY SENSOR 24 VAC/VDC 2000 SQ. FT COVERAGE 32 KHZ FREQUENCY CONTROLS LIGHTING BASED ON OCCUPANCY FLAT MOUNTING
38799-R0	\$	94.91	ULTRASONIC CEILING OCCUPANCY SENSOR LINE VOLTAGE 500 SQ. FT COVERAGE 40 KHZ FREQUENCY CONTROLS LIGHTING BASED ON OCCUPANCY FLAT MOUNTING
38800-R0	\$	113.17	ULTRASONIC CEILING OCCUPANCY SENSOR LINE VOLTAGE 1000 SQ. FT COVERAGE 40 KHZ FREQUENCY CONTROLS LIGHTING BASED ON OCCUPANCY FLAT MOUNTING
38801-R0	\$	131.42	ULTRASONIC CEILING OCCUPANCY SENSOR LINE VOLTAGE 2000 SQ. FT COVERAGE 40 KHZ FREQUENCY CONTROLS LIGHTING BASED ON OCCUPANCY FLAT MOUNTING
38767-R0	\$	78.48	ULTRASONIC WALL SWITCH OCCUPANCY SENSOR 120/230/277 VAC 50/60 HZ 0-800/1200 WATTS HIGH SENSITIVITY TO SMALL AND LARGE MOVEMENTS BLACK INCLUDES ASP-211
38769-R0	\$	78.48	ULTRASONIC WALL SWITCH OCCUPANCY SENSOR 24 VAC/VDC 50/60 HZ 0-800/1200 WATTS HIGH SENSITIVITY TO SMALL AND LARGE MOVEMENTS BLACK INCLUDES ASP-211
38768-R0	\$	78.48	ULTRASONIC WALL SWITCH OCCUPANCY SENSOR 347 VAC 50/60 HZ 0-800/1200 WATTS HIGH SENSITIVITY TO SMALL AND LARGE MOVEMENTS BLACK INCLUDES ASP-211
38770-R0	\$	94.91	ULTRASONIC WALL SWITCH OCCUPANCY SENSOR DUAL RELAY 120/230/277 VAC 50/60 HZ 0-800/1200 WATTS HIGH SENSITIVITY TO SMALL AND LARGE MOVEMENTS INCLUDES ASP-211 MUST SPECIFY [1] COLOR
38803-R0	\$	97.05	ULTRASONIC CEILING OCCUPANCY SENSOR 24 VDC 1000 SQ. FT COVERAGE 25 KHZ FREQUENCY CONTROLS LIGHTING BASED ON OCCUPANCY
38804-R0	\$	113.78	ULTRASONIC CEILING OCCUPANCY SENSOR 24 VDC 2000 SQ. FT COVERAGE 25 KHZ FREQUENCY CONTROLS LIGHTING BASED ON OCCUPANCY
38805-R0	\$	113.78	ULTRASONIC CEILING OCCUPANCY SENSOR 24 VDC 2000 SQ. FT/90 LINEAR FEET HALLWAY COVERAGE 25 KHZ FREQUENCY CONTROLS LIGHTING BASED ON OCCUPANCY
38802-R0	\$	80.31	ULTRASONIC CEILING OCCUPANCY SENSOR 24 VDC 500 SQ. FT COVERAGE 25 KHZ FREQUENCY CONTROLS LIGHTING BASED ON OCCUPANCY
38831-R0	\$	26.77	CAGE FOR DT-200CX-100CB-100 MOUNTED ON WALL
38832-R0	\$	26.77	CAGE FOR DT-200CX-100CB-100 MOUNTED IN CORNER
38833-R0	\$	26.77	CAGE FOR ULTRASONIC SENSORSCI-200WPIR
38834-R0	\$	26.77	CAGE FOR WIWSWAWDTS SENSORS
38765-R0	\$	52.94	MOTION SENSING WALL SWITCH AND NIGHTLIGHT CONTROLS LIGHTING BASED ON OCCUPANCY 120 VAC/60 HZ/0-500 WATTS MUST SPECIFY [1] COLOR
38766-R0	\$	52.94	MOTION SENSING WALL SWITCH AND NIGHTLIGHT CONTROLS LIGHTING BASED ON OCCUPANCY 277 VAC/60 HZ/0-500 WATTS MUST SPECIFY [1] COLOR
38775-R0	\$	60.23	PASSIVE INFRARED CEILING SENSOR TURNS LIGHTS ON AND OFF BASED ON OCCUPANCY 24 VDC 300 SQ FT
38762-R0	\$	48.52	PASSIVE INFRARED WALL SWITCH SENSOR 120/230/277 VAC 60 HZ 0-800/1200 WATTS TURNS LIGHTING ON AND OFF BASED ON OCCUPANCY AND AMBIENT LIGHT LEVELS INCLUDES ASP-211 MUST SPECIFY [1] COLOR
38786-R0	\$	120.46	ULTRASONIC CEILING OCCUPANCY SENSOR 24 VAC/VDC 1100 SQ FT COVERAGE ISOLATED RELAY 32 KHZ FREQUENCY CONTROLS LIGHTING BASED ON OCCUPANCY
38790-R0	\$	103.73	ULTRASONIC CEILING OCCUPANCY SENSOR 24 VAC/VDC 1100 SQ FT COVERAGE 32 KHZ FREQUENCY CONTROLS LIGHTING BASED ON OCCUPANCY
38787-R0	\$	138.71	ULTRASONIC CEILING OCCUPANCY SENSOR 24 VAC/VDC 2200 SQ FT COVERAGE ISOLATED RELAY 32 KHZ FREQUENCY CONTROLS LIGHTING BASED ON OCCUPANCY
38791-R0	\$	120.46	ULTRASONIC CEILING OCCUPANCY SENSOR 24 VAC/VDC 2200 SQ FT COVERAGE 32 KHZ FREQUENCY CONTROLS LIGHTING BASED ON OCCUPANCY
38788-R0	\$	138.71	ULTRASONIC CEILING OCCUPANCY SENSOR 24 VAC/VDC 90 LINEAR FT COVERAGE ISOLATED RELAY 32 KHZ FREQUENCY CONTROLS LIGHTING BASED ON OCCUPANCY
38792-R0	\$	120.46	ULTRASONIC CEILING OCCUPANCY SENSOR 24 VAC/VDC 90 LINEAR FT HALLWAY COVERAGE 32 KHZ FREQUENCY CONTROLS LIGHTING BASED ON OCCUPANCY
38785-R0	\$	102.21	ULTRASONIC CEILING OCCUPANCY SENSOR 24 VAC/VDC 600 SQ FT COVERAGE ISOLATED RELAY 32 KHZ FREQUENCY CONTROLS LIGHTING BASED ON OCCUPANCY
38789-R0	\$	87.00	ULTRASONIC CEILING OCCUPANCY SENSOR 24 VAC/VDC 600 SQ FT COVERAGE 32 KHZ FREQUENCY CONTROLS LIGHTING BASED ON OCCUPANCY
57299-R0	\$	6.80	LIMIT CONTROL OPEN ON RISE CUT-IN - 125°F CUT-OUT - 165°F
9728-R0	\$	109.06	208/240VAC 3-PH.POWER MONITOR
9729-R0	\$	297.53	1/2 NPT SOL. VALVE NO 120 VAC COIL
9731-R0	\$	297.53	3/4 NPT SOL. VALVE NO 120 VAC COIL
9733-R0	\$	296.11	1 NPT SOL. VALVE NC 120 VAC COIL
9735-R0	\$	137.62	ENCL 16X12X6 WPERF PANEL
9736-R0	\$	57.46	OUTDOOR AIR STATIC PRESSURE KIT
9738-R0	\$	154.57	0.4-12in DPDT WMAN. RESET 24VAC
9739-R0	\$	23.61	SELECTOR SW 3 POS 2NO
9740-R0	\$	29.74	3.88in X 4.50in LOUVER KIT
9741-R0	\$	31.84	4.50in X 5.50in LOUVER KIT
9743-R0	\$	38.38	12X12X3 ENCLOSURE W/PANEL

44625-R0	\$	49.53	DUCT AVERAGING 12 FT COPPER TUBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
9744-R0	\$	64.47	14 X 14 X 18 FPT WMTG TABS PKG10
9745-R0	\$	17.39	BAPI SENSOR WITH JUNCTION BOX
9746-R0	\$	17.39	WALL PLATE SENSOR - SS LOUVERED
9747-R0	\$	2.94	5/16 IN STRAIGHT BALL JOINT
9748-R0	\$	1.63	CAPILLARY MOUNTING CLIP
9749-R0	\$	0.56	1 GANG TOGGLE WP IVORY THRMPLSTC
9750-R0	\$	0.56	2 GANG TOGGLE WP IVORY THRMPLSTC
9751-R0	\$	31.38	CONTACTOR 4 POLE 30A 120VAC
9752-R0	\$	191.83	DUAL TECH OCCUPANCY SENS.WHITE
9754-R0	\$	37.87	12inX12inX4in HINGE COVER ENCL.
9755-R0	\$	48.80	12X12X4 HINGE ENCL. W/PP,QPHW
9757-R0	\$	55.33	12X12X6 HINGE COVER ENCL W PERF PANEL
9758-R0	\$	147.58	DUCT HUMIDISTAT
9759-R0	\$	22.39	8 x 8 x 4 HINGED ENCLOSURE
9760-R0	\$	28.21	8 x 8 x 4 HINGED ENCLOSURE WITH PERF
9761-R0	\$	10.93	10.25inX10.25in FLAT PERF PANEL
9762-R0	\$	14.51	14.25inX10.625in FLAT PERF
9763-R0	\$	6.34	6.25inX6.25in FLAT PERF PANEL
9764-R0	\$	137.68	120VAC IN-LINE TERMINALS
9765-R0	\$	136.15	IP TRANSDUCER 4-20MA3-15PSI
9766-R0	\$	4.55	12 IN SHAFT 4 3/4 IN CRANK ARM
9768-R0	\$	153.87	SKYLIGHT LIGHT SENSOR 0-5VDC
9769-R0	\$	6.99	RELAY TRACK 12inX2.75in
9770-R0	\$	16.00	RELAY TRACK 48in X 2.75in
9771-R0	\$	1.46	HAND-OFF-AUTO LEGEND PLATE
9772-R0	\$	124.10	0-100psi 1-5 VDC 18in MNPT 3ft cable
9773-R0	\$	5.69	1.5IN 0-30 PSIG 18IN NPT GAUGE
9774-R0	\$	41.16	LIGHTING CONTACTOR INITIATOR
9775-R0	\$	5.95	DAMPER ROD 516inX 48in
9776-R0	\$	285.01	ENCLOSED PSI XDUCER 0-500#
9777-R0	\$	12.16	11in X 11in FLAT PANEL
9778-R0	\$	11.70	AMPHENOL-8 - 600V 8 PIN SOCKET
9780-R0	\$	214.76	DRY CONTACT RELAY KIT FOR SDU
9781-R0	\$	166.37	270 OHM RESISTANCE OUTPUT TRANSDUCER
9782-R0	\$	178.88	18X12X7 NEMA 1 UL ENCLPERF BROWN & TAN
9783-R0	\$	204.04	26X20X7 NEMA 1 NON-UL ENCLPERF BROWN & TAN
9784-R0	\$	101.74	26X20 DOOR ONLY - LESS LOCK
9785-R0	\$	307.45	38X26X7 NEMA 1 NON-UL ENCL/PERF BROWN & TAN
9786-R0	\$	410.87	42X30X7 NEMA 1 NON-UL ENCL/PERF BROWN & TAN
9787-R0	\$	32.83	PANEL RELAY 2.75X2.35IN 30AMP DPST 24ACDC
9788-R0	\$	4.47	THREE WAY TOGSWTCH 20A 120-277V IVORY
9789-R0	\$	61.00	SCREW COVER 18in X 12in X 6in
9790-R0	\$	527.77	UPS DIN RAIL MOUNT 850VA 120V
9791-R0	\$	30.03	MOUNTING BRACKET FOR SDU UPS
9792-R0	\$	11.93	12in HOLE SS WALL PLATE BOX MOUNTED
9793-R0	\$	28.24	14in OD BLACK PLASTIC TUBING 250 FT SPOOL
9794-R0	\$	34.19	14in OD BLACK WBLUE STRIPE 250 FT SPOOL
9795-R0	\$	34.19	14in OD BLACK WGREEN STRIPE 250 FT SPOOL
9796-R0	\$	34.19	14in OD BLACK WORANGE STRIPE 250 FT SPOOL
9797-R0	\$	34.19	14in OD BLACK WRED STRIPE 250 FT SPOOL
9798-R0	\$	34.19	14in OD BLACK WVIOLET STRIPE 250 FT SPOOL
9799-R0	\$	34.19	14in OD BLACK WYELLOW STRIPE 250 FT SPOOL
9801-R0	\$	115.71	2-POS SPDT RM. TSTAT 45-75F
9802-R0	\$	10.45	111ML,4 OZ,CONDUCTIVE COMPOUND

44625-R0	\$	49.53	DUCT AVERAGING 12 FT COPPER TUBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
9803-R0	\$	26.81	1K OHM NI OSA RTD
9804-R0	\$	98.38	LOW LIMIT AUTO RESET 6 FT. CAP. DPDT
9805-R0	\$	35.30	NON-MERCURY DAMPER ENDSWITCH
9806-R0	\$	88.30	4-STAGE SEQUENCER
9807-R0	\$	153.73	3-WAY AIR VALVE 24V
9808-R0	\$	340.00	UVA LINEAR ACTUATOR SR PROP
9809-R0	\$	109.32	WATER DETECTOR SPDT WDEENERGIZED RELAY
9726-R0	\$	258.70	BYPASS VALVE MANIFOLD ACCESSORY KIT PRESSURE TRANSDUCER WET SHIP SEPARATE
9727-R0	\$	258.70	BYPASS VALVE MANIFOLD ACCESSORY KIT PRESSURE TRANSDUCER WET
9717-R0	\$	325.00	CO2 SENSOR DUCT LCD R1
9715-R0	\$	305.50	CO2 SENSOR WALL LCD K30
9719-R0	\$	30.03	ENCLOSED RELAY CURRENT SWITCH 20A FIXED TRIP POINT R1
9718-R0	\$	27.96	CURRENT SWITCH MICRO SPLIT-CORE FIXED TRIP POINT N.O.
9709-R0	\$	27.03	CURRENT SWITCH SOLID-CORE ADJUSTABLE TRIP POINT N.O. R1
9720-R0	\$	75.79	CURRENT SWITCH & SPST RELAY SPLIT-CORE VFD N.O. R1
9714-R0	\$	156.00	HUMIDITY SENSOR DUCT LCD 3% ACCURACY
9723-R0	\$	104.00	HUMIDITY SENSOR WALL 3% ACCURACY
9710-R0	\$	377.00	PRESSURE TRANSDUCER WET 2WIRE NEMA 4 LCD 0-100PSID
9716-R0	\$	377.00	PRESSURE TRANSDUCER WET NEMA 4 LCD 0-100PSID
9712-R0	\$	136.50	PRESSURE TRANSDUCER DRY UNIVERSAL LCD
9713-R0	\$	10.34	ENCLOSED RELAY SPDT 10A 10-30&120V
9721-R0	\$	15.33	ENCLOSED RELAY SPDT 20A 24&120V
9724-R0	\$	15.68	TRANSFORMER 50VA 120-24VAC CB FOOT & SINGLE-HUB MOUNT
9725-R0	\$	18.06	TRANSFORMER 75VA 120-24VAC CB FOOT & SINGLE-HUB MOUNT
9711-R0	\$	19.31	TRANSFORMER 100VA 120-24VAC CB FOOT & SINGLE-HUB MOUNT
9722-R0	\$	26.31	TRANSFORMER 100VA MLTTP-24VAC CB FOOT & SINGLE-HUB MOUNT
9810-R0	\$	8.06	CAT6 KEYSTONE JACK WHITE
9811-R0	\$	2.22	ETHERNET WALLPLATE COVER GIGASTATION 1-PORT SINGLE-GANG WHITE
9812-R0	\$	166.34	MULTIJET COLD WATER METER WITH DRY-CONTACT PULSE OUTPUT EPOXY-COATED BRONZE LEAD-FREE 1/2" 20 GPM MAX
9813-R0	\$	194.94	MULTIJET COLD WATER METER WITH DRY-CONTACT PULSE OUTPUT EPOXY-COATED BRONZE LEAD-FREE 3/4" 20 GPM MAX
9814-R0	\$	332.74	MULTIJET COLD WATER METER WITH DRY-CONTACT PULSE OUTPUT EPOXY-COATED BRONZE LEAD-FREE 1" 50 GPM MAX
9815-R0	\$	583.64	MULTIJET COLD WATER METER WITH DRY-CONTACT PULSE OUTPUT EPOXY-COATED BRONZE LEAD-FREE 1-1/2" 100 GPM MAX
9816-R0	\$	713.64	MULTIJET COLD WATER METER WITH DRY-CONTACT PULSE OUTPUT EPOXY-COATED BRONZE LEAD-FREE 2" 160 GPM MAX
9817-R0	\$	1,157.00	TURBINE COLD WATER METER WITH DRY-CONTACT PULSE OUTPUT EPOXY-COATED CAST IRON LEAD-FREE 2" 325 GPM MAX
9818-R0	\$	1,228.50	TURBINE COLD WATER METER WITH DRY-CONTACT PULSE OUTPUT EPOXY-COATED CAST IRON LEAD-FREE 2-1/2" 395 GPM MAX
9819-R0	\$	1,287.00	TURBINE COLD WATER METER WITH DRY-CONTACT PULSE OUTPUT EPOXY-COATED CAST IRON LEAD-FREE 3" 495 GPM MAX
9820-R0	\$	1,417.00	TURBINE COLD WATER METER WITH DRY-CONTACT PULSE OUTPUT EPOXY-COATED CAST IRON LEAD-FREE 4" 1250 GPM MAX
9821-R0	\$	2,067.00	TURBINE COLD WATER METER WITH DRY-CONTACT PULSE OUTPUT EPOXY-COATED CAST IRON LEAD-FREE 6" 2500 GPM MAX
9822-R0	\$	2,977.00	TURBINE COLD WATER METER WITH DRY-CONTACT PULSE OUTPUT EPOXY-COATED CAST IRON LEAD-FREE 8" 3450 GPM MAX
9823-R0	\$	4,797.00	TURBINE COLD WATER METER WITH DRY-CONTACT PULSE OUTPUT EPOXY-COATED CAST IRON LEAD-FREE 10" 5900 GPM MAX
9824-R0	\$	5,447.00	TURBINE COLD WATER METER WITH DRY-CONTACT PULSE OUTPUT EPOXY-COATED CAST IRON LEAD-FREE 12" 7900 GPM MAX
9825-R0	\$	109.20	18/2 COPPER STRANDED LOW VOLTAGE CABLE PLENUM RATED UL TYPE CMP/CL2P/FT6 NON-SHIELDED QUANTITY 1 = 1000 FEET WHITE JACKET
9826-R0	\$	167.70	18/3 COPPER STRANDED LOW VOLTAGE CABLE PLENUM RATED UL TYPE CMP/CL2P/FT6 NON-SHIELDED QUANTITY 1 = 1000 FEET WHITE JACKET
9827-R0	\$	231.40	18/4 COPPER STRANDED LOW VOLTAGE CABLE PLENUM RATED UL TYPE CMP/CL2P/FT6 SHIELDED QUANTITY 1 = 1000 FEET WHITE JACKET
9828-R0	\$	344.50	18/6 COPPER STRANDED LOW VOLTAGE CABLE PLENUM RATED UL TYPE CMP/CL2P/FT6 NON-SHIELDED QUANTITY 1 = 1000 FEET WHITE JACKET
9829-R0	\$	175.50	22/2 STRANDED LOW VOLTAGE CABLE ARCNET156 PLENUM RATED UL TYPE CMP SHIELDED QUANTITY 1 = 1000 FEET GREEN JACKET
9830-R0	\$	286.00	22/3 COPPER STRANDED LOW VOLTAGE CABLE PLENUM RATED UL TYPE CMP/CL2P/FT6 SHIELDED LOW-CAPACITANCE QUANTITY 1 = 1000 FEET ORANGE JACKET
9831-R0	\$	286.00	22/3 COPPER STRANDED LOW VOLTAGE CABLE PLENUM RATED UL TYPE CMP/CL2P/FT6 SHIELDED LOW-CAPACITANCE QUANTITY 1 = 1000 FEET YELLOW JACKET
9832-R0	\$	312.00	23 GAUGE 4 PAIR SOLID UNSHIELDED TWISTED PAIR CABLE CAT 6 PLENUM RATED CMP RATED BY UL [PLENUM] 100% FEP INSULATION QUANTITY 1 = 1000 FEET
9833-R0	\$	2,762.24	INSERTION ELECTROMAGNETIC WATER FLOW METER
9834-R0	\$	2,970.24	INSERTION ELECTROMAGNETIC WATER FLOW METER BI-DIRECTIONAL
9835-R0	\$	70.72	INSTALLATION KIT FOR 1.25" AND LARGER WELDED STEEL PIPE INSERTION ELECTROMAGNETIC FLOW METER
9836-R0	\$	138.32	INSTALLATION KIT HOT TAP FOR 1.25" AND LARGER WELDED STEEL PIPE INSERTION ELECTROMAGNETIC FLOW METER
9837-R0	\$	1,322.88	THERMAL ENERGY METER LCD DISPLAY MICROPROCESSOR WITH MODBUS RTU OR TCP/IP

44625-R0	\$	49.53	DUCT AVERAGING 12 FT COPPER TUBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
9838-R0	\$	64.48	INSTALLATION KIT FOR BTU METER FOR .75" TO 5" WELDED STEEL PIPE
9839-R0	\$	134.16	INSTALLATION KIT FOR BTU METER FOR .75" TO 42" WELDED STEEL PIPE
9840-R0	\$	411.84	INSTALLATION KIT HOT TAP FOR BTU METER FOR 1.25" TO 42" WELDED STEEL PIPE
9841-R0	\$	2,320.24	INLINE ELECTROMAGNETIC WATER FLOW METER 1" THREADED 140°F MAX
9842-R0	\$	2,789.28	INLINE ELECTROMAGNETIC WATER FLOW METER 1" THREADED HIGH TEMPERATURE
9843-R0	\$	4,132.96	INSERTION THERMAL MASS NATURAL GAS FLOW METER
9844-R0	\$	164.32	INSTALLATION KIT FOR 1" AND LARGER WELDED STEEL PIPE THERMAL MASS METER
9845-R0	\$	4,305.60	INLINE THERMAL MASS NATURAL GAS FLOW METER 1/4" THREADED
9846-R0	\$	4,340.96	INLINE THERMAL MASS NATURAL GAS FLOW METER 3/8" THREADED
9847-R0	\$	4,348.24	INLINE THERMAL MASS NATURAL GAS FLOW METER 1/2" THREADED
9848-R0	\$	4,354.48	INLINE THERMAL MASS NATURAL GAS FLOW METER 3/4" THREADED
9849-R0	\$	4,369.04	INLINE THERMAL MASS NATURAL GAS FLOW METER 1" THREADED
9850-R0	\$	4,507.36	INLINE THERMAL MASS NATURAL GAS FLOW METER 1-1/4" THREADED
9851-R0	\$	4,548.96	INLINE THERMAL MASS NATURAL GAS FLOW METER 1-1/2" THREADED
9852-R0	\$	4,645.68	INLINE THERMAL MASS NATURAL GAS FLOW METER 2" THREADED
9853-R0	\$	4,687.28	INLINE THERMAL MASS NATURAL GAS FLOW METER 2-1/2" THREADED
9854-R0	\$	40.56	PULSE ISOLATOR MODULE FOR THERMAL MASS FLOW METER
9855-R0	\$	75.40	FLAT BLADE DAMPER WITH SEALS 12" X 12"
9856-R0	\$	123.50	FLAT BLADE DAMPER WITH SEALS 24" X 24"
9857-R0	\$	221.00	FLAT BLADE DAMPER WITH SEALS 36" X 36"
9858-R0	\$	312.00	FLAT BLADE DAMPER WITH SEALS 48" X 48"
9859-R0	\$	637.00	FLAT BLADE DAMPER WITH SEALS 60" X 60"
9860-R0	\$	858.00	FLAT BLADE DAMPER WITH SEALS 72" X 72"
9861-R0	\$	1,124.50	FLAT BLADE DAMPER WITH SEALS 84" X 84"
9862-R0	\$	1,300.00	FLAT BLADE DAMPER WITH SEALS 96" X 96"
9863-R0	\$	1,859.00	FLAT BLADE DAMPER WITH SEALS 108" X 108"
9864-R0	\$	2,038.40	FLAT BLADE DAMPER WITH SEALS 120" X 120"
9865-R0	\$	2,372.50	FLAT BLADE DAMPER WITH SEALS 132" X 132"
9866-R0	\$	2,847.00	FLAT BLADE DAMPER WITH SEALS 144" X 144"
9867-R0	\$	136.50	ALUMINUM AIRFOIL DAMPER 12" X 12"
9868-R0	\$	244.40	ALUMINUM AIRFOIL DAMPER 24" X 24"
9869-R0	\$	383.50	ALUMINUM AIRFOIL DAMPER 36" X 36"
9870-R0	\$	572.00	ALUMINUM AIRFOIL DAMPER 48" X 48"
9871-R0	\$	1,163.50	ALUMINUM AIRFOIL DAMPER 60" X 60"
9872-R0	\$	1,560.00	ALUMINUM AIRFOIL DAMPER 72" X 72"
9873-R0	\$	2,145.00	ALUMINUM AIRFOIL DAMPER 84" X 84"
9874-R0	\$	2,418.00	ALUMINUM AIRFOIL DAMPER 96" X 96"
9875-R0	\$	3,445.00	ALUMINUM AIRFOIL DAMPER 108" X 108"
9876-R0	\$	3,822.00	ALUMINUM AIRFOIL DAMPER 120" X 120"
9877-R0	\$	4,452.50	ALUMINUM AIRFOIL DAMPER 132" X 132"
9878-R0	\$	5,362.50	ALUMINUM AIRFOIL DAMPER 144" X 144"
9879-R0	\$	162.50	ALUMINUM AIRFOIL DAMPER INSULATED BLADES 12" X 12"
9880-R0	\$	299.00	ALUMINUM AIRFOIL DAMPER INSULATED BLADES 24" X 24"
9881-R0	\$	481.00	ALUMINUM AIRFOIL DAMPER INSULATED BLADES 36" X 36"
9882-R0	\$	695.50	ALUMINUM AIRFOIL DAMPER INSULATED BLADES 48" X 48"
9883-R0	\$	1,397.50	ALUMINUM AIRFOIL DAMPER INSULATED BLADES 60" X 60"
9884-R0	\$	1,878.50	ALUMINUM AIRFOIL DAMPER INSULATED BLADES 72" X 72"
9885-R0	\$	2,574.00	ALUMINUM AIRFOIL DAMPER INSULATED BLADES 84" X 84"
9886-R0	\$	2,860.00	ALUMINUM AIRFOIL DAMPER INSULATED BLADES 96" X 96"
9887-R0	\$	4,160.00	ALUMINUM AIRFOIL DAMPER INSULATED BLADES 108" X 108"
9888-R0	\$	4,589.00	ALUMINUM AIRFOIL DAMPER INSULATED BLADES 120" X 120"
9889-R0	\$	5,343.00	ALUMINUM AIRFOIL DAMPER INSULATED BLADES 132" X 132"
9890-R0	\$	6,370.00	ALUMINUM AIRFOIL DAMPER INSULATED BLADES 144" X 144"
9891-R0	\$	1,085.50	AIRFLOW MONITORING STATION THERMAL DISPERSION DUCT 10" X 10"

44625-R0	\$	49.53	DUCT AVERAGING 12 FT COPPER TUBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
9892-R0	\$	1,625.00	AIRFLOW MONITORING STATION THERMAL DISPERSION DUCT 20" X 20"
9893-R0	\$	1,820.00	AIRFLOW MONITORING STATION THERMAL DISPERSION DUCT 30" X 30"
9894-R0	\$	2,405.00	AIRFLOW MONITORING STATION THERMAL DISPERSION DUCT 42" X 42"
9895-R0	\$	2,567.50	AIRFLOW MONITORING STATION THERMAL DISPERSION DUCT 54" X 54"
9896-R0	\$	2,990.00	AIRFLOW MONITORING STATION THERMAL DISPERSION DUCT 66" X 66"
9897-R0	\$	3,022.50	AIRFLOW MONITORING STATION THERMAL DISPERSION DUCT 84" X 84"
9898-R0	\$	3,087.50	AIRFLOW MONITORING STATION THERMAL DISPERSION DUCT 120" X 120"
9899-R0	\$	1,379.30	VARIABLE FREQUENCY DRIVE 208V 1HP CIRCUIT BREAKER DISCONNECT
9900-R0	\$	1,635.40	VARIABLE FREQUENCY DRIVE 208V 2HP CIRCUIT BREAKER DISCONNECT
9901-R0	\$	1,712.10	VARIABLE FREQUENCY DRIVE 208V 3HP CIRCUIT BREAKER DISCONNECT
9902-R0	\$	1,879.80	VARIABLE FREQUENCY DRIVE 208V 5HP CIRCUIT BREAKER DISCONNECT
9903-R0	\$	2,017.60	VARIABLE FREQUENCY DRIVE 208V 7.5HP CIRCUIT BREAKER DISCONNECT
9904-R0	\$	2,194.40	VARIABLE FREQUENCY DRIVE 208V 10HP CIRCUIT BREAKER DISCONNECT
9905-R0	\$	2,650.70	VARIABLE FREQUENCY DRIVE 208V 15HP CIRCUIT BREAKER DISCONNECT
9906-R0	\$	1,647.10	VARIABLE FREQUENCY DRIVE 208V 1HP ELECTRONIC BYPASS
9907-R0	\$	1,952.60	VARIABLE FREQUENCY DRIVE 208V 2HP ELECTRONIC BYPASS
9908-R0	\$	2,041.00	VARIABLE FREQUENCY DRIVE 208V 3HP ELECTRONIC BYPASS
9909-R0	\$	2,219.10	VARIABLE FREQUENCY DRIVE 208V 5HP ELECTRONIC BYPASS
9910-R0	\$	2,349.10	VARIABLE FREQUENCY DRIVE 208V 7.5HP ELECTRONIC BYPASS
9911-R0	\$	2,518.10	VARIABLE FREQUENCY DRIVE 208V 10HP ELECTRONIC BYPASS
9912-R0	\$	2,986.10	VARIABLE FREQUENCY DRIVE 208V 15HP ELECTRONIC BYPASS
9913-R0	\$	1,488.50	VARIABLE FREQUENCY DRIVE 460V 2HP CIRCUIT BREAKER DISCONNECT
9914-R0	\$	1,597.70	VARIABLE FREQUENCY DRIVE 460V 3HP CIRCUIT BREAKER DISCONNECT
9915-R0	\$	1,723.80	VARIABLE FREQUENCY DRIVE 460V 5HP CIRCUIT BREAKER DISCONNECT
9916-R0	\$	1,796.60	VARIABLE FREQUENCY DRIVE 460V 7.5HP CIRCUIT BREAKER DISCONNECT
9917-R0	\$	1,952.60	VARIABLE FREQUENCY DRIVE 460V 10HP CIRCUIT BREAKER DISCONNECT
9918-R0	\$	2,293.20	VARIABLE FREQUENCY DRIVE 460V 15HP CIRCUIT BREAKER DISCONNECT
9919-R0	\$	2,714.40	VARIABLE FREQUENCY DRIVE 460V 20HP CIRCUIT BREAKER DISCONNECT
9920-R0	\$	3,234.40	VARIABLE FREQUENCY DRIVE 460V 25HP CIRCUIT BREAKER DISCONNECT
9921-R0	\$	3,643.90	VARIABLE FREQUENCY DRIVE 460V 30HP CIRCUIT BREAKER DISCONNECT
9922-R0	\$	4,202.90	VARIABLE FREQUENCY DRIVE 460V 40HP CIRCUIT BREAKER DISCONNECT
9923-R0	\$	1,782.30	VARIABLE FREQUENCY DRIVE 460V 2HP ELECTRONIC BYPASS
9924-R0	\$	1,907.10	VARIABLE FREQUENCY DRIVE 460V 3HP ELECTRONIC BYPASS
9925-R0	\$	2,038.40	VARIABLE FREQUENCY DRIVE 460V 5HP ELECTRONIC BYPASS
9926-R0	\$	2,107.30	VARIABLE FREQUENCY DRIVE 460V 7.5HP ELECTRONIC BYPASS
9927-R0	\$	2,264.60	VARIABLE FREQUENCY DRIVE 460V 10HP ELECTRONIC BYPASS
9928-R0	\$	2,618.20	VARIABLE FREQUENCY DRIVE 460V 15HP ELECTRONIC BYPASS
9929-R0	\$	3,071.90	VARIABLE FREQUENCY DRIVE 460V 20HP ELECTRONIC BYPASS
9930-R0	\$	3,604.90	VARIABLE FREQUENCY DRIVE 460V 25HP ELECTRONIC BYPASS
9931-R0	\$	4,018.30	VARIABLE FREQUENCY DRIVE 460V 30HP ELECTRONIC BYPASS
9932-R0	\$	4,579.90	VARIABLE FREQUENCY DRIVE 460V 40HP ELECTRONIC BYPASS
9810-R0	\$	11,923.20	RTU RQ-3 HW
9811-R0	\$	13,821.60	RTU RQ-3 MOD GAS
9812-R0	\$	11,995.20	RTU RQ-4 HW
9813-R0	\$	14,066.40	RTU RQ-4 MOD GAS
9814-R0	\$	12,385.20	RTU RQ-5 HW
9815-R0	\$	14,284.80	RTU RQ-5 MOD GAS
9816-R0	\$	12,484.80	RTU RQ-6 HW
9817-R0	\$	14,517.60	RTU RQ-6 MOD GAS
9818-R0	\$	15,872.40	RTU RN-6 HW
9819-R0	\$	17,868.00	RTU RN-6 MOD GAS
9820-R0	\$	17,166.00	RTU RN-7 HW
9821-R0	\$	19,138.80	RTU RN-7 MOD GAS
13592-R0	\$	21,582.00	RTU RN-7 MOD GAS with Heat Wheel

44625-R0	\$	49.53	DUCT AVERAGING 12 FT COPPER TUBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
9822-R0	\$	18,700.80	RTU RN-8 HW
9823-R0	\$	20,674.80	RTU RN-8 MOD GAS
9824-R0	\$	20,859.60	RTU RN-9 HW
9825-R0	\$	24,009.60	RTU RN-9 MOD GAS
9826-R0	\$	19,256.40	RTU RN-10 HW
9827-R0	\$	21,229.20	RTU RN-10 MOD GAS
9828-R0	\$	21,129.60	RTU RN-11 HW
9829-R0	\$	23,990.40	RTU RN-11 MOD GAS
9830-R0	\$	22,267.20	RTU RN-13 HW
9831-R0	\$	25,140.00	RTU RN-13 MOD GAS
9832-R0	\$	22,942.80	RTU RN-15 HW
9833-R0	\$	25,815.60	RTU RN-15 MOD GAS
9834-R0	\$	26,282.40	RTU RN-16 HW
9835-R0	\$	30,262.80	RTU RN-16 MOD GAS
9836-R0	\$	27,933.60	RTU RN-18 HW
9837-R0	\$	31,908.00	RTU RN-18 MOD GAS
9838-R0	\$	29,938.80	RTU RN-20 HW
9839-R0	\$	33,913.20	RTU RN-20 MOD GAS
9840-R0	\$	31,374.00	RTU RN-25 HW
9841-R0	\$	35,348.40	RTU RN-25 MOD GAS
9842-R0	\$	42,240.00	RTU RN-26 HW
9843-R0	\$	49,794.00	RTU RN-26 MOD GAS
9844-R0	\$	34,154.40	RTU RN-30 HW
9845-R0	\$	38,130.00	RTU RN-30 MOD GAS
9846-R0	\$	47,509.20	RTU RN-31 HW
9847-R0	\$	54,130.80	RTU RN-31 MOD GAS
9848-R0	\$	57,480.00	RTU RN-40 HW
9849-R0	\$	64,099.20	RTU RN-40 MOD GAS
9850-R0	\$	63,363.60	RTU RN-50 HW
9851-R0	\$	69,984.00	RTU RN-50 MOD GAS
13574-R0	\$	43,500.00	RN-30 Mod Gas incl Full Exhaust
13575-R0	\$	76,800.00	RN-60 Mod Gas incl Full Exhaust
13576-R0	\$	27,720.00	RN-11 Mod Gas incl Full Exhaust
13577-R0	\$	22,302.00	RN-10 Mod Gas incl Full Exhaust
13578-R0	\$	21,582.00	RN-7 Mod Gas H/W
13579-R0	\$	612.30	RQ Curb
13580-R0	\$	612.30	RN-A Curb
13581-R0	\$	832.00	RN-B Curb
13582-R0	\$	936.00	RN-C Curb
13583-R0	\$	2,389.40	RN-D Curb
13584-R0	\$	210.60	VAV BOX SINGLE DUCT TERMINAL UNIT
13585-R0	\$	627.90	FPVAV BOX CONSTANT VOLUME
9852-R0	\$	24.35	1-lamp ballast
9853-R0	\$	29.71	2-lamp ballast
9854-R0	\$	39.00	3-lamp ballast
9855-R0	\$	45.40	4-lamp ballast
9856-R0	\$	47.63	2-lamp reflector kit 2x4
9857-R0	\$	43.81	2-lamp reflector kit 2x2
9858-R0	\$	55.98	3-lamp reflector kit 2x2
9859-R0	\$	5.06	3' T8 lamp
9860-R0	\$	4.30	2' T8 lamp
9861-R0	\$	4.30	4' 28 watt lamp
9862-R0	\$	74.41	8' lamp
9863-R0	\$	58.46	8' 2-lamp ballast

44625-R0	\$	49.53	DUCT AVERAGING 12 FT COPPER TUBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
9864-R0	\$	11.35	4' T5 HO 47W
9865-R0	\$	110.31	NEW 2' WRAP T8 17W & L ELECT 2 LAMP
9866-R0	\$	88.63	NEW 2' WRAP T8 17W & N ELECT 1 LAMP
9867-R0	\$	109.20	NEW 4' WRAP T8 28W & L ELECT 2 LAMP
9868-R0	\$	86.71	NEW 4' WRAP T8 28W & N ELECT 2 LAMP
9869-R0	\$	81.22	NEW 4' INDUSTRIAL T8 28W & L ELECT 2 LAMP
9870-R0	\$	60.58	NEW 4' INDUSTRIAL T8 28W & N ELECT 2 LAMP
9871-R0	\$	176.49	NEW 4' VAPORTITE T8 28W & L ELECT 2 LAMP
9872-R0	\$	155.86	NEW 4' VAPORTITE T8 28W & N ELECT 2 LAMP
9873-R0	\$	166.67	NEW 8' WRAP T8 28W & L ELECT 4 LAMP TW
9874-R0	\$	146.03	NEW 8' WRAP T8 28W & N ELECT 4 LAMP TW
9875-R0	\$	116.15	NEW 8' INDUSTRIAL T8 28W & L ELECT 4 LAMP TW
9876-R0	\$	95.52	NEW 8' INDUSTRIAL T8 28W & N ELECT 4 LAMP TW
9877-R0	\$	311.59	NEW 8' VAPORTITE T8 28W & L ELECT 4 LAMP TW
9878-R0	\$	290.95	NEW 8' VAPORTITE T8 28W & N ELECT 4 LAMP TW
9879-R0	\$	113.14	NEW 2X4 LAY-IN T8 2 L 28W, REF & 2L N ELECT.
9880-R0	\$	133.78	NEW 2X4 LAY-IN T8 2 L 28W, REF & 2L L ELECT.
9881-R0	\$	126.20	NEW 2X4 LAY-IN T8 3 L 28W, REF & 3L N ELECT.
9882-R0	\$	126.20	NEW 2X4 LAY-IN T8 3 L 28W, REF & 3L L ELECT.
9883-R0	\$	93.02	NEW 2X2 LAY-IN T8 2 L 17W, REF & 2L N ELECT.
9884-R0	\$	113.66	NEW 2X2 LAY-IN T8 2 L 17W, REF & 2L L ELECT.
9885-R0	\$	104.19	NEW 2X2 LAY-IN T8 3 L 17W, REF & 3L N ELECT.
9886-R0	\$	124.82	NEW 2X2 LAY-IN T8 3 L 17W, REF & 3L L ELECT.
9887-R0	\$	106.83	NEW 1X4 LAY-IN T8 2 L 28W, REF & 2L N ELECT.
9888-R0	\$	127.46	NEW 1X4 LAY-IN T8 2 L 28W, REF & 2L L ELECT.
9889-R0	\$	269.41	NEW HIGHBAY T8 4L W/REF, LENS, WG, SO & GRIPPLE HBF
9890-R0	\$	306.30	NEW HIGHBAY T8 6L W/REF, LENS, WG, SO & GRIPPLE HBF
9891-R0	\$	245.20	NEW HIGHBAY T8 4L W/REF, WG, SO & GRIPPLE HBF
9892-R0	\$	282.10	NEW HIGHBAY T8 6L W/REF, WG, SO & GRIPPLE HBF
9893-R0	\$	202.02	NEW HIGHBAY T8 4L W/REF, SO & GRIPPLE HBF
9894-R0	\$	238.91	NEW HIGHBAY T8 6L W/REF, SO & GRIPPLE HBF
9895-R0	\$	335.48	NEW HIGHBAY T5 4L W/REF, LENS, WG, SO & GRIPPLE HBF
9896-R0	\$	408.39	NEW HIGHBAY T5 6L W/REF, LENS, WG, SO & GRIPPLE HBF
9897-R0	\$	311.28	NEW HIGHBAY T5 4L W/REF, WG, SO & GRIPPLE HBF
9898-R0	\$	384.18	NEW HIGHBAY T5 6L W/REF, WG, SO & GRIPPLE HBF
9899-R0	\$	268.09	NEW HIGHBAY T5 4L W/REF, SO & GRIPPLE HBF
9900-R0	\$	340.99	NEW HIGHBAY T5 6L W/REF, SO & GRIPPLE HBF
9901-R0	\$	63.97	NEW LED 'A' TYPE LAMP 13W
9902-R0	\$	43.33	NEW LED MR16 GU10
9903-R0	\$	70.16	NEW LED PAR 38
9904-R0	\$	74.29	NEW LED PAR 30
9905-R0	\$	63.27	NEW LED PAR 20
9906-R0	\$	75.94	NEW LED BR30
9907-R0	\$	6.38	NEW CFL 'A' TYPE LAMP
9908-R0	\$	18.57	NEW CFL PAR 38
9909-R0	\$	12.38	NEW CFL PAR 30
9910-R0	\$	7.74	NEW CFL PAR 20
9911-R0	\$	18.57	NEW CFL BR30
9912-R0	\$	94.43	WALL SENSOR DUAL TECH
9913-R0	\$	231.79	CEILING SENSOR DUAL TECH
9914-R0	\$	27.34	LED EXIT SIGN FLUSH
9915-R0	\$	66.51	LED EXIT SIGN COMBO
9916-R0	\$	489.05	NEW LED 6' CAN NC W/ WHITE TRIM
9917-R0	\$	489.05	NEW LED 6' CAN REM W/ WHITE TRIM

44625-R0	\$	49.53	DUCT AVERAGING 12 FT COPPER TUBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
9918-R0	\$	522.06	NEW LED 8' CAN NC W/ WHITE TRIM
9919-R0	\$	522.06	NEW LED 8' CAN REM W/ WHITE TRIM
9920-R0	\$	489.05	NEW LED 6' CAN NC W/ WHITE TRIM
9921-R0	\$	489.05	NEW LED 6' CAN REM W/ WHITE TRIM
9922-R0	\$	522.06	NEW LED 8' CAN NC W/ WHITE TRIM
9923-R0	\$	522.06	NEW LED 8' CAN REM W/ WHITE TRIM
9924-R0	\$	1,966.51	NEW LED SHOEBOX FIXTURE W/PC
9925-R0	\$	1,333.02	NEW LED LARGE WALL PACK W/ PC
9926-R0	\$	711.90	NEW LED MEDIUM WALL PACK W/ PC
9927-R0	\$	691.27	NEW LED SMALL WALL PACK W/ PC
9928-R0	\$	1,454.76	NEW LED COBRA HEAD W/PC
9929-R0	\$	2,269.84	NEW LED POLE TOP ACORN W/PC
9930-R0	\$	1,011.11	NEW LED LARGE FLOOD W/PC
9931-R0	\$	722.22	NEW LED MEDIUM FLOOD W/PC
9932-R0	\$	225.95	VENDING MISER
9933-R0	\$	78.31	NEW LED 'A' TYPE LAMP 22W
9934-R0	\$	0.38	2' LAMP RECYCLING
9935-R0	\$	0.38	3' LAMP RECYCLING
9936-R0	\$	0.38	4' LAMP RECYCLING
9937-R0	\$	0.64	8' LAMP RECYCLING
9938-R0	\$	0.46	CFL RECYCLING
9939-R0	\$	1.66	HID LAMP RECYCLING
9940-R0	\$	0.78	PCB BALLASTS RECYCLING PER POUND
9941-R0	\$	3.39	LAMP BOXES 4'
9942-R0	\$	5.92	LAMP BOXES 8'
9943-R0	\$	35.37	3M 130C-1-1/2X30FT SPLICING TAPE
9944-R0	\$	23.23	3M 130C-1X30FT SPLICING TAPE
9945-R0	\$	46.35	3M 130C-2X30FT SPLCNG TAPE
9946-R0	\$	18.66	3M 130C-3/4X30FT SPLICING TAPE
9947-R0	\$	1.33	3M 1700-TEMFLEX 3/4X60FT VINYL TAPE
9948-R0	\$	4.12	3M 2155-3/4X22FT RUBBER SPLICE TAPE
9949-R0	\$	7.38	3M 2200-6-1/2X4-1/2 MASTIC PAD
9950-R0	\$	20.47	3M 23-3/4X30FT SELF-FUSING TAPE
9951-R0	\$	32.14	3M 2510-3/4X60FT VC TAPE
9952-R0	\$	36.13	3M 2520-3/4X60FT YEL VC TAPE
9953-R0	\$	12.87	3M 27-1/2X66FT GLASS CLOTH TAPE
9954-R0	\$	42.54	3M 27-1X60YD GLASS CLOTH TAPE
9955-R0	\$	19.05	3M 27-3/4X66FT GLASS CLOTH TAPE
9956-R0	\$	28.69	3M 300 3"X1000' YEL CAUTION TAPE
9957-R0	\$	28.69	3M 302 3"X1000' CAUT BUR ELEC TAPE
9958-R0	\$	108.69	3M 312-BULK YEL INS WING WIRE CONN
9959-R0	\$	6.53	3M 33+SUPER-3/4X66FT VINYL TAPE
9960-R0	\$	9.10	3M 33-1-1/2X44FT VINYL TAPE
9961-R0	\$	1.89	3M 35-BLUE-1/2X20FT CODING TAPE
9962-R0	\$	6.05	3M 35-BLUE-3/4X66FT CODING TAPE
9963-R0	\$	1.89	3M 35-BROWN-1/2X20FT CODING TAPE
9964-R0	\$	6.05	3M 35-BROWN-3/4X66FT CODING TAPE
9965-R0	\$	1.89	3M 35-GRAY-1/2X20FT CODING TAPE
9966-R0	\$	6.05	3M 35-GRAY-3/4X66FT CODING TAPE
9967-R0	\$	1.89	3M 35-GREEN-1/2X20FT CODING TAPE
9968-R0	\$	6.05	3M 35-GREEN-3/4X66FT CODING TAPE
9969-R0	\$	1.89	3M 35-ORANGE-1/2X20FT CODING TAPE
9970-R0	\$	6.05	3M 35-ORANGE-3/4X66FT CODING TAPE
9971-R0	\$	1.89	3M 35-RED-1/2X20FT CODING TAPE

44625-R0	\$	49.53	DUCT AVERAGING 12 FT COPPER TUBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
9972-R0	\$	6.05	3M 35-RED-3/4X66FT CODING TAPE
9973-R0	\$	6.05	3M 35-VIOLET-3/4X66FT CODING TAPE
9974-R0	\$	1.89	3M 35-WHITE-1/2X20FT CODING TAPE
9975-R0	\$	6.05	3M 35-WHITE-3/4X66FT CODING TAPE
9976-R0	\$	1.89	3M 35-YELLOW-1/2X20FT CODING TAPE
9977-R0	\$	6.05	3M 35-YELLOW-3/4X66FT CODING TAPE
9978-R0	\$	13.59	3M 3939-48mmX54.8m SILVER DUCT TAPE
9979-R0	\$	87.09	3M 406 3"X1000' RED CAUT DET TAPE
9980-R0	\$	174.19	3M 408 6INX1000FT RED CAUTION TAPE
9981-R0	\$	87.09	3M 410 3X1000FT ORN DETECTABLE TAPE
9982-R0	\$	0.15	3M 512-BULK RED INS WING WIRE CONN
9983-R0	\$	0.39	3M 562-BOX SELF-STRIP TAP CONN
9984-R0	\$	0.53	3M 567-BOX SELF-STRIP TAP CONN
9985-R0	\$	24.38	3M 69-3/4X66FT ELECTRICAL TAPE
9986-R0	\$	22.27	3M 8210 N95 PARTICULATE RESP
9987-R0	\$	37.76	3M 82-A1 2AWG SPLICING KIT
9988-R0	\$	60.25	3M 82-A2 2AWG TO 3/0 SPLICING KIT
9989-R0	\$	17.81	3M 8425-8 CONNECTOR INSULATOR
9990-R0	\$	21.20	3M 8426-9 CONNECTOR INSULATOR
9991-R0	\$	31.65	3M 8427-12 CONNECTOR INSULATOR
9992-R0	\$	45.08	3M 8428-12 CONNECTOR INSULATOR
9993-R0	\$	33.05	3M 88-SUPER-2X36YD ELECT TAPE
9994-R0	\$	7.34	3M 88-SUPER-3/4X66FT ELECT TAPE
9995-R0	\$	75.07	3M 90541-80025V VOICE ASSIST
9996-R0	\$	27.40	3M 94118-80025T 118PC FIRST AID KIT
9997-R0	\$	16.25	3M 94601-80030T DAY/NT SAFETY VEST
9998-R0	\$	0.68	3M B/G-BOXED-PLUS BLUE/GRAY CONN
9999-R0	\$	0.54	3M B/G-BULK-PLUS BLUE/GRAY CONN
10000-R0	\$	20.15	3M CGL-CR GLOVE CUT RESIST LARGE
10001-R0	\$	5.71	3M CGL-GU GLOVE GEN USE LARGE
10002-R0	\$	20.15	3M CGM-CR GLOVE CUT RESIST MEDIUM
10003-R0	\$	5.71	3M CGM-GU GLOVE GEN USE MEDIUM
10004-R0	\$	20.15	3M CGXL-CR GLOVE CUT RESIST X-LARGE
10005-R0	\$	5.71	3M CGXL-GU GLOVE GEN USE X-LARGE
10006-R0	\$	17.20	3M CP-25WB+ 10.1OZ FIRE CAULK&SEALN
10007-R0	\$	88.11	3M FIP FIRE BARRIER RATED FOAM-1/CA
10008-R0	\$	155.88	3M HMS-G4C2 HANDYMAX DISP-1/CASE
10009-R0	\$	10.80	3M IC-15WB+-10.1OZ CART FIRE BRR
10010-R0	\$	0.60	3M MNG10-10FLK 12-10 FORK TERM BULK
10011-R0	\$	27.89	3M MP+ MOLDABLE PUTTY STICK
10012-R0	\$	6.98	3M MP-7X7X1 MOLDABLE PUTTY PAD
10013-R0	\$	0.13	3M O/B+JUG ORANGE/BUE CONNECTOR
10014-R0	\$	0.17	3M O/B-BOXED-PLUS ORANGE/BUE CONN
10015-R0	\$	245.56	3M PL150K PORTABLE LABELER
10016-R0	\$	307.65	3M PL200K PORT LABELER KIT
10017-R0	\$	683.67	3M PL300K PORT LABELER KIT
10018-R0	\$	28.30	3M PLV-ORG-1/2 VINYL TAPE
10019-R0	\$	28.30	3M PLV-WHT-1/2 VINYL TAPE
10020-R0	\$	31.69	3M PLV-WHT-3/4 VINYL TAPE
10021-R0	\$	28.30	3M PLV-WHT-3/8 VINYL TAPE
10022-R0	\$	28.30	3M PLV-WHT-BLK-1/2 VINYL TAPE
10023-R0	\$	28.30	3M PLV-WHT-GRN-1/2 VINYL TAPE
10024-R0	\$	28.30	3M PLV-WHT-RED-1/2 VINYL TAPE
10025-R0	\$	28.30	3M PLV-YEL-1/2 VINYL TAPE

44625-R0	\$	49.53	DUCT AVERAGING 12 FT COPPER TUBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
10026-R0	\$	0.25	3M R/Y-BOXED-PLUS RED/YELLOW CONN
10027-R0	\$	0.19	3M R/Y-BULK-PLUS RED/YELLOW CONN
10028-R0	\$	16.15	3M SCOTCHFIL-1-1/2X60IN INSUL TAPE
10029-R0	\$	0.18	3M T/R+JUG SUPER TAN SP CON
10030-R0	\$	0.17	3M UR-BOXED 26-19 SOL BRIDGE CONN
10031-R0	\$	0.29	ACN CSH14114J HEX HD MSNRY SCRW
10032-R0	\$	0.35	ACN CSH14134J HEX HD MSNRY SCRW
10033-R0	\$	0.39	ACN CSH14214J HEX HD MSNRY SCRW
10034-R0	\$	0.45	ACN CSH14234J HX HD MSNRY SCR
10035-R0	\$	0.24	ACN CSH316114J HEX HD MSNRY SCRW
10036-R0	\$	0.10	ACN DS10112J 5/16 HEX HD SCREW
10037-R0	\$	0.09	ACN DS10114J 5/16 HEX HD SCREW
10038-R0	\$	0.08	ACN DS101J 5/16 HEX HD SCREW
10039-R0	\$	0.11	ACN DS102J HX HD DRL SCRW 10X2
10040-R0	\$	0.07	ACN DS1034J HX HD DRL SCRW 10X3/4
10041-R0	\$	0.11	ACN DS121J 5/16 HEX HD SCREW
10042-R0	\$	0.07	ACN DSC516 5/16 HEX SCR CHUCK
10043-R0	\$	0.54	ACN EB142J 1/4-20X2 EYE BLT W/NT ZN
10044-R0	\$	1.79	ACN EB384J 3/8X4 EYE BOLT
10045-R0	\$	0.87	ACN EC1420J 1/4-20 EYE COUP IN
10046-R0	\$	30.77	ACN FCS100J BX/MC STAPLE 500/JR
10047-R0	\$	0.07	ACN FH62J FLT HD MCH SCR 6-32X2
10048-R0	\$	0.13	ACN FW12112J 1/2 FENDER WASH
10049-R0	\$	0.15	ACN FW14112J 1/4 FENDER WASH
10050-R0	\$	0.11	ACN FW14114J 1/4 FENDER WASH
10051-R0	\$	0.08	ACN FW141J 1/4 FENDER WASHER
10052-R0	\$	0.17	ACN FW38112J 3/8 FENDER WASH
10053-R0	\$	0.13	ACN FW38114J 3/8 FENDER WASH
10054-R0	\$	0.09	ACN FW381J 3/8 FENDER WASH
10055-R0	\$	0.07	ACN GS1038J HX WASH HD SCR
10056-R0	\$	0.73	ACN HCS12112J 1/2 HEX BOLT
10057-R0	\$	0.15	ACN HCS14112J 1/4 HEX BOLT
10058-R0	\$	0.14	ACN HCS14114J 1/4 HEX BOLT
10059-R0	\$	0.12	ACN HCS141J 1/4 HEXAGON BOLT
10060-R0	\$	0.10	ACN HCS1434J 1/4 HEX BOLT
10061-R0	\$	0.33	ACN HCS38112J 3/8 HEX BOLT
10062-R0	\$	0.27	ACN HCS38114J 3/8 HEX BOLT
10063-R0	\$	0.18	ACN HCS3812J HEX BOLT 3/8X1/2
10064-R0	\$	0.25	ACN HCS381J 3/8 HEXAGON BOLT
10065-R0	\$	0.43	ACN HCS382J HEX BOLT 3/8X2
10066-R0	\$	0.23	ACN HCS3834J 3/8 HEX BOLT
10067-R0	\$	14.42	ACN HPAK14J 1/4" PLSTC ANCH KIT
10068-R0	\$	0.12	ACN LW12J SPLIT LOCKWASHER
10069-R0	\$	0.05	ACN LW14J SPLIT LOCKWASHER
10070-R0	\$	0.07	ACN LW38J SPLIT LOCKWASHER
10071-R0	\$	0.60	ACN MSA14J MCH SCR ANCH 1/4-20X7/8
10072-R0	\$	1.67	ACN MSA38J MCH SCRW ANCH 3/8-16X3/4
10073-R0	\$	0.04	ACN N1024J 10-24 HEX NUT
10074-R0	\$	0.04	ACN N1032J 10-32 HEX NUT
10075-R0	\$	0.20	ACN N1213J 1/2-13 HEX NUT
10076-R0	\$	0.05	ACN N1420J 1/4-20 HEX NUT
10077-R0	\$	0.10	ACN N3816J 3/8-16 HEX NUT
10078-R0	\$	0.04	ACN N632J 6-32 HEX NUT
10079-R0	\$	0.04	ACN N832J 8-32 HEX NUT

44625-R0	\$	49.53	DUCT AVERAGING 12 FT COPPER TUBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
10080-R0	\$	9.48	ACN PAK14J 1/4 WALL ANCHOR KIT
10081-R0	\$	0.43	ACN R143J SPR-WNG TOG BLT 1/4X3
10082-R0	\$	0.47	ACN R144J SPR-WNG TOG BLT 1/4X4
10083-R0	\$	0.34	ACN R3163J SPR-WNG TOG BLT 3/16X3
10084-R0	\$	0.39	ACN R3164J SPR-WNG TOG BLT 3/16X4
10085-R0	\$	1.41	ACN R384J SPRG-WING TOG BOLT
10086-R0	\$	0.62	ACN RC12J HEX ROD COUPLING
10087-R0	\$	0.37	ACN RC14J HEX ROD COUPLING
10088-R0	\$	0.49	ACN RC38J HEX ROD COUPLING
10089-R0	\$	0.05	ACN RH1034J RND HD SCRW 10-24X3/4
10090-R0	\$	0.05	ACN RH1112J RND HD SCRW 10-32X1-1/2
10091-R0	\$	0.06	ACN RH112J RND HD MCH SCR 10-32X1/2
10092-R0	\$	0.06	ACN RH11J RND HD MCH SCR 10-32X1 JR
10093-R0	\$	0.13	ACN RH14112J RH COMBO MACH SC
10094-R0	\$	0.10	ACN RH14114J RH COMBO MACH SC
10095-R0	\$	0.07	ACN RH1412J RH COMBO MACH SC
10096-R0	\$	0.09	ACN RH141J RH CMBO MACH SCR 1/4"X1"
10097-R0	\$	0.13	ACN RH142J RH COMBO MACH SCR
10098-R0	\$	0.07	ACN RH1434J RH COMBO MACH SC
10099-R0	\$	0.06	ACN RH1438J RH COMBO MACH SC
10100-R0	\$	0.20	ACN RH381J RH COMBO MACH SCR
10101-R0	\$	0.16	ACN RH3834J RH COMBO MACH SC
10102-R0	\$	0.06	ACN RH6112J RH COMBO MACH SC
10103-R0	\$	0.05	ACN RH6114J RND HD SCRW 6-32X1-1/4
10104-R0	\$	0.04	ACN RH612J RH COMBO MACH SCR
10105-R0	\$	0.05	ACN RH61J RH COMBO MACH SCR
10106-R0	\$	0.07	ACN RH62J RH COMBO MACH SCR
10107-R0	\$	0.04	ACN RH634J RH COMBO MACH SCR
10108-R0	\$	0.07	ACN RH63J RND HD MCH SCRW 6-32X3 JR
10109-R0	\$	0.06	ACN RH8112J RH COMBO MACH SC
10110-R0	\$	0.05	ACN RH812J RH COMBO MACH SCR
10111-R0	\$	0.05	ACN RH81J RH COMBO MACH SCR
10112-R0	\$	0.11	ACN RH8212J RND HD SCRW 8-32X2-1/2
10113-R0	\$	0.09	ACN RH82J RH COMBO MACH SCR
10114-R0	\$	0.05	ACN RH834J RH COMBO MACH SCR
10115-R0	\$	0.13	ACN RH83J RND HD MCH SCRW 8-32X3 JR
10116-R0	\$	0.85	ACN SA38178J SLEEVE ANCH 3/8X1-7/8
10117-R0	\$	0.04	ACN SAE10J FLT SAE WSHR 10X3/16
10118-R0	\$	0.11	ACN SAE12J 1/2 FLAT WASHER
10119-R0	\$	0.05	ACN SAE14J 1/4 FLAT WASHER
10120-R0	\$	0.06	ACN SAE38J 3/8 FLAT WASHER
10121-R0	\$	0.03	ACN SAE6J 6-IN FLAT WASHER
10122-R0	\$	0.03	ACN SAE8J 8-IN FLAT WASHER
10123-R0	\$	0.06	ACN SCW812J STUD CUTTER WH SC
10124-R0	\$	0.51	ACN SDIA14J DROP-IN ANCH 1/4-20X3/8
10125-R0	\$	0.80	ACN SDIA38J DROP-IN ANCH 3/8-16X1/2
10126-R0	\$	10.83	ACN SDIAT38 DROP-IN ANCH SET TOOL
10127-R0	\$	29.87	ACN SDSHB126 1/2X6 HAM DRILL BIT
10128-R0	\$	15.43	ACN SDSHB3166 3/16 X 6 DRILL BIT
10129-R0	\$	0.44	ACN SN2ZJ SCR-IN ANCH(SOLD BY 100)
10130-R0	\$	25.60	ACN SN2ZKJ #8ANCHOR KIT(50pcs=1)
10131-R0	\$	4.28	ACN TAP1420 CARBON STEEL TAP
10132-R0	\$	3.15	ACN TD14 HS TWIST DRILL BIT
10133-R0	\$	7.22	ACN TD38 HS TWIST DRILL BIT

44625-R0	\$	49.53	DUCT AVERAGING 12 FT COPPER TUBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
10134-R0	\$	3.21	ACN TDN7 HS TWIST DRILL BIT
10135-R0	\$	0.13	ACN TK10112J HEX WASH TEK DRL SCREW
10136-R0	\$	0.12	ACN TK10114J HEX WASH TEK DRL SCREW
10137-R0	\$	0.09	ACN TK1012J HEX WASH TEK DRL SCREW
10138-R0	\$	0.11	ACN TK101J HEX WASH TEK DRILL SCREW
10139-R0	\$	0.14	ACN TK102J HXHD DRLL SCRW 10X2
10140-R0	\$	0.10	ACN TK1034J WASH TEK DRL SCREW
10141-R0	\$	0.07	ACN TS10114J COMBO PH TAP SCR
10142-R0	\$	0.05	ACN TS1012J COMBO PH TAP SCR
10143-R0	\$	0.06	ACN TS101J COMBO PH TAP SCREW
10144-R0	\$	0.05	ACN TS1034J COMBO PAN HEAD IN
10145-R0	\$	0.06	ACN TS81J COMBO PH TAP SCREW
10146-R0	\$	0.04	ACN WA14J CONICL WLL ANCH 10-12X1/4
10147-R0	\$	0.39	ACN WDOGJ WL-DOG PAN HEAD SCREW
10148-R0	\$	0.72	ACN WEG14134J WEDGE ANCHOR
10149-R0	\$	1.22	ACN WEG38234J WEDGE ANCH 3/8X2-3/4
10150-R0	\$	0.06	ACN WHP812J WAFER HD SCREW ZN
10151-R0	\$	708.96	ADV 71A5181001D 1-50W 120/277 BAL
10152-R0	\$	604.86	ADV 71A5292001D 70W QUAD MH BALLAST
10153-R0	\$	684.25	ADV 71A5390001D 1-100W QUAD MH BAL
10154-R0	\$	860.92	ADV 71A5492001D 150W MH BALLAST
10155-R0	\$	369.00	ADV 71A5570001D 175W M57 MH BAL KIT
10156-R0	\$	485.17	ADV 71A5692001D 200W QUAD MH BAL
10157-R0	\$	621.49	ADV 71A5750001D 250W MH BALLAST KIT
10158-R0	\$	733.43	ADV 71A5892001D 320W QUAD MH BAL KT
10159-R0	\$	638.31	ADV 71A6051001D 400W MH BALLAST KIT
10160-R0	\$	853.96	ADV 71A6052001D 400W 5T MH BLST KIT
10161-R0	\$	640.51	ADV 71A6092001D 400W QUAD MH BAL
10162-R0	\$	1,174.55	ADV 71A6552001 1000W MH BALLAST KIT
10163-R0	\$	610.48	ADV 71A7971001D 1-70W QUAD HPS BAL
10164-R0	\$	638.65	ADV 71A8071001D 1-100W QUAD BAL
10165-R0	\$	690.57	ADV 71A8172001D 1-150W QUAD HPSBAL
10166-R0	\$	1,081.27	ADV 71A8251001D 250W HPS BAL
10167-R0	\$	1,214.52	ADV 71A8453001D 400W HPS BALLAST KT
10168-R0	\$	1,654.97	ADV 71A8753001 1000W 5TAP HPS BAL
10169-R0	\$	562.02	ADV 72C5381NP001 1-100W 120/277
10170-R0	\$	478.26	ADV 72C5581NP001 1-175W 120/277
10171-R0	\$	877.69	ADV 72C5782NP001 1-250W 277 MH BAL
10172-R0	\$	1,209.85	ADV 72C6082NP001 1-400W 120/277
10173-R0	\$	750.84	ADV 77L5570001D 175W MH BAL
10174-R0	\$	989.85	ADV 77L6051001D 400W MH BAL
10175-R0	\$	1,969.07	ADV 77L6552001 1000W 5TP MH BAL KIT
10176-R0	\$	925.09	ADV 77L8172001DMOG 150W HPS BAL
10177-R0	\$	1,444.37	ADV 77L8251001D 250W 5TP HPS BL KIT
10178-R0	\$	2,364.25	ADV 77L8753001 1000W 5TP HPS BL KIT
10179-R0	\$	243.32	ADV 7C150P40R 400V NON-PCB CPCTR
10180-R0	\$	360.39	ADV 7C240P40R 400V NON-PCB CPCTR
10181-R0	\$	397.29	ADV ASB062024BLTPI 120V PLS BAL
10182-R0	\$	433.62	ADV ASB122424BLTPI 120V PLS BAL
10183-R0	\$	711.24	ADV ASB124046BLTPI 120V PLS BAL
10184-R0	\$	743.56	ADV ASB204024BLTPI 120V PLS BAL
10185-R0	\$	836.23	ADV ASB244846BLTPI 120V PLS BAL
10186-R0	\$	705.29	ADV HCN4S5490C2LSG35I
10187-R0	\$	170.47	ADV ICF2S13H1LDK 2-13W COMP 277 BAL

44625-R0	\$	49.53	DUCT AVERAGING 12 FT COPPER TUBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
10188-R0	\$	170.47	ADV ICF2S18H1LDK 2-18W COMP 277 BAL
10189-R0	\$	168.84	ADV ICF2S26H1LDK 2-26W COMP 120/277
10190-R0	\$	181.68	ADV ICF2S42M2LDK 2-42W COMP 120/277
10191-R0	\$	126.07	ADV ICN1P32N35I 32W 120-277V BAL
10192-R0	\$	163.60	ADV ICN2M32MC35I 120-277V ELEC BAL
10193-R0	\$	133.08	ADV ICN2P32N35I T8 32W 120-277
10194-R0	\$	201.90	ADV ICN2P60SC35I 120-277V ELEC BLST
10195-R0	\$	222.27	ADV ICN2S110SC35I 2-96T12 120/277V
10196-R0	\$	206.64	ADV ICN2S28N35I (2)F28T5 ELEC BLST
10197-R0	\$	206.64	ADV ICN2S28T35I 277V FLU BALLAST
10198-R0	\$	187.42	ADV ICN2S39T35I 277V FLU BALLAST
10199-R0	\$	125.90	ADV ICN2S40N35I T12 120-277V BLST
10200-R0	\$	240.56	ADV ICN2S5490CT35M 2-F54T5HO
10201-R0	\$	193.73	ADV ICN2S54T35M 120-277V BALLAST
10202-R0	\$	336.79	ADV ICN2S8635I 2-F96T8/HO 120/277V
10203-R0	\$	143.14	ADV ICN2TTP40SC35I (2)40W ELEC BLST
10204-R0	\$	147.87	ADV ICN3P32N35I 32W 120-277V BAL
10205-R0	\$	156.53	ADV ICN3TTP40SC35M 120-277V ELEC BA
10206-R0	\$	162.63	ADV ICN4P32N35I 32W 120-277V BAL
10207-R0	\$	515.05	ADV ICN4S5490C2LSG35M 120-277V BAL
10208-R0	\$	490.82	ADV IMH39GBLSM 39W MH BALLAST
10209-R0	\$	207.97	ADV IOP2P59SC35I 120-277V BAL
10210-R0	\$	149.38	ADV IOP2PSP32SC35I 120-277V BALLAST
10211-R0	\$	219.84	ADV IOP3PSP32SC35M (3)F32T8 BLST
10212-R0	\$	231.30	ADV IOP4PSP32SC35I 120-277V BAL
10213-R0	\$	141.80	ADV IOPA2P32LWN35I F32T8 ELEC BLST
10214-R0	\$	170.59	ADV IOPA4P32LWN35M 120-277V BALLST
10215-R0	\$	206.15	ADV IZT2S32SC35I ELE DIMMING BAL
10216-R0	\$	414.96	ADV IZT3S32SC35I ELEC DMG BLST
10217-R0	\$	379.86	ADV MD2409100 480V NON-PCB CPCTR
10218-R0	\$	389.21	ADV R4S40ATPACI 4-40T12RS 120 BAL
10219-R0	\$	426.91	ADV RC2S85TPI T12 HO 120 BALLAST
10220-R0	\$	88.14	ADV RELB2S40N35I 120V ELTRN BAL
10221-R0	\$	326.23	ADV REZ2S32SC35I 32W 120V BALLAST
10222-R0	\$	0.53	ALLIED 1096-N 1G 3-IN-D SW BOX
10223-R0	\$	0.66	ALLIED 1098-N 1G 3-1/4D SW
10224-R0	\$	0.71	ALLIED 1099-N 1G SW BOX W/NAILS
10225-R0	\$	1.84	ALLIED 1099-Z4 1G 22.5CU IN SW BOX
10226-R0	\$	2.23	ALLIED 2302-NK 2G SW BOX W/NAILS
10227-R0	\$	3.40	ALLIED 3303-NK 3G SW BOX W/NAILS
10228-R0	\$	7.20	ALLIED 4300-NBK 4G 3-IN-D SW BOX
10229-R0	\$	6.03	ALLIED 4304-NK 4G BOX
10230-R0	\$	3.59	ALLIED 9312-EWK 2G 2-1/2D OW BOX
10231-R0	\$	2.13	ALLIED 9331-EWK 1G 2-1/2D OW BOX
10232-R0	\$	1.98	ALLIED 9335-NK 3-1/2 RND OUT BOX
10233-R0	\$	4.72	ALLIED 9336-BHK 3-1/2 RND OUT BOX
10234-R0	\$	2.77	ALLIED 9338-ESK 3-1/2 RND BOXW/EAR
10235-R0	\$	3.00	ALLIED 9343-NK 4IN SQ OUTLET BOX
10236-R0	\$	1.47	ALLIED 9344 4-IN SQ BLANK COVER
10237-R0	\$	1.19	ALLIED 9345 1G 4-IN SQ PLASTER RING
10238-R0	\$	4.04	ALLIED 9350-BHK 4"RND BOX W/HANGAR
10239-R0	\$	1.79	ALLIED 9351-NK 4-IN RND OUTLET BOX
10240-R0	\$	6.00	ALLIED 9351-NKFR 4-IN FAN&FX BOX
10241-R0	\$	2.07	ALLIED 9363-EWK 1G 2-7/8D SW BOX

44625-R0	\$	49.53	DUCT AVERAGING 12 FT COPPER TUBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
10242-R0	\$	1.41	ALLIED LH-11P 4TERM KYLS LAMPHOLDER
10243-R0	\$	2.57	ALLIED LH-12P 2T PULL CORD LMPHLDR
10244-R0	\$	0.92	ALLIED LVP-1 LO VOLT PARTITION
10245-R0	\$	2.84	ALLIED SB1 23CU O/W INT MT
10246-R0	\$	4.73	ALLIED SB2 42CU O/W INT MT
10247-R0	\$	6.09	ALLIED SB-3 3G SLIDERBOX SW BOX
10248-R0	\$	5.11	APP 170 1/2 STEEL CONBDY CVR
10249-R0	\$	6.27	APP 270 3/4 STEEL CONBDY CVR
10250-R0	\$	8.55	APP 370 1IN STEEL CONBDY CVR
10251-R0	\$	10.27	APP 470 1-1/4 STEEL CONBDY CVR
10252-R0	\$	10.27	APP 570 1-1/2 STEEL CONBDY CVR
10253-R0	\$	18.00	APP 670 2-IN STEEL CONBDY CVR
10254-R0	\$	25.77	APP 8456R 4-IN SQ 3/4 SWIV HGR CVR
10255-R0	\$	23.75	APP 8458R 4-IN SQ 1/2 SWIV HGR CVR
10256-R0	\$	26.57	APP 8486D 2G SQ SW RING
10257-R0	\$	29.61	APP 8486E 2G SQ SW RING
10258-R0	\$	28.25	APP 870 2-1/2&3 STL COND BODY CVR
10259-R0	\$	20.19	APP AC1A SEALING CEMENT
10260-R0	\$	35.29	APP AC1F01A SEALING KIT
10261-R0	\$	3.35	APP BH-500 1/4-20 TAPPED BEAM CLAMP
10262-R0	\$	12.26	APP BH-502 3/8-16 TAPPED BEAM CLAMP
10263-R0	\$	18.12	APP BH-503 1/2-13 TAPPED BEAM CLAMP
10264-R0	\$	0.42	APP BL-50 1/2 STEEL LOCKNUT
10265-R0	\$	4.07	APP BU-150 1-1/2 MALL BUSHING
10266-R0	\$	0.75	APP BU-50 1/2 MALL BUSHING
10267-R0	\$	0.98	APP BU-75 3/4 MALL BUSHING
10268-R0	\$	14.96	APP C17 1/2-IN COND BODY
10269-R0	\$	17.94	APP C27 3/4 COND BODYlb17
10270-R0	\$	24.34	APP C37 1-IN C COND BODY
10271-R0	\$	42.89	APP C47 1-1/4 C COND BODY
10272-R0	\$	55.28	APP C57 1-1/2 C COND BODY
10273-R0	\$	91.20	APP C67 2-IN C COND BODY
10274-R0	\$	18.36	APP C75-M 3/4 MALL C COND BODY
10275-R0	\$	40.85	APP CG-100100 1-IN AL STR CORD CONN
10276-R0	\$	41.78	APP CG-100100S 1INSTL STR CORDCONN
10277-R0	\$	44.86	APP CG-100125 1-1/4 AL ST CORD CONN
10278-R0	\$	45.90	APP CG-100125S 1-1/4STL ST CORDCONN
10279-R0	\$	9.97	APP CG-1250 1/2 ALUM STR CORD CONN
10280-R0	\$	44.86	APP CG-125125 1-1/4 AL ST CORD CONN
10281-R0	\$	9.97	APP CG-1850 1/2 ALUM STR CORD CONN
10282-R0	\$	10.23	APP CG-1850S 1/2 STL STR CORD CONN
10283-R0	\$	9.97	APP CG-3150 1/2 ALUM STR CORD CONN
10284-R0	\$	10.23	APP CG-3150S 1/2 STL STR CORD CONN
10285-R0	\$	14.59	APP CG-37100 1-IN ALUM STR CRD CONN
10286-R0	\$	9.97	APP CG-3750 1/2 ALUM STR CORD CONN
10287-R0	\$	10.23	APP CG-3750S 1/2 STL STR CORD CONN
10288-R0	\$	11.14	APP CG-3775 3/4 ALUM STR CORD CONN
10289-R0	\$	14.59	APP CG-50100 1-IN ALUM ST CORD CONN
10290-R0	\$	9.97	APP CG-5050 1/2 ALUM STR CORD CONN
10291-R0	\$	10.23	APP CG-5050S 1/2 STL STR CORD CONN
10292-R0	\$	11.14	APP CG-5075 3/4 ALUM STR CORD CONN
10293-R0	\$	11.18	APP CG-5075S 3/4 STL STR CORD CONN
10294-R0	\$	14.59	APP CG-62100 1-IN ALUM STR CRD CONN
10295-R0	\$	11.14	APP CG-6250 1/2 ALUM STR CORD CONN

44625-R0	\$	49.53	DUCT AVERAGING 12 FT COPPER TUBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
10296-R0	\$	11.18	APP CG-6250S 1/2 STL STR CORD CONN
10297-R0	\$	11.14	APP CG-6275 3/4 ALUM STR CORD CONN
10298-R0	\$	11.18	APP CG-6275S 3/4 STL STR CORD CONN
10299-R0	\$	14.59	APP CG-75100 1-IN ALUM STR CRD CONN
10300-R0	\$	14.59	APP CG-7575 3/4 ALUM STR CORD CONN
10301-R0	\$	14.72	APP CG-7575S 3/4 STL STR CORD CONN
10302-R0	\$	14.59	APP CG-87100 1-IN ALUM ST CORD CONN
10303-R0	\$	14.72	APP CG-87100S 1IN STL STR CORD CONN
10304-R0	\$	18.42	APP CG90-5050 1/2 AL 90D CORD CONN
10305-R0	\$	2.00	APP CL-100MN 1IN 1H MALLEABLE CLMP
10306-R0	\$	0.94	APP CL-50MN 1/2 1H MALLEABLE CLMP
10307-R0	\$	1.30	APP CL-75MN 3/4 1H MALLEABLE CLMP
10308-R0	\$	3.00	APP CLB-100MN 1IN MALL CLAMP BACK
10309-R0	\$	4.45	APP CLB-125MN 1-1/4 MALL CLAMP BACK
10310-R0	\$	5.81	APP CLB-150MN 1-1/2 MALL CLAMP BACK
10311-R0	\$	9.41	APP CLB-200MN 2IN MALL CLAMP BACK
10312-R0	\$	0.81	APP CLB-50 1/2 STEEL CLAMPBACK
10313-R0	\$	1.80	APP CLB-50MN 1/2 MALL CLAMP BACK
10314-R0	\$	1.04	APP CLB-75 3/4 STEEL CLAMPBACK
10315-R0	\$	2.00	APP CLB-75MN 3/4 MALL CLAMP BACK
10316-R0	\$	3.70	APP CN-100 1-IN D/C BUSHED NIPPLE
10317-R0	\$	8.25	APP CN-150 1-1/2 MALL BUSHED NIPPLE
10318-R0	\$	1.33	APP CN-50 1/2 D/C BUSHED NIPPLE
10319-R0	\$	1.82	APP CN-75 3/4 D/C BUSHED NIPPLE
10320-R0	\$	18.42	APP EC-100 1-IN MALL 3PC COND CPLG
10321-R0	\$	37.04	APP EC-125 1-1/4 MALL 3PC COND CPLG
10322-R0	\$	46.85	APP EC-150 1-1/2 MALL 3PC COND CPLG
10323-R0	\$	93.70	APP EC-200 2-IN MALL 3PC COND CPLG
10324-R0	\$	7.91	APP EC-50 1/2 STL 3PC COND CPLG
10325-R0	\$	10.15	APP EC-75 3/4 STL 3PC COND CPLG
10326-R0	\$	32.14	APP ELBY-50 1/2 90D CAPPED ELL
10327-R0	\$	38.75	APP ELBY-75 3/4 90D CAPPED ELL
10328-R0	\$	98.90	APP ERLB50 1/2 ERLB UNILET
10329-R0	\$	104.25	APP ERLB75 3/4 ERLB UNILET
10330-R0	\$	102.32	APP ERT50 1/2 ERT UNILET
10331-R0	\$	107.87	APP ERT75 3/4 ERT UNILET
10332-R0	\$	365.62	APP EXGJH-118 1/2X18 FLEX CPLG
10333-R0	\$	467.65	APP EXGJH-218 3/4X18 FLEX CPLG
10334-R0	\$	43.74	APP EYF-100 1-IN MALL COND SEAL
10335-R0	\$	52.81	APP EYF-125 1-1/4 MALL COND SEAL
10336-R0	\$	80.09	APP EYF-150 1-1/2 MALL COND SEAL
10337-R0	\$	103.90	APP EYF-200 2-IN MALL COND SEAL
10338-R0	\$	28.89	APP EYF-50 1/2 MALL COND SEAL
10339-R0	\$	33.83	APP EYF-75 3/4 MALL COND SEAL
10340-R0	\$	36.33	APP EYM75 3/4 MALL COND SEAL
10341-R0	\$	34.13	APP F02 2-OZ WOOL FIBER
10342-R0	\$	71.11	APP F04 4-OZ WOOL FIBER
10343-R0	\$	123.93	APP F08 8-OZ WOOL FIBER
10344-R0	\$	38.91	APP FD175 1G MALL FD BOX
10345-R0	\$	65.58	APP FD275 2G MALL FD BOX
10346-R0	\$	43.77	APP FDC175 1G MALL FDC BOX
10347-R0	\$	69.03	APP FDC275 2G MALL FDC BOX
10348-R0	\$	28.35	APP FFL-100 1-IN FEM/FEM PULL ELL
10349-R0	\$	14.50	APP FFL-50 1/2MALL FEM/FEM PULL ELL

44625-R0	\$	49.53	DUCT AVERAGING 12 FT COPPER TUBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
10350-R0	\$	16.73	APP FFL-75 3/4MALL FEM/FEM PULL ELL
10351-R0	\$	35.91	APP FS175 1G MALL FS BOX
10352-R0	\$	37.22	APP FSC-1-50L 1G MALL FSC BX W/LUGS
10353-R0	\$	37.22	APP FSC175 1G MALL FSC BOX
10354-R0	\$	42.96	APP FSC-1-75L 1G MALL FSC BX W/LUGS
10355-R0	\$	9.87	APP FS-GKR-1N REPLACEMENT GASKET
10356-R0	\$	6.27	APP FSK-1B 1G FS BLANK COVER
10357-R0	\$	21.80	APP FSK-1B-C 1G WP FS BLANK COVER
10358-R0	\$	9.62	APP FSK-1DR 1G DPLX RCPT COVER
10359-R0	\$	13.04	APP FSK-1R-X 1G RND RCPT COVER
10360-R0	\$	9.62	APP FSK-1TS 1G STL TGL SW COVER
10361-R0	\$	18.01	APP FSK-2TS 2G STL 2SW COVER
10362-R0	\$	2.52	APP GASK571 1/2-IN CON-BDY GASKET
10363-R0	\$	2.52	APP GASK572 3/4-IN CON-BDY GASKET
10364-R0	\$	3.31	APP GASK573 1-IN CON-BDY GASKET
10365-R0	\$	4.22	APP GASK574 1-1/4-IN CON-BDY GASKET
10366-R0	\$	4.22	APP GASK575 1-1/2-IN CON-BDY GASKET
10367-R0	\$	5.10	APP GASK576 2-IN CND-BDY GASKET
10368-R0	\$	8.37	APP GASK578 2-1/2&3 CND-BDY GASKET
10369-R0	\$	3.43	APP GK100-N 1-IN NEOPRENE GASKET
10370-R0	\$	4.34	APP GK125-150-N 1-1/4&1-1/2 NEO GSK
10371-R0	\$	5.16	APP GK200-N 2-IN NEOPRENE GASKET
10372-R0	\$	8.55	APP GK250-300-N 2-1/2&3 NEO GSKT
10373-R0	\$	2.58	APP GK50-N 1/2 NEOPRENE GASKET
10374-R0	\$	2.58	APP GK75-N 3/4 NEOPRENE GASKET
10375-R0	\$	100.94	APP GRLB100 1-IN JCT UNILET
10376-R0	\$	86.29	APP GRLB75 3/4 JCT UNILET
10377-R0	\$	137.70	APP GRSS75 3/4 JCT UNILET
10378-R0	\$	106.33	APP GRT100 1-IN JCT UNILET
10379-R0	\$	91.87	APP GRT75 3/4 JCT UNILET
10380-R0	\$	99.61	APP GRTB612 UNILET
10381-R0	\$	106.72	APP GRX75 3/4 JCT UNILET
10382-R0	\$	21.77	APP HUB-100 1-IN INS KO HUB
10383-R0	\$	17.36	APP HUB-75 3/4 INS KO HUB
10384-R0	\$	8.71	APP K100 1-IN STL COND BODY COVER
10385-R0	\$	8.07	APP K100-A 1-IN AL COND BODY COVER
10386-R0	\$	10.49	APP K125&150 1-1/2 COND BODY COVER
10387-R0	\$	18.45	APP K200 2-IN STL COND BODY COVER
10388-R0	\$	29.32	APP K250&300 3-IN COND BODY COVER
10389-R0	\$	5.24	APP K50 1/2 STL COND BODY COVER
10390-R0	\$	4.45	APP K50-A 1/2 AL COND BODY COVER
10391-R0	\$	6.40	APP K75 3/4 STL COND BODY COVER
10392-R0	\$	6.33	APP K75-A 3/4 AL COND BODY COVER
10393-R0	\$	27.60	APP LB100-M 1-IN MALL LB COND BODY
10394-R0	\$	47.77	APP LB125-M 1-1/4 MALL LB COND BODY
10395-R0	\$	62.24	APP LB150-M 1-1/2 MALL LB COND BODY
10396-R0	\$	14.96	APP LB17 1/2-IN COND BODY
10397-R0	\$	102.58	APP LB200-M 2-IN MALL LB COND BODY
10398-R0	\$	17.94	APP LB27 3/4 COND BODY
10399-R0	\$	26.90	APP LB37 1-IN COND BODY
10400-R0	\$	42.89	APP LB47 1-1/4 COND BODY
10401-R0	\$	15.35	APP LB50-M 1/2 MALL LB COND BODY
10402-R0	\$	55.28	APP LB57 1-1/2 COND BODY
10403-R0	\$	91.20	APP LB67 2-IN COND BODY

44625-R0	\$	49.53	DUCT AVERAGING 12 FT COPPER TUBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
10404-R0	\$	18.36	APP LB75-M 3/4 MALL LB COND BODY
10405-R0	\$	52.52	APP LL150A 1-1/2 AL LL COND BODY
10406-R0	\$	14.96	APP LL17 1/2 COND BODY
10407-R0	\$	17.94	APP LL27 3/4 COND BODY
10408-R0	\$	26.90	APP LL37 1IN COND BODY
10409-R0	\$	14.73	APP LL50A 1/2 AL LL COND BODY
10410-R0	\$	55.28	APP LL57 1-1/2 LL COND BODY
10411-R0	\$	91.20	APP LL67 2-IN LL COND BODY
10412-R0	\$	18.36	APP LL75-M 3/4 MALL LL COND BODY
10413-R0	\$	27.69	APP LR100-M 1-IN MALL LR COND BODY
10414-R0	\$	14.96	APP LR17 1/2 COND BODY
10415-R0	\$	17.94	APP LR27 3/4 COND BODY
10416-R0	\$	26.90	APP LR37 1IN COND BODY
10417-R0	\$	16.22	APP LR50A 1/2 AL LR COND BODY
10418-R0	\$	55.28	APP LR57 1-1/2 LR COND BODY
10419-R0	\$	91.20	APP LR67 2-IN LR COND BODY
10420-R0	\$	18.36	APP LR75-M 3/4 MALL LR COND BODY
10421-R0	\$	386.03	APP NTC-300 3-IN NO-THRD COND CONN
10422-R0	\$	11.99	APP NTC-75 3/4 NO-THRD COND CONN
10423-R0	\$	17.40	APP NTCC-75 3/4 NO-THRD COND CPLG
10424-R0	\$	6.22	APP PC-100RA 1-IN RIGHT ANGLE CLAMP
10425-R0	\$	7.66	APP PC-125RA 1-1/4 RIGHT ANGLE CLMP
10426-R0	\$	8.63	APP PC-150RA 1-1/2 RIGHT ANGLE CLMP
10427-R0	\$	12.49	APP PC-200RA 2-IN RIGHT ANGLE CLAMP
10428-R0	\$	17.86	APP PC-300RA 3-IN RIGHT ANGLE CLAMP
10429-R0	\$	24.27	APP PC-400RA 4-IN RIGHT ANGLE CLAMP
10430-R0	\$	5.61	APP PC-75RA 3/4 RIGHT ANGLE CLAMP
10431-R0	\$	6.18	APP PLG-100R 1-IN RECESSED PLUG
10432-R0	\$	6.62	APP PLG-125 1-1/4 RECESSED PLUG
10433-R0	\$	9.10	APP PLG-150 1-1/2 RECESSED PLUG
10434-R0	\$	15.73	APP PLG-200 2-IN RECESSED PLUG
10435-R0	\$	4.41	APP PLG-50R 1/2 RECESSED PLUG
10436-R0	\$	5.26	APP PLG-75R 3/4 RECESSED PLUG
10437-R0	\$	3.80	APP RB100-50 1X1/2 RED BUSH
10438-R0	\$	3.80	APP RB100-75 1X3/4 RED BUSH
10439-R0	\$	8.89	APP RB125-100 1-1/4X1 RED BUSH
10440-R0	\$	8.89	APP RB125-50 1-1/4X1/2 RED BUSH
10441-R0	\$	8.89	APP RB125-75 1-1/4X3/4 RED BUSH
10442-R0	\$	11.12	APP RB150-100 1-1/2X1 RED BUSH
10443-R0	\$	11.12	APP RB150-125 1-1/2X1-1/4 RED BUSH
10444-R0	\$	11.12	APP RB150-50 1-1/2X1/2 RED BUSH
10445-R0	\$	11.12	APP RB150-75 1-1/2X3/4 RED BUSH
10446-R0	\$	25.07	APP RB200-100 2X1 RED BUSH
10447-R0	\$	25.07	APP RB200-125 2X1-1/4 RED BUSH
10448-R0	\$	25.07	APP RB200-150 2X1-1/2 RED BUSH
10449-R0	\$	25.07	APP RB200-50 2X1/2 RED BUSH
10450-R0	\$	25.07	APP RB200-75 2X3/4 RED BUSH
10451-R0	\$	32.19	APP RB250-200 2-1/2X2 RED BUSH
10452-R0	\$	41.15	APP RB300-150 3X1-1/2 RED BUSH
10453-R0	\$	41.15	APP RB300-200 3X2 RED BUSH
10454-R0	\$	41.15	APP RB300-250 3X2-1/2 RED BUSH
10455-R0	\$	2.45	APP RB75-50 3/4X1/2 RED BUSH
10456-R0	\$	2.46	APP RB75-50A 3/4X1/2 AL RED BUSH
10457-R0	\$	11.73	APP SNTC-100 1-IN S/SCR COND CONN

44625-R0	\$	49.53	DUCT AVERAGING 12 FT COPPER TUBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
10458-R0	\$	5.41	APP SNTC-50 1/2 S/SCR COND CONN
10459-R0	\$	7.53	APP SNTC-75 3/4 S/SCR COND CONN
10460-R0	\$	1.04	APP SNTCC-75 3/4 S/SCR COND CPLG
10461-R0	\$	15.72	APP ST-100 1-IN STR LIQ-TITE CONN
10462-R0	\$	25.47	APP ST-125 1-1/4 STR LIQ-TITE CONN
10463-R0	\$	36.33	APP ST-150 1-1/2 STR LIQ-TITE CONN
10464-R0	\$	66.72	APP ST-200 2-IN STR LIQ-TITE CONN
10465-R0	\$	330.20	APP ST-250 2-1/2 STR LIQ-TITE CONN
10466-R0	\$	371.31	APP ST-300 3-IN STR LIQ-TITE CONN
10467-R0	\$	7.53	APP ST-38 3/8 STR LIQ-TITE CONN
10468-R0	\$	440.27	APP ST-400 4-IN STR LIQ-TITE CONN
10469-R0	\$	34.35	APP ST-45100 1-IN 45D LIQ-TITE CONN
10470-R0	\$	52.85	APP ST-45125 1-1/4 45D LIQTITE CONN
10471-R0	\$	65.57	APP ST-45150 1-1/2 45D LIQTITE CONN
10472-R0	\$	95.80	APP ST-45200 2-IN 45D LIQ-TITE CONN
10473-R0	\$	11.00	APP ST-4550 1/2 45D LIQ-TITE CONN
10474-R0	\$	16.65	APP ST-4575 3/4 45D LIQ-TITE CONN
10475-R0	\$	8.00	APP ST-50 1/2 STR LIQ-TITE CONN
10476-R0	\$	11.39	APP ST-75 3/4 STR LIQ-TITE CONN
10477-R0	\$	34.02	APP ST-90100 1-IN 90D LIQ-TITE CONN
10478-R0	\$	52.52	APP ST-90125 1-1/4 90D LIQTITE CONN
10479-R0	\$	63.09	APP ST-90150 1-1/2 90D LIQTITE CONN
10480-R0	\$	95.12	APP ST-90200 2-IN 90D LIQ-TITE CONN
10481-R0	\$	418.19	APP ST-90250 2-1/2 90D LIQTITE CONN
10482-R0	\$	11.00	APP ST-9038 3/8 90D LIQ-TITE CONN
10483-R0	\$	11.69	APP ST-9050 1/2 90D LIQ-TITE
10484-R0	\$	17.69	APP ST-9075 3/4 90D LIQ-TITE CONN
10485-R0	\$	13.59	APP STB-4550 1/2 45D INS L/T CONN
10486-R0	\$	1.91	APP STF-50 1/2 REPL FERRULE ONLY
10487-R0	\$	3.15	APP STG-100 1-IN O-RING ASSEMBLY
10488-R0	\$	5.21	APP STG-125 1-1/4 O-RING ASSEMBLY
10489-R0	\$	6.29	APP STG-150 1-1/2 O-RING ASSEMBLY
10490-R0	\$	7.79	APP STG-200 2-IN O-RING ASSEMBLY
10491-R0	\$	25.32	APP STG-300 3-IN O-RING ASSEMBLY
10492-R0	\$	1.98	APP STG-50 1/2 O-RING ASSEMBLY
10493-R0	\$	2.18	APP STG-75 3/4 O-RING ASSEMBLY
10494-R0	\$	45.65	APP STNM-100 1-IN STR CN-P L/T CONN
10495-R0	\$	18.94	APP STNM-50 1/2 STR CN-P L/T CONN
10496-R0	\$	31.87	APP STNM-9050 1/2 90D CN-P L/T CONN
10497-R0	\$	48.69	APP STNM-9075 3/4 90D CN-P L/T CONN
10498-R0	\$	34.52	APP T100-M 1-IN MALL T COND BODY
10499-R0	\$	18.99	APP T17 1/2-IN COND BODY
10500-R0	\$	22.48	APP T27 3/4 COND BODY
10501-R0	\$	33.89	APP T37 1-IN COND BODY
10502-R0	\$	49.41	APP T47 1-1/4 COND BODY
10503-R0	\$	19.80	APP T50A 1/2 AL T COND BODY
10504-R0	\$	19.18	APP T50-M 1/2 MALL T COND BODY
10505-R0	\$	65.81	APP T57 1-1/2 COND BODY
10506-R0	\$	101.79	APP T67 2-IN COND BODY
10507-R0	\$	23.00	APP T75-M 3/4 MALL T COND BODY
10508-R0	\$	24.97	APP TB27 3/4 TB COND BODY
10509-R0	\$	35.46	APP TB37 1-IN TB COND BODY
10510-R0	\$	69.82	APP TB57 1-1/2 TB COND BODY
10511-R0	\$	35.23	APP TMC2-050075A MC CBL GLND

44625-R0	\$	49.53	DUCT AVERAGING 12 FT COPPER TUBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
10512-R0	\$	49.41	APP TMC2-075099A MC CBL GLND
10513-R0	\$	8.49	APP TWCC-50 1/2 FLEX TO EMT CPLG
10514-R0	\$	0.56	APP TWCL-50 1/2 1H STL EMT STRAP
10515-R0	\$	3.52	APP UBC150 1-1/2 U BOLT
10516-R0	\$	4.73	APP UBC200 2-IN U BOLT
10517-R0	\$	6.68	APP UBC300 3-IN U BOLT
10518-R0	\$	9.46	APP UBC400 4-IN U BOLT
10519-R0	\$	2.35	APP UBC75 3/4 U BOLT
10520-R0	\$	48.84	APP UNF100NR 1-IN FEMALE UNION
10521-R0	\$	19.59	APP UNF50NR 1/2 FEMALE UNION
10522-R0	\$	26.90	APP UNF75NR 3/4 FEMALE UNION
10523-R0	\$	51.49	APP UNY100NR 1-IN MALE UNION
10524-R0	\$	21.28	APP UNY50NR 1/2 MALE UNION
10525-R0	\$	30.25	APP UNY75NR 3/4 MALE UNION
10526-R0	\$	127.07	APP X67 2-IN X COND BODY
10527-R0	\$	28.80	ARL 128 2X1-1/4 ENTR CAP
10528-R0	\$	1.05	ARL 380AST 1/2 INSUL FLEX CBL CONN
10529-R0	\$	2.81	ARL 3838AST 3/8 DPLX FLEX CBL CONN
10530-R0	\$	1.05	ARL 38A 1/2 INSUL FLEX CBL CONN
10531-R0	\$	1.05	ARL 38AST 3/8 INSUL FLEX CBL CONN
10532-R0	\$	1.05	ARL 4010AST SNAP-IN CONN FOR AP/MC
10533-R0	\$	1.05	ARL 40AST SNAP-IN CABLE CONNECTOR
10534-R0	\$	10.24	ARL 4204 1-1/4 2-SCREW FLEX CONN
10535-R0	\$	0.22	ARL 4400 1/2 KO BUSHING
10536-R0	\$	0.26	ARL 4401 3/4 KO BUSHING
10537-R0	\$	0.39	ARL 4402 1-IN KO BUSHING
10538-R0	\$	6.01	ARL 450 1/2"GRD INS COND BUSH
10539-R0	\$	6.37	ARL 451 3/4"GRD INS COND BUSH
10540-R0	\$	6.73	ARL 452 1" GRD INS COND BUSH
10541-R0	\$	8.59	ARL 453 1-1/4"GRD INS COND BUSH
10542-R0	\$	9.13	ARL 454 1-1/2"GRD INS COND BUSH
10543-R0	\$	12.62	ARL 455 2" GRD INS COND BUSH
10544-R0	\$	21.03	ARL 456 2-1/2"GRD INS COND BUSH
10545-R0	\$	27.64	ARL 457 3"GRD INS COND BUSH
10546-R0	\$	30.59	ARL 458 3-1/2"GRD INS COND BUSH
10547-R0	\$	39.66	ARL 459 4" GRD INS COND BUSH
10548-R0	\$	0.79	ARL 501 1/2 D/C BUSHED NIPPLE
10549-R0	\$	2.42	ARL 501L 1/2 D/C BUSHED NIPPLE
10550-R0	\$	1.59	ARL 502 3/4 D/C BUSHED NIPPLE
10551-R0	\$	2.56	ARL 503 1-IN D/C BUSHED NIPPLE
10552-R0	\$	4.91	ARL 504 1-1/4 D/C BUSHED NIPPLE
10553-R0	\$	6.04	ARL 505 1-1/2 D/C BUSHED NIPPLE
10554-R0	\$	10.14	ARL 506 2-IN D/C BUSHED NIPPLE
10555-R0	\$	17.63	ARL 507 2-1/2 D/C BUSHED NIPPLE
10556-R0	\$	25.34	ARL 508 3-IN D/C BUSHED NIPPLE
10557-R0	\$	47.88	ARL 509 3-1/2 D/C BUSHED NIPPLE
10558-R0	\$	75.04	ARL 510 4-IN D/C BUSHED NIPPLE
10559-R0	\$	32.22	ARL 610 PORC WIRE HLDR W/CLAMP
10560-R0	\$	11.52	ARL 611 11-IN CHANNEL BAR
10561-R0	\$	20.43	ARL 612 PORC WIRE HLDR W/LAG SCREW
10562-R0	\$	19.23	ARL 616 PORC WIRE HLDR W/LAG SCR
10563-R0	\$	11.12	ARL 617 PORC WIRE HLDR W/MACH SCR
10564-R0	\$	10.95	ARL 6A6 1-1/2 D/C OFFSET NIPPLE
10565-R0	\$	18.15	ARL 719DB GROUND ROD CLAMP

44625-R0	\$	49.53	DUCT AVERAGING 12 FT COPPER TUBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
10566-R0	\$	9.77	ARL 8081F SIDING BOX KIT
10567-R0	\$	17.74	ARL 8091F SIDING BOX KIT
10568-R0	\$	1.11	ARL 841 3/8-IN NMC CONN
10569-R0	\$	7.72	ARL 8412 1IN 2-SCREW MC CONNECTOR
10570-R0	\$	9.65	ARL 8413 1-1/4 2-SCREW MC CONNECTOR
10571-R0	\$	15.44	ARL 8415 2IN 4-SCREW MC CONNECTOR
10572-R0	\$	6.83	ARL 844 1-1/4 2-SCR SEC CONN
10573-R0	\$	13.19	ARL 849 2-IN 2-SCR SEC CONN
10574-R0	\$	2.65	ARL 850ST 3/8 90D SQZ FLEX CONN
10575-R0	\$	9.90	ARL 8630 EMT TO FLEX CPLG
10576-R0	\$	54.06	ARL 934 1-1/2 LB COMB CVR & GASKET
10577-R0	\$	1.74	ARL BE1 BOX EXTENDER
10578-R0	\$	2.56	ARL BE2 2G BOX EXTENDER
10579-R0	\$	2.02	ARL CP3540 COMBO CEIL PLATE
10580-R0	\$	0.53	ARL EMT100 1-IN NM TERMINATOR
10581-R0	\$	0.93	ARL EMT125 1-1/4 NM TERMINATOR
10582-R0	\$	1.27	ARL EMT150 1-1/2 NM TERMINATOR
10583-R0	\$	1.70	ARL EMT200 2-IN NM TERMINATOR
10584-R0	\$	3.87	ARL EMT250 2-1/2 NM TERMINATOR
10585-R0	\$	4.65	ARL EMT300 3-IN NM TERMINATOR
10586-R0	\$	6.98	ARL EMT400 4-IN NM TERMINATOR
10587-R0	\$	0.12	ARL EMT50 1/2 NM TERMINATOR
10588-R0	\$	0.18	ARL EMT75 3/4IN NM TERMINATOR
10589-R0	\$	6.61	ARL FB426 FAN BOX
10590-R0	\$	23.52	ARL FB900 CATHEDRAL CEIL FAN
10591-R0	\$	15.05	ARL FBRS415 CLG BOX & BRACE
10592-R0	\$	9.65	ARL GB5 GROUNDING TERM CONNECTOR
10593-R0	\$	1.31	ARL GF50ST 1/2 SCR-IN FLEX CONN
10594-R0	\$	36.42	ARL GP19B 19-1/2 ODR LT FX SUPPORT
10595-R0	\$	1.44	ARL L16 1/2 1-SCR STR CONN
10596-R0	\$	3.06	ARL L17 1/2 1 SCW SDL CONN
10597-R0	\$	3.12	ARL L17ST 1/2 1 SCR SDL CONN ST
10598-R0	\$	5.97	ARL L18ST 3/4 1-SCR SDL CONN ST
10599-R0	\$	5.53	ARL L19ST 1IN 1SCR FLEX CBL CONN
10600-R0	\$	2.56	ARL LPCG50 1/2 STR STRN RLF CRD CON
10601-R0	\$	2.56	ARL LPCG503 1/2 .100/.300 NMCROCONN
10602-R0	\$	3.08	ARL LPCG507 1/2 .375/.750 NMCRCDCONN
10603-R0	\$	4.74	ARL LT100 1-IN STR L/T FLEX CONN
10604-R0	\$	7.49	ARL LT125 1-1/4 STR L/T FLEX CONN
10605-R0	\$	10.92	ARL LT150 1-1/2 STR L/T FLEX CONN
10606-R0	\$	16.58	ARL LT200 2-IN STR L/T FLEX CONN
10607-R0	\$	67.17	ARL LT250 2-1/2 STR L/T FLEX CONN
10608-R0	\$	84.21	ARL LT300 3-IN STR L/T FLEX CONN
10609-R0	\$	97.38	ARL LT400 4-IN STR L/T FLEX CONN
10610-R0	\$	3.97	ARL LT50 1/2 LT STR CONN INSUL
10611-R0	\$	6.81	ARL LT75 3/4 STR L/T FLEX CONN
10612-R0	\$	9.02	ARL LT90100 1-IN 90D L/T FLX CONN
10613-R0	\$	14.38	ARL LT90125 1-1/4 90D L/T FLX CONN
10614-R0	\$	20.02	ARL LT90150 1-1/2 90D L/T FLX CONN
10615-R0	\$	28.02	ARL LT90200 2-IN 90D L/T FLX CONN
10616-R0	\$	114.20	ARL LT90300 3-IN 90D L/T FLX CONN
10617-R0	\$	2.89	ARL LT9050 1/2 90D L/T FLX CONN
10618-R0	\$	4.54	ARL LT9075 3/4 90D L/T FLX CONN
10619-R0	\$	1.66	ARL LV1 LOW VOLT MTG BRACKET

44625-R0	\$	49.53	DUCT AVERAGING 12 FT COPPER TUBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
10620-R0	\$	2.55	ARL LV2 2G LOW VOLT DEVICE BRACKET
10621-R0	\$	25.54	ARL MM18 NM METER MOUNTING BASE
10622-R0	\$	0.96	ARL NM2005 1/2 RIGID NM PIPE HANGER
10623-R0	\$	1.07	ARL NM2015 3/4 NM RIGID PIPE HANGER
10624-R0	\$	1.44	ARL NM2025 1IN RIGID NM PIPE HANGER
10625-R0	\$	1.71	ARL NM2040 1PC N-MET PIPE HANGER
10626-R0	\$	2.05	ARL NM2045 1-1/2 RIG NM PIPE HANGER
10627-R0	\$	2.43	ARL NM2050 1PC N-MET PIPE HANGER
10628-R0	\$	9.07	ARL NM2070 3IN NM PIPE HANGER
10629-R0	\$	12.86	ARL NM2090 4IN NM PIPE HANGER
10630-R0	\$	0.33	ARL NM900 1/2 PLS KNOCK OUT SEAL
10631-R0	\$	0.42	ARL NM901 3/4 PLS KNOCK OUT SEAL
10632-R0	\$	0.61	ARL NM902 1-IN PLS KNOCK OUT SEAL
10633-R0	\$	0.18	ARL NM94 PLSTC ROMEX CONN
10634-R0	\$	0.39	ARL NM95 3/4 NM PLSTC CABLE CONN
10635-R0	\$	2.95	ARL NMLT100 1-IN STR L/T PVC CONN
10636-R0	\$	5.44	ARL NMLT125 1-1/4 STR L/T PVC CONN
10637-R0	\$	7.48	ARL NMLT150 1-1/2 STR L/T PVC CONN
10638-R0	\$	13.04	ARL NMLT200 2-IN STR L/T PVC CONN
10639-R0	\$	2.05	ARL NMLT5 1/2 NM L/T STRAIGHT CONN
10640-R0	\$	1.43	ARL NMLT50 1/2 STR L/T PVC CONN
10641-R0	\$	3.24	ARL NMLT5090 1/2 90D PVC L/T CONN
10642-R0	\$	2.95	ARL NMLT7 3/4 NM L/T STRAIGHT CONN
10643-R0	\$	2.06	ARL NMLT75 3/4 STR L/T PVC CONN
10644-R0	\$	4.94	ARL NMLT7590 3/4 90D PVC L/T CON
10645-R0	\$	6.80	ARL NMLT90100 1-IN 90D L/T CONN
10646-R0	\$	10.66	ARL NMLT90125 1-1/4 90D L/T CONN
10647-R0	\$	3.24	ARL NMLT905 1/2 90D NM L/T CONN
10648-R0	\$	2.27	ARL NMLT9050 1/2 90D L/T CONN
10649-R0	\$	3.46	ARL NMLT9075 3/4 90D L/T CONN
10650-R0	\$	92.69	ARL PVC109 3,3-1/2&4IN PVC ENTR CAP
10651-R0	\$	0.35	ARL SB13 UNIVERSAL STUD BUSHING
10652-R0	\$	0.37	ARL SB130 UNIVERSAL STUD BUSHING
10653-R0	\$	1.34	ARL SG38 3/8 SADDLE GRIP
10654-R0	\$	1.34	ARL SG380 3/8 SADDLE GRIP
10655-R0	\$	0.96	ARL SG380AST 3/8 SADDLE GRIP
10656-R0	\$	3.32	ARL SG3838 3/8 TWIN DPLX FLEX CONN
10657-R0	\$	2.84	ARL SG3838AST DPLX SADDLE GRIP
10658-R0	\$	1.02	ARL SG38AST 3/8 SADDLE GRIP
10659-R0	\$	1.74	ARL SG50 1/2 SADDLE GRIP
10660-R0	\$	4.27	ARL SG75 3/4 SADDLE GRIP CONN
10661-R0	\$	58.90	COL AWN4-232-EU
10662-R0	\$	51.83	COL CS4-232-EU 4FT 2L FLR STRIP
10663-R0	\$	74.45	COL CS8-232-4EU 8FT 4L STRP
10664-R0	\$	67.04	COL CSR4-232-ST-EU 4' 2-L T8 IND
10665-R0	\$	164.67	COL LHA4-454-NU-4EPU 4LT5 HI-BAY
10666-R0	\$	158.89	COL LHA4-632-NU-3EHLU 6LT8 HI BAY
10667-R0	\$	199.33	COL LHA4-654-NU-24EPU 6LT5 HI BAY
10668-R0	\$	271.05	CPL 22EN-LD1-34-UNV-L835-CD1-U
10669-R0	\$	80.28	CPL 2GR8-332A-UNV-EB81-U
10670-R0	\$	14.16	CPL 310W WHT TRIM
10671-R0	\$	20.83	CPL 70PS WHT-SAT FRAME&GLASS
10672-R0	\$	25.68	CPL 993W 50W WHT COILEX BAFF
10673-R0	\$	44.89	CPL AP2SQ SQ HEAD EMERG LITE

44625-R0	\$	49.53	DUCT AVERAGING 12 FT COPPER TUBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
10674-R0	\$	106.76	CPL AP70RWHDSQ CMB EXIT EMER LT
10675-R0	\$	91.65	CPL AP8LBC-232 4L 8FT IND. LOW BAY
10676-R0	\$	141.38	CPL APHL-454-SN-UPL 4L T5HO HI BAY
10677-R0	\$	134.55	CPL APHL-632-SN-UPL 6L T8HO HI BAY
10678-R0	\$	168.68	CPL APHL-654-SN-UPL 6L T5HO HI BAY
10679-R0	\$	65.72	CPL APLBA-232 2L 4FT LOW BAY W/UPL
10680-R0	\$	65.72	CPL APLBC-232 2L 4FT IND. LOW BAY
10681-R0	\$	69.71	CPL APS-8WS232 4L 8FT COMM STRIP
10682-R0	\$	47.67	CPL APS-NS232 2LAMP 4' STRIP FIXTRE
10683-R0	\$	45.73	CPL APS-WS232 2L 4FT COMM STRIP
10684-R0	\$	74.10	CPL APT-2U6T8 2L 2X2 COMM TROF
10685-R0	\$	72.64	CPL APT-332 3L 2X4 COMM TROFFER
10686-R0	\$	78.49	CPL APT-332-L735 3L 2X4 COMM TROF
10687-R0	\$	72.64	CPL APT-432 4L 2X4 COMM TROFFER
10688-R0	\$	80.44	CPL APT-432-L735 4L 2X4 COMM TROF
10689-R0	\$	36.37	CPL APX7R EXIT SIGN RED ALL-PRO
10690-R0	\$	13.04	CPL H7ICT RND HOUSING
10691-R0	\$	22.75	CPL H7RICT RND HOUSING
10692-R0	\$	13.04	CPL H7T RND NON-IC HOUSING 7-IN
10693-R0	\$	32.96	CPL H99TAT RND HOUSING
10694-R0	\$	162.53	CPL HBL-454T5 (4) 54W T5HO HI-BAY
10695-R0	\$	176.05	CPL HBL-654T5 (6) 54W T5HO HI-BAY
10696-R0	\$	132.76	CPL HU1024D830P 24IN UNDCAB LT FX
10697-R0	\$	68.76	CPL L651P 4FT WHT TRACK
10698-R0	\$	127.91	CPL L652MB 8FT BLK TRACK
10699-R0	\$	139.29	CPL L652P 8FT WHT TRACK
10700-R0	\$	24.06	CPL L901P WHT PLUG-IN CONN
10701-R0	\$	56.42	CPL L902MB TRKLT TRK FLX CONNECTOR
10702-R0	\$	18.50	CPL L908P WHT MINI CONNECTOR
10703-R0	\$	33.47	CPL L909P WHT FLOATING CANOPY
10704-R0	\$	30.94	CPL L966P WHT OUTLET ADAPTER
10705-R0	\$	55.97	CPL LED130 80 LED WRKLGHT MAGNETIC
10706-R0	\$	83.68	CPL LPX7 (formerly LPX70RWH)
10707-R0	\$	57.84	CPL LZR401P LV WH GIMBEL/50W
10708-R0	\$	58.50	CPL NA L1738MBX BLK 150W GIMBAL FIX
10709-R0	\$	123.04	CPL NA L653MB 12' TRACK
10710-R0	\$	37.92	CPL NA L957MB PENDANT ADAPTER
10711-R0	\$	175.63	CPL RLM1 6V DBL HD EMERG LT
10712-R0	\$	65.00	CPL SLD405830WH 4" SURFACE LED
10713-R0	\$	65.81	CPL SLD606830WH 6" SURFACE LED
10714-R0	\$	376.74	CPL WP25 250W MH TRUNNION FLOOD
10715-R0	\$	340.95	CPL WP40 400W MH TRUNNION FLOOD
10716-R0	\$	296.56	CPL WPP25 250W MH WALL PACK
10717-R0	\$	269.06	CPL WPP40 400W MH WALL PACK
10718-R0	\$	331.64	CPL WPS40 400HPS WALLPK W/LAMP
10719-R0	\$	185.90	CPL XTOR1A 10W LED CROSSTOUR
10720-R0	\$	242.23	CPL XTOR2A 20W LED CROSSTOUR
10721-R0	\$	315.47	CPL XTOR3A 30W LED CROSSTOUR
10722-R0	\$	334.24	CPL XTOR3A-PC1 30W LED W/PHOTOCELL
10723-R0	\$	442.87	CPL XTOR5A CROSSTOUR 50W BRONZE
10724-R0	\$	62.83	CPL XTORFLD-KNC KNUCKLE 1/2" BASE
10725-R0	\$	163.91	CTX 5133163 16X14X6 JUNCTION BOX
10726-R0	\$	10.23	CTX 5133330 1G FS TOGL SW CVR
10727-R0	\$	6.91	CTX 5133362 1G FS BLANK COVER

44625-R0	\$	49.53	DUCT AVERAGING 12 FT COPPER TUBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
10728-R0	\$	8.58	CTX 5133363 1/2 1G PVC FSE BOX
10729-R0	\$	9.01	CTX 5133364 3/4 1G PVC FSE BOX
10730-R0	\$	8.02	CTX 5133410 2G FS BLANK COVER
10731-R0	\$	8.58	CTX 5133420 1G PVC FD BOX W/MNT
10732-R0	\$	0.21	CTX 5140043 1/2 PVC FEMALE ADPTR
10733-R0	\$	2.74	CTX 5163406 3/4 ENT TERM ADPTR
10734-R0	\$	19.56	CTX 6203007 4-IN SCH40 LONG LN CPLG
10735-R0	\$	0.79	CTX A51AGA1 3/4 ENT FLEX COND P/FT
10736-R0	\$	1.55	CTX EZ14SO 1G PLSTC CUT-IN BOX
10737-R0	\$	2.27	CTX EZ18CO 3RN PLSTC CUT-IN BOX&GRD
10738-R0	\$	1.40	CTX EZ20CN 4RND NAIL-ON CEIL BOX
10739-R0	\$	0.48	CTX EZ23SN 1G NAIL-ON PLSTC BOX
10740-R0	\$	0.78	CTX EZ23SNU 23CU SINGLE GANG W/NAIL
10741-R0	\$	3.08	CTX EZ25DO 2G PLSTC CUT-IN BOX
10742-R0	\$	1.21	CTX EZ32DN 2G NAIL-ON PLSTC BOX
10743-R0	\$	1.92	CTX EZ44TN 3G NAIL-ON PLSTC BOX
10744-R0	\$	2.87	EGS 111 2-IN DEEP SW BOX
10745-R0	\$	6.05	EGS 180G GFI RCPT CVR
10746-R0	\$	2.45	EGS 222 2-1/2D SW BOX
10747-R0	\$	15.75	EGS 225 2-1/2D SW BOX
10748-R0	\$	0.67	EGS 2510 RAISED DPLX RCPT CVR
10749-R0	\$	3.93	EGS 2539 RAISED SGL RCPT CVR
10750-R0	\$	0.70	EGS 2540 RAISED HANDYBOX BLANK CVR
10751-R0	\$	4.65	EGS 2555 FLAT HANDYBOX CVR
10752-R0	\$	2.72	EGS 2594 RAISED HANDYBOX SW CVR
10753-R0	\$	2.79	EGS 333 2-3/4D SW BOX
10754-R0	\$	3.29	EGS 333D 3-1/2D SW BOX
10755-R0	\$	12.94	EGS 335 2-3/4D SW BOX
10756-R0	\$	3.93	EGS 336 3-1/2D SW BOX
10757-R0	\$	2.81	EGS 384 2-1/2D SWITCH BOX
10758-R0	\$	30.61	EGS 3GC75N 3-GANG 3/4 IN RSD COVER
10759-R0	\$	10.75	EGS 3O-1/2 3X1-1/2D OCT BOX
10760-R0	\$	15.12	EGS 3OE-1/2 3X1-1/2D OCT RING
10761-R0	\$	2.48	EGS 4CL 4X1/2D OCT CEIL BOX
10762-R0	\$	1.99	EGS 4CS-1/2 4X1-7/8D HANDYBOX
10763-R0	\$	10.37	EGS 4CS-3/4 4X1-7/8D HANDY BOX
10764-R0	\$	11.55	EGS 4CSE1/2 4X2-1/2D HANDYBOX
10765-R0	\$	7.73	EGS 4CSL-1/2 4X1-1/4D HANDYBOX
10766-R0	\$	92.04	EGS 4G5075S 4-GANG SWITCH BOX
10767-R0	\$	42.34	EGS 4GC75N 4-GANG 3/4 IN RSD COVER
10768-R0	\$	1.88	EGS 4O-1/2 4X1-1/2D OCT BOX
10769-R0	\$	8.93	EGS 4O-3/4 4X1-1/2D OCT BOX
10770-R0	\$	2.83	EGS 4OD-1/2 4X2-1/8D OCT BOX
10771-R0	\$	14.56	EGS 4OD-3/4 4X2-1/8D OCT BOX
10772-R0	\$	3.58	EGS 4OD-SPL 4X2-1/8D OCT BOX
10773-R0	\$	2.69	EGS 4OE-1/2 4X1-1/2D OCT RING
10774-R0	\$	13.37	EGS 4OE-SPL 4X1-1/2D OCT RING
10775-R0	\$	2.23	EGS 4O-SPL 4-1-1/2D OCT BOX
10776-R0	\$	8.94	EGS 4S-1/2 4X1-1/2D SQ BOX
10777-R0	\$	2.56	EGS 4S-3/4 4X1-1/2D SQ BOX
10778-R0	\$	2.97	EGS 4SAB-EK 4SQ OUTLET BOX
10779-R0	\$	3.96	EGS 4SD-1 4X2-1/8D SQ BOX
10780-R0	\$	3.92	EGS 4SD-3/4 4X2-1/8D SQ BOX
10781-R0	\$	3.76	EGS 4SD-EK 4SQ OUTLET BOX

44625-R0	\$	49.53	DUCT AVERAGING 12 FT COPPER TUBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
10782-R0	\$	4.21	EGS 4SDEKP 4IN SQ OUTLET BOX
10783-R0	\$	3.11	EGS 4SDEKRDD 4IN SQ OUTLET BOX-RED
10784-R0	\$	5.01	EGS 4SDVB-EK-PL 4SQ OUTLET BOX
10785-R0	\$	3.00	EGS 4SE-1/2 4X1-1/2D SQ EXT
10786-R0	\$	4.26	EGS 4SE-3/4 4X1-1/2D SQ EXT
10787-R0	\$	2.15	EGS 4SEK 4X1-1/2D BOX
10788-R0	\$	16.44	EGS 4SEKP 4IN SQ OUTLET BOX
10789-R0	\$	3.06	EGS 4SES 4X1-1/2D SQ EXT
10790-R0	\$	5.55	EGS 4SJD-1 4-11/16 SQ BOX
10791-R0	\$	28.34	EGS 4SJD-1-1/4 4-11/16 SQ BOX
10792-R0	\$	5.55	EGS 4SJD-3/4 4-11/16 SQ BOX
10793-R0	\$	5.57	EGS 4SJD-3/4-1 4-11/16 SQ BOX
10794-R0	\$	6.80	EGS 4SJDE-1/2-3/4 4-11/16 SQ BOX
10795-R0	\$	5.19	EGS 4SJD-EK 4-11/16SQX2-1/8DP BX
10796-R0	\$	23.50	EGS 4SJDEKRD 4-11/16 SQ OLET BX-RED
10797-R0	\$	21.24	EGS 4SJ-EK 4-11/16SQX1-1/2DP BX
10798-R0	\$	12.26	EGS 4SL-1/2 4X1-1/4D SQ BOX
10799-R0	\$	3.38	EGS 4SS 3-3/4X1-1/2D HANDY BOX
10800-R0	\$	6.00	EGS 4SSBESPL 4SQ OLET BX EXT RING
10801-R0	\$	2.24	EGS 4SSL-1/2 4X2-1/8D HANDYBOX
10802-R0	\$	13.71	EGS 4SSL-3/4 4X2-1/8D HANDY BOX
10803-R0	\$	9.99	EGS 4SSLE-1/2 4X2-1/2D HANDYBOX
10804-R0	\$	1.93	EGS 4SSLS-1/2 4X1-1/2D HANDYBOX
10805-R0	\$	3.08	EGS 4SVB-EK-PL 4SQ WELDED BX W/BRKT
10806-R0	\$	2.18	EGS 510LC 3X1/2D COMB BOX
10807-R0	\$	126.90	EGS 5G5075S 5-GANG SWITCH BOX
10808-R0	\$	55.24	EGS 5GC75N 5-GANG 3/4 IN RSD COVER
10809-R0	\$	4.25	EGS 8301A 3-IN FLAT OCT CVR
10810-R0	\$	2.32	EGS 8361 4-IN RAISED SQ TGL SW CVR
10811-R0	\$	2.50	EGS 8362 4-IN SQ RCPT CVR 1-GFI
10812-R0	\$	2.78	EGS 8363 4-IN SQ RCPT CVR 1REC 1.4"
10813-R0	\$	2.00	EGS 8365N 4-IN SQ DPLX RCPT CVR
10814-R0	\$	10.85	EGS 8367 4-IN SQ 2TGL SW CVR
10815-R0	\$	2.22	EGS 8371N 4-IN SQ DBL DPLX RCPT CVR
10816-R0	\$	11.09	EGS 8373N 4-IN SQ DPLX&GFI RCPT CVR
10817-R0	\$	11.10	EGS 8374 4-IN SQ TGL&GFI RCPT CVR
10818-R0	\$	9.75	EGS 8375N 4-IN SQ SW&RCPT CVR
10819-R0	\$	13.13	EGS 8377 4-IN SQ 30/50A RCPT CVR
10820-R0	\$	15.63	EGS 8378 4-IN SQ RCPT CVR
10821-R0	\$	3.28	EGS 8379 4-IN SQ RCPT CVR 1REC 1.6"
10822-R0	\$	0.73	EGS 8403 4-IN FLAT OCT CVR
10823-R0	\$	2.95	EGS 8413 4-IN RND FLAT CVR
10824-R0	\$	1.55	EGS 8461 4-IN SQ PLAS RING
10825-R0	\$	18.79	EGS 846-125 SQ 1G TILE CVR
10826-R0	\$	3.77	EGS 846-150 SQ 1G TILE CVR
10827-R0	\$	5.37	EGS 8461A 4-IN SQ PLAS RING
10828-R0	\$	9.75	EGS 8461B 4-IN SQ PLAS RING
10829-R0	\$	25.48	EGS 8461C 4-IN SQ PLAS RING
10830-R0	\$	3.89	EGS 846-200 SQ 1G TILE CVR
10831-R0	\$	0.89	EGS 8465 4-IN SQ BLANK COVER
10832-R0	\$	1.19	EGS 8465RD 4IN SQ FLAT COVER-RED
10833-R0	\$	2.23	EGS 8466 4-IN SQ PL RING 1-DEV 11/4
10834-R0	\$	2.10	EGS 8466A 4-IN SQ PL RING 1DEV 1"
10835-R0	\$	14.20	EGS 846-75 SQ 1G TILE CVR

44625-R0	\$	49.53	DUCT AVERAGING 12 FT COPPER TUBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
10836-R0	\$	1.55	EGS 8468 4-IN SQ PL RING 1DEV 3/4"
10837-R0	\$	1.49	EGS 8468A 4-IN SQ PL RING 1DEV 1/2"
10838-R0	\$	5.28	EGS 8468B 4-IN SQ PL RING 1DEV 1/4"
10839-R0	\$	1.40	EGS 8468C 4-IN SQ PL RING 1DEV 5/8"
10840-R0	\$	6.91	EGS 8468F 4-IN SQ PL RING FLAT
10841-R0	\$	13.35	EGS 8469A 4-IN SQ PL RING 2DEV 1"
10842-R0	\$	16.27	EGS 8469B 4-IN SQ PL RING 2DEV 1 1/4
10843-R0	\$	2.43	EGS 8470 4-IN SQ PL RING 2DEV 3/4"
10844-R0	\$	1.69	EGS 8470A 4-IN SQ PL RING 2DEV 1/2"
10845-R0	\$	9.52	EGS 8470B 4-IN SQ PL RING 2DEV 1/4"
10846-R0	\$	1.99	EGS 8470C 4-IN SQ PL RING 2DEV 5/8"
10847-R0	\$	9.20	EGS 8470F 4-IN SQ PL RING 2DEV FLAT
10848-R0	\$	5.43	EGS 847-150 SQ 2G TILE CVR
10849-R0	\$	23.03	EGS 847-200 SQ 2G TILE CVR
10850-R0	\$	3.75	EGS 8474 4-IN SQ 1/2KO COVER
10851-R0	\$	32.76	EGS 8484 4-11/16 RAISED COVER
10852-R0	\$	3.77	EGS 8485 1G SQ SW RING
10853-R0	\$	15.08	EGS 8485A 1G SQ SW RING
10854-R0	\$	23.32	EGS 8485B 4-11/16 RAISED COVER
10855-R0	\$	15.44	EGS 8485C 1G SQ SW RING
10856-R0	\$	17.21	EGS 8485D 1G SQ SW RING
10857-R0	\$	18.70	EGS 8485E 1G SQ SW RING
10858-R0	\$	22.23	EGS 8486 2G SQ SW RING
10859-R0	\$	18.58	EGS 8486A 2G SQ SW RING
10860-R0	\$	22.49	EGS 8486C 2G SQ SW RING
10861-R0	\$	20.46	EGS 8486F 4-11/16SQ FLAT CVR
10862-R0	\$	1.52	EGS 8487 4-11/16 SQ BLANK CVR
10863-R0	\$	18.41	EGS 8488B 1G SQ SW RING
10864-R0	\$	28.79	EGS 8488C 4-11/16SQ PLASTER RING
10865-R0	\$	29.48	EGS 8489 4-11/16 RAISED CVR
10866-R0	\$	29.48	EGS 8491N 4-11/16 RAISED CVR
10867-R0	\$	30.07	EGS 8496 4-11/16 RAISED CVR
10868-R0	\$	30.07	EGS 8498 4-11/16 RAISED CVR
10869-R0	\$	30.07	EGS 8499 4-11/16 RAISED CVR
10870-R0	\$	38.23	EGS 856-150 4-11/16 SQ TILE RING
10871-R0	\$	38.23	EGS 856-200 4-11/16 SQ TILE RING
10872-R0	\$	41.18	EGS 857-150 4-11/16 SQ TILE RING
10873-R0	\$	41.18	EGS 857-200 4-11/16 SQ STL TILERING
10874-R0	\$	10.25	EGS 94 1-1/2D SW BOX
10875-R0	\$	3.16	EGS GX-50 1/2 SCREW-IN FLEX CPLG
10876-R0	\$	5.73	EGS GX-75 3/4 SCREW-IN FLEX CPLG
10877-R0	\$	11.09	EGS SX115 EXPANDABLE BAR HGR
10878-R0	\$	12.92	EGS SX160 EXPANDABLE BAR HGR
10879-R0	\$	977.98	EMON E20-208200-JKIT 120/208V
10880-R0	\$	977.98	EMON E20-208400-JKIT 120/208V
10881-R0	\$	15.37	ERC 115 CU-CU & CU-STL WELD METAL
10882-R0	\$	15.37	ERC 115PLUSF20 #115 F20 WELD METAL
10883-R0	\$	0.60	ERC 12P 3/4 CONDUIT CLIP
10884-R0	\$	2.07	ERC 12P24 3/4 PUSH-IN CONDCLIP
10885-R0	\$	1.65	ERC 12P24SM 3/4 PUSH-IN CLIP
10886-R0	\$	19.24	ERC 150 CU-CU & CU-STL WELD METAL
10887-R0	\$	19.24	ERC 150PLUSF20 GRDG WELD METAL
10888-R0	\$	0.78	ERC 16M 1-IN CONDUIT CLIP
10889-R0	\$	2.41	ERC 16M24 1-IN COND HGR&CLAMP

44625-R0	\$	49.53	DUCT AVERAGING 12 FT COPPER TUBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
10890-R0	\$	1.96	ERC 16M24SM 1-IN HGR&CLAMP
10891-R0	\$	5.90	ERC 16MB18A BOX TO CBL SUPPORT
10892-R0	\$	2.41	ERC 16MF 1-IN SW BOX STUD CLIP
10893-R0	\$	1.83	ERC 16P24SM 1-IN PUSH-IN CLIP
10894-R0	\$	2.88	ERC 20M24 1-1/4 COND HGR&CLAMP
10895-R0	\$	2.40	ERC 20M24SM 1-1/4 HGR&CLAMP
10896-R0	\$	2.76	ERC 20MF METAL STUD CLIP
10897-R0	\$	5.40	ERC 3000037EG 3/8 BEAM CLAMP
10898-R0	\$	9.55	ERC 3000050EG 1/2 BEAM CLAMP
10899-R0	\$	0.71	ERC 304B2 STUD PROTECTION PLT
10900-R0	\$	0.98	ERC 449 BX CLAMP
10901-R0	\$	7.09	ERC 45 CU-CU & CU-STL WELD METAL
10902-R0	\$	1.82	ERC 4BRT20 1-1/4 BRIDLE RING
10903-R0	\$	1.76	ERC 4BRT20WS 1-1/4 BRIDLE RING
10904-R0	\$	1.94	ERC 4BRT32 2-IN BRIDLE RING
10905-R0	\$	1.88	ERC 4BRT32WS 2-IN BRIDLE RING
10906-R0	\$	2.69	ERC 4BRT64 4-IN BRIDLE RING
10907-R0	\$	1.30	ERC 4G16 BLACK TWIST CLIP
10908-R0	\$	1.50	ERC 4G8WH WHT TRACK LIGHT CLIP
10909-R0	\$	0.46	ERC 4TW 100-LB THRD WEDGE HGR
10910-R0	\$	0.59	ERC 4Z34 MULTI-FUNCTIONAL CLIP
10911-R0	\$	10.30	ERC 512 T-BAR BOX HANGER
10912-R0	\$	16.63	ERC 512A 8 TO 24-IN T-BAR HANGER
10913-R0	\$	8.83	ERC 512HD HEAVY DUTY BOX HANGER
10914-R0	\$	0.64	ERC 515A ACCOUSTICAL T-BAR CLIP
10915-R0	\$	12.45	ERC 517A 26-IN ADJ BARHANGER SET4
10916-R0	\$	8.83	ERC 65 CU-CU & CU-STL WELD METAL
10917-R0	\$	0.61	ERC 6M 3/8 CONDUIT CLIP
10918-R0	\$	2.55	ERC 6M24 3/8 COND HGR&CLAMP
10919-R0	\$	2.04	ERC 6M24SM 3/8 COND HGR&CLAMP
10920-R0	\$	1.98	ERC 6MATA 3/8 COND&T-BAR CLIP
10921-R0	\$	2.32	ERC 6MF 3/8 SW BOX STUD CLIP
10922-R0	\$	0.87	ERC 740 5/16 PIPE SLEEVE CLIP
10923-R0	\$	0.54	ERC 781 THRU STUD CONDUIT SUPPORT
10924-R0	\$	0.57	ERC 812M 1/2-3/4 CONDUIT CLIP
10925-R0	\$	2.02	ERC 812M24 3/4 COND HGR&CLAMP
10926-R0	\$	1.61	ERC 812M24SM 3/4 HGR&CLAMP
10927-R0	\$	2.20	ERC 812M58 3/4 COND HGR&CLAMP
10928-R0	\$	1.75	ERC 812M58SM 3/4 HGR&CLAMP
10929-R0	\$	1.75	ERC 812MATA 3/4 COND&T-BAR CLP
10930-R0	\$	6.55	ERC 812MB18 BOX TO COND SUPP
10931-R0	\$	5.73	ERC 812MB18A BOX TO COND SUPP
10932-R0	\$	2.07	ERC 812MF 1/2-3/4 SW BOX CLIP
10933-R0	\$	12.26	ERC 90 CU-CU & CU-STL WELD METAL
10934-R0	\$	12.26	ERC 90PLUSF20 GRDG WELD METAL
10935-R0	\$	0.47	ERC AB ANGLE BRACKET
10936-R0	\$	0.81	ERC ATA4I 1/4-20 THD T-BAR CLIP
10937-R0	\$	0.81	ERC ATS4I 1/4-20 THD T-BAR CLIP
10938-R0	\$	1.43	ERC BC 1/2 ADJUSTABLE BEAM CLAMP
10939-R0	\$	4.15	ERC BC200 1/8-5/8 BEAM CLAMP
10940-R0	\$	2.58	ERC BC812M 1/2-3/4 BEAM CLAMP
10941-R0	\$	0.59	ERC BHC BOX MOUNTING CLIP
10942-R0	\$	2.10	ERC CAT12 COMM CBL HANGER
10943-R0	\$	2.90	ERC CAT16HP 1IN CABLE CLIP

44625-R0	\$	49.53	DUCT AVERAGING 12 FT COPPER TUBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
10944-R0	\$	3.62	ERC CAT21 CABLECAT SUPP SYST
10945-R0	\$	4.37	ERC CAT32 CABLECAT SUPP SYST
10946-R0	\$	8.29	ERC CAT64 4IN CABLE SUPPORT CLIP
10947-R0	\$	0.94	ERC CER4 SHEATHED & MC/AC CBL SUPP
10948-R0	\$	0.99	ERC CJ6 CABLE SUPPORT
10949-R0	\$	4.54	ERC CRLB37EG 3/8 ROD LOCK BEAM CLMP
10950-R0	\$	0.70	ERC CS16 1IN MC/AC EMT CONDUIT
10951-R0	\$	0.66	ERC CS812 STUD ATTACH ASSEMBLY
10952-R0	\$	0.69	ERC CS812D STUD ATTACH ASSEMBLY
10953-R0	\$	0.43	ERC ESG1 EASY SNAP GROMMET
10954-R0	\$	1.56	ERC FB812M 1/2&3/4 COND NAIL BRKT
10955-R0	\$	0.81	ERC FXC20 MC/AC CABLE CLIP
10956-R0	\$	11.38	ERC GR1161G 6SOL-5/8 GRD ROD KIT
10957-R0	\$	11.38	ERC GR1161GPLUS 5/8 TYPE GR GRD ROD
10958-R0	\$	11.38	ERC GR1161L 3SOL-5/8 GRD ROD KIT
10959-R0	\$	13.17	ERC GR1181G 6SOL-3/4 GRD ROD KIT
10960-R0	\$	13.17	ERC GR1181L 3SOL-3/4 GRD ROD KIT
10961-R0	\$	13.17	ERC GT1161LPLUS 5/8 TYPE GT GRD ROD
10962-R0	\$	2.11	ERC H23 2-1/2OR3-1/2 BOX SUPPORT
10963-R0	\$	2.27	ERC H4 BOX SUPPORT F/4-IN STUDS
10964-R0	\$	2.78	ERC H6 BOX SUPPORT F/6-IN STUDS
10965-R0	\$	1.75	ERC IDS 5/8 SUPPORT CLIP
10966-R0	\$	2.11	ERC IDS9 5/8 SUPPORT CLIP
10967-R0	\$	0.58	ERC K12 3/4 CONDUIT CLIP
10968-R0	\$	0.70	ERC K16 1-IN EMT CLIP
10969-R0	\$	1.03	ERC K20 1-IN RIG TO 1-1/4EMT CLP
10970-R0	\$	0.53	ERC K8 1/2 CONDUIT CLIP
10971-R0	\$	0.60	ERC KX 12-8AWG WIRE CLIP
10972-R0	\$	0.98	ERC LFC LIGHT FIXTURE CLIP
10973-R0	\$	1.13	ERC M24 1/8-1/4 UNIV BEAM CLAMP
10974-R0	\$	1.34	ERC M24S 1/8-1/4 BEAM CLAMP
10975-R0	\$	1.49	ERC M58S 5/16-1/2 BEAM CLAMP
10976-R0	\$	0.66	ERC MAC2 MC/AC STUD CLIP
10977-R0	\$	3.43	ERC MCS100 SUPPORT BRACKET
10978-R0	\$	1.76	ERC MEB1 "MOUNTS ELEC BOXES" HANGER
10979-R0	\$	2.08	ERC MP1 PLATE MOUNTING CLIP
10980-R0	\$	1.76	ERC MP1P LO-VTG SINGLE GANG BRACKET
10981-R0	\$	1.80	ERC MP1S PLATE MOUNTING CLIP
10982-R0	\$	2.91	ERC MP2S PLATE MOUNTING BRKT
10983-R0	\$	2.35	ERC MPLS DRYWALL BRACKET
10984-R0	\$	3.13	ERC MPLS2 2G LV DRYWALL BRACKET
10985-R0	\$	0.70	ERC PCS1 CABLE SUPPORT
10986-R0	\$	252.46	ERC PLUSCU IGNITOR CONTROL UNIT
10987-R0	\$	28.85	ERC PSF10C 10IN FXD STRUT SUPPORT
10988-R0	\$	1.52	ERC PT16 TEE LOCK-ON TWIST CLIP
10989-R0	\$	4.66	ERC RBS16 3-BOX MOUNTING BRKT
10990-R0	\$	0.55	ERC RLC DEVICE LEVELER/RETAINER
10991-R0	\$	30.57	ERC RPS50H4EG PIPE & EQUIP SUPPORT
10992-R0	\$	37.38	ERC RPS50H6EG PIPE PIER SUPPORTS
10993-R0	\$	0.68	ERC SC2D 1/16-3/16 SNAP CLIP
10994-R0	\$	0.72	ERC SC2E 1/16-3/16 SNAP CLIP
10995-R0	\$	0.72	ERC SC4E 3/16-9/32 SNAP CLIP
10996-R0	\$	1.35	ERC SCH12 3/4 EMT TO STRUT CLIP
10997-R0	\$	1.98	ERC SCH12B 3/4 EMT TO STRUT CLIP

44625-R0	\$	49.53	DUCT AVERAGING 12 FT COPPER TUBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
10998-R0	\$	1.60	ERC SCH16 1-IN EMT TO STRUT CLIP
10999-R0	\$	1.98	ERC SCH16B 1-IN EMT/RIG-STRUTCLP
11000-R0	\$	1.80	ERC SCH20 1-1/4 EMT TO STRUT CLP
11001-R0	\$	2.03	ERC SCH20B 1-1/4EMT/RIG-STRUTCLP
11002-R0	\$	2.15	ERC SCH24B 1-1/2EMT TO STRUT CLP
11003-R0	\$	2.35	ERC SCH32B 2-IN EMT TO STRUT CLP
11004-R0	\$	3.46	ERC SCH40B 2-IN RIG TO STRUT CLP
11005-R0	\$	3.95	ERC SCH48B 2-1/2EMT/RIG-STRUTCLP
11006-R0	\$	5.03	ERC SCH56B 3-IN EMT/RIG-STRUTCLP
11007-R0	\$	1.87	ERC SCH6B 3/8 EMT TO STRUT CLIP
11008-R0	\$	6.99	ERC SCH72B 4-IN EMT/RIG-STRUTCLP
11009-R0	\$	1.29	ERC SCH8 1/2 EMT TO STRUT CLIP
11010-R0	\$	2.03	ERC SCH8B 1/2 EMT TO STRUT CLIP
11011-R0	\$	4.17	ERC SGB16A SCREW GUN BRACKET
11012-R0	\$	2.13	ERC SK245I 1-1/2 COND STRUT CLMP
11013-R0	\$	11.45	ERC SLD2L3 SPEED LINK LKNG DEVICE
11014-R0	\$	13.90	ERC SLD3L3 SPEED LINK LKNG DEVICE
11015-R0	\$	19.28	ERC SLK15Y300L3 10' HANGING CABLE
11016-R0	\$	12.64	ERC SLK15Y300L5 SPEED LINK Y-TOGGLE
11017-R0	\$	10.11	ERC SLK2L2LP CADDY SPEEK LINK SD
11018-R0	\$	11.45	ERC SLK2L3LP CADDY SPEEK LINK SD
11019-R0	\$	7.87	ERC SLK2I5IP CADDY SPEEK LINK SD
11020-R0	\$	0.07	ERC SMS8 LOW PROF SELF TAP SCREW
11021-R0	\$	3.61	ERC SN37 3/8 CADDY SPEED NUT
11022-R0	\$	4.33	ERC SN50 1/2 CADDY SPEED NUT
11023-R0	\$	5.89	ERC STS STRUT-TO-STRUT CLAMP
11024-R0	\$	13.13	ERC T320 FLINT IGNITOR
11025-R0	\$	2.18	ERC TEB23 ELEC BOX BRACKET
11026-R0	\$	3.85	ERC TSGB16 OUTLET BOX BRACKET
11027-R0	\$	4.16	ERC TSGB1624 E-Z-PLTD GUN BRCKT
11028-R0	\$	5.13	ERC TSGB24 OUTLET BOX BRACKET
11029-R0	\$	1.95	ERC TSGLDR1 BOX MOUNT CLIP
11030-R0	\$	6.06	ERC TSRBS1625 TEL BOX SUPP
11031-R0	\$	312.06	ERIC 1004-MHXPS 400W MH PS W/LAMP
11032-R0	\$	0.61	ETP 4050S 1/2 S/SCR EMT CONN
11033-R0	\$	0.99	ETP 4075S 3/4 S/SCR EMT CONN
11034-R0	\$	1.32	ETP 4075ST 3/4 INS S/S EMT CONN
11035-R0	\$	1.70	ETP 4100S 1-IN S/SCR EMT CONN
11036-R0	\$	2.18	ETP 4100ST 1-IN INS S/S EMT CONN
11037-R0	\$	3.61	ETP 4125S 1-1/4 S/SCR EMT CONN
11038-R0	\$	4.35	ETP 4125ST 1-1/4 INS S/S EMT CONN
11039-R0	\$	5.25	ETP 4150S 1-1/2 S/SCR EMT CONN
11040-R0	\$	7.44	ETP 4200S 2-IN S/SCR EMT CONN
11041-R0	\$	24.22	ETP 4250S 2-1/2 S/SCR EMT CONN
11042-R0	\$	28.88	ETP 4300S 3-IN S/SCR EMT CONN
11043-R0	\$	37.85	ETP 4350S 3-1/2 S/SCR EMT CONN
11044-R0	\$	43.41	ETP 4400S 4-IN S/SCR EMT CONN
11045-R0	\$	11.37	ETP 4QS-450 1/2 45D STEEL LT CONN
11046-R0	\$	17.70	ETP 4QS-475 3/4 45D STEEL LT CONN
11047-R0	\$	0.80	ETP 5050S 1/2 S/SCR EMT CPLG
11048-R0	\$	1.21	ETP 5075S 3/4 S/SCR EMT CPLG
11049-R0	\$	1.90	ETP 5100S 1-IN S/SCR EMT CPLG
11050-R0	\$	4.18	ETP 5125S 1-1/4 S/SCR EMT CPLG
11051-R0	\$	6.14	ETP 5150S 1-1/2 S/SCR EMT CPLG

44625-R0	\$	49.53	DUCT AVERAGING 12 FT COPPER TUBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
11052-R0	\$	8.16	ETP 5200S 2-IN S/SCR EMT CPLG
11053-R0	\$	19.86	ETP 5250S 2-1/2 S/SCR EMT CPLG
11054-R0	\$	22.41	ETP 5300S 3-IN S/SCR EMT CPLG
11055-R0	\$	26.19	ETP 5350S 3-1/2 S/SCR EMT CPLG
11056-R0	\$	29.96	ETP 5400S 4-IN S/SCR EMT CPLG
11057-R0	\$	1.30	ETP 6050S 1/2 COMP EMT CPLG
11058-R0	\$	1.80	ETP 6075S 3/4 COMP EMT CPLG
11059-R0	\$	2.77	ETP 6100S 1-IN COMP EMT CPLG
11060-R0	\$	5.45	ETP 6125S 1-1/4 COMP EMT CPLG
11061-R0	\$	7.95	ETP 6150S 1-1/2 COMP EMT CPLG
11062-R0	\$	10.82	ETP 6200S 2-IN COMP EMT CPLG
11063-R0	\$	44.04	ETP 6250S 2-1/2 COMP EMT CPLG
11064-R0	\$	55.00	ETP 6300S 3-IN COMP EMT CPLG
11065-R0	\$	88.70	ETP 6400S 4-IN COMP EMT CPLG
11066-R0	\$	1.05	ETP 7050S 1/2 COMP EMT CONN
11067-R0	\$	1.30	ETP 7050ST 1/2 INS COMP EMT CONN
11068-R0	\$	1.47	ETP 7075S 3/4 COMP EMT CONN
11069-R0	\$	1.80	ETP 7075ST 3/4 INS COMP EMT CONN
11070-R0	\$	2.32	ETP 7100S 1-IN COMP EMT CONN
11071-R0	\$	2.88	ETP 7100ST 1-IN INS COMP EMT CONN
11072-R0	\$	4.98	ETP 7125S 1-1/4 COMP EMT CONN
11073-R0	\$	7.27	ETP 7150S 1-1/2 COMP EMT CONN
11074-R0	\$	10.49	ETP 7200S 2-IN COMP EMT CONN
11075-R0	\$	35.23	ETP 7250S 2-1/2 COMP EMT CONN
11076-R0	\$	48.66	ETP 7300S 3-IN COMP EMT CONN
11077-R0	\$	75.07	ETP 7400S 4-IN COMP EMT CONN
11078-R0	\$	2.53	ETP AMC-50 1/2-IN SGL STL BOX CONN
11079-R0	\$	3.82	ETP AMC-5075 CONNECTOR
11080-R0	\$	3.82	ETP AMC-75 3/4-IN SGL STL BOX CONN
11081-R0	\$	0.16	EW C 18/2 THERMOSTAT WIRE PVC 500'R
11082-R0	\$	0.26	EW C 18/2P THERMOSTAT PLN WIRE 500'R
11083-R0	\$	0.23	EW C 18/3 THERMOSTAT WIRE PVC 500R
11084-R0	\$	0.35	EW C 18/3P THERMOSTAT WIRE PLN 500'R
11085-R0	\$	0.33	EW C 18/4 THERMOSTAT WIRE PVC 250'R
11086-R0	\$	0.52	EW C 18/4P THERMOSTAT WIRE PLN 250'R
11087-R0	\$	0.38	EW C 18/5 THERMOSTAT WIRE PVC 250'R
11088-R0	\$	0.43	EW C 18/6 THERMOSTAT WIRE PVC 250'R
11089-R0	\$	0.64	EW C 18/6P THERMOSTAT WIRE 250'R PLN
11090-R0	\$	0.54	EW C 18/8 THERMOSTAT WIRE 250'R
11091-R0	\$	0.90	EW C 18/8P THERMOSTAT WIRE 250'R PLN
11092-R0	\$	5.79	GE 100A/RS/12PK 120V IF A21 RS LAMP
11093-R0	\$	9.14	GE 100A/RS/130-PK12-130 INCAN LAMP
11094-R0	\$	5.69	GE 150A/W/12PK 120V WHT A21 MED LMP
11095-R0	\$	20.89	GE 150A21/RS 150W RS LAMP 130V
11096-R0	\$	38.13	GE 150PAR/FL/STG/PQ6-120 INCAND LMP
11097-R0	\$	28.48	GE 150PS25/RS/STG INCAND LAMP
11098-R0	\$	12.15	GE 15T6/CL/PRO-145V 24 per fullCASE
11099-R0	\$	9.06	GE 15T6-120V CLR T6 CAND LAMP
11100-R0	\$	11.27	GE 15T6-145V CLR T6 CAND LAMP
11101-R0	\$	20.63	GE 200A21/99/IF-130V MED LAMP
11102-R0	\$	15.63	GE 20T6-1/2/F 120V INTER LAMP
11103-R0	\$	18.72	GE 20T6-1/2DC/F 120V DC BAY LAMP
11104-R0	\$	21.39	GE 250R40/1/6PK 120V CLR HEAT LAMP
11105-R0	\$	53.10	GE 250R40/1/STG/PQ6-120 INCAND LAMP

44625-R0	\$	49.53	DUCT AVERAGING 12 FT COPPER TUBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
11106-R0	\$	27.63	GE 25BC10/2LCF4-TP5-120 INCAN LAMP
11107-R0	\$	7.28	GE 25BM/CD/2 120V 6 CARDS OF 2/CASE
11108-R0	\$	3.31	GE 25CAC/25PK 120V CA10 CAND LAMP
11109-R0	\$	6.56	GE 25CAC/F/CD2-MPD-120 INC LAMP
11110-R0	\$	3.96	GE 25CAC/L 120V CLR CAND 12 per PKG
11111-R0	\$	3.84	GE 25GC/25PK 120V G16-1/2 CAND LAMP
11112-R0	\$	8.90	GE 25T10/24PK-120V CLR T10 MED LAMP
11113-R0	\$	12.38	GE 25T6-1/2-120V CLR INTER LAMP
11114-R0	\$	26.58	GE 300-130V CLR PS35 MOG LAMP
11115-R0	\$	17.59	GE 300M-130V CLR PS25 MED LAMP
11116-R0	\$	103.21	GE 300PAR56/MFL-120V ENDPRONG LAMP
11117-R0	\$	20.25	GE 30R20/1/6PK 120V R20 MED LMP
11118-R0	\$	31.10	GE 38PAR20H/FL25 120V REFL LAMP
11119-R0	\$	30.82	GE 38PAR30H/FL25-120 HALOGEN LAMP
11120-R0	\$	4.36	GE 40A15 120V A15 MED HITEMP LAMP
11121-R0	\$	19.30	GE 40A15CF/STG/PQ2/6-120 INCAND LMP
11122-R0	\$	3.42	GE 40BC/25PK 120V B10 CAND LAMP
11123-R0	\$	3.31	GE 40CAC/25PK 120V CA10 CAND LAMP
11124-R0	\$	7.28	GE 40G25/6PK 120V CLR G25 MED LAMP
11125-R0	\$	7.28	GE 40G25/W/6PK 120V WHT G25 MED LMP
11126-R0	\$	4.25	GE 40GC/12PK 120V G16-1/2 CAND LAMP
11127-R0	\$	11.58	GE 40S11N/1/CD/12PK 120V INTER LMP
11128-R0	\$	9.59	GE 40T10/F-120V IF T10 MED LAMP
11129-R0	\$	32.59	GE 43A/CL/H-2PK-120 78796 HAL LAMP
11130-R0	\$	46.86	GE 4414 12.8V 18W PAR36 SCRTERM LMP
11131-R0	\$	90.16	GE 4570 28V 150W PAR46 SCR TERM LMP
11132-R0	\$	47.52	GE 45PAR/HIR+/FL25-120 HAL LAMP
11133-R0	\$	47.52	GE 48PAR/HIR+/FL25-120 PAR LAMP
11134-R0	\$	42.39	GE 48PAR30HIR+/FL30-120 PAR&HAL LMP
11135-R0	\$	42.39	GE 48PAR30L/HIR+/FL-120 INCN LAMP
11136-R0	\$	40.37	GE 48PAR30L/HIR+/SP-120 INCN LAMP
11137-R0	\$	9.62	GE 50/150/120V 3WAY LAMP 50W-150W
11138-R0	\$	50.47	GE 500-130V CLR PS35 MOG LAMP
11139-R0	\$	49.20	GE 50PAR36/H/SP5 12V REF 12perCASE
11140-R0	\$	47.52	GE 55PAR/HIR+/FL25-120 PAR LAMP
11141-R0	\$	20.57	GE 60A/RS/STG-T2/12 INCAND LAMP
11142-R0	\$	3.31	GE 60CAC/25PK 120V CA10 CAND LAMP
11143-R0	\$	7.06	GE 60G25/W/PROLINE DEC 130V BULB
11144-R0	\$	16.25	GE 60G40/W/CPK 120V G40 MED LAMP
11145-R0	\$	50.12	GE 60PAR16/H/FL30-120 INCAND LAMP
11146-R0	\$	12.31	GE 60T10/64/24PK 120V CL T10MED LMP
11147-R0	\$	25.00	GE 65BR30/PROLINE 130V 6 per CASE
11148-R0	\$	16.18	GE 65R30/FL/MI 120V FLOOD R30 LAMP
11149-R0	\$	3.13	GE 6S6/TRAY-120V CLR S6 CAND LAMP
11150-R0	\$	26.29	GE 72A/W/H-2PK-120 63005 PARS&HAL
11151-R0	\$	2.90	GE 755 6.3V .15A T3-1/4 MIN BAY LMP
11152-R0	\$	7.21	GE 75A/RS/12PK 120V IF A21 RS LAMP
11153-R0	\$	9.14	GE 75A/RS/6PK/130V CAND LAMP
11154-R0	\$	51.32	GE 75AR111/SP8-12 HALO LMP 10perBOX
11155-R0	\$	2.40	GE 909 6V .62A T5 WEDGE LAMP
11156-R0	\$	259.54	GE CMH100/PAR38/830/FL25 HID LAMP
11157-R0	\$	279.33	GE CMH20MR16/830/FL HID LAMP
11158-R0	\$	274.98	GE CMH39/U/PAR20/FL25 HID LAMP
11159-R0	\$	274.98	GE CMH39T/U/942/G12 MH LAMP

44625-R0	\$	49.53	DUCT AVERAGING 12 FT COPPER TUBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
11160-R0	\$	269.36	GE CMH39TCU942/G8.5 MH LAMP
11161-R0	\$	259.54	GE CMH70/PAR38/830FL/ECO
11162-R0	\$	283.40	GE CMH70/T/U/942/G12 BI-PIN G12
11163-R0	\$	21.80	GE F13BX/827/ECO 13W BIAX 27K LAMP
11164-R0	\$	47.15	GE F13DBX/835/ECO 13W DBL BIAX LAMP
11165-R0	\$	47.15	GE F13DBX/841/ECO FLOUR LAMP
11166-R0	\$	41.09	GE F13DBX23/827/ECO FLOUR LAMP
11167-R0	\$	41.09	GE F13DBX23/830/ECO 13W DBL BIAX 30
11168-R0	\$	41.09	GE F13DBX23/841/ECO 13W DBL 41K LMP
11169-R0	\$	35.40	GE F13T5/WW FLUOR LAMP
11170-R0	\$	73.09	GE F13TBX/835/ECO 13W 35K BIAX LAMP
11171-R0	\$	19.72	GE F15T8/CW 18-IN PREHT FLUOR LAMP
11172-R0	\$	32.47	GE F15T8/D 18-IN PREHEAT FLUOR LAMP
11173-R0	\$	134.68	GE F15T8/SPX35/CVG FLUOR LAMP
11174-R0	\$	54.27	GE F17T8/XL/SPX35/ECO T8 FLUOR LAMP
11175-R0	\$	54.27	GE F17T8/XL/SPX50/ECO FLUOR LAMP
11176-R0	\$	44.55	GE F18BX/SPX41/10PK FLUOR LAMP
11177-R0	\$	36.86	GE F21W/T5/841/ECO FLUOR LAMP
11178-R0	\$	53.40	GE F24T12/CW/HO 35W 800MA FLUOR LMP
11179-R0	\$	37.63	GE F24T8/CW/4/6PK FLUOR LAMP
11180-R0	\$	54.27	GE F25T8/XL/SPX50/ECO FLUOR LAMP
11181-R0	\$	64.83	GE F26DBX/827/ECO/4P 26W 27K 4PIN
11182-R0	\$	64.08	GE F26DBX/830/ECO 26W DBL BIAX LAMP
11183-R0	\$	38.19	GE F26T8/CW/4 19W PREHEAT FLUOR LMP
11184-R0	\$	47.52	GE F27BX/SPX35/10PK FLUOR LAMP
11185-R0	\$	53.56	GE F28T8/XLSPX65ECO FLU LAMP
11186-R0	\$	63.76	GE F30T12/CW/HO FLUOR LAMP
11187-R0	\$	28.76	GE F30T12/CW/RS/ECO FLUOR LAMP
11188-R0	\$	38.19	GE F30T8/CW/4 30-IN FLUOR LAMP
11189-R0	\$	28.48	GE F30T8/CW/6PK 36-IN PH FLUOR LAMP
11190-R0	\$	22.53	GE F32T8/735/PRO/EC FLUOR LAMP
11191-R0	\$	27.91	GE F32T8/835/PRO/EC FLUOR LAMP
11192-R0	\$	27.91	GE F32T8/841/PRO/EC FLUOR LAMP
11193-R0	\$	87.20	GE F32T8/SPX41/U6/ECO FLUOR LAMP
11194-R0	\$	64.80	GE F32T8SP35/U6/ECO FLRLMP
11195-R0	\$	72.90	GE F32TBX/827/A/ECO FLOUR LAMP
11196-R0	\$	105.89	GE F35/CX41/U3/WM FLU LAMP
11197-R0	\$	57.20	GE F36T12/CW/HO 45W 800MA FLUOR LMP
11198-R0	\$	50.40	GE F382D/835/4P 38W FLUOR LAMP
11199-R0	\$	50.40	GE F39/36BX/SPX35/10PK FLUOR LAMP
11200-R0	\$	50.40	GE F39/36BX/SPX41/10PK FLUOR LAMP
11201-R0	\$	51.51	GE F39W/T5/841/ECO FLUOR LAMP
11202-R0	\$	50.74	GE F40/30BX/SPX50/RS/36PK FLUOR LMP
11203-R0	\$	20.38	GE F40DX/ECO FLUOR LAMP
11204-R0	\$	84.36	GE F40SWW/U/6 LAMP
11205-R0	\$	45.40	GE F40T8/SPX35 FLUOR LAMP
11206-R0	\$	45.40	GE F40T8/SPX41 FLUOR LAMP
11207-R0	\$	59.64	GE F42T12/CW/HO 55W 800MA FLUOR LMP
11208-R0	\$	34.77	GE F48T12/CW 40W 425MA FLUOR LAMP
11209-R0	\$	80.27	GE F48T12/CW/1500 110W FLUOR LAMP
11210-R0	\$	101.00	GE F48T12/SPX35/HO FLUOR LAMP
11211-R0	\$	55.90	GE F50BX/SPX35/RS/10PK FLUOR LAMP
11212-R0	\$	55.90	GE F50BX/SPX41/RS/10PK FLUOR LAMP
11213-R0	\$	82.48	GE F57QBX/835/A/ECO FLUOR LAMP

44625-R0	\$	49.53	DUCT AVERAGING 12 FT COPPER TUBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
11214-R0	\$	82.48	GE F57QBX/841/A/4P/EOL FLUOR LAMP
11215-R0	\$	63.31	GE F58T8/840PLYLXLR FLUOR LAMP
11216-R0	\$	20.35	GE F5BX/827/ECO 5W BIAX 27K LAMP
11217-R0	\$	20.35	GE F5BX/841/ECO FLOUR LAMP
11218-R0	\$	43.97	GE F60T12/CW/HO/15PK FLUOR LAMP
11219-R0	\$	50.37	GE F64T12/CW/HO/15PK FLUOR LAMP
11220-R0	\$	68.68	GE F64T12/D/15PK FLUOR LAMP
11221-R0	\$	59.86	GE F70T8/840PLYXLR 70W FLR LMP
11222-R0	\$	40.00	GE F72T12/CW/15PK 55W 425MA FLR LMP
11223-R0	\$	304.10	GE F72T12SPX35/HO/CVG LAMP
11224-R0	\$	76.12	GE F72T8/CW 35W 200MA FLUOR LAMP
11225-R0	\$	20.35	GE F7BX/827/ECO FLUOR LAMP 7W
11226-R0	\$	20.35	GE F7BX/835/ECO 7W 35K BIAX LAMP
11227-R0	\$	20.35	GE F7BX/841/ECO 7W BIAX 41K LAMP
11228-R0	\$	43.26	GE F84T12/CW/HO/15PK 100W FLR LAMP
11229-R0	\$	31.52	GE F8T5/WW 12-IN PREHT FLUOR LAMP
11230-R0	\$	159.76	GE F96T12HL41/HO/WM FLU LAMP
11231-R0	\$	53.76	GE F96T8/SP35/ECO FLR LAMP
11232-R0	\$	77.29	GE F96T8/SP41/HO FLUOR LAMP
11233-R0	\$	20.35	GE F9BX/827/ECO 9W BIAX 27K LAMP
11234-R0	\$	20.35	GE F9BX/835/ECO 9W 35K ECO LAMP
11235-R0	\$	20.35	GE F9BX/841/ECO 9W BIAX LAMP 41K
11236-R0	\$	38.67	GE F9DBX23/827/ECO 9W 27K LAMP
11237-R0	\$	31.34	GE FC12T9/CW 32W RS/PH FLUOR LAMP
11238-R0	\$	29.28	GE FC8T9/CW 22W RS/PH FLUOR LAMP
11239-R0	\$	66.92	GE FLE10HT2/2/827 T2 SIZE 12M LIFE
11240-R0	\$	69.07	GE FLE13HT2/2/827 T2 SIZE 12M LIFE
11241-R0	\$	56.38	GE FLE13HT3/2/SW/CD 13W SOFTWT LAMP
11242-R0	\$	56.38	GE FLE14HT3/2/827 120V CFL LMP
11243-R0	\$	56.38	GE FLE14HT3/2/841 120V CFL LMP
11244-R0	\$	79.60	GE FLE15/2/A19XL FLOUR LAMP
11245-R0	\$	81.60	GE FLE15DMR30ES/BX 15W CFL LMP
11246-R0	\$	64.93	GE FLE15HT3/2SX/827
11247-R0	\$	77.08	GE FLE16/2/R30/SWCD CMPCT FLUOR LMP
11248-R0	\$	60.59	GE FLE20HT3/2/841-V CFL LMP
11249-R0	\$	64.80	GE FLE23HT3/2/827-120 120V CFL LMP
11250-R0	\$	64.80	GE FLE23HT3/2/841 120V CFL LMP
11251-R0	\$	73.19	GE FLE23HT3/2/XL827 E/EFF FLUOR LMP
11252-R0	\$	89.92	GE FLE26/2/PAR38/XL WET LOC PAR38
11253-R0	\$	89.92	GE FLE26/2/R40XL827 E/EFF FLUOR LMP
11254-R0	\$	97.86	GE FLE26/2DMR40/BX 26W CFL LMP
11255-R0	\$	73.31	GE FLE26HT3/2/XL827 E/EFF FLUOR LMP
11256-R0	\$	70.84	GE FLE26HT3/2DM/BX 26W CFL LMP
11257-R0	\$	94.44	GE FLE42HLX/2/XL827 42W 27K LAMP
11258-R0	\$	52.20	GE FLE9HT3/2/827-120 120V CFL LMP
11259-R0	\$	983.26	GE GEM1000ML5AA5-5 MH BAL
11260-R0	\$	387.89	GE GEM175MLTAA3-5 QUAD 175 MH BLS
11261-R0	\$	563.77	GE GEM400ML5AA4-5 HID BLST
11262-R0	\$	105.57	GE HR100DX38/12PK MV LAMP
11263-R0	\$	68.37	GE HR175DX39 WH E28MOG MV LAMP
11264-R0	\$	111.83	GE HR400DX33 WH E37MOG MV LAMP
11265-R0	\$	186.04	GE LED10DR30V/827W BR30 LED LAMP
11266-R0	\$	186.04	GE LED10DR30V/830W-120 LED LAMP
11267-R0	\$	179.37	GE LED12DP302W83035-120 RFL LED LMP

44625-R0	\$	49.53	DUCT AVERAGING 12 FT COPPER TUBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
11268-R0	\$	305.64	GE LED20DP38V827/40-120 LED LAMP
11269-R0	\$	305.64	GE LED20DP38V830/25-120 LED LAMP
11270-R0	\$	305.64	GE LED20DP38V830/40-120 LED LAMP
11271-R0	\$	165.13	GE LED7DMR16D827/35-12 12V LED LMP
11272-R0	\$	203.00	GE LED7DP20B827/35 PAR20 LED LP 35D
11273-R0	\$	178.48	GE LED7XDMR16D82735-12 LED LAMP
11274-R0	\$	178.48	GE LED7XDMR16D83035-12 HAL LAMP
11275-R0	\$	185.57	GE LU100/H/ECO E23-1/2MOG HPS LAMP
11276-R0	\$	146.71	GE LU100/MED CLR E17MED HPS LMP
11277-R0	\$	154.93	GE LU150/MED CLR HPS LAMP
11278-R0	\$	185.13	GE LU50 CLEAR E23-1/2MOG HPS LAMP
11279-R0	\$	144.92	GE LU50/MED/ECO CLEAR E17MED HPS
11280-R0	\$	177.35	GE LU70/H/ECO CLR MOG HPS LAMP
11281-R0	\$	548.38	GE MPR1000/VBU/HO/O BT56 EX39 3500K
11282-R0	\$	256.49	GE MPR400/VBU/HO/O HID LAMP
11283-R0	\$	295.97	GE MPR400/VBU/XHOPA MH LAMP 4000K
11284-R0	\$	205.76	GE MVR100/C/U/MED MH LAMP 4000K
11285-R0	\$	518.21	GE MVR1000/VBU/HO CLR BT56MOG MH LP
11286-R0	\$	479.06	GE MVR1000U/BT37/PA MH LAMP 3900K
11287-R0	\$	226.39	GE MVR150/C/U/MED MH LAMP
11288-R0	\$	204.01	GE MVR150/U/WM MH LAMP 4000K
11289-R0	\$	152.98	GE MVR175/C/U CTD ED28 MOG MH 3900K
11290-R0	\$	254.27	GE MVR250/HOR/PA MH LAMP 250W
11291-R0	\$	220.84	GE MVR250/VBU/PA MH LAMP 4200K
11292-R0	\$	226.92	GE MVR320/VBU/HO/PA MH LAMP 4000K
11293-R0	\$	266.73	GE MVR320/VBU/XHO/PA MH LAMP 4000K
11294-R0	\$	254.27	GE MVR320HOR/ED28PA
11295-R0	\$	235.39	GE MVR360/C/VBU/WM/XHO MH LMP 4000K
11296-R0	\$	174.03	GE MVR400/C/U CTD ED37 MOG MH 3700K
11297-R0	\$	238.43	GE MVR400/C/U/ED28 MH LAMP 4000K
11298-R0	\$	209.55	GE MVR400/U/ED28/R MH LAMP
11299-R0	\$	223.50	GE MVR400/U/PA 400W MH LAMP PULSE
11300-R0	\$	290.90	GE MVR400/VBU/ED28PA MH LAMP 4000K
11301-R0	\$	223.50	GE MVR400/VBU/HO/PA MH LAMP 4000K
11302-R0	\$	254.27	GE MVR400HOR/ED28PA MH LAMP
11303-R0	\$	282.13	GE MVR400HOR/PA MH LAMP
11304-R0	\$	515.05	GE MVR750/VBU/PA MH LAMP
11305-R0	\$	189.29	GE MXR100/C/U/MED/O LAMP 3200K
11306-R0	\$	152.19	GE MXR100/U/MED ED17 MED 3200K
11307-R0	\$	175.34	GE MXR100/U/MED/O LAMP 3200K
11308-R0	\$	225.09	GE MXR150/U/MED/O MH LAMP
11309-R0	\$	200.60	GE MXR50/U/MED MH LAMP 3700K
11310-R0	\$	189.21	GE MXR70/U/MED MH LAMP 3200K
11311-R0	\$	178.82	GE MXR70/U/MED/O MH LAMP 3200K
11312-R0	\$	77.10	GE Q100CL/DC 120V QTZ LAMP
11313-R0	\$	77.10	GE Q100CL/MC 120V QUARTZ LAMP
11314-R0	\$	82.58	GE Q100DC 120V QUARTZ LAMP
11315-R0	\$	34.64	GE Q100T3CL/PRO-6PK-120 QUARTZ LAMP
11316-R0	\$	22.78	GE Q10T3/CL 12V QUARTZ LAMP
11317-R0	\$	46.06	GE Q1500T3/CL-240V QUARTZ LAMP
11318-R0	\$	69.85	GE Q150CL/DC-ETC 120V QTZ LAMP
11319-R0	\$	69.85	GE Q150CL/MC-ETG 120V QTZ LAMP
11320-R0	\$	44.20	GE Q150T3/CL/CD/5PK 120V QTZ
11321-R0	\$	41.09	GE Q20MR11/NFL30-FTD 12V QTZ LMP

44625-R0	\$	49.53	DUCT AVERAGING 12 FT COPPER TUBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
11322-R0	\$	40.66	GE Q20MR16/C/CG40-BAB/10PK LAMP
11323-R0	\$	34.48	GE Q20MR16/C/NSP15-ESX/10PK LAMP
11324-R0	\$	59.37	GE Q20MR16/C/VNSP7-EZX/10PK LAMP
11325-R0	\$	19.30	GE Q20T3/CL/SCD-5PK QUARTZ LAMP
11326-R0	\$	68.97	GE Q250CL/MC-EHT 120V QTZ LAMP
11327-R0	\$	85.24	GE Q250PAR/FL30 120V QUARTZ LAMP
11328-R0	\$	40.88	GE Q300T3/CL-EHM/6PK 120V QTZ LAMP
11329-R0	\$	32.85	GE Q35GU10/FL/CD-120V QTZLMP
11330-R0	\$	38.22	GE Q35MR16/C/FL40-FMW/10PK LAMP
11331-R0	\$	38.22	GE Q35MR16/C/SP20-FRA/10PK LAMP
11332-R0	\$	18.55	GE Q35T3/12V/CL 12V QTZ LAMP
11333-R0	\$	22.75	GE Q40G9/F/CD 40W FROST G9 DISPLAY
11334-R0	\$	251.32	GE Q500PAR56MFL 120V QUARTZ LAMP
11335-R0	\$	30.36	GE Q500T3/CL-FCL 120V QTZ LAMP
11336-R0	\$	40.08	GE Q500T3CL/PRO-6PK QTZ 130V BULB
11337-R0	\$	29.76	GE Q50GU10/FL/CD-120V QTZLMP
11338-R0	\$	36.69	GE Q50MR16/C/CG25-EXZ/10PK LAMP
11339-R0	\$	36.69	GE Q50MR16/C/CG40-EXN/10PK LAMP
11340-R0	\$	30.74	GE Q50MR16/C/NFL25-EXZ/10PK LAMP
11341-R0	\$	46.27	GE Q50MR16/CCG40-24 QUARTZ LAMP
11342-R0	\$	46.76	GE Q71MR16/C/CG40-EYC/10PK LAMP
11343-R0	\$	39.56	GE Q71MR16/C/FL40-EYC/10PK LAMP
11344-R0	\$	39.56	GE Q71MR16/C/NFL25-EYJ/10PK LAMP
11345-R0	\$	0.13	IDEAL 30-071 SIZE 71B GRY WIRECONN
11346-R0	\$	0.14	IDEAL 30-072 SIZE 72B BLU WIRECONN
11347-R0	\$	0.16	IDEAL 30-073 SIZE 73B ORG WIRECONN
11348-R0	\$	0.15	IDEAL 30-073J ORG WIRE CONN
11349-R0	\$	0.18	IDEAL 30-074 SIZE 74B YEL WIRECONN
11350-R0	\$	0.27	IDEAL 30-076 SIZE 76B RED WIRECONN
11351-R0	\$	0.39	IDEAL 30-088J 6PORT CONN PK100
11352-R0	\$	0.16	IDEAL 30-1032J 12AWG PSH-IN WR CONN
11353-R0	\$	0.17	IDEAL 30-1033 12AWG PSH-IN WR CONN
11354-R0	\$	0.17	IDEAL 30-1033J 12AWG PSH-IN WR CONN
11355-R0	\$	0.18	IDEAL 30-1034J 12AWG PSH-IN WR CONN
11356-R0	\$	1.67	IDEAL 30-1263J GY/BLU WIRE CONN
11357-R0	\$	0.13	IDEAL 30-273 SIZE 73B ORG WIRECONN
11358-R0	\$	1.40	IDEAL 30-3184 STRANDED WIRE PIGTAIL
11359-R0	\$	2.18	IDEAL 30-3288 JMPR W/RNG SCRW
11360-R0	\$	0.69	IDEAL 30-3392 12AWG SOL WIRE PGTL
11361-R0	\$	0.78	IDEAL 30-3394 12AWG SOL WIRE PGTL
11362-R0	\$	0.26	IDEAL 30-341 341 WIRECON TAN 100/BX
11363-R0	\$	0.18	IDEAL 30-341J WIRECON TAN
11364-R0	\$	0.50	IDEAL 30-342 342 WIRECON GRY 50/BX
11365-R0	\$	1.45	IDEAL 30-352J 150PK DISC
11366-R0	\$	1.94	IDEAL 30-372 25PK TERM DISC
11367-R0	\$	1.55	IDEAL 30-382J 75PC DISC
11368-R0	\$	0.19	IDEAL 30-410 SIZE410 CRIMP WIRECONN
11369-R0	\$	0.62	IDEAL 30-412 SIZE412 CRIMP WIRECONN
11370-R0	\$	0.39	IDEAL 30-445 WRAP CAP #415 INSLTR
11371-R0	\$	0.21	IDEAL 30-451 SIZE 451 YEL WIRECONN
11372-R0	\$	0.20	IDEAL 30-451J YEL WIRE CONN
11373-R0	\$	0.28	IDEAL 30-452 SIZE 452 RED WIRECONN
11374-R0	\$	0.74	IDEAL 30-454 SIZE 454 BLU WIRECONN
11375-R0	\$	0.18	IDEAL 30-641 341 WIRECON TAN 500/BG

44625-R0	\$	49.53	DUCT AVERAGING 12 FT COPPER TUBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
11376-R0	\$	0.38	IDEAL 30-642 342 WIRECON GRY 250/BG
11377-R0	\$	0.24	IDEAL 30-644J TWISTER PRO WR CONN
11378-R0	\$	0.16	IDEAL 30-651 SIZE 451 YEL WIRECONN
11379-R0	\$	0.18	IDEAL 30-651J SIZE 451 YEL WIRECONN
11380-R0	\$	0.19	IDEAL 30-652 SIZE 452 RED WIRECONN
11381-R0	\$	0.23	IDEAL 30-652J SIZE 452 RED WIRECONN
11382-R0	\$	114.53	IDEAL 31-057 240FT1/8X.060FISH TAPE
11383-R0	\$	46.42	IDEAL 31-467 3/4 FOAM CARRIER 1PK=5
11384-R0	\$	46.68	INT-MAT EI200W WH ELECTR CNTDWN TMR
11385-R0	\$	68.90	INT-MAT EI400C IVY DIG AUTO TMR
11386-R0	\$	46.68	INT-MAT EI500C IVY DIG 7DAY TIMER
11387-R0	\$	76.66	INT-MAT EI600WC WHT DIG 7-DAY TIMER
11388-R0	\$	45.34	INT-MAT EJ500C 24HR FLMNT PROG TMR
11389-R0	\$	234.72	INT-MAT ET1105C 24HR 30A SPST TM SW
11390-R0	\$	260.77	INT-MAT ET1705C 7DAY 30A SPST TM SW
11391-R0	\$	293.37	INT-MAT ET1725C 7DAY 30A DPST TM SW
11392-R0	\$	289.77	INT-MAT ET8015C NM1 120-277 SPST SW
11393-R0	\$	606.67	INT-MAT ET90115C 30A SPDT TIME SW
11394-R0	\$	41.67	INT-MAT FF15MC 15MIN SPR WOUND TMR
11395-R0	\$	49.15	INT-MAT FF2H SPST 2HR WALL TIMER
11396-R0	\$	41.67	INT-MAT FF60MC 60MIN SPR WOUND TMR
11397-R0	\$	32.85	INT-MAT K122 POLE PHOTO CTRL
11398-R0	\$	17.36	INT-MAT K4021C 120V PHOTO CONTROL
11399-R0	\$	30.43	INT-MAT K4023C 208-277V PHOTOCONTRO
11400-R0	\$	17.49	INT-MAT K4121C 120V PHOTO CONTROL
11401-R0	\$	22.92	INT-MAT K4221C 120V PHOTO CONTROL
11402-R0	\$	41.07	INT-MAT K4223C SWIVEL MT PHOTO CTL
11403-R0	\$	23.02	INT-MAT K4251 120V PHOTOCONTROL
11404-R0	\$	14.26	INT-MAT LC4521C 1000W 120V PHOTOCEL
11405-R0	\$	27.46	INT-MAT LC4523 208-277V PHOTOCELL
11406-R0	\$	34.59	INT-MAT LC4535 480V PHOTO CONTROL
11407-R0	\$	28.61	INT-MAT LC4536C 120-277V PHOTOCELL
11408-R0	\$	31.32	INT-MAT LC4536LAC 120-277 PHOTOCELL
11409-R0	\$	119.87	INT-MAT T101 SPST 40A 125V TIME SW
11410-R0	\$	133.24	INT-MAT T103 DPST 40A 125V TIME SW
11411-R0	\$	139.16	INT-MAT T104 DPST 208-277V TIME SW
11412-R0	\$	295.10	INT-MAT T1471BR 4PST 40A 125V T-SW
11413-R0	\$	21.07	INT-MAT WP1010MXD 1G RCP COVER
11414-R0	\$	30.23	INT-MAT WP1030MXD 2G RCP COVER
11415-R0	\$	15.02	INT-MAT WP1110C 1G VERT/HOR WP CVR
11416-R0	\$	22.04	INT-MAT WP1150C 1G VERT/HOR WP CVR
11417-R0	\$	19.44	INT-MAT WP1220C 2G VERT/HOR WP CVR
11418-R0	\$	31.08	INT-MAT WP1250C 2G VERT/HOR WP CVR
11419-R0	\$	31.04	INT-MAT WP1250MVXD 1G RCP COVER
11420-R0	\$	32.56	INT-MAT WP1250MXD 2G RCP COVER
11421-R0	\$	14.94	INT-MAT WP3100C 2-3/4 1G WTRPRF CVR
11422-R0	\$	14.43	LEV 10097-8 SP 3A125VAC P-CHN SW
11423-R0	\$	7.70	LEV 113 BLK RUBBER PLUG-NEMA5-15P
11424-R0	\$	16.39	LEV 1201-2I SP 15A 277V IV AC SW
11425-R0	\$	26.71	LEV 1221-2 SP 20A 277V BRN AC SW
11426-R0	\$	26.71	LEV 1221-2E SP 20A 277V BLK AC SW
11427-R0	\$	26.71	LEV 1221-2GY SP 20A 277V AC SW
11428-R0	\$	43.74	LEV 1221-2IL SP 20A 277V IV LK SW
11429-R0	\$	48.34	LEV 1221-PLC SP 20A 277V CLR P/L SW

44625-R0	\$	49.53	DUCT AVERAGING 12 FT COPPER TUBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
11430-R0	\$	48.34	LEV 1221-PLR SP 20A 277V RED P/L SW
11431-R0	\$	26.32	LEV 1221-S 20A 277V SP BRN AC SW
11432-R0	\$	26.32	LEV 1221-SGY 20A 277V SP GRY AC SW
11433-R0	\$	26.32	LEV 1221-SI 20A 277V SP IVO AC SW
11434-R0	\$	26.32	LEV 1221-SR 20A 277V SP RED AC SW
11435-R0	\$	26.32	LEV 1221-ST 20A SP IND SW LT ALMD
11436-R0	\$	26.32	LEV 1221-SW 20A 277V SP WHT AC SW
11437-R0	\$	36.27	LEV 1222-2 DP 20A 277V BRN AC SW
11438-R0	\$	36.27	LEV 1222-2I DP 20A 277V IV AC SW
11439-R0	\$	30.96	LEV 1222-2W DP 20A 277V WHT AC SW
11440-R0	\$	36.27	LEV 1222-S 2P 20A TGL SW
11441-R0	\$	36.27	LEV 1222-SI 2P 20A IV TGL SW
11442-R0	\$	28.53	LEV 1223-2E 3WY 20A 277V BLK AC SW
11443-R0	\$	85.59	LEV 1223-PLC 3WY 20A 120V CLR P/LSW
11444-R0	\$	28.12	LEV 1223-S 20A 3W 277V BRN AC SW
11445-R0	\$	28.12	LEV 1223-SGY 20A 3W 277V GRY AC SW
11446-R0	\$	28.12	LEV 1223-SI 20A 3W 277V IVO AC SW
11447-R0	\$	28.12	LEV 1223-SR 20A 3W 277V RED AC SW
11448-R0	\$	28.12	LEV 1223-ST 20A 3W IND SWITCH
11449-R0	\$	28.12	LEV 1223-SW 20A 3W 277V WHT AC SW
11450-R0	\$	93.66	LEV 1224-2GY 4WY 20A 277V GRY AC SW
11451-R0	\$	78.02	LEV 1224-2I 4WY 20A 277V IV AC SW
11452-R0	\$	66.59	LEV 1224-2W 4WY 20A 277V WHT AC SW
11453-R0	\$	5.63	LEV 124-D RUBBER MED LAMPHOLDER
11454-R0	\$	64.22	LEV 1257-W 20A SPDT MOM CONT SWITCH
11455-R0	\$	121.17	LEV 1285-I SPDT 20A 277V IV AC SW
11456-R0	\$	5.66	LEV 13353-N SLIDE-ON FLUOR LAMPHLDR
11457-R0	\$	5.99	LEV 13357-N LAMPHOLDER
11458-R0	\$	17.42	LEV 13464W LAMPHOLDER RECSO DC FLRS
11459-R0	\$	13.83	LEV 13465 LAMPHOLDER
11460-R0	\$	7.84	LEV 13550-NW FLUOR LMPHLDR
11461-R0	\$	8.61	LEV 13551-NW FLUOR LMPHLDR
11462-R0	\$	1.28	LEV 13654SWP T5 LAMP SOCKET
11463-R0	\$	10.37	LEV 1374-1W WHT SNAPIN OUTLET-5-15R
11464-R0	\$	1.00	LEV 1451-2 SP 15A 120V BRN AC SW
11465-R0	\$	1.00	LEV 1451-2I SP 15A 120V IV AC SW
11466-R0	\$	1.00	LEV 1451-2T SP 2A 120V IV AC SW
11467-R0	\$	1.00	LEV 1451-2W SP 15A 120V WHT AC SW
11468-R0	\$	3.13	LEV 1453-2E EBONY 120V 15A 3WY SW
11469-R0	\$	3.13	LEV 1453-2I 3WY 15A 120V IV AC SW
11470-R0	\$	3.13	LEV 1453-2T 3WY 15A 120V SW
11471-R0	\$	3.13	LEV 1453-2W 3WAY 15A 120V WHT AC SW
11472-R0	\$	3.08	LEV 1453-WCP 3WY 15A 120V WHT AC SW
11473-R0	\$	28.68	LEV 14W47 2P 3W 15A 125V PLUG
11474-R0	\$	33.05	LEV 1547 2P3W 15A 125V CONN
11475-R0	\$	42.01	LEV 15W47 2P 3W 15A 125V CONN
11476-R0	\$	18.61	LEV 16342-E DEC DPLX RCPT NEMA5-20R
11477-R0	\$	18.61	LEV 16342-I IV DPLX RCPT-NM5-20R
11478-R0	\$	18.61	LEV 16342-W WHT DPLX RCPT-N5-20R
11479-R0	\$	25.32	LEV 16352-I IV DPLX RCPT-NM5-20R
11480-R0	\$	25.32	LEV 16352-W WHT DPLX RCPT-N5-20R
11481-R0	\$	13.32	LEV 2005 PORC MED LAMPHOLDER EXT
11482-R0	\$	8.12	LEV 2006 PLSTC MED LAMPHOLDER EXT
11483-R0	\$	5.83	LEV 223 BRN DPLX RCPT-NEMA1-15R

44625-RO	\$	49.53	DUCT AVERAGING 12 FT COPPER TUBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
11484-RO	\$	5.83	LEV 223-I IV DPLX RCPT-NEMA1-15R
11485-RO	\$	5.83	LEV 223-W WHT DPLX RCPT-NEMA1-15R
11486-RO	\$	33.87	LEV 2310 LKG FLUSH RECEPT L5-20R
11487-RO	\$	26.22	LEV 2311 LKG PLUG L5-20P
11488-RO	\$	40.76	LEV 2313 LKG CONN L5-20R
11489-RO	\$	34.05	LEV 2320 LKG FLUSH RECEPT L6-20R
11490-RO	\$	26.22	LEV 2321 LKG PLUG L6-20P
11491-RO	\$	40.76	LEV 2323 LKG CONN L6-20R
11492-RO	\$	34.05	LEV 2330 LKG FLUSH RCPT L7-20R
11493-RO	\$	26.22	LEV 2331 LKG PLUG L7-20P
11494-RO	\$	33.72	LEV 2341 LKG PLUG L8-20P
11495-RO	\$	3.38	LEV 23452-H HORZ LMP SUPP CLIP
11496-RO	\$	3.62	LEV 23452-V VERT LMP SUPP CLIP
11497-RO	\$	46.92	LEV 2410 LKG FLUSH RCPT L14-20R
11498-RO	\$	39.81	LEV 2411 LKG PLUG L14-20P
11499-RO	\$	47.08	LEV 2420 LKG FLUSH RCPT L15-20R
11500-RO	\$	42.66	LEV 2421 LKG PLUG L15-20P
11501-RO	\$	55.92	LEV 2423 LKG CONN L15-20R
11502-RO	\$	56.08	LEV 2430 LKG FLUSH RCPT L16-20R
11503-RO	\$	50.34	LEV 2431 LKG PLUG L16-20P
11504-RO	\$	67.55	LEV 2433 LKG CONN L16-20C
11505-RO	\$	57.98	LEV 2510 LKG FLUSH RCPT L21-20R
11506-RO	\$	51.18	LEV 2511 LKG PLUG L21-20P
11507-RO	\$	88.15	LEV 2513 LKG CONN L21-20R
11508-RO	\$	17.42	LEV 2536 SGL PIN PLNGR FLUORLMPHLDR
11509-RO	\$	12.93	LEV 2537 SGL PIN FIXED FLUORLMPHLDR
11510-RO	\$	47.39	LEV 2610 LKG FLUSH RCPT L5-30R
11511-RO	\$	40.76	LEV 2611 LKG PLUG L5-30P
11512-RO	\$	52.03	LEV 2620 LKG FLUSH RCPT L6-30R
11513-RO	\$	41.07	LEV 2621 LKG PLUG L6-30P
11514-RO	\$	59.19	LEV 2661 LKG PLUG L10-30P
11515-RO	\$	74.41	LEV 2710 LKG FLUSH RCPT L14-30R
11516-RO	\$	54.50	LEV 2711 LKG PLUG L14-30P
11517-RO	\$	112.95	LEV 2713 LKG CONN L14-30R
11518-RO	\$	74.88	LEV 2720 LKG FLUSH RCPT
11519-RO	\$	54.98	LEV 2721 LKG PLUG L15-30P
11520-RO	\$	113.27	LEV 2723 LKG CONN L15-30R
11521-RO	\$	75.20	LEV 2730 LKG FLUSH RCPT L16-30R
11522-RO	\$	64.78	LEV 2731 LKG PLUG L16-30
11523-RO	\$	136.59	LEV 2733 LKG CONN L16-30R
11524-RO	\$	40.75	LEV 275-T RT ANG PLUG-NEMA14-30P
11525-RO	\$	64.83	LEV 278 BLK FLUSH RCPT-NEMA14-30R
11526-RO	\$	64.83	LEV 279 BLK FLUSH RCPT-NEMA14-50R
11527-RO	\$	79.30	LEV 2810 LKG FLUSH RCPT L21-30R
11528-RO	\$	60.66	LEV 2811 LKG PLUG L21-30P
11529-RO	\$	25.92	LEV 287-T RT ANG PLUG-NEMA10-30P
11530-RO	\$	94.19	LEV 28W75 NEMA L15-30P LKG PLUG
11531-RO	\$	7.67	LEV 29816-C PORC PULLCHN LMPHLDR
11532-RO	\$	47.30	LEV 3031-2I SP 30A 277V IV AC SW
11533-RO	\$	60.79	LEV 3032-2 DP 30A 277V BRN AC SW
11534-RO	\$	60.79	LEV 3032-2I DP 30A 277V IV AC SW
11535-RO	\$	6.07	LEV 390-1W MED BIPIN FLUOR LAMPHLDR
11536-RO	\$	0.03	LEV 40249-I IV 4-TERM FL MOUNT JACK
11537-RO	\$	0.03	LEV 40249-T 4-TERM FL MOUNT JACK

44625-R0	\$	49.53	DUCT AVERAGING 12 FT COPPER TUBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
11538-R0	\$	0.03	LEV 40249-W WHT 4TERM FL MOUNT JACK
11539-R0	\$	4.98	LEV 40253-I IV WALL PHONE JACK
11540-R0	\$	0.05	LEV 40259-W WHT 4-COND COMBO JACK
11541-R0	\$	0.04	LEV 40649-I IV 4COND FL MT JACK
11542-R0	\$	0.04	LEV 40649-W WHT 4COND DECORA JACK
11543-R0	\$	0.03	LEV 40731-BI FEM/FEM SNAPIN CONN
11544-R0	\$	0.03	LEV 40803-BI FLUSH MNT WALLPLATE
11545-R0	\$	0.05	LEV 40850-BI PORT INSERT WALLPLATE
11546-R0	\$	0.03	LEV 41080-1IP WALLPLATE
11547-R0	\$	6.85	LEV 431-W MED BIPIN FLUOR LMPHLDR
11548-R0	\$	32.76	LEV 4560 LKG SGL RCPT-NEMA L6-15R
11549-R0	\$	13.79	LEV 467 SGL PIN FIXED FLUOR LMPHLDR
11550-R0	\$	29.07	LEV 4710 LKG SGL RCPT-NMA L5-15R
11551-R0	\$	20.85	LEV 4720-C BLK LKG PLUG-NM L5-15P
11552-R0	\$	36.96	LEV 4729-C BLK LKG CONN-NM L5-15R
11553-R0	\$	32.44	LEV 4760 LKG SGL RCPT-NEMA L7-15R
11554-R0	\$	24.01	LEV 4770-C BLK LKG PLUG-NM L7-15P
11555-R0	\$	5.55	LEV 4934 2G AL PLATE FOR RCPT2.109
11556-R0	\$	6.02	LEV 5015-I IV SGL RCPT-NEMA5-15R
11557-R0	\$	11.27	LEV 5054 BLK SURF RCPT-NEMA10-30R
11558-R0	\$	7.57	LEV 515PV 2P3W 15A125V GRDG PLG YEL
11559-R0	\$	7.94	LEV 5206 BLK FLUSH RCPT-NEMA10-50R
11560-R0	\$	7.94	LEV 5207 BLK FLUSH RCPT-NEMA10-30R
11561-R0	\$	21.24	LEV 5224-2 COMB-2SP 15A 277V AC SWS
11562-R0	\$	21.24	LEV 5224-2I COMB-2SP 15A277V AC SW
11563-R0	\$	21.24	LEV 5224-2W COMB-2SP 15A277V AC SWS
11564-R0	\$	21.99	LEV 5225-I COMB-SP AC SW&RCPT5-15R
11565-R0	\$	21.99	LEV 5225-W WHT COMBO SW/RECEPT
11566-R0	\$	24.01	LEV 5226-I COMB-SP AC SW&IND LIGHT
11567-R0	\$	14.95	LEV 523 RECS D PLNGR FLUOR LMPHLDR
11568-R0	\$	46.48	LEV 5243-I COMB-2-3WAY15A277 AC SWS
11569-R0	\$	17.96	LEV 5266-C BLK PLUG-N5-15P
11570-R0	\$	23.18	LEV 5266-CA BLK ANG PLUG-N5-15P
11571-R0	\$	32.57	LEV 5269-C BLK CONN-N5-15R
11572-R0	\$	36.02	LEV 5279-C WHT FLNGD OUTL-NM5-15R
11573-R0	\$	0.76	LEV 5320-CP BRN DPLX RCPT-NEMA5-15R
11574-R0	\$	0.76	LEV 5320-ICP IV DPLX RCPT-NEMA5-15R
11575-R0	\$	0.76	LEV 5320-WCP WHT DPLXRCPT-NEMA5-15R
11576-R0	\$	0.79	LEV 5325-E BLK DPLX RCPT-N5-15R
11577-R0	\$	0.67	LEV 5325-W WHT DPLX RCPT-N5-15R
11578-R0	\$	2.31	LEV 5352 BRN DPLX RCPT-NEMA5-20R
11579-R0	\$	2.31	LEV 5352-E BLK DPLX RCPT NEMA5-20R
11580-R0	\$	2.31	LEV 5352-I IV DPLX RCPT-NEMA5-20R
11581-R0	\$	2.31	LEV 5352-W WHT DPLX RCPT-NEMA5-20R
11582-R0	\$	2.66	LEV 5361 BRN SGL RCPT-NEMA5-20R
11583-R0	\$	2.66	LEV 5361-I IV SGL RCPT-NEMA5-20R
11584-R0	\$	3.74	LEV 5361-W WHT SGL RCPT-NEMA5-20R
11585-R0	\$	3.68	LEV 5362-E BLK DPLX RCPT NEMA5-20R
11586-R0	\$	3.62	LEV 5362-GYS 20A/125V DUPLEX RCPT
11587-R0	\$	4.16	LEV 5362-IG ISO GRD DPLXRCPT-N5-20R
11588-R0	\$	4.87	LEV 5362-IGG IG GRY DPLXRCPT-N5 20R
11589-R0	\$	5.85	LEV 5362-IGI IG IV DPLX RCPT-N5-20R
11590-R0	\$	4.87	LEV 5362-IGW IG WHT DPLXRCPT-N5-20R
11591-R0	\$	3.09	LEV 5362-S DUPLEX 20A/125V

44625-R0	\$	49.53	DUCT AVERAGING 12 FT COPPER TUBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
11592-R0	\$	3.62	LEV 5362-SE 20A 125V DPLX RCPT
11593-R0	\$	3.09	LEV 5362-SI DUPLEX 20A/125V
11594-R0	\$	3.62	LEV 5362-SR 20A/125V RD SLMBDY RCPT
11595-R0	\$	3.62	LEV 5362-ST 20A 125V DPLX REC LT AL
11596-R0	\$	3.09	LEV 5362-SW WHT 20A/125V DUPLX RCPT
11597-R0	\$	2.47	LEV 5366-C BLK PLUG-N5-20P
11598-R0	\$	4.27	LEV 5369-C BLK CONN-N5-20R
11599-R0	\$	3.40	LEV 5371 BLK FLUSH RCPT-NEMA5-30R
11600-R0	\$	2.76	LEV 5372 BLK FLUSH RCPT-NEMA6-30R
11601-R0	\$	2.76	LEV 5374 BLK FLUSH RCPT-NEMA6-50R
11602-R0	\$	3.28	LEV 5378 BLK SURF RCPT-NEMA6-50R
11603-R0	\$	6.14	LEV 5380-I 120V 20A RECEPT IVORY
11604-R0	\$	6.14	LEV 5380-W 120V 20A RECEPT WHITE
11605-R0	\$	2.07	LEV 54504-2I 4WY 15A 277V AC SW
11606-R0	\$	2.07	LEV 54504-2T 4W SWITCH
11607-R0	\$	2.07	LEV 54504-2W 4WY 15A 277V WHT AC SW
11608-R0	\$	3.10	LEV 5461 BRN SGL RCPT-NEMA6-20R
11609-R0	\$	3.10	LEV 5461-I IV SGL RCPT-NEMA6-20R
11610-R0	\$	3.99	LEV 5462 BRN DPLX RCPT-NEMA6-20R
11611-R0	\$	2.84	LEV 5466-C BLK PLUG-N6-20P
11612-R0	\$	4.66	LEV 5469-C BLK CONN-N6-20R
11613-R0	\$	3.50	LEV 55050 BLK SURF RCPT-NEMA14-50R
11614-R0	\$	3.50	LEV 55054 BLK SURF RCPT-NEMA14-30R
11615-R0	\$	0.74	LEV 55500-PRT KEY FOR LOCK SW
11616-R0	\$	1.00	LEV 5601-2 SP BRN 15A SWITCH
11617-R0	\$	1.03	LEV 5601-2E SP BLK 15A SWITCH
11618-R0	\$	1.03	LEV 5601-2GY SP GRY 15A SWITCH
11619-R0	\$	1.03	LEV 5601-2I SP IV 15A SWITCH
11620-R0	\$	1.03	LEV 5601-2W SP WHT 15A SWITCH
11621-R0	\$	1.70	LEV 5603-2E 3WAY BLK 15A SWITCH
11622-R0	\$	1.70	LEV 5603-2T 3W ROCKER SW
11623-R0	\$	1.46	LEV 5603-2W 3WAY WHT 15A SWITCH
11624-R0	\$	4.01	LEV 5604-2W 4WAY WHT 15A SWITCH
11625-R0	\$	2.36	LEV 5621-2W SP WHT 20A SWITCH
11626-R0	\$	3.42	LEV 5623-2W 3WAY WHT 20A SWITCH
11627-R0	\$	3.63	LEV 5634-I 2SP IV COMB SWS
11628-R0	\$	3.63	LEV 5634-W 2SP WHT COMB SWS
11629-R0	\$	2.82	LEV 5661 BRN SGL RCPT-NEMA6-15R
11630-R0	\$	2.24	LEV 5666-C BLK PLUG-N6-15P
11631-R0	\$	0.66	LEV 5801 BRN SGL RCPT-NEMA5-20R
11632-R0	\$	0.66	LEV 5801-I IV SGL RCPT-NEMA5-20R
11633-R0	\$	0.66	LEV 5801-T 20A SGL RECEPT
11634-R0	\$	0.66	LEV 5801-W WHT SGL RCPT-N5-20R
11635-R0	\$	0.87	LEV 5821 BRN SGL RCPT-NEMA6-20R
11636-R0	\$	0.87	LEV 5821-I IV SGL RCPT-NEMA6-20R
11637-R0	\$	0.87	LEV 5821-W WHT SGL RCPT-NEMA6-20R
11638-R0	\$	2.19	LEV 688-I CLOCKHGR RCPT-NEMA5-15R
11639-R0	\$	2.19	LEV 688-W CLOCK HANGER RCPT-NM15-1R
11640-R0	\$	0.10	LEV 78001 P1 LT ALM WALL PLATE
11641-R0	\$	0.10	LEV 78003 P8 LT ALM 1G DPLX RCPT WP
11642-R0	\$	0.19	LEV 78009 P2 LT ALM WALL PLATE
11643-R0	\$	0.25	LEV 78011 3G LT ALM WALL PLATE
11644-R0	\$	0.14	LEV 78014 1G LT ALM WALL PLATE
11645-R0	\$	0.19	LEV 78016 P82 LT ALM WALL PLATE

44625-R0	\$	49.53	DUCT AVERAGING 12 FT COPPER TUBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
11646-R0	\$	0.71	LEV 80054 LAMP SOCKET MR16
11647-R0	\$	0.16	LEV 80401-E 1G BLK WALLPLATE
11648-R0	\$	0.16	LEV 80401-GY 1G GRY WALLPLATE
11649-R0	\$	0.16	LEV 80401-I 1G IV WALLPLATE
11650-R0	\$	0.19	LEV 80401-NI 1G IV NYL WALLPLATE
11651-R0	\$	0.23	LEV 80401-NR 1G RED NYL WALLPLATE
11652-R0	\$	0.19	LEV 80401-NW 1G WHT NYL WALLPLATE
11653-R0	\$	0.16	LEV 80401-T 1G P26 LT ALM WALLPLATE
11654-R0	\$	0.16	LEV 80401-W 1G WHT WALLPLATE
11655-R0	\$	0.50	LEV 80405-I 2G IV COMB PLATE
11656-R0	\$	0.50	LEV 80405-W 2G WHT COMB PLATE
11657-R0	\$	0.39	LEV 80409-GY 2G GRY WALLPLATE
11658-R0	\$	0.39	LEV 80409-I 2G IV WALLPLATE
11659-R0	\$	0.46	LEV 80409-NI 2G IV NYL WALLPLATE
11660-R0	\$	0.68	LEV 80409-NR 2G RED NYL WALLPLATE
11661-R0	\$	0.46	LEV 80409-NW 2G WHT NYL WALLPLATE
11662-R0	\$	0.39	LEV 80409-T 2G ALM WALL PLATE
11663-R0	\$	0.39	LEV 80409-W 2G WHT WALLPLATE
11664-R0	\$	0.92	LEV 80411-E 3G BLK WALLPLATE
11665-R0	\$	0.79	LEV 80411-W 3G WHT WALLPLATE
11666-R0	\$	1.54	LEV 80412-W WHT 4G WHT WALLPLATE
11667-R0	\$	1.14	LEV 80414-E BLK PLATE BLANK ADPT
11668-R0	\$	1.14	LEV 80414-I IV PLATE BLANK ADPT
11669-R0	\$	1.14	LEV 80414-W WHT PLATE BLANK ADPT
11670-R0	\$	1.06	LEV 80421-I 3G IV COMB PLATE
11671-R0	\$	1.06	LEV 80421-W 3G WHT COMB PLATE
11672-R0	\$	3.60	LEV 80423-I 5G IV WALLPLATE
11673-R0	\$	4.51	LEV 80436-W 6G WHT WALLPLATE
11674-R0	\$	0.46	LEV 80455-I 2G IV COMB PLATE
11675-R0	\$	0.46	LEV 80455-W 2G WHT COMB PLATE
11676-R0	\$	0.10	LEV 80501-W WHT 1G MIDSIZE SW PLATE
11677-R0	\$	0.10	LEV 80503-W WHT 1G MIDSIZE DPLX PLT
11678-R0	\$	0.20	LEV 80509-I 2G MIDSIZE SWITCH PLATE
11679-R0	\$	0.16	LEV 80514-I 1G MIDSIZE BLANK PLATE
11680-R0	\$	0.66	LEV 80526-I 2G PLATE FOR RCPT2.109
11681-R0	\$	0.66	LEV 80526-W WHT 2G WALLPLATE
11682-R0	\$	0.32	LEV 80601-W 1G WHT MIDSIZE PLATE
11683-R0	\$	0.75	LEV 80700 NYL BLANK INSERT
11684-R0	\$	0.75	LEV 80700-GY NYL BLANK INSERT
11685-R0	\$	0.75	LEV 80700-I NYL BLANK INSERT
11686-R0	\$	0.75	LEV 80700-W NYL BLANK INSERT
11687-R0	\$	0.97	LEV 80701-E NYL 1-TOGGLE SW PLT
11688-R0	\$	0.97	LEV 80701-GY NYL 1-TOGGLE SW PLT
11689-R0	\$	0.97	LEV 80701-I NYL 1-TOGGLE SW PLT
11690-R0	\$	0.97	LEV 80701-R NYL 1-TOGGLE SW PLT
11691-R0	\$	0.97	LEV 80701-W WHT NYL 1-TOGGLE SW PLT
11692-R0	\$	1.13	LEV 80703-E NYL 1-DPLX OUTLET PLT
11693-R0	\$	0.97	LEV 80703-GY NYL 1-DPLX OUTLET PLT
11694-R0	\$	0.97	LEV 80703-I NYL 1-DPLX OUTLET PLT
11695-R0	\$	0.97	LEV 80703-NT N8-T WL PLT
11696-R0	\$	1.13	LEV 80703-R NYL 1-DPLX OUTLET PLT
11697-R0	\$	0.97	LEV 80703-W NYL 1-DPLX OUTLET PLT
11698-R0	\$	1.61	LEV 80704-W WHT NYL 1G SGL RCPT PLT
11699-R0	\$	1.93	LEV 80705-I NYL 2G SW/DUPLX PLT

44625-R0	\$	49.53	DUCT AVERAGING 12 FT COPPER TUBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
11700-R0	\$	1.93	LEV 80705-W WHT NYL 2G SW/DUPLX PLT
11701-R0	\$	2.26	LEV 80707-I 1TGL 1DECORA WALLPLATE
11702-R0	\$	2.26	LEV 80707-W 2G WHT NYL COMB PLATE
11703-R0	\$	5.28	LEV 80708-W 2G WHT NYL COMB PLATE
11704-R0	\$	1.93	LEV 80709-I NYL 2-TOGGLE SW PLT
11705-R0	\$	2.26	LEV 80709-R NYL 2-TOGGLE SW PLT
11706-R0	\$	1.93	LEV 80709-W WHT NYL 2-TOGGLE SW PLT
11707-R0	\$	4.07	LEV 80711-E NYL 3G SWITCH PLT
11708-R0	\$	2.90	LEV 80711-I NYL 3G SWITCH PLT
11709-R0	\$	2.90	LEV 80711-W WHT NYL 3G SWITCH PLT
11710-R0	\$	4.53	LEV 80712-W WHT NYL 4G SWITCH PLT
11711-R0	\$	1.86	LEV 80714-E NYL 1G BLANK PLT
11712-R0	\$	1.59	LEV 80714-I NYL 1G BLANK PLT
11713-R0	\$	1.86	LEV 80714-R NYL 1G BLANK PLT
11714-R0	\$	1.59	LEV 80714-W WHT NYL 1G BLANK PLT
11715-R0	\$	2.72	LEV 80716-E NYL 2G DUPLX PLT
11716-R0	\$	2.26	LEV 80716-I NYL 2G DUPLX PLT
11717-R0	\$	2.72	LEV 80716-R NYL 2G DUPLX PLT
11718-R0	\$	2.26	LEV 80716-W WHT NYL 2G DUPLX PLT
11719-R0	\$	3.22	LEV 80720-I NYL 1G SGL LOCK PLT
11720-R0	\$	3.22	LEV 80720-W WHT NYL 1G SGL LOCK PLT
11721-R0	\$	10.04	LEV 80723-W WHT NYL 5G SWITCH PLT
11722-R0	\$	5.87	LEV 80725-I NYL 2G BLANK PLT
11723-R0	\$	5.87	LEV 80725-W WHT NYL 2G BLANK PLT
11724-R0	\$	8.62	LEV 80726 NYL 2G POWER PLT
11725-R0	\$	8.62	LEV 80726-W WHT NYL 2G POWER PLT
11726-R0	\$	6.79	LEV 80735-W 3G WHT NYL BLANK PLATE
11727-R0	\$	5.28	LEV 80746-I 1DUPLEX/1DECORA NYL WP
11728-R0	\$	5.28	LEV 80746-W 2G WHT NYL COMB PLATE
11729-R0	\$	0.03	LEV 80781-I IV COAX WALL PLT
11730-R0	\$	0.03	LEV 80781-T FLMT 1 F-CONN WLPLT
11731-R0	\$	0.03	LEV 80781-W WHT COAX WALL PLT
11732-R0	\$	19.65	LEV 8215-C BLK HOSP PLUG-N5-15P
11733-R0	\$	44.09	LEV 8300-H 20A 125V HOSP RECP
11734-R0	\$	37.64	LEV 8300-HGY 20A 125V HOSP RECP
11735-R0	\$	37.64	LEV 8300-HI 20A 125V HOSP RECP
11736-R0	\$	44.09	LEV 8300-HR 20A 125V HOSP RECP
11737-R0	\$	44.09	LEV 8300-HW 20A 125V HOSP RECP
11738-R0	\$	64.72	LEV 8300-SGI HG DPLX 20A-125V RCPT
11739-R0	\$	64.72	LEV 8300-SGW HG DPLX 20A-125V RCPT
11740-R0	\$	32.02	LEV 8310-R 20A 125V HOSP RECP
11741-R0	\$	2.93	LEV 84001 1G SS SWITCH PLATE
11742-R0	\$	3.82	LEV 84001-40 1G SS SWITCH PLATE
11743-R0	\$	2.93	LEV 84003 1G SS DPLX RCPT PLATE
11744-R0	\$	3.82	LEV 84003-40 1G SS DPLX RCPT PLATE
11745-R0	\$	3.82	LEV 84004-40 1G SS SGL RCPT PLATE
11746-R0	\$	7.54	LEV 84005 2G SS PLT-1SW&1DPLX RCPT
11747-R0	\$	19.79	LEV 84006-40 SS 1TOG&BLANK PLATE
11748-R0	\$	5.86	LEV 84009 2G SS SWITCH PLATE
11749-R0	\$	7.65	LEV 84009-40 2G SS SWITCH PLATE
11750-R0	\$	8.79	LEV 84011 3G SS SWITCH PLATE
11751-R0	\$	11.47	LEV 84011-40 3G SS SWITCH PLATE
11752-R0	\$	21.22	LEV 84012 4G SS SWITCH PLATE
11753-R0	\$	3.77	LEV 84014 1G SS BLANK PLATE

44625-R0	\$	49.53	DUCT AVERAGING 12 FT COPPER TUBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
11754-R0	\$	4.59	LEV 84014-40 1G SS BLANK PLATE
11755-R0	\$	6.88	LEV 84016 2G SS DPLX RCPT PLATE
11756-R0	\$	8.38	LEV 84016-40 2G SS DPLX RCPT PLATE
11757-R0	\$	10.76	LEV 84020-40 1G SS PLT F/RCPT1.562
11758-R0	\$	10.60	LEV 84025 2G SS BLANK PLATE
11759-R0	\$	12.91	LEV 84025-40 2G SS BLANK PLATE
11760-R0	\$	13.03	LEV 84026 2G SS PLATE FOR RCPT2.109
11761-R0	\$	7.38	LEV 84028 1G SS PLATE FOR RCPT2.109
11762-R0	\$	19.37	LEV 84033-40 3G SS BLANK PLATE
11763-R0	\$	6.41	LEV 84103 1G SS DPLX RCPT PLATE
11764-R0	\$	9.22	LEV 84114 1G SS BLANK PLATE
11765-R0	\$	103.02	LEV 8430 RECEPTACLE 15-30R
11766-R0	\$	6.68	LEV 84401-40 1G SS METAL WALLPLATE
11767-R0	\$	13.37	LEV 84409-40 2G SS METAL WALLPLATE
11768-R0	\$	20.05	LEV 84411-40 3G SS METAL WALLPLATE
11769-R0	\$	20.06	LEV 84455-40 2G COMBO WALLPLATE
11770-R0	\$	134.87	LEV 8452-P ANGLE PLUG 15-50P
11771-R0	\$	165.37	LEV 8460 RECEPTACLE 15-60R
11772-R0	\$	143.76	LEV 8462-P ANGLE PLUG 15-60P
11773-R0	\$	0.82	LEV 85001 1G BRN SWITCH PLATE
11774-R0	\$	0.82	LEV 85003 1G BRN DPLX RCPT PLATE
11775-R0	\$	1.69	LEV 85004 1G BRN SGL RCPT PLATE
11776-R0	\$	1.64	LEV 85005 2G BRN PLT-1SW&1DPLX RCPT
11777-R0	\$	1.64	LEV 85009 2G BRN SWITCH PLATE
11778-R0	\$	1.41	LEV 85014 1G BRN BLANK PLATE
11779-R0	\$	1.93	LEV 85016 2G BRN DPLX RCPT PLATE
11780-R0	\$	0.82	LEV 86001 1G IV SWITCH PLATE
11781-R0	\$	0.82	LEV 86003 1G IV DPLX RCPT PLATE
11782-R0	\$	1.20	LEV 86004 1G IV SGL RCPT PLATE
11783-R0	\$	1.64	LEV 86005 2G IV PLT-1SW&1DPLX RCPT
11784-R0	\$	5.13	LEV 86006 2G IV SW/BLANK PLATE
11785-R0	\$	5.13	LEV 86008 2G IV RCPT/BLANK PLATE
11786-R0	\$	1.64	LEV 86009 2G IV SWITCH PLATE
11787-R0	\$	2.47	LEV 86011 3G IV SWITCH PLATE
11788-R0	\$	9.14	LEV 86012 4G IV SWITCH PLATE
11789-R0	\$	1.20	LEV 86014 1G IV BLANK PLATE
11790-R0	\$	1.64	LEV 86016 2G IV DPLX RCPT PLATE
11791-R0	\$	5.42	LEV 86025 2G IV BLANK PLATE
11792-R0	\$	10.74	LEV 86033 3G IV BLANK PLATE
11793-R0	\$	18.74	LEV 86064 4G IV BLANK PLATE
11794-R0	\$	2.86	LEV 86103 1G IV OVRSZ DPLXRCPT PLT
11795-R0	\$	5.73	LEV 86109 2G IV OVRSZ SWITCH PLATE
11796-R0	\$	7.34	LEV 8681 MOG TO MED LMPHLDR ADAPTER
11797-R0	\$	0.96	LEV 87001 GRY TOGGLE SW PLATE
11798-R0	\$	0.96	LEV 87003 GRY 1G DPLX RCPT PLATE
11799-R0	\$	1.93	LEV 87009 GRY 2TOGGLE SW PLATE
11800-R0	\$	1.41	LEV 87014 GRY 1G BLANK PLATE
11801-R0	\$	5.42	LEV 87025 GRY 2G BLANK PLATE
11802-R0	\$	79.62	LEV 8750 POS ORIENTED LMPHLDR F/MH
11803-R0	\$	58.97	LEV 8756J PULSERATED MOG LMPHLDR
11804-R0	\$	0.82	LEV 88001 1G WHT SWITCH PLATE
11805-R0	\$	0.82	LEV 88003 1G WHT DPLX RCPT PLATE
11806-R0	\$	1.20	LEV 88004 1G WHT SGL RCPT PLATE
11807-R0	\$	1.64	LEV 88005 2G WHT PLT-1SW&1DPLX RCPT

44625-R0	\$	49.53	DUCT AVERAGING 12 FT COPPER TUBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
11808-R0	\$	5.13	LEV 88006 2G WHT PLT SWITCH&BLANK
11809-R0	\$	1.64	LEV 88009 2G WHT SWITCH PLATE
11810-R0	\$	2.47	LEV 88011 3G WHT SWITCH PLATE
11811-R0	\$	7.62	LEV 88012 4G WHT SWITCH PLATE
11812-R0	\$	1.20	LEV 88014 1G WHT BLANK PLATE
11813-R0	\$	1.64	LEV 88016 2G WHT DPLX RCPT PLATE
11814-R0	\$	23.00	LEV 88023 5G WHT SWITCH PLATE
11815-R0	\$	5.42	LEV 88025 2G WHT BLANK PLATE
11816-R0	\$	26.73	LEV 88036 6G WHT SWITCH PLATE
11817-R0	\$	18.74	LEV 88064 4G WHT BLANK PLATE
11818-R0	\$	3.44	LEV 88103 1G WHT OVRSZ DPLXRCPT PLT
11819-R0	\$	10.05	LEV 8827-CW4 PLSTC PULLCHN LMPHLDR
11820-R0	\$	6.53	LEV 8829-CW4 PLSTC KEYLESS LMPHLDR
11821-R0	\$	3.62	LEV 88601 WH IG OVRSZD WP
11822-R0	\$	10.33	LEV 8875 PORC MED SNAPIN LAMPHLDR
11823-R0	\$	61.76	LEV 930 RT ANG PLUG-NEMA5-30P/5-50P
11824-R0	\$	53.03	LEV 931 RT ANG PLUG-NEMA6-30P/6-50P
11825-R0	\$	128.57	LEV 9452-P ANGLE PLUG 14-50P
11826-R0	\$	83.52	LEV 9630-P ANGLE PLUG 6-30P
11827-R0	\$	91.50	LEV 9650-P ANGLE PLUG 6-50P
11828-R0	\$	26.94	LEV 9860-LHG GU24 LMPHLDR/LMP/GUARD
11829-R0	\$	33.68	LEV 9862-PCH CFL PULL CHN FULL KIT
11830-R0	\$	4.87	LEV 9875 PORC KEYLESS LAMPHOLDER
11831-R0	\$	18.18	LEV 9878 PORC LMPHLD W/RCPT
11832-R0	\$	0.67	LEV AFTR1-I 2P 15A 125V GFCI RCP
11833-R0	\$	0.67	LEV AFTR1-W 2P 15A 125V GFCI RCP
11834-R0	\$	0.81	LEV AWSMG-7DW 5A 120-277V DMR
11835-R0	\$	6.04	LEV BR15-I IV DPLX RCPT NEMA5-15R
11836-R0	\$	6.04	LEV BR15-W WHT DPLX NEMA5-15R
11837-R0	\$	3.41	LEV BR20 BRN DPLX RCPT NEMA5-20R
11838-R0	\$	3.41	LEV BR20-E BLK DPLX NEMA5-20R
11839-R0	\$	3.41	LEV BR20-GY GRND DUP RECEPT
11840-R0	\$	3.41	LEV BR20-I IV DPLX RCPT NEMA5-20R
11841-R0	\$	3.41	LEV BR20-T SLF GRND DUPL RECPT
11842-R0	\$	3.41	LEV BR20-W WHT DPLX NEMA5-20R
11843-R0	\$	84.39	LEV C2623 LKG CONN L6-30R
11844-R0	\$	2.86	LEV CR20-GY GRY DPLX RCPT NEMA5-20R
11845-R0	\$	2.86	LEV CR20-I IV DPLX RCPT NEMA5-20R
11846-R0	\$	2.86	LEV CR20-W WHT DPLX RCPT NEMA5-20R
11847-R0	\$	5.51	LEV CS120-2I SP 20A 277V IV SW
11848-R0	\$	5.51	LEV CS120-2W SP 20A 277V WHT SW
11849-R0	\$	8.51	LEV CS320-2I 3WAY 20A 277V IV SW
11850-R0	\$	8.51	LEV CS320-2W 3WAY 20A 277V WHT SW
11851-R0	\$	21.34	LEV CS415-2W 4WAY 15A 277V WHT SW
11852-R0	\$	188.73	LEV CS8364C 50A LKG CONN
11853-R0	\$	145.03	LEV CS8365C 50A LKG PLUG
11854-R0	\$	144.61	LEV CS8369 50A LKG RCPT
11855-R0	\$	0.89	LEV IP710-DLZ ILLUMATECH MARK 7 DMR
11856-R0	\$	1.00	LEV IP710-LFZ 1P 3WAY DIMMER
11857-R0	\$	23.81	LEV M1221-W MODULAR SWITCH WHITE
11858-R0	\$	0.11	LEV M5362-ST 20A COMM DUPLEX RCPT
11859-R0	\$	0.11	LEV M5362-SW 20A COMM DUPLEX RCPT
11860-R0	\$	0.31	LEV M7899-W GFI 20A WHT
11861-R0	\$	0.28	LEV M8300-HR 20A HG DUPLEX RCPT

44625-R0	\$	49.53	DUCT AVERAGING 12 FT COPPER TUBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
11862-R0	\$	0.28	LEV M8300-HW 20A HG DUPLEX RCPT
11863-R0	\$	26.42	LEV ML2-PER 2P3W 15A 125V LKG OUTLT
11864-R0	\$	26.42	LEV ML3-P 3P3W 15A 250V LKG PLUG
11865-R0	\$	0.46	LEV MN789-HGW 20A 125V GFCI RCPT
11866-R0	\$	4.53	LEV MSPSW-SD MOD PLUG TAIL FOR SW
11867-R0	\$	4.53	LEV MSTWL-A LOK WIRING MODULE
11868-R0	\$	6.80	LEV MSTWL-WST 20A WIRING MODULE
11869-R0	\$	0.14	LEV N7599 15A 2P 3WR GFCI RCP
11870-R0	\$	0.14	LEV N7599-I 15A 2P 3WR GFCI RCP
11871-R0	\$	0.14	LEV N7599-W 15A 2P 3WR GFCI RCP
11872-R0	\$	0.16	LEV N7899 20A GFCI RECP
11873-R0	\$	0.16	LEV N7899-E 20A 2P 3WR GFCI RCP
11874-R0	\$	0.16	LEV N7899-GY 20A 2P 3W GFCI RCP
11875-R0	\$	0.43	LEV N7899-HGI HOSP GR 20A GFCI
11876-R0	\$	0.43	LEV N7899-HGR 20A 125V GFCI RCP
11877-R0	\$	0.43	LEV N7899-HGW 20A 125V GFCI RCP
11878-R0	\$	0.16	LEV N7899-I 20A 2P 3WR GFCI RCP
11879-R0	\$	0.28	LEV N7899-R 20A 2P 3WR GFCI RCP
11880-R0	\$	0.16	LEV N7899-T 20A GFCI RECEPTACLE
11881-R0	\$	0.16	LEV N7899-W 20A 125V GFCI RCP
11882-R0	\$	71.39	LEV ODC05-I1W WHT CEILING SENSOR
11883-R0	\$	71.39	LEV ODC05-I7W WHT CEILING SENSOR
11884-R0	\$	43.81	LEV ODS10-IDG INFRA OCCPNCY SNSR
11885-R0	\$	43.81	LEV ODS10-IDI IV INFRA OCPCY SNSR
11886-R0	\$	43.81	LEV ODS10-IDW INFR OCCPNCY SNSOR
11887-R0	\$	46.03	LEV ODS15-IDI IVO IR OCCUPANCY SNSR
11888-R0	\$	46.03	LEV ODS15-IDW WHT IR OCCUPANCY SNSR
11889-R0	\$	57.52	LEV OPP20-D1 20A SENSOR POWER PACK
11890-R0	\$	94.67	LEV OSC10-M0W WHT OCUPANCY SENSOR
11891-R0	\$	129.86	LEV OSC10-RMW 1000SQFT 24V SNSR&RLY
11892-R0	\$	80.93	LEV OSC10-U0W WHT OCC SENSOR
11893-R0	\$	54.92	LEV OSC15-I0W WHT OCC DETECTOR
11894-R0	\$	101.28	LEV OSC20-M0W WHT OCCUPANCY SENSOR
11895-R0	\$	42.25	LEV OSFHU-ITW 360LENS HIBAY W/AISLE
11896-R0	\$	103.28	LEV OSSMT-GDI MULTI-TECH OS SENSOR
11897-R0	\$	103.28	LEV OSSMT-GDW MULTI-TECH OS SENSOR
11898-R0	\$	101.47	LEV OSSMT-MDW WHT WL SWITCH SENSOR
11899-R0	\$	10.38	LEV P38-I IVY 4G WALL PLATE
11900-R0	\$	4.03	LEV PJ126-W 2G WHT 1GFI&1SW PLATE
11901-R0	\$	1.98	LEV PJ13-I WP1 IB PB1/25/100
11902-R0	\$	1.98	LEV PJ13-W 1G WH MIDSZ BLANK PLATE
11903-R0	\$	1.20	LEV PJ1-I WP1 IV PB1/25/100
11904-R0	\$	1.20	LEV PJ1-T 1G NYL MID TGL-T PLT
11905-R0	\$	1.20	LEV PJ1-W WHT MIDWAY SIZED WLPLT
11906-R0	\$	6.34	LEV PJ226-W 3G WH 2-SW&1-GFI PLATE
11907-R0	\$	4.03	LEV PJ23-I 2G IV MIDSZ BLANK PLATE
11908-R0	\$	4.03	LEV PJ23-T MID NY 2G BLANK-A WP
11909-R0	\$	4.03	LEV PJ23-W WP2 WHT PB1/25/100
11910-R0	\$	3.99	LEV PJ262-W WP2 WHT PB1/25/100
11911-R0	\$	6.05	LEV PJ263-T WP3 T PB1/10/050
11912-R0	\$	1.96	LEV PJ26-I 1G IV MIDSZ GFI PLATE
11913-R0	\$	1.96	LEV PJ26-W 1G WHT MIDSZ GFI PLATE
11914-R0	\$	2.39	LEV PJ2-I WP2 IV PB1/25/100
11915-R0	\$	2.39	LEV PJ2-W 2G WH MIDSZ 2-SW PLATE

44625-R0	\$	49.53	DUCT AVERAGING 12 FT COPPER TUBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
11916-R0	\$	3.59	LEV PJ3-I WP3 IV PB1/25/100
11917-R0	\$	3.59	LEV PJ3-T 3G NYL MIDSZ SW PLATE
11918-R0	\$	3.59	LEV PJ3-W 3G WH MIDSZ 3-SW PLATE
11919-R0	\$	4.78	LEV PJ4-I WP4 IV PB1/25/100
11920-R0	\$	2.02	LEV PJ7-I WP1 IV PB1/25/100
11921-R0	\$	2.02	LEV PJ7-W WP1 WHT PB1/25/100
11922-R0	\$	2.37	LEV PJ82-I WP1 IV PB1/25/100
11923-R0	\$	2.37	LEV PJ82-T 2G NYLMIDSZ DPLX PLATE
11924-R0	\$	2.37	LEV PJ82-W 2G WH MIDSZ 2-DUP PLATE
11925-R0	\$	1.18	LEV PJ8-GY WP1 GY PB1/25/100
11926-R0	\$	1.18	LEV PJ8-I 1G DUPLEX PLATE IVORY
11927-R0	\$	1.18	LEV PJ8-T 1G NYL MID DUP-T PLT
11928-R0	\$	1.18	LEV PJ8-W WP1 WHT PB1/25/100
11929-R0	\$	0.32	LEV S1000-PS 6OUT SURGE PROT STRIP
11930-R0	\$	7.46	LEV S126 2G SS TOG/DECORA PLATE
11931-R0	\$	7.46	LEV S1426-N 2G SS BLANK/DECORA PLT
11932-R0	\$	1.60	LEV T5320-I IVY NEMA5-15R DPLX RCPT
11933-R0	\$	1.60	LEV T5320-T ALM NEMA5-15R DPLX RCPT
11934-R0	\$	1.60	LEV T5320-W WHT NEMA5-15R DPLX RCPT
11935-R0	\$	4.84	LEV T5325-W WHT NEMA5-15R DPLX RCPT
11936-R0	\$	0.39	LEV T5630-W TR RECPT USB CHARGER
11937-R0	\$	0.47	LEV T5632-W TR DPLX REC USB CHARGER
11938-R0	\$	6.50	LEV TBR20-I IVY 20A-125V DPLX RCPT
11939-R0	\$	6.50	LEV TBR20-W WHT 20A-125V DPLX RCPT
11940-R0	\$	6.59	LEV W5320-T0W 15A-125V TR DUP RCPT
11941-R0	\$	0.28	LEV WR599-W 15A 125V 2P 3WR GFCI
11942-R0	\$	0.34	LEV WR899-E SLIM NON-TR GFCI
11943-R0	\$	0.34	LEV WR899-W SLIM-LINE GFI WHITE
11944-R0	\$	0.32	LEV WT599-I 15A 125V GFCI
11945-R0	\$	0.32	LEV WT599-W 15A 125V GFCI RCP
11946-R0	\$	0.37	LEV WT899-I 20A 125V 2P 3WR GFCI
11947-R0	\$	0.37	LEV WT899-W 20A GFCI RECEPTACLE
11948-R0	\$	0.45	LEV X7299-PI 15A 125V GFCI RCP
11949-R0	\$	0.27	LEV X7590-I 20A 2P 3WR GFCI RCP
11950-R0	\$	0.27	LEV X7590-W 20A 2P 3WR GFCI RCP
11951-R0	\$	0.21	LEV X7599 BRN 15A-125V GFCI RCPT
11952-R0	\$	0.18	LEV X7599-I IV 15A-125V GFCI RCPT
11953-R0	\$	0.18	LEV X7599-W WHT 15A-125V GFCI RCPT
11954-R0	\$	0.22	LEV X7899-I 20A 125V SLIM TR GFCI
11955-R0	\$	0.22	LEV X7899-W 20A 125V SLIM T-R GFCI
11956-R0	\$	61.75	LUT AY-103P-IV PRESET DIMMER
11957-R0	\$	55.25	LUT AY-10P-IV PRESET DIMMER
11958-R0	\$	20.58	LUT AY-600P-BL 600W BLK S-P DIMMER
11959-R0	\$	20.58	LUT AY-600P-IV PRESET DIMMER
11960-R0	\$	20.58	LUT AY-600P-LA 600W ALM 1P DIMMER
11961-R0	\$	20.58	LUT AY-600P-WH PRESET DIMMER
11962-R0	\$	27.08	LUT AY-603P-IV PRESET DIMMER
11963-R0	\$	27.08	LUT AY-603P-WH PRESET DIMMER
11964-R0	\$	26.65	LUT AYCL-153P-IV 1P&3WY 150W DMR
11965-R0	\$	26.65	LUT AYCL-153P-LA 1P&3WY 150W DMR
11966-R0	\$	26.65	LUT AYCL-153P-WH 120V 60HZ DIMMER
11967-R0	\$	31.42	LUT AYFSQ-F-IV FAN CNTRL IV
11968-R0	\$	33.15	LUT CTCL-153P-WH CONTOUR CFL DMR
11969-R0	\$	5.32	LUT CW-1-IV WALLPLATE

44625-R0	\$	49.53	DUCT AVERAGING 12 FT COPPER TUBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
11970-R0	\$	5.32	LUT CW-1-WH WALLPLATE
11971-R0	\$	10.62	LUT CW-2-WH WALLPLATE
11972-R0	\$	8.23	LUT D-600P-IV SP PUSH DIMMER
11973-R0	\$	33.58	LUT DV-600P-GR 600W INCAN DIMMER
11974-R0	\$	33.58	LUT DV-600P-IV 600W INCAN DIMMER
11975-R0	\$	33.58	LUT DV-600P-WH 600W INCAN DIMMER
11976-R0	\$	40.08	LUT DV-603P-WH 3WY PUSHONOFF DIM
11977-R0	\$	40.08	LUT DVCL-153P-IV SP 3WY IVY BXD DMR
11978-R0	\$	40.08	LUT DVCL-153P-WH SP 3WY WHT BXD DMR
11979-R0	\$	117.00	LUT DVELV-300P-IV 300W 1P IV LV
11980-R0	\$	68.25	LUT DVLV-600P-WH 1P PRESET DIM
11981-R0	\$	140.83	LUT EC3DT442KU1S 42W 1 LMP DMG BLST
11982-R0	\$	140.83	LUT EC3DT4MWKU1S 26/32W T4 1LMP BA
11983-R0	\$	140.83	LUT EC3DT4MWKU2 26-32W 2LMP DMG BLT
11984-R0	\$	140.83	LUT EC3DT4MWKU2S 26-32W 2LP DMG BLT
11985-R0	\$	19.28	LUT FS-5F-IV 5A120V FAN CNTRL
11986-R0	\$	173.33	LUT H3DT832GU210 T8 32W DMG BLST
11987-R0	\$	173.33	LUT H3DT832GU310 T8 32W DMG BLST
11988-R0	\$	92.08	LUT LRF2-OCR2B-P-WH 434MHZ SENSOR
11989-R0	\$	44.97	LUT MA-600-WH 600W INCAN DIMMER
11990-R0	\$	184.17	LUT MRF2-8S-DV-WH 8A DU VOLT SW
11991-R0	\$	53.08	LUT MS-OPS6M2-DV-IV 1P OCC SEN SW
11992-R0	\$	53.08	LUT MS-OPS6M2-DV-WH 1P OCC SEN SW
11993-R0	\$	119.17	LUT MS-Z101-IV 0-10V DIM SNSR
11994-R0	\$	119.17	LUT MS-Z101-LA 0-10V DIM SNSR
11995-R0	\$	119.17	LUT MS-Z101-WH 0-10V DIM SNSR
11996-R0	\$	91.00	LUT N-1000-IV 1000W INCAN DIM
11997-R0	\$	164.67	LUT N-1500-WH 1500W INCAN DIMR
11998-R0	\$	221.00	LUT N-2000-IV 2000W INCAN DIM
11999-R0	\$	37.92	LUT N-600-IV IV 600W DIMMER
12000-R0	\$	30.33	LUT NT-1PS-WH SP20A120V SWITCH
12001-R0	\$	56.33	LUT NT-3PS-WH 3WAY20A120V SWITCH
12002-R0	\$	49.83	LUT NT-600-WH 600W 120V INCN DMR
12003-R0	\$	299.00	LUT NTF-10-277-IV DIMMER CONTROL
12004-R0	\$	299.00	LUT NTF-10-277-WH DIMMER CONTROL
12005-R0	\$	309.83	LUT NTF-103P-277-WH VOLWHITE
12006-R0	\$	186.33	LUT NTF-103P-WH FLUOR DIM 120
12007-R0	\$	175.50	LUT NTF-10-IV 120V DIMMER CNTRL
12008-R0	\$	175.50	LUT NTF-10-WH 120V DIMMER CNTRL
12009-R0	\$	45.63	NORTON NLBK241P PLN 2X4/SIL
12010-R0	\$	16.51	NORTON PCA24110 ACRYL 2X4 PRISMATIC
12011-R0	\$	25.70	NORTON PLA424WH ACRYLIC #14-2448
12012-R0	\$	12.73	NORTON PLP424WH POLYSTYR #24-2448
12013-R0	\$	28.80	PHIL 11A19/END/2700 DIM6/1 WHITE
12014-R0	\$	50.45	PHIL 12BR40/F90/2700/DIM/AF
12015-R0	\$	38.68	PHIL 14.5T8/48-4000 IF 10/1 LAMP
12016-R0	\$	54.54	PHIL 19A21/2700-WHT DIM 6/1 432211
12017-R0	\$	36.02	PHIL 8PAR20/END/F25 3000 DIM6/1
12018-R0	\$	36.02	PHIL 8PAR20/END/F36 2700 DIM 6/1
12019-R0	\$	36.02	PHIL 8PAR20/END/F36 3000 DIM6/1
12020-R0	\$	23.40	PROG P187-TG REMODEL RECESSED CAN
12021-R0	\$	134.91	PROG P2501-30 52" 5 BLADE CEIL FAN
12022-R0	\$	42.39	PROG P2601-30 1LT MED FAN LIGHT KIT
12023-R0	\$	42.03	PROG P8046-28 EYEBALL RECESSED TRIM

44625-R0	\$	49.53	DUCT AVERAGING 12 FT COPPER TUBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
12024-R0	\$	35.10	PROG P8076-28 EYEBALL RECESSED TRIM
12025-R0	\$	21.02	PROG P87-AT AIR TIGHT RECESSED CAN
12026-R0	\$	3.01	P-STRUT PS1000-1 EMT COND CLAMP
12027-R0	\$	2.52	P-STRUT PS1000-1/2 EMT COND CLAMP
12028-R0	\$	4.14	P-STRUT PS1000-1-1/2 EMT COND CLAMP
12029-R0	\$	3.37	P-STRUT PS1000-1-1/4 EMT COND CLAMP
12030-R0	\$	4.37	P-STRUT PS1000-2 EMT COND CLAMP
12031-R0	\$	2.64	P-STRUT PS1000-3/4 EMT COND CLAMP
12032-R0	\$	3.01	P-STRUT PS1100-1 GAL COND CLAMP
12033-R0	\$	2.52	P-STRUT PS1100-1/2 GAL COND CLAMP
12034-R0	\$	4.14	P-STRUT PS1100-1-1/2 GAL COND CLAMP
12035-R0	\$	3.37	P-STRUT PS1100-1-1/4 GAL COND CLAMP
12036-R0	\$	4.37	P-STRUT PS1100-2 GAL COND CLAMP
12037-R0	\$	4.96	P-STRUT PS1100-2-1/2 GAL COND CLAMP
12038-R0	\$	5.42	P-STRUT PS1100-3 GAL COND CLAMP
12039-R0	\$	2.64	P-STRUT PS1100-3/4 GAL COND CLAMP
12040-R0	\$	6.34	P-STRUT PS1100-3-1/2 GAL COND CLAMP
12041-R0	\$	7.09	P-STRUT PS1100-4 GAL COND CLAMP
12042-R0	\$	10.69	P-STRUT PS1100-5 GAL COND CLAMP
12043-R0	\$	12.84	P-STRUT PS1100-6-EG 6GAL CLAMP
12044-R0	\$	3.01	P-STRUT PS1300-1 UNV PIPE CLAMP
12045-R0	\$	2.52	P-STRUT PS1300-1/2 UNV PIPE CLAMP
12046-R0	\$	4.14	P-STRUT PS1300-1-1/2 UNV PIPE CLAMP
12047-R0	\$	2.76	P-STRUT PS1300-1-1/4 UNV PIPE CLAMP
12048-R0	\$	4.37	P-STRUT PS1300-2 UNV PIPE CLAMP
12049-R0	\$	2.64	P-STRUT PS1300-3/4 UNV PIPE CLAMP
12050-R0	\$	0.99	P-STRUT PS146-1/2X10-EG THREADED RD
12051-R0	\$	0.31	P-STRUT PS146-1/4X10-EG THREADED RD
12052-R0	\$	0.49	P-STRUT PS146-3/8X10-EG THREADED RD
12053-R0	\$	10.84	P-STRUT PS2651-T1 BEAM CLP<BC2652
12054-R0	\$	13.09	P-STRUT PS2651-T2-EG BEAM CLAMP
12055-R0	\$	52.01	P-STRUT PS3025-EG POST BASE
12056-R0	\$	57.99	P-STRUT PS3033-EG POST BASE
12057-R0	\$	13.26	P-STRUT PS-3373-EG UNIV ANGLE BRKT
12058-R0	\$	6.25	P-STRUT PS602-EG 3H SPLICE PLATE
12059-R0	\$	3.84	P-STRUT PS603-EG 2H 90D ANGLE
12060-R0	\$	4.10	P-STRUT PS604-EG 2H 90D ANGLE
12061-R0	\$	7.53	P-STRUT PS607-EG 4H 90D ANGLE
12062-R0	\$	1.12	P-STRUT PS-6153-2-WHITE END CAP
12063-R0	\$	28.72	P-STRUT PS616-EG 4H CHNL SPLICE
12064-R0	\$	2.00	P-STRUT PS619-1/2-EG SQ WASH
12065-R0	\$	2.28	P-STRUT PS619-1/4-EG SQ WASH
12066-R0	\$	2.00	P-STRUT PS619-3/8-EG SQ WASH
12067-R0	\$	8.56	P-STRUT PS624-45-EG 2H CLOSE ANGLE
12068-R0	\$	7.72	P-STRUT PS633-45-DEG-EG 2H OPEN ANG
12069-R0	\$	19.15	P-STRUT PS649-1-5/8-EG CHNL SPLCE
12070-R0	\$	9.49	P-STRUT PS660-EG 4H CORNER ANGLE
12071-R0	\$	5.73	P-STRUT PS686-EG BEAM CLAMP
12072-R0	\$	12.86	P-STRUT PS714-EG 4H T PLATE
12073-R0	\$	8.65	P-STRUT PS718-EG 3H L PLATE
12074-R0	\$	16.14	P-STRUT PS719-EG FLAT ANGLE<FP718-1
12075-R0	\$	13.67	P-STRUT PS781-45-DEG-EG 4H OPEN ANG
12076-R0	\$	18.71	P-STRUT PS793-45-DEG-EG 4H CLS ANG
12077-R0	\$	8.25	P-STRUT PS888-EG 4H SPLICE PLATE

44625-R0	\$	49.53	DUCT AVERAGING 12 FT COPPER TUBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
12078-R0	\$	5.60	P-STRUT PS93-3/8-EG C CLAMP
12079-R0	\$	2.87	P-STRUT PSRS-1/2-EG SPRING NUT
12080-R0	\$	2.41	P-STRUT PSRS-1/4-EG SPRING NUT
12081-R0	\$	2.58	P-STRUT PSRS-3/8-EG SPRING NUT
12082-R0	\$	2.68	P-STRUT PS-TG-1/2-EG GRIP NUT
12083-R0	\$	2.87	P-STRUT PSTG-1/4-EG TOP GRIP NUT
12084-R0	\$	2.99	P-STRUT PSTG-3/8-EG TOP GRIP NUT
12085-R0	\$	34.33	RACO 257H 4SQ 11/16 F&H BKT BOX
12086-R0	\$	30.30	RACO 295 4 RND CEILING FAN BOX
12087-R0	\$	56.84	RACO 296-1 4 OCT CEILING FAN BOX
12088-R0	\$	68.70	RACO 299 4X2-1/8D CEILING FAN BOX
12089-R0	\$	22.97	RACO 420 2D SW BOX W/EARS &1/2KO
12090-R0	\$	36.94	RACO 5026-0 1G WP SGL RCPT CVR
12091-R0	\$	26.97	RACO 5027-0 1G WP DPLX RCPT CVR
12092-R0	\$	73.31	RACO 5045-0 2G WP GFCI RCPT CVR
12093-R0	\$	20.34	RACO 5101-0 GFCI RCPT SNAP CVR PLT
12094-R0	\$	18.76	RACO 5103-0 1G WP GFI CVR GRY VERTC
12095-R0	\$	18.24	RACO 5121-0 SP 10A 125V SW&WP CVR
12096-R0	\$	26.46	RACO 5128-0 SP 20A 277VAC SW&WP CVR
12097-R0	\$	15.67	RACO 5146-0 1G WP DPLX RCPT CVR
12098-R0	\$	42.64	RACO 5148-0 2G WP DPLX RCPT CVR
12099-R0	\$	15.14	RACO 5152-0 1G WP SGL RCPT CVR
12100-R0	\$	12.85	RACO 5155-0 1G WP SGL RCPL CVR
12101-R0	\$	4.74	RACO 5173-0 1G WP BLANK CVR GRY
12102-R0	\$	8.05	RACO 5174-0 1G WP BLANK CVR GRY 4H
12103-R0	\$	9.89	RACO 5175-0 2G WP BLANK CVR GRY
12104-R0	\$	13.93	RACO 5180-0 1G WP DPLX RCPT CVR
12105-R0	\$	10.35	RACO 5186-0 1G WP CVR W/1 1/2HUB
12106-R0	\$	15.10	RACO 5189-0 1G WP CVR W/3 1/2HUBS
12107-R0	\$	10.68	RACO 5193-0 1G WP RND CVR 1-HOLE
12108-R0	\$	14.99	RACO 5197-0 1G WP RND CVR 3-HOLES
12109-R0	\$	7.51	RACO 5270-0 3/4 GRY ZINC PLUG 4/BAG
12110-R0	\$	18.00	RACO 5320-0 1G WP BOX W/3 1/2HUBS
12111-R0	\$	21.33	RACO 5321-0 1G WP BOX W/4 1/2HUBS
12112-R0	\$	28.06	RACO 5322-0 1G WP BOX W/5 1/2HUBS
12113-R0	\$	29.68	RACO 5323-0 1G WP BOX W/5 1/2HUBS
12114-R0	\$	19.79	RACO 5324-0 1G WP BOX W/3 3/4HUBS
12115-R0	\$	26.80	RACO 5330-0 1G WP BOX W/4 3/4HUBS
12116-R0	\$	30.27	RACO 5331-0 1G WP BOX W/5 3/4HUBS
12117-R0	\$	36.26	RACO 5332-0 1G WP BOX W/5 3/4 HUBS
12118-R0	\$	34.43	RACO 5333-0 2G WP BOX W/3 1/2HUBS
12119-R0	\$	50.96	RACO 5334-0 2G WP BOX W/5 1/2HUBS
12120-R0	\$	43.77	RACO 5335-0 2G WP BOX W/4 1/2HUBS
12121-R0	\$	48.20	RACO 5337-0 2G WP BOX W/5 1/2HUBS
12122-R0	\$	56.35	RACO 5340-0 2G WP BOX W/7 1/2HUBS
12123-R0	\$	42.57	RACO 5341-0 2G WP BOX W/3 3/4HUBS
12124-R0	\$	53.05	RACO 5342-0 2G WP BOX W/5 3/4HUBS
12125-R0	\$	46.16	RACO 5343-0 2G WP BOX W/4 3/4 HUBS
12126-R0	\$	43.17	RACO 5345-0 2G WP BOX W/5 3/4HUBS
12127-R0	\$	67.26	RACO 5346-0 2G WP BOX W/7 3/4 HUBS
12128-R0	\$	56.94	RACO 5348-0 2G WP BOX W/7 3/4 HUBS
12129-R0	\$	33.57	RACO 5361-0 4IN RND SPLICE BOX GRY
12130-R0	\$	33.57	RACO 5361-1 4IN RND SPLICE BOX WHT
12131-R0	\$	32.95	RACO 5363-0 4IN RND EXT ADPTR

44625-R0	\$	49.53	DUCT AVERAGING 12 FT COPPER TUBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
12132-R0	\$	34.94	RACO 5372-0 4IN RND SPLICE BOX GRY
12133-R0	\$	4.57	RACO 5374-0 4IN ROUND BLANK BOX CVR
12134-R0	\$	37.16	RACO 5385-0 1G WP BOX W/3 1/2HUBS
12135-R0	\$	37.16	RACO 5386-0 1G WP BOX W/3 3/4HUBS
12136-R0	\$	41.37	RACO 5387-0 1G WP BOX W/3 1IN-HUBS
12137-R0	\$	59.96	RACO 5388-0 2G WP BOX W/5 3/4HUBS
12138-R0	\$	63.40	RACO 5389-0 2G WP BOX W/5 1IN-HUBS
12139-R0	\$	32.66	RACO 5399-0 BOX EXT ADPT W/2 1/2HUB
12140-R0	\$	22.52	RACO 5406-0 1G BOX EXT RING
12141-R0	\$	33.20	RACO 5407-0 2G BOX EXT RING
12142-R0	\$	16.56	RACO 5606-0 PAR LAMPHOLDER GRY
12143-R0	\$	39.24	RACO 689 1G 3-1/2 GANGABLE MSNRY BX
12144-R0	\$	90.77	RACO 926-1 1-1/2 OCT BOX CEIL FAN
12145-R0	\$	174.45	RACO 936 1-1/2 OCT BOX CEIL FAN
12155-R0	\$	9.92	AFC 4502-21-01 SOLID 14/3 WHIP 277V
12156-R0	\$	9.92	AFC 4502-30 SOLID 14/3 WHIP 120V
12157-R0	\$	10.53	AFC 4602-30 STRANDED 14/3 WHIP 120V
12158-R0	\$	10.53	AFC 4602-30-01 STRND 14/3 WHIP 277V
12159-R0	\$	10.53	AFC 4602-30-02-OR-GRY-GRN WHIP 277V
12160-R0	\$	10.53	AFC 4602-30-03-YL-GRY-GRN WHIP 277V
12161-R0	\$	11.53	AFC 4603-21-01 STRND 14/4 WHIP 277V
12162-R0	\$	11.53	AFC 4603-30 STRANDED 14/4 WHIP 120V
12163-R0	\$	0.58	AFC 6002-30 1/2"NM L/T FLEX 100'BOX
12164-R0	\$	0.65	AFC 6002-60 1/2"NM L/T FLEX 1000'R
12165-R0	\$	0.80	AFC 6003-30 3/4"NM L/T FLEX 100'BOX
12166-R0	\$	0.80	AFC 6003-46 3/4"NM L/T FLEX 700'RL
12167-R0	\$	1.28	AFC 6004-30 1"NM L/T FLEX 100'BOX
12168-R0	\$	1.28	AFC 6004-45 1"NM L/T FLEX 500'REEL
12169-R0	\$	1.90	AFC 6005-24 1-1/4"NM L/T FLEX 50'BX
12170-R0	\$	2.36	AFC 6006-24 1-1/2"NM L/T FLEX 50'BX
12171-R0	\$	3.25	AFC 6007-24 2"NM L/T FLEX PVC 50'BX
12172-R0	\$	0.67	AFC 6101-30 3/8SEALTITE EF/UA 100'
12173-R0	\$	0.77	AFC 6102-30 1/2SEALTITE EF 100'BOX
12174-R0	\$	0.77	AFC 6102-45 1/2"SEALTITE EF 500'RL
12175-R0	\$	1.00	AFC 6103-30 3/4SEALTITE EF 100'BOX
12176-R0	\$	1.00	AFC 6103-45 3/4"SEALTITE EF 500'RL
12177-R0	\$	1.47	AFC 6104-30 1 SEALTITE EF 100'BOX
12178-R0	\$	1.47	AFC 6104-41 1"SEALTITE EF 400'REEL
12179-R0	\$	1.90	AFC 6105-24 1-1/4SEALTITE EF 50'BX
12180-R0	\$	1.90	AFC 6105-40 1-1/4"SEALTITE EF 200'R
12181-R0	\$	3.59	AFC 6106- 1-1/2"SEALTITE EF 150'R
12182-R0	\$	3.59	AFC 6106-24 1-1/2SEALTITE EF 50'BX
12183-R0	\$	4.14	AFC 6107- 2" SEALTITE EF 100'REEL
12184-R0	\$	4.14	AFC 6107-24 2 SEALTITE EF 50'BOX
12185-R0	\$	7.73	AFC 6108- 2-1/2"SEALTITE EF 275'R
12186-R0	\$	7.73	AFC 6108-22 2-1/2SEALTITE EF 25'BX
12187-R0	\$	9.49	AFC 6109- 3" SEALTITE EF 100'REEL
12188-R0	\$	15.35	AFC 6110-30 4"SEALTITE EF 100'REEL
12189-R0	\$	0.98	AFC 6201-30 3/8 SEALTITE UL 100'
12190-R0	\$	1.31	AFC 6202-30 1/2SEALTITE UL 100'BOX
12191-R0	\$	1.31	AFC 6202-60 1/2"SEALTITE UL 1000'RL
12192-R0	\$	1.79	AFC 6203-30 3/4SEALTITE UL 100'BOX
12193-R0	\$	1.79	AFC 6203-45 3/4" SEALTITE UL 500'R
12194-R0	\$	3.35	AFC 6204-30 1 SEALTITE UL 100'

44625-R0	\$	49.53	DUCT AVERAGING 12 FT COPPER TUBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
12195-R0	\$	3.35	AFC 6204-41 1"SEALTITE UL 400'REEL
12196-R0	\$	4.86	AFC 6205-24 1-1/4SEALTITE UL 50'BX
12197-R0	\$	4.86	AFC 6205-40 1-1/4"SEALTITE UL 200'R
12198-R0	\$	4.38	AFC 6206-24 1-1/2SEALTITE UL 50'BX
12199-R0	\$	5.74	AFC 6207-24 2SEALTITE UL 50'BOX
12200-R0	\$	5.74	AFC 6207-30 2"SEALTITE UL 100'REEL
12201-R0	\$	9.75	AFC 6208-22 2-1/2SEALTITE UL 25'BX
12202-R0	\$	11.51	AFC 6209-22 3"SEALTITE UL 25' BOX
12203-R0	\$	11.51	AFC 6209-30 3 SEALTITE UL 100'REEL
12204-R0	\$	18.19	AFC 6210-30 4 SEALTITE UL 100'REEL
12205-R0	\$	1.90	AFC 6403-45-00 3/4" UL BLUE 500'
12206-R0	\$	5.50	AFC 6502-30-00 1/2 UL ORANGE NM
12207-R0	\$	7.83	AFC 6503-30-00 3/4"ORANGE TYPE A NM
12208-R0	\$	0.53	AFC AFC-50 1/2 CONNECTOR(MAFC50)
12209-R0	\$	1.82	ALU 050CP 1/2 ALUM COUPLINGS
12210-R0	\$	7.78	ALU 07590 3/4"X90@ ALUM. ELBOW
12211-R0	\$	2.76	ALU 075CP 3/4 ALUM COUPLINGS
12212-R0	\$	10.22	ALU 10090 1" 90@ ALUM.ELBOW
12213-R0	\$	3.43	ALU 100CP 1" ALUM COUPLINGS
12214-R0	\$	15.31	ALU 12590 11/4" 90@ ALUM.ELBOW
12215-R0	\$	3.95	ALU 125CP 11/4" ALUM COUPLINGS
12216-R0	\$	20.37	ALU 15090 1-1/2"X90@ ALUM.ELBO
12217-R0	\$	4.59	ALU 150CP 11/2" ALUM COUPLINGS
12218-R0	\$	29.99	ALU 20090 2"X90@ ALUM. ELBOW
12219-R0	\$	6.50	ALU 200CP 2" ALUM COUPLINGS
12220-R0	\$	53.72	ALU 25090 21/2"X90@ ALUM ELBOW
12221-R0	\$	82.98	ALU 30090 3"X90@ ALUM. ELBOW
12222-R0	\$	20.37	ALU 300CP 3" ALUM COUPLINGS
12223-R0	\$	153.44	ALU 40090 4"X90@ ALUM. ELBOW
12224-R0	\$	33.69	ALU 400CP 4" ALUM COUPLINGS
12225-R0	\$	0.78	CONDUIT 1" EMT PIPE 10'
12226-R0	\$	2.19	CONDUIT 1" GALV-STEEL-PIPE
12227-R0	\$	1.58	CONDUIT 1" INTERMEDIATE-METAL-PIPE
12228-R0	\$	1.01	CONDUIT 1/2 ALUMINUM RIGID
12229-R0	\$	0.28	CONDUIT 1/2" EMT PIPE 10'
12230-R0	\$	1.42	CONDUIT 1/2"GALV-STEEL-PIPE 10'
12231-R0	\$	0.89	CONDUIT 1/2"INTERMEDIATE-METAL-PIPE
12232-R0	\$	3.20	CONDUIT 1-1/2 ALUMINUM RIGID
12233-R0	\$	1.56	CONDUIT 1-1/2" EMT PIPE 10'
12234-R0	\$	3.51	CONDUIT 1-1/2" GALV-STEEL-PIPE
12235-R0	\$	2.67	CONDUIT 1-1/2"INTERMEDIATE-METAL
12236-R0	\$	2.59	CONDUIT 1-1/4 ALUMINUM RIGID
12237-R0	\$	1.27	CONDUIT 1-1/4" EMT PIPE 10'
12238-R0	\$	3.11	CONDUIT 1-1/4" GALV-STEEL-PIPE 10'
12239-R0	\$	2.15	CONDUIT 1-1/4"INTERMEDIATE-METAL
12240-R0	\$	1.97	CONDUIT 1-IN ALUMINUM RIGID
12241-R0	\$	1.86	CONDUIT 2" EMT PIPE 10'
12242-R0	\$	4.34	CONDUIT 2" GALV-STEEL-PIPE
12243-R0	\$	3.39	CONDUIT 2" INTERMEDIATE-METAL-PIPE
12244-R0	\$	6.77	CONDUIT 2-1/2 ALUMINUM RIGID
12245-R0	\$	2.67	CONDUIT 2-1/2" EMT PIPE 10'
12246-R0	\$	8.10	CONDUIT 2-1/2"GALV-STEEL-PIPE
12247-R0	\$	6.63	CONDUIT 2-1/2"INTERMEDIATE-METAL
12248-R0	\$	4.28	CONDUIT 2-IN ALUMINUM RIGID

44625-R0	\$	49.53	DUCT AVERAGING 12 FT COPPER TUBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
12249-R0	\$	3.42	CONDUIT 3" EMT PIPE 10'
12250-R0	\$	9.25	CONDUIT 3" GALV-STEEL-PIPE
12251-R0	\$	8.74	CONDUIT 3" INTERMEDIATE-METAL-PIPE
12252-R0	\$	1.35	CONDUIT 3/4 ALUMINUM RIGID
12253-R0	\$	0.46	CONDUIT 3/4" EMT PIPE 10'
12254-R0	\$	1.47	CONDUIT 3/4" GALV-STEEL-PIPE 10'
12255-R0	\$	1.05	CONDUIT 3/4"INTERMEDIATE-METAL-PIPE
12256-R0	\$	0.52	CONDUIT 3/4"-R RED EMT PIPE 10'
12257-R0	\$	4.47	CONDUIT 3-1/2" EMT PIPE 10'
12258-R0	\$	12.03	CONDUIT 3-1/2" GALV-STEEL-PIPE
12259-R0	\$	8.89	CONDUIT 3-IN ALUMINUM RIGID
12260-R0	\$	4.61	CONDUIT 4" EMT PIPE 10'
12261-R0	\$	12.77	CONDUIT 4" GALV-STEEL-PIPE 10'
12262-R0	\$	12.65	CONDUIT 4-IN ALUMINUM RIGID
12263-R0	\$	12.74	CONDUIT 5" INTERMEDIATE-METAL-PIPE
12264-R0	\$	1.38	COR 102HC SOLID 250' BLK-WHT-GRN
12265-R0	\$	1.11	COR 102MC SOLID 250' BLK-WHT-GRN
12266-R0	\$	1.11	COR 102MC SOLID 250' BRN-GRY-GRN
12267-R0	\$	1.28	COR 102MC STRANDED 250' BLK-WHT-GRN
12268-R0	\$	1.56	COR 103MC SOLID 250' BLK-WH-RED-GRN
12269-R0	\$	1.56	COR 103MC SOLID 250'BRN-GRY-OR-GRN
12270-R0	\$	2.45	COR 104MC SOLID 250'BK-WH-RD-BL-GRN
12271-R0	\$	0.83	COR 122HC SOLID 250' BLK-WHT-GRN
12272-R0	\$	0.83	COR 122HC SOLID 250' BRN-GRY-GRN
12273-R0	\$	1.01	COR 122HC STRANDED 250' BLK-WHT-GRN
12274-R0	\$	0.50	COR 122MC SOLID 250' BLK-WHT-GRN
12275-R0	\$	0.50	COR 122MC SOLID 250' BRN-GRY-GRN
12276-R0	\$	0.63	COR 122MC STRANDED 250' BLK-WHT-GRN
12277-R0	\$	0.63	COR 122MC STRANDED 250' BRN-GRY-GRN
12278-R0	\$	0.63	COR 122MC STRANDED 250' ORG-GRY-GRN
12279-R0	\$	0.63	COR 122MC STRANDED 250' YEL-GRY-GRN
12280-R0	\$	0.51	COR 122MC1000 SOL 1000' BLK-WHT-GRN
12281-R0	\$	0.51	COR 122MC1000 SOL 1000' BRN-GRY-GRN
12282-R0	\$	0.64	COR 122MC1000 STR 1000' BLK-WHT-GRN
12283-R0	\$	1.23	COR 123HC SOLID 250'BLK-WHT-RED-GRN
12284-R0	\$	1.23	COR 123HC SOLID 250'BRN-GRY-ORN-GRN
12285-R0	\$	0.86	COR 123MC SOLID 250'BLK-WHT-RED-GRN
12286-R0	\$	0.86	COR 123MC SOLID 250'BRN-GRY-ORN-GRN
12287-R0	\$	0.98	COR 123MC STR 250'BLK-WHT-RED-GRN
12288-R0	\$	0.98	COR 123MC STR 250'BRN-ORG-GRY-GRN
12289-R0	\$	0.87	COR 123MC1000 SOLID BLK-WHT-RED-GRN
12290-R0	\$	1.21	COR 124MC SOLID 250'BK-WH-BL-RD-GRN
12291-R0	\$	1.21	COR 124MC SOLID 250'BR-GY-OR-YL-GRN
12292-R0	\$	1.39	COR 124MC STRD 250' BK-WH-BL-RD-GRN
12293-R0	\$	0.50	COR 142MC SOLID 250' BLK-WHT-GRN
12294-R0	\$	0.81	COR 143MC SOLID 250' BLK-WHT-GRN
12295-R0	\$	2.90	COR 63MC STR 125' BLK-WHT-RED-GRN
12296-R0	\$	1.43	COR 82MC STR 200' BLK-WHT-GRN
12297-R0	\$	1.92	COR 83MC STR 200' BLK-WHT-RED-GRN
12298-R0	\$	2.53	EMT 05090 1/2"EMT @90 ELBOW
12299-R0	\$	2.78	EMT 07590 3/4"EMT @90 ELBOW
12300-R0	\$	4.23	EMT 10090 1" EMT @90 ELBOW
12301-R0	\$	5.25	EMT 12530 1-1/4"EMT @30 ELBOW
12302-R0	\$	5.25	EMT 12545 1-1/4"EMT @45 ELBOW

44625-R0	\$	49.53	DUCT AVERAGING 12 FT COPPER TUBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
12303-R0	\$	5.25	EMT 12590 1-1/4"EMT 90@ ELBOW
12304-R0	\$	6.10	EMT 15015 1-1/2"EMT @15 ELBOW
12305-R0	\$	6.10	EMT 15030 1-1/2"EMT @30 ELBOW
12306-R0	\$	6.10	EMT 15045 1-1/2"EMT @45 ELBOW
12307-R0	\$	6.10	EMT 15090 1-1/2"EMT @90 ELBOW
12308-R0	\$	8.96	EMT 20015 2" EMT @15 ELBOW
12309-R0	\$	8.96	EMT 20030 2" EMT @30 ELBOW
12310-R0	\$	8.96	EMT 20045 2"EMT @45 ELBOW
12311-R0	\$	8.96	EMT 20090 2"EMT @90 ELBOW
12312-R0	\$	20.64	EMT 25015 2-1/2" EMT @15 ELBOW
12313-R0	\$	20.64	EMT 25030 2-1/2" EMT @30 ELBOW
12314-R0	\$	20.64	EMT 25045 2-1/2"EMT @45 ELBOW
12315-R0	\$	20.64	EMT 25090 2-1/2"EMT @90 ELBOW
12316-R0	\$	30.78	EMT 30015 3" EMT @15 ELBOW
12317-R0	\$	30.78	EMT 30030 3" EMT @30 ELBOW
12318-R0	\$	30.78	EMT 30045 3" EMT @45 ELBOW
12319-R0	\$	30.78	EMT 30090 3" EMT @90 ELBOW
12320-R0	\$	41.25	EMT 35090 3-1/2"EMT @90 ELBOW
12321-R0	\$	48.53	EMT 40015 4" EMT @15 ELBOW
12322-R0	\$	48.53	EMT 40022 22.5 DEG ELBOW
12323-R0	\$	48.53	EMT 40030 4" EMT @30 ELBOW
12324-R0	\$	48.53	EMT 40045 4" EMT @45 ELBOW
12325-R0	\$	48.53	EMT 40090 4" EMT @90 ELBOW
12326-R0	\$	4.95	GAL 05090 1/2"GAL @90 ELBOW
12327-R0	\$	1.22	GAL 050CP 1/2" GALV COUPLING
12328-R0	\$	5.17	GAL 07590 3/4"GAL @90 ELBOW
12329-R0	\$	1.50	GAL 075CP 3/4" GALV COUPLING
12330-R0	\$	7.92	GAL 10090 1"GAL @90 ELBOW
12331-R0	\$	2.22	GAL 100CP 1" GALV COUPLING
12332-R0	\$	10.87	GAL 12590 1-1/4"GAL @90 ELBOW
12333-R0	\$	2.78	GAL 125CP 11/4" GALV COUPLING
12334-R0	\$	13.48	GAL 15090 1-1/2"GAL @90 ELBOW
12335-R0	\$	3.61	GAL 150CP 11/2" GALV COUPLING
12336-R0	\$	19.46	GAL 20045 2" GAL @45 ELBOW
12337-R0	\$	19.46	GAL 20090 2" GAL @90 ELBOW
12338-R0	\$	4.64	GAL 200CP 2" GALV COUPLING
12339-R0	\$	34.06	GAL 25090 2-1/2"GAL @90 ELBOW
12340-R0	\$	11.48	GAL 250CP 21/2" GALV COUPLING
12341-R0	\$	47.24	GAL 30045 3" GAL @45 ELBOW
12342-R0	\$	47.24	GAL 30090 3" GAL @90 ELBOW
12343-R0	\$	14.86	GAL 300CP 3" GALV COUPLING
12344-R0	\$	74.73	GAL 35090 3-1/2"GAL @90 ELBOW
12345-R0	\$	19.93	GAL 350CP 31/2" GALV COUPLING
12346-R0	\$	82.77	GAL 40090 4" GAL @90 ELBOW
12347-R0	\$	217.79	GAL 4009036 4"X90@ GAL 36"RAD
12348-R0	\$	20.62	GAL 400CP 4" GALV COUPLING
12349-R0	\$	0.49	GFA 038 3/8" ALUM FLEX 100'COIL
12350-R0	\$	0.56	GFA 050 1/2 ALUM FLEX 100'COIL
12351-R0	\$	0.56	GFA 0501000 1/2ALUM FLEX 1000'REEL
12352-R0	\$	0.77	GFA 075 3/4 GREENFIELD ALUM 100'
12353-R0	\$	0.77	GFA 0751000 3/4ALUM FLEX 1000'REEL
12354-R0	\$	1.46	GFA 100 1 ALUM FLEX 50'COIL
12355-R0	\$	1.46	GFA 100300 1" ALUM FLEX 300'REEL
12356-R0	\$	2.03	GFA 125 1-1/4 ALUM FLEX 50'COIL

44625-R0	\$	49.53	DUCT AVERAGING 12 FT COPPER TUBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
12357-R0	\$	2.03	GFA 125200 1-1/4" ALUM FLX 200'REEL
12358-R0	\$	2.91	GFA 150 1-1/2 ALUM FLEX 25'COIL
12359-R0	\$	3.71	GFA 200 2 ALUM FLEX 25'COIL
12360-R0	\$	4.77	GFA 250 2-1/2 ALUM FLEX 25'COIL
12361-R0	\$	7.80	GFA 300 3 ALUM FLEX 25'COIL
12362-R0	\$	9.01	GFA 350 3-1/2 ALUM FLEX 25' COIL
12363-R0	\$	10.03	GFA 400 4 ALUM FLEX 25'COIL
12364-R0	\$	0.58	GFS 050 1/2 GREENFIELD STEEL 100'
12365-R0	\$	0.79	GFS 075 3/4" GREENFIELD STEEL 100'
12366-R0	\$	5.40	NIP 05012 1/2X12 IN GALV NIPPL
12367-R0	\$	1.12	NIP 050150 1/2X1-1/2 IN GALV N
12368-R0	\$	1.27	NIP 050200 1/2X2 IN GALV NIPPL
12369-R0	\$	1.37	NIP 050250 1/2X21/2 IN GALV NI
12370-R0	\$	1.48	NIP 050300 1/2X3 IN GALV NIPPL
12371-R0	\$	1.76	NIP 050400 1/2X4 IN GALV NIPPL
12372-R0	\$	2.35	NIP 050600 1/2X6 IN GALV NIPPL
12373-R0	\$	0.94	NIP 050CL 1/2XCLOSE IN GALV NI
12374-R0	\$	6.12	NIP 07512 3/4"X12" GALV NIPPLES
12375-R0	\$	1.39	NIP 075150 3/4X11/2 IN GALV NI
12376-R0	\$	1.43	NIP 075200 3/4X2 IN GALV NIPPL
12377-R0	\$	1.73	NIP 075300 3/4X3 IN GALV NIPPL
12378-R0	\$	2.05	NIP 075400 3/4X4 IN GALV NIPPL
12379-R0	\$	2.75	NIP 075600 3/4X6 IN GALV NIPPL
12380-R0	\$	1.21	NIP 075CL 3/4XCLOSE IN GALV NI
12381-R0	\$	8.41	NIP 10012 1"X 12" GALV NIPPLES
12382-R0	\$	1.99	NIP 100200 1X2 IN GALV NIPPLES
12383-R0	\$	2.41	NIP 100300 1X3 IN GALV NIPPLES
12384-R0	\$	2.94	NIP 100400 1X4 IN GALV NIPPLES
12385-R0	\$	3.64	NIP 100600 1X6 IN GALV NIPPLES
12386-R0	\$	1.81	NIP 100CL 1XCLOSE IN GALV NIPP
12387-R0	\$	11.26	NIP 12512 1-1/4X12" COND NIP GAL
12388-R0	\$	2.53	NIP 125200 11/4X2 IN GALV NIPP
12389-R0	\$	2.99	NIP 125300 11/4X3 IN GALV NIPP
12390-R0	\$	3.60	NIP 125400 11/4X4 IN GALV NIPP
12391-R0	\$	4.69	NIP 125600 11/4X6 IN GALV NIPP
12392-R0	\$	2.36	NIP 125CL 1-1/4XCLOSE IN GALV N
12393-R0	\$	12.56	NIP 15012 1-1/2 X 12" GAL NIPPLE
12394-R0	\$	3.65	NIP 150300 11/2X3 IN GALV NIPP
12395-R0	\$	4.56	NIP 150400 11/2X4 IN GALV NIPP
12396-R0	\$	6.29	NIP 150600 11/2X6 IN GALV NIPP
12397-R0	\$	2.84	NIP 150CL 11/2XCLOSE IN GALV N
12398-R0	\$	15.62	NIP 20012 2X12 GALV NIPPLE
12399-R0	\$	4.74	NIP 200300 2X3 IN GALV NIPPLES
12400-R0	\$	5.66	NIP 200400 2" X 4"GALV NIPPLES
12401-R0	\$	6.95	NIP 200500 2X5 IN GALV NIPPLES
12402-R0	\$	7.94	NIP 200600 2X6 IN GALV NIPPLES
12403-R0	\$	3.49	NIP 200CL 2XCLOSE IN GALV NIPP
12404-R0	\$	28.84	NIP 25012 2-1/2"X 12" GALV NIPPLE
12405-R0	\$	12.10	NIP 250400 2-1/2X 4" GAL NIPPL
12406-R0	\$	16.24	NIP 250600 2-1/2X 6" GAL NIPPL
12407-R0	\$	9.67	NIP 250CL 21/2XCLOSE IN GALV N
12408-R0	\$	36.44	NIP 30012 3X12 IN GALV NIPPLES
12409-R0	\$	14.70	NIP 300400 3 X 4"
12410-R0	\$	19.51	NIP 300600 3X6 IN GALV NIPPLES

44625-R0	\$	49.53	DUCT AVERAGING 12 FT COPPER TUBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
12411-R0	\$	11.35	NIP 300CL 3XCLOSE IN GALV NIPP
12412-R0	\$	48.20	NIP 40012 4"X12" GALV NIPPLES
12413-R0	\$	20.09	NIP 400400 4X4 IN GALV NIPPLES
12414-R0	\$	26.31	NIP 400600 4X6 IN GALV NIPPLES
12415-R0	\$	16.51	NIP 400CL 4XCLOSE GALV NIPPLE
12416-R0	\$	0.37	PVC 05045 1/2 45D SCHED-40 ELBOW
12417-R0	\$	0.39	PVC 05090 1/2 90D SCHED-40 ELBOW
12418-R0	\$	0.11	PVC 050-CP 1/2 SCH40 PVC COUPLING
12419-R0	\$	20.91	PVC 050EXCP 1/2 PVC EXPANSION CPLG
12420-R0	\$	0.17	PVC 050-FA 1/2 PVC FEMALE ADAPTER
12421-R0	\$	9.01	PVC 050FSC 1/2 1G PVC FSC BOX
12422-R0	\$	2.27	PVC 050-LB 1/2 TYPE-LB PVC FTG
12423-R0	\$	0.26	PVC 050S 1/2 2H PVC COND CLMP
12424-R0	\$	0.15	PVC 050-TA 1/2 PVC TERM ADAPTER
12425-R0	\$	0.41	PVC 07545 3/4 45D SCHED-40 ELBOW
12426-R0	\$	0.88	PVC 07550RED 3/4X1/2 PVC REDUCER
12427-R0	\$	3.54	PVC 0759080 3/4-IN SCHED-80 90D ELL
12428-R0	\$	0.88	PVC 075-BA 3/4 PVC BOX ADAPTER
12429-R0	\$	3.74	PVC 075-C 3/4 TYPE-C PVC FTG
12430-R0	\$	0.13	PVC 075-CP 3/4 SCH40 PVC COUPLING
12431-R0	\$	2.03	PVC 075-EB 3/4 PVC END BELL
12432-R0	\$	1.16	PVC 075-EC 3/4 PVC END CAP
12433-R0	\$	21.01	PVC 075EXCP 3/4 2pc EXPANSION CPLG
12434-R0	\$	0.28	PVC 075-FA 3/4 PVC FEMALE ADAPTER
12435-R0	\$	9.86	PVC 075FSC 3/4 1G PVC FSC BOX<59247
12436-R0	\$	2.91	PVC 075-LB 3/4 TYPE-LB PVC FTG
12437-R0	\$	3.49	PVC 075-LL 3/4 TYPE-LL PVC FTG
12438-R0	\$	3.27	PVC 075-LR 3/4 TYPE-LR PVC FTG
12439-R0	\$	0.34	PVC 075S 3/4 2H PVC COND CLMP
12440-R0	\$	3.85	PVC 075SEC 3/4 PVC SVC-ENT CAP
12441-R0	\$	4.49	PVC 075-T 3/4 TYPE-T PVC FTG
12442-R0	\$	0.26	PVC 075-TA 3/4 PVC TERM ADAPTER
12443-R0	\$	0.25	PVC 1/2-PVC-SCHED-40 CONDUIT 10'
12444-R0	\$	0.37	PVC 1/2-PVC-SCHED-80 CONDUIT 10'
12445-R0	\$	0.65	PVC 10045 1-IN 45D SCHED-40 ELBOW
12446-R0	\$	2.03	PVC 10075R 1X3/4 PVC REDUCER
12447-R0	\$	0.69	PVC 10090 1-IN 90D SCHED-40 ELBOW
12448-R0	\$	4.60	PVC 1009080 1-IN SCHED-80 90D ELBOW
12449-R0	\$	0.95	PVC 100-BA 1-IN PVC BOX ADAPTER
12450-R0	\$	5.69	PVC 100-C 1-IN TYPE-C PVC FTG
12451-R0	\$	0.21	PVC 100-CP 1-IN SCH40 PVC COUPLING
12452-R0	\$	2.40	PVC 100-EB 1-IN PVC END BELL
12453-R0	\$	1.24	PVC 100-EC 1-IN PVC END CAP
12454-R0	\$	21.84	PVC 100EXCP 1-IN PVC EXPANSION CPLG
12455-R0	\$	0.37	PVC 100-FA 1-IN PVC FEMALE ADAPTER
12456-R0	\$	3.42	PVC 100-LB 1-IN TYPE-LB PVC FTG
12457-R0	\$	3.59	PVC 100-LL 1-IN TYPE-LL PVC FTG
12458-R0	\$	0.38	PVC 100S 1-IN 2H PVC COND CLMP
12459-R0	\$	5.24	PVC 100-SEC 1-IN PVC SVC-ENT CAP
12460-R0	\$	4.71	PVC 100-T 1-IN TYPE-T PVC FTG
12461-R0	\$	0.33	PVC 100-TA 1-IN PVC TERM ADAPTER
12462-R0	\$	0.72	PVC 1-1/2-PVC-SCHED-40 CONDUIT 10'
12463-R0	\$	1.07	PVC 1-1/2-PVC-SCHED-80 CONDUIT 10'
12464-R0	\$	0.63	PVC 1-1/4-PVC-SCHED-40 CONDUIT 10'

44625-R0	\$	49.53	DUCT AVERAGING 12 FT COPPER TUBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
12465-R0	\$	0.90	PVC 1-1/4-PVC-SCHED-80 CONDUIT 10'
12466-R0	\$	48.00	PVC 12124 12X12X4 PVC JUNCTION BOX
12467-R0	\$	49.25	PVC 12126 12X12X6 PVC JUNCTION BOX
12468-R0	\$	2.64	PVC 125100R 1-1/4X1 PVC REDUCER
12469-R0	\$	0.90	PVC 12545 1-1/4 45D SCHED-40 ELBOW
12470-R0	\$	0.99	PVC 12590 1-1/4 90D SCHED-40 ELBOW
12471-R0	\$	1.01	PVC 125-BA 1-1/4 PVC BOX ADAPTER
12472-R0	\$	0.28	PVC 125-CP 1-1/4 SCH40 PVC COUPLING
12473-R0	\$	2.95	PVC 125-EB 1-1/4 PVC END BELL
12474-R0	\$	22.51	PVC 125EXCP 1-1/4 PVC EXPANSON CPLG
12475-R0	\$	0.50	PVC 125-FA 1-1/4 PVC FEMALE ADAPTER
12476-R0	\$	4.88	PVC 125-LB 1-1/4 TYPE-LB PVC FTG
12477-R0	\$	4.85	PVC 125-OFF 1-1/4 PVC METER OFFSET
12478-R0	\$	0.45	PVC 125S 1-1/4 2H PVC COND CLMP
12479-R0	\$	5.82	PVC 125-SEC 1-1/4 PVC SVC-ENT CAP
12480-R0	\$	0.42	PVC 125-TA 1-1/4 PVC TERM ADAPTER
12481-R0	\$	1.23	PVC 15045 1-1/2 45D SCHED-40 ELBOW
12482-R0	\$	1.32	PVC 15090 1-1/2 90D SCHED-40 ELBOW
12483-R0	\$	0.39	PVC 150-CP 1-1/2 SCH40 PVC COUPLING
12484-R0	\$	3.10	PVC 150-EB 1-1/2 PVC END BELL
12485-R0	\$	2.35	PVC 150-EC 1-1/2 PVC END CAP
12486-R0	\$	22.84	PVC 150EXCP 1-1/2 PVC EXPANSON CPLG
12487-R0	\$	0.53	PVC 150-FA 1-1/2 PVC FEMALE ADAPTER
12488-R0	\$	5.88	PVC 150-LB 1-1/2 TYPE-LB PVC FTG
12489-R0	\$	0.49	PVC 150S 1-1/2 2H PVC COND CLMP
12490-R0	\$	8.04	PVC 150-SEC 1-1/2 PVC SVC-ENT CAP
12491-R0	\$	9.95	PVC 150-T 1-1/2 TYPE-T PVC FTG
12492-R0	\$	0.51	PVC 150-TA 1-1/2 PVC TERM ADAPTER
12493-R0	\$	0.43	PVC 1-IN-PVC-SCHED-40 CONDUIT 10'
12494-R0	\$	0.68	PVC 1-IN-PVC-SCHED-80 CONDUIT 10'
12495-R0	\$	3.27	PVC 200150R 2X1-1/2 PVC REDUCER
12496-R0	\$	1.70	PVC 20045 2-IN 45D SCHED-40 ELBOW
12497-R0	\$	1.81	PVC 20090 2-IN 90D SCHED-40 ELBOW
12498-R0	\$	12.74	PVC 2009036 2-IN 36RAD 90D SCH40 EL
12499-R0	\$	12.44	PVC 2009080 2-IN SCHED-80 90D ELL
12500-R0	\$	0.51	PVC 200-CP 2-IN SCH40 PVC COUPLING
12501-R0	\$	4.43	PVC 200-EB 2-IN PVC END BELL
12502-R0	\$	3.11	PVC 200-EC 2-IN PVC END CAP
12503-R0	\$	22.97	PVC 200EXCP 2-IN PVC EXPANSION CPLG
12504-R0	\$	0.72	PVC 200-FA 2-IN PVC FEMALE ADAPTER
12505-R0	\$	10.40	PVC 200-LB 2-IN TYPE-LB PVC FTG
12506-R0	\$	10.59	PVC 200-LL 2-IN TYPE-LL PVC FTG
12507-R0	\$	10.70	PVC 200-LR 2-IN TYPE-LR PVC FTG
12508-R0	\$	5.24	PVC 200-OFF 2-IN PVC METER OFFSET
12509-R0	\$	2.14	PVC 200-PL 2-IN PVC PLUG W/EYE
12510-R0	\$	0.64	PVC 200S 2-IN 2H PVC COND CLMP
12511-R0	\$	11.66	PVC 200-SEC 2-IN PVC SVC-ENT CAP
12512-R0	\$	0.73	PVC 200-TA 2-IN PVC TERM ADAPTER
12513-R0	\$	1.46	PVC 2-1/2-PVC-SCHED-40 CONDUIT 10'
12514-R0	\$	2.11	PVC 2-1/2-PVC-SCHED-80 CONDUIT 10'
12515-R0	\$	3.32	PVC 25045 2-1/2 45D SCHED-40 ELBOW
12516-R0	\$	3.15	PVC 25090 2-1/2 90D SCHED-40 ELBOW
12517-R0	\$	1.08	PVC 250-CP 2-1/2 SCH40 PVC COUPLING
12518-R0	\$	4.77	PVC 250-EB 2-1/2 PVC END BELL

44625-R0	\$	49.53	DUCT AVERAGING 12 FT COPPER TUBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
12519-R0	\$	1.60	PVC 250-FA 2-1/2 PVC FEMALE ADAPTER
12520-R0	\$	38.51	PVC 250-LB 2-1/2 TYPE-LB PVC FTG
12521-R0	\$	72.74	PVC 250-SEC 2-1/2 PVC SVC-ENT CAP
12522-R0	\$	1.24	PVC 250-TA 2-1/2 PVC TERM ADAPTER
12523-R0	\$	0.92	PVC 2-IN-PVC-SCHED-40 CONDUIT 10'
12524-R0	\$	0.92	PVC 2-IN-PVC-SCHED-40-20FT CONDUIT
12525-R0	\$	1.39	PVC 2-IN-PVC-SCHED-80 CONDUIT 10'
12526-R0	\$	0.30	PVC 3/4-PVC-SCHED-40 CONDUIT 10'
12527-R0	\$	0.50	PVC 3/4-PVC-SCHED-80 CONDUIT 10'
12528-R0	\$	5.97	PVC 30030 3-IN 30D SCHED-40 ELBOW
12529-R0	\$	5.31	PVC 30045 3-IN 45D SCHED-40 ELBOW
12530-R0	\$	5.58	PVC 30090 3-IN 90D SCHED-40 ELBOW
12531-R0	\$	24.51	PVC 3009036 3-IN 36RAD 90D SCH40 EL
12532-R0	\$	1.53	PVC 300-CP 3-IN SCH40 PVC COUPLING
12533-R0	\$	5.18	PVC 300-EB 3-IN PVC END BELL
12534-R0	\$	7.08	PVC 300-EC 3-IN PVC END CAP
12535-R0	\$	43.01	PVC 300EXCP 3-IN 2pc EXPANSION CPLG
12536-R0	\$	2.00	PVC 300-FA 3-IN PVC FEMALE ADAPTER
12537-R0	\$	39.05	PVC 300-LB 3-IN TYPE-LB PVC FTG
12538-R0	\$	1.81	PVC 300-TA 3-IN PVC TERM ADAPTER
12539-R0	\$	2.27	PVC 3-1/2-PVC-SCHED-40 CONDUIT 10'
12540-R0	\$	7.65	PVC 35090 3-1/2 90D SCHED-40 ELBOW
12541-R0	\$	2.60	PVC 350-CP 3-1/2 SCH40 PVC COUPLING
12542-R0	\$	5.67	PVC 350-EB 3-1/2 PVC END BELL
12543-R0	\$	3.91	PVC 350-FA 3-1/2 PVC FEMALE ADAPTER
12544-R0	\$	3.22	PVC 350-TA 3-1/2 PVC TERM ADAPTER
12545-R0	\$	1.79	PVC 3-IN-PVC-SCHED-40 CONDUIT 10'
12546-R0	\$	2.55	PVC 3-IN-PVC-SCHED-80 CONDUIT 10'
12547-R0	\$	2.47	PVC 4" PVC CONDUIT 10'LENGTHS
12548-R0	\$	2.47	PVC 4" PVC CONDUIT 20'LENGTHS
12549-R0	\$	29.80	PVC 40015 PVC 4"15DEG ELBOW SCH40
12550-R0	\$	6.40	PVC 40022 4-IN 22-1/2D SCHED-40 ELB
12551-R0	\$	9.96	PVC 40030 4-IN 30D SCHED-40 ELBOW
12552-R0	\$	9.22	PVC 40045 4-IN 45D SCHED-40 ELBOW
12553-R0	\$	10.82	PVC 4005CP 4"PVC 5DEG COUP ALLIED
12554-R0	\$	9.57	PVC 40090 4-IN 90D SCHED-40 ELBOW
12555-R0	\$	31.63	PVC 4009036 4-IN 36RAD 90D SCH40 EL
12556-R0	\$	68.57	PVC 4009080 4-IN SCH80 90D ELBOW
12557-R0	\$	5.45	PVC 400-BA 4-IN PVC BOX ADAPTER
12558-R0	\$	2.33	PVC 400-CP 4-IN SCH40 PVC COUPLING
12559-R0	\$	6.10	PVC 400-EB 4-IN PVC END BELL
12560-R0	\$	14.76	PVC 400-EC 4-IN PVC END CAP
12561-R0	\$	64.73	PVC 400EXCP 4-IN PVC EXPANSION CPLG
12562-R0	\$	2.68	PVC 400-FA 4-IN PVC FEMALE ADAPTER
12563-R0	\$	42.79	PVC 400-LB 4-IN TYPE-LB PVC FTG
12564-R0	\$	2.67	PVC 400-PL 4-IN PVC PLUG W/EYE
12565-R0	\$	220.37	PVC 400-SEC 4-IN PVC SVC-ENT CAP
12566-R0	\$	3.11	PVC 400-TA 4-IN PVC TERM ADAPTER
12567-R0	\$	14.42	PVC 400X300R PVC REDUCER BUSHING
12568-R0	\$	8.20	PVC 442 4X4X2 PVC JUNCTION BOX
12569-R0	\$	13.53	PVC 444 4X4X4 PVC JUNCTION BOX
12570-R0	\$	3.88	PVC 4-IN-PVC-SCHED-80 CONDUIT 10'
12571-R0	\$	15.98	PVC 50030 5-IN 30D SCHED-40 ELBOW
12572-R0	\$	14.80	PVC 50045 5-IN 45D SCHED-40 ELBOW

44625-R0	\$	49.53	DUCT AVERAGING 12 FT COPPER TUBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
12573-R0	\$	16.83	PVC 50090 5-IN 90D SCHED-40 ELBOW
12574-R0	\$	7.44	PVC 500-CP 5-IN SCH40 PVC COUPLING
12575-R0	\$	9.63	PVC 500-EB 5-IN PVC END BELL
12576-R0	\$	99.67	PVC 500EXCP 5-IN PVC EXPANSION CPLG
12577-R0	\$	8.84	PVC 500-FA 5-IN PVC FEMALE ADAPTER
12578-R0	\$	3.49	PVC 5-IN-PVC-SCHED-40 CONDUIT-10'
12579-R0	\$	5.70	PVC 5-IN-PVC-SCHED-80 CONDUIT 10'
12580-R0	\$	21.59	PVC 60045 6-IN 45D SCH40 ELBOW
12581-R0	\$	28.52	PVC 60090 6-IN 90D SCHED-40 ELBOW
12582-R0	\$	8.22	PVC 600-CP 6-IN SCH40 PVC COUPLING
12583-R0	\$	16.58	PVC 664 6X6X4 PVC JUNCTION BOX
12584-R0	\$	19.33	PVC 666 6X6X6 PVC JUNCTION BOX
12585-R0	\$	4.58	PVC 6-IN-PVC-SCHED-40 CONDUIT 10'
12586-R0	\$	9.95	PVC 802804 4-1/8 BOX 3/4KO W/CVR
12587-R0	\$	31.26	PVC 884 8X8X4 PVC JUNCTION BOX
12588-R0	\$	46.75	PVC 887 8X8X7 PVC JUNCTION BOX
12589-R0	\$	2.01	WIRE THHN-1/0-BLK-NOLUBE-CU-1000R
12590-R0	\$	2.01	WIRE THHN-1/0-BLK-NOLUBE-CU-2500R
12591-R0	\$	2.01	WIRE THHN-1/0-BLK-NOLUBE-CU-500R
12592-R0	\$	0.22	WIRE THHN-10-BLK-19STR-CU-2500S/R
12593-R0	\$	0.22	WIRE THHN-10-BLK-19STR-CU-500S/R
12594-R0	\$	0.22	WIRE THHN-10-BLU-19STR-CU-2500S/R
12595-R0	\$	0.22	WIRE THHN-10-BLU-19STR-CU-500S/R
12596-R0	\$	0.22	WIRE THHN-10-BRN-19STR-CU-2500S/R
12597-R0	\$	0.22	WIRE THHN-10-BRN-19STR-CU-500S/R
12598-R0	\$	0.22	WIRE THHN-10-GRN-19STR-CU-2500S/R
12599-R0	\$	0.22	WIRE THHN-10-GRN-19STR-CU-500S/R
12600-R0	\$	0.22	WIRE THHN-10-GRY-19STR-CU-2500S/R
12601-R0	\$	0.22	WIRE THHN-10-GRY-19STR-CU-500S/R
12602-R0	\$	0.22	WIRE THHN-10-ORN-19STR-CU-2500S/R
12603-R0	\$	0.22	WIRE THHN-10-ORN-19STR-CU-500S/R
12604-R0	\$	0.22	WIRE THHN-10-RED-19STR-CU-2500S/R
12605-R0	\$	0.22	WIRE THHN-10-RED-19STR-CU-500S/R
12606-R0	\$	0.22	WIRE THHN-10-WHT-19STR-CU-2500S/R
12607-R0	\$	0.22	WIRE THHN-10-WHT-19STR-CU-500S/R
12608-R0	\$	0.22	WIRE THHN-10-YEL-19STR-CU-2500S/R
12609-R0	\$	0.22	WIRE THHN-10-YEL-19STR-CU-500S/R
12610-R0	\$	0.14	WIRE THHN-12-BLK-19STR-CU-2500S/R
12611-R0	\$	0.14	WIRE THHN-12-BLK-19STR-CU-500S/R
12612-R0	\$	0.13	WIRE THHN-12-BLK-SOL-CU-500S/R WIRE
12613-R0	\$	0.14	WIRE THHN-12-BLU-19STR-CU-2500S/R
12614-R0	\$	0.14	WIRE THHN-12-BLU-19STR-CU-500S/R
12615-R0	\$	0.14	WIRE THHN-12-BRN-19STR-CU-2500S/R
12616-R0	\$	0.14	WIRE THHN-12-BRN-19STR-CU-500S/R
12617-R0	\$	0.14	WIRE THHN-12-GRN-19STR-CU-2500S/R
12618-R0	\$	0.14	WIRE THHN-12-GRN-19STR-CU-500S/R
12619-R0	\$	0.13	WIRE THHN-12-GRN-SOL-CU-500S/R WIRE
12620-R0	\$	0.18	WIRE THHN-12-GRN-YL-STRIPE-STR-500R
12621-R0	\$	0.14	WIRE THHN-12-GRY-19STR-CU-2500S/R
12622-R0	\$	0.14	WIRE THHN-12-GRY-19STR-CU-500S/R
12623-R0	\$	0.14	WIRE THHN-12-ORN-19STR-CU-2500S/R
12624-R0	\$	0.14	WIRE THHN-12-ORN-19STR-CU-500S/R
12625-R0	\$	0.14	WIRE THHN-12-PINK-19STR-CU-500S/R
12626-R0	\$	0.14	WIRE THHN-12-PUR-19STR-CU-2500S/R

44625-R0	\$	49.53	DUCT AVERAGING 12 FT COPPER TUBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
12627-R0	\$	0.14	WIRE THHN-12-PUR-19STR-CU-500S/R
12628-R0	\$	0.14	WIRE THHN-12-RED-19STR-CU-2500S/R
12629-R0	\$	0.14	WIRE THHN-12-RED-19STR-CU-500S/R
12630-R0	\$	0.13	WIRE THHN-12-RED-SOL-CU-500S/R WIRE
12631-R0	\$	0.14	WIRE THHN-12-WHT-19STR-CU-2500S/R
12632-R0	\$	0.14	WIRE THHN-12-WHT-19STR-CU-500S/R
12633-R0	\$	0.13	WIRE THHN-12-WHT-SOL-CU-500S/R WIRE
12634-R0	\$	0.14	WIRE THHN-12-YEL-19STR-CU-2500S/R
12635-R0	\$	0.14	WIRE THHN-12-YEL-19STR-CU-500S/R
12636-R0	\$	0.10	WIRE THHN-14-BLK-19STR-CU-2500S/R
12637-R0	\$	0.10	WIRE THHN-14-BLK-19STR-CU-500S/R
12638-R0	\$	0.08	WIRE THHN-14-BLK-SOL-CU-500S/R WIRE
12639-R0	\$	0.10	WIRE THHN-14-BLU-19STR-CU-500S/R
12640-R0	\$	0.10	WIRE THHN-14-BRN-19STR-CU-500S/R
12641-R0	\$	0.10	WIRE THHN-14-GRN-19STR-CU-500S/R
12642-R0	\$	0.10	WIRE THHN-14-GRY-19STR-CU-500S/R
12643-R0	\$	0.10	WIRE THHN-14-ORN-19STR-CU-500S/R
12644-R0	\$	0.10	WIRE THHN-14-PNK-19STR-CU-500S/R
12645-R0	\$	0.10	WIRE THHN-14-PUR-19STR-CU-500S/R
12646-R0	\$	0.10	WIRE THHN-14-RED-19STR-CU-2500S/R
12647-R0	\$	0.10	WIRE THHN-14-RED-19STR-CU-500S/R
12648-R0	\$	0.10	WIRE THHN-14-WHT-19STR-CU-500S/R
12649-R0	\$	0.10	WIRE THHN-14-YEL-19STR-CU-500S/R
12650-R0	\$	1.73	WIRE THHN-1-BLK-NOLUBE-CU-1000R
12651-R0	\$	1.73	WIRE THHN-1-BLK-NOLUBE-CU-2500R
12652-R0	\$	1.73	WIRE THHN-1-BLK-NOLUBE-CU-500R
12653-R0	\$	2.52	WIRE THHN-2/0-BLK-NOLUBE-CU-2500R
12654-R0	\$	2.52	WIRE THHN-2/0-BLK-NOLUBE-CU-500R
12655-R0	\$	4.97	WIRE THHN-250-BLK-NOLUBE-CU-2500R
12656-R0	\$	1.34	WIRE THHN-2-BLK-NOLUBE-CU-1000R
12657-R0	\$	1.34	WIRE THHN-2-BLK-NOLUBE-CU-2500R
12658-R0	\$	1.34	WIRE THHN-2-BLK-NOLUBE-CU-500R
12659-R0	\$	1.34	WIRE THHN-2-GRN-NOLUBE-CU-1000R
12660-R0	\$	3.27	WIRE THHN-3/0-BLK-NOLUBE-CU-2500R
12661-R0	\$	3.27	WIRE THHN-3/0-BLK-NOLUBE-CU-500R
12662-R0	\$	3.27	WIRE THHN-3/0-GRN-NOLUBE-1000R
12663-R0	\$	5.80	WIRE THHN-300-BLK-NOLUBE-CU-2500R
12664-R0	\$	6.79	WIRE THHN-350-BLK-NOLUBE-CU-2500R
12665-R0	\$	1.07	WIRE THHN-3-BLK-NOLUBE-CU-1000R
12666-R0	\$	1.07	WIRE THHN-3-BLK-NOLUBE-CU-2500R
12667-R0	\$	1.07	WIRE THHN-3-BLK-NOLUBE-CU-500R
12668-R0	\$	3.97	WIRE THHN-4/0-BLK-NOLUBE-CU-2500R
12669-R0	\$	3.97	WIRE THHN-4/0-BLK-NOLUBE-CU-500R
12670-R0	\$	3.97	WIRE THHN-4/0-GRN-NOLUBE-CU-1000R
12671-R0	\$	7.65	WIRE THHN-400-BLK-NOLUBE-CU-1000R
12672-R0	\$	0.85	WIRE THHN-4-BLK-NOLUBE-CU-1000S/R
12673-R0	\$	0.85	WIRE THHN-4-BLK-NOLUBE-CU-2500R
12674-R0	\$	0.85	WIRE THHN-4-BLK-NOLUBE-CU-500R
12675-R0	\$	0.85	WIRE THHN-4-GRN-NOLUBE-CU-1000R
12676-R0	\$	0.85	WIRE THHN-4-GRN-NOLUBE-CU-500R
12677-R0	\$	9.40	WIRE THHN-500-BLK-NOLUBE-CU-2500R
12678-R0	\$	9.40	WIRE THHN-500-BLK-NOLUBE-CU-500R
12679-R0	\$	12.07	WIRE THHN-600-BLK-NOLUBE-CU-1000R
12680-R0	\$	12.07	WIRE THHN-600-BLK-NOLUBE-CU-2000R

44625-R0	\$	49.53	DUCT AVERAGING 12 FT COPPER TUBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
12681-R0	\$	0.55	WIRE THHN-6-BLK-NOLUBE-CU-1000R
12682-R0	\$	0.55	WIRE THHN-6-BLK-NOLUBE-CU-2500R
12683-R0	\$	0.55	WIRE THHN-6-BLK-NOLUBE-CU-500R
12684-R0	\$	0.55	WIRE THHN-6-BLUE-NOLUBE-CU-500R
12685-R0	\$	0.55	WIRE THHN-6-BLU-NOLUBE-CU-1000R
12686-R0	\$	0.55	WIRE THHN-6-BRN-NOLUBE-CU-500R
12687-R0	\$	0.55	WIRE THHN-6-GRN-NOLUBE-CU-1000R
12688-R0	\$	0.55	WIRE THHN-6-GRN-NOLUBE-CU-2500R
12689-R0	\$	0.55	WIRE THHN-6-GRN-NOLUBE-CU-500R
12690-R0	\$	0.55	WIRE THHN-6-GRY-NOLUBE-CU-500R
12691-R0	\$	0.55	WIRE THHN-6-ORN-NOLUBE-CU-500R
12692-R0	\$	0.55	WIRE THHN-6-RED-NOLUBE-CU-500R
12693-R0	\$	0.55	WIRE THHN-6-WHT-NOLUBE-CU-1000R
12694-R0	\$	0.55	WIRE THHN-6-WHT-NOLUBE-CU-500R
12695-R0	\$	0.55	WIRE THHN-6-YEL-NOLUBE-CU-1000R
12696-R0	\$	0.55	WIRE THHN-6-YEL-NOLUBE-CU-500R
12697-R0	\$	0.36	WIRE THHN-8-BLK-NOLUBE-CU-1000S/R
12698-R0	\$	0.36	WIRE THHN-8-BLK-NOLUBE-CU-2500S/R
12699-R0	\$	0.36	WIRE THHN-8-BLK-NOLUBE-CU-500R
12700-R0	\$	0.36	WIRE THHN-8-BLU-NOLUBE-CU-500S/R
12701-R0	\$	0.36	WIRE THHN-8-BRN-NOLUBE-CU-1000S/R
12702-R0	\$	0.36	WIRE THHN-8-BRN-NOLUBE-CU-500R
12703-R0	\$	0.36	WIRE THHN-8-GRN-NOLUBE-CU-1000S/R
12704-R0	\$	0.36	WIRE THHN-8-GRN-NOLUBE-CU-2500S/R
12705-R0	\$	0.36	WIRE THHN-8-GRN-NOLUBE-CU-500S/R
12706-R0	\$	0.36	WIRE THHN-8-GRY-NOLUBE-CU-1000S/R
12707-R0	\$	0.36	WIRE THHN-8-GRY-NOLUBE-CU-500S/R
12708-R0	\$	0.36	WIRE THHN-8-ORN-NOLUBE-CU-1000S/R
12709-R0	\$	0.36	WIRE THHN-8-ORN-NOLUBE-CU-500R
12710-R0	\$	0.36	WIRE THHN-8-RED-NOLUBE-CU-500S/R
12711-R0	\$	0.36	WIRE THHN-8-WHT-NOLUBE-CU-1000S/R
12712-R0	\$	0.36	WIRE THHN-8-WHT-NOLUBE-CU-500R
12713-R0	\$	0.36	WIRE THHN-8-YEL-NOLUBE-CU-1000S/R
12714-R0	\$	0.36	WIRE THHN-8-YEL-NOLUBE-CU-500R
12715-R0	\$	0.68	WIRE UF-NMCB-10/2-CU-WG-1000S/R
12716-R0	\$	0.45	WIRE UF-NMCB-12/2-CU-WG-1000S/R
12717-R0	\$	0.44	WIRE UF-NMCB-12/2-CU-WG-250CL WIRE
12718-R0	\$	1.45	WIRE URD-1/0-1/0-1/0-AL-BERGEN-1000
12719-R0	\$	1.38	WIRE URD-2-2-2-4-AL-DYKE-1000R
12720-R0	\$	1.04	WIRE URD-2-2-4-AL-STEPHENS-1000R
12721-R0	\$	2.15	WIRE URD-4/0-4/0-2/0-AL-SWEETBRIAR
12722-R0	\$	2.15	WIRE URD-4/0-4/0-2/0-AL-SWEETBRIAR
12723-R0	\$	3.16	WIRE URD-4/0-4/0-4/0-2/0-AL-WAKEFRT
12724-R0	\$	3.37	WIRE WELDING-CBL-2-BLK-500R CORD
12725-R0	\$	10.43	WIRE WELDING-CBL-4/0-1000R CORD
12726-R0	\$	2.16	WIRE WELDING-CBL-4-BLK-500R CORD
12727-R0	\$	0.54	WIRE XHHW-1/0-BLK-STR-AL-2500R
12728-R0	\$	0.17	WIRE XHHW-12-BLK-STR-CU-500R WIRE
12729-R0	\$	0.17	WIRE XHHW-12-ORN-STR-CU-500R-WIRE
12730-R0	\$	0.64	WIRE XHHW-2/0-BLK-STR-AL-2500R
12731-R0	\$	1.08	WIRE XHHW-250MCM-BLK-STR-AL-2500R
12732-R0	\$	0.31	WIRE XHHW-2-BLK-STR-AL-2500R
12733-R0	\$	0.79	WIRE XHHW-3/0-BLK-STR-AL-2500R
12734-R0	\$	1.49	WIRE XHHW-300MCM-BLK-STR-AL-2000R

44625-R0	\$	49.53	DUCT AVERAGING 12 FT COPPER TUBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
12735-R0	\$	1.51	WIRE XHHW-350-BLK-STR-AL-2500R
12736-R0	\$	0.88	WIRE XHHW-4/0-BLK-STR-AL-2500R
12737-R0	\$	0.23	WIRE XHHW-4-BLK-STR-AL-2500R
12738-R0	\$	1.95	WIRE XHHW-500MCM-BLK-STR-AL-2500R
12739-R0	\$	2.47	WIRE XHHW-600MCM-BLK-STR-AL-2000R
12740-R0	\$	0.18	WIRE XHHW-6-BLK-STR-AL-1000R
12741-R0	\$	2.88	WIRE XHHW-750MCM-BLK-AL-2500R
13586-R0	\$	211.90	2AV G 3 32 MDR MVOLT GEB10IS LP835
13587-R0	\$	195.00	2AV G 3 32 MDR MVOLT 1/3 GEB10PS LP835
13588-R0	\$	190.45	2AV G 2 32 MDR MVOLT GEB10PS LP835
12856-R0	\$	654.71	(IMP) 10" STD A53B BLK ERW PLAIN END 21' LENGTH
12857-R0	\$	460.36	(IMP) 8" STD A53B BLK ERW PE STEEL PIPE PLAIN END 21' LENGTH
12858-R0	\$	302.19	(IMP) 6" STD A53B BLK ERW PE STEEL PIPE PLAIN END 21' LENGTH
12859-R0	\$	249.94	(IMP) 5' STD A53B BLK ERW PE STEEL PIPE PLAIN END 21' LENGTH
12860-R0	\$	175.62	(IMP) 4" STD A53B BLK ERW PE STEEL PIPE PLAIN END 21' LENGTH
12861-R0	\$	129.48	(IMP) 3" STD A53B BLK ERW PE STEEL PIPE PLAIN END 21' LENGTH
12862-R0	\$	97.63	(IMP) 2-1/2" STD A53 BLK ERW PE STEEL PIPE PLAIN END 21' LENGTH
12863-R0	\$	2.47	WLD-I 1" STD LONG RADIUS 90 ELBOW CARBON STL LR
12864-R0	\$	64.34	WLD-I 8" STD LONG RADIUS 90 ELBOW CARBON STL LR
12865-R0	\$	31.75	WLD-I 6" STD LONG RADIUS 90 ELL CARBON STL LR
12866-R0	\$	24.67	WLD-I 5" STD LONG RADIUS 90 ELBOW CARBON STL LR
12867-R0	\$	13.00	WLD-I 4" STD LONG RADIUS 90 ELEBOW CARBON STL LR
12868-R0	\$	7.87	WLD-I 3" STD LONG RADIUS 90 ELBOW CARBON STL LR
12869-R0	\$	5.10	WLD-I 2-1/2" STD LONG RADIUS 90 CARBON STL LR
12870-R0	\$	69.63	WLD-I 10" STD LONG RADIUS WELD 45 ELBOW CARBON STL
12871-R0	\$	36.04	WLD-I 8" STD LONG RADIUS WELD 45 ELBOW CARBON STL
12872-R0	\$	20.81	WLD-I 6" STD LONG RADIUS WELD 45 ELBOW CARBON STL
12873-R0	\$	14.74	WLD-I 5" STD LONG RADIUS WELD 45 ELBOW CARBON STL
12874-R0	\$	8.92	WLD_I 4" STD LONG RADIUS 45 ELBOW CARBON STL
12875-R0	\$	4.97	WLD_I 3" STD LONG RADIUS WELD 45 ELBOW CARBON STL
12876-R0	\$	4.00	WLD-I 2-1/2" STD LONG RADIUS 45 WELD 45 ELBOW CARBON STL
12877-R0	\$	79.13	WLD-I 10" 150# RF WELD NECK FLANGE CARBON STL RAISED FACE STD BORE
12878-R0	\$	51.71	WLD-I 8" 150# RF WELD NECK FLG CARBON STL RAISED FACE STD BORE
12879-R0	\$	28.00	WLD-I 6" RF WELD NECK FLG CARBON STL RAISED FACE STD BORE
12880-R0	\$	28.35	WLD-I 5" RF WELD NECK FLG CARBON STL RAISED FACE STD BORE
12881-R0	\$	19.46	WLD-I 4" 150# RF WELD NECK FLG CARBON STL RAISED FACE STD BORE
12882-R0	\$	15.76	WLD-I 3" 150# RF WELD NECK FLG CARBON STL RAISED FACE STD BORE
12883-R0	\$	14.87	WLD-I 2-1/2" 150# RF WELD NECK FLG CARBON STEEL RAISED FACE STD BORE
12884-R0	\$	142.95	WLD-I 10" STD WELD TEE CARBON STL
12885-R0	\$	80.20	WLD-I 8" STD WELD TEE CARBON STL
12886-R0	\$	44.29	WLD-I 6" STD WELD TEE CARBON STL
12887-R0	\$	34.97	WLD-I 5" STD WELD TEE CARBON STL
12888-R0	\$	23.35	WLD-I 4" STD WELD TEE CARBON STL
12889-R0	\$	13.96	WLD-I 3" STD WELD TEE CARBON STL
12890-R0	\$	11.88	WLD-I 2-1/2" STD WELD TEE CARBON STL
12891-R0	\$	175.46	WLD-I 10X8" STD WELD TEE CARBON STL
12892-R0	\$	178.78	WLD-I 10X6" STD WELD TEE CARBON STL
12893-R0	\$	165.53	WLD-I 10X5" STD WELD TEE CARBON STL
12894-R0	\$	165.53	WLD-I 10X4" STD WELD TEE CARBON STL
12895-R0	\$	178.78	WLD-I 10X6" STD WELD TEE CARBON STL
12896-R0	\$	19.03	WLD-I 6X3" STD CONCENTRIC WELD REDUCER CARBON STL
12897-R0	\$	178.78	WLD-I 10X6" STD WELD TEE CARBON STL
12898-R0	\$	45.08	WLD-I 6X2-1/2" STD CONCENTRIC WELD REDUCER CARBON STL
12899-R0	\$	85.66	WLD-I 8X6" STD WELD TEE CARBON STL

44625-R0	\$	49.53	DUCT AVERAGING 12 FT COPPER TUBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
12900-R0	\$	89.71	WLD-I 8X5" STD WELD TEE CARBON STL
12901-R0	\$	89.71	WLD-I 8X4" STD WELD TEE CARBON STL
12902-R0	\$	89.71	WLD-I 8X3" STD WELD TEE CARBON STL
12903-R0	\$	89.71	WLD-I 8X3" STD WELD TEE CARBON STL
12904-R0	\$	4.78	WLD-I 3X2-1/2" STD CONCENTRIC WELD REDUCER CARBON STL
12905-R0	\$	49.45	WLD-I 6X5" STD WELD TEE CARBON STL
12906-R0	\$	45.80	WLD-I 6X4" STD WELD TEE CARBON STL
12907-R0	\$	53.37	WLD-I 6X3" STD WELD TEE CARBON STL
12908-R0	\$	53.40	WLD-I 6X2-1/2" STD WELD TEE CARBON STL
12909-R0	\$	52.25	WLD-I 5X4" STD WELD TEE CARBON STL
12910-R0	\$	52.25	WLD-I 5X3" STD WELD TEE CARBON STL
12911-R0	\$	52.25	WLD-I 5X2-1/2" STD WELD TEE CARBON STL
12912-R0	\$	22.52	WLD-I 4X3" STD WELD TEE CARBON STL
12913-R0	\$	22.44	WLD-I 4X2-1/2" STD WELD TEE CARBON STL
12914-R0	\$	20.61	WLD-I 3X2-1/2" STD WELD TEE CARBON STL
12915-R0	\$	15.47	WLD-I 3X2" STD WELD TEE CARBON STL
12916-R0	\$	40.16	WLD-I 10X8" STD CONCENTRIC WELD REDUCER CARBON STL
12917-R0	\$	42.76	WLD-I 10X6" STD CONCENTRIC WELD REDUCER CARBON STL
12918-R0	\$	65.26	WLD-I 10X5 STD CONCENTRIC WELD REDUCER CARBON STL
12919-R0	\$	81.48	WLD-I 10X4" STD CONCENTRIC WELD REDUCER CARBON STL
12920-R0	\$	42.76	WLD-I 10X6" STD CONCENTRIC WELD REDUCER CARBON STL
12921-R0	\$	19.03	WLD-I 10X6" STD CONCENTRIC WELD REDUCER CARBON STL
12922-R0	\$	42.76	WLD-I 10X6" STD CONCENTRIC WELD REDUCER CARBON STL
12923-R0	\$	45.08	WLD-I 6X2-1/2" STD CONCENTRIC WELD REDUCER CARBON STL
12924-R0	\$	23.99	WLD-I 8X6" STD CONCENTRIC WELD REDUCER CARBON STL REDUCER
12925-R0	\$	27.65	WLD-I 8X5" STD CONCENTRIC WELD REDUCER CARBON STL
12926-R0	\$	26.20	WLD-I 8X4" STD CONCENTRIC WELD REDUCER CARBON STL
12927-R0	\$	68.86	WLD-I 8X3" STD CONCENTRIC WELD REDUCER CARBON STL
12928-R0	\$	26.20	WLD-I 8X4" STD CONCENTRIC WELD REDUCER CARBON STL
12929-R0	\$	9.80	WLD-I 4X2-1/2" STD CONCENTRIC WELD REDUCER CARBON STL
12930-R0	\$	14.53	WLD-I 6X5" STD CONCENTRIC WELD REDUCER CARBON STL
12931-R0	\$	15.30	WLD-I 6X4" STD CONCENTRIC WELD REDUCER CARBON STL
12932-R0	\$	19.03	WLD-I 6X3" STD CONCENTRIC WELD REDUCER CARBON STL
12933-R0	\$	45.08	WLD-I 6X2-1/2" STD CONCENTRIC WELD REDUCER CARBON STL
12934-R0	\$	17.90	WLD-I 5X4" STD CONCENTRIC WELD REDUCER CARBON STL
12935-R0	\$	22.58	WLD-I 5X3" STD CONCENTRIC WELD REDUCER CARBON STL
12936-R0	\$	34.44	WLD-I 5X2-1/2" STD CONCENTRIC WELD REDUCER CARBON STL
12937-R0	\$	7.07	WLD-I 4X3" STD CONCENTRIC WELD REDUCER CARBON STL
12938-R0	\$	9.80	WLD-I 4X2-1/2" STD CONCENTRIC WELD REDUCER CARBON STL
12939-R0	\$	4.78	WLD-I 3X2-1/2" STD CONCENTRIC WELD REDUCER CARBON STL
12940-R0	\$	6.66	WLD-I 3X2" STD CONCENTRIC WELD REDUCER CARBON STL
12941-R0	\$	11.53	FS-I 6-4 X 2" THREADOLET FORGED STL 3000# THREAD
12942-R0	\$	10.13	FS-I 36-5 X 1-1/2" THREADOLET FORGED STL 3000# THREAD
12943-R0	\$	9.53	FS-I 3-1/2-2 X 1-1/4" THREADOLET FORGED STL 3000# THREAD
12944-R0	\$	6.01	FS-I 36-3 X 1" THREADOLET FORGED STL 3000# THREAD
12945-R0	\$	5.28	FS-I 36-1-1/2 X3/4" THREADOLET FORGED STL 3000# THREAD
12946-R0	\$	4.58	FS-I 36-3/4 X 1/2" 3000# THREADOLET FORGED STL THREAD
12947-R0	\$	13.18	JONSTE D06-600 2" X 4" DIELECTRIC NIPPLE MPT X MPT
12948-R0	\$	10.67	JONSTE D06-550 1-1/2" X 4" DIELECTRIC NIPPLE MPT X MPT
12949-R0	\$	6.99	JONSTE D06-525 1-1/4 X 4 DIELECTRIC NIPPLE MPT X MPT
12950-R0	\$	6.08	JONSTE D06-500 1 X 3 DIELECTRIC NIPPLE MPT X MPT
12951-R0	\$	2.94	JONSTE D06-753 3/4 X 3 DIELECTRIC NIPPLE
12952-R0	\$	6.33	JONSTE D06-450 1/2 MIP X 3 DIELECTRIC NIPPLE
12953-R0	\$	36.02	BOLT PAK 10" 150# RB-100 BOLT PACK W/GASKET

44625-R0	\$	49.53	DUCT AVERAGING 12 FT COPPER TUBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
12954-R0	\$	15.21	BOLT PAK 8" 150# RB-80 BOLT PAK FRN 150-8
12955-R0	\$	14.20	BOLT PAK 6" 150# RB-60 BOLT PAK FRN 150-6
12956-R0	\$	13.75	BOLT PAK 5" 150# RB-50 BOLT PAK FRN 150-5
12957-R0	\$	9.15	BOLT PAK 4" 150# RB-40 BOLT PAK FRN 150-4 W/GASKET
12958-R0	\$	5.14	BOLT PAK 3" 150# RB-30 BOLT PAK FRN 150-3
12959-R0	\$	179.09	COP-PIPE 2X20-L-HARD 2" X 20' LENGTH TYPE L COPP TUBING
12960-R0	\$	114.63	COP-PIPE 1-1/2X20-L-HARD 1-1/2" X 20' LENGTH TYPE L COPP TUBING
12961-R0	\$	88.53	COP-PIPE 1-1/4X20-L-HARD 1-1/4" X 20' LENGTH TYPE L COPP TUBING
12962-R0	\$	63.13	COP-PIPE 1/20-L-HARD 1" X 20' LENGTH TYPE L COPP TUBING
12963-R0	\$	40.79	COP-PIPE 23/4X20-L-HARD 3/4" X 20' LENGTH TYPE L COPP TUBING
12964-R0	\$	25.69	COP-PIPE 1/2X20-L-HARD 1/2" X 20' LENGTH TYPE L COPP TUBING
12965-R0	\$	9.83	COP-FTG 2-COP-90 607 2" C X C ELL W02086 32-CC-90
12966-R0	\$	5.40	COP-FTG 1-1/2-COP-90 607 1-1/2" C X C 90 ELL W02085 24-CC-90
12967-R0	\$	3.46	COP-FTG 1-1/4-COP-90 607 1-3/8" OD C X C 90 W02084
12968-R0	\$	2.31	COP-FTG 1-COP-90 607 1" C X C 90 ELL WB01347 1-1/8" OD C X C 90 ELL
12969-R0	\$	0.95	COP-FTG 3/4-COP-90 607 7/8" OD C X C 90 ELL
12970-R0	\$	0.42	COP-FTG 1/2-COP-90 607 5/8" OD C X C 90 ELL
12971-R0	\$	9.13	COP-FTG 2-COP-45 606 2" C X C 45 ELL W03059 32-CC-45
12972-R0	\$	5.46	COP-FTG 1-1/2-COP-45 606 1-1/2" C X C 45 ELL W03055 24-CC-45
12973-R0	\$	4.54	COP-FTG 1-1/4-COP-45 606 1-1/4" C X C 45 ELL W03050 20-CC-45
12974-R0	\$	3.39	COP-FTG 1-COP-45 606 1" C X C 45 ELL
12975-R0	\$	1.35	COP-FTG 3/4-COP-45 606 3/4" C X C 45 ELL W03034 7-8 OD C X C 45 ELL 34-CC-45
12976-R0	\$	0.78	COP-FTG 1/2-COP-45 606 1/2" C X C 45 ELL WB03026 5/8 OD C X C 45 ELL 08-CC-45
12977-R0	\$	17.38	COP-FTG 2-COP-TEE 611 2" C X C X C COPPER TEE W40102 2-1/8"32-CCC-T
12978-R0	\$	11.14	COP-FTG 1-1/2-COP-TEE 611 1-1/2" C X C X C 24-CCC-T W04084
12979-R0	\$	7.23	COP-FTG 1-1/4-COP-TEE 611 1-1/4" C X C X C W04068 20-CCC-T
12980-R0	\$	5.34	COP-FTG 1-COP-TEE 611 1" C X C X C WB04048 1-1/8" 16-CCC-T
12981-R0	\$	1.73	COP-FTG 3/4-COP-TEE 611 3/4" C X C X C WB04031
12982-R0	\$	0.72	COP-FTG 1/2-COP-TEE 611 5/8" OD CXCXC WB04006
12983-R0	\$	13.53	COP-FTG 2X2X1-1/2-COP-TEE W40103 2X2X1-1/2" 32-32-24-CCC-T
12984-R0	\$	15.03	COP-FTG 2X2X1-1/4-COP-TEE W40104 2X2X1-1/4" 611R 32-32-20-CCC-T
12985-R0	\$	13.53	COP-FTG 2X2X1-COP-TEE W40105 2X2X1" 611R 32-32-16-CCC-T
12986-R0	\$	13.13	COP-FTG 2X2X3/4-COP-TEE W40106 2X2X3/4" 611R 32-32-12-CCC-T11.93
12987-R0	\$	14.46	COP-DOM 2X2X1/2-COP-TEE 611 2X2X1/2"
12988-R0	\$	8.29	COP-FTG 1-1/2X1-1-1/4-COP-TEE 1-1/2 X 1-1/4" W04085 24-24-20-CCC-T
12989-R0	\$	8.29	COP-FTG 1-1/2X1-1/2X1-COP-TEE 1-1/2 X 1-1/2 X 1" W04086 611R
12990-R0	\$	8.29	COP-FTG 1-1/2X1-1/23/4-COP-TEE 1-1/2 X 1-1/2 X 3/4" W04087 611R
12991-R0	\$	8.29	COP-FTG 1-1/2X1-1/2X1/2-COP-TEE 1-1/2 X 1-1/2" W04088 611R
12992-R0	\$	7.81	COP-FTG 1-1/2X1-1/4X1-COP-TEE 611R 1-1/4 X 1-1/4X1" W04069
12993-R0	\$	7.81	COP-FTG 1-1/4X1-1/4X3/4-COP-TEE 1-1/4 X 1-1/4 X 3/4" W04070 611R
12994-R0	\$	7.81	COP-FTG 1-1/4X1-1/4X1/2-COP-TEE 1-1/4 X 1-1/4 X 1/2" W04071 20-20-08-CCC-T
12995-R0	\$	5.37	COPT-FTG 1X1X3/4-COP-TEE WB04049 1X1X3/4 COPPER TEE 611R
12996-R0	\$	6.38	COP-FTG 1X3/4X3/4" COPPER TEE 611RR 16-12-12-CCC-T
12997-R0	\$	5.37	COP-FTG 1X1X1/2-COP-TEE WB04051 1X1X1/2" 611R 16-16-08-CCC-T
12998-R0	\$	1.66	COP-FTG 3/4X3/4X1/2-COP-TEE W04033 3/4X3/4 X 1/2" 12-12-08-CCC-T
12999-R0	\$	2.04	COPT-FTG 3/4X1/2X1/2-COP TEE WB04043 3/4 X 1/2 X 1/2" 12-08-08-CCC-T
13000-R0	\$	7.48	COP-FTG 2X1-1/2-COP-RED W01073 2 X 1-1/2" CPL 32-24-CC-RED
13001-R0	\$	7.48	COP-FTG 2X1-1/4-COP-RED W01074
13002-R0	\$	7.88	COP-FTG 2X1-COP-RED W01075 2X1" CPL 32-16-CC-RED
13003-R0	\$	8.02	COP-FTG 2X3/4-COP-RED W01077 2X3/4" CPL 32-12-CC-RED
13004-R0	\$	8.36	COP-FTG 2/1/2-COP-RED W01079 2X1/2" COPPER REDUCER CPL
13005-R0	\$	4.84	COP-FTG 1-1/2X1-1/4-CO-RED W01064 1-1/2 X 1-1/4" CPL 24-20-CC-RED 600R
13006-R0	\$	4.84	COP-FTG 1-1/4X1-COP-RED W01065 1-1/2X1" PL 24-16-CC-RED 600R
13007-R0	\$	5.14	CO-FTG 1-1/2X1/2-COP-RED W01069 1-1/2 X 1/2" CPL 24-08-CC-RED

44625-R0	\$	49.53	DUCT AVERAGING 12 FT COPPER TUBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
13008-R0	\$	2.91	COP-FTG 1-1/4X1-COP-RED W01056 1-1/4X1" CPL 20-16-CC-RED
13009-R0	\$	2.91	COP-FTG 1-1/4X3/4-COP-RED W01058 1-1/4X3/4" CPL 20-12-CC-RED
13010-R0	\$	3.03	COP-FTG 1-1/4X1/2-COP-RED W01060 1-1/4 X 1/2" CPL 20-08-CC-RED
13011-R0	\$	2.11	COP-FTG 1X3/4-COP-RED W01049 1-1/8X7/OP-RED-CPL 1 3/4" CPL
13012-R0	\$	2.48	COP-FTG 1X1/2-COP-RED W01051 1X1/2" PL 600R 16-08-CC-RED
13013-R0	\$	1.13	COP-FTG 3/4X1/2-COP-RED WB01036 7/8X5/8" OD CXC REDUCER
13014-R0	\$	4.95	COP-FTG 2-COP-CPL-W/R-S 600 RS 2-1/8-OD- 2" CXC CPL W/RS W01072
13015-R0	\$	2.96	COP-FTG 1-1/2-COP-CPL-W/R-S 600-RS 1-5/8-OD-W01063 1-1/2" CXC CPL
13016-R0	\$	2.24	COP-FTG 1-1/4-COP-CPL-W/R-S 600-RS 1-3/8-OD-W01055 1-1/4" CXC CPL
13017-R0	\$	1.27	COP-FTG 1-COP-CPL-W/R-S600-RS 1" 1-1/8"ODCXC CPL 16-CC-CPL WB01047
13018-R0	\$	0.64	COP-FTG 3/4-COP-CPL-W/R-S 600-RS 7/8" OD COPPER CPL ROLLED STOP
13019-R0	\$	0.31	COP-FTG 3/4-COP-CPL-W/R-S 600-RS 5/8" OD COP CPL W/ROLLED STOP
13020-R0	\$	10.86	COP-FTG 2-COP-M-ADPT 604 2" CXMALE ADAPTER W01187 32-C-MADP
13021-R0	\$	6.41	COP-FTG 1-1/2-COP-M-ADPT 604 1-1/2" CXMALE ADAPTER W01179 24-C-MADP
13022-R0	\$	5.59	COP-FTG 1-1/4-COP-M-ADPT 604 1-1/4" CXMALE ADAPTER W01171
13023-R0	\$	3.81	COP-FTG 1-COP-M-ADPT 604 1" CXMALE ADAPTERWB01163 16-C-MADP
13024-R0	\$	1.48	COP-FTG 3/4-COP-M-ADPT 604 3/4" CXMALE ADAPTER
13025-R0	\$	0.88	COP-FTG 1/2-COP-M-ADPT 604 1/2" CXMALE ADAPTER WB01131 08-C-MADP
13026-R0	\$	13.62	COP-FTG 2-COP-F-ADPT 603 2" CXFEMALE ADAPTER W01287 32-C-FADP
13027-R0	\$	10.04	COP-FTG 1-1/2-COP-F-ADPT 603 1-1/2" CXFEMALE ADAPTER W01279 24-C-FADP
13028-R0	\$	6.41	COP-FTG 1-1/4-COP-F-ADPT 603 1-1/4" CXFEMALE ADAPTER W01271 20-C-FADP
13029-R0	\$	4.42	COP-FTG 1-COP-F-ADPT 603 1" COPPER X FEMALE ADAPTER
13030-R0	\$	1.91	COP-FTG 3/4-COP-F-ADPT 603 3/4" CXFEMALE ADAPTER
13031-R0	\$	1.39	COP-FTG 1/2-COP-F-ADPT 603 1/2" CXFEMALE ADAPTER WB01231 -08-C-FADP
13032-R0	\$	19.32	WATTS 0009895 LEAD FREE LF3012" DIELECTRIC FIPXCOPPER
13033-R0	\$	12.60	WATTS 0009894 LEAD FREE LF 301 1-1/2" DIELECTRIC FIPXCOPPER UNION
13034-R0	\$	9.20	WATTS 0009893 LEAD FREE LF301 1-1/4" DIELECTRIC FIPXCOPPER UNION
13035-R0	\$	6.24	WATTS 0009892 LEAD FREE LF301 1" DIELECTRIC FIPXCOPPER UNION
13036-R0	\$	3.61	WATTS 0009891 LEAD FREE LF 301 3/4" DIELECTRIC FIPXCOPPER UNION
13037-R0	\$	3.55	WATTS 0009890 LEAD FREE LF301 1/2" DIELECTRIC FIPXCOPPER UNION
13038-R0	\$	54.22	COP-FTG 2-COP-UN LEAD FREE 2" COPER X COPPER UNION 32-CC-UN 733-LF
13039-R0	\$	31.93	COP-FTG 1-1/2-COP-UN 733-LF LEAD FREE
13040-R0	\$	24.25	COP-FTG 1-1/4-COP-UN-733-LF 1-1/4" COPPERXCOPPER UNION UN LEAD FREE
13041-R0	\$	11.62	COP-FTG 1-COP-UN LF 1" COPPERXCOPPER UNION 16-CC-UN LEAD FREE
13042-R0	\$	5.76	COP-FTG 3/4-COP-UN LF 3/4" CXC UNION 12-CC-UN LEAD FREE
13043-R0	\$	5.40	COP-FTG 1/2-COP-UN LF 1/2" CXC UNION 08-CC-UN LEAD FREE
13044-R0	\$	271.71	BA-475B 3" LEADED 3" THREADED BALL VALVE
13045-R0	\$	185.38	BA-475 2-1/2" LEADED 2-1/2" THREADED BALL VALVE
13046-R0	\$	50.40	BA-475 2" LEADED 2" THREADED BALL VALVE
13047-R0	\$	36.79	MILALVE BA-475B 1-1/2" LEADED BALL 2PCBRZ BODY 600# WOD 150# SWP
13048-R0	\$	29.28	MILVALVE BA-475B 1-1/4" LEADED BALL 2PCBRZ BODY 600# WOG 150# SWP
13049-R0	\$	18.25	MILVALVE BA-475B 1" LEADED BALL 2PCBRZ BODY 600# WOG 150# SWP
13050-R0	\$	10.79	MILVALVE BA-475B 3/4" LEADED BALL 2PCBRZ BODY 600# WOG 150# SWP
13051-R0	\$	7.75	MILVALVE BA-475B 1/2" LEADED BALL 2PCBRZ BODY 600#WOG 150# SWP
13052-R0	\$	43.21	PM11 LEADED 2" PROMAX SWEAT BRZN BALL
13053-R0	\$	29.03	PM11 LEADED 1-1/2" PROMAX SWEAT BRZN BALL
13054-R0	\$	20.66	PM11 LEADED 1-1/4" PROMAX SWEAT BRZN BALL VALVE
13055-R0	\$	13.01	PM11 LEADED 1" PROMAX SWEAT BRZN BALL
13056-R0	\$	8.00	PM11 LEADED 3/4" PROMAX SWEAT BRZN BALL
13057-R0	\$	6.38	PM11 LEADED 1/2" PROMAX SWEAT BRZN BALL
13058-R0	\$	13.62	COP-FTG 2-COP-F-ADPT 603 2" CXFEMALE ADAPTER W01287 32-C-FADP
13059-R0	\$	10.04	COP-FTG 1-1/2-COP-F-ADPT 603 1-1/2" CXFEMALE ADAPTER W01279 24-C-FADP
13060-R0	\$	6.41	COP-FTG 1-1/4-COP-F-ADPT 603 1-1/4" CXFEMALE ADAPTER W01271 20-C-FADP
13061-R0	\$	4.42	COP-FTG 1-COP-F-ADPT 603 1" COPPERXFEMALE ADAPTER

44625-R0	\$	49.53	DUCT AVERAGING 12 FT COPPER TUBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
13062-R0	\$	1.91	COP-FTG 3/4-COP-F-ADPT 603 3/4" CXFEMALE ADAPTER
13063-R0	\$	1.39	COP-FTG 1/2-COP-F-ADPT 603 1/2" CXFEMALE ADAPTER WB01231-08-C-FADP
13064-R0	\$	432.04	MILVALVE CL323E-10 BFY LUG CI BODY 200PSI LUG
13065-R0	\$	330.45	MILVALVE CL323E-8 BFY LUG CI BODY 200 PSI LUG
13066-R0	\$	237.89	MILVALVE CL223E 8" BFY LUG CI BODY 200 PSI AL BRZ
13067-R0	\$	159.63	MILVALVE CL223E 6" BFY LUG CI BODY 200 PSI AL BRZE
13068-R0	\$	143.21	MILVALVE CLE223E 5" LUG BFV200# CI BODY ALL/BRZ DISC
13069-R0	\$	101.56	MILVALVE CLE 223E 4" LUG BFV200# CI BODY AL/BRZ DISC
13070-R0	\$	80.93	MILVALVE CL223E 3" BFY LUG CI BODY 200 PSI AL BRZ
13071-R0	\$	76.05	MILVALVE CLE223E 2-1/2" BFY LUG CI BODY 200PSI AL BRZ
13072-R0	\$	303.91	YS58-CI 6" WYE STRAINER 1/8" PERF SS SCREEN 125# FLANGED
13073-R0	\$	231.15	YS58-CI 5" CI Y-STRAINER 1/8" PERF SS SCREE 125# FLANGED
13074-R0	\$	144.51	YS58-CI 4" CI Y-STRAINER 1/16" PERF SS SCREEN 125# FLANGED
13075-R0	\$	86.97	YS58-CI Y-STRAINER 1/16" SS PERF SCREEN 125# FLANGED
13076-R0	\$	74.74	YS58-CI 2-1/2" CI Y-STRAINER 1/16" PERF SS SCREEN 125# FLANGED
13077-R0	\$	33.07	YS12-CI 2" MESH Y-STRAINER 250# CI BODY THREADED ENDS
13078-R0	\$	24.48	YS12-CI 1-1/2" 20 MESH Y-STRAINER 250# CI BODY STD
13079-R0	\$	16.21	YS12-CI 1-1/4" 20 MESH Y-STRAINER 250# CI BODY
13080-R0	\$	10.58	YS12-CI 1" 20 MESH SCREEN CI Y-STRAINER 250#
13081-R0	\$	8.93	YS12-CI 3/4" 20 MESH Y-STRAINER 250#
13082-R0	\$	6.62	YS12-CI 1/2" 20 MESH Y-STRAINER 250#
13083-R0	\$	146.24	YS55-BZ 2" BRONZE THREAD Y-STRAINER W/20 MESH SCREEN
13084-R0	\$	82.49	YS55-BZ 1-1/2" BRONZE THRD Y-STRAINER W/20 MESH
13085-R0	\$	62.67	YS55-BZ 1-1/4" BRONZE THRD YOSTRAINER W/20 MESH
13086-R0	\$	34.22	YS55-BZ 1" BRONZE THRD Y-STRAINER
13087-R0	\$	24.49	YS55-BZ 3/4" BRONZE THRD Y-STRAINER W/MESH
13088-R0	\$	24.49	YS55-BZ 3/4" BRONZE THRD Y-STRAINER W/MESH
13089-R0	\$	14.42	YS55-BZ 1/2" BRONZE NPT Y-STRAINER W/MESH
13090-R0	\$	0.74	T19-125 1/2" X 520" TEFLON TAPE
13091-R0	\$	9.69	15-427 1 PT PRO-DOPE PIPE JOINT COMPOUND
13092-R0	\$	27.16	BRGT61 (16000) BRIDGIT LEAD FREE SOLDER
13093-R0	\$	8.61	30372 8 OZ NO 95 LEAD FREE TINNING FLUX
13094-R0	\$	5.79	31317 120 GRIT SAND CLOTH
13095-R0	\$	62.78	450B4504LA110 4-1/2: 450 SERIES PROCESS GAUGE
13096-R0	\$	6.98	800B2502LA110 2-1/2" 800B UTILITY GAUGE
13097-R0	\$	107.74	401488 79 3/4" X 1/2" WATER VENT
13098-R0	\$	20.72	STRUT 1-5/8" X 10' 12 GA PG EH
13099-R0	\$	8.81	ALL THRD 3/8" X 6' PLAIN STEE THRD ROD
13100-R0	\$	33.92	BX9140307 9" ADJUSTABLE ANGLE CAST ALUMINUM
13101-R0	\$	5.38	3-4F2 3/4" X 3-1/2" BRASS THERMOWELL
13102-R0	\$	7.48	710-1/2" BRASS PLUG
13103-R0	\$	10.41	110-1/4" 1/4" BRASS PLUG
13104-R0	\$	6.89	AS 0340DN-EG 2-18" OD TUBE CUSHION CLAMP
13105-R0	\$	4.68	AS 026ODN-EG 1-5/8" OD TUBE CUSHION CLAMP
13106-R0	\$	3.16	AS 022ODN-EG 1-3/8" OD TUBE CUSHION CLAMP
13107-R0	\$	2.26	AS 014ODN-EG 7/8" OD TUBE CUSHION CLAMP
13108-R0	\$	1.96	AS 010ODN-EG 5/8" OD TUBE CUSHION CLAMP
13109-R0	\$	1.92	AS 008ODN-EG 1/2" OD TUBE CUSHION CLAMP
13110-R0	\$	2.41	AS 1200 AS-COPC 2-1/8" OD 2" TUBING CLAMP COP PLATED
13111-R0	\$	1.66	AS 1200 AS-COPC 1-5/8" OD 1-1/2" TUBING CLAMP COP PLT
13112-R0	\$	1.98	AS 1200 AS-COPC 1-38" OD 1-1/4" TUBING CLAMP COP PLT
13113-R0	\$	1.31	AS 1200 AS-COPC 1-1/8" OD 1" TUBING CLAMP COP PLT
13114-R0	\$	1.57	AS 1200 AS-COPC 7/8" OD 3/4" TUBING CLAMP COP PLT
13115-R0	\$	0.87	AS 1200 AS-COPC 5/8" OD 1/2" TUBING CLAMP COP PLT

44625-R0	\$	49.53	DUCT AVERAGING 12 FT COPPER TUBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
13116-R0	\$	5.81	AS 110 AS-EG 8" RIGID PIPE CLAMP
13117-R0	\$	5.03	AS 1100 AS-EG 6" RIGID PIPE CLAMP
13118-R0	\$	3.24	AS 1100 AS-EG 5" RIGID PIPE CLAMP
13119-R0	\$	2.29	AS 1100 AS-EG 4" RIGID PIPE CLAMP
13120-R0	\$	1.81	AS 1100 AS-EG 43" RIGID PIPE CLAMP
13121-R0	\$	1.63	AS 1100 AS-EG 2-1/2" RIGID PIPE CLAMP
13122-R0	\$	1.39	AS 1100 AS-EG 2" RIGID PIPE CLAMP
13123-R0	\$	1.29	AS 1100 AS-EG 1-1/2" STRUT PIPE CLAMP
13124-R0	\$	1.01	AS 1100 AS-EG 1-1/4" RIGID PIPE CLAMP
13125-R0	\$	0.88	AS 1100 AS-EG 1" RIGID PIPE CLAMP
13126-R0	\$	0.96	AS 1100 AS-EG 3/4" RIGID PIPE CLAMP
13127-R0	\$	0.82	AS 1100 AS-EG 1/2" RIGID PIPE CLAMP
13128-R0	\$	6.08	HANGERS 8 HW CLEVIS
13129-R0	\$	3.93	HANGERS 6 HW CLEVIS GRINNELL 260
13130-R0	\$	3.16	HANGERS 5 HW CLEVIS GRINNELL 260
13131-R0	\$	2.22	HANGERS 4 HW CLEVIS GRINNELL 260
13132-R0	\$	1.74	HANGERS 3 HW CLEVIS GRINNELL 260
13133-R0	\$	1.47	HANGERS 2-1/2 HW CLEVIS GRINNELL 260
13134-R0	\$	0.96	HANGERS 2 HW CLEVIS GRINNELL 260
13135-R0	\$	0.83	HANGERS 1-1/2 HW CLEVIS GRINNELL 260
13136-R0	\$	0.81	HANGERS 1-14 HW CLEVIS GRINNELL 260
13137-R0	\$	0.74	HANGERS 1 HW CLEVIS GRINNELL 260
13138-R0	\$	0.96	HANGERS 3/4 HW CLEVIS GRINNELL
13139-R0	\$	1.20	HANGERS 1/2 HW CLEVIS GRINNELL
13140-R0	\$	69.39	(IMP) 2" S/40 BLK T&C STL PIPE THREADED TYPE E GRADE B 21' LENGTH
13141-R0	\$	52.17	(IMP) 1-1/2" S/40 BLK T&C STL PIPE THRD/COUPLED 21' LENGTH
13142-R0	\$	40.92	(IMP) 1-1/4" S/40 BLK T&C STL PIPE THRD/COUPLED 21' LENGTH
13143-R0	\$	30.20	(IMP) 1" S/40 BLK T&C STL PIPE THRD/COUPLED 21' LENGTH
13144-R0	\$	21.40	(IMP) 3/4" S/40 BLK T&C STL PIPE THRD/COUPLED 21' LENGTH
13145-R0	\$	16.52	(IMP) 1/2" S/40 BLK T&C STL PIPE THRD/COUPLED 21' LENGTH
13146-R0	\$	123.93	PVCPPIPE 8X20 SOLID 8" SCH 40 DWV PVC 20' LENGTH
13147-R0	\$	79.42	PVCPPIPE 6X20 SOLID 6" SCH 40/DWV PVC 20' LENGTH
13148-R0	\$	42.28	PVCPPIPE 4X20 SOLID SCH 40/DWV PVC 20' LENGTH
13149-R0	\$	29.91	PVCPPIPE 3X20 SOLID 20' LENGTH
13150-R0	\$	38.97	PVCDWV 8-1/4-BEND 4807 8" PVCDWV HXH 1/4 BEND
13151-R0	\$	14.92	PVCDWV 6" PVC DWV 1/4 BEND 90 ELL HUB X HUB 29811962
13152-R0	\$	4.26	PVCDWV 4" PVC DWV 1/4 BEND 90 ELL HUB X HUB 29811949
13153-R0	\$	2.33	PVCDWV 3" PVCDWV 90 ELL 1/4 BEND HUBXHUB 29811938
13154-R0	\$	35.00	PVCDWV 8-1/8 BEND 8" PVCDWV HXH 1/8 BND 45 DEGREE ELL D508SS
13155-R0	\$	13.66	PVCDWV 6" PVC DWV 1/8 BEND 45 ELL HUBXHUB 29811520
13156-R0	\$	3.39	PVCDWV 4" 45 ELBOW PVC DWV 1/8 BEND HUBXHUB 29811504
13157-R0	\$	2.09	PVCDWV 3" PVCDWV 45 ELL 1/8 BEND HUBXHUB 29811490
13158-R0	\$	12.04	30753 32 OZ PVC/CPVC CLEAR PRIMER LO-VOC
13159-R0	\$	9.89	31015 32 OZ PVC LO-VOC REGULAR CLEAR CEMENT
13160-R0	\$	5.40	FTG9I 2 BLK-EL 90
13161-R0	\$	3.16	FTG-I 1-1/2-BLK-ELL-90
13162-R0	\$	2.39	FTG-I 1-1/4-BLK-ELL-90
13163-R0	\$	1.48	FTG-I 1-BLK-ELL-90
13164-R0	\$	0.83	FTG-I 3/4-BLK-ELL-90
13165-R0	\$	0.70	FTG-I 1/2-BLK-ELL-90
13166-R0	\$	7.77	FTG-I 2 BLK-ELL-90
13167-R0	\$	4.54	FTG-I 1-1/2-BLK-TEE
13168-R0	\$	3.67	FTG-I 1-1/4-BLK-TEE
13169-R0	\$	2.26	FTG-I 1-BLK-TEE

44625-R0	\$	49.53	DUCT AVERAGING 12 FT COPPER TUBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDDYNE/ALERTON/DISTECH/TRANE
13170-R0	\$	1.29	FTG-I 3/4-BLK-TEE
13171-R0	\$	0.91	FTG-I 1/2-BLK-TEE
13172-R0	\$	7.90	FTG-I 2X1/2-BLK-RED-TEE
13173-R0	\$	7.90	FTG-I 2X3/4-BLK-RED-TEE
13174-R0	\$	7.88	FTG-I 2X1-BLK-RED-TEE
13175-R0	\$	7.90	FTG-I 2X3/4-BLK-RED-TEE
13176-R0	\$	7.90	FTG-I 2X1/2-BLK-RED-TEE
13177-R0	\$	5.98	FTG-I 1-1/2X1-1/4-BLK-RED-TEE
13178-R0	\$	4.94	FTG-I 1-1/2X1-BLK-RED-TEE
13179-R0	\$	5.07	FTG-I 1-1/2X3/4-BLK-RED-TEE
13180-R0	\$	5.36	FTG-I 1-1/2X1/2-BLK-RED-TEE
13181-R0	\$	3.99	FTG-I 1-1/4X1-BLK-RED-TEE
13182-R0	\$	3.94	FTG-I 1-1/4 X 3/4-BLK-RED-TEE
13183-R0	\$	4.55	FTG-I 1-1/4X1/2-BLK-RED-TEE
13184-R0	\$	2.51	FTG-I 1/3-BLK-RED-TEE
13185-R0	\$	2.54	FTG-I 1X1/2-BLK-RED-TEE
13186-R0	\$	1.98	FTG-I 3/4X1/2-BLK-RED-TEE
13187-R0	\$	11.80	FTG-I 2-BLK UNION BRASS X IRON SEAT
13188-R0	\$	7.71	FTG-I 1-1/2-BLK UNION BRASS X IRON SEAT
13189-R0	\$	6.33	FTG-I 1-1/4 BLK UNION BRASS X IRON SEAT
13190-R0	\$	4.77	FTG-I 1-BLK UNION BRASS X IRON SEAT
13191-R0	\$	3.76	FTG-I 3/4-BLK UNION BRASS X IRON SEAT
13192-R0	\$	3.09	FTG-I 1/2-BLK UNION BRASS X IRON SEAT
13193-R0	\$	3.22	3/8 ZINC PLATED ALL THREAD ROD 6' LENGTH
13194-R0	\$	7.33	1/2 ZINC PLATED ALL THREAD ROD 6' LENGTH
13195-R0	\$	11.40	5/8 ZINCE PLATED ALL THREAD ROD 6' LENGTH
13196-R0	\$	18.04	3/4 ZINC PLATED ALL THREAD ROD 6' LENGTH
13197-R0	\$	5.68	3/8 ZINC PLATED HEX NUT BOX 100
13198-R0	\$	4.60	1/2 ZINC PLATED HEX NUT BOX 100
13199-R0	\$	8.23	5/8 ZINC PLATED HEX NUT BOX 50
13200-R0	\$	12.03	3/4 ZINC PLATED HEX NUT BOX 25
13201-R0	\$	4.08	3/8 ZINCE PLATED WASHER BOX 100
13202-R0	\$	8.33	1/2 ZINC PLATED WASHER BOX 50
13203-R0	\$	8.78	5/8 ZINC PLATED WASHER BOX 50
13204-R0	\$	15.41	3/4 ZINC PLATED WASHER BOX 50
13205-R0	\$	9.71	3/8X1 ZINC PLATED CAP SCREWS BOX 100
13206-R0	\$	22.41	1-5/8 ZINC PLATED UNISTRUT 10' LENGTH
13207-R0	\$	14.39	7/8 ZINC PLATED UNISTRUT 10' LENGTH
13208-R0	\$	1.72	7/8 COPPER TUBE 1" THICK ASJ INSULATION
13209-R0	\$	1.86	1-1/8 COPPER TUBE 1"THICK ASJ INSULATION
13210-R0	\$	2.02	1-3/8 COPPER TUBE 1" THICK ASJ INSULATION
13211-R0	\$	2.15	1-5/8 COPPER TUBE 1" THICK ASJ INSULATION
13212-R0	\$	2.54	2-1/8 COPPER TUBE 1" THICK ASJ INSULATION
13213-R0	\$	1.39	FITTINGS
13214-R0	\$	1.39	FITTINGS
13215-R0	\$	1.39	FITTINGS
13216-R0	\$	1.77	FITTINGS
13217-R0	\$	1.77	FITTINGS
13218-R0	\$	2.24	FITTINGS
13219-R0	\$	2.70	FITTINGS
13220-R0	\$	3.15	FITTINGS
13221-R0	\$	4.60	FITTINGS
13222-R0	\$	7.63	FITTINGS
13223-R0	\$	9.35	FITTINGS

44625-R0	\$	49.53	DUCT AVERAGING 12 FT COPPER TUBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
13224-R0	\$	14.17	FITTINGS
13225-R0	\$	17.81	FITTINGS
13226-R0	\$	0.72	1-1/2" THICK 1-1/2 LB DUCTWRAP
13227-R0	\$	1.13	2" THICK 1-1/2 LB DUCTWRAP
13228-R0	\$	2.04	1-1/2 THICK 3 LB DUCTBOARD
13229-R0	\$	2.67	2" THICK 3 LB DUCTBOARD
13230-R0	\$	14,450.15	10" AIR & DIRT SEPARATOR ASME
13231-R0	\$	9,724.00	8" AIR & DIRT SEPARATOR ASME
13232-R0	\$	5,913.05	6" AIR & DIRT SEPARATOR ASME
13233-R0	\$	4,862.00	5" AIR & DIRT SEPARATOR ASME
13234-R0	\$	3,360.50	4" AIR & DIRT SEPARATOR ASME
13235-R0	\$	3,081.65	3" AIR & DIRT SEPARATOR ASME
13236-R0	\$	2,388.10	2-1/2" AIR & DIRT SEPARATOR ASME
13237-R0	\$	2.90	RECTANGULAR DUCT
13238-R0	\$	6.01	RECTANGULAR DUCT FITTINGS
13239-R0	\$	4.33	RECTANGULAR LINED DUCT
13240-R0	\$	7.44	RECTANGULAR LINED FITTINGS
13241-R0	\$	7.24	RECTANGULAR DUCT WALL DUCT
13242-R0	\$	13.44	RECTANGULAR DUAL WALL FITTINGS
13243-R0	\$	2.83	SPIRAL DUCT
13244-R0	\$	4.88	SPIRAL DUCT FITTINGS
13245-R0	\$	18.72	TAKEOFF 6"
13246-R0	\$	20.57	TAKEOFF 8"
13247-R0	\$	27.91	TAKEOFF 10"
13248-R0	\$	34.33	TAKEOFF 12"
13249-R0	\$	40.77	TAKEOFF 14"
13250-R0	\$	65.35	FLEX DUCT 6"
13251-R0	\$	80.37	FLEX DUCT 8"
13252-R0	\$	96.43	FLEX DUCT 10"
13253-R0	\$	122.59	FLEX DUCT 12"
13254-R0	\$	149.46	FLEX DUCT 14"
13255-R0	\$	51.81	6" LAYIN REGISTER
13256-R0	\$	51.81	8" LAYIN REGISTER
13257-R0	\$	51.81	10" LAYIN REGISTER
13258-R0	\$	51.81	12" LAYIN REGISTER
13259-R0	\$	51.81	14" LAYIN REGISTER
13260-R0	\$	44.41	1 X 1 RA REGISTER
13261-R0	\$	51.81	2 X 1 RA REGISTER
13262-R0	\$	59.20	2 X 2 RA REGISTER
13263-R0	\$	192.41	1 X 1 LOUVER
13264-R0	\$	355.21	2 X 2 LOUVER
13265-R0	\$	584.62	3 X 3 LOUVER
13266-R0	\$	702.00	4 X 4 LOUVER
13267-R0	\$	884.00	5 X 5 LOUVER
13268-R0	\$	1,228.50	6 X 6 LOUVER
13269-R0	\$	1,406.05	7 X 7 LOUVER
13270-R0	\$	1,539.25	8 X 8 LOUVER
13271-R0	\$	370.02	1 X 1 MOD
13272-R0	\$	416.65	2 X 1 MOD
13273-R0	\$	518.02	2 X 2 MOD
13274-R0	\$	592.02	3 X 2 MOD
13275-R0	\$	666.03	3 X 3 MOD
13276-R0	\$	740.03	4 X 3 MOD
13277-R0	\$	888.03	4 X 4 MOD

44625-R0	\$	49.53	DUCT AVERAGING 12 FT COPPER TUBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
13278-R0	\$	74.01	1 X 1 FIRE DAMPER
13279-R0	\$	88.80	2 X 1 FIRE DAMPER
13280-R0	\$	111.01	2 X 2 FIRE DAMPER
13281-R0	\$	185.02	3 X 2 FIRE DAMPER
13282-R0	\$	232.41	3 X 3 FIRE DAMPER
13283-R0	\$	296.01	4 X 3 FIRE DAMPER
13284-R0	\$	370.02	4 X 4 FIRE DAMPER
13285-R0	\$	888.03	400 CFM ROOF FAN
13286-R0	\$	1,184.04	800 CFM ROOF FAN
13287-R0	\$	1,480.05	1200 CFM ROOF FAN
13288-R0	\$	2,812.10	2000 CFM ROOF FAN
13289-R0	\$	3,700.13	4000 CFM ROOF FAN
13290-R0	\$	296.01	200 CFM CEILING FAN
13291-R0	\$	444.02	400 CFM CEILING FAN
13292-R0	\$	888.03	1000 CFM CEILING FAN
13293-R0	\$	1,036.04	400 CFM INLINE FAN
13294-R0	\$	1,480.05	800 CFM INLINE FAN
13295-R0	\$	1,850.07	1200 CFM INLINE FAN
13296-R0	\$	3,256.11	2000 CFM INLINE FAN
13297-R0	\$	4,440.15	4000 CFM INLINE FAN
13298-R0	\$	888.03	400 CFM WALL FAN
13299-R0	\$	1,150.50	800 CFM WALL FAN
13300-R0	\$	1,480.05	1200 CFM WALL FAN
13301-R0	\$	2,812.10	2000 CFM WALL FAN
13302-R0	\$	3,700.13	4000 CFM WALL FAN
13303-R0	\$	315.32	1 X 1 FIRE SMOKE DAMPER
13304-R0	\$	401.12	2 X 1 FIRE SMOKE DAMPER
13305-R0	\$	514.80	2 X 2 FIRE SMOKE DAMPER
13306-R0	\$	546.00	3 X 2 FIRE SMOKE DAMPER
13307-R0	\$	629.20	3 X 3 FIRE SMOKE DAMPER
13308-R0	\$	729.30	4 X 3 FIRE SMOKE DAMPER
13309-R0	\$	829.40	4 X 4 FIRE SMOKE DAMPER
13310-R0	\$	20.72	4" AL-29 PIPE
13311-R0	\$	444.02	4" AL-29 ELBOW
13312-R0	\$	592.02	4" AL-29 TEE
13313-R0	\$	148.01	4" AL-29 FLASHING
13314-R0	\$	370.02	4" AL-29 TERMINATION
13315-R0	\$	23.69	6" AL-29 PIPE
13316-R0	\$	518.02	6" AL-29 ELBOW
13317-R0	\$	637.00	6" AL-29 TEE
13318-R0	\$	222.01	6" AL-29 FLASHING
13319-R0	\$	427.70	6" AL-29 TERMINATION
13320-R0	\$	26.64	8 "AL-29 PIPE
13321-R0	\$	592.02	8" AL-29 ELBOW
13322-R0	\$	740.03	8" AL-29 TEE
13323-R0	\$	296.01	8" AL-29 FLASHING
13324-R0	\$	518.02	8" AL-29 TERMINATION
13325-R0	\$	29.60	10" AL-29 PIPE
13326-R0	\$	648.70	10" AL-29 ELBOW
13327-R0	\$	873.60	10" AL-29 TEE
13328-R0	\$	370.02	10" AL-29 FLASHING
13329-R0	\$	592.02	10" AL-29 TERMINATION
13330-R0	\$	74.01	MANUAL DAMPER 1 X 1
13331-R0	\$	88.80	MANUAL DAMPER 2 X 1

44625-R0	\$	49.53	DUCT AVERAGING 12 FT COPPER TUBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
13332-R0	\$	111.01	MANUAL DAMPER 2 X 2
13333-R0	\$	185.02	MANUAL DAMPER 3 X 2
13334-R0	\$	222.01	MANUAL DAMPER 3 X 3
13335-R0	\$	296.01	MANUAL DAMPER 4 X 3
13336-R0	\$	370.02	MANUAL DAMPER 4 X 4
13337-R0	\$	76.96	EQUIPMENT RAILS 2'
13338-R0	\$	85.84	EQUIPMENT RAILS 3'
13339-R0	\$	100.65	EQUIPMENT RAILS 4'
13340-R0	\$	162.81	EQUIPMENT RAILS 5'
13341-R0	\$	162.81	EQUIPMENT RAILS 6'
13342-R0	\$	103.61	DUCT CURBS 2 X 2
13343-R0	\$	140.61	DUCT CURBS 3 X 3
13344-R0	\$	170.21	DUCT CURBS 4 X 4
13345-R0	\$	244.24	DUCT CURBS 5 X 5
13346-R0	\$	1,970.54	Series 1510 Pumps 1.5 HP
13347-R0	\$	2,302.30	Series 1510 Pumps 2 HP
13348-R0	\$	2,436.72	Series 1510 Pumps 3 HP
13349-R0	\$	3,859.57	Series 1510 Pumps 5 HP
13350-R0	\$	4,746.17	Series 1510 Pumps 7.5 HP
13351-R0	\$	5,435.43	Series 1510 Pumps 10 HP
13352-R0	\$	6,138.99	Series 1510 Pumps 15 HP
13353-R0	\$	6,620.90	Series 1510 Pumps 20 HP
13354-R0	\$	7,230.08	Series 1510 Pumps 25 HP
13355-R0	\$	2,867.15	Series 80 Pumps 1 HP
13356-R0	\$	3,421.99	Series 80 Pumps 1.5 HP
13357-R0	\$	3,623.62	Series 80 Pumps 2 HP
13358-R0	\$	5,329.61	Series 80 Pumps 3 HP
13359-R0	\$	6,078.93	Series 80 Pumps 5 HP
13360-R0	\$	7,325.89	Series 80 Pumps 7.5 HP
13361-R0	\$	7,611.89	Series 80 Pumps 10 HP
13362-R0	\$	7,754.89	Series 80 Pumps 15 HP
13363-R0	\$	8,592.87	Series 80 Pumps 20 HP
13364-R0	\$	9,725.43	Series 80 Pumps 25 HP
13365-R0	\$	1,322.75	Series 60 Pumps 3/4 HP
13366-R0	\$	1,943.37	Series 60 Pumps 1 HP
13367-R0	\$	2,541.11	Series 60 Pumps 2 HP
13368-R0	\$	3,010.15	Series 60 Pumps 3 HP
13369-R0	\$	2,205.06	Series 60 Bronze Pumps 3/4 HP
13370-R0	\$	3,091.66	Series 60 Bronze Pumps 1 HP
13371-R0	\$	4,287.14	Series 60 Bronze Pumps 2 HP
13372-R0	\$	4,754.75	Series 60 Bronze Pumps 3 HP
13373-R0	\$	4,540.25	Expansion Tank B200
13374-R0	\$	4,983.55	Expansion Tank B300
13375-R0	\$	5,045.04	Expansion Tank B400
13376-R0	\$	5,458.31	Expansion Tank B500
13377-R0	\$	8,072.35	Expansion Tank B600
13378-R0	\$	8,913.19	Expansion Tank B800
13379-R0	\$	10,725.00	Expansion Tank B1000
13380-R0	\$	11,206.91	Expansion Tank B1200
13381-R0	\$	12,203.62	Expansion Tank B1400
13382-R0	\$	54.34	30-240 DEGREE THERMOMETER W/ WELL
13383-R0	\$	54.34	0-120 DEGREE THERMOMETER W/WELL
13384-R0	\$	61.49	0-100# PRESSURE GAUGE LIQUID FILLED
13385-R0	\$	28.60	0-100# PRESSURE GAUGE DRY TYPE

44625-R0	\$	49.53	DUCT AVERAGING 12 FT COPPER TUBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
13386-R0	\$	2,113.54	8" BALANCE VALVE (FLANGED)
13387-R0	\$	1,191.19	6" BALANCE VALVE (FLANGED)
13388-R0	\$	993.85	5" BALANCE VALVE (FLANGED)
13389-R0	\$	747.89	4" BALANCE VALVE (FLANGED)
13390-R0	\$	523.38	3" BALANCE VALVE (FLANGED)
13391-R0	\$	523.38	2-1/2" BALANCE VALVE (FLANGED)
13392-R0	\$	197.34	2" BALANCE VALVE SWEAT
13393-R0	\$	147.29	1-1/2" BALANCE VALVE SWEAT
13394-R0	\$	127.27	1-1/4" BALANCE VALVE SWEAT
13395-R0	\$	90.09	1" BALANCE VALVE SWEAT
13396-R0	\$	61.49	3/4" BALANCE VALVE SWEAT
13397-R0	\$	61.49	1/2" BALANCE VALVE SWEAT
13398-R0	\$	1,033.89	2" COIL KIT WITH STRAINER
13399-R0	\$	1,022.45	1-1/2" COIL KIT WITH STRAINER
13400-R0	\$	400.40	1-1/4" COIL KIT WITH STRAINER
13401-R0	\$	346.06	1" COIL KIT WITH STRAINER
13402-R0	\$	213.07	3/4" COIL KIT WITH STRAINER
13403-R0	\$	194.48	1/2" COIL KIT WITH STRAINER
13404-R0	\$	583.44	8" FLEX CONNECTOR (FLANGED)
13405-R0	\$	278.85	6" FLEX CONNECTOR (FLANGED)
13406-R0	\$	250.25	5" FLEX CONNECTOR (FLANGED)
13407-R0	\$	160.16	4" FLEX CONNECTOR (FLANGED)
13408-R0	\$	138.71	3" FLEX CONNECTOR (FLANGED)
13409-R0	\$	137.28	2-1/2" FLEX CONNECTOR (FLANGED)
13410-R0	\$	82.94	2" FLEX CONNECTOR (THREADED)
13411-R0	\$	68.64	1-1/2" FLEX CONNECTOR (THREADED)
13412-R0	\$	55.77	1-1/4" FLEX CONNECTOR (THREADED)
13413-R0	\$	52.91	1" FLEX CONNECTOR (THREADED)
13414-R0	\$	41.47	3/4" FLEX CONNECTOR (THREADED)
13415-R0	\$	1,494.35	8 X 6 SUCTION DIFFUSER
13416-R0	\$	1,254.11	6 X 5 SUCTION DIFFUSER
13417-R0	\$	1,032.46	6 X 4 SUCTION DIFFUSER
13418-R0	\$	732.16	4 X 3 SUCTION DIFFUSER
13419-R0	\$	647.79	4 X 2-1/2 SUCTION DIFFUSER
13420-R0	\$	3,354.78	6" TRIPLE DUTY VALVE (FLANGED)
13421-R0	\$	2,446.73	5" TRIPLE DUTY VALVE (FLANGED)
13422-R0	\$	2,073.50	4" TRIPLE DUTY VALVE (FLANGED)
13423-R0	\$	972.40	3" TRIPLE DUTY VALVE (FLANGED)
13424-R0	\$	896.61	2-1/2" TRIPLE DUTY VALVE (FLANGED)
13425-R0	\$	760.76	2" TRIPLE DUTY VALVE (THREADED)
13426-R0	\$	293.15	1-1/2" TRIPLE DUTY VALVE (THREADED)
13427-R0	\$	67.02	30A 240V 4SN SW NEMA1 ITEM# ITE GF321N
13428-R0	\$	112.92	60A 240V 4SN SW NEMA1 ITEM# ITE GF322N
13429-R0	\$	180.08	100A 240V 4SN SW NEMA1 ITEM# ITE GF323N
13430-R0	\$	94.52	30A 240V 4SN SW NEMA3R5 ITEM#ITE GF321NR
13431-R0	\$	146.17	60A 240V 4SN SW NEMBA3R ITEM# ITE GF322NR
13432-R0	\$	254.18	100A 240V 4SN SW NEMA3R ITEM# GF323NR
13433-R0	\$	3.87	250V RK5 TD FUSE 10 ITEM# BUSS FRN-R15
13434-R0	\$	3.87	250V RK5 TD FUSE 10 ITEM# BUSS FRN-R-20
13435-R0	\$	3.87	250V RK5 TD FUSE 10 ITEM#BUSS FRN-R30
13436-R0	\$	7.64	250V RK5 TD FUSE 10 ITEM# BUSS FRN-R40
13437-R0	\$	7.64	250V RKD 5D FUSE 10 ITEM# BUSS FRN-R50
13438-R0	\$	7.64	250V RK5 TD FUSE 10 ITEM# BUSS FRN-R60
13439-R0	\$	17.23	250V RK5 TD FUSE 5 ITEM # BUSS FRN-R100

44625-R0	\$	49.53	DUCT AVERAGING 12 FT COPPER TUBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
13440-R0	\$	28.28	1/2-EMT 7000/100 ITEM# CONDUIT 1/2-EMT
13441-R0	\$	48.43	3/4-EMT 5000/100 ITEM# CONDUIT 3/4-EMT
13442-R0	\$	84.89	1-IN-EMT 3000/100 ITEM# CONDUIT 1-IN-EMT
13443-R0	\$	140.08	1-1/4-EMT 1500/50 ITEM# CONDUIT 1-1/4-EMT
13444-R0	\$	169.20	1-1/2-EMT 1500/50 ITEM# CONDUIT 1-1/2-EMT
13445-R0	\$	198.25	2-IN-EMT 1200.10 ITEM CONDUITE 2-IN-EMT
13446-R0	\$	19.88	1/2 EMT SS CONN TC121A 50 ITEM# CRH 450S
13447-R0	\$	32.31	3/4 EMT SS CONN TC122A 25 ITEM# CRH 451
13448-R0	\$	54.37	1-IN EMT SS CONN TC123A 20 ITEM# CRH 452
13449-R0	\$	105.87	1-1/4 EMT SS CONN TC124A 10 ITEM# CRH 453
13450-R0	\$	152.74	1-1/2 EMT SS CONN TC125A 10 ITEM# CRH 454
13451-R0	\$	218.96	2-IN EMT SS CONN TC126A 5 ITEM# CRH 455
13452-R0	\$	20.35	1/2 EMT SS CPL TK121A 50 ITEM# CRH 460
13453-R0	\$	30.59	3/4 EMT SS CPL TK122A 25 ITEM# CRH 461
13454-R0	\$	62.11	1-IN EMT SS CPL TK123A 20 ITEM# CRH 462
13455-R0	\$	124.10	1-1/4 EMT SS CPL TK 124A 10 ITEM# CRH 463
13456-R0	\$	180.10	1-1/2 EMT SS CPL TK125A 10 ITEM3 CRH 464
13457-R0	\$	241.48	2-IN EMT SS CPL TK126A 5 ITEM# CRH 465
13458-R0	\$	497.86	1/2 LB CVR/GASK COND BDY 10/60 ITEM# BPT LB-41CG
13459-R0	\$	627.69	3/4 LB CVR/GASK COND BDY 10/60 ITEM# BPT LB-42CG
13460-R0	\$	911.87	1 LB CVR/GASK COND BDY 5/30 ITEM# BPT LB-43CG
13461-R0	\$	1,345.29	1-1/4 LB CVR/GASK COND BDY 2/10 ITEM# BPT LB-44CG
13462-R0	\$	1,638.38	1-1/2 LB CVR/GASK COND BDY 2/10 ITEM# BPT LB-45CG
13463-R0	\$	2,707.87	2 LB CVR/GASK COND BDY 1/6 ITEM# BPT LB-46CG
13464-R0	\$	6.47	1/2 1H STL EMT STRAP 100/1000 ITEM# MADISON 1701
13465-R0	\$	10.61	3/4 1H STL EMT STRAP 100/500 ITEM# MADISON 1702
13466-R0	\$	18.59	1-IN 1H STL EMT STRAP 100/500 ITEM# MADISON 1703
13467-R0	\$	27.53	1-1/4 1H STL EMT STRAP 20/200 ITEM# MADISON 1704
13468-R0	\$	46.88	1-1/2 1H STL EMT STRAP 20/1000 ITEM# MADISON 1705
13469-R0	\$	53.66	2-IN 1H EMT STRAP 20/100 ITEM# MADISON 1706
13470-R0	\$	48.88	1/2-FLEX-ALUM-REDUC-WALL 100 PT#5602-30-00 ITEM# COND 1/2-FLEX-ALUM
13471-R0	\$	70.12	3/4-FLEX-ALUM-REDUC-WALL 100 PT#5603-30-00 ITEM# COND 3/4-FLEX-ALUM
13472-R0	\$	150.22	1-IN-FLEX-ALUM-REDUC-WALL 50 PT#5604-24-00 ITEM# COND 1-IN-FLEX-ALUM
13473-R0	\$	208.08	1-1/4-FLEX-ALUM-REDUC-WALL 50 PT#5605-24-00 ITEM# COND 1-1/4-FLEX-ALUM
13474-R0	\$	299.33	1-1/2-FLEX-ALUM-REDUC-WALL 25 PT#5606-22-00 ITEM# COND 1-1/2-FLEX-ALUM
13475-R0	\$	381.90	2-IN-FLEX-ALUM-REDUC-WALL 25 PT#5607-22-00 ITEM# COND 2-IN-FLEX-ALUM
13476-R0	\$	74.76	1/2 SQZ FLEX CONN 25/250 ITEM# MADISON L42-1
13477-R0	\$	112.33	3/4 SQZ FLEX CONN 25/250 ITEM# MADISON L42-2
13478-R0	\$	276.60	1-IN SQZ FLEX CONN 10/100 ITEM# MADISON L42-3
13479-R0	\$	566.64	1-1/4 SQZ FLEX CONN 10/100 ITEM#MADISON L42-4
13480-R0	\$	782.52	1-1/2 SQZ FLEX CONN 5/50 ITEM# MADISON L42-5
13481-R0	\$	941.55	2-IN SQZ FLEX CONN 10/40 ITEM# MADISON L42-6
13482-R0	\$	113.78	1/2-UA/LA-GRAY LIQ-TITE 100 PT#6202-30-00 ITEM# COND 1/2-UA-LA-GRAY
13483-R0	\$	156.29	3/4-UA/LA-GRAY LIQ-TITE 100 PT#6203-30-00 ITEM# COND 3/4-UA/LA-GRAY
13484-R0	\$	328.50	1-IN-UA/LA-GRAY LIQ-TITE 100 PT#6204-30-00 ITEM# COND 1-IN-UA-LA-GRAY
13485-R0	\$	427.25	1-1/4-UA/LA-GRAY LIQ-TITE 50 PT#6205-24-00 ITEM# COND 1-1/4-UA/LA-GRAY
13486-R0	\$	450.81	1-1/2-UA/LA-GRAY LIQ-TITE 50 PT#6206-24-00 ITEM# COND 1-1/2-UA/LA-GRAY
13487-R0	\$	590.41	2-IN-UA/LA-GRAY LIQ-TITE 50 PT#6207-24-00 ITEM# COND 2-IN-UA/LA-GRAY
13488-R0	\$	221.78	1/2 STR LIQUIDTIGHT CONN 20/200 ITEM# AFI STR50
13489-R0	\$	301.73	3/4 STR LIQUIDTIGHT CONN 20/100 ITEM# AFI STR75
13490-R0	\$	510.87	1 STR LIQUIDTIGHT CONN 5/50 ITEM# AFI STR100
13491-R0	\$	961.65	1-1/4 STR LIQUIDTIGHT CONN 5/25 ITEM# AFI STR125
13492-R0	\$	1,350.91	1-1/2 STR LIQUIDTIGHT CONN 2/20 ITEM# AFI STR150
13493-R0	\$	2,459.87	2 STR LIQUIDTIGHT CONN 5/25 ITEM# AFI STR200

44625-R0	\$	49.53	DUCT AVERAGING 12 FT COPPER TUBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
13494-R0	\$	3.86	IV DPLX RCPT-NEMA5-20R 10/100 ITEM# P&S 5362-I
13495-R0	\$	3.95	SP20A 120/277V IV AC SW 10/50 ITEM# P&S PS20AC1-I
13496-R0	\$	5.33	2WY20A 120/277 AC SW 10/50 ITEM# P&S PS20AC3-I
13497-R0	\$	33.11	BRN 1G DPLX PLT 25/250 ITEM# P&S TP8
13498-R0	\$	33.11	BRN 1G SW PLATE 25/250 ITEM# P&S TP1
13499-R0	\$	72.25	WELDED 1-1/2 D BOX ITEM# STL-CTY 52151-1/2&3/4/EW-GB
13500-R0	\$	115.49	4 SQ BOX 1/50 ITEM# SLT-CTY 42171-1/2-3/4-E
13501-R0	\$	30.42	4SQ FLAT BLANK COVER 50/7200 ITEM# STL-CTY 52C1
13502-R0	\$	196.25	2-1/2 OR 3-1/2 BOX SUPPORT 100 ITEM# ERC H23
13503-R0	\$	180.75	3/4 COND HGR&CLAMP 100 ITEM# ERC 812M24
13504-R0	\$	101.00	1/8-1/4 UNIV BEAM CLAMP 100 ITEM# ERC M24
13505-R0	\$	184.60	1/2-3/4 SW BOX CLIP 100 ITEM#ERC 812 MF
13506-R0	\$	140.02	COVER FOR 2 SWITCHES 50/5000 ITEM# STL-CTY-RS5
13507-R0	\$	108.60	COVER FOR 2-DUP RECEPTACLES 50/5000 ITEM# STL-CTY RS8
13508-R0	\$	123.77	COVER FOR 1-SINGLE SWITCH 50/5000 ITEM# STL-CTYRS9
13509-R0	\$	108.60	COVER FOR 1-DUPLEX RECEPTACLE 50/5000 ITEM# STL-CTY RS12
13510-R0	\$	134.67	THHN-12-BLK-10STR-CU-500S/R ITEM# WIRE THHN-12-BLK-STR-500
13511-R0	\$	207.44	THHN-10-BLK-10STR-CE-500S/R ITEM# WIRE THHN-10-BLK-STR-500
13512-R0	\$	336.17	THHN-8-BLK-19-CU-1000S/R ITEM# WIRE THHN-9-BLK-STR-1000
13513-R0	\$	517.11	THHN-6-BLK-19STR-CU-1000R ITEM# WIRE THHN-6-BLK-STR-1000
13514-R0	\$	799.98	THHN-4-BLK-19STR-CU-1000R ITEM# WIRE THHN-4-BLK-STR-1000
13515-R0	\$	1,261.52	THHN-2-BLK-19STR-CU-1000R ITEM# WIRE THHN-2-BLK-STR-1000
13516-R0	\$	24,466.80	750,000 BTUH Boiler
13517-R0	\$	25,996.80	1,000,000 btuh boiler
13518-R0	\$	36,128.40	1,500,000 btuh boiler
13519-R0	\$	41,827.20	2,000,000 btuh boiler
13520-R0	\$	52,327.20	2,500,000 btuh boiler
13521-R0	\$	60,396.00	3,000,000 btuh boiler
13522-R0	\$	108,096.00	6,000,000 btuh boiler
13589-R0	\$	18,748.80	802,000 btuh boiler - Modulex condensing
13590-R0	\$	20,977.20	962,000 btuh boiler - Modulex condensing
13591-R0	\$	23,493.60	1,123,000 btuh boiler - Modulex condensing
13523-R0	\$	10,251.60	321,000 btuh boiler - Modulex condensing
13524-R0	\$	13,423.20	481,000 btuh boiler - Modulex condensing
13525-R0	\$	16,393.20	641,000 btuh boiler - Modulex condensing
13526-R0	\$	9,957.60	399,000 water heater - Modulex condensing
13527-R0	\$	11,854.80	500,000 water heater - Modulex condensing
13528-R0	\$	17,742.00	750,000 water heater - Modulex condensing
13529-R0	\$	23,209.20	1,000,000 water heater - Modulex condensing
13530-R0	\$	21,618.00	Condensing Boiler/NAT/750,000Btu/hr Input/722,000 Btu/Hr Output
13531-R0	\$	25,004.40	Condensing Boiler/NAT/1,500,000Btu/hr Input/1,380,000 Btu/Hr Output
13532-R0	\$	30,198.00	Condensing Boiler/NAT/1,500,000Btu/hr Input/1,380,000 Btu/Hr Output
13533-R0	\$	32,836.80	Condensing Boiler/NAT/1,500,000Btu/hr Input/1,443,000 Btu/Hr Output
13534-R0	\$	36,279.60	Condensing Boiler/NAT/1,750,000Btu/hr Input/1,684,000 Btu/Hr Output
13535-R0	\$	39,231.60	Condensing Boiler/NAT/2,000,000Btu/hr Input/1,924,000 Btu/Hr Output
13536-R0	\$	50,529.60	Condensing Boiler/NAT/2,500,000Btu/hr Input/2,300,000 Btu/Hr Output
13537-R0	\$	56,497.20	Condensing Boiler/NAT/3,000,000Btu/hr Input/2,760,000 Btu/Hr Output
13538-R0	\$	70,754.40	Condensing Boiler/NAT/3,500,000Btu/hr Input/3,220,000 Btu/Hr Output
13539-R0	\$	80,857.20	Condensing Boiler/NAT/4,000,000Btu/hr Input/3,680,000 Btu/Hr Output
13540-R0	\$	101,072.40	Condensing Boiler/NAT/5,000,000Btu/hr Input/4,600,000 Btu/Hr Output
13541-R0	\$	1,021.80	2 Way Isolation Valve, KIT30133
13542-R0	\$	9,304.80	FTXL Boiler - NAT, 399,000 Btu/Hr Input / 392,000 Btu/Hr Output
13543-R0	\$	12,084.00	FTXL Boiler - NAT, 500,000 Btu/Hr Input / 489,000 Btu/Hr Output
13544-R0	\$	14,612.40	FTXL Boiler - NAT, 600,000 Btu/Hr Input / 585,000 Btu/Hr Output

44625-R0	\$	49.53	DUCT AVERAGING 12 FT COPPER TUBE RESISTIVE OUTPUT SIGNAL 10K-CP TYPE II COMPATIBLE WITH AUTOMATED LOGIC/CARRIER/SOLIDYNE/ALERTON/DISTECH/TRANE
13545-R0	\$	16,848.00	FTXL Boiler - NAT, 725,000 Btu/Hr Input / 705,000 Btu/Hr Output
13546-R0	\$	19,284.00	FTXL Boiler - NAT, 800,000 Btu/Hr Input / 825,000 Btu/Hr Output
13547-R0	\$	202.80	Modbus
13548-R0	\$	700.70	2 Way Isolation Valve, (400-600) KIT30152
13549-R0	\$	733.20	2 Way Isolation Valve, (725-850) KIT30153
13550-R0	\$	287.30	6" PVC Concentric Vent Termination CVK3007
13551-R0	\$	497.90	CON-X-US KIT30151
13552-R0	\$	85.80	CN3-600 Condensate Neutralization Kit, up to 600mbh
13553-R0	\$	245.70	CN4STR Condensate Neutralization Kit, up to 1200mbh
13554-R0	\$	287.30	CN4T Condensate Neutralization Kit, up to 4000mbh
13555-R0	\$	482.30	CN6T Condensate Neutralization Kit, up to 6000mbh
13556-R0	\$	531.70	SPA TANGENTIAL AIR SEPARATOR (ASME) 2" NPT, 56 GPM MAX (72006019)
13557-R0	\$	546.00	SPA TANGENTIAL AIR SEPARATOR (ASME) 2.5"NPT, 90 GPM MAX (72006025)
13558-R0	\$	828.10	SPA TANGENTIAL AIR SEPARATOR (ASME) 3" FLNG, 190 GPM MAX (72006030)
13559-R0	\$	1,170.00	SPA TANGENTIAL AIR SEPARATOR (ASME) 4" FLNG, 300 GPM MAX (72006035)
13560-R0	\$	1,431.30	SPA TANGENTIAL AIR SEPARATOR (ASME) 5" FLNG, 530 GPM MAX (72016036)
13561-R0	\$	2,005.90	SPA TANGENTIAL AIR SEPARATOR (ASME) 6" FLNG, 850 GPM MAX (72016060)
13562-R0	\$	2,791.10	SPA TANGENTIAL AIR SEPARATOR (ASME) 8" FLNG, 1900 GPM MAX (72016080)
13563-R0	\$	4,473.30	SPA TANGENTIAL AIR SEPARATOR (ASME) 10" FLNG, 3600 GPM MAX (72030012)
13564-R0	\$	629.20	SPA TANGENTIAL AIR SEPARATOR W/ STRAINER (ASME) 2" NPT, 56 GPM MAX (72072101)
13565-R0	\$	651.30	SPA TANGENTIAL AIR SEPARATOR W/ STRAINER (ASME) 2.5"NPT, 90 GPM MAX (72072102)
13566-R0	\$	1,037.40	SPA TANGENTIAL AIR SEPARATOR W/ STRAINER (ASME) 3" FLNG, 190 GPM MAX (72072103)
13567-R0	\$	1,378.00	SPA TANGENTIAL AIR SEPARATOR W/ STRAINER (ASME) 4" FLNG, 300 GPM MAX (72072104)
13568-R0	\$	1,937.00	SPA TANGENTIAL AIR SEPARATOR W/ STRAINER (ASME) 5" FLNG, 530 GPM MAX (72072105)
13569-R0	\$	2,362.10	SPA TANGENTIAL AIR SEPARATOR W/ STRAINER (ASME) 6" FLNG, 850 GPM MAX (72072106)
13570-R0	\$	3,233.10	SPA TANGENTIAL AIR SEPARATOR W/ STRAINER (ASME) 8" FLNG, 1900 GPM MAX (72072108)
13571-R0	\$	5,336.50	SPA TANGENTIAL AIR SEPARATOR W/ STRAINER (ASME) 10" FLNG, 3600 GPM MAX (72072110)
13572-R0	\$	351.00	WVA WESS-VENT TRIM PACKAGE; 3/4" VENT SIZE, 1/2" BLOW DOWN VALVE SIZE, 1/2" SKIM VALVE SIZE (74099991)
13573-R0	\$	392.60	WVA WESS-VENT TRIM PACKAGE; 3/4" VENT SIZE, 1" BLOW DOWN VALVE SIZE, 1/2" SKIM VALVE SIZE (74099993)
13574-R0	Cost plus 10%		Crane and equipment rentals