



Wholegoods Pricing

***Effective
February 14, 2014***

**STATE OF OHIO
STATE TERM SCHEDULE**





WHOLEGOODS PRICING

Revision B- Effective 07/01/2014

OHIO STS CONTRACT 800316-ST5 515



Universal Line
Effective February 14, 2014

STATE OF OHIO STATE TERM SCHEDULE

2014 CONTRACT DISCOUNT STRUCTURE

Universal Price book

PRODUCT	DISCOUNT
SWITCHBLADE	20%
SUPER HEAVY DUTY	20%
RX MOWERS	20%
EAGLE	20%
EXTEND A KUT II	20%
GRASS KING	20%
MCCONNEL PA	20%

Hydraulic Price book

PRODUCT	DISCOUNT
MACHETE BOOM-2	20%
MACHETE BOOM-1 FRONT MOUNT	20%
MAVERICK	20%
REAR MOUNT BOOM	20%
SAMURAI	20%
VERSA BOOM	20%
FALCON	20%
VERSA MOWER	20%
VERSA FLAIL	20%
VERSA PRO	20%
R/H INTERSTATER	20%
DW INTERSTATER	20%
SH-88	20%
SH-96	20%
JOHN DEERE TURNKEY PACKAGES	20%
NEW HOLLAND TURNKEY PACKAGES	20%
TRAXX RF REMOTE MOWER	1%
MULTI-UNIT DISCOUNTS	
5+ UNITS	2%
9+ UNITS	3%

Universal Line Price Book

Section

Table of Contents

Switchblade

Switchblade- Mount Kits

74" Super Heavy Duty (SHD)- Flail Mowers

88" Super Heavy Duty (SHD)- Flail Mowers

96" Super Heavy Duty (SHD)- Flail Mowers

RX- Standard Duty Lift -Type Rotary Mowers

RX- Standard Duty Pull -Type Rotary Mowers

RX- Heavy Duty Series Lift -Type Rotary Mowers

Eagle Mechanical Flex Wing Mowers

Exten-A-Kut II Rotary Mowers

Grass King Flail Mowers

McConnel Power Arm (PA)

SWITCHBLADE

5', 6' Sickle Bar Mower

STANDARD SPECIFICATIONS

- ◆ Full Hydraulic Drive of Cutter Knife
- ◆ Hydraulically Actuated Breakaway
- ◆ Hydraulic Lift and Tilt
- ◆ Knife Speed Governor
- ◆ 3" Heavy Duty Industrial Rock Guards
- ◆ Reversible Hydraulic Motor
- ◆ Safety Transport Locks
- ◆ Self-Contained Hydraulics
- ◆ Cutting Capacity: 1/2" diameter material
- ◆ Tractor Req: Min. 3,000 lbs. and a 25 HP rating

PRODUCT ORDER CODE	DESCRIPTION	APPROX. WEIGHT		LIST PRICE
SWITCHBLADE BASE UNIT <i>(One Choice Required)</i>				
04116007	5' Switchblade Single RH w/ Serrated Knives	709		12,658
04117207	6' Switchblade Single RH w/ Serrated Knives	723		12,918
MOUNT KIT <i>(One Choice Required)</i>				
<i>See Mount Kit Page for Descriptions and Part Numbers</i>				
OPTIONS				
02974374	Additional Operators and Parts Manuals (Hard Copy)			54
02986457	Additional Operators, Parts & Service Manuals (CD Format)			54
0487100	Knife Holder Brackets (Order Quantity 2 per Unit)	9		130
02986583	Case-IH Farmall U & NH T5000 Series Pump Guard Kit			308
02977682	Case-IH JX-C & NH TN-A / T4000 Series Pump Guard Kit			308
02982781	Case-IH JX-U & NH TL-A Series Pump Guard Kit			308
02983392	John Deere 5105/5205 Pump Guard Kit			308
02985461	John Deere 5220/5320 & 5E Series Pump Guard Kit			308
02983480	John Deere 5025 / 5E Limited & 5M Series Pump Guard Kit			308
02988134	Kubota M5040/M6040/M7040 Pump Guard Kit			308
0800000	Factory Mount			1,964
02991513	Special Mower Paint			381
02991505	Additional 12 Month Warranty			1,962

**NOTE: ALL ORDERS FOR SWITCHBLADE UNITS REQUIRE THE PURCHASE OF A MOUNT KIT
(See Next Pages) TO COMPLETE AN INSTALLATION**

Alamo Industrial
(800) 882-5762

SWITCHBLADE

5', 6' MOUNT KIT OPTIONS

TRACTOR DESCRIPTION	SUBFRAME	HYDRAULIC	MAX. TIRE SIZE		LIST
	KIT	KIT	FRONT	REAR	PRICE
Case-IH					
Case-IH Farmall 85U/95U/105U Cab/2&4wd	02986587	02986588	11.2-24	16.9-30	5,041
Case-IH JX1060C/1070C/1075C Cab/2&4wd	02980118	02980119	11.2-24	16.9-30	5,041
Case-IH JX1080U/1090U/1100U ROPS/2&4wd	02982821	02982819	11.2-24	16.9-30	5,041
Case-IH JX1080U/1090U/1100U Cab/2&4wd	02982774	02982768	11.2-24	16.9-30	5,041
John Deere					
John Deere 5045E/5055E/5065E/5075E ROPS/2&4wd	02993841	02990108	9.5-24	16.9-28	5,041
John Deere 5065M/5075M ROPS/2&4wd	02988414	02988413	9.5-24	16.9-30	5,041
John Deere 5065M/5075M Cab/2&4wd	02988414	02988412	9.5-24	16.9-30	5,041
John Deere 5083/5093/5101 E- Series Cab 4wd 2011-2014	02990238	02991122	12.4-24	18.4-30	5,499
John Deere 5085/5100/5115- M Series Cab 2/4wd 2012- 2014	02991985	02991972	11.2-24	16.9-30	5,499
John Deere 5105/5205 ROPS/2&4wd	02983241	02983239	9.5-24	14.9-28	5,041
John Deere 5220/5320 ROPS/2wd (Straddle Platform)	02975240	02979841	7.50-16	16.9-30	5,041
John Deere 5220/5320 Cab/2wd	02977928	02982282	7.50-16	16.9-30	5,041
John Deere 5225/5325 ROPS/2&4wd	02983098	02983099	9.5-24	16.9-30	5,041
John Deere 5225/5325 Cab/2&4wd	02983098	02983101	9.5-24	16.9-30	5,041
John Deere 5425/5525 ROPS/2&4wd (IOOS Platform)	02982523	02982524	11.2-24	16.9-30	5,041
John Deere 5425/5525/5603/5625 Cab/2&4wd	02982523	02983229	11.2-24	16.9-30	5,041
John Deere 5425/5525/5603/5625 Cab/2&4wd w/JD Loader	02983935	02983936	11.2-24	16.9-30	5,041
New Holland					
New Holland T4020/4030 ROPS/2&4wd	02987690	02987691	11.2-20	16.9-28	5,041
New Holland T4020/4030 Cab/2&4wd	02988096	02988098	11.2-20	16.9-28	5,041
New Holland T5040/5050/5060/5070 Cab/2&4wd	02986587	02986588	11.2-24	16.9-30	5,041
New Holland TL80A/90A/100A ROPS/2&4wd	02982821	02982819	11.2-24	16.9-30	5,041
New Holland TL80A/90A/100A Cab/2&4wd	02982774	02982768	11.2-24	16.9-30	5,041
New Holland TN60A/70A/75A ROPS/2&4wd	02977320	02977321	11.2-24	16.9-28	5,041
New Holland TN60DA/70DA/75DA Cab/2&4wd	02980118	02980119	11.2-24	16.9-30	5,041
New Holland TN85A/95A ROPS/2&4wd	02984694	02984695	11.2-24	16.9-30	5,041

OTHER SPECIFICATIONS

- 1) Tractors should not be ordered with mid-mount loader valves as they may interfere with the subframe structure.
- 2) New Holland T4000, T5000 and TL-A models require a smaller replacement battery. We recommend Exide #34R-84N (Alamo #02982767).
- 3) The John Deere 5105/5205 will require a modification to the front bolster for proper driveline clearance.

Alamo Industrial
(800) 882-5762

SUPER HEAVY DUTY

74" Flail Mower

STANDARD SPECIFICATIONS

- ◆ 74" Cutting Width
- ◆ 10-Gauge Unitized Cutter Housing
- ◆ 5/16" Side Plates
- ◆ 4-1/2" x 5/16" Wall Cuttershaft
- ◆ 1-15/16" Bore Greaseable, Self Aligning Cuttershaft Bearings
- ◆ Belt Drive from Gearbox to Cuttershaft with Automatic Spring Tension
- ◆ 6" Adjustable Rear Roller
- ◆ Cutting Capacity: 1" Diameter Grass Material
- ◆ Factory Set-Up
- ◆ 60 HP Gearbox
- ◆ CAT 4 Driveline
- ◆ Torque Limiter Clutch
- ◆ Front & Rear Deflectors
- ◆ Available in Fine or Coarse-Cut
- ◆ 1/2" - 6" Cutting Height
- ◆ Tractor Req: Min 35 HP
- ◆ CAT I or CAT II Three-Point Hitch

PRODUCT ORDER CODE	DESCRIPTION	APPROX. WEIGHT		LIST PRICE
74" SHD FLAIL BASE UNIT (One Choice Required)				
SHD74CTRFC	74" SHD, Center Mount (Fine Cut)	930		7,208
SHD74CTRCC	74" SHD, Center Mount (Course Cut- 3 oz. knives)	930		7,208
SHD74CTRES	74" SHD, Center Mount (Extreme Service- 4 oz. knives)	930		7,419
SHD74080FC	74" SHD, Offset 8" Right (Fine Cut)	930		7,208
SHD74080CC	74" SHD, Offset 8" Right (Course Cut- 3 oz. knives)	930		7,208
SHD74080ES	74" SHD, Offset 8" Right (Extreme Service- 4 oz. knives)	930		7,419
SHD74140FC	74" SHD, Offset 14" Right (Fine Cut)	930		7,208
SHD74140CC	74" SHD, Offset 14" Right (Course Cut- 3 oz. knives)	930		7,208
SHD74140ES	74" SHD, Offset 14" Right (Extreme Service- 4 oz. knives)	930		7,419
74" SHD FLAIL BASE UNIT FOR USE WITH CASTER WHEELS (One Choice Required)				
SHD74CTRFCB	74" SHD, Center Mount, Caster Brackets (Fine Cut)	974		7,781
SHD74CTRCCB	74" SHD, Center Mount, Caster Brackets (Course Cut- 3 oz. knives)	974		7,781
SHD74CTRESCB	74" SHD, Center Mount, Caster Brackets (Extreme Service- 4 oz. knives)	974		7,992
SHD74080FCB	74" SHD, Offset 8" Right, Caster Brackets (Fine Cut)	974		7,781
SHD74080CCB	74" SHD, Offset 8" Right, Caster Brackets (Course Cut- 3 oz. knives)	974		7,781
SHD74080ESCB	74" SHD, Offset 8" Right, Caster Brackets (Extreme Service- 4 oz. knives)	974		7,992
SHD74140FCB	74" SHD, Offset 14" Right, Caster Brackets (Fine Cut)	974		7,781
SHD74140CCB	74" SHD, Offset 14" Right, Caster Brackets (Course Cut- 3 oz. knives)	974		7,781
SHD74140ESCB	74" SHD, Offset 14" Right, Caster Brackets (Extreme Service- 4 oz. knives)	974		7,992
CASTERS (One Choice Required)				
702193	360° Laminated Caster Wheel w/ Roller	154		1,190
702192	360° Pneumatic Caster Wheel w/ Roller	86		1,298
OPTIONS				
701150	Lift Chain (1 Required for offset units; 2 Required for Centered Units)	7		103
00888990	Dealer Mounting- Setup Fee			225
02991506	Additional 12 Month Warranty			1,796
02991514	Special Mower Paint			492

Alamo Industrial
(800) 882-5762

SUPER HEAVY DUTY

88" Flail Mower

STANDARD SPECIFICATIONS

- ◆ 88" Cutting Width
- ◆ 10-Gauge Unitized Cutter Housing
- ◆ 5/16" Side Plates
- ◆ 4-1/2" x 5/16" Wall Cuttershaft
- ◆ 1-15/16" Bore Greaseable, Self Aligning Cuttershaft Bearings
- ◆ Belt Drive from Gearbox to Cuttershaft with Automatic Spring Tension
- ◆ 6" Adjustable Rear Roller
- ◆ Cutting Capacity: 1" Diameter Grass Material
- ◆ Factory Set-Up
- ◆ 60 HP Gearbox
- ◆ CAT 4 Driveline
- ◆ Torque Limiter Clutch
- ◆ Front & Rear Deflectors
- ◆ Available in Fine or Coarse-Cut
- ◆ 1/2" - 6" Cutting Height
- ◆ Tractor Req: Min 35 HP
- ◆ CAT I or CAT II Three-Point Hitch

PRODUCT ORDER CODE	DESCRIPTION	APPROX. WEIGHT		LIST PRICE
88" SHD FLAIL BASE UNIT <i>(One Choice Required, Continued Next Page)</i>				
SHD88CTRFC	88" SHD, Center Mount (Fine Cut)	1035		7,310
SHD88CTRCC	88" SHD, Center Mount (Course Cut- 3 oz. knives)	1035		7,310
SHD88CTRES	88" SHD, Center Mount (Extreme Service- 4 oz. knives)	1035		7,561
SHD88085FC	88" SHD, Offset 8.5" Right (Fine Cut)	1035		7,310
SHD88085CC	88" SHD, Offset 8.5" Right (Course Cut- 3 oz. knives)	1035		7,310
SHD88085ES	88" SHD, Offset 8.5" Right (Extreme Service- 4 oz. knives)	1035		7,561
SHD88145FC	88" SHD, Offset 14.5" Right (Fine Cut)	1035		7,310
SHD88145CC	88" SHD, Offset 14.5" Right (Course Cut- 3 oz. knives)	1035		7,310
SHD88145ES	88" SHD, Offset 14.5" Right (Extreme Service- 4 oz. knives)	1035		7,561
SHD88205FC	88" SHD, Offset 20.5" Right (Fine Cut)	1035		7,310
SHD88205CC	88" SHD, Offset 20.5" Right (Course Cut- 3 oz. knives)	1035		7,310
SHD88205ES	88" SHD, Offset 20.5" Right (Extreme Service- 4 oz. knives)	1035		7,561
SHD88265FC	88" SHD, Offset 26.5" Right (Fine Cut)	1035		7,310
SHD88265CC	88" SHD, Offset 26.5" Right (Course Cut- 3 oz. knives)	1035		7,310
SHD88265ES	88" SHD, Offset 26.5" Right (Extreme Service- 4 oz. knives)	1035		7,561
SHD88CTRFCB	88" SHD, Center Mount, Caster Brackets (Fine Cut)	1069		8,138
SHD88CTRCCB	88" SHD, Center Mount, Caster Brackets (Course Cut- 3 oz. knives)	1069		8,138
SHD88CTRESCB	88" SHD, Center Mount, Caster Brackets (Extreme Service- 4 oz. knives)	1069		8,389
SHD88085FCB	88" SHD, Offset 8.5" Right, Caster Brackets (Fine Cut)	1069		8,138
SHD88085CCB	88" SHD, Offset 8.5" Right, Caster Brackets (Course Cut- 3 oz. knives)	1069		8,138
SHD88085ESCB	88" SHD, Offset 8.5" Right, Caster Brackets (Extreme Service- 4 oz. knives)	1069		8,389
SHD88145FCB	88" SHD, Offset 14.5" Right, Caster Brackets (Fine Cut)	1069		8,138
SHD88145CCB	88" SHD, Offset 14.5" Right, Caster Brackets (Course Cut- 3 oz. knives)	1069		8,138
SHD88145ESCB	88" SHD, Offset 14.5" Right, Caster Brackets (Extreme Service- 4 oz. knives)	1069		8,389
PRICING CONTINUED ON NEXT PAGE				

Alamo Industrial
(800) 882-5762

SUPER HEAVY DUTY

88" Flail Mower

PRODUCT ORDER CODE	DESCRIPTION	APPROX. WEIGHT		LIST PRICE
88" SHD FLAIL BASE UNIT FOR USE WITH CASTER WHEELS <i>(One Choice Required)</i>				
SHD88205FCCB	88" SHD, Offset 20.5" Right, Caster Brackets (Fine Cut)	1069		8,138
SHD88205CCCB	88" SHD, Offset 20.5" Right, Caster Brackets (Course Cut- 3 oz. knives)	1069		8,138
SHD88205ESCB	88" SHD, Offset 20.5" Right, Caster Brackets (Extreme Service- 4 oz. knives)	1069		8,389
SHD88265CCCB	88" SHD, Offset 26.5" Right, Caster Brackets (Course Cut- 3 oz. knives)	1069		8,138
SHD88265ESCB	88" SHD, Offset 26.5" Right, Caster Brackets (Extreme Service- 4 oz. knives)	1069		8,389
CASTERS <i>(One Choice Required)</i>				
702193	360° Laminated Caster Wheel w/ Roller	154		1,190
702192	360° Pneumatic Caster Wheel w/ Roller	86		1,298
OPTIONS				
701150	Lift Chain (1 Required for offset units; 2 Required for Centered Units)	7		103
00888990	Dealer Mounting- Setup Fee			225
803211	Additional Operators and Parts Manual			51
02991506	Additional 12 Month Warranty			1,796
02991515	Special Mower Paint			585

Alamo Industrial
(800) 882-5762

SUPER HEAVY DUTY

96" 3-Point Mount Flail Mower

STANDARD SPECIFICATIONS

- ◆ 96" Cutting Width
- ◆ 10-Gauge Unitized Cutter Housing
- ◆ 5/16" Side Plates
- ◆ 4-1/2" x 5/16" Wall Cuttershaft
- ◆ 1-15/16" Bore Greaseable, Self Aligning Cuttershaft Bearings
- ◆ Belt Drive from Gearbox to Cuttershaft with Automatic Spring Tension
- ◆ 6" Adjustable Rear Roller
- ◆ Cutting Capacity: 1" Diameter Grass Material
- ◆ Factory Set-Up
- ◆ Available in Fine or Coarse-Cut
- ◆ 60 HP Gearbox
- ◆ CAT 4 Driveline
- ◆ Torque Limiter Clutch
- ◆ Front & Rear Deflectors
- ◆ Available in Fine or Coarse-Cut
- ◆ 1/2" - 6" Cutting Height
- ◆ Tractor Req: Min 35 HP
- ◆ CAT I or CAT II Three-Point Hitch

PRODUCT ORDER CODE	DESCRIPTION	APPROX. WEIGHT		LIST PRICE
96" SHD FLAIL BASE UNIT (One Choice Required)				
SHD96CTRFC	96" SHD, Center Mount (Fine Cut)	1170		8,141
SHD96CTRCC	96" SHD, Center Mount (Course Cut- 3 oz. knives)	1170		8,141
SHD96CTRES	96" SHD, Center Mount (Extreme Service- 4 oz. knives)	1170		8,416
SHD96125FC	96" SHD, Offset 12.5" Right (Fine Cut)	1170		8,141
SHD96125CC	96" SHD, Offset 12.5" Right (Course Cut- 3 oz. knives)	1170		8,141
SHD96125ES	96" SHD, Offset 12.5" Right (Extreme Service- 4 oz. knives)	1170		8,416
SHD96185FC	96" SHD, Offset 18.5" Right (Fine Cut)	1170		8,141
SHD96185CC	96" SHD, Offset 18.5" Right (Course Cut- 3 oz. knives)	1170		8,141
SHD96185ES	96" SHD, Offset 18.5" Right (Extreme Service- 4 oz. knives)	1170		8,416
SHD96245CC	96" SHD, Offset 24.5" Right (Course Cut- 3 oz. knives)	1170		8,141
SHD96245ES	96" SHD, Offset 24.5" Right (Extreme Service- 4 oz. knives)	1170		8,416
SHD96305CC	96" SHD, Offset 30.5" Right (Course Cut- 3 oz. knives)	1170		8,141
SHD96305ES	96" SHD, Offset 30.5" Right (Extreme Service- 4 oz. knives)	1170		8,416
88" SHD FLAIL BASE UNIT FOR USE WITH CASTER WHEELS (One Choice Required)				
SHD96CTRFCCB	96" SHD, Center Mount, Caster Brackets (Fine Cut)	1249		8,690
SHD96CTRCCCB	96" SHD, Center Mount, Caster Brackets (Course Cut- 3 oz. knives)	1249		8,690
SHD96CTRESCB	96" SHD, Center Mount, Caster Brackets (Extreme Service- 4 oz. knives)	1249		8,965
SHD96125CCCB	96" SHD, Offset 12.5" Right, Caster Brackets (Course Cut 3 oz. knives)	1249		8,690
SHD96125ESCB	96" SHD, Offset 18.5" Right, Caster Brackets (Extreme Service- 4 oz. knives)	1249		8,965
PRICING CONTINUED ON NEXT PAGE				

Alamo Industrial
(800) 882-5762

SUPER HEAVY DUTY

96" 3-Point Mount Flail Mower

PRODUCT ORDER CODE	DESCRIPTION	APPROX. WEIGHT		LIST PRICE
88" SHD FLAIL BASE UNIT FOR USE WITH CASTER WHEELS <i>(One Choice Required)</i>				
SHD96245CCCB	96" SHD, Offset 24.5" Right, Caster Brackets (Course Cut- 3 oz. knives)	1249		8,690
SHD96245ESCB	96" SHD, Offset 24.5" Right, Caster Brackets (Extreme Service- 4 oz. knives)	1249		8,965
SHD96305CCCB	96" SHD, Offset 30.5" Right, Caster Brackets (Course Cut- 3 oz. knives)	1249		8,690
SHD96305ESCB	96" SHD, Offset 30.5" Right, Caster Brackets (Extreme Service- 4 oz. knives)	1249		8,965
CASTERS <i>(One Choice Required)</i>				
702193	360° Laminated Caster Wheel w/ Roller	154		1,190
702192	360° Pneumatic Caster Wheel w/ Roller	86		1,298
OPTIONS				
701150	Lift Chain (1 Required for offset units; 2 Required for Centered Units)	7		103
00888990	Dealer Mounting- Setup Fee			225
803211	Additional Operators and Parts Manual			51
02991506	Additional 12 Month Warranty			1,796
02991516	Special Mower Paint			639

Alamo Industrial
(800) 882-5762

RX- HEAVY DUTY

60", 72", 84", 96" Lift -Type Rotary Mower

STANDARD SPECIFICATIONS

- ◆ RX60 Models- 60" Cutting Width
- RX72 Models- 72" Cutting Width
- RX84 Models- 84" Cutting Width
- RX96 Models- 96" Cutting Width
- ◆ All models- 540 PTO Type
- ◆ RX60 Models- CAT I Three-Point Hitch
- RX72/RX84/RX96 Models- CAT II Three-Point Hitch
- ◆ RX60/RX72 Models- 110 HP Gearbox
- RX 84 Models- 120 HP Gearbox
- RX96 Models- 120 HP Center Power Divider - 110 HP Gearboxes
- ◆ CAT 4 Shielded Drivelines
- ◆ Slip Clutch Protection
- ◆ Pan Blade Carrier w/ Updraft Blades
- ◆ 360° Swivel Tailwheel
- ◆ Rated For 2" Brush
- ◆ Front & Rear Double Chainguards
- ◆ 10-Gauge Rolled Top Deck
- ◆ 1/4" x 9" Side Skirts
- ◆ Continuous Weld Deck to Skirt Seam

PRODUCT ORDER CODE	DESCRIPTION	APPROX. WEIGHT		LIST PRICE
NOTE: SOME ASSEMBLY IS REQUIRED ON ALL RX UNITS				
RX60 BASE UNIT				
RX020160	RX60 Lift- Type 540 PTO Model (Round Pan, Single Tail Wheel, w/Double Chain Guards)	1069		4,739
RX020172	RX72 Lift- Type 540 PTO Model (Round Pan, Single Tail Wheel, w/Double Chain Guards)	1252		5,217
RX000184	RX84 Lift- Type 540 PTO Model (Round Pan, Single Tail Wheel, w/Double Chain Guards)	1,381		5,697
RX000284	RX84 Lift-Type 540 PTO Model (Round Pan, Dual Tail Wheel, w/Double Chain Guards)	1,479		6,131
04200096	RX96 Lift-Type 540 PTO (Round Pan, Dual Tail Wheel, w/Double Chain Guards)	2024		8,848
OPTIONS				
3570	Check Chain Kit (Contains a Set of 2 Chains) (CAT I)	8		212
3571M	Check Chain Kit (Contains a Set of 2 Chains) (CAT II)	15		456
00763420	Offset Adapter Kit (15 3/4 in Offset)- RX84 & RX96 Units only	240		2,949
8B208	Additional Operators Manual- RX 60/72/84 Series			55
8B184	Additional Operators Manual- RX 96 Models			55
00888990	Dealer Mounting- Setup Fee			225
02991507	Additional 12 Month Warranty- RX Series			1,684
02991517	Special Mower Paint on RX60 Units			444
02991518	Special Mower Paint on RX72 Units			532
02991519	Special Mower Paint on RX84 Units			607
02991520	Special Mower Paint on RX96 Units			711

Alamo Industrial
(800) 882-5762

RX- HEAVY DUTY

84", 96" Pull-Type Rotary Mowers

STANDARD SPECIFICATIONS

- ♦ RX84- 84" Cutting Width
- ♦ RX96- 96" Cutting Width
- ♦ Designed for 540 RPM PTO applications
- ♦ 10-Gauge Top Deck
- ♦ Pan Blade Carriers w/ Updraft Type Blades
- ♦ 4" Blade Overlap
- ♦ Replaceable Skid Shoes
- ♦ Front & Rear Double Chainguards
- ♦ RX84- 120 HP Gearbox
- ♦ RX96- 120 HP Center Power Divider - 110HP Outer Gearboxes
- ♦ Parking Jack
- ♦ Safety Tow Chain
- ♦ Pull-Type Design
- ♦ 1/4" x 9" Side Skirts
- ♦ CAT 4 Shielded Driveline
- ♦ Slip Clutch Protection

PRODUCT ORDER CODE	DESCRIPTION	APPROX. WEIGHT		LIST PRICE
NOTE: SOME ASSEMBLY IS REQUIRED ON ALL RX UNITS				
RX96 PULL-TYPE BASE UNIT (Less Wheels)				
RX011184	RX84 Pull-Type 540 PTO (Round Pan, Hyd Cyl & Hose Kit, Dual Tail Wheel, w/Double Chain Guards)	1238		8,001
04300096	RX96 Pull-Type 540 PTO (Round Pan, Hyd Cyl & Hose Kit, Dual Tail Wheel, w/Double Chain Guards)	2439		10,117
WHEEL & TIRE OPTIONS (One Choice Required)				
00770519	Two Laminated Tires & Wheels	150		452
00770544	Two Used Airplane Tires & Wheels	156		536
00770524	Two 15" Wheels (Wheels Only)	36		121
00770529	Two Implement Tires & Wheels	80		479
OPTIONS				
00778158	Spring Shock Absorber- RX84 & RX96 Units only	25		770
00755234	Stroke Control- RX84 & RX96 Units only	1		43
8B184	Additional Operators Manual- RX 96 Models			55
00888990	Dealer Mounting- Setup Fee			225
02991507	Additional 12 Month Warranty- RX Series			1,684
02991519	Special Mower Paint on RX84 Units			607
02991520	Special Mower Paint on RX96 Units			711

Alamo Industrial
(800) 882-5762

RX- SUPER HEAVY DUTY

72" Lift-Type Rotary Mower

STANDARD SPECIFICATIONS

- ◆ 72" Cutting Width
- ◆ 540 PTO
- ◆ CAT I or II Three-Point Hitch
- ◆ Pan Blade Carrier
- ◆ Slip Clutch Protection
- ◆ 7-gauge top deck
- ◆ Continuous Weld Deck to Skirt Seam
- ◆ Front & Rear Double Chainguards
- ◆ Tractor PTO HP Required - 40
- ◆ 130 HP Gearbox
- ◆ CAT 5 Shielded Drivelines
- ◆ 360° Swivel Tailwheel
- ◆ Rated For 4" Brush

PRODUCT ORDER CODE	DESCRIPTION	APPROX. WEIGHT		LIST PRICE
NOTE: SOME ASSEMBLY IS REQUIRED ON ALL RX UNITS				
RX72HD BASE UNIT				
RXHD1072	RX72HD Lift- Type 540 PTO Model (Round Pan, Single Tail Wheel, w/Double Chain Guards)	1275		6,603
OPTIONS				
3570	Check Chain Kit (Contains a Set of 2 Chains) (CAT I)	8		212
8B209	Additional Operators Manual- RX72HD Models			55
00888990	Dealer Mounting- Setup Fee			225
02991507	Additional 12 Month Warranty- RX Series			1,684
02991518	Special Mower Painton RX72 Units			532

Alamo Industrial
(800) 882-5762

EAGLE MECHANICAL

10', 15' Flex-Wing Rotary Mower

Standard Specifications

- ♦ All Models: 540 PTO Only
- ♦ Cutting Width: Eagle 10' Models: 126" Eagle 15' Models: 180"
- ♦ Overall Width: Eagle 10' Models: 133" Eagle 15' Models: 186"
- ♦ Overall Length: Eagle 10' Models: 183" Eagle 15' Models: 183"
- ♦ Transport Width: Eagle 10' Models: 88" Eagle 15' Models: 96"
- ♦ Cutting Height Range: 1-1/2" Min. to 14-1/2" Max
- ♦ Self-Leveling Height Adjustment: Hydraulic Cylinder
- ♦ Blade Carrier: Reinforced Pan w/ Updraft Style Blades
- ♦ Standard Blades: 1/2" Thick x 4" Wide
- ♦ Gearbox Rating: * (Ratings based on actual field performance)
Power Divider - 235 HP Center & Wing - 205 HP
- ♦ Wing Flex Degrees: 90 up, 22 down
- ♦ Blade Overlap: 6"
- ♦ Jack Stand: Standard
- ♦ Required Horsepower: 50
- ♦ Weight: Eagle 10' Models: Approximately 3,850 lbs.
Eagle 15' Models: Approximately 5,435 lbs.
- ♦ Safety Tow Chain: Standard
- ♦ Output Shaft Diameter: 2-3/8"
- ♦ Blade Tip Speed: Center 16,286 FPM
Wing 16,415 FPM
- ♦ Cutting Capacity: 3-1/2" Grass Material
- ♦ Driveline Size: Main - Cat 5
Constant Velocity
Wing - Cat 5
- ♦ Driveline Protection: Slip Clutch
- ♦ Deck Thickness: 7 gauge
- ♦ Side Skirt: 1/4" x 10-1/2"
- ♦ Tires & Wheel: Foam-filled used airplane
- ♦ Wing Lift Hydraulics: Standard
- ♦ Double Chainguards
- ♦ Mower Warranty: One year limited
- ♦ Gearbox Warranty: 5 year limited
- ♦ Hitch: Drawbar- Pull-Type Unit

PRODUCT ORDER CODE	DESCRIPTION	APPROX. WEIGHT		LIST PRICE
04052115	Eagle 15' Flex-Wing 540 PTO Model (Deck Rings, w/ 6 Foam Filled Airplane Tires)	5435		26,456
04052110	Eagle 10' Flex-Wing 540 PTO Model (Deck Rings, w/ 5 Foam Filled Airplane Tires)	3850		22,920
NOTE: TRACTOR MUST BE EQUIPPED WITH 2 REAR REMOTES FOR PROPER OPERATION				
OPTIONS				
00780570	Winch & Stand	34		894
00769178	Ball Hitch (2-5/16" Ball)	50		567
00773869	Pintle Hitch Kit (Requires Tractor Drawbar Modification)	50		1168
00774802	Single Auxillary Spindle Kit (Requires 1 Additional Tire and Wheel)	24		244
00774803	Dual Auxillary Spindle Kit (Requires 2 Additional Tires and Wheels)	24		487
00779383	Set of Heavy Duty Updraft Blades (5/8" Thick x 4" Wide)- 15' Eagle Model	100		522
00779389	Set of Heavy Duty Updraft Blades (5/8" Thick x 4" Wide)- 10' Eagle Model	100		370
00888990	Dealer Mounting- Setup Fee			338
00780567C	Additional Operators Manual- Eagle Series			53
00780567P	Additional Parts Manual- Eagle Series			54
02991508	Additional 12 Month Warranty- Eagle Series			2732
02991522	Special Mower Paint- Eagle 15 Models (Call before quoting)			1241
02991521	Special Mower Paint- Eagle 10 Models (Call before quoting)			911
WHEEL & TIRE OPTIONS (SELECT FROM ONE GROUP OF TIRES) (5 OR 6 REQUIRED)				
00008700	15" Wheel- Rim only (5 Hole Pattern)	18 each		63
00025200	Laminated Tire & Wheel	75 each		235
00749698	Implement Tire & Wheel	40 each		253
00771461	Used Airplane Tire & Wheel (Not Foam Filled)	78 each		279
00787512	Foam-Filled Used Airplane Tire & Wheel (21 x 7- 12 ply) - Standard in base	75 each		325
SHIPPING CONFIGURATION				
00888802	Fully Assembled			N/C
00888703	Unassembled, Shipped in Bundles			N/C

Alamo Industrial
(800) 882-5762

EXTEN-A-KUT II

Rear-Mount Offset Rotary Mower

STANDARD SPECIFICATIONS

- ◆ 60" Cutting Width
- ◆ CAT II Three-Point Hitch
- ◆ 60-Gallon Hydraulic Reservoir
- ◆ 12'6" Maximum Reach from Right Side of Tractor
- ◆ 180° Head Tilt
- ◆ 79 HP Hydraulic Pump Attached to a Speed Increaser
- ◆ 10-Gauge Deck with Boxed Channel Frame
- ◆ 81 HP Hydraulic Motor Directly Splined to Spindle
- ◆ 2" Spindle in a Unibody Cast Housing
- ◆ Bar Blade Carrier
- ◆ 1/2" x 4" Updraft Blades
- ◆ Front & Rear Double Chainguards

PRODUCT ORDER CODE	DESCRIPTION	APPROX. WEIGHT		LIST PRICE
EXTEN-A-KUT II BASE UNIT <i>(One Choice Required)</i>				
04700014	Exten-A-Kut II, 540 PTO, Bar Blade Carrier	1620		15,668
04700011	Exten-A-Kut II, 540 PTO, Pan Blade Carrier	1650		15,879
FRONT GUARD <i>(One Choice Required)</i>				
00775779	Double Chain Guard	58		In Base Price
REAR GUARD <i>(One Choice Required)</i>				
00775779	Double Chain Guard	58		In Base Price
OPTIONS				
02969111	Additional Operators and Parts Manual			54
00777523	Tail Wheel Kit (Ser.#011804 & Up)	72		816
02964902	Cable & Clamp Kit	12		23
00888990	Dealer Mounting- Setup Fee			450
02991509	Additional 12 Month Warranty			1,684
02991523	Special Mower Paint			403

Alamo Industrial
(800) 882-5762

GRASS KING

62" & 74" Offset Flail Mowers

STANDARD SPECIFICATIONS

- ◆ 6"x8"x3/16" Welded Rectangular Tube Frame
- ◆ 360 degree Rotating Rear Caster Wheel
- ◆ CAT I or CAT II Three-Point Hitch
- ◆ 50 to 90 Horsepower Tractor Required
- ◆ Hydraulic Piston Pump Rated @ 4000 PSI
- ◆ CAT 4 Driveline
- ◆ 1 to 4 Speed Increaser
- ◆ 14 Gallon Hydraulic Reservoir
- ◆ 12 Micron Filtration System
- ◆ 10 Gauge Unitized Cutter Housing
- ◆ 62" or 74" Cutting Widths
- ◆ 1/2" Inboard & 5/16" Outboard End Plates
- ◆ Replaceable Skid Shoes
- ◆ 4-1/2" x 5/16" Bore, Greasable, Self-Aligning Cuttershaft Bearings
- ◆ Belt Drive from Motor to Cuttershaft with Automatic Spring Tension
- ◆ 74 HP Motor
- ◆ 6" Adjustable Rear Roller
- ◆ Front & Rear Deflectors
- ◆ Available in Fine or Coarse-Cut
- ◆ 1/2" - 6" Cutting Height
- ◆ Cutting Capacity: 1" diameter material
- ◆ Tractor Req: Min 50-90 HP range

PRODUCT ORDER CODE	DESCRIPTION	APPROX. WEIGHT		LIST PRICE
GRASS KING FLAIL BASE UNIT <i>(One Choice Required)</i>				
04006200	Grass King 62" Flail Mower	2038		18,892
04006202	Grass King 62" Flail Mower w/ Extreme Service- 4 oz.Knives	2032		19,471
04007400	Grass King 74" Flail Mower	2080		19,578
04007410	Grass King 74" Flail Mower w/ Extreme Service- 4 oz.Knives	2074		19,808
LIFT PIN OPTIONS <i>(One Choice Required)</i>				
02965040	Lift Pin CAT I	8		N/C
02965050	Lift Pin CAT II	8		N/C
OPTIONS				
02965180	Additional Operators and Parts Manual			53
3570GK	Check Chains (CAT I)	8		212
3571MGK	Check Chains (CAT II)	15		456
00772391	Parking Jack (3,000 lb / Side Wind)	11		89
00888990	Dealer Mounting- Setup Fee			450
02991510	Additional 12 Month Warranty			842
02991524	Special Mower Paint			403

Alamo Industrial
(800) 882-5762

MCCONNEL PA REAR-MOUNT BOOM

Articulated Rear-Mount Models

STANDARD SPECIFICATIONS

- ♦ All Models Feature Welded Tubular Frame Design
- ♦ PA4330- CAT I or CAT II Three-Point Hitch
- ♦ PA4745/48- CAT II Three-Point Hitch
- ♦ All Models Feature Self-Contained Hydraulics
- ♦ Machine Weight With Flail & Oil: PA4330- 1,409 lbs/PA4745: 2,151 lbs/ PA48: 2,750 lbs
- ♦ Boom Reach:
 - PA4330- Up-16'8", Out-13'8"
 - PA4745- Up-16'0", Out-14'0"
 - PA48- Up-16'5", Out-15'0"
- ♦ Minimum Tractor Requirements*:
 - PA4330- Tractor Weight of 4,010 lbs & 45 PTO hp
 - PA4745- Tractor Weight of 5,512 lbs & 50 PTO hp
 - PA48- Tractor Weight of 6,614 lbs & 60 PTO hp

- ♦ Reservoir Capacity:
 - PA4330- 17 Gallon
 - PA4745- 39 Gallon
 - PA48- 47 Gallon
- ♦ Output Horsepower:
 - PA4330- 25 hp (1" Cutting Capacity)
 - PA4745- 45 hp (2" Cutting Capacity)
 - PA48- 54 hp (2" Cutting Capacity)

* This product line is not recommended for Kubota tractors.

PRODUCT ORDER CODE	DESCRIPTION	APPROX. WEIGHT		LIST PRICE
PA 4330- POWER ARM BOOMS				
Tractors with CAT I or CAT II, three-point hitch, 540 PTO shaft, 45 PTO hp minimum*				
Note: Front counterweight may be required				
BASE UNIT				
04090265	PA 4330 Rear-Mount RH Boom Assembly (Cable-operated/ w Lift float)	1360		16,722
MOWER HEADS				
02991665	PA 4330 39" Flail Head Assy.- 1.0m Supercut w/ Universal Knives	418		7,492
02991833	PA 4330 47" Flail Head Assy.- 1.2m Supercut w/ "Duck" Knives	665		9,298
PA4745/48- POWER ARM BOOMS				
Tractors with CAT II, three-point hitch, 540 PTO shaft, 60 Eng HP minimum*				
Note: Front counterweight may be required.				
BASE UNIT				
04090260	PA4745 Rear-Mount RH Boom (Cable-operated/ w Lift float)	1951		18,531
04090262	PA48M Rear-Mount RH Boom Mower (Mid-Cut) (Cable-operated/ w Lift float)	1985		21,488
MOWER HEADS				
02987798	PA 4745 47" Flail Head Assy.- 1.2m Supercut Flail w/ F91 "Competition" Knives	660		8,367
02987799	PA48 47" Flail Head Assy.- 1.2m Multicut w/Competition Knives	665		8,954
02988618	PA 4745/48 48" Rotary Head Assy. w/Flaps	600		8,110
UNIVERSAL SAFETY SCREENS (One Choice Required)				
02964407	Universal Safety Screen Kit- Cab Tractors			N/C
00765754	Universal Safety Screen Kit- Rops Tractors			N/C
OPTIONS				
22674.82	PA 4330 Additional Operators Manual			54
22674.51	PA 4745 Additional Operators Manual			54
00888990	Dealer Mounting- Setup Fee			450
41570.69	PA 48 Additional Operators Manual			54
02991512	Additional 12 Month Warranty			1,263

Alamo Industrial
(800) 882-5762



BUILT SHARPER®

WHOLEGOODS PRICING

Revision B- Effective 07/01/2014



Hydro Select Line
Effective February 14, 2014

Hydro Select Line Price Book

Section

Table of Contents
Machete2 Boom
Machete2 Boom- Mount Kits
Machete1 Front Mount Boom
Maverick Boom
Maverick Boom- Mount Kits
Rear Mount Boom
Samurai Boom
Samurai Boom- Mount Kits
Versa Boom
Versa Boom- Mount Kits
Falcon Hydraulic Rotary
Versa Mower
Versa Mower- Mount Kits
Versa Pro- Flail Mowers
Right Hand Interstater
Right Hand Interstater- Mount Kits
Dual Wing Interstater
Dual Wing Interstater- Mount Kits
88" Rear Interstater- Flail Mowers
96" Rear Interstater- Flail Mowers
John Deere " Turn Key" Tractors
New Holland " Turn Key" Tractors

MACHETE2 BOOM

18', 22', 25' Articulated Models

STANDARD SPECIFICATIONS

- ◆ 4" X 4" Square Tubular Frame
- ◆ Features a 2 1/2" greaseable "king post" style turning arm.
- ◆ Main pivots points utilize 2' pins with greaseable, hardened steel bushings.
- ◆ Self contained hydraulic system.
- ◆ 20 gal Front-Mounted Reservoir/35 gal Total System Volume
- ◆ Motor Circuit: Piston Pump Rated @ 25 gpm (43.8 hp) & 3,000 psi @ 2,200 rpm.
Charge Pump Rated @ 8 gpm (1.4 hp) & 300 psi @ 2,200 rpm.
- ◆ Control Circuit: Piston Pump Rated @ 18 gpm (31.5 hp) & 3,000 psi @ 2,200 rpm.
- ◆ Inner Boom Arm 6"x6"x1/4" Alloy Steel Tubing
- ◆ Outer Boom Arm 5"x5"x1/4" Alloy Steel Tubing
- ◆ 120° Horizontal Boom Swing
- ◆ Boom Reach: Up-18' 7", Out-18', Down-5' 1".
- ◆ Mount Kit, Wheel Weight, and Polycarbonate Window Included in Base Price
- ◆ Tractor Req: Min of 8,500 lbs and 90 eng. hp. Min 90" Wheelbase and 18" Ground Clearance

HEAD SPECIFICATIONS

- ◆ 58" Cutting Diameter
- ◆ Alloy Deck Material with Double Wall Side Skirt
- ◆ 4-1/2"x9" Heat-Treated Alloy Spindle
- ◆ 205 HP Direct-Coupled Piston Motor
- ◆ Stacked Three-Leaf, Alloy Steel Blade Bar
- ◆ 5/8" x 5" Double -Edged, Tempered Steel Blades, 360° Swing
- ◆ Standard (1) year limited parts and labor warranty.

PRODUCT ORDER CODE	DESCRIPTION	APPRX. WEIGHT		LIST PRICE
Base Unit (One Choice Required)				
04861801	18' Machete II Boom- 4wd (Joystick Control)			41,420
04861800	18' Machete II Boom- 2wd (Joystick Control)			41,420
04862201	22' Machete II Boom- 4wd (Joystick Control)			42,597
04862200	22' Machete II Boom- 2wd (Joystick Control)			42,597
04862501	25' Machete II Boom- 4wd (Joystick Control)			44,684
04862500	25' Machete II Boom- 2wd (Joystick Control)			44,684
All Tier Four (IV) Tractors Require Wider Highframes To Clear The Larger Exhaust Systems. Sales Note: This Will Affect Transport Widths				
MOWER HEAD (One Choice Required)				
02986191	60" Rotary w/Ctr Hyd Door, Blade Bar & Head Swivel	1,080		17,121
02986205	60" Rotary w/Ctr Hyd Door, Blade Bar (No Head Swivel)	1,026		15,722
02986197	50" Rotary w/Ctr Hyd Door, Blade Bar & Head Swivel			16,761
02986704	50" Rotary w/Ctr Hyd Door, Blade Bar (No Head Swivel)			14,864
02986198	50" Rotary w/Ctr Hyd Door, Blade Pan & Head Swivel			15,907
02986703	50" Rotary w/Ctr Hyd Door, Blade Pan (No Head Swivel)			14,009
02986262	48" Flail-Axe w/Head Swivel			16,161
02986254	48" Flail-Axe (No Head Swivel)			14,263
02989697	48" Flail-Axe, SHD Cuttershaft (4 oz Knives, No Head Swivel)			15,689
02993168	52" Battle Axe (Manual 2-Position Head Swivel) Piston Type	1,250		18,460
02992639	52" Battle Axe (No Head Swivel) Piston Type	1,150		16,640
02986263	60" HD Grass Flail w/Head Swivel			16,867
02988186	60" HD Grass Flail (No Head Swivel)	870		14,970

ALAMO INDUSTRIAL

(800) 882-5762

Prices Effective February 15, 2014

Rev070114

MACHETE2 BOOM

18', 22', 25' Articulated Models

PRODUCT ORDER CODE	DESCRIPTION	APPRX. WEIGHT		LIST PRICE
MOWER HEAD <i>(One Choice Required)</i>				
02988159	5' Timber Cat Sickle Bar	682		12,156
02988158	7' Timber Cat Sickle Bar	770		13,202
02986245	90" Buzzbar (4 Blade)	1098		15,170
02986237	69" Buzzbar (3 Blade)	705		14,327
02986236	48" Buzzbar (2 Blade)	550		11,488
02988100	Ditcher Head (Hitch Post Mounted)			13,319
OPTIONS				
02986941A	Additional Operators and Parts Manuals			54
02989463	Quick Hitch Kit*			3,695
02989464	Hydraulic Kit for Quick Hitch Head**			490
02975647M	Flail-Axe Jack Stand Kit*** (02975647)			320
02984400	HD Grass Flail Jack Stand Kit***			313
02982002	Mounting Labor & Oil			6,901
02791800	Special Mower Paint			1,355
02968967	Special Tractor Paint			6,039
00889899MC	Additional 12 Month Warranty (00889899)			4,210

* Includes all components to convert boom and (1) head to Quick Hitch

** Required to convert additional heads to Quick Hitch

*** Required to level Flail Heads for Quick Hitch

ALAMO INDUSTRIAL

(800) 882-5762

Prices Effective February 15, 2014

Rev070114

MACHETE2 BOOM

18', 22' 25' Mount Kit Options

Note: 25" Machete units are to be mounted on 4WD model tractors only

TRACTOR DESCRIPTION	MOUNT KIT	MAXIMUM TIRE SIZE		
		2WD Front	4WD Front	Rear
Case IH				
Case-IH Maxxum 110/110 Pro/120 Pro/130 Pro Cab/4wd	02987861	N/A	14.9-24	18.4-34
Case-IH Maxxum 115/125/125 Pro/140 Pro Cab/2wd	02988161	11.00-16	N/A	18.4-34
Case-IH Maxxum 115/125/125 Pro/140 Pro Cab/4wd	02988204	N/A	14.9-24	18.4-34
Case-IH Puma 165/180/195/210 Cab/4wd (Frt Axle Stabilizer Not Incl.)	02990699	N/A	16.9R30	20.8R42
Challenger				
Challenger MT445B/455B/465B Cab/4wd (Tier III Engine Only)	02989771	N/A	14.9-24	18.4-34
Challenger MT475B Cab/4wd (Tier III)	02989824	N/A	14.9-28	18.4-38
John Deere				
JD 6105/6115D Series Interim TIV Cab 4WD 2013-2014	02993901	N/A	14.9-24	18.4-34
JD 6105/6115/6125M Series Interim TIV Cab 4WD 2013-2014	02993018	N/A	14.9-24	18.4-34
JD 6110/6210/6310/6405/6410 ROPS/4wd	02989188	N/A	12.4-24	18.4-30
JD 6110/6210/6310/6405/6410 Cab/2&4wd (Frt Axle Stabilizer Not Incl.)	02990683	10.00-16	12.4-24	18.4-30
JD 6140/6150R Cab/4wd 2014- (Tier IV Engine Only / Joystick) Tractors equipped with Bar Axle & Cast Rims	TBD	N/A	16.5-30	18.9-46
JD 6170/6190/6210R Cab/4wd 2014- (Tier IV Engine Only / Joystick) Tractors equipped with Bar Axle & Cast Rims	02993238	N/A	16.5-30	18.9-46
JD 6215/6415 Cab/2wd	02990190	10.00-16	N/A	18.4-30
JD 6220/6320/6420 (Tier II) Cab/2wd	02990190	10.00-16	N/A	18.4-30
JD 6230/6330/6430 "Mid-Spec" Cab/2wd	02988521	10.00-16	N/A	18.4-34
JD 6230/6330/6430 "Mid-Spec" Cab/4wd	02987774	N/A	13.6-24	18.4-34
JD 6230/6330/6430 "Premium" Cab/4wd	02987901	N/A	13.6-24	18.4-34
JD 7130/7230 "Mid-Spec" Cab/2wd (Frt Axle Stabilizer Not Incl.)	02989869	11.00-16		18.4-38
JD 7130/7230 "Mid-Spec" Cab/4wd	02987751	N/A	13.6-28	18.4-38
JD 7130/7230 "Prem" Cab/4wd (6 cyld / 55 gal. fuel tank / Flanged Rear Whl / Built Before Nov. 1, 2010)	02989132	N/A	14.9-28	18.4-38
JD 7130/7230/7330 "Prem" Cab/4wd (4 & 6 cyld / 66 gal. fuel tank / Rack & Pinion Rear Whl / Built After Nov. 1, 2010)	02991260		14.9-28	18.4-38
JD 7410 "Mid-Spec" Cab/2wd	02991666	11.00-16	N/A	18.4-38
Massey Ferguson				
MF 5465/5475 Cab/4wd (Tier III Perkins Engine Only)	02988043	N/A	14.9-24	18.4-34
McCormick				
McCormick MC105 Cab/4wd	02991916	N/A	14.9-24	18.4-34
New Holland				
NH TS100 Cab/4wd	02990453	N/A	14.9-24	18.4-34
NH TS100 Cab/2wd (Frt Axle Stabilizer Not Incl.)	02988372	10.00-16	N/A	18.4-30
NH T6020/6040/6060 Cab/4wd (Built Before May 2010)	02987861	N/A	14.9-24	18.4-34
NH T6020/6040/6060 Cab/4wd (Built After May 2010)	02991288	N/A	14.9-24	18.4-34
NH T6030/6050/6070/6080 Cab/2wd (Built Before May 2010)	02988161	11.00-16	N/A	18.4-34
NH T6030/6050/6070/6080 Cab/2wd (Built After May 2010)	02991289	11.00-16	N/A	18.4-34
NH T6030/6050/6070/6080 Cab/4wd (Built Before May 2010)	02988204	N/A	14.9-24	18.4-34
NH T6030/6050/6070/6080 Cab/4wd (Built After May 2010)	02991290	N/A	14.9-24	18.4-34
NH TS 6.110/6.120 Cab 4WD 2013-2014	02992676	N/A	14.9-28	18.4-38
NH TS 6.110/6.120 Cab 2WD 2013-2014	02992649	10.00-16	N/A	18.4-38
NH TS 6.125/6.140 Cab 4WD 2013-2014	02992506	N/A	14.9-28	18.4-38
NH T6.140/6.150/6.160 Cab/4wd 2014- (Tier IV Model Engines)	02993869	N/A	14.9-24	18.4-34
NH T6.155/6.165/6.175 Cab/4wd 2014- (Tier IVA Model Engines)	02993835	N/A	14.9-24	18.4-34

OTHER SPECIFICATIONS

- (1) Always use the maximum tire size for favorable ground clearance.
- (2) Tractors should not be ordered with armrest-integrated controls.
- (3) Tractors must be equipped with flanged rear axles unless otherwise noted.

ALAMO INDUSTRIAL

(800) 882-5762

Prices Effective February 15, 2014

Rev070114

MACHETE FRONT-MOUNT BOOM

21' & 24' Articulated Models

STANDARD SPECIFICATIONS

- ♦ Mounting Rail Frame is Full-Length, 4"x 4"x 5/16" Steel Tubing
- ♦ 4"x 4"x 5/16" Steel Tube Mainframe with 4"x 6" x 3/16" Main Structure
- ♦ 22-Gallon Hydraulic Reservoir Tank is Mounted Within the Interior of the Frame
- ♦ Hydraulic Oil Filter is a 10 Micron Filter with an ISO Cleanliness Code of 18/13 and a Full Flow of 35 GPM
- ♦ Inner Boom Arm 6"x 6" x 1/4" Steel Tubing
- ♦ Outer Boom Arm 5"x 5"x 1/4" Steel Tubing
- ♦ 125° Boom Swing
- ♦ Boom Reach- 21' Machete With 60" Rotary Up-21'7", Out-21'3", Down-12'10"
- ♦ Boom Reach- 24' Machete With 60" Rotary Up-24'4", Out-24', Down-15'7"
- ♦ Complete Construction of T1 Steel Available
- ♦ Piston Pump Rated @ 46 GPM @ 3600 RPM and 5000 PSI
- ♦ Front Pump is Idle During Transportation
- ♦ The Pump Assembly is Driven by the PTO Shaft
- ♦ Single Electronic Controls Five Functions
- ♦ Low Shock Start Up and Six Second Shutdown
- ♦ Boom Rest is Mounted to the Mower Frame
- ♦ Standard (1) year limited parts and labor warranty.

PRODUCT ORDER CODE	DESCRIPTION	APPRX. WEIGHT		LIST PRICE
21' & 24' MACHETE BOOM FRONT-MOUNT FOR TV140 BASE UNITS				
<i>(One Choice Required)</i>				
04210010	21' Machete Boom Front-Mount for NH TV140	6,200		39,726
04240010	24' Machete Boom Front-Mount for NH TV140	6,300		42,195
04210011	21' Machete Boom Front-Mount, T1 Steel, for NH TV140	6,300		41,649
04240011	24' Machete Boom Front-Mount, T1 Steel, for NH TV140	6,400		44,291
MOWER HEAD (One Choice Required)				
02968858	Rotary, 60" Machete (Blade Bar)	919		15,723
02970300	Flail, 48" Flail-Axe Piston Brush Cutter	770		14,263
02972460	Flail, 60" Grass Cutter	870		14,969
02972149	5' Timber Cat Sickle Bar	440		12,156
02972150	7' Timber Cat Sickle Bar	520		13,202
02973313	Ditcher-Forward Rotation Only	600		13,319
02974203	90" (4 Blade) BuzzBar Tree Cutter	1,098		17,043
02979249	69" (3 Blade) BuzzBar Tree Cutter	705		14,327
02979265	48" (2 Blade) Buzzbar Tree Cutter	550		11,487
OPTIONS				
02968915	Additional Operators and Parts Manuals			54
02975614	Quick Hitch Kit*			4,006
02975615	Hydraulic Kit for Quick Hitch Head**			532
02975647M	Flail-Axe Jack Stand Kit*** (02975647)			320
02973181	Accumulator Kit - Machete	10		1,645
02979478	Mounting Labor & Oil			6,631
02791800	Special Mower Paint			1,355
00889899MF	Additional 12 Month Warranty (00889899)			4,210

Note: Tractor must include factory installed loader mounting brackets.

* Includes all components to convert boom and (1) head to Quick Hitch

** Required to convert additional heads to Quick Hitch

*** Required to level Flail-Axe for Quick Hitch

ALAMO INDUSTRIAL

(800) 882-5762

Prices Effective February 15, 2014

Rev070114

MAVERICK BOOM

24', 30' Articulated Models

STANDARD SPECIFICATIONS

- ◆ Bolt-On Undermount with Front and Rear Attached Rails
- ◆ Boom Features Dipper, Lift, and Telescopic Sections w/ Axle-Mounted Boom Rest
- ◆ Standard Boom Structure Made from Alloy Steel, Designed Box Section
- ◆ Main Pivot Features 2' Chrome Pins with Greaseable, Hardened Steel Bushings
- ◆ Hydraulic Pivot is Featured on Head for Maneuverability.
- ◆ Front Axle Mounted Cylinder for Automatic Self-stabilization of Unit
- ◆ Self Contained Front Mounted Hydraulic System with CAN Based Data Acquisition
- ◆ Self-Cleaning, Thermostatically Controlled Oil-to-Air Cooler
- ◆ Ability to Mow Horizontally Within 6" of Rear Tire
- ◆ Boom Reach: **24' Models=** Up-21'10", Out-24', Down-14'8" **30' Models=** Up-27'10", Out-30', Down-19'3"
- ◆ Exclusive Slewing Ring Bearing is Utilized for Boom Maneuverability and 180° Horizontal Boom Swing
- ◆ Joystick, Mount Kit, All Wheel Weight, Polycarbonate Window Included in Base Price
- ◆ **Tractor Req: Min of 8,500 lbs and 90 HP. Min 90" Wheelbase and 18" Ground Clearance**

HEAD SPECIFICATIONS

- ◆ 58" Cutting Diameter
- ◆ Alloy Deck Material with Double Wall Side Skirt
- ◆ 4-1/2"x9" Heat-Treated Alloy Spindle
- ◆ 199 HP Motor Direct-Coupled
- ◆ 2-1/2" x 5" Stacked Three-Leaf Blade Bar, T1 Steel
- ◆ 5/8" x 5" High-Carbon Alloy Steel Blade, 360° Swing
- ◆ Standard (1) year limited parts and labor warranty.

PRODUCT ORDER CODE	DESCRIPTION	APPRX. WEIGHT		LIST PRICE
Maverick Base Unit (One Choice Required)				
04802400	24' Maverick w/ Telescoping Boom (Joystick Control)	6000		54,052
04802425	24' Maverick w/ Non-Telescoping Boom (Joystick Control)	6000		54,052
04803024	30' Maverick w/ Telescoping Boom (Joystick Control)	7500		61,184
All Tier Four (IV) Tractors will Require Wider Undermounts To Clear The Larger Exhaust Systems.				
Sales Note: This Will Affect Transport Widths				
04802410	24' Maverick w/ Telescoping Boom- Tier IV Tractor Models (Joystick Control)	6300		54,052
04802435	24' Maverick w/ Non-Telescoping Boom- Tier IV Tractor Models (Joystick Control)	6300		54,052
04803034	30' Maverick w/ Telescoping Boom- Tier IV Tractor Models (Joystick Control)	7800		61,184
Mower Heads (One Choice Required)				
02981782	60" Rotary w/Ctr Hyd Door, Blade Bar & Head Swivel	919		17,620
02983590	60" Rotary w/Ctr Hyd Door, Blade Bar (No Head Swivel)			15,723
02981783	50" Rotary w/Ctr Hyd Door, Blade Bar & Head Swivel			16,761
02984823	50" Rotary w/Ctr Hyd Door, Blade Pan & Head Swivel			15,907
02983554	48" Flail-Axe (No Head Swivel)	770		14,263
02984371	48" Flail-Axe w/Head Swivel			16,161
02983586	48" Flail-Axe, SHD Cuttershaft (3 oz Knives)			15,689
02993168	52" Battle Axe (Manual 2-Position Head Swivel) Piston Type	1250		18,460
02992639	52" Battle Axe (No Head Swivel) Piston Type	1150		16,640
02983560	Bomford 60" HD Grass Flail (No Head Swivel)	870		14,969
02985449	Bomford 60" HD Grass Flail w/Head Swivel			16,867
02983548	5' Timber Cat Sickel Bar	440		12,156
02983549	7' Timber Cat Sickel Bar	520		13,202
02983557	48" (2 Blade) Buzzbar Tree Cutter	550		11,487
02983556	69" (3 Blade) BuzzBar Tree Cutter	705		14,327
02983555	90" (4 Blade) Buzzbar Tree Cutter	1098		17,126
02982531	Ditcher Head (Hitch Post Mounted)			13,319

ALAMO INDUSTRIAL

(800) 882-5762

Prices Effective February 15, 2014

Rev070114

MAVERICK BOOM

24', 30' Articulated Models

PRODUCT ORDER CODE	DESCRIPTION	APPRX. WEIGHT		LIST PRICE
Options				
02981992A	Additional Operators and Parts Manuals			54
02989463	Quick Hitch Kit*			3,695
02989464	Hydraulic Kit for Quick Hitch Head**			490
02990399	Ditcher Stand Kit ***			680
02975647M	Flail-Axe Jack Stand Kit*** (02975647)			320
02984400	HD Grass Flail Jack Stand Kit***			313
02984407	JD6615/6715/7220/7320/7130/7230 Oil Cooler Brush Guard			626
02982002	Mounting Labor & Oil			6,901
02791800MV	Special Mower Paint (02791800)			1,389
02968967	Special Tractor Paint			6,039
00889899MV	Additional 12 Month Warranty (00889899)			4,210

* Includes all components to convert boom and (1) head to Quick Hitch

** Required to convert additional heads to Quick Hitch

*** Required to level heads for Quick Hitch

ALAMO INDUSTRIAL

(800) 882-5762

Prices Effective February 15, 2014

Rev070114

MAVERICK BOOM

24' Mount Kit Options

TRACTOR DESCRIPTION	MOUNT KIT	MAXIMUM TIRE SIZE	
		FRONT	REAR
Case IH			
Case-IH Farmall 125/140A Cab/4wd (Tier III Engine Only)- 24' Mount Kit	TBD	14.9-24	18.4-34
Case-IH MXU100/110 Cab/4wd (24' Models Only)	02982358	14.9-24	18.4-34
Case-IH MXU115/125/130/135 Cab/4wd	02982341	14.9-24	18.4-34
Case-IH Maxxum 110/110 Pro/120 Pro/130 Pro (24' Models Only)	02986046	14.9-24	18.4-34
Case-IH Maxxum 115/125/125 Pro/140 Pro	02986049	14.9-24	18.4-34
Challenger			
Challenger MT445B/455B/465B Cab/4wd (Tier III Engine Only)	02990779	14.9-24	18.4-34
John Deere			
JD 6105/6115/6125M Interim TIV Models Cab 4wd 2012-2014	02992847	14.9-24	18.4-34
JD 6140/6150M Cab 4wd (Interim TIV Engines Only) 2012-2014- 24' Mount Kit	02993457	14.9-28	18.4-38
JD 6215/6415 Cab/4wd	02982548	13.6-24	18.4-34
JD 6220/6320/6420 (Tier II) Cab/4wd	02982577	13.6-24	18.4-34
JD 6230/6330/6430 "Mid Spec" Cab/4wd	02986011	13.6-24	18.4-34
JD 6230/6330/6430 Premium Cab/4wd w/ Panoramic Door	02991611	13.6-24	18.4-34
JD 6615/6715 Cab/4wd	02982450	13.6-24	18.4-34
JD 7210/7410/7510 Cab/4wd	02985971	13.6-28	18.4-34
JD 7220/7320 Cab/4wd (34" Flanged Rear Whl)	02983364	13.6-28	18.4-34
JD 7220/7320 Cab/4wd (38" Flanged Rear Whl)	02985173	14.9-28	18.4-38
JD 7220/7320 Cab/4wd (38" Rack & Pinion Whl)	02983920	14.9-28	18.4-38
JD 7130/7230 "Mid" Cab/4wd (4 or 6 cyl d / 55 gal. fuel tank)	02987697	13.6-28	18.4-38
JD 7130/7230 "Prem" Cab/4wd (6 cyl d / 55 gal. fuel tank / Flanged Rear Whl / Built Before Nov. 1, 2010)	02986620	14.9-28	18.4-38
JD 7130/7230 "Prem" Cab/4wd (6 cyl d / 55 gal. fuel tank / Rack & Pinion Rear Whl / Built Before Nov. 1, 2010)	02990148	14.9-28	18.4-38
JD 7130/7230 "Prem" Cab/4wd (6 cyl d IVT / 55 gal. fuel tank / Flanged Rear Whl / Built Before Nov. 1, 2010)	02986829	14.9-28	18.4-38
Massey Ferguson			
MF 5460 Cab/4wd (Tier II Engine Only)	02988138	14.9-24	18.4-34
MF 5465 Cab/4wd (Tier II Engine Only)	02983605	14.9-24	18.4-34
MF 5465/5475 Cab/4wd (Tier III Perkins Engine Only)	02991112	14.9-28	18.4-38
MF 5465/5475 Cab/4wd (Tier III Sisu Engine Only)	02991353	14.9-28	18.4-38
MF 7614/7615/7616/7618 Cab 4wd 2014 (Tier IV 6 Cyl Engines Only)- 24' Mount Kit	02993693	14.9-28	18.4-38
New Holland			
NH TS100A/110A Cab/4wd (24' Models Only)	02982358	14.9-24	18.4-34
NH TS115A/125A/130A/135A Cab/4wd	02982341	14.9-24	18.4-34
NH T6010/6020/6040/6060 Cab/4wd (Built Before May 2010)	02986046	14.9-24	18.4-34
NH T6010/6020/6040/6060 Cab/4wd (Built After May 2010)	02991292	14.9-24	18.4-34
NH T6030/6050/6070 Cab/4wd (Built Before May 2010)	02986049	14.9-24	18.4-34
NH T6030/6050/6070 Cab/4wd (Built After May 2010)	02991293	14.9-24	18.4-34

OTHER SPECIFICATIONS

- (1) Always use the maximum tire size for favorable ground clearance.
- (2) Mount kits are designed for use with 4wd tractors only.
- (3) Tractors should not be ordered with armrest-integrated controls.
- (4) Tractors must be equipped with flanged rear rims unless otherwise noted.
- (5) The right handrail must be removed for boom transport clearance.
- (6) John Deere tractors must include a standard through-hood exhaust.
- (7) Case-New Holland mount kits include an exhaust relocation feature.

ALAMO INDUSTRIAL

(800) 882-5762

Prices Effective February 15, 2014

Rev070114

MAVERICK BOOM

30' Mount Kit Options

Note: 30' Maverick units are to be mounted on 4WD model tractors only

TRACTOR DESCRIPTION	MOUNT KIT	MAXIMUM TIRE SIZE	
		FRONT	REAR
Case IH			
Case-IH Farmall 125/140A Cab/4wd (Tier III Engine Only)- 30' Mount Kit	02993192	14.9-24	18.4-34
Case-IH MXU115/125/130/135 Cab/4wd	02981892	14.9-24	18.4-34
Case-IH Maxxum 115/125/125 Pro/140 Pro	02986052	14.9-24	18.4-34
Challenger			
Challenger MT445/455/465B Cab/4wd (4 Cyl.-TIII Engine)	02991792	14.9-28	18.4-38
Challenger MT475B Cab/4wd (Tier III)	02989840	14.9-28	18.4-38
John Deere			
JD 6105/6115/6125M Interim TIV Models Cab 4wd 2012-2014	02992945	14.9-24	18.4-34
JD 6140/6150M Cab 4wd (Interim TIV Engines Only) 2012-2014- 30' Mount Kit	02993490	14.9-28	18.4-38
JD 6615/6715 Cab/4wd	02982395	13.6-24	18.4-34
JD 7210/7410/7510 Cab/4wd (34" Flanged Rear Rim)	02984191	13.6-28	18.4-34
JD 7220/7320 Cab/4wd (34" Flanged Rear Whl)	02983096	13.6-28	18.4-34
JD 7220/7320 Cab/4wd (38" Flanged Rear Whl)	02984772	14.9-28	18.4-38
JD 7220/7320 Cab/4wd (38" Rack & Pinion Whl)	02984684	14.9-28	18.4-38
JD 7130 "Mid" Cab/4wd (4 cyld / 55 gal. fuel tank)	02989932	13.6-28	18.4-38
JD 7130/7230 "Mid" Cab/4wd (6 cyld / 55 gal. fuel tank)	02986363	13.6-28	18.4-38
JD 7130/7230 Premium Cab/4wd w Panoramic Door (55 Gal Tank Only)	02991723	14.9-28	18.4-38
JD 7130/7230 "Prem" Cab/4wd (6 cyld / 55 gal. fuel tank / Flanged Rear Whl / Built Before Nov. 1, 2010)	02986617	14.9-28	18.4-38
Massey Ferguson			
MF 5465 Cab/4wd (Tier II Engine Only)	02984419	14.9-24	18.4-34
MF 5465/5475 Cab/4wd (Tier III Perkins Engine Only)	02988639	14.9-28	18.4-38
MF 5465/5475 Cab/4wd (Tier III Sisu Engine Only)	02991559	14.9-28	18.4-38
MF 7614/7615/7616/7618 Cab 4wd 2014 (Tier IV 6 Cyl Engines Only)- 30' Mount Kit	02993624	14.9-28	18.4-38
New Holland			
NH TS115A/125A/130A/135A Cab/4wd	02981892	14.9-24	18.4-34
NH T6030/6050/6070 Cab/4wd (Built Before May 2010)	02986052	14.9-24	18.4-34
NH T6030/6050/6070 Cab/4wd w/ Command Armrest (Built before May 2010)	02987356	14.9-24	18.4-34
NH T6030/6050/6070 Cab/4wd (Built After May 2010)	02991294	14.9-24	18.4-34
NH T6030/6050/6070 Cab/4wd w/ Command Armrest (Built after May 2010)	02991295	14.9-24	18.4-34

OTHER SPECIFICATIONS

- (1) Always use the maximum tire size for favorable ground clearance.
- (2) Mount kits are designed for use with 4wd tractors only.
- (3) Tractors should not be ordered with armrest-integrated controls.
- (4) Tractors must be equipped with flanged rear rims unless otherwise noted.
- (5) The right handrail must be removed for boom transport clearance.
- (6) John Deere tractors must include a standard through-hood exhaust.
- (7) Case-New Holland mount kits include an exhaust relocation feature.

ALAMO INDUSTRIAL

(800) 882-5762

Prices Effective February 15, 2014

Rev070114

REAR MOUNT BOOM

17', 20', 23' Articulated Models

STANDARD SPECIFICATIONS

- ◆ Welded Steel Plate Frame Mounted to the Rear Axle and Three-Point Hitch
- ◆ 60-Gallon Hydraulic Reservoir with 12 Micron Filtration
- ◆ 4" King Post with 3" Tapered Roller Bearings
- ◆ Inner Boom Arm 6"x 6" x 1/4" Steel Tubing
- ◆ Outer Boom Arm 5"x 5" x 1/4" Steel Tubing
- ◆ 120° Horizontal Boom Swing
- ◆ Boom Reaches:
 - 17: Up-19'6", Out- 18'9", Down- 8'9"
 - 20: Up-20'3", Out- 21', Down- 12'11"
 - 23: Up-22'10", Out- 22'4", Down- 15'6"
- ◆ Stacked Hydraulic Pump @ 51 GPM @ 2500 PSI
- ◆ 4-Spool, Open Center, Tapered Positive Metering Valve
- ◆ Safety Cage (ROPS Units ONLY)
- ◆ Tractor Req: Min. 5,000 lbs. with 65 HP rating
- ◆ Mount Kit & Polycarbonate Window Included in Base Price
- ◆ Front End Weight to be Supplied by the End User.

HEAD SPECIFICATIONS

- ◆ 60" Boom-Axe Head
- ◆ 10-Gauge Top Deck with 1/4" Side Skirts
- ◆ Full Length Replaceable Skid Shoes
- ◆ 4-1/2"x 9" Heat-Treated Alloy Spindle
- ◆ 101 HP Motor Direct-Coupled
- ◆ 2-1/2"x 5" Stacked Three-Leaf Blade Bar, T1 Steel
- ◆ 5/8"x 5" High-Alloy Steel Blade, 360° Swing
- ◆ Front & Rear Safety Deflectors & Gate
- ◆ Standard (1) year limited parts and labor warranty.

PRODUCT ORDER CODE	DESCRIPTION	APPRX. WEIGHT		LIST PRICE
REAR MOUNT BASE UNIT (One Choice Required)				
04912217	17' Rear-Mount Boom Assembly	6000		30,416
04912218	20' Rear-Mount Boom Assembly	6100		32,421
04912219	23' Rear-Mount Boom Assembly	6200		33,867
JSTKOPT	Joystick Control Option for Rear Mount Booms (Add To Prices Above)			7,500
MOWER HEAD (One Choice Required)				
02974676	60" Boom-Axe with Bar	820		11,117
02974680	50" Boom-Axe with Pan	810		11,401
02974681	50" Boom-Axe with Bar	750		10,854
02970299	48" Flail Axe	700		13,016
02963870	60" SHD Flail	760		12,072
02974204	90" Buzzbar Head	1098		17,126
02979250	69" Buzzbar Head	705		14,398
02979266	48" Buzzbar Head	550		11,543
02972145	5' Timbercat	440		12,771
02972146	7' Timbercat	520		13,600
MOUNT KIT (One Choice Required)				
RM-01	NH 5610,6610,7610,5640,6640,7740 (Includes 02963021, 00751562, 02963819, 02963501)			N/C
RM-02	NH 5640,6640,7740 with CAB (Includes 02965837, 00751562, 02963501)			N/C
RM-03	NH 5610, 6610, 7610 Series II with CAB (Includes 02962115, 00751562, 02963501)			N/C
RM-04	John Deere 6020/6030/7020/7030 Series Cab (Includes 02975041, 00765452, 02963501)			N/C
RM-05	Universal (Dealer Must Modify) (Includes 02964379, 00751565, 02963819, 02963501)			N/C
RM-06	Universal (Dealer Must Modify) (Includes 02964379, 00751565, 02963501, 02964333)			N/C

ALAMO INDUSTRIAL

(800) 882-5762

Prices Effective February 15, 2014

Rev070114

REAR MOUNT BOOM

17', 20', 23' Articulated Models

PRODUCT ORDER CODE	DESCRIPTION	APPRX. WEIGHT		LIST PRICE
OPTIONS				
02924700	Additional Operators and Parts Manuals			54
02976534	Quick Hitch Kit*			2,741
02976535	Hydraulic Kit for Quick Hitch Head**			487
02975647M	Flail-Axe Jack Stand Kit*** (02975647)			320
02959639	Caster Wheel Kit, Super Heavy Duty Flail	24		1,576
02972609	Wheel Weight Kit-500 lbs.	500		1,316
02971789	Wheel Weight Kit-1300 lbs.	1300		2,818
02976671	Additional 408 lbs. Kit for 1300 lbs. Wheel Weight	408		1,657
02976670	Additional 680 lbs. Kit for 1300 lbs. Wheel Weight	680		2,457
02963038	Mounting Labor & Oil			7,522
02791800	Special Mower Paint			1,355
02968967	Special Tractor Paint			6,039
00889899RW	Additional 12 Month Warranty (00889899)			4,210

* Includes all components to convert boom and (1) head to Quick Hitch

***Required to level Flail-Axe for Quick Hitch

*** Required to level Flail-Axe for Quick Hitch

ALAMO INDUSTRIAL

(800) 882-5762

Prices Effective February 15, 2014

Rev070114

SAMURAI BOOM

18', 22', 25' Articulated Models

STANDARD SPECIFICATIONS

- ◆ 4" X 4" Square Tubular Frame
- ◆ Features a 2 1/2" greaseable "king post" style turning arm.
- ◆ Main pivots points utilize 2' pins with greaseable, hardened steel bushings.
- ◆ Self contained hydraulic system w/integrated oil cooler.
- ◆ 20 gal Front-Mounted Reservoir/35 gal Total System Volume
- ◆ Motor Circuit: Gear Pump Rated @ 30 gpm (66.5 hp) & 3,800 psi @ 2,200 rpm.
- ◆ Control Circuit: Gear Pump Rated @ 12 gpm (21 hp) & 3,000 psi @ 2,200 rpm.
- ◆ Inner Boom Arm 6"x6"x1/4" Alloy Steel Tubing
- ◆ Outer Boom Arm 5"x5"x1/4" Alloy Steel Tubing
- ◆ 120° Horizontal Boom Swing
- ◆ Boom Reach: **18' Models=** Up-18' 7", Out-18', Down-5' 1" **22' Models=** Up-22' 7", Out-22', Down-9' 1"
25' Models= Up-25' 7", Out-25', Down-12' 1".
- ◆ Mount Kit, Wheel Weight, and Polycarbonate Window Included in Base Price
- ◆ Tractor Req: Min of 8,500 lbs and 90 eng. hp. Min 90" Wheelbase and 18" Ground Clearance

HEAD SPECIFICATIONS

- ◆ 58" Cutting Diameter
- ◆ Alloy Deck Material with Double Wall Side Skirt
- ◆ 4-1/2"x9" Heat-Treated Alloy Spindle
- ◆ 152 HP Direct-Coupled Gear Motor
- ◆ Stacked Three-Leaf, Alloy Steel Blade Bar
- ◆ 5/8" x 5" Double -Edged, Tempered Steel Blades, 360° Swing
- ◆ Standard (1) year limited parts and labor warranty.

PRODUCT ORDER CODE	DESCRIPTION	APPRX. WEIGHT		LIST PRICE
Boom Base Unit (One Choice Required)				
04851802	18' Samurai Boom- 4wd (Joystick Control)			42,710
04851800	18' Samurai Boom- 2wd (Joystick Control)			42,710
04851801	18' Samurai Boom- 2wd (Cable Control)			35,900
04851803	18' Samurai Boom- 4wd (Cable Control)			35,900
04852202	22' Samurai Boom- 4wd (Joystick Control)			44,018
04852200	22' Samurai Boom- 2wd (Joystick Control)			44,018
04852203	22' Samurai Boom - 4wd (Cable Control)			37,208
04852201	22' Samurai Boom- 2wd (Cable Control)			37,208
04852502	25' Samurai Boom- 4wd (Joystick Control)			46,337
04852500	25' Samurai Boom- 2wd (Joystick Control)			46,337
04852503	25' Samurai Boom- 4wd (Cable Control)			39,528
04852501	25' Samurai Boom- 2wd (Cable Control)			39,528
All Tier Four (IV) Tractors will Require Wider High Frame mounts To Clear The Larger Exhaust Systems.				Sales
Note: This Will Affect Transport Widths				
SAMTIVM25J4	25' Samurai Boom 4wd (Joystick Control) Tier IV Tractor Models			47,264
SAMTIVM25J2	25' Samurai Boom 2wd (Joystick Control) Tier IV Tractor Models			47,264
SAMTIVM25C4	25' Samurai Boom 4wd (Cable Control) Tier IV Tractor Models			40,319
SAMTIVM25C2	25' Samurai Boom 2wd (Cable Control) Tier IV Tractor Models			40,319

ALAMO INDUSTRIAL

(800) 882-5762

Prices Effective February 15, 2014

Rev070114

SAMURAI BOOM

18', 22', 25' Articulated Models

PRODUCT ORDER CODE	DESCRIPTION	APPRX. WEIGHT		LIST PRICE
Mower Head (One Choice Required)				
02986190SJ	60" Rotary w/Ctr Hyd Door, Blade Bar & Head Swivel (Joystick Control)	1115		15,278
02986190SC	60" Rotary w/Ctr Hyd Door, Blade Bar & Head Swivel (Cable Control)	1115		15,278
02986203	60" Rotary w/Ctr Hyd Door, Blade Bar (No Head Swivel)	1061		13,170
02986213SJ	50" Rotary w/Ctr Hyd Door, Blade Bar & Head Swivel (Joystick Control)			14,552
02986213SC	50" Rotary w/Ctr Hyd Door, Blade Bar & Head Swivel (Cable Control)			14,552
02986211	50" Rotary w/Ctr Hyd Door, Blade Bar (No Head Swivel)			12,445
02986212SJ	50" Rotary w/Ctr Hyd Door, Blade Pan & Head Swivel (Joystick Control)			13,696
02986212SC	50" Rotary w/Ctr Hyd Door, Blade Pan & Head Swivel (Cable Control)			13,696
02986210	50" Rotary w/Ctr Hyd Door, Blade Pan (No Head Swivel)			11,589
02986251SJ	48" Flail-Axe w/Head Swivel (Joystick Control)			15,123
02986251SC	48" Flail-Axe w/Head Swivel (Cable Control)			15,123
02986253	48" Flail-Axe (No Head Swivel)	777		13,016
02986252SJ	48" Flail-Axe, SHD Cuttershaft (3 oz Knives) w/Head Swivel (Joystick Control)			16,360
02986252SC	48" Flail-Axe, SHD Cuttershaft (3 oz Knives) w/Head Swivel (Cable Control)			16,360
02988228	48" Grass Flail, SHD Cuttershaft			14,252
02993169	52" Battle Axe (Manual 2-Position Head Swivel) Gear Type	1250		18,460
02992647	52" Battle Axe (No Head Swivel) Gear Type	1150		16,640
02988229	60" Grass Flail, SHD Cuttershaft	800		14,365
02988233	Bomford 60" HD Grass Flail (Non-Swivel)			13,146
02988881	Bomford 60" HD Grass Flail (Swivel)- Requires Swivel Wiring Kit			14,971
02988255	5' Timber Cat Sickle Bar	682		13,652
02988256	7' Timber Cat Sickle Bar	770		14,502
02986235	90" Buzzbar (4 Blade)	1098		16,222
02986229	69" Buzzbar (3 Blade)	705		14,399
02986219	48" Buzzbar (2 Blade)	550		11,543
02988854	Ditcher Head (Hitch Post Mounted)			13,384

ALAMO INDUSTRIAL

(800) 882-5762

Prices Effective February 15, 2014

Rev070114

SAMURAI BOOM

18', 22', 25' Articulated Models

PRODUCT ORDER CODE	DESCRIPTION	APPRX. WEIGHT		LIST PRICE
Options				
02986950A	Additional Operators and Parts Manuals			54
02989326	Quick Hitch Kit*			4,106
02989327	Hydraulic Kit for Quick Hitch Head**			544
02975647	Flail-Axe Jack Stand Kit***			355
02985029	Mounting Labor & Oil			6,542
02791800	Special Mower Paint			1,355
02968967	Special Tractor Paint			6,039
00889899S	Additional 12 Month Warranty (00889899)			4,210

* Includes all components to convert boom and (1) head to Quick Hitch

** Required to convert additional heads to Quick Hitch

*** Required to level Flail-Axe for Quick Hitch

ALAMO INDUSTRIAL
(800) 882-5762

Prices Effective February 15, 2014

Rev070114

SAMURAI BOOM

18', 22', 25' Mount Kit Options

Note: 25' Samurai units are to be mounted on 4WD model tractors only

TRACTOR DESCRIPTION	MOUNT KIT	MAXIMUM TIRE SIZE		
		2WD Front	4WD Front	Rear
Case IH				
Case-IH Maxxum 110/110 Pro/120 Pro/130 Pro ROPS/2wd (Cable)	02988516	10.00-16	N/A	18.4-34
Case-IH Maxxum 110/110 Pro/120 Pro/130 Pro Canopy/2wd (Cable)	02988512	10.00-16	N/A	18.4-34
Case-IH Maxxum 110/110 Pro/120 Pro/130 Pro Cab/2wd (Cable)	02988517	10.00-16	N/A	18.4-34
Case-IH Maxxum 110/110 Pro/120 Pro/130 Pro Cab/4wd (Cable)	02987836	N/A	14.9-24	18.4-34
Case-IH Maxxum 110/110 Pro/120 Pro/130 Pro Cab/2wd (Joystick)	02988519	10.00-16	N/A	18.4-34
Case-IH Maxxum 110/110 Pro/120 Pro/130 Pro Cab/4wd (Joystick)	02987863	N/A	14.9-24	18.4-34
Case-IH Maxxum 115/125/125 Pro/140 Pro Cab/4wd (Cable)	02988242	N/A	14.9-24	18.4-34
Case-IH Maxxum 115/125/125 Pro/140 Pro Cab/4wd (Joystick)	02988241	N/A	14.9-24	18.4-34
Case-IH Maxxum 115/125/125 Pro/140 Pro ROPS/2wd (Cable)	02989875	10.00-16	N/A	18.4-34
Challenger				
Challenger MT445B/455B/465B Cab/2wd (Tier III Engine Only / Frt Axle Stabilizer Not Incl. /Cable)	02990186	10.00-16	N/A	18.4-34
Challenger MT445B/455B/465B Cab/4wd (Tier III Engine Only / Cable)	02989997	N/A	14.9-24	18.4-34
Challenger MT445B/455B/465B Cab/2wd (Tier III Engine Only / Frt Axle Stabilizer Not Incl. / Joystick)	02990188	10.00-16	N/A	18.4-34
Challenger MT445B/455B/465B Cab/4wd (Tier III Engine Only / Joystick)	02990793	N/A	14.9-24	18.4-34
Challenger MT445D/455D/465D Cab/4wd 2014- (Tier IV Engine Only / Joystick)	02993774	N/A	14.9-24	16.5-38
Challenger MT445D/455D/465D Cab/4wd 2014 -(Tier IV Engine Only / Cable Control)	02993785	N/A	14.9-24	16.5-38
John Deere				
JD 6105/6115D Series Interim TIV Cab/4wd (Joystick) 2013-2014	TBD	N/A	14.9-24	18.4-34
JD 6105/6115D Series Interim TIV Cab/4wd (Cable control) 2013-2014	TBD	N/A	14.9-24	18.4-34
JD 6105/6115/6125M Series Interim TIV Cab/4wd (Joystick) 2013-2014	02993016	N/A	14.9-24	18.4-34
JD 6105/6115/6125M Series Interim TIV Cab/4wd (Cable control) 2013-2014	02992975	N/A	14.9-24	18.4-34
JD 6110/6210/6310/6405/6410 Cab/2wd (Frt Axle Stabilizer Not Incl. / Joystick)	02988769	10.00-16	N/A	18.4-34
JD 6110/6210/6310/6405/6410 Cab/4wd (Frt Axle Stabilizer Not Incl. / Joystick)	02988769	N/A	12.4-24	18.4-34
JD 6120/6215/6220/6320/6415/6420 Cab/4wd (Joystick)	02988766	N/A	12.4-24	18.4-34
JD 6120/6215/6220/6320/6415/6420 ROPS/2wd (Cable)	02989021	10.00-16	N/A	18.4-34
JD 6230/6330/6430 "Mid-Spec" Cab/2wd (Cable)	02988392	10.00-16	N/A	18.4-34
JD 6230/6330/6430 "Mid-Spec" Cab/4wd (Cable)	02987668	N/A	13.6-24	18.4-34
JD 6230/6330/6430 "Mid-Spec" Cab/2wd (Joystick)	02987787	10.00-16	N/A	18.4-34
JD 6230/6330/6430 "Mid-Spec" Cab/4wd (Joystick)	02987809	N/A	13.6-24	18.4-34
JD 6230/6330/6430 "Mid-Spec" ROPS/2wd (Cable)	02989255	10.00-16	N/A	18.4-34
JD 6230/6330/6430 "Mid-Spec" ROPS/4wd (Cable)	02988182	N/A	13.6-24	18.4-34
JD 6230/6330/6430 "Mid-Spec" Canopy/4wd (Cable)	02988506	N/A	13.6-24	18.4-34
JD 6230/6330/6430 "Mid-Spec" ROPS/4wd (Joystick)	02988180	N/A	13.6-24	18.4-34
JD 7210/7410/7510 Cab/2wd (Cable)	02987707	11.00-16	N/A	18.4-34
JD 7130/7230 "Mid-Spec" Cab/2wd (Frt Axle Stabilizer Not Incl. / Joystick)	02991302	11.00-16	N/A	18.4-38
JD 7130/7230 "Mid-Spec" Cab/4wd (Cable)	02987845	N/A	13.6-28	18.4-38
JD 7130/7230 "Mid-Spec" Cab/4wd (Joystick)	02990032	N/A	13.6-28	18.4-38
McCormick				
McCormick T-Max 100/110 2012- Cab/4wd (Cable Control)	02992340	N/A	11.2-24	16.9-30
Massey Ferguson				
MF 5465/5475 Cab/4wd (Tier III Engine Only - Cable)	02988061	N/A	14.9-24	18.4-34
MF 5465/5475 Cab/4wd (Tier III Engine Only - Joystick)	02988004	N/A	14.9-24	18.4-34

OTHER SPECIFICATIONS

- (1) Always use the maximum tire size for favorable ground clearance.
- (2) Tractors should not be ordered with armrest-integrated controls.
- (3) Tractors must be equipped with flanged rear rims unless otherwise noted.
- (4) Right handrail removal may be necessary for boom transport clearance.
- (5) John Deere tractors must include a standard through-hood exhaust.
- (6) John Deere 7030 series fuel tanks must not exceed 66 gal.
- (7) Case-New Holland mount kits include an exhaust relocation feature.

ALAMO INDUSTRIAL

(800) 882-5762

Prices Effective February 15, 2014

Rev070114

SAMURAI BOOM

18', 22', 25' Mount Kit Options

Note: 25' Samurai units are to be mounted on 4WD model tractors only

TRACTOR DESCRIPTION	MOUNT KIT	MAXIMUM TIRE SIZE		
		2WD Front	4WD Front	Rear
New Holland				
NH 5640/6640/7740 Cab/2wd (Cable)	02989656	10.00-16	N/A	18.4-34
NH T6020/6040/6060 ROPS/2wd (Cable)	02988516	10.00-16	N/A	18.4-34
NH T6020/6040/6060 Canopy/2wd (Cable)	02988512	10.00-16	N/A	18.4-34
NH T6020/6040/6060 Cab/2wd (Built Before May 2010 / Cable)	02988517	10.00-16	N/A	18.4-34
NH T6020/6040/6060 Cab/2wd (Built After May 2010 / Cable)	02991296	10.00-16	N/A	18.4-34
NH T6020/6040/6060 Cab/4wd (Built Before May 2010 / Cable)	02987836	N/A	14.9-24	18.4-34
NH T6020/6040/6060 Cab/4wd (Built After May 2010 / Cable)	02991298	N/A	14.9-24	18.4-34
NH T6020/6040/6060 Cab/2wd (Built Before May 2010 / Joystick)	02988519	10.00-16	N/A	18.4-34
NH T6020/6040/6060 Cab/2wd (Built After May 2010 / Joystick)	02991297	10.00-16	N/A	18.4-34
NH T6020/6040/6060 Cab/4wd (Built Before May 2010 / Joystick)	02987863	N/A	14.9-24	18.4-34
NH T6020/6040/6060 Cab/4wd (Built After May 2010 / Joystick)	02991299	N/A	14.9-24	18.4-34
NH T6030/6050 ROPS/2wd (Cable)	02989875	10.00-16	N/A	18.4-34
NH T6030/6050/6070/6080 Cab/4wd (Built Before May 2010 / Cable)	02988242	N/A	14.9-24	18.4-34
NH T6030/6050/6070/6080 Cab/4wd (Built After May 2010 / Cable)	02991300	N/A	14.9-24	18.4-34
NH T6030/6050/6070/6080 Cab/4wd (Built After May 2010 / Joystick)	02991301	N/A	14.9-24	18.4-34
NH TS6.110/6.115/6.120 Cab 4wd 2012-2014 (Joystick Control)	02991301	N/A	14.9-24	18.4-34
NH TS6.110/6.115/6.120 Cab 4wd 2012-2014 (Cable Control)	02992798	N/A	14.9-24	18.4-34
NH TS6.125/6.140 Cab/4wd 2012-2014 (Cable Control)	02991301	N/A	14.9-24	18.4-34
NH T6.140/6.150/6.160 Cab 4wd 2014- (TIV Engine Only- Joystick Control)	02993525	N/A	14.9-24	18.4-34
NH T6.140/6.150/6.160 Cab 4wd 2014- (TIV Engine Only- Cable Control)	02993538	N/A	14.9-24	18.4-34
NH T6.155/6.165/6.175 Cab 4wd 2014- (TIV Engine Only- Joystick Control)	02993525	N/A	14.9-24	18.4-34
NH T6.155/6.165/6.175 Cab 4wd 2014- (TIV Engine Only- Cable Control)	02993538	N/A	14.9-24	18.4-34

OTHER SPECIFICATIONS

- (1) Always use the maximum tire size for favorable ground clearance.
- (2) Tractors should not be ordered with armrest-integrated controls.
- (3) Tractors must be equipped with flanged rear rims unless otherwise noted.
- (4) Right handrail removal may be necessary for boom transport clearance.
- (5) John Deere tractors must include a standard through-hood exhaust.
- (6) John Deere 7030 series fuel tanks must not exceed 66 gal.
- (7) Case-New Holland mount kits include an exhaust relocation feature.

ALAMO INDUSTRIAL
(800) 882-5762

Prices Effective February 15, 2014

Rev070114

VERSA BOOM

17", 20", 23' Articulated Models

STANDARD SPECIFICATIONS

- ♦ Welded Steel Plate Frame Braced to the Front Bolster & Rear Axle
- ♦ 60-Gallon Hydraulic Reservoir with 12-Micron Filtration
- ♦ 1300 lbs. Counterweight Tank Mounted
- ♦ 4" King Post with 3" Tapered Roller Bearings
- ♦ Inner Boom Arm 6"x6"x1/4" Steel Tubing
- ♦ Exterior Boom Arm 5"x5"x1/4" Steel Tubing
- ♦ 120° Horizontal Boom Swing
- ♦ Stacked Hydraulic Pump Rated @ 51 GPM @ 2500 PSI
- ♦ 4-Spool, Open Center, Tapered Positive Metering Valve
- ♦ Boom Reach: **17' Models**= Up-19'6", Out-18'9", Down-8'9" **20' Models**= Up-20'3", Out-20'7", Down-12'3"

23' Models- Up-22'10", Out-23'10", Down-15'6"

- ♦ Axle-Mounted Boom Rest
- ♦ Mount Kit, 1,300# Wheel Weight & Polycarbonate Window Included in Base Price

HEAD SPECIFICATIONS

- ♦ 60" Boom-Axe Head
- ♦ 10-Gauge Deck with 1/4" Side Skirts
- ♦ Full-Length Replaceable Skid Shoes
- ♦ 4-1/2" Hardened Spindle
- ♦ 90 HP Motor Directly Splined to the Spindle
- ♦ 2-1/2"x5" Stacked Three-Leaf Blade Bar
- ♦ 5/8"x5" Blades, 360° Swing
- ♦ Front/Rear Deflectors
- ♦ Standard (1) year limited parts and labor warranty.

PRODUCT ORDER CODE	DESCRIPTION	APPRX. WEIGHT		LIST PRICE
Versa Boom Base Unit (One Choice Required)				
Due to design constraints the Versa Boom will not be available for mounting on Tier IV tractors				
04953001	17' Versa-Boom (Joystick Control)	3850		41,679
04951001	17' Versa-Boom (Cable Control)	3800		33,232
04953005	20' Versa-Boom (Joystick Control)	4050		43,279
04951005	20' Versa-Boom (Cable Control)	4000		35,379
04953009	23' Versa-Boom (Joystick Control)	4150		44,696
04951009	23' Versa-Boom (Cable Control)	4100		36,839
Mower Head (One Choice Required)				
See Options Below for Extra Mower Head Options				
02974676	60" Boom-Axe with Bar	820		11,117
02974680	50" Boom-Axe with Pan	810		11,401
02974681	50" Boom-Axe with Bar	750		10,854
02970299	48" Flail Axe	700		13,016
02963870	60" SHD Flail	760		12,072
02974204	90" Buzzbar Head	1098		17,126
02979250	69" Buzzbar Head	705		14,398
02979266	48" Buzzbar Head	550		11,543
02972145	5' Timbercat	440		12,771
02972146	7' Timbercat	520		13,600
02985350	Ditcher Head (Hitch-Post Mounted)			13,384
02990405	Hose Kit, Tractor Aux to Chute 17' *****			805
02990605	Hose Kit, Tractor Aux to Chute 20' *****			855
02990608	Hose Kit, Tractor Aux to Chute 23' *****			905
Options				
02897300	Additional Operators and Parts Manuals			54
02976534	Quick Hitch Kit*			2,741
02976535	Hydraulic Kit for Quick Hitch Head**			487
02975647	Flail-Axe Jack Stand Kit***			355
02977500	60" SHD Flail Jack Stand Kit****			276

* Includes all components to convert boom and (1) head to Quick Hitch

** Required to convert additional heads to Quick Hitch

*** Required to level Flail-Axe for Quick Hitch

**** Required to level SHD Flail for Quick Hitch

ALAMO INDUSTRIAL

(800) 882-5762

Prices Effective February 15, 2014

Rev070114

VERSA BOOM

17", 20", 23' Articulated Models

PRODUCT ORDER CODE	DESCRIPTION	APPRX. WEIGHT		LIST PRICE
Options - Continued				
02990399	Ditcher Stand Kit ***			680
02959639	Caster Wheel Kit, Super Heavy Duty Flail	24		1,576
02966905	Accumulator Kit Option	25		1,422
02982874	Case-IH JXU Pump Guard Kit NH TL-A Pump Guard Kit			471
02982767	Case-IH JXU Replacement Battery (Factory Mount Only) NH TL-A Replacement Battery (Factory Mount Only)			210
02981109	Case-IH MXU & Maxxum Rear ROPS Screen Kit NH TS-A & T6000 Rear ROPS Screen Kit			467
02980652	Case-IH MXU & Maxxum Pump Guard Kit NH TS-A & T6000 Pump Guard Kit			471
02980929	Case-IH MXU & Maxxum Aluminum ROPS Canopy NH TS-A & T6000 Aluminum ROPS Canopy			1,040
02981353	NH TL Pump Guard Kit			471
02977499	JD 6015, 6020 & 6030 Rear Cab Screen Kit JD 7020 & 7030 "Prem/Mid-Spec" Rear Cab Screen Kit			823
02979486	JD 6015 & 6020 Rear ROPS Screen Kit			467
02979080	JD 6015, 6020 & 6030 Pump Guard Kit JD 7020 & 7030 "Prem/Mid-Spec" Pump Guard Kit			471
02976333	JD 6015 & 6020 Aluminum ROPS Canopy			1,040
02976500	JD 7020 Wheel Weight Adapter Kit (34" Flanged Axle)			459
02978473	JD 7020 & 7030 "Prem" Whl Wt Adapter Kit (38" Flanged Axle)			459
02978103	JD 7020 & 7030 "Prem" Whl Wt Adapter (38" Rack & Pinion)			459
2 Kits Below Are To Interchange A Versa Mower/Head With Your Existing Boom- Requires Purchase of the Versa Mower Head Separately (See Versa Mower Page)				Also
02964297	Versa Boom to Mower Interchange Extension Arm- Non Breakaway	280		4,065
02965429	Versa Boom to Mower Interchange Extension Arm- Breakaway Type	345		5,246
02976671	Additional 408 lbs. Kit for 1300 lbs. Wheel Weight	408		1,657
02976670	Additional 680 lbs. Kit for 1300 lbs. Wheel Weight	680		2,457
02963038	Mounting Labor & Oil			7,522
02791800	Special Mower Paint			1,355
02968967	Special Tractor Paint			6,039
00889899VB	Additional 12 Month Warranty (00889899)			4,210

*** Required to level Ditcher for Quick Hitch

***** Required to operate Ditcher Head Discharge Chute

ALAMO INDUSTRIAL

(800) 882-5762

Prices Effective February 15, 2014

Rev070114

VERSA BOOM

17", 20", 23' Mount Kits

TRACTOR DESCRIPTION	MOUNT KIT	MAXIMUM TIRE SIZE		
		2WD Front	4WD Front	Rear
Case IH				
Case-IH Farmall 85U/95U/105U Cab/2&4wd (Cable/Fender Tank)	02986803	10.00-16	12.4-24	18.4-30
Case-IH Farmall 85U/95U/105U Cab/2&4wd (Joystick/Fender Tank)	02987108	10.00-16	12.4-24	18.4-30
Case-IH Farmall 85U/95U/105U ROPS/2&4wd (Fender Tank)	02989928	10.00-16	12.4-24	18.4-30
Case-IH JX1080U/1090U/1100U Cab/2&4wd (Cable/Fender Tank)	02982098	10.00-16	12.4-24	18.4-30
Case-IH JX1080U/1090U/1100U Cab/2&4wd (Joystick/Fender Tank)	02984094	10.00-16	12.4-24	18.4-30
Case-IH JX1080U/1090U/1100U ROPS/2&4wd (Fender Tank)	02985822	10.00-16	12.4-24	18.4-30
Case-IH Maxxum 115/125/125 Pro/140 Pro Cab/2&4wd (Cable/Fender Tank)	02981137	10.00-16	12.4-24	18.4-30
Case-IH Maxxum 115/125/125 Pro/140 Pro Cab/2&4wd (Joystick/Fender Tank)	02982226	10.00-16	12.4-24	18.4-30
Case-IH Maxxum 115/125/125 Pro/140 Pro Cab 2/4wd (Factory Loader Valve/Cable Control/Fender Tank)	02982832	12.4-24	12.4-24	18.4-34
Case-IH Maxxum 115/125/125 Pro/140 Pro Cab/2&4wd (540 PTO Pump/Joystick/Fender Tank)	02989499	12.4-24	12.4-24	18.4-34
Case-IH Maxxum 115/125/125 Pro/140 Pro ROPS/2&4wd (Fender Tank)	02984650	10.00-16	12.4-24	18.4-30
Case-IH MXU100/110 Cab/2wd (Cable/Fender Tank)	02982228	10.00-16	N/A	18.4-34
Case-IH MXU100/110 Cab/2wd (Joystick/Fender Tank)	02981898	10.00-16	N/A	18.4-34
Case-IH MXU100/110 Cab/4wd (Cable/Fender Tank)	02982809	N/A	12.4-24	18.4-30
Case-IH MXU115/125/130/135 Cab/2&4wd (Cable/Fender Tank)	02981137	10.00-16	12.4-24	18.4-34
Case-IH MXU115/125/130/135 Cab/2&4wd (Joystick/Fender Tank)	02982226	10.00-16	12.4-24	18.4-34
Case-IH MXU115/125/130/135 ROPS/2&4wd (Cable/Fender Tank)	02984650	10.00-16	12.4-24	18.4-34
John Deere				
JD 5083E/5093E/5101E Cab/4wd 2012-2013 (New Rail Design- Joystick Control/Fender Tank)- 17'-20' Booms Only	02991936	N/A	12.4-24	18.4-30
JD 5083E/5093E/5101E Cab/4wd 2012-2013 (New Rail Design- Cable Control/Fender Tank)- 17'-20' Booms Only	02992776	N/A	12.4-24	18.4-30
JD 5085E/5100E Series TIV Cab 2 & 4wd 2014- Units (Joystick Control/Fender tank)	02993629	10.00-16	14.9-24	18.4-34
JD 5085E/5100E Series TIV Cab 2 & 4wd 2014- Units (Cable Control/Fender tank)	02993721	10.00-16	14.9-24	18.4-34
JD 5085/5095/5105M- Series Cab 2wd 2012-2013 (New Rail Design- Joystick Control/Fender Tank)- 17'-20' Booms Only	02992801	11.0L-15	N/A	16.9-30
JD 5085/5095/5105M- Series Cab 2wd 2012-2013 (New Rail Design- Cable Control/Fender Tank)- 17'-20' Booms Only	02991902	11.0L-15	N/A	16.9-30
JD 5085/5095/5105M- Series Cab 4wd 2012-2013 (New Rail Design- Cable Control/Fender Tank)- 17'-20' Booms Only	02991900	N/A	12.4-24	16.9-30
JD 5085/5095/5105M- Series Cab 4wd 2012-2013 (New Rail Design- Joystick Control/Fender Tank)- 17'-20' Booms Only	02991856	N/A	12.4-24	16.9-30
JD 5425/5525/5625 Cab/2&4wd (Cable/Fender Tank)	02983913	7.50-16	11.2-24	16.9-30
JD 5425/5525/5625 Cab/2&4wd (Joystick/Fender Tank)	02983243	7.50-16	11.2-24	16.9-30
JD 5603 Cab/4wd (Cable/Fender Tank)	02986167	N/A	12.4-24	18.4-30
JD 5603 Cab/4wd (Joystick/Fender Tank)	02986509	N/A	12.4-24	18.4-30
JD 6105/6115/6125M Series Interim TIV Cab 2 & 4wd 2013-2014 (Joystick Control/Fender tank)	02993347	10.00-16	14.9-24	18.4-34
JD 6105/6115/6125M Series Interim TIV Cab 2 & 4wd 2013-2014 (Cable control/Fender tank)	02993343	10.00-16	14.9-24	18.4-34

OTHER SPECIFICATIONS

- (1) Always use the maximum tire size for favorable ground clearance.
- (2) Tractors should not be ordered with armrest-integrated controls.
- (3) Tractors must be equipped with flanged rear rims unless otherwise noted.
- (4) Right handrail removal may be necessary for boom transport clearance.
- (5) John Deere tractors must include a standard through-hood exhaust.
- (6) Case-New Holland mount kits include an exhaust relocation feature.
- (7) Many Case-IH and New Holland Series tractors require a smaller replacement battery which is not included. We recommend using Exide® #34R-84N.

ALAMO INDUSTRIAL

(800) 882-5762

Prices Effective February 15, 2014

Rev070114

VERSA BOOM

17", 20", 23' Mount Kits

TRACTOR DESCRIPTION	MOUNT KIT	MAXIMUM TIRE SIZE		
		2WD Front	4WD Front	Rear
John Deere				
JD 6110/6210/6310/6405/6410 Cab 2wd (Cable Control/Fender Tank)	02973845	10.5-80/18	N/A	18.4-30
JD 6110/6210/6310/6405/6410 Cab 2wd (Joystick Control/Fender Tank)	02991250	10.5-80/18	N/A	18.4-30
JD 6110/6210/6310/6405/6410 Cab 4wd (Cable Control/Fender Tank)	02973849	N/A	12.4-24	18.4-30
JD 6215/6415 Cab/2&4wd (Cable/Mid-Mt Tank)	02979218	10.00-16	12.4-24	18.4-34
JD 6215/6415 Cab/2&4wd (Cable/Fender Tank)	02981500	10.00-16	12.4-24	18.4-34
JD 6215/6415 Cab/2&4wd (Joystick/Mid-Mt Tank)	02981036	10.00-16	12.4-24	18.4-34
JD 6215/6415 ROPS/2&4wd (Mid-Mt Tank)	02980731	10.00-16	12.4-24	18.4-34
JD 6120/6220/6320/6420 (Tier II) Cab/2&4wd (Cable/Mid-Mt Tank)	02979218	10.00-16	12.4-24	18.4-34
JD 6120/6220/6320/6420 (Tier II) Cab/2&4wd (Cable/Fender Tank)	02981500	10.00-16	12.4-24	18.4-34
JD 6120/6220/6320/6420 (Tier II) Cab/2&4wd (Joystick/Mid-Mt Tank)	02979290	10.00-16	12.4-24	18.4-34
JD 6120/6220/6320/6420 (Tier II) Cab/2&4wd (Joystick/Fender Tank)	02986353	10.00-16	12.4-24	18.4-34
JD 6120/6220/6320/6420 (Tier II) ROPS/2&4wd (Cable/Mid-Mt Tank)	02980731	10.00-16	12.4-24	18.4-34
JD 6230/6330/6430 "Mid-Spec" Cab/2&4wd (Cable/Fender Tank)	02986747	10.00-16	12.4-24	18.4-34
JD 6230/6330/6430 "Mid-Spec" Cab/2&4wd (Joystick/Fender Tank)	02986711	10.00-16	12.4-24	18.4-34
JD 6230/6330/6430 "Mid-Spec" ROPS 2wd (Fender Tank)	02987954	11L-16	N/A	18.4-34
JD 6230/6330/6430 "Mid-Spec" ROPS 4wd (Fender Tank)	02990042	N/A	12.4-24	18.4-34
JD 6230/6330/6430 "Premium" Cab/2&4wd (Cable/Fender Tank)	02986184	10.00-16	12.4-24	18.4-34
JD 6230/6330/6430 "Premium" Cab/2&4wd (Joystick/Fender Tank)	02985260	10.00-16	12.4-24	18.4-34
JD 6615/6715 Cab/2&4wd (Cable/Mid-Mt Tank)	02979858	11.00-16	13.6-24	18.4-34
JD 6615/6715 Cab/2&4wd (Joystick/Mid-Mt Tank)	02979925	11.00-16	13.6-24	18.4-34
JD 7220/7320/7420/7520 Cab/2&4wd (Cable/Mid-Mt Tank)	02979858	11.00-16	13.6-28	18.4-38
JD 7220/7320/7420/7520 Cab/2&4wd (Joystick/Mid-Mt Tank)	02979925	11.00-16	13.6-28	18.4-38
JD 7130/7230 "Mid Spec" Cab 2/4wd (w/55 gal. fuel tank/Cable/Fender Tank)	02987878	11.00-16	13.6-28	18.4-38
JD 7130/7230 "Mid Spec" Cab 2/4wd (w/55 gal. fuel tank/Joystick/Fender Tank)	02987277	11.00-16	13.6-28	18.4-38
JD 7130/7230 "Mid Spec" Cab 2/4wd (w/673 Loader Pkg/ 55 gal. fuel tank/Joystick/Fender Tank)	02991416	11.00-16	13.6-28	18.4-38
JD 7130/7230 "Mid Spec" ROPS 2/4wd (w/55 gal. fuel tank/Joystick/Fender Tank)	02987526	11.00-16	13.6-28	18.4-38
Massey Ferguson				
MF 2650/2660 Cab 4wd (Joystick Control/Fender Tank)	02991688	N/A	11.2-24	16.9-30
New Holland				
NH T5040/5050/5060/5070 Cab 2/4wd (Cable/Fender Tank)	02986803	10.00-16	12.4-24	18.4-30
NH T5040/5050/5060/5070 Cab 2/4wd (Joystick/Fender Tank)	02987108	10.00-16	12.4-24	18.4-30
NH T5040/5050/5060/5070 ROPS 2/4wd (Fender Tank)	02989928	10.00-16	12.4-24	18.4-30
NH T6010/6020/6040/6060 Cab/2wd (Cable/Fender Tank)	02985514	10.00-16	N/A	18.4-34
NH T6010/6020/6040/6060 Cab/2wd (Joystick/Fender Tank)	02988197	10.00-16	N/A	18.4-34
NH T6010/6020/6040/6060 Cab/4wd (Cable Control/Fender Tank)	02991887	N/A	12.4-24	18.4-30
NH T6010/6020/6040/6060 Cab/4wd (Joystick/Fender Tank)	02987018	N/A	12.4-24	18.4-30
NH T6010/6020 "Delta" ROPS/2wd (Fender Tank)	02986206	10.00-16	N/A	18.4-34
NH T6010/6020 Cab 2wd Models with Bar-style axles (Joystick Control/Fender Tank)	02990053	10.00-16	N/A	18.4-34
NH T6030/6050/6070 Cab/2&4wd (Flanged Wheel Axle/Cable/Fender Tank)	02981137	10.00-16	12.4-24	18.4-34
NH T6030/6050/6070 Cab/2&4wd (Rack & Pinion Axle/Cable/Fender Tank)	02991003	10.00-16	12.4-24	18.4-34
NH T6030/6050/6070 Cab/2&4wd (Joystick/Fender Tank)	02982226	10.00-16	12.4-24	18.4-34
NH T6030/6050/6070 Cab 2/4wd (Factory Loader Valve/Cable Control/Fender Tank)	02982832	10.00-16	12.4-24	18.4-34
NH T6030/6050/6070 Cab/2&4wd (540 PTO Pump/Joystick/Fender Tank)	02989499	10.00-16	12.4-24	18.4-34

OTHER SPECIFICATIONS

- (1) Always use the maximum tire size for favorable ground clearance.
- (2) Tractors should not be ordered with armrest-integrated controls.
- (3) Tractors must be equipped with flanged rear rims unless otherwise noted.
- (4) Right handrail removal may be necessary for boom transport clearance.
- (5) John Deere tractors must include a standard through-hood exhaust.
- (6) Case-New Holland mount kits include an exhaust relocation feature.
- (7) Many Case-IH and New Holland Series tractors require a smaller replacement battery which is not included. We recommend using Exide® #34R-84N.

ALAMO INDUSTRIAL

(800) 882-5762

Prices Effective February 15, 2014

Rev070114

VERSA BOOM

17", 20", 23' Mount Kits

TRACTOR DESCRIPTION	MOUNT KIT	MAXIMUM TIRE SIZE		
		2WD Front	4WD Front	Rear
New Holland				
NH T6030/6050 ROPS/2&4wd (Fender Tank)	02984650	10.00-16	12.4-24	18.4-34
NH TL80/90/100 Cab/2&4wd (Cable/Fender Tank)	02980259	10.00-16	12.4-24	18.4-30
NH TL80A/90A/100A Cab/2&4wd (Cable/Fender Tank)	02982098	10.00-16	12.4-24	18.4-30
NH TL80A/90A/100A Cab/2&4wd (Joystick/Fender Tank)	02984094	10.00-16	12.4-24	18.4-30
NH TL80A/90A/100A ROPS/2&4wd (Fender Tank)	02985822	10.00-16	12.4-24	18.4-30
NH TS100A/110A Cab/2wd (Cable/Fender Tank)	02982228	10.00-16	N/A	18.4-34
NH TS100A/110A Cab/2wd (Joystick/Fender Tank)	02981898	10.00-16	N/A	18.4-34
NH TS100A/110A Cab/4wd (Cable/Fender Tank)	02982809	N/A	12.4-24	18.4-30
NH TS115A/125A/130A/135A Cab/2&4wd (Cable/Fender Tank)	02981137	10.00-16	12.4-24	18.4-30
NH TS115A/125A/130A/135A Cab/2&4wd (Joystick/Fender Tank)	02982226	10.00-16	12.4-24	18.4-30
NH T6030/6050/6070 Cab 2/4wd (Factory Loader Valve/Cable Control/Fender Tank)	02982832	10.00-16	12.4-24	18.4-34
NH TS115A/125A/130A/135A Cab/2&4wd (540 PTO Pump/Joystick/Fender Tank)	02989499	10.00-16	12.4-24	18.4-34
NH TS115/125/130/135- A Series Cab 2/4wd (Factory Loader Valve/Joystick/Fender Tank)	02982832	10.00-16	12.4-24	18.4-34
NH TS115A/125A/130A/135A ROPS/2&4wd (Fender Tank)	02984650	10.00-16	12.4-24	18.4-34
NH TS6020/6030 Cab/2wd (Cable/Fender Tank)	02991179	10.00-16	N/A	18.4-34
NH TS6020/6030 ROPS/2wd (Fender Tank)	02989952	10.00-16	N/A	18.4-34
NH TS6.110/6.120 Cab/ 2wd & 4wd 2012-2014 (Cable Control/Fender Tank)	02992684	10.00-16	12.4-24	18.4-30
NH TS6.110/6.120 Cab/ 2wd & 4wd 2012-2014 (Joystick Control/Fender Tank)	02992525	10.00-16	12.4-24	18.4-30

OTHER SPECIFICATIONS

- (1) Always use the maximum tire size for favorable ground clearance.
- (2) Tractors should not be ordered with armrest-integrated controls.
- (3) Tractors must be equipped with flanged rear rims unless otherwise noted.
- (4) Right handrail removal may be necessary for boom transport clearance.
- (5) John Deere tractors must include a standard through-hood exhaust.
- (6) Case-New Holland mount kits include an exhaust relocation feature.
- (7) Case-IH JX-U & Farmall U and New Holland TL-A & T5000 series tractors require a smaller replacement battery which is not included. We recommend using Exide® #34R-84N.

ALAMO INDUSTRIAL
(800) 882-5762

Prices Effective February 15, 2014

Rev070114

FALCON HYDRAULIC ROTARY

Flex- Wing Mower

STANDARD SPECIFICATIONS

- ◆ 540 PTO
- ◆ Available In 10' or 15' Cutting Width
- ◆ Minimum Tractor Requirement: 75 PTO hp
- ◆ 1/4" x 10-1/2" Bolt-On Side Skirts
- ◆ 3 Rear Remotes Required on Tractor For Proper Operation
- ◆ 35-Gallon Reservoir with Dual Filtration
- ◆ Wing Motor Cutoff - standard
- ◆ 63-HP Center Motor, 58-HP wing motor
- ◆ 10' Model includes LH- Counterweight Weldment- Concrete Fill not Included
- ◆ Standard (1) year limited parts and labor warranty.
- ◆ Double Row Chainguards
- ◆ Hydraulically Folding Wings
- ◆ Pan Assembly
- ◆ Updraft Blades
- ◆ Replaceable Skid Shoes
- ◆ Safety Tow Chain
- ◆ Parking Jack
- ◆ Easy Clean Top Deck
- ◆ Clevis Hitch
- ◆ Deck Rings - standard
- ◆ Dual Level Lift Rods

PRODUCT ORDER CODE	DESCRIPTION	APPRX. WEIGHT		LIST PRICE
Base Unit <i>(One Choice Required)</i>				
04532210	Falcon 10', 540 rpm, Pan w/Deck Rings			27,288
04522715	Falcon 15', 540 rpm, Pan w/Deck Rings	6,400		33,278
NOTE: TRACTOR MUST BE EQUIPPED WITH 3 REAR REMOTES FOR PROPER OPERATION				
Wheel & Tire Options <i>(One Choice Required)</i>				
00770532	(Five) Implement Tires & Wheels (6.70-15 / 6 ply)	200		998
00770542	(Five) Recapped Airplane Tires (22 ply)	390		1,706
00770527	(Five) 15" Wheels (Wheels Only)	90		250
00770522	(Five) Laminated Tires & Wheels	375		922
02986580	(Five) Foam Filled Used Airplane Tire & Wheel (Standard Choice For 10 Ft. Models)	375		1,229
00770533	(Six) Implement Tires & Wheels (6.70-15 / 6 ply)	240		1,197
00770543	(Six) Recapped Airplane Tires (22 ply)	468		2,047
00770528	(Six) 15" Wheels (Wheels Only)	108		298
00770523	(Six) Laminated Tires & Wheels	450		1,106
02986581	(Six) Foam Filled Used Airplane Tire & Wheel (Standard Choice for 15 Ft. Models)	450		1,475
Mount Kits <i>(One Choice Required)</i>				
02985210	Case-IH JX-U Series			N/C
02981883	Case-IH MXU & Maxxum Series			N/C
02983169	John Deere 5425/5525/5603/5625			N/C
02991047	John Deere 6000/6010 Series			N/C
00765452	John Deere 6020/6030/7020/7030 Series			N/C
02991275	Kubota M8540/M9540			N/C
02985210	New Holland TL-A Series			N/C
02991409	New Holland T5000 Series			N/C
00751562	New Holland TS90/100/110			N/C
02981883	New Holland TS-A & T6000 Series			N/C
02993071	NH TS 6.110/6.120/6.125/6.140 Cab/Rops 2 & 4WD 2013-2014			N/C
00751565	Universal (Modification/Fabrication Req'd at the Dealer/Customer's Expense)			N/C

ALAMO INDUSTRIAL

(800) 882-5762

Prices Effective February 15, 2014

Rev070114

FALCON HYDRAULIC ROTARY

Flex- Wing Mower

Additional Options				
02985378	Additional Operators and Parts Manuals			51
00786015	Falcon 15 Auxiliary Spindle Kit for Dual Wheels On Both Wings (Requires 2 Additional Tires and Wheels)	45		493
00774802	Falcon 10 Auxiliary Spindle Kit for Dual Wheels On Wing (Requires 1 Additional Tire and Wheel)	24		287
Single Wheel and Tires For Spindle Kits Above				
00786014	27" Foam-Filled Used Airplane Tire & Wheel (Standard Choice Wheel and Tire)	75 each		294
00025200	Laminated Tire & Wheel	75 each		146
00749698	Implement Tire & Wheel	40 each		232
00771461	Used Airplane Tire & Wheel	75 each		248
02991066	Asy, Winch & Stand - Falcon 10/15	34		689
00769178	Captive Ball Hitch (2 5/16" Ball)	50		430
00773869	Pintle Hitch Kit (Requires Tractor Drawbar Modification)	50		873
00756846	Falcon 10: Concrete Filler for Weight Box (706 lbs.)	706		421
00755234	Stroke Control Segments	3		36
02991206	Fan Reverser Kit- Standard Equipment on units after 09/01/2012			526
02791800F1	Special Mower Paint (02791800)			918
00888990	Dealer Mounting- Setup Fee			450
00889899F3	Additional 12 Month Warranty (00889899)			4210

ALAMO INDUSTRIAL

(800) 882-5762

Prices Effective February 15, 2014

Rev070114

VERSA MOWER

60", 72", 74" Mid-Mount Rotary/Flails

STANDARD SPECIFICATIONS

- ◆ Welded Steel Plate Frame Braced to the Front Bolster & Rear Axle
- ◆ 60-Gallon Hydraulic Reservoir with 12-Micron Filtration
- ◆ Lift Frame Capable of Tilting the Head 180°
- ◆ Lift Frame is Capable of Lifting the Head 17" Above & 6" Below Grade Level
- ◆ Exterior Boom Arm 5"x5"x1/4" Steel Tubing
- ◆ Stacked Hydraulic Pump Rated @ 51 GPM @ 2500 PSI
- ◆ 2-Spool, Open Center, Tapered Positive Metering Valve
- ◆ Tractor Req: 60 HP
- ◆ Cutting Capacity: 2" material

HEAD SPECIFICATIONS

- ◆ 60" Mower Head
- ◆ 1/4" Gauge Deck with 3/8" Side Skirts
- ◆ Channel Reinforcements on the Top Deck
- ◆ Spindle Mounting Plate is 1" at the Spindle
- ◆ 90 HP Gear Motor Directly Splined to the Spindle
- ◆ 4-1/2"x9" Hardened Spindle
- ◆ 1-1/4"x6" Blades, 360° Swing
- ◆ 360° Swinging Updraft Blades
- ◆ Full-Length Replaceable Skid Shoes
- ◆ Front & Rear Chain Guards
- ◆ Standard (1) year limited parts and labor warranty

PRODUCT ORDER CODE	DESCRIPTION	APPRX. WEIGHT		LIST PRICE
Versa Mower Base Unit (One Choice Required)				
04950004	VERSA Rotary Extreme Service Extension Arm-Rops	2,300		7,026
04950005	VERSA Rotary Extreme Service Extension Arm-Cab	2,300		7,026
04952004	VERSA Ditcher Extreme Service Extension Arm-Rops	2,300		7,691
04952005	VERSA Ditcher Extreme Service Extension Arm-Cab	2,300		7,691
04950010	VERSA Rotary Extreme Service Extension Arm-Cab-Tractor Hydraulics - Requires 2 open sets of Hydraulic Remotes	2,300		5,816
Breakaway Extension Arms Below Are Not For Use On 72" Rotary Models				
04950008	VERSA Rotary Breakaway Extension Arm-Rops	2,370		9,302
04950009	VERSA Rotary Breakaway Extension Arm-Cab	2,370		9,302
MOWER HEAD (One Choice Required)				
02964876	60" Rotary with Bar, Front & Rear Chain Guards	1,050		9,391
02977051	60" Rotary with Bar, Front & Rear Chain Guards (1/4" deck)	1,100		10,088
02964878	60" Rotary with Pan, Front & Rear Chain Guards	1,100		10,267
02975016	60" Rotary with Pan, Front & Rear Chain Guards (1/4" deck)	1,150		10,980
02964884	60" Breakaway Rotary with Bar, Front & Rear Chain Guards	1,050		10,113
02964886	60" Breakaway Rotary with Pan, Front & Rear Chain Guards	1,100		11,079
02964888	60" Rotary with Bar, Tail Wheel, Front & Rear Chain Guards	1,140		10,249
02964890	60" Rotary with Pan, Tail Wheel, Front & Rear Chain Guards	1,190		11,136
02967263	60" Deep Deck Rotary with Bar, Front & Rear Chain Guards (1/4" deck) Designed for use with Rear Roller Kit Below	1,050		11,407
02967267	60" Deep Deck Rotary with Pan, Front & Rear Chain Guards (1/4" deck) Designed for use with Rear Roller Kit Below	1,125		12,477
703262	Rear Roller Kit (Required for 60" Deep-Deck Versa)	232		
72" Rotary Models Below Are Not For Use On Breakaway Extension Arms				
02964880	72" Rotary with Bar, Front & Rear Chain Guards	1270		10,839
02964882	72" Rotary with Pan, Front & Rear Chain Guards	1320		11,639
02963836	60" Versa Flail, Belt Drive	740		13,481
02968968	60" Versa Flail, Belt Drive, Extreme-Duty Knife	734		13,271
02963837	74" Versa Flail, Belt Drive	840		13,811
02967639	74" Versa Flail, Belt Drive, Extreme-Duty Knife	834		13,812
02957866	Ditcher Head	600		13,748
02990405	Hose Kit, Tractor Aux to Chute 17' *****			805
02990605	Hose Kit, Tractor Aux to Chute 20' *****			855
02990608	Hose Kit, Tractor Aux to Chute 23' *****			905

ALAMO INDUSTRIAL

(800) 882-5762

Prices Effective February 15, 2014

Rev070114

VERSA MOWER

60", 72", 74" Mid-Mount Rotary/Flails

PRODUCT ORDER CODE	DESCRIPTION	APPRX. WEIGHT		LIST PRICE
Options (Continued)				
02897300	Additional Operators and Parts Manuals			54
02964900	Cable & Clamp Kit	5		37
02966070	Side Gauge Wheel Option (60" Deep-Deck VERSA Only)	75		613
02978378	Tilt Cylinder Kit - NH TS & 40 Series	15		797
02978383	Tilt Cylinder Kit - JD 6000,6010,6020 Series	15		503
02978391	Tilt Cylinder Kit - JD 7000, 7010 Series	15		503
02972609	Wheel Weight Kit-500 lbs.			1,316
02971789	Wheel Weight Kit-1300 lbs.			2,818
02976671	Additional 408 lbs. Kit for 1300 lbs. Wheel Weight			1,657
02976670	Additional 680 lbs. Kit for 1300 lbs. Wheel Weight			2,457
02983104	JD 5425/5525 Repl. Window (Incl. Molded Corner Window)			2,252
02982412	JD 6015 & 6020 Replacement Window Kit (Clear)			2,253
02985234	JD 7030 "Mid-Spec" Replacement Window Kit (Clear)			2,253
02982429	JD 7020 Repl. Window Kit (Tractors w/No RH Door)			2,253
02986182	JD 7030 "Prem" Window Kit (Clear) (Tractors w/No RH Door)			2,253
02983528	Case-IH JXU & NH TL-A Replacement Window Kit			2,253
02980888	Case-IH MXU & Maxxum Replacement Window Kit NH TS-A & T6000 Replacement Window Kit			2,253
02963045	Mounting Labor & Oil			6,094
02791800V6	Special Mower Paint (02791800)			896
02968967	Special Tractor Paint			6,039
00889899VM	Additional 12 Month Warranty (00889899)			4,210

NOTE: ALL ORDERS FOR VERSA MOWER UNITS REQUIRE THE PURCHASE OF A MOUNT KIT TO COMPLETE AN INSTALLATION (See Next Pages)

ALAMO INDUSTRIAL

(800) 882-5762

Prices Effective February 15, 2014

Rev070114

VERSA MOWER

60", 72", 74" Mid-Mount Rotary/Flail Mount Kit Options

TRACTOR DESCRIPTION	MOUNT KIT	MAXIMUM TIRE SIZE			LIST PRICE
		2WD Front	4WD Front	Rear	
Case IH					
Case-IH Farmall 85U/95U/105U Cab/2&4wd (Fender Tank)	02986594	10.00-16	12.4-24	18.4-34	7,177
Case-IH Farmall 85U/95U/105U Cab/2&4wd (Tractor Hyd/Fender Tank)	02991132	10.00-16	12.4-24	18.4-34	6,616
Case-IH Farmall 85U/95U/105U ROPS/2&4wd (Fender Tank)	02986665	10.00-16	12.4-24	18.4-34	7,177
Case-IH JX1060C/1070C/1075C Cab/2&4wd (Fender Tank)	02983986	7.50-16	11.2-24	16.9-30	7,177
Case-IH JX1060C/1070C/1075C Cab/2&4wd (Tractor Hyd/Fender Tank)	02987283	7.50-16	11.2-24	16.9-30	6,616
Case-IH JX1060C/1070C/1075C ROPS/2wd (Mid-Mt Tank)	02977579	7.50-16	N/A	16.9-30	7,177
Case-IH JX1060C/1070C/1075C ROPS/4wd (Fender Tank)	02981057	N/A	11.2-24	16.9-30	7,177
Case-IH JX1080U/1090U/1100U Cab/2&4wd (Fender Tank)	02982265	10.00-16	12.4-24	18.4-30	7,177
Case-IH JX1080U/1090U/1100U Cab/2&4wd (Tractor Hyd/Fender Tank)	02985908	10.00-16	12.4-24	18.4-30	6,616
Case-IH JX1080U/1090U/1100U ROPS/2wd (Fender Tank)	02982253	10.00-16	N/A	18.4-30	7,177
Case-IH JX1080U/1090U/1100U ROPS/4wd (Fender Tank)	02982879	N/A	12.4-24	18.4-30	7,177
Case-IH Maxxum 110/110 Pro/120 Pro/130 Pro Cab/2wd (Fender Tank)	02989121	10.00-16	N/A	18.4-34	7,177
Case-IH Maxxum 110/110 Pro/120 Pro/130 Pro Cab/2wd (Tractor Hyd/Fender Tank)	02985615	10.00-16	N/A	18.4-34	6,616
Case-IH Maxxum 110/110 Pro/120 Pro/130 Pro Cab/4wd (Fender Tank)	02985927	N/A	12.4-24	18.4-30	6,616
Case-IH Maxxum 115/125/125 Pro/140 Pro Cab/2&4wd (Fender Tank)	02984316	10.00-16	12.4-24	18.4-34	7,177
Case-IH Maxxum 115/125/125 Pro/140 Pro Cab/2&4wd (Tractor Hyd/Fender Tank)	02990039	10.00-16	12.4-24	18.4-34	6,616
Case-IH Maxxum 115/125/125 Pro/140 Pro ROPS/2&4wd (Fender Tank)	02984870	10.00-16	12.4-24	18.4-34	7,177
Case-IH MXU100/110 Cab/2wd (Mid-Mt Tank)	02980734	10.00-16	N/A	18.4-34	7,177
Case-IH MXU100/110 Cab/2wd (Tractor Hyd/Mid-Mt Tank)	02980831	10.00-16	N/A	18.4-34	6,616
Case-IH MXU100/110 Cab/4wd (Fender Tank)	02981497	N/A	13.6-24	18.4-34	7,177
Case-IH MXU100/110 ROPS/2wd (Mid-Mt Tank)	02982461	10.00-16	N/A	18.4-34	7,177
Case-IH MXU115/125/130/135 Cab/2&4wd (Fender Tank)	02984316	10.00-16	12.4-24	18.4-34	7,177
Case-IH MXU115/125/130/135 Cab/2&4wd (Tractor Hyd/Fender Tank)	02990039	10.00-16	12.4-24	18.4-34	6,616
Case-IH MXU115/125/130/135 ROPS/2&4wd (Fender Tank)	02984870	10.00-16	12.4-24	18.4-34	7,177
Challenger					
Challenger MT445B/455B/465B Cab/2&4wd (Tier III Engine Only/Fender Tank)	02989829	10.00-16	14.9-24	18.4-34	7,177
John Deere					
JD 5065/5075M Series Cab 2 & 4wd 2011-2013 (Cable Control/Fender Tank)	TBD	7.50-16	11.2-24	16.9-30	7,177
JD 5065/5075M Series Cab 2 & 4wd 2011-2013 (Tractor Hydraulic Stack Control/Fender Tank)	02988303	7.50-16	11.2-24	16.9-30	6,616
JD 5065/5075M Series Rops 2 & 4wd 2012-2013 (Cable Control/Fender Tank)	02993119	7.50-16	11.2-24	16.9-30	7,177
JD 5083E/5093E/5101E Limited Cab/4wd (Tapped Axles-Built Before 2011/Fender Tank)	TBD	N/A	12.4-24	18.4-30	7,177
JD 5083E/5093E/5101E Limited Cab/4wd (Tapped Axles-Built Before 2011/Loader Hyd/Fender Tank)	TBD	N/A	12.4-24	18.4-30	6,616
JD 5083E/5093E/5101E Limited Cab/4wd (Ribbed Axles-Built Before 2011/Fender Tank)	TBD	N/A	12.4-24	18.4-30	7,177
JD 5083E/5093E/5101E Limited Cab/4wd (Ribbed Axles-Built Before 2011/Tractor Hyd/Fender Tank)	TBD	N/A	12.4-24	18.4-30	6,616
JD 5083E/5093E/5101E Limited Cab/4wd (MY2011/Fender Tank)	TBD	N/A	12.4-24	18.4-30	7,177
JD 5083E/5093E/5101E Limited Cab/4wd (MY2011/Tractor Hyd/Fender Tank)	TBD	N/A	12.4-24	18.4-30	6,616
JD 5083E/5093E/5101E Limited Cab/4wd (MY2011/Loader Hyd/Fender Tank)	TBD	N/A	12.4-24	18.4-30	6,616
JD 5083E/5093E/5101E Limited Cab/4wd 2012-2013 (Cable Control/Fender Tank)	TBD	11L-15	11.2-24	16.9-30	7,177
JD 5083E/5093E/5101E Limited Cab/4wd 2012-2013 (Fender Tank/Loader J-stick Control/AI Valve)	02992561	11L-15	11.2-24	16.9-30	7,177
JD 5085M/5095M/5105M Cab/2&4wd (MY2008-2011/Fender Tank)	02990965	11L-15	11.2-24	16.9-30	7,177
JD 5085/5105/5115M Series Cab 2 & 4wd 2012-2013 (Cable Control/ Fender Tank)	02991889	11L-15	11.2-24	16.9-30	7,177
JD 5085/5105/5115M Series Rops 2 & 4wd 2012-2013 (Loader J-stick Control/AI Valve/ Fender Tank)	02991903	11L-15	11.2-24	16.9-30	7,177
JD 5085/5105/5115M Series Rops 2 & 4wd 2012-2013 (Cable Control/ Fender Tank)	02993123	11L-15	11.2-24	16.9-30	7,177

OTHER SPECIFICATIONS

- (1) Case-IH JX-U & Farmall U and New Holland TL-A, T4000 & T5000 series tractors require a smaller replacement battery which is not included. We recommend using Exide® #34R-84N.

ALAMO INDUSTRIAL

(800) 882-5762

Prices Effective February 15, 2014

Rev070114

VERSA MOWER

60", 72", 74" Mid-Mount Rotary/Flail Mount Kit Options

TRACTOR DESCRIPTION	MOUNT KIT	MAXIMUM TIRE SIZE			LIST PRICE
		2WD Front	4WD Front	Rear	
John Deere (Continued)					
JD 5225/5325 Cab/2&4wd (Fender Tank)	02984121	7.50-16	11.2-24	16.9-30	7,177
JD 5225/5325 ROPS/2wd (Fender Tank)	02988266	7.50-16	11.2-24	16.9-30	7,177
JD 5425/5525 Cab/2&4wd (Fender Tank)	02982838	7.50-16	11.2-24	16.9-30	7,177
JD 5425/5525/5625 Cab/2&4wd (Tractor Loader Valve Hyd/Fender Tank)	02982855	7.50-16	11.2-24	16.9-30	6,616
JD 5425/5525/5625 ROPS/2&4wd (Flat "IOOS" Platform/Fender Tank)	02982719	7.50-16	11.2-24	16.9-30	7,177
JD 5425/5525/5625 ROPS/2&4wd (Straddle Platform/Fender Tank)	02983600	7.50-16	11.2-24	16.9-30	7,177
JD 5603 Cab/4wd (Fender Tank)	02986435	N/A	12.4-24	18.4-30	7,177
JD 5603 Cab/4wd (Loader Hyd/Fender Tank)	02986717	N/A	12.4-24	18.4-30	6,616
JD 6100D/6115D/6130D/6140D Cab/2&4wd (540 PTO Pump/Fender Tank)	02988491	10.00-16	13.6-24	18.4-34	7,927
JD 6110/6210/6310/6405/6410 Cab 2wd (Fender Tank)	02973843	10.00-16	12.4-24	18.4-30	7,178
JD 6110/6210/6310/6405/6410 Cab 4wd (Fender Tank)	02973847	10.00-16	12.4-24	18.4-30	7,178
JD 6120/6220/6320/6420 (Tier II) CAB/2&4wd (Fender Tank)	02985096	10.00-16	12.4-24	18.4-30	7,178
JD 6120/6220/6320/6420 (Tier II) CAB/2wd (Tractor Hyd/Mid-Mt Tank)	02980756	10.00-16	N/A	18.4-34	6,616
JD 6120/6220/6320/6420 (Tier II) CAB/4wd (Tractor Hyd/Mid-Mt Tank)	02980768	N/A	12.4-24	18.4-34	6,616
JD 6120/6220/6320/6420 (Tier II) ROPS/2&4wd (Fender Tank)	02988531	10.00-16	12.4-24	18.4-30	7,178
JD 6120/6215/6220/6320/6415/6420 (Tier II) CAB 2wd (Frame Mounted Tank)	02978819	10.00-16	12.4-24	18.4-30	7,178
JD 6120/6215/6220/6320/6415/6420 (Tier II) Cab 4wd (Frame Mounted Tank)	02980105	10.00-16	12.4-24	18.4-30	7,178
JD 6120/6215/6220/6320/6415/6420 (Tier II) Rops 2/4wd (Frame Mounted Tank)	02979371	10.00-16	12.4-24	18.4-30	7,178
JD 6105/6115/6125M Cab 4wd 2012-2014 (Cable Control/ Fender Tank) Equipped with Short Ext. Arm	02993204	N/A	14.9-24	18.4-34	7,177
JD 6215/6415 Cab/2&4wd (Fender Tank)	02985096	10.00-16	12.4-24	18.4-30	7,178
JD 6215/6415 Cab/4wd (Tractor Hyd-2nd Remote Req'd/Mid-Mt Tank)	02980768	N/A	12.4-24	18.4-34	6,616
JD 6215/6415 Cab/4wd (Tractor Hyd-2nd Remote Req'd/Mid-Mt Tank)	02980768	N/A	12.4-24	18.4-34	6,616
JD 6230/6330/6430 "Mid-Spec" Cab/2&4wd (Tractor Hyd/Fender Tank)	02992019	10.00-16	12.4-24	18.4-34	7,177
JD 6230/6330/6430 "Mid-Spec" Cab/2&4wd (Fender Tank)	02985543	10.00-16	12.4-24	18.4-34	7,177
JD 6230/6330/6430 "Mid-Spec" Cab/2&4wd (Tractor Hyd/Fender Tank)	02992019	10.00-16	12.4-24	18.4-34	7,177
JD 6230/6330/6430 "Mid-Spec" ROPS/2&4wd (Fender Tank)	02987161	10.00-16	12.4-24	18.4-34	7,177
JD 6230/6330/6430 "Premium" Cab/2&4wd (Fender Tank)	02985543	10.00-16	12.4-24	18.4-34	7,177
JD 6230/6330/6430 "Premium" Cab/2&4wd (540 PTO Pump/Fender Tank)	02986699	10.00-16	12.4-24	18.4-34	7,927
JD 6615/6715 Cab/2wd (Mid-Mt Tank)	02982138	11.00-16	N/A	18.4-34	7,177
JD 6615/6715 Cab/4wd (Mid-Mt Tank)	02985103	N/A	13.6-28	18.4-38	7,177
JD 7220/7320/7420/7520 Cab/2wd (Mid-Mt Tank)	02982138	11.00-16	N/A	18.4-38	7,177
JD 7220/7320/7420/7520 Cab/4wd (Mid-Mt Tank)	02985103	N/A	13.6-28	18.4-38	7,177
JD 7130/7230 "Mid" Cab/2&4wd (4 or 6 cyld/55 gal. fuel tank/Fender Tank)	02988406	11.00-16	13.6-28	18.4-38	7,177
JD 7130/7230 "Mid" Cab/2&4wd w/JD673 Loader (4 or 6 cyld/55 gal. fuel tank/Fender Tank)	02991326	11.00-16	13.6-28	18.4-38	7,177
Kubota					
Kubota M96S/M108S Cab/2&4wd (Fender Tank)	02989855	10.00-16	13.6-24	18.4-34	7,177
Kubota M96S/M108S ROPS/2wd (Fender Tank)	02987422	10.00-16	N/A	18.4-34	7,177
Massey Ferguson					
MF 2670/2680 Cab/2wd (Under Fender Tank)	02991912	9.5L-15F	N/A	18.4-30	7,177
MF 5445/5455 Cab/2wd w/Std Hood (Tier II Engine Only/Fender Tank)	02985185	9.5L-15	N/A	18.4-30	7,177
MF 5460 ROPS/2wd w/Std Hood (Tier II Engine Only/Fender Tank)	02982101	10.00-16	N/A	18.4-34	7,177
New Holland					
NH T4020/4030 Cab 2 & 4wd 2011-2013 (Tractor Hydraulic Stack Control/Fender Tank)	02993085	9.5L-15	11.2-24	16.9-30	7,177
NH T4040/4050 "Deluxe" Cab/2&4wd (Fender Tank)	02989713	9.5L-15	11.2-24	16.9-30	7,177
NH T5040/5050/5060/5070 Cab/2&4wd (Fender Tank)	02986594	10.00-16	12.4-24	18.4-34	7,177
NH T5040/5050/5060/5070 Cab/2&4wd (Tractor Hyd/Fender Tank)	02991132	10.00-16	12.4-24	18.4-34	6,616
NH T5040/5050/5060/5070 ROPS/2&4wd (Fender Tank)	02986665	10.00-16	12.4-24	18.4-34	7,177
NH T6010/6020/6040/6060 Cab/2wd (Fender Tank)	02989121	10.00-16	N/A	18.4-34	7,177
NH T6010/6020/6040/6060 Cab/2wd (Tractor Hyd/Fender Tank)	02985615	10.00-16	N/A	18.4-34	6,616
NH T6010/6020/6040/6060 Cab/4wd (Fender Tank)	02985927	N/A	12.4-24	18.4-30	6,616
NH T6010/6020 "Delta" ROPS/2wd (Mid-Mt Tank)	02982461	10.00-16	N/A	18.4-34	7,177

ALAMO INDUSTRIAL

(800) 882-5762

Prices Effective February 15, 2014

Rev070114

VERSA MOWER

60", 72", 74" Mid-Mount Rotary/Flail Mount Kit Options

TRACTOR DESCRIPTION	MOUNT KIT	MAXIMUM TIRE SIZE			LIST PRICE
		2WD Front	4WD Front	Rear	
New Holland (Continued)					
NH T6030/6050/6070 Cab/2&4wd (Fender Tank)	02984316	10.00-16	12.4-24	18.4-34	7,177
NH T6030/6050/6070 Cab/2&4wd (Tractor Hyd/Fender Tank)	02990039	10.00-16	12.4-24	18.4-34	6,616
NH T6030/6050 ROPS/2&4wd (Fender Tank)	02984870	10.00-16	12.4-24	18.4-34	7,177
NH TB100/110 ROPS/2wd (Mid-Mt Tank)	02980759	10.00-16	N/A	18.4-30	7,177
NH TB100/110 ROPS/4wd	02986653	N/A	12.4-24	18.4-30	7,177
NH TL80/90/100 Cab/2&4wd (Fender Tank)	02980207	10.00-16	12.4-24	18.4-30	7,177
NH TL80/90/100 Cab/2&4wd (Tractor Hyd/Fender Tank)	02980910	10.00-16	12.4-24	18.4-30	6,616
NH TL80/90/100 ROPS/2wd (Mid-Mt Tank)	02979674	36x11-16 Air	N/A	20x20 Logging	7,177
NH TL80/90/100 ROPS/4wd (Fender Tank)	02980891	N/A	12.4-24	18.4-30	7,177
NH TL80/90/100 ROPS/4wd (Tractor Hyd/Fender Tank)	02980907	N/A	12.4-24	18.4-30	6,616
NH TL80A/90A/100A Cab/2&4wd (Fender Tank)	02982265	10.00-16	12.4-24	18.4-30	7,177
NH TL80A/90A/100A Cab/2&4wd (Tractor Hyd/Fender Tank)	02985908	10.00-16	12.4-24	18.4-30	7,177
NH TL80A/90A/100A ROPS/2wd (Fender Tank)	02982253	10.00-16	N/A	18.4-30	7,177
NH TL80A/90A/100A ROPS/4wd (Fender Tank)	02982879	N/A	12.4-24	18.4-30	7,177
NH TN55D/65D/70D/75D Cab/2&4wd (Fender Tank)	02983986	7.50-16	11.2-24	16.9-30	7,177
NH TN55D/65D/70D/75D Cab/2&4wd (Tractor Hyd/Fender Tank)	02987283	7.50-16	11.2-24	16.9-30	6,616
NH TN55/65/70/75 ROPS/2wd (Mid-Mt Tank)	02977579	7.50-16	N/A	16.9-30	7,177
NH TN55/65/70/75 ROPS/4wd (Fender Tank)	02981057	N/A	11.2-24	16.9-30	7,177
NH TN60DA/70DA/75DA Cab/2&4wd (Fender Tank)	02983986	7.50-16	11.2-24	16.9-30	7,177
NH TN60DA/70DA/75DA Cab/2&4wd (Tractor Hyd/Fender Tank)	02987283	7.50-16	11.2-24	16.9-30	6,616
NH TN60A/70A/75A ROPS/2wd (Mid-Mt Tank)	02977579	7.50-16	N/A	16.9-30	7,177
NH TN60A/70A/75A ROPS/4wd (Fender Tank)	02981057	N/A	11.2-24	16.9-30	7,177
NH TS100A/110A Cab/2wd (Mid-Mt Tank)	02980734	10.00-16	N/A	18.4-34	7,177
NH TS100A/110A Cab/2wd (Tractor Hyd/Mid-Mt Tank)	02980831	10.00-16	N/A	18.4-34	6,616
NH TS100A/110A Cab/4wd (Fender Tank)	02981497	N/A	13.6-24	18.4-34	7,177
NH TS100A/110A ROPS/2wd (Mid-Mt Tank)	02982461	10.00-16	N/A	18.4-34	7,177
NH TS115A/125A/130A/135A Cab/2&4wd (Fender Tank)	02984316	10.00-16	12.4-24	18.4-34	7,177
NH TS115A/125A/130A/135A Cab/2&4wd (Tractor Hyd/Fender Tank)	02990039	10.00-16	12.4-24	18.4-34	6,616
NH TS115A/125A/130A/135A ROPS/2&4wd (Fender Tank)	02984870	10.00-16	12.4-24	18.4-34	7,177
NH TS6.110/6.120 Cab 2 & 4wd 2012-2014 (Cable Control/Fender Tank)	02992794	10.00-16	14.9-24	18.4-34	7,177
NH TS6.110/6.120 Rops 2 & 4wd 2012-2014 (Cable Control/Fender Tank)	02992703	10.00-16	14.9-24	18.4-34	7,177
NH TS6.125/6.140 Cab 2 & 4wd 2012-2014 (Cable Control/Fender Tank)	02992667	10.00-16	14.9-24	18.4-34	7,177
NH TS6.125/6.140 Rops 2 & 4wd 2012-2014 (Cable Control/Fender Tank)	TBD	10.00-16	14.9-24	18.4-34	7,177
NH TS6020/6030 Rops 4/2wd	02989606	10.00-16	N/A	18.4-34	7,177

OTHER SPECIFICATIONS

- (1) Case-IH JX-U & Farmall U and New Holland TL-A, T4000 & T5000 series tractors require a smaller replacement battery which is not included. We recommend using Exide® #34R-84N.

ALAMO INDUSTRIAL

(800) 882-5762

Prices Effective February 15, 2014

Rev070114

VERSA PRO

21'8" Flail Mower

BASE UNIT SPECIFICATIONS

- ◆ 21'8" Overall Cutting Width
- ◆ 3/8" Box Fully Welded Frame
- ◆ 19-Gallon Reservoir with 10 Micron Filtration
- ◆ Tandem Piston Pumps Rated @ 48 GPM @ 3800 PSI
- ◆ Standard (1) year limited parts and labor warranty

WING MOWER SPECIFICATIONS

- ◆ 88" Cutting Width
- ◆ Two 10-Gauge Unitized Cutter Housings
- ◆ 1/2" Inboard & 5/16" Outboard Side Plates
- ◆ Replaceable Skid Shoes
- ◆ 4-1/2" x 5/16" Wall Cuttershaft
- ◆ 1-5/16" Bore Greaseable, Self-aligning Cuttershaft Bearings
- ◆ 53 HP Motor
- ◆ Belt Drive From Motor To Cuttershaft with Automatic Spring Tension
- ◆ 6" Adjustable Rear Roller
- ◆ 1/2" to 6" Cutting Height
- ◆ Available in Fine or Coarse-Cut
- ◆ Front and Rear Safety Deflectors
- ◆ Automatic Cut-Off Switches
- ◆ Wing Cylinder Capable of 45 degrees Down & 90° Up

FRONT MOWER SPECS

- ◆ 96" Cutting Width
- ◆ 10-Gauge Unitized Cutter Housing
- ◆ 5/16" Side Plates
- ◆ 4-1/2" x 5/16" Wall Cuttershaft
- ◆ 1-5/16" Bore Greaseable, Self-aligning Cuttershaft Bearings
- ◆ 60 HP Gearbox
- ◆ 6" Adjustable Rear Roller
- ◆ 1/2" to 6" Cutting Height
- ◆ Available in Fine or Coarse-Cut
- ◆ Front and Rear Safety Deflectors
- ◆ Belt Drive From Gearbox To Cuttershaft with Automatic Spring Tension

PRODUCT ORDER CODE	DESCRIPTION	APPRX. WEIGHT		LIST PRICE
VERSA PRO FLAIL BASE UNIT (One Choice Required)				
04903031	21'8" Versa Pro Flail, Fine-Cut Knives, Rev Rot, NH TV140	3324		60,390
04903026	21'8" Versa Pro Flail, Coarse-Cut Knives, NH TV140	3263		61,078
04903027	21'8" Versa Pro Flail, Fine-Cut w/Ring Knives, NH TV140	3278		61,331
04903028	21'8" Versa Pro Flail, Extreme Service Knives, NH TV140	3269		61,248
04903030	21'8" Versa Pro Flail, Fine-Cut Knives, NH TV140	3324		60,390
OPTIONS				
803350	Additional Operators and Parts Manuals			54
02963046	Mounting Labor & Oil			4,467
02791800VP	Special Mower Paint (02791800)			1,389
00889899VP	Additional 12 Month Warranty (00889899)			4,210

ALAMO INDUSTRIAL

(800) 882-5762

Prices Effective February 15, 2014

Rev070114

RIGHT-HAND INTERSTATER

62", 74", 88" Flail Mowers

STANDARD SPECIFICATIONS

- ◆ 62", 74", or 88" Cutting Widths
- ◆ Full-Length Welded Tubular Frame with Transport Lock
- ◆ 19-Gallon Reservoir with 12 Micron Filtration
- ◆ Piston Pump Rated @ 24 GPM @ 3800 PSI
- ◆ 2-Spool Valve with Detent Position
- ◆ 1-5/16" Bore Greaseable, Self-aligning Cuttershaft Bearings
- ◆ Lift Cylinder Capable of 14" Vertical Lift
- ◆ Tilt Cylinder Capable of 45° Down & 90° Up
- ◆ 10-Gauge Unitized Cutter Housing
- ◆ 1/2" Inboard & 5/16" Outboard Side Plates
- ◆ Replaceable Skid Shoes
- ◆ 4-1/2" x 5/16" Wall Cuttershaft
- ◆ Automatic Cut-Off Switch
- ◆ 53 HP Piston Motor
- ◆ Belt Drive From Motor To Cuttershaft with Automatic Spring Tension
- ◆ 6" Adjustable Rear Roller
- ◆ 1/2" to 6" Cutting Height
- ◆ Available in Fine or Coarse-Cut
- ◆ Front and Rear Safety Deflectors
- ◆ Standard (1) year limited parts and labor warranty

PRODUCT ORDER CODE	DESCRIPTION	APPRX. WEIGHT		LIST PRICE
RIGHT HAND INTERSTATER BASE UNIT				
988002	62" Fine-Cut			20,519
988001	62" Coarse-Cut (3 oz. Knives)			20,489
988004	62" Extreme Service (4 oz. Knives)			20,634
988005	74" Coarse-Cut (3 oz. Knives)	1200		21,376
988008	74" Extreme Service (4 oz. Knives)	1205		21,521
988009	88" Coarse-Cut (3 oz. Knives)	1250		21,611
988012	88" Extreme Service (4 oz. Knives)	1255		21,752
OPTIONS				
803213	Additional Operators and Parts Manual			52
ALL INTERSTATERS PURCHASED FOR INSTALLATION ON 4WD TRACTORS MUST INCLUDE A CLIPPED FOOTGUARD ON ORDER				
107532	62" Right-Clipped Foot Guard	32		434
107519	74" Right-Clipped Foot Guard	37		373
107524	88" Right-Clipped Foot Guard	42		447
801022	Mounting Labor & Oil, CAB Tractor			4,534
02791800IR	Special Mower Paint (02791800)			870
02968967	Special Tractor Paint			6,039
0088989911	Additional 12 Month Warranty (00889899)			4,210
NOTE: ALL ORDERS FOR INTERSTATER UNITS REQUIRE THE PURCHASE OF A MOUNT KIT TO COMPLETE AN INSTALLATION (See Next Pages)				

ALAMO INDUSTRIAL

(800) 882-5762

Prices Effective February 15, 2014

Rev070114

RIGHT-HAND INTERSTATER

62", 74", 88" Mount Kit Options

TRACTOR DESCRIPTION	MOUNT KIT COMP BOX	REAR OFFSET	MAXIMUM TIRE SIZE			LIST PRICE
			2WD Front	4WD Front	Rear	
Case IH						
Case-IH C70/80/90/100- CX Series Rops 2wd w/ Utility Bolster 1998-2002 (RH-Single Wing- No Offset)	02977885 02977907	88" Ctr 96" Ctr	11L-16	N/A	16.9-30	\$9,275
Case-IH Farmall 95C Cab 4wd 2008-2012 (RH-Single Wing- Offset 13.5")	02990821 02990822	88" Ctr 96" Ctr	N/A	11.2-20	16.9-30	\$9,275
Case-IH 695/895 Cab 4wd 1991-1994 (RH-Single Wing- Centered)	106832 703735	88" Ctr 96" Ctr	N/A	7.5-18	18.4-30	\$9,275
Case-IH JX1060C/1070C/1075C Cab 2wd 2004-2008 (RH-Single Wing- Offset 5")	108777 704548	88"OR 8.5" 96"OR 12.5"	9.5L-15	N/A	16.9-30	\$9,275
Case-IH JX1060C/1070C/1075C Cab/2wd 2004-2008 (RH-Single Wing- Offset 5"/ Using Tractor Hydraulics)	108777 02980173	88"OR 8.5" 96"OR 12.5"	9.5L-15	N/A	16.9-30	\$8,616
Case-IH JX1060C/1070C/1075C Cab 4wd 2004-2008 (RH-Single Wing- Offset 5")	02984334 02984335	88"OR 14.5" 96"OR 12.5"	N/A	11.2-20	14.9-28	\$9,275
Case-IH JX1060C/1070C/1075C Rops 2wd 2004-2008 (RH-Single Wing- Offset 5")	108775 704546	88"OR 8.5" 96"OR 12.5"	11L-15	N/A	16.9-30	\$9,275
Case-IH JX1060C/1070C/1075C ROPS/2wd 2004-2008 (RH-Single Wing- Offset 5"/ Using Tractor Hydraulics)	108775 02980457	88"OR 8.5" 96"OR 12.5"	11L-15	N/A	16.9-30	\$8,616
Case-IH JX1080U/1090U/1100U Cab 2wd 2004-2008 (RH-Single Wing- Offset 5")	02983494 02983537	88"OR 8.5" 96" Ctr	11L-15	11.2-24	16.9-34	\$9,275
Case-IH JX1080U/1090U/1100U Rops 2wd 2004-2008 (RH-Single Wing- Offset 5")	02980206 02983546	88"OR 8.5" 96" Ctr	10.00-16	N/A	16.9-34	\$9,275
Case-IH MXU100/110 Cab 4wd 2004-2006 (RH-Single Wing- Offset 5")	02981068 02981075	88"OR 8.5" 96" Ctr	N/A	12.4-24	18.4-30	\$9,275
Case-IH MXU100/110 Rops 4wd 2004-2006 (RH-Single Wing- Offset 5")*	02981068 02981072	88"OR 8.5" 96" Ctr	N/A	12.4-24	18.4-30	\$9,275
Case-IH MXU115/125/130/135 Cab 4wd 2004-2006 (RH-Single Wing- Offset 5")*	02982986 02983000	88"OR 8.5" 96" Ctr	N/A	12.4-24	18.4-30	\$9,275
John Deere						
JD 5065/5075M- Series ROPS 2wd 2008-2011 (RH-Single Wing- Offset 5")	02988389 02988729	88"OR 8.5" 96" Ctr	11L-15	N/A	16.9-30	\$9,275
JD 5065/5075M- Series Cab 2wd 2008-2011 (RH-Single Wing- Offset 5"/ Using Loader Joystick Control)	02988389 02988338	88"OR 8.5" 96" Ctr	11L-15	N/A	16.9-30	\$9,275
JD 5083/5093/5101E- Series Cab 4wd Late 2011-2012 Tier III Ribbed Style Axle (RH-Single Wing- Offset 5")	02990386 02991126	88"OR 8.5" 96" Ctr	N/A	12.4-24	18.4-30	\$9,275
JD 5083/5093/5101E- Series Cab 4wd 2008- Early 2011 Tier II Ribbed Style Axle (RH-Single Wing- Offset 5"/ Using Loader Joystick Control)	02990386 02990387	88"OR 8.5" 96" Ctr	N/A	12.4-24	18.4-30	\$9,275
JD 5083/5093/5101E- Series Cab 4wd Late 2011-2012 Tier III Ribbed Style Axle (RH-Single Wing- Offset 5")	02990386 02991126	88"OR 8.5" 96" Ctr	N/A	12.4-24	18.4-30	\$9,275
JD 5083/5093/5101E- Series Cab 4wd Late 2011-2012 Tier III Ribbed Style Axle (RH-Single Wing- Offset 5"/ Using Loader Joystick Control)	02990386 02990500	88"OR 8.5" 96" Ctr	N/A	12.4-24	18.4-30	\$9,275
JD 5085/5095/5105M- Series Cab 4wd 2008-2011 (RH-Single Wing- Offset 5")	02991095 02991097	88"OR 8.5" 96" Ctr	N/A	11.2-24	16.9-30	\$9,275
JD 5085/5095/5105M- Series Cab 4wd 2012-2013 (RH-Single Wing- Offset 5")	02992041 02992036	88"OR 8.5" 96" Ctr	N/A	11.2-24	16.9-30	\$9,275
JD 5220/5320 Mid-Spec Cab 2wd 2002-2004 (RH-Single Wing- Offset 5")	02979602 02980121	88"OR 8.5" 96" Ctr	11L-15	N/A	16.9-30	\$9,275
JD 5220/5320 Mid-Spec ROPS 2wd 2002-2004 (RH-Single Wing- Offset 5")	02979602 02980267	88"OR 8.5" 96" Ctr	11L-15	N/A	16.9-30	\$9,275
JD 5225/5325 Cab/2wd 2005-2008 (RH Only/Aux Pump)	02983231 02983224	88"OR 8.5" 96" Ctr	6.50-16	N/A	13.6-28	\$9,275

ALAMO INDUSTRIAL

(800) 882-5762

Prices Effective February 15, 2014

Rev070114

RIGHT-HAND INTERSTATER

62", 74", 88" Mount Kit Options

Note: Please list BOTH mount kit part numbers on your order.

TRACTOR DESCRIPTION	MOUNT KIT	REAR OFFSET	MAXIMUM TIRE SIZE			LIST PRICE
	COMP BOX		2WD Front	4WD Front	Rear	
John Deere						
JD 5225/5325 Cab/4wd 2005-2008 (RH Only/Aux Pump)	02983848 02983858	88"OR 8.5" 96" Ctr	N/A	11.2-24	16.9-30	\$9,275
JD 5420/5520 Cab 4wd 2002-2004 (RH-Single Wing- Offset 5")	02978138 02980203	88"OR 8.5" 96" Ctr	N/A	11.2-24	16.9-30	\$9,275
JD 5420/5520 Rops 4wd 2002-2004 (RH-Single Wing- Offset 5")	02978138 02980632	88"OR 8.5" 96" Ctr	N/A	11.2-24	16.9-30	\$9,275
JD 5425/5525 Cab 4wd 2005-2008 (RH-Single Wing- Offset 5")	02978138 02983640	88"OR 8.5" 96" Ctr	N/A	11.2-24	16.9-30	\$9,275
JD 5425/5525 Cab 4wd 2005-2008 (RH-Single Wing- Offset 5"/ Using Tractor Hydraulics)	02978138 02984124	88"OR 8.5" 96" Ctr	N/A	11.2-24	16.9-30	\$9,275
JD 5425/5525 Rops 2wd 2005-2008 (RH-Single Wing- Offset 5")	02985265 02985266	88"OR 8.5" 96" Ctr	7.50-16	N/A	16.9-30	\$9,275
JD 6120/6220/6320/6420 Cab 4wd 2002-2007 (RH-Single Wing- Offset 5")	02978882 02978908	88"OR 8.5" 96" Ctr	N/A	12.4-24	18.4-30	\$9,275
JD 6120/6220/6320/6420 Cab 4wd 2002-2007 (RH-Single Wing- Offset 5"/ Using Tractor Hydraulics)	02978882 02978879	88"OR 8.5" 96" Ctr	N/A	12.4-24	18.4-30	\$9,275
JD 6215/6415 Cab/2&4wd (RH Only/Aux Pump)	02978882 02978908	88"OR 8.5" 96" Ctr	N/A	12.4-24	18.4-34	\$9,275
JD 6215/6415 Cab/2&4wd (RH Only/Tractor Hyd) (2nd Remote Req'd)	02978882 02978879	88"OR 8.5" 96" Ctr	N/A	12.4-24	18.4-34	\$8,616
JD 6330/6430 Mid-Spec & Premium Cab 4wd 2007-2012 (RH-Single Wing- Offset 5")	02978882 02990429	88"OR 8.5" 96" Ctr	N/A	13.6-28	18.4-34	\$9,275
JD 6330/6430 Mid-Spec & Premium Cab 4wd 2007-2012 (RH-Single Wing- Offset 5"/ Using Tractor Hydraulics)	02978882 02989257	88"OR 8.5" 96" Ctr	N/A	13.6-28	18.4-34	\$8,616
JD 6330/6430 Mid-Spec & Premium Cab 2wd 2007-2012 (RH-Single Wing- Offset 5")	02986192 02986193	88"OR 8.5" 96" Ctr	10.00-16	N/A	18.4-34	\$9,275
JD 6330/6430 Mid-Spec & Premium Cab 2wd 2007-2012 (RH-Single Wing- Offset 5"/ Using Tractor Hydraulics)	02986192 02990077	88"OR 8.5" 96" Ctr	10.00-16	N/A	18.4-34	\$8,616
JD 7130/7230 Mid-Spec Cab 4wd 2007-2012 (RH-Single Wing- Offset 5")	02989681 02989682	88"OR 8.5" 96" Ctr	N/A	13.6-28	18.4-34	\$9,275
McCormick						
McCormick CX75/85/95/105 TII Models Cab 2wd 2003-2010 (RH-Single Wing- Offset 5")	02982467 02982079	88"OR 8.5" 96" Ctr	11L-16	N/A	16.9-30	\$9,275
McCormick CX75/85/95/105 TII Models Cab 4wd 2003-2010 (RH-Single Wing- Offset 5")	02982218 02982079	88"OR 8.5" 96" Ctr	N/A	11.2-24	16.9-30	\$9,275
Massey Ferguson						
MF 492 Cab 4wd 2004-2006 (RH-Single Wing- Offset 5")	02982944 02982973	88"OR 8.5" 96" Ctr	N/A	12.4-24	18.4-30	\$9,275
MF 4335/4345/4355 Cab 4wd w/ Standard Hood 2001-2003 (RH-Single Wing- Offset 5")	02983792 02979222	88"OR 8.5" 96" Ctr	N/A	11.2-24	16.9-30	\$9,275
MF 4335/4345/4355 Cab 4wd w/ Standard Hood 2001-2003 (RH-Single Wing- Offset 5"/ Using Tractor Hydraulics)	02983792 02989305	88"OR 8.5" 96" Ctr	N/A	11.2-24	16.9-30	\$8,616
MF 5435/5445/5455 Cab 2wd w/ Standard Hood 2005-2008 (RH-Single Wing- Offset 5")	02981881 02981312	88"OR 8.5" 96" Ctr	7.50-16	N/A	16.9-28	\$9,275

Note: Please list BOTH mount kit part numbers on your order.

ALAMO INDUSTRIAL

(800) 882-5762

Prices Effective February 15, 2014

Rev070114

RIGHT-HAND INTERSTATER

62", 74", 88" Mount Kit Options

TRACTOR DESCRIPTION	MOUNT KIT	REAR OFFSET	MAXIMUM TIRE SIZE			LIST PRICE
			2WD Front	4WD Front	Rear	
New Holland						
NH T4020/4030 "Deluxe" Cab 2wd 2008-2012 (RH-Single Wing-Offset 5")	02987359 02986821	88"OR 8.5" 96"OR 12.5"	11L-15	N/A	16.9-30	\$9,275
NH T4020/4030 "Deluxe" Cab 2wd 2008-2012 (RH-Single Wing-Offset 5"/ Using Tractor Hydraulics)	02987359 02986821	88"OR 8.5" 96"OR 12.5"	11L-15	N/A	16.9-30	\$8,616
NH T4020/4030 "Deluxe" Cab 2wd 2008-2012 (RH-Single Wing-Offset 5"/ Using Tractor Loader Hydraulics)	02987359 02986821	88"OR 8.5" 96"OR 12.5"	11L-15	N/A	16.9-30	\$9,275
NH T4020/4030 "Deluxe" Cab 4wd 2008-2012 (RH-Single Wing-Offset 5")	02987887 02987922	88"OR 14.5" 96"OR 12.5"	N/A	13.6-16	16.9-24	\$9,275
NH T4020/4030 "Standard" Rops 2wd 2008-2012 (RH-Single Wing-Offset 5")	02987048 02987586	88"OR 8.5" 96"OR 12.5"	7.50-16	N/A	16.9-30	\$9,275
NH T4040/4050 "Deluxe" Cab 2wd 2008-2012 (RH-Single Wing-Offset 5")	02986812 02986821	88"OR 8.5" 96"OR 12.5"	8.5L-15	N/A	16.9-30	\$9,275
NH T4040/4050 "Deluxe" Cab 4wd 2008-2012 (RH-Single Wing-Offset 5")	02990821 02990822	88"OR 14.5" 96"OR 12.5"	N/A	11.2-20	16.9-30	\$9,275
NH T5040/5050/5060/5070 Cab 2 & 4wd 2008-2012 (RH-Single Wing- Offset 5")	02983494 02986605	88"OR 8.5" 96" Ctr	10.00-16	11.2-24	18.4-30	\$9,275
NH T5040/5050/5060/5070 Cab 2 & 4wd 2008-2012 (RH-Single Wing- Offset 5"/ Using Tractor Hydraulics)	02983494 02989472	88"OR 8.5" 96" Ctr	10.00-16	11.2-24	18.4-30	\$8,616
NH T5040/5050/5060/5070 Rops 2wd 2008-2012 (RH-Single Wing-Offset 5")	02980206 02988018	88"OR 8.5" 96" Ctr	10.00-16	N/A	18.4-30	\$9,275
NH T6030/6050/6070 Cab 2 & 4wd 2008-2012 (RH-Single Wing-Offset 5")	02982986 02986187	88"OR 8.5" 96" Ctr	11.00-16	14.9-24	18.4-34	\$9,275
NH T6030/6050/6070 Cab 2 & 4wd 2008-2012 (RH-Single Wing-Offset 5"/ Using Tractor Hydraulics)	02982986 02989446	88"OR 8.5" 96" Ctr	11.00-16	14.9-24	18.4-34	\$8,616
NH T6030/6050/6070 Rops 2wd 2008-2012 (RH-Single Wing- Offset 5")	02982986 02989451	88"OR 8.5" 96" Ctr	11.00-16	N/A	18.4-30	\$9,275
NH T7030/7040/7050/7060 Cab 4wd 2008-2012 (RH-Single Wing-Offset 5")	02982986 02990749	88"OR 8.5" 96" Ctr	N/A	14.9-30	18.4-42	\$9,275
NH TB100/110 Rops 2 & 4wd 2005-2011 (RH-Single Wing- Offset 5")	02980834 02980255	88"OR 8.5" 96" Ctr	N/A	12.4-24	18.4-30	\$9,275
NH TL80/90/100 Cab 2wd 1999--2004 (RH-Single Wing- Offset 5")	02980206 02983635	88"OR 8.5" 96" Ctr	10.00-16	N/A	16.9-34	\$9,275
NH TL80A/90A/100A Cab 2 & 4wd 2004-2007 (RH-Single Wing-Offset 5")	02983494 02983537	88"OR 8.5" 96" Ctr	10.00-16	11.2-24	16.9-34	\$9,275
NH TL80A/90A/100A Rops 2 & 4wd 2004-2007 (RH-Single Wing-Offset 5")	02980206 02983546	88"OR 8.5" 96" Ctr	10.00-16	11.2-24	16.9-34	\$9,275
NH TN55D/65D/70D/75D Cab 2wd 1994-2004 (RH-Single Wing-Offset 8.75")	108777 704548	88"OR 8.5" 96"OR 12.5"	9.5L-15	N/A	16.9-30	\$9,275
NH TN55D/65D/70D/75D Cab 2wd 1998-2004 (RH-Single Wing-Offset 8.75"/ Using Tractor Hydraulics)	108777 02980173	88"OR 8.5" 96"OR 12.5"	9.5L-15	N/A	16.9-30	\$8,616
NH TN55/65/70/75 Rops 2wd 1998-2004 (RH-Single Wing- Offset 8.75")	108775 704546	88"OR 8.5" 96"OR 12.5"	11L-15	N/A	16.9-30	\$9,275
NH TN55/65/70/75 Rops 2wd 1999-2004 (RH-Single Wing- Offset 8.75"/ Using Tractor Hydraulics)	108775 02980457	88"OR 8.5" 96"OR 12.5"	11L-15	N/A	16.9-30	\$8,616
NH TN60DA/70DA/75DA Cab/2wd 2004-2008 (RH-Single Wing-Offset 8.75")	108777 704548	88"OR 8.5" 96"OR 12.5"	9.5L-15	N/A	16.9-30	\$9,275

Note: Please list BOTH mount kit part numbers on your order.

ALAMO INDUSTRIAL

(800) 882-5762

Prices Effective February 15, 2014

Rev070114

RIGHT-HAND INTERSTATER

62", 74", 88" Mount Kit Options

TRACTOR DESCRIPTION	MOUNT KIT	REAR OFFSET	MAXIMUM TIRE SIZE			LIST PRICE
			2WD Front	4WD Front	Rear	
New Holland (Continued)						
NH TN60DA/70DA/75DA Cab 2wd 2004-2008 (RH-Single Wing-Offset 8.75"/ Using Tractor Hydraulics)	108777 02980173	88"OR 8.5" 96"OR 12.5"	9.5L-15	N/A	16.9-30	\$8,616
NH TN60DA/70DA/75DA Cab 4wd 2004-2008 (RH-Single Wing-Offset 13.78"/ Using Tractor Hydraulics)	02984334 02984335	88"OR14.5" 96"OR12.5"	N/A	11.2-20	14.9-28	\$9,275
NH TN60A/70A/75A Rops 2wd 2004-2008 (RH-Single Wing- Offset 8.75")	108775 704546	88"OR 8.5" 96"OR 12.5"	11L-15	N/A	16.9-30	\$9,275
NH TS90/100/110 Cab 2wd 1999-2003 (RH-Single Wing- No Offset)	108407 02983882	88"OR 8.5" 96"OR 12.5"	11L-15	N/A	16.9-30	\$9,275
NH TS90/100/110 Rops 4wd w Flat Platform 1999-2003 (RH-Single Wing- No Offset)	108407 704488	88"OR 8.5" 96"OR 12.5"	N/A	12.4-24	18.4-30	\$9,275
NH TS100A/110A Cab 2 & 4wd 2003-2006 (RH-Single Wing- Offset 5")	02981068 02981075	88"OR 8.5" 96" Ctr	10.00-16	12.4-24	18.4-30	\$9,275
NH TS100A/110A Rops 2 & 4wd 2003-2006 (RH-Single Wing- Offset 5")	02981068 02981072	88"OR 8.5" 96" Ctr	10.00-16	12.4-24	18.4-30	\$9,275
NH TS115A/125A/135A Cab 2 & 4wd 2003-2006 (RH-Single Wing- Offset 5")	02982986 02983000	88"OR 8.5" 96" Ctr	10.00-16	12.4-24	18.4-30	\$9,275
NH TS115A/125A/135A Rops 2 & 4wd 2003-2006 (RH-Single Wing- Offset 5")	02981078 02983720	88"OR 8.5" 96" Ctr	10.00-16	12.4-24	18.4-30	\$9,275
NH TS6.110/TS6.115/TS6.120 Cab 2 & 4wd 2012-2013 (RH Single Wing- 5" Offset Right)	TBD	96" Ctr	10.00-16	12.4-24	18.4-30	\$9,275
NH TS6.125/TS6.140 Cab 2 & 4wd 2012-2013 (RH Single Wing- 5" Offset Right)	TBD	96" Ctr	10.00-16	12.4-24	18.4-30	\$9,275

Note: Please list **BOTH** mount kit part numbers on your order.

ALAMO INDUSTRIAL

(800) 882-5762

Prices Effective February 15, 2014

Rev070114

INTERSTATER DUAL-WING

18'5", 20'9" Flail Mower

BASE UNIT SPECIFICATIONS

- ◆ 18'5", or 20'9" Overall Cutting Widths
- ◆ Full-Length Welded Tubular Frame with Transport Lock
- ◆ 19-Gallon Reservoir with 12 Micron Filtration
- ◆ Tandem Piston Pumps Rated @ 48 GPM @ 3800 PSI
- ◆ 4-Spool Valve with Detent Position
- ◆ Standard (1) year limited parts and labor warranty

WING MOWER SPECIFICATIONS

- ◆ 62", 74", or 88" Cutting Widths
- ◆ 1/2" Inboard & 5/16" Outboard Side Plates
- ◆ Replaceable Skid Shoes
- ◆ 4-1/2" x 5/16" Wall Cuttershaft
- ◆ 1-5/16" Bore Greaseable, Self-aligning Cuttershaft Bearings
- ◆ 53 HP Piston Motor
- ◆ Belt Drive From Motor To Cuttershaft with Automatic Spring Tension
- ◆ 6" Adjustable Rear Roller
- ◆ 1/2" to 6" Cutting Height
- ◆ Available in Fine or Coarse-Cut
- ◆ Front and Rear Safety Deflectors
- ◆ Automatic Cut-Off Switch
- ◆ Lift Cylinder Capable of 14" Vertical Lift
- ◆ Tilt Cylinder Capable of 45° Down & 90° Up
- ◆ 10-Gauge Unitized Cutter Housing

REAR MOWER SPECIFICATIONS

- ◆ 88" or 96" Cutting Width (Depending on trctr mnt. kit)
- ◆ 10-Gauge Unitized Cutter Housing
- ◆ 5/16" Side Plates
- ◆ CAT I or CAT II Three-Point Hitch
- ◆ 4-1/2" x 5/16" Wall Cuttershaft
- ◆ 1-5/16" Bore Greaseable, Self-aligning Cuttershaft Bearings
- ◆ 60 HP Gearbox
- ◆ 6" Adjustable Rear Roller
- ◆ 1/2" to 6" Cutting Height
- ◆ Available in Fine or Coarse-Cut
- ◆ Torque Limiter Clutch
- ◆ Front and Rear Safety Deflectors
- ◆ CAT 4 Driveline
- ◆ Belt Drive From Gearbox To Cuttershaft with Automatic Spring Tension

PRODUCT ORDER CODE	DESCRIPTION	APPRX. WEIGHT		LIST PRICE
INTERSTATER BASE UNIT (One Choice Required)				
988030	18'5" Fine-Cut	4560		45,391
988029	18'5" Coarse-Cut (3 oz. Knives)	4570		45,332
988032	18'5" Extreme Service (4 oz. Knives)	4574		45,666
988034	20'9" Fine-Cut	4611		46,105
988033	20'9" Coarse-Cut (3 oz. Knives)	4620		46,047
988036	20'9" Extreme Service (4 oz. Knives)	4624		46,379
MOUNT KIT (One Choice Required)				
<i>See Mount Kit Page for Descriptions & Part Numbers</i>				
OPTIONS				
803213	Additional Operators and Parts Manual			52
ALL INTERSTATERS PURCHASED FOR INSTALLATION ON 4WD TRACTORS MUST INCLUDE CLIPPED FOOTGUARDS ON ORDER				
107520	74" Left-Clipped Foot Guard	37		344
107519	74" Right-Clipped Foot Guard	37		373
107525	88" Left-Clipped Foot Guard	42		447
107524	88" Right-Clipped Foot Guard	42		447
02972480	Left-Wing Remote Positioning System	65		3,032
803399	Mounting Labor & Oil			7,371
02791800DW	Special Mower Paint (02791800)			1,349
02968967	Special Tractor Paint			6,039
00889899DW	Additional 12 Month Warranty (00889899)			4,210
NOTE: ALL ORDERS FOR INTERSTATER UNITS REQUIRE THE PURCHASE OF A MOUNT KIT TO COMPLETE AN INSTALLATION (See Next Pages)				

ALAMO INDUSTRIAL

(800) 882-5762

Prices Effective February 15, 2014

Rev070114

DUAL-WING INTERSTATER

18'5", 20'9" MOUNT KIT OPTIONS

TRACTOR DESCRIPTION	MOUNT KIT	REAR OFFSET	MAXIMUM TIRE SIZE			LIST PRICE
			2WD Front	4WD Front	Rear	
Case IH						
Case-IH JX1080U/1090U/1100U Cab 2 & 4wd 2004-2006 (Dual Wing Model- 5" Offset Left & Right)* (27 gal repl fuel tank included)	02980423 02983400	96" Ctr	10.00-16	11.2-24	18.4-30	14,412
Case-IH JX1080U/1090U/1100U Rops 2wd 2004-2006 (Dual Wing Model- 5" Offset Left & Right)* (27 gal repl fuel tank included)	02980423 02983273	96" Ctr	10.00-16	N/A	18.4-30	14,412
Case-IH MXU100/110 Cab 2 & 4wd 2004-2006 (Dual Wing Model- 5" Offset Left & Right)* (51 gal repl fuel tank & exhaust pipe included)	02980935 02980823	96" Ctr	N/A	12.4-24	18.4-30	14,412
Case-IH MXU100/110 Rops 2 & 4wd 2004-2006 (Dual Wing Model- 5" Offset Left & Right)* (51 gal repl fuel tank & exhaust pipe included)	02980935 02980919	96" Ctr	N/A	12.4-24	18.4-30	14,412
Case-IH MXU115/125/130/135 Cab 2 & 4wd 2004-2006 (Dual Wing Model- 5" Offset Left & Right)* (51 gal repl fuel tank & exhaust pipe included)	02981078 02981009	96" Ctr	N/A	12.4-24	18.4-30	14,412
Case-IH MXU115/125/130/135 Cab/2&4wd 2004-2006 (Dual Wing Model- 5" Offset Left & Right/Using Tractor Hyd) (51 gal repl fuel tank & exhaust pipe included)	02981078 02981087	96" Ctr	N/A	12.4-24	18.4-30	14,412
Case-IH MXU115/125/130/135 Rops 2 & 4wd 2004-2006 (Dual Wing Model- 5" Offset Left & Right)* (51 gal repl fuel tank & exhaust pipe included)	02981078 02983720	96" Ctr	N/A	12.4-24	18.4-30	14,412
John Deere						
JD 5085-5100-5115 M- Series cab 4wd 2012-2013 (Dual Wing Model- 5" Offset Left & Right)*	02992041 02992036	96" Ctr	N/A	12.4-24	18.4-34	14,412
JD 5425/5525 Cab 4wd 2005-2008 (Dual Wing Model- 5" Offset Left & Right)*	02984649 02984646	96" Ctr	N/A	11.2-24	16.9-30	14,412
JD 5425/5525 Rops 2wd w/ Straddle Platform 2005-2008 (Dual Wing Model- 5" Offset Left & Right)*	02983067 02982994	96" Ctr	7.50-16	N/A	16.9-30	14,412
JD 6615/6715 Rops 2wd 2003-2005 (Dual Wing Model- 5" Offset Left & Right)*	02981706 02983950	96" OL 5"	10.00-16	N/A	18.4-38	14,412
JD 6120/6220/6320/6420 Cab 4wd 2002-2007 (Dual Wing Model- 5" Offset Left & Right)*	108776 02979604	96" Ctr	N/A	12.4-24	18.4-30	14,412
JD 6120/6220/6320/6420 Rops 2 & 4wd 2002-2007 (Dual Wing Model- 5" Offset Left & Right)*	108776 02979815	96" Ctr	10.00-16	12.4-24	18.4-30	14,412
JD 6330/6430 "Mid-Spec" Cab 4wd 2007-2012 (Dual Wing Model- 5" Offset Left & Right)*	02985892 02985893	96" Ctr	N/A	13.6-24	18.4-38	14,412
JD 6330/6430 "Mid-Spec" Cab 2wd 2007-2012 (Dual Wing Model- 5" Offset Left & Right)*	108776 02986889	96" Ctr	10.00-16	N/A	18.4-34	14,412
JD 6330/6430 "Mid-Spec" ROPS 4wd 2007-2012 (Dual Wing Model- 5" Offset Left & Right)*	108776 02988706	96" Ctr	N/A	12.4-24	18.4-34	14,412

Note that ALL part numbers listed must be included with your order.

ALAMO INDUSTRIAL

(800) 882-5762

Prices Effective February 15, 2014

Rev070114

DUAL-WING INTERSTATER

18'5", 20'9" MOUNT KIT OPTIONS

TRACTOR DESCRIPTION	MOUNT KIT	REAR OFFSET	MAXIMUM TIRE SIZE			LIST PRICE
			2WD Front	4WD Front	Rear	
John Deere						
JD 7130/7230 "Mid-Spec" Cab 4wd 2007-2012 (Dual Wing Model-10" Offset Left)*	02981706 02988897	96" Ctr	N/A	13.6-28	18.4-38	14,412
JD 7130/7230 "Mid-Spec" Cab 2wd 2007-2012 (Dual Wing Model-5" Offset Left)*	02991026 02988897	96" Ctr	N/A	13.6-28	18.4-38	14,412
New Holland						
NH T5040/5050/5060/5070 Cab 2 & 4wd 2008-2012 (Dual Wing Model- 5" Offset Left & Right)* (27 gal repl fuel tank included)	02980423 02986612	96" Ctr	10.00-16	11.2-24	18.4-30	14,412
NH T5040/5050/5060/5070 Rops 2wd 2008-2012 (Dual Wing Model- 5" Offset Left & Right) (27 gal repl fuel tank included)	02980423 02987792	96" Ctr	10.00-16	N/A	18.4-30	14,412
NH T6010/6020/6040/6060 Cab 2wd 2008-2012 (Dual Wing Model- 5" Offset Left & Right) (51 gal repl fuel tank & exhaust pipe included)	02980935 02986403	96" Ctr	10.00-16	N/A	18.4-30	14,412
NH T6010/6020/6040/6060 Cab 4wd 2008-2012 (Dual Wing Model- 5" Offset Left & Right/Using Tractor Hydraulics) (51 gal repl fuel tank & exhaust pipe included)	02980935 02988759	96" Ctr	N/A	14.9-24	18.4-34	14,412
NH T6010/6020/6040/6060 Cab 4wd 2008-2012 (Dual Wing Model- 5" Offset Left & Right) (51 gal repl fuel tank & exhaust pipe included)	02987990 02987818	96" Ctr	N/A	14.9-24	18.4-34	14,412
NH T6030/6050 Cab 2wd 2008-2012 (Dual Wing Model- 5" Offset Left & Right)* (51 gal repl fuel tank & exhaust pipe included)	02981078 02986365	96" Ctr	11.00-16	N/A	18.4-30	14,412
NH T6030/6050 Cab 4wd 2008-2012 (Dual Wing Model- 5" Offset Left & Right)* (51 gal repl fuel tank & exhaust pipe included)	02981078 02987119	96" Ctr	N/A	14.9-24	18.4-34	14,412
NH T6030/6050 Cab 4wd 2008-2012 w/ Large Tires (Dual Wing Model- 5" Offset Left & Right)* (51 gal repl fuel tank & exhaust pipe included)	02991113 02991115	96" Ctr	N/A	14.9-28	18.4-38	14,412
NH TB100/110 Rops 2wd 2005-2012 (Dual Wing Model- 5" Offset Left & Right)*	02980834 02980178	96" Ctr	N/A	12.4-24	18.4-30	14,412
NH TL80/90/100 Cab 2wd 2004-2007 (Dual Wing Model- 5" Offset Left & Right)* (27 gal repl fuel tank included)	02980423 02981017	96" Ctr	10.00-16	N/A	18.4-30	14,412
NH TL80/90/100 ROPS 2wd 2004-2007 (Dual Wing Model- 5" Offset Left & Right)* (27 gal repl fuel tank included)	02980423 02980333	96" Ctr	10.00-16	N/A	18.4-30	14,412
NH TL80A/90A/100A Cab 2 & 4wd 2004-2007 (Dual Wing Model- 5" Offset Left & Right)* (27 gal repl fuel tank included)	02980423 02983400	96" Ctr	10.00-16	11.2-24	18.4-30	14,412
NH TL80A/90A/100A ROPS 2wd 2004-2007 (Dual Wing Model- 5" Offset Left & Right) (27 gal repl fuel tank included)	02980423 02983273	96" Ctr	10.00-16	N/A	18.4-30	14,412
NH TM115/125/135/150 Cab 2wd 2000-2002 (Dual Wing Model-10" Offset Left)*	02978837 02978834	96' OL 5"	11.00-16	N/A	18.4-34	14,412
NH TM120/130/140/155 Cab 2wd 2002-2007 (Dual Wing Model-10" Offset Left)*	02978837 02979781	96' OL 5"	11.00-16	N/A	18.4-34	14,412

Note that ALL part numbers listed must be included with your order.

ALAMO INDUSTRIAL
(800) 882-5762

Prices Effective February 15, 2014

Rev070114

DUAL-WING INTERSTATER

18'5", 20'9" MOUNT KIT OPTIONS

TRACTOR DESCRIPTION	MOUNT KIT	REAR OFFSET	MAXIMUM TIRE SIZE			LIST PRICE
			2WD Front	4WD Front	Rear	
New Holland						
NH TS90/100/110 Cab 4wd 1999-2003 (Dual Wing Model- No Offset)* (35.5 gal repl fuel tank included)	108415 704410	96" Ctr	N/A	12.4-24	18.4-30	14,412
NH TS90/100/110 Rops 2wd w/ Flat Platfrom 1999-2003 (Dual Wing Model- 10" Offset Left)* (35.5 gal repl fuel tank included)	108400 704401	96' OL 5"	10.00-16	N/A	18.4-30	14,412
NH TS90/100/110 Rops 4wd w/ Flat Platfrom 1999-2003 (Dual Wing Model- No Offset)* (35.5 gal repl fuel tank included)	108415 704484	96' OL 5"	N/A	12.4-24	18.4-30	14,412
NH TS100A/110A Cab 2 & 4wd 2003-2006 (Dual Wing Model- 5" Offset Left & Right)* (51 gal repl fuel tank & exhaust pipe included)	02980935 02980823	96" Ctr	N/A	12.4-24	18.4-30	14,412
NH TS100A/110A Rops 2 & 4wd 2003-2006 (Dual Wing Model- 5" Offset Left & Right)* (51 gal repl fuel tank & exhaust pipe included)	02980935 02980919	96" Ctr	N/A	12.4-24	18.4-30	14,412
NH TS115A/125A/130A/135A Cab/2&4wd 2003-2006 (Dual Wing Model- 5" Offset Left & Right)* (51 gal repl fuel tank & exhaust pipe included)	02981078 02981009	96" Ctr	N/A	12.4-24	18.4-30	14,412
NH TS115A/125A/130A/135A Cab 2 & 4wd 2003-2006 (Dual Wing Model- 5" Offset Left & Right/Using Tractor Hyd)* (51 gal repl fuel tank & exhaust pipe included) (Tractor must have four rear remotes)	02981078 02981087	96" Ctr	N/A	12.4-24	18.4-30	14,412
NH TS115A/125A/130A/135A Rops 2 & 4wd 2003-2006 (Dual Wing Model- 5" Offset Left & Right)* (51 gal repl fuel tank & exhaust pipe included)	02981078 02983720	96" Ctr	10.00-16	12.4-24	18.4-30	14,412
NH TS6.110/6.115/6.120 Cab 2 & 4wd 2012-2014 (Dual Wing Model- 5" Offset Left & Right)	02993002 02993038	96" Ctr	10.00-16	12.4-24	18.4-30	14,412
NH TS6.110/6.115/6.120 Rops 2 & 4wd 2012-2014 (Dual Wing Model- 5" Offset Left & Right)	02993068 02993063	96" Ctr	10.00-16	12.4-24	18.4-30	14,412
NH TS6.125/6.140 Cab 2 & 4wd 2012-2013 (Dual Wing Model- 5" Offset Left & Right)	02993132 02993127	96" Ctr	10.00-16	12.4-24	18.4-30	14,412

Note that ALL part numbers listed must be included with your order.

ALAMO INDUSTRIAL

(800) 882-5762

Prices Effective February 15, 2014

Rev070114

REAR INTERSTATER

88" Flail Mower

STANDARD SPECIFICATIONS

- ◆ 88" Cutting Width
- ◆ 10-Gauge Unitized Cutter Housing
- ◆ 5/16" Side Plates
- ◆ CAT I or CAT II Three-Point Hitch
- ◆ 4-1/2" x 5/16" Wall Cuttershaft
- ◆ 1-5/16" Bore Greaseable, Self-aligning Cuttershaft Bearings
- ◆ Belt Drive From Gearbox to Cuttershaft with Automatic Spring Tension
- ◆ Standard (1) year limited parts and labor warranty

- ◆ 60 HP Gearbox
- ◆ 6" Adjustable Rear Roller
- ◆ 1/2" to 6" Cutting Height
- ◆ Available in Fine or Coarse-Cut
- ◆ Torque Limiter Clutch
- ◆ Front and Rear Safety Deflectors
- ◆ CAT 4 Driveline

PRODUCT ORDER CODE	DESCRIPTION	APPRX. WEIGHT		LIST PRICE
88" REAR INTERSTATER BASE UNIT <i>(One Choice Required)</i>				
SHD88CTRFC	88" SHD Center Mount (Fine Cut Knives)	1035		7,310
SHD88CTRCC	88" SHD Center Mount (Course Cut- 3oz Knives)	1035		7,310
SHD88CTRES	88" SHD Center Mount (Extreme Service- 4 oz Knives)	1035		7,561
SHD88080FC	88" SHD Offset 8.5" Right (Fine Cut Knives)	1035		7,310
SHD88080CC	88" SHD Offset 8.5" Right (Course Cut- 3oz Knives)	1035		7,310
SHD88080ES	88" SHD Offset 8.5" Right (Extreme Service- 4 oz Knives)	1035		7,561
SHD88145FC	88" SHD Offset 14.5" Right (Fine Cut Knives)	1035		7,310
SHD88145CC	88" SHD Offset 14.5" Right (Course Cut- 3oz Knives)	1035		7,310
SHD88145ES	88" SHD Offset 14.5" Right (Extreme Service- 4 oz Knives)	1035		7,561
SHD88205FC	88" SHD Offset 20.5" Right (Fine Cut Knives)	1035		7,561
SHD88205CC	88" SHD Offset 20.5" Right (Course Cut- 3oz Knives)	1035		7,310
SHD88265CC	88" SHD Offset 26.5" Right (Course Cut- 3oz Knives)	1035		7,310
SHD88265FC	88" SHD Offset 26.5" Right (Fine Cut Knives)	1035		7,310
SHD88265CC	88" SHD Offset 26.5" Right (Course Cut- 3oz Knives)	1035		7,310
SHD88265ES	88" SHD Offset 26.5" Right (Extreme Service- 4 oz Knives)	1035		7,561
SHD88CTRFCB	88" SHD Center Mount w/ Caster Brackets (Fine Cut Knives)	1069		8,138
SHD88CTRCCB	88" SHD Center Mount w/ Caster Brackets (Course Cut- 3oz Knives)	1069		8,138
SHD88CTRESCB	88" SHD Center Mount w/ Caster Brackets (Extreme Service- 4 oz Knives)	1069		8,389
SHD88080FCCB	88" SHD Offset 8.5" Right w/ Caster Brackets (Fine Cut Knives)	1069		8,138
SHD88080CCB	88" SHD Offset 8.5" Right w/ Caster Brackets (Course Cut- 3oz Knives)	1069		8,138
SHD88080ESCB	88" SHD Offset 8.5" Right w/ Caster Brackets (Extreme Service- 4 oz Knives)	1069		8,389
SHD88145FCCB	88" SHD Offset 14.5" Right w/ Caster Brackets (Fine Cut Knives)	1069		8,138
SHD88145CCB	88" SHD Offset 14.5" Right w/ Caster Brackets (Course Cut- 3oz Knives)	1069		8,138
SHD88145ESCB	88" SHD Offset 14.5" Right w/ Caster Brackets (Extreme Service- 4 oz Knives)	1069		8,389
SHD88205FCCB	88" SHD Offset 20.5" Right w/ Caster Brackets (Fine Cut Knives)	1069		8,138
SHD88205CCB	88" SHD Offset 20.5" Right w/ Caster Brackets (Course Cut- 3oz Knives)	1069		8,138
SHD88205ESCB	88" SHD Offset 20.5" Right w/ Caster Brackets (Extreme Service- 4 oz Knives)	1069		8,389
SHD88265CCB	88" SHD Offset 26.5" Right w/ Caster Brackets (Course Cut- 3oz Knives)	1069		8,138
SHD88265ESCB	88" SHD Offset 26.5" Right w/ Caster Brackets (Extreme Service- 4 oz Knives)	1069		8,389
OPTIONS				
803211	Additional Operators and Parts Manuals			54
701150	Lift Chains	7		104
801002	Special Mower Paint (Rear Unit Only)			638
00889899I2	Additional 12 Month Warranty (00889899)			4,210

ALAMO INDUSTRIAL

(800) 882-5762

Prices Effective February 15, 2014

Rev070114

REAR INTERSTATER

96" Flail Mower

STANDARD SPECIFICATIONS

- ◆ 96" Cutting Width
- ◆ 10-Gauge Unitized Cutter Housing
- ◆ 5/16" Side Plates
- ◆ CAT I or CAT II Three-Point Hitch
- ◆ 4-1/2" x 5/16" Wall Cuttershaft
- ◆ 1-5/16" Bore Greaseable, Self-aligning Cuttershaft Bearings
- ◆ Belt Drive From Gearbox to Cuttershaft with Automatic Spring Tension
- ◆ Standard (1) year limited parts and labor warranty
- ◆ 60 HP Gearbox
- ◆ 6" Adjustable Rear Roller
- ◆ 1/2" to 6" Cutting Height
- ◆ Available in Fine or Coarse-Cut
- ◆ Torque Limiter Clutch
- ◆ Front and Rear Safety Deflectors
- ◆ CAT 4 Driveline

PRODUCT ORDER CODE	DESCRIPTION	APPRX. WEIGHT		LIST PRICE
96" REAR INTERSTATER BASE UNIT (One Choice Required)				
SHD96CTRFC	96" SHD Center Mount (Fine Cut Knives)	1170		8,141
SHD96CTRCC	96" SHD Center Mount (Course Cut- 3 oz. knives)	1170		8,141
SHD96CTRES	96" SHD Center Mount (Extreme Service- 4 oz. knives)	1170		8,415
SHD96125FC	96" SHD Offset 12.5" Right (Fine Cut Knives)	1170		8,141
SHD96125CC	96" SHD Offset 12.5" Right (Course Cut 3 oz. knives)	1170		8,141
SHD96125ES	96" SHD Offset 12.5" Right (Extreme Service 4 oz. knives)	1170		8,416
SHD96185FC	96" SHD Offset 18.5" Right (Fine Cut Knives)	1170		8,141
SHD96185CC	96" SHD Offset 18.5" Right (Course Cut 3 oz. knives)	1170		8,141
SHD96185ES	96" SHD Offset 18.5" Right (Extreme Service 4 oz. knives)	1170		8,416
SHD96245CC	96" SHD Offset 24.5" Right (Course Cut 3 oz. knives)	1170		8,141
SHD96245ES	96" SHD Offset 24.5" Right (Extreme Service 4 oz. knives)	1170		8,416
SHD96305CC	96" SHD Offset 30.5" Right (Course Cut 3 oz. knives)	1170		8,141
SHD96305ES	96" SHD Offset 30.5" Right (Extreme Service 4 oz. knives)	1170		8,416
SHD96CTR FCCB	96" SHD Center Mount w/ Caster Brackets (Fine Cut)	1249		8,690
SHD96CTR CCCB	96" SHD Center Mount w/ Caster Brackets (Course Cut 3 oz. knives)	1249		8,690
SHD96CTRESCB	96" SHD Center Mount w/ Caster Brackets (Extreme Service 4 oz. knives)	1249		8,965
SHD96185ESCB	96" SHD Offset 18.5" Right w/ Caster Brackets (Extreme Service- 4 oz. knives)	1249		8,965
SHD96245CCCB	96" SHD Offset 24.5" Right w/ Caster Brackets (Course Cut - 3 oz. knives)	1249		8,690
SHD96245ESCB	96" SHD Offset 24.5" Right w/ Caster Brackets (Extreme Service- 4 oz. knives)	1249		8,965
SHD96305CCCB	96" SHD Offset 30.5" Right w/ Caster Brackets (Course Cut- 3 oz. knives)	1249		8,690
SHD96305ESCB	96" SHD Offset 30.5" Right w/ Caster Brackets (Extreme Service- 4 oz. knives)	1249		8,965
CASTERS (One Choice Required)				
702193	360° Laminated Caster Wheel with Roller	154		1,681
OPTIONS				
803211	Additional Operators and Parts Manuals			54
701150	Lift Chains	7		104
801002	Special Mower Paint (Rear Unit Only)			638
0088989912	Additional 12 Month Warranty (00889899)			4,210

ALAMO INDUSTRIAL

(800) 882-5762

Prices Effective February 15, 2014

Rev070114

Alamo Industrial Quick Reference Tractor Model Guide- Hydro Select Catalog

Part #	Model Description	Transmission	Tire Sizes	HP Rating Eng/PTO	Configuration	List Pricing
02993211	John Deere 5085E	12F X 12R w/ LH Power Reverser	12.4-24/18.4-30 8PR R1 Bias	85/70 (4.5L-4-Cyl TIV)	Cab 4wd	57,482
02994191	John Deere 5085E Equipped w/ Mid Mount Valve	12F X 12R w/ LH Power Reverser	12.4-24/18.4-30 8PR R1 Bias	85/70 (4.5L-4-Cyl TIV)	Cab 4wd	58,863
02991719	John Deere 5085M	16F x 16R w/ LH Power Reverser	12.4-24/18.4-30 8PR R1 Bias	85/70 (4.5L-4-Cyl I-TIV)	Cab 4wd	71,584
TBD	Rops 4WD Downgrade	16F x 16R w/ LH Power Reverser	12.4-24/18.4-30 8PR R1 Bias	85/70 (4.5L-4-Cyl I-TIV)	Rops 4wd	(9,296)
02994193	John Deere 6105D	12F x 12R w/ LH Power Reverser	13.6-24/18.4-34 8PR R1 Bias	105/86 (4.5L-4-Cyl I-TIV)	Cab 4wd	68,480
02994293	John Deere 6115D	12F x 12R w/ LH Power Reverser	13.6-24/18.4-34 8PR R1 Bias	115/95 (4.5L-4-Cyl I-TIV)	Cab 4wd	72,302
02992033	John Deere 6105M	16F x 16R w/ LH Power Reverser	14.9-24/18.4-34 R1 Radials	105/86 (4.5L-4-Cyl I-TIV)	Cab 4wd	94,917
TBD	Nokian TRI2 Turf Tires Upgrade	16F x 16R w/ LH Power Reverser	400/80-R24/480-80R34 Nokian Radial	105/86 (4.5L-4-Cyl I-TIV)	Cab 4wd	1,651
TBD	2WD Downgrade	16F x 16R w/ LH Power Reverser	10.00-16/18.4R34 10PR F2 Bias/ 8PR R1 Radial	105/86 (4.5L-4-Cyl I-TIV)	Cab 2wd	(8,151)
TBD	Rops 4WD Downgrade	16F x 16R w/ LH Power Reverser	14.9-24/18.4-34 R1 Radials	105/86 (4.5L-4-Cyl I-TIV)	Rops 4wd	(8,970)
TBD	Rops 2WD Downgrade	16F x 16R w/ LH Power Reverser	10.00-16/18.4R34 10PR F2 Bias/ 8PR R1 Radial	105/86 (4.5L-4-Cyl I-TIV)	Rops 2wd	(15,545)
02992034	John Deere 6115M	16F x 16R w/ LH Power Reverser	14.9-24/18.4-34 R1 Radials	115/95 (4.5L-4-Cyl I-TIV)	Cab 4wd	99,350
TBD	Nokian TRI2 Turf Tires Upgrade	16F x 16R w/ LH Power Reverser	400/80-R24/480-80R34 Nokian Radial	115/95 (4.5L-4-Cyl I-TIV)	Cab 2wd	1,651
TBD	2WD Downgrade	16F x 16R w/ LH Power Reverser	10.00-16/18.4R34 10PR F2 Bias/ 8PR R1 Radial	115/95 (4.5L-4-Cyl I-TIV)	Rops 4wd	(8,151)
TBD	Rops 4WD Downgrade	16F x 16R w/ LH Power Reverser	14.9-24/18.4-34 R1 Radials	115/95 (4.5L-4-Cyl I-TIV)	Rops 2wd	(8,970)
TBD	Rops 2WD Downgrade	16F x 16R w/ LH Power Reverser	10.00-16/18.4R34 10PR F2 Bias/ 8PR R1 Radial	115/95 (4.5L-4-Cyl I-TIV)	Cab 4wd	(15,545)
02992035	John Deere 6125M	16F x 16R w/ LH Power Reverser	13.6-28/18.11-38 R1 Radials	125/102 (4.5L-4-Cyl I-TIV)	Cab 2wd	107,183
TBD	Nokian TRI2 Turf Tires Upgrade	16F x 16R w/ LH Power Reverser	400/80-R24/480-80R34 Nokian Radial	125/102 (4.5L-4-Cyl I-TIV)	Cab 4wd	2,326
TBD	2WD Downgrade	16F x 16R w/ LH Power Reverser	10.00-16/18.4R38 10PR F2 Bias/ 8PR R1 Radial	125/102 (4.5L-4-Cyl I-TIV)	Cab 2wd	(8,135)
TBD	Rops 4WD Downgrade	16F x 16R w/ LH Power Reverser	13.6-28/18.11-38 R1 Radials	125/102 (4.5L-4-Cyl I-TIV)	Rops 4wd	(8,970)
TBD	Rops 2WD Downgrade	16F x 16R w/ LH Power Reverser	10.00-16/18.4R38 10PR F2 Bias/ 8PR R1 Radial	125/102 (4.5L-4-Cyl I-TIV)	Rops 2wd	(15,545)

R9162014

Note * All Tractor Models May Take up To 180 Days to Ship From Manufacturer

Alamo Industrial Quick Reference Tractor Model Guide- Hydro Select Catalog

Part #	Model Description		Tire Sizes	HP Rating Eng/PTO	Configuration	List Pricing
02992313	New Holland T4.85	12F X 12R w/ Power Shuttle)	11.2-24/16.9-30 8PR R1 Radials	84/70 (3.4L-4-Cyl TIVA)	Cab HD 4wd	67,665
TBD	New Holland T4.85	12F X 12R w/ Power Shuttle)	11.2-24/16.9-30 8PR R1 Radials	84/70 (3.4L-4-Cyl TIVA)	Rops HD 4wd	56,948
02991978	New Holland TS6.110	16F x 8 R w/ Power Shuttle	14.9-24/18.4-34 R1 Radials	110/90 (4.5L-4-Cyl TIII)	Cab 4wd	74,125
TBD	Cab 2wd w/ <i>Heavy Duty Axle</i> Downgrade	16F x 8 R w/ Power Shuttle	10.00-16/18.4R34 10PR F2 Bias/ 8PR R1 Radial	110/90 (4.5L-4-Cyl TIII)	Cab 2wd	(1,916)
TBD	Rops 4wd Downgrade	16F x 8 R w/ Power Shuttle	14.9-24/18.4-34 R1 Radials	110/90 (4.5L-4-Cyl TIII)	Rops 4wd	(6,887)
TBD	Rops 2wd w/ <i>Heavy Duty Axle</i> Downgrade	16F x 8 R w/ Power Shuttle	10.00-16/18.4R34 10PR F2 Bias/ 8PR R1 Radial	110/90 (4.5L-4-Cyl TIII)	Rops 2wd	(8,426)
TBD	New Holland TS6.120	16F x 8 R w/ Power Shuttle	14.9-24/18.4-34 R1 Radials	118/96 (4.5L-4-Cyl TIII)	Cab 4wd	77,869
TBD	Cab 2wd w/ <i>Heavy Duty Axle</i> Downgrade	16F x 8 R w/ Power Shuttle	10.00-16/18.4R34 10PR F2 Bias/ 8PR R1 Radial	118/96 (4.5L-4-Cyl TIII)	Cab 2wd	(1,916)
TBD	Rops 4wd Downgrade	16F x 8 R w/ Power Shuttle	14.9-24/18.4-34 R1 Radials	118/96 (4.5L-4-Cyl TIII)	Rops 4wd	(6,887)
TBD	Rops 2wd w/ <i>Heavy Duty Axle</i> Downgrade	16F x 8 R w/ Power Shuttle	10.00-16/18.4R34 10PR F2 Bias/ 8PR R1 Radial	118/96 (4.5L-4-Cyl TIII)	Rops 2wd	(8,426)
02991979	New Holland TS6.125	16F x 8 R w/ Power Shuttle	14.9-24/18.4-34 R1 Radials	124/105 (6.7L- 6-Cyl TIII)	Cab 4wd	80,832
TBD	Cab 2wd w/ <i>Heavy Duty Axle</i> Downgrade	16F x 8 R w/ Power Shuttle	10.00-16/18.4R34 10PR F2 Bias/ 8PR R1 Radial	124/105 (6.7L- 6-Cyl TIII)	Cab 2wd	(1,916)
TBD	Rops 4wd Downgrade	16F x 8 R w/ Power Shuttle	14.9-24/18.4-34 R1 Radials	124/105 (6.7L- 6-Cyl TIII)	Rops 4wd	(6,887)
TBD	Rops 2wd w/ <i>Heavy Duty Axle</i> Downgrade	16F x 8 R w/ Power Shuttle	10.00-16/18.4R34 10PR F2 Bias/ 8PR R1 Radial	124/105 (6.7L- 6-Cyl TIII)	Rops 2wd	(8,426)
02991482	New Holland TV6070 Bi- Directional Model	Multi-Range/Closed-Loop Hydrostatic	440/80R28 Non-Directional R1 Radials	155/105 (6.7L-6-Cyl TIII)	Cab 4wd	147,291

Note * All Tractor Models May Take up To 180 Days to Ship From Manufacturer



TRAXX™ RF

Remote-Control Mower

Ohio 800316-STS515

TRAXX™ RF BASE UNIT STANDARD FEATURES

- ◆ Rubber Tracks w/Steel Cleats (Installed)
- ◆ Spike Kit w/Rubber Transport Pads (Boxed for Customer Assy.)
- ◆ Roll Guard/Frame (Installed)
- ◆ High Pressure Grease Gun Kit (Included)
- ◆ LED Strobe Light (Installed)
- ◆ Towing Kit Accessories (Included)

ORDER CODE	DESCRIPTION	LIST PRICE
TRAXX™ RF BASE UNIT		
04774100	TRAXX™RF All-Terrain Vehicle Equipped w/ 51" Heavy Duty Head for Brush and Saplings	83,956
04774200	TRAXX™RF All-Terrain Vehicle Equipped w/ 51" Heavy Duty Head for Grass and Brush	82,856
OPTIONS		
TR477002	Rubber Tracks 11" Wide- Deep Tread (Boxed Set of 2/Customer Assy)	2,831
TR477622	Replacement Cutter Shaft For Heavy Duty Head for Brush and Saplings (Includes Replacement Bearings)	3,597
TR477623	Replacement Cutter Shaft For Heavy Duty Head for Grass and Brush (Includes Replacement Bearings)	2,497
TR477136	High Pressure Grease Gun Kit (One kit is included with Base Unit)	317
TR477147	High Wear Kit for Heavy Duty Head for Brush and Saplings	1,308
TR477143	High Wear Kit for Heavy Duty Head for Grass and Brush	1,239
TR477144	Additional Operators Manual	45
TR477145	Additional Parts Manual	45
TR477640	1 Year Extended Warranty	5,050
REPLACEMENT CUTTER HEADS (COMPLETE)		
04773200	51" (1.3m) Heavy Duty Head for Brush and Saplings	8,450
04773100	51" (1.3m) Heavy Duty Head for Grass and Brush	7,350





ORDER CODE	DESCRIPTION	LIST PRICE
OPTIONAL ATTACHMENTS (SPECIAL ORDER ONLY)		
04773620	51" (1.3m) Heavy Duty Loader Bucket Kit Load capacity- 550 lb.	7,375
04771600	51" (1.3m) Snow Blower	12,741
04773550	51" (1.3m) Heavy Duty Snow Blade	3,997
04773610	Rear Tow Hitch Kit	543
PRICING EFFECTIVE 2-15-14		

R050514





1502 East Walnut St.
Seguin, TX 78155

Sales & Marketing
800-882-5762 830-379-0864 fax
support@alamo-industrial.com

Warranty Registration/Claims
www.alamoparts.com

Return Authorizations
Online Part Orders
Technical Information
www.alamoparts.com
800-356-6286 800-322-5041 fax

www.alamo-industrial.com

