



STATE OF OHIO - Agricultural Machinery for Harvesting; Tractors...

2/1/2021

Agricultural Equipment/Ranges	Product Series	Discount off MSRP	Page	Pricing Effective
Compact Tractors				
Boomer 35-55HP	Boomer 35, 40, 45, 50, 55	25%	2-47	January 1, 2021
Workmaster 25-40 HP, Workmaster 25S	Workmaster 25S, 25, 35, 40	25%	2-47	January 1, 2021
Utility Tractors				
Workmaster 50-70HP	Workmaster 50, 60, 70,	22%	48-53	October 1, 2020
Workmaster 55-75HP, Workmaster 95-120HP	Workmaster 55, 65, 75 Workmaster 95, 105, 120	22%	54-97 98-152	October 1, 2020
Powerstar 75-120HP	Powerstar 75	28%	153-202	October 1, 2020
Powerstar 75-120HP	Powerstar 90, 100, 110, 120	29%	153-202	October 1, 2020
Ag Tractors				
T5	T5.110, 120, 90DC, 100DC, 110DC, 120DC	29%	203-317	October 1, 2020
TS6	TS6.110, 120, 130, 140	24%	318-383	October 1, 2020
T6	T6.145, 155, 160 , 165, 175, 180	29%	384-445	January 4, 2021
Loaders & Implements				
Compact Loaders	Compact Loaders	20%	446-606	October 1, 2020
600 Series Loaders	600 Series Loaders	20%	446-606	October 1, 2020
800 Series	800 Series Loaders	20%	446-606	October 1, 2020
Backhoes, Front Mounted Blades, Mowers, Post Hole Diggers, Rotary Broom, Rotary Cutters, Snow Blowers, Work EZ	Implements	20%	607-689	October 1, 2020



COMPACT TRACTOR INDEX

<u>EQUIPMENT DESCRIPTION</u>	<u>LATEST REVISION</u>	<u>PAGE NUMBER</u>
Index	01/01/21	1
Boomer 24 (Current Inventory Only)	01/01/21	2
Boomer 35/40 (T4B)	01/01/21	8
Boomer 45/50/55 (T4B)	01/01/21	16
WORKMASTER 25S Sub Compact	01/01/21	28
WORKMASTER 25/35/40 (T4B)	01/01/21	36

**BOOMER 24
US PRICE LIST**

Standard Equipment

BOOMER 24

24.0 Gross Engine hp @ 2500 rpm
18.5 PTO hp @ 2000 rpm (HST)

ALL MODELS

Mitsubishi 3L 3 Cyl. Diesel Engine
3 Cylinder Naturally Aspirated
Tier 4 compliant
80.4 cu. in. (1.3L) Displacement
Under Hood Muffler / Exhaust
Single Element Air Cleaner
Full-flow, Spin-on Oil Filter
Fuel Filter with water separator
Quick Glow Plug Starting Aid
Flip-up Hood
6.6 gallon (25L) Fuel Tank

TRANSMISSION OPTIONS

2-Range Hydrostatic with Cruise Control
and Two-Pedal direction control for
forward and reverse

FRONT AXLE

Four Wheel Drive (FWD)
Lever Engaged
Fixed Position Rims
Tread Setting with R4 tires
- 35.9 in. (912 mm)

REAR AXLE

Rear Differential Lock
Flange Type Axle
Fixed Position Rims
Tread Setting with R4 tires
- 38 in. (966 mm)

STEERING

Hydrostatic Power Steering
Fixed Steering Column

BRAKES

Wet Disc
Single Brake Pedal
Foot-Assist Parking Brake Latch

HYDRAULIC SYSTEM

Open Center Hydraulic System
Dual Gear-type Pumps
Implement Pump Capacity:
- 6.7 gpm (24 L/min)
Steering Pump Capacity:
- 2.5 gpm (9.5 L/min)

3-POINT LIFT SYSTEM

Lift Capacity @ 3-Point Ends:
- 1433 (lbs.) / 650 (kg)
Category I, 3-point Linkage
3-Point Control Lever
Drop Rate Control Knob
Turn-Buckle Type Leveling Mechanism
Chain Stabilizers
Fixed Link Ends

PTO

Rear PTO
- Independent 540 rpm
- Electro-hydraulic engagement
- Flip-up Shield
- Shaft Up
Mid PTO
- Independent 2000 rpm
- Electro-hydraulic engagement

DRAWBAR

Fixed
1-Position Extendable

ROPS PLATFORM

2-Post, Foldable Roll Bar
Contoured Cushion Seat
- Fore / Aft Adjustable
- Spring Suspension
- Seat Belt
Deluxe Floor Mat
Left Side Step
Left Side Grab Handle
Cupholder & Tray
Slow Moving Vehicle Emblem

**BOOMER 24
US PRICE LIST****Standard Equipment****INSTRUMENT PANEL**

Deluxe Automotive-Style Dash
Digital Tachometer
Analog Fuel Gauge
Analog Engine Temperature Gauge
Digital Hour Meter
Engine Oil Pressure Warning Light
Battery Charge Warning Light
Quick Glow Plug Indicator Light
PTO ON Indicator Light
Parking Brake Indicator Light
Turn Indicator Lights
Hazard Flasher Indicator Lights
High Beam Headlights Indicator

ELECTRICAL

12-volt, 45Ah, 560 CCA Battery
Safety Start Switch
Key Start/Fuel Shutoff
50 amp Alternator
Operator Presence System

LIGHTING

(2) Halogen Headlights
(2) Taillights / Brakelights
(2) Flashing Warning Lights / Turn Signals

BOOMER GUARD-6 WARRANTY

Full Coverage
- 24 months or 750 total hours
Powertrain
- Additional 48 months (72 total months) or 1500 total hours

Boomer 24 compacts will arrive at your dealership fully assembled (Roll on / Roll off) and ready to sell. This includes the installation of any 235TL loader order linked to a Boomer 24 order.

Tractor assembly and loader installation are free of charge. Freight charges will apply.

**BOOMER 24
US PRICE LIST**

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
BOOMER 24	1,702 LB		\$14,904.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

FAST PICK CONFIGURATION

SD_T9981 CONFIGURATION

	XT9981X	Less Fast Pick Config			No Charge
	X0283XX	BMR 24 Fast Pick			(\$318.00)
		FAST PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER Fast Pick Boomer 24 Package Contains: - Boomer 24 with 2 Range Hydrostatic Transmission - R4 Industrial Tires - 8266604 (Front 23x8.50-12 4 Ply) - 8317604 (Rear 12-16.5 6 Ply) Fast-Pick Implement Packages are available. Please consider the following when ordering your Boomer 24: - Loader (235TL Fast-Pick) - Mid-Mount Mower (260GMS Fast-Pick) - Front Mount Snow Blower (836GA Fast-Pick)			

FACTORY SUPPLIED OPTIONS

SD_T4940 FRONT WHEELS AND TIRES

	8151604	23 x 8.50-12 4PR R3			\$347.00
	8266604	23X8.50-12 4PR R4 Ind			\$347.00
	8199907	Less Front Wheels and Tires. WITH THE CHANGE TO FULLY ASSEMBLED TRACTORS THE LESS FRONT TIRE (8199907) OPTION NO LONGER A VALID SELECTION.			No Charge

SD_T4950 REAR WHEELS AND TIRES

	8306804	33 x 12-16.5 4PR R3			\$661.00
	8317604	12-16.5 6PR R4 IND			\$661.00



BOOMER 24
US PRICE LIST

		8399907	Less Rear Wheels and Tires WITH THE CHANGE TO FULLY ASSEMBLED TRACTORS THE LESS REAR WIRE (8399907) OPTION NO LONGER A VALID SELECTION.			No Charge
--	--	---------	---	--	--	-----------

ONLY CURRENT INVENTORY

**BOOMER 24
US PRICE LIST**

Factory Supplied Attachments

Order Code		Description	Weight	Factory Data	List Price
	815160406	23X8.5-12 4PR R3 TURF	114 LB		\$177.00
	830680406	33X12.00-16 5 4PR R3 TURF	225 LB		\$361.00

ONLY CURRENT INVENTORY

PARTS DIVISION SUPPLIED ACCESSORIES FOR COMPACT TRACTORS			
Part Number	Description	Boomer 24	Notes:
	CAB/ROPS/FOPS GROUP		
718857196	FOPS Canopy for Roll Bar - White	X	
FFB1A32B	Sunshade canopy (blue)	X	
FFB1A32W	Sunshade canopy (white)	X	
11876	Soft Cab Enclosure Contact: Original Tractor Cab Co., Inc., P.O. Box 97 Arlington, IN 46104 Phone: (765) 663-2214	X	
	HYDRAULICS GROUP		
MT20116103	Single Rear Remote - (Max one rear remote per tractor)	X	
710440186	Mid mount valve, Joy Stick (quick couplers, color coded dust plugs with support bracket)	X	
	WEIGHT GROUP *Attaching hardware is available from Service Parts.		
710215016	Front End Weight 60LB (27 Kg), Max 3, compatible with grill guard (Requires Front Weight Carrier #84532452) Not compatible with loader.	X	
718740016	Rear Counter Weight Bracket	X	
84532452	Front Weight Bumper/Carrier - Max 3 - 60 lb. weights. Not compatible with loader	X	
717746006	Ballast Box 100lbs, 500lbs. Max capacity	X	Order Through Wholegoods (eEquipment)
	MISCELLANEOUS GROUP		
LDR10412964 (QTY 2) LDR5002105 (QTY 4) LDR5013104 (QTY 4)	Grille guard - Vertical plates, no cross bars (Std with 235TL Loader)	X	All pieces must be ordered to completed grille guard. Quantities for each number must be followed
84550562	Engine coolant heater - Mitsubishi Engine	X	
84551153	Spark Arrestor Muffler	X	
251006F	Linkage drawbar (FONNC830AA Stay kit required)	X	
FONNC830AA	Linkage drawbar stay kit	X	
MT20124710	Clevis / 2-Position Extension Drawbar Kit		
MT20125205	Front Toe-hook		
87702589	ROPS mounted work light kit (requires 84360959)	X	
84360959	ROPS mounted work light wire harness kit (required with Work light	X	
To order the following items, contact the Document Management Center (DMC) @ (262) 636-7540; or order online through Dealer Portal (goto "Tools"; select the DMC link)			
729178 / 84389592	French Operator's Manual / Decal Kit	X	

**BOOMER 35 AND 40 TIER 4B FINAL
US PRICE LIST**

Standard Equipment

Benefits of Fast Pick configurations:

- 2% discount over ala-cart orders
 - Single Invoice for TL or TLB
 - Easier Quoting
 - Simplified Programing
-

BOOMER 35 (Tier 4B Final)

35.0 Gross Engine hp @ 2600 rpm
29.7 PTO hp @ 2600 rpm (Gear)
28.0 PTO hp @ 2600 rpm (Hydro)

BOOMER 40 (Tier 4B Final)

40.0 Gross Engine hp @ 2600 rpm
34.0 PTO hp @ 2600 rpm (Gear)
32.0 PTO hp @ 2600 rpm (Hydro)

ALL MODELS

LS Model L32L19 Diesel Engine
3 Cylinder, Turbocharged Engine
Common Rail / Direct Fuel Injection
Tier 4b Final Emissions Compliant
114.7 cu. in. (1.9L) Displacement
Under Hood Muffler / Exhaust
Two-stage Dual Element Air Cleaner
Full-flow, Spin-on Oil Filter
Fuel Filter with water separator
Quick Glow Plug Starting Aid
Flip-up Hood w/ Gas Strut
Fuel Tank Capacity
ROPS - 10.5 gallon (40L)
Cab - 12.4 gallon (47L)

TRANSMISSION OPTIONS

12x12 Synchronized Shuttle Shift (SSS)
Left-hand, dash mounted,
synchronized shuttle
(4) Synchronized gears
(3) Non-synchronized ranges

3-Range Hydrostatic with Cruise Control
and Dual-Pedal direction control for
forward and reverse

FRONT AXLE

Four Wheel Drive (FWD)
Fixed Position Rims
Tread Setting with R4 tires
- 45.6 in. (1159 mm)

REAR AXLE

Flange Type Axle
Rear Differential Lock
Reversible Position Rims - R1 tires only
Fixed Position Rims - R3, R4 tires
Tread Setting with R4 tires
- 46.5 in. (1283 mm)

STEERING

Hydrostatic Power Steering
Tilt Steering Column

BRAKES

Wet Disc
Dual Brake Pedals
Foot-assist Parking Brake Lever

HYDRAULIC SYSTEM

Open Center Hydraulic System
Dual Gear-type Pumps
Implement Pump Capacity:
- 8.2 gpm (31.2 L/min)
Steering Pump Capacity:
- Gear models = 4.2 gpm (15.9 L/min)
- HST models = 5.3 gpm (19.9 L/min)
Mid-mount Hydraulic Valve & Joystick
2 Open Center Rear Remote Valves

3-POINT LIFT SYSTEM

Lift Capacity @ ball ends:
- 1808 (lbs.) / 820 (kg)
Category I, 3-point Linkage
Position Control Lever
Drop Rate Control Knob
Turnbuckle-type Leveling Mechanism
Telescoping Stabilizers
Flexible Link Ends

**BOOMER 35 AND 40 TIER 4B FINAL
US PRICE LIST**

Standard Equipment

PTO - Electro-hydraulic Engagement

Rear PTO

- Independent 540 rpm
- Flip-up Shield
- Shaft Cap

Mid PTO (OPTIONAL)

- Independent 2000 rpm

DRAWBAR

Swinging

2-Position Extendable

ROPS PLATFORM

2 Post Foldable ROPS

Deluxe Vinyl Covered Seat

- Full suspension w/weight adjustment
- Fore/Aft adjustment
- Seat Belt
- Adjustable Arm Rests

Floor Mat

Left and Right Side Steps

Toolbox & Slow Moving Vehicle Emblem

CAB PLATFORM (Boomer 40)

(2) Doors

Opening Rear Window

Air Conditioning

Heater

3-speed Fan Control for heat and A/C

Single Cab Air Filter

Radio-ready with (2) speakers, wiring and antenna

Deluxe Cloth Covered Seat

- Full suspension w/weight adjustment
- Fore/Aft adjustment
- Seat Belt
- Adjustable Arm Rests

Floor Mat

Cloth Covered Headliner

Left and Right External Mounted Mirrors

Front Windshield Wiper and Washer

Left and Right Side Steps

Toolbox & Slow Moving Vehicle Emblem

INSTRUMENT PANEL

Analog Tachometer

Fuel Gauge

Coolant Temperature Gauge

Hour Meter

Engine Oil Pressure Warning Light

Battery Charge Warning Light

Cold Starting Aid Indicator Light

PTO ON Indicator Light

Parking Brake Indicator Light

Turn Indicator Lights

Hazard Flasher Indicator Lights

High Beam Headlights Indicator

Emmision Activation Indicator

ELECTRICAL

12-volt, 80Ah, 660 CCA Battery

Safety Start Switch

Key Start/Fuel Shutoff

70 amp Alternator

Operator Presence System

LIGHTING - Cab / ROPS

(2) Halogen Corner Work Lights

(2) Halogen Headlights (high/low beam)

(2) Taillights

(2) Flashers / Turn Signals

LIGHTING - Additional Cab lighting

(2) Front-mounted Cab Work Lights

(2) Rear-mounted Cab Work Lights

BOOMER GUARD-6 WARRANTY

Full Coverage

- 24 months or 750 total hours

Powertrain

- Additional 48 months (72 total months) or 1500 total hours

Boomer 35 or 40 compacts will arrive at your dealership fully assembled (Roll on / Roll off) and ready to sell. This includes Fast Pick configurations that include a 250TLA2 loader or 250TLA2 Loader and 925GBH Backhoe.

Tractor assembly & loader installation are free of charge. Freight charges will apply



**BOOMER 35 AND 40 TIER 4B FINAL
US PRICE LIST**

Models

COMMERCIAL MODEL	VERSION	Weight	Factory Data	List Price
BOOMER 35 T4B	Rops	2,870 LB		\$23,074.00
BOOMER 40 T4B	Cab	3,574 LB		\$30,602.00
BOOMER 40 T4B	Rops	2,870 LB		\$24,975.00



**BOOMER 35 AND 40 TIER 4B FINAL
US PRICE LIST**

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

PACKAGES

SD_T9981 CONFIGURATION

	X0512XX	BMR35 R 12X12 LDR BOOMER 35 ROPS Gear w/250TLA2 FAST PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER -720110 (12x12 Gear) -728025 (Mid-PTO) -720347 (2 Rear Remote) -464431 (250TLA2 Loader) Fast Pick packages no longer include tires. Please select AG, Turf or R4 tires			\$638.00
	X0513XX	BMR35 R HST LDR BOOMER 35 ROPS HST w/250TLA2 FAST PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER -729290 (3 Range HST) -728025 (Mid-PTO) -720347 (2 Rear Remote) -464431 (250TLA2 Loader) Fast Pick packages no longer include tires. Please select AG, Turf or R4 tires		()	(\$601.00)
	X0514XX	BMR40 R 12X12 LDR BOOMER 40 ROPS Gear w/250TLA2 FAST PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER -720110 (12x12 Gear) -728025 (Mid-PTO) -720347 (2 Rear Remote) -464431 (250TLA2 Loader) Fast Pick packages no longer include tires. Please select AG, Turf or R4 tires			(\$639.00)

**BOOMER 35 AND 40 TIER 4B FINAL
US PRICE LIST**

		X0515XX	<p>BMR40 R HST LDR BOOMER 40 ROPS HST w/250TLA2 FAST PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER -729290 (3 Range HST) -728025 (Mid-PTO) -720347 (2 Rear Remote) -464431 (250TLA2 Loader)</p> <p>Fast Pick packages no longer include tires. Please select AG, Turf or R4 tires</p>			(\$676.00)
		X0516XX	<p>BMR40 R HST LDR BH BOOMER 40 ROPS HST w/250TLA2 + 925GBH FAST PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER -729290 (3 Range HST) -728025 (Mid-PTO) -720347 (2 Rear Remote) -464431 (250TLA2 Loader) - 464434 (925GBH Backhoe w/ 18" BKT + Thumb)</p> <p>Fast Pick packages no longer include tires. Please select AG, Turf or R4 tires</p>			(\$871.00)
		X0517XX	<p>BMR40 C GEAR LDR "BOOMER 40 Cab Gear w/250TLA2 FAST PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER -720110 (12x12 Gear) -728025 (Mid-PTO) -720347 (2 Rear Remote) -464431 (250TLA2 Loader)</p> <p>Fast Pick packages no longer include tires. Please select AG, Turf or R4 tires</p>			(\$751.00)
		X0518XX	<p>BMR40 C HST LDR BOOMER 40 Cab HST w/250TLA2 FAST PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER -729290 (3 Range HST) -728025 (Mid-PTO) -720347 (2 Rear Remote) -464431 (250TLA2 Loader)</p> <p>Fast Pick packages no longer include tires. Please select AG, Turf or R4 tires</p>			(\$789.00)

**BOOMER 35 AND 40 TIER 4B FINAL
US PRICE LIST**

		X0519XX	BMR40 C HST LDR BH BOOMER 40 Cab HST w/250TLA2 + 925GBH FAST PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER -729290 (3 Range HST) -728025 (Mid-PTO) -720347 (2 Rear Remote) -464431 (250TLA2 Loader) - 464434 (925GBH Backhoe w/ 18" BKT + Thumb) Fast Pick packages no longer include tires. Please select AG, Turf or R4 tires			(\$983.00)
		XT9981X	Less Fast Pick Config			No Charge
		X0331XX	BMR 40 Cab Fast Pick FAST PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER Fast Pick Boomer 40 Cab (T4B) Package Contains: - Boomer 40 Cab (T4B) - 729290 (3 Range Hydrostatic Transmission) - 720347 (2 Rear Remote Valves) - 728025 (Mid-PTO) Fast Pick packages no longer include tires. Please select AG, Turf or R4 tires			(\$656.00)

FACTORY SUPPLIED OPTIONS

SD_T2810 TRANSMISSION

		720110	12 x 12 Synchro-shuttle			No Charge
		729290	Hydrostatic Transmission			\$1,872.00

SD_T4940 FRONT WHEELS AND TIRES

		8199907	Less Front Wheels and Tires. WITH THE CHANGE TO FULLY ASSEMBLED TRACTORS THE LESS FRONT TIRE (8199907) OPTION NO LONGER A VALID SELECTION.			No Charge
		8204604	7 x 14 6PR R1 Ag Bar			\$383.00
		8266304	25 x 8.50 - 14 6PR R4			\$499.00
		8267104	25x8.50-14 10PR R3 T			\$383.00

SD_T4950 REAR WHEELS AND TIRES

		8304804	41 x 14.00-20 4PR R3			\$1,495.00
		8332604	11.2 x 24 4PR R1 Ag Bar			\$977.00
		8364564	43 x 16.00-20 R4			\$1,295.00
		8399907	Less Rear Wheels and Tires WITH THE CHANGE TO FULLY ASSEMBLED TRACTORS THE LESS REAR TIRE (8399907) OPTION NO LONGER A VALID SELECTION.			No Charge



BOOMER 35 AND 40 TIER 4B FINAL
US PRICE LIST

SD_T8073 MID PTO KIT

		728025	MID PTO Mid-PTO for - Boomer 35 ROPS (Gear or HST Transmission) - Boomer 40 ROPS or Cab (Gear or HST Transmission) - Boomer 45 ROPS or Cab (Gear or HST Transmission) - Boomer 50 ROPS or Cab (Gear or HST Transmission) - Boomer 55 ROPS or Cab (Gear or HST Transmission)			\$414.00
--	--	--------	--	--	--	----------



**BOOMER 35 AND 40 TIER 4B FINAL
US PRICE LIST**

Factory Supplied Attachments

Order Code		Description	Weight	Factory Data	List Price
	820460446	7X14 6PR R1 NH	275 LB		\$232.00
	826630476	25x8.50-14 6PR R4 NH	109 LB		\$233.00
	826710426	25X8.50-14 10 PLY TURF R3	98 LB		\$239.00
	830480486	41X14.00-20 4PR R3	581 LB		\$599.00
	833260436	11.2X24 4PR R1 NH	275 LB		\$624.00
	836456406	43X16-20 4PLY TL R4 NH	275 LB		\$644.00

**BOOMER 45 50 AND 55 TIER 4B FINAL
US PRICE LIST**

Standard Equipment

Benefits of Fast Pick configurations:

- 2% discount over ala-cart orders
- Single Invoice for TL or TLB
- Easier Quoting
- Simplified programing

FRONT AXLE

- Four Wheel Drive (FWD)
- Fixed position rims
- Tread Setting with R4 tires
 - 51.7 in. (1314 mm)

BOOMER 45 (Tier 4B Final)

- 45.0 Gross Engine hp @ 2600 rpm
- 38.2 PTO hp @ 2600 rpm (Gear)
- 36.0 PTO hp @ 2600 rpm (Hydro)

BOOMER 50 (Tier 4B Final)

- 50.0 Gross Engine hp @ 2600 rpm
- 42.5 PTO hp @ 2600 rpm (Gear)
- 40.0 PTO hp @ 2600 rpm (Hydro)

BOOMER 55 (Tier 4B Final)

- 55.0 Gross Engine hp @ 2600 rpm
- 46.7 PTO hp @ 2600 rpm (Gear)
- 44.0 PTO hp @ 2600 rpm (Hydro)

REAR AXLE

- Rear differential lock
- Flange Type Axle
- Reversible Position Rims - R1 only
- Fixed Position Rims - R3, R4
- Tread Setting with R4 tires
 - 47.7 in. (1211 mm)

STEERING

- Hydrostatic Power Steering
- Tilt Steering Column

BRAKES

- Wet Disc
- Dual Brake Pedals
- Foot-assist Parking Brake Lever

ALL MODELS

- LS Model L32L19 Diesel Engine
- 3 Cyl. Turbocharged Engine
- Common Rail /Direct Fuel Injection
- Tier 4b Final Emissions Compliant
- 114.7 cu. in. (1.9L) Displacement
- Under Hood Muffler / Exhaust
- Two-stage Dual Element Air Cleaner
- Full-flow, Spin-on Oil Filter
- Fuel Filter with water separator
- Quick Glow Plug Starting Aid
- Flip-up Hood w/ Gas Strut
- Fuel Tank Capacity
 - ROPS - 10.5 gallon (40L)
 - Cab - 12.4 gallon (47L)

HYDRAULIC SYSTEM

- Open Center Hydraulic System
- Dual Gear-type Pumps
- Implement Pump Capacity:
 - 8.2 gpm (31.2 L/min)
- Steering Pump Capacity:
 - Gear models = 4.2 gpm (15.9 L/min)
 - HST models = 5.3 gpm (19.9 L/min)
- Mid-mount Hydraulic Valve & Joystick
- 2 Open Center Rear Remote Valve

TRANSMISSION OPTIONS

- 16x16 Synchronized Shuttle Shift (SSS)
 - Left-hand, dash mounted, synchronized shuttle
 - (4) Synchronized gears
 - (4) Non-synchronized ranges
- 3- Range Hydrostatic with Cruise Control and Dual Pedal direction control for forward and reverse

3-POINT LIFT SYSTEM

- Lift Capacity @ ball ends:
 - 2756 (lbs.) / 1250 (kg)
- Category I, 3-point Linkage
- Position Control Lever
- Drop Rate Control Knob
- Turnbuckle-type Leveling Mechanism
- Telescoping Stabilizers
- Flexible Link Ends

**BOOMER 45 50 AND 55 TIER 4B FINAL
US PRICE LIST**

Standard Equipment

PTO

Rear PTO

- Independent 540 rpm
- Electro-hydraulic engagement
- Flip-up Shield
- Shaft Cap

Mid PTO (OPTIONAL)

- Independent 2000 rpm
- Electro-hydraulic engagement

DRAWBAR

Swinging

2-Position Extendable

ROPS PLATFORM

2 Post Foldable ROPS

Deluxe Vinyl Covered Seat

- Full suspension w/weight adjustment
- Fore/Aft adjustment
- Seat Belt
- Adjustable Arm Rests

Floor Mat

Left and Right Side Steps

Slow Moving Vehicle Emblem

CAB PLATFORM

(2) Doors + Opening Rear Window

Air Conditioning

Heater

3-speed Fan Control for heat and A/C

Single Cab Air Filter

Radio-ready with (2) speakers, wiring and antenna

Deluxe Cloth Covered Seat

- Full suspension w/weight adjustment
- Fore/Aft adjustment
- Seat Belt
- Adjustable Arm Rests

Floor Mat

Cloth Covered Headliner

Left and Right External Mounted Mirrors

Front Windshield Wiper and Washer

Left and Right Side Steps

Toolbox & Slow Moving Vehicle Emblem

INSTRUMENT PANEL

Analog Tachometer

Fuel Gauge

Coolant Temperature Gauge

Hour Meter

Engine Oil Pressure Warning Light

Battery Charge Warning Light

Cold Starting Aid Indicator Light

PTO ON Indicator Light

Parking Brake Indicator Light

Turn Indicator Lights

Hazard Flasher Indicator Lights

High Beam Headlight Indicator

Emissions Indicator

ELECTRICAL

12-volt, 80Ah, 660 CCA Battery

Safety Start Switch

Key Start/Fuel Shutoff

70 amp Alternator

Operator Presence System

LIGHTING - Cab / ROPS

(2) Halogen Corner Work Lights

(2) Halogen Headlights (high/low beam)

(2) Taillights (2) Flashers / Turn Signals

LIGHTING - Additional Cab lighting

(2) Front-mounted Cab Work Lights

(2) Rear-mounted Cab Work Lights

BOOMER GUARD-6 WARRANTY

Full Coverage

- 24 months or 750 total hours

Powertrain

- Additional 48 months (72 total months) or 1500 total hours

Boomer 45 - 55 compacts will arrive at your dealership fully assembled (Roll on / Roll off) and ready to sell. This includes Fast Pick configurations that include a 260TLA2 loader or 260TLA2 Loader and 935GBH Backhoe. Tractor assembly & loader installation are free of charge. Freight charges will apply



**BOOMER 45 50 AND 55 TIER 4B FINAL
US PRICE LIST**

Models

COMMERCIAL MODEL	VERSION	Weight	Factory Data	List Price
BOOMER 45 T4B	Cab	4,194 LB		\$33,700.00
BOOMER 45 T4B	Rops	3,490 LB		\$28,164.00
BOOMER 50 T4B	Cab	4,194 LB		\$37,059.00
BOOMER 50 T4B	Rops	3,490 LB		\$31,407.00
BOOMER 55 T4B	Cab	4,194 LB		\$40,191.00
BOOMER 55 T4B	Rops	3,490 LB		\$34,539.00



**BOOMER 45 50 AND 55 TIER 4B FINAL
US PRICE LIST**

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

PACKAGES

SD_T9981 CONFIGURATION

	X0520XX	BMR45 R 16X16 LDR BOOMER 45 ROPS Gear w/260TLA2 FAST PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER -330271 (16x16 Gear) -728025 (Mid-PTO) -720347 (2 Rear Remote) -464432 (260TLA2 Loader) Fast Pick packages no longer include tires. Please select AG, Turf or R4 tires			(\$708.00)
	X0521XX	BMR45 R HST LDR BOOMER 45 ROPS HST w/260TLA2 FAST PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER -330014 (3 Range HST) -728025 (Mid-PTO) -720347 (2 Rear Remote) -464432 (260TLA2 Loader) Fast Pick packages no longer include tires. Please select AG, Turf or R4 tires			(\$745.00)
	X0522XX	BMR45 R HST LDR BH BOOMER 45 ROPS HST w/260TLA2 + 935GBH FAST PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER -330014 (3 Range HST) -728025 (Mid-PTO) -720347 (2 Rear Remote) -464432 (260TLA2 Loader) -464435 (935GBH Backhoe w/18" BKT + Thumb) Fast Pick packages no longer include tires. Please select AG, Turf or R4 tires			(\$954.00)

**BOOMER 45 50 AND 55 TIER 4B FINAL
 US PRICE LIST**

		X0523XX	BMR45 C HST LDR BOOMER 45 Cab HST w/260TLA2 FAST PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER -330014 (3 Range HST) -728025 (Mid-PTO) -720347 (2 Rear Remote) -464432 (260TLA2 Loader) Fast Pick packages no longer include tires. Please select AG, Turf or R4 tires			(\$856.00)
		X0524XX	BMR45 C HST LDR BH BOOMER 45 Cab HST w/260TLA2 + 935GBH FAST PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER -330014 (3 Range HST) -728025 (Mid-PTO) -720347 (2 Rear Remote) -464432 (260TLA2 Loader) -464435 (935GBH Backhoe w/18" BKT + Thumb) Fast Pick packages no longer include tires. Please select AG, Turf or R4 tires			(\$1,064.00)
		X0525XX	BMR50 R 16X16 LDR BOOMER 50 ROPS Gear w/260TLA2 FAST PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER -330271 (16x16 Gear) -728025 (Mid-PTO) -720347 (2 Rear Remote) -464432 (260TLA2 Loader) Fast Pick packages no longer include tires. Please select AG, Turf or R4 tires			(\$772.00)
		X0526XX	BMR50 R HST LDR BOOMER 50 ROPS HST w/260TLA2 FAST PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER -330014 (3 Range HST) -728025 (Mid-PTO) -720347 (2 Rear Remote) -464432 (260TLA2 Loader) Fast Pick packages no longer include tires. Please select AG, Turf or R4 tires			(\$810.00)

**BOOMER 45 50 AND 55 TIER 4B FINAL
 US PRICE LIST**

		X0527XX	BMR50 R HST LDR BH BOOMER 50 ROPS HST w/260TLA2 + 935GBH FAST PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER -330014 (3 Range HST) -728025 (Mid-PTO) -720347 (2 Rear Remote) -464432 (260TLA2 Loader) -464435 (935GBH Backhoe w/18" BKT + Thumb) Fast Pick packages no longer include tires. Please select AG, Turf or R4 tires			(\$1,019.00)
		X0528XX	BMR50 C HST LDR BOOMER 50 Cab HST w/260TLA2 FAST PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER -330014 (3 Range HST) -728025 (Mid-PTO) -720347 (2 Rear Remote) -464432 (260TLA2 Loader) Fast Pick packages no longer include tires. Please select AG, Turf or R4 tires			(\$886.00)
		X0529XX	BMR50 C HST LDR BH BOOMER 50 Cab HST w/260TLA2 + 935GBH FAST PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER -330014 (3 Range HST) -728025 (Mid-PTO) -720347 (2 Rear Remote) -464432 (260TLA2 Loader) -464435 (935GBH Backhoe w/18" BKT + Thumb) Fast Pick packages no longer include tires. Please select AG, Turf or R4 tires			(\$1,132.00)
		X0530XX	BMR55 R 16X16 LDR BOOMER 55 ROPS Gear w/260TLA2 FAST PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER -330271 (16x16 Gear) -728025 (Mid-PTO) -720347 (2 Rear Remote) -464432 (260TLA2 Loader) Fast Pick packages no longer include tires. Please select AG, Turf or R4 tires			(\$835.00)

**BOOMER 45 50 AND 55 TIER 4B FINAL
US PRICE LIST**

		X0531XX	<p>BMR55 R HST LDR BOOMER 55 ROPS HST w/260TLA2 FAST PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER -330014 (3 Range HST) -728025 (Mid-PTO) -720347 (2 Rear Remote) -464432 (260TLA2 Loader)</p> <p>Fast Pick packages no longer include tires. Please select AG, Turf or R4 tires</p>			(\$873.00)
		X0532XX	<p>BMR55 R HST LDR BH BOOMER 55 ROPS HST w/260TLA2 + 935GBH FAST PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER -330014 (3 Range HST) -728025 (Mid-PTO) -720347 (2 Rear Remote) -464432 (260TLA2 Loader) -464435 (935GBH Backhoe w/18" BKT + Thumb)</p> <p>Fast Pick packages no longer include tires. Please select AG, Turf or R4 tires</p>			(\$1,081.00)
		X0533XX	<p>BMR55 C HST LDR BOOMER 55 Cab HST w/260TLA2 FAST PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER -330014 (3 Range HST) -728025 (Mid-PTO) -720347 (2 Rear Remote) -464432 (260TLA2 Loader)</p> <p>Fast Pick packages no longer include tires. Please select AG, Turf or R4 tires</p>			(\$986.00)
		X0534XX	<p>BMR55 C HST LDR BH BOOMER 55 Cab HST w/260TLA2 + 935GBH FAST PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER -330014 (3 Range HST) -728025 (Mid-PTO) -720347 (2 Rear Remote) -464432 (260TLA2 Loader) -464435 (935GBH Backhoe w/18" BKT + Thumb)</p> <p>Fast Pick packages no longer include tires. Please select AG, Turf or R4 tires</p>			(\$1,194.00)
		XT9981X	Less Fast Pick Config			No Charge

**BOOMER 45 50 AND 55 TIER 4B FINAL
US PRICE LIST**

		X0332XX	BMR 50 ROPS Fast Pick FAST PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER Fast Pick Boomer 50 ROPS (T4B) Package Contains: - Boomer 50 ROPS (T4B) - 330014 (3 Range Hydrostatic Transmission) - 728025 (Mid-PTO) Fast Pick packages no longer include tires. Please select AG, Turf or R4 tires			(\$674.00)
		X0333XX	BMR 50 Cab Fast Pick FAST PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER Fast Pick Boomer 50 Cab (T4B) Package Contains: - Boomer 50 Cab - 330014 (3 Range Hydrostatic Transmission) - 720347 (2 Rear Remote Valves) - 728025 (Mid-PTO) Fast Pick packages no longer include tires. Please select AG, Turf or 4 tires			(\$785.00)

FACTORY SUPPLIED OPTIONS

SD_T2810 TRANSMISSION

		330014	HST + 3 Range			\$1,872.00
		330271	16x16 Synchro Shuttle 330271			No Charge

SD_T4940 FRONT WHEELS AND TIRES

		8199907	Less Front Wheels and Tires. WITH THE CHANGE TO FULLY ASSEMBLED TRACTORS THE LESS FRONT TIRE (8199907) OPTION NO LONGER A VALID SELECTION.			No Charge
		8253304	9.5 x 16 4PR R1			\$762.00
		8267204	28x8.50-15 6PR R3 T			\$762.00
		8276504	12 x 16.5 6PR R4			\$896.00

SD_T4950 REAR WHEELS AND TIRES

		8304804	41 x 14.00-20 4PR R3			\$1,495.00
		8338604	13.6-24 4PR R1			\$1,119.00
		8396704	17.5Lx24 6PR R4			\$1,934.00
		8399907	Less Rear Wheels and Tires WITH THE CHANGE TO FULLY ASSEMBLED TRACTORS THE LESS REAR TIRE (8399907) OPTION NO LONGER A VALID SELECTION.			No Charge



BOOMER 45 50 AND 55 TIER 4B FINAL
US PRICE LIST

SD_T8073 MID PTO KIT

		728025	MID PTO Mid-PTO for - Boomer 35 ROPS (Gear or HST Transmission) - Boomer 40 ROPS or Cab (Gear or HST Transmission) - Boomer 45 ROPS or Cab (Gear or HST Transmission) - Boomer 50 ROPS or Cab (Gear or HST Transmission) - Boomer 55 ROPS or Cab (Gear or HST Transmission)			\$414.00
--	--	--------	--	--	--	----------



**BOOMER 45 50 AND 55 TIER 4B FINAL
US PRICE LIST**

Factory Supplied Attachments

Order Code		Description	Weight	Factory Data	List Price
	825330436	9.5X16 4PR R1	171 LB		\$300.00
	826720406	28X8.50-15 6 PLY TURF R3 NH	152 LB		\$233.00
	827650406	12 X 16.5 6PR R4	177 LB		\$398.00
	830480486	41X14.00-20 4PR R3	581 LB		\$599.00
	833860426	13.6X24 4PR R1 NH	275 LB		\$792.00
	839670406	17.5Lx24 6PR R4	581 LB		\$903.00

PARTS DIVISION SUPPLIED ACCESSORIES FOR COMPACT TRACTORS						
Part Number	Description	Boomer 35/40 (T4B)	Boomer 33/37 (T4B)	Boomer 45/50/55 (T4B)	Boomer 41/47 (T4B)	NOTES:
	CAB/ROPS/FOPS GROUP					
718857196	FOPS Canopy for Roll Bar - White	X (ROPS)	X (ROPS)	X (ROPS)	X (ROPS)	
FFB3A32B	Sunshade canopy (blue)	X (ROPS)	X (ROPS)	X (ROPS)	X (ROPS)	
FFB3A32W	Sunshade canopy (white)	X (ROPS)	X (ROPS)	X (ROPS)	X (ROPS)	
	Aftermarket Cab: Custom Products of Litchfield, Inc. P.O. Box 70 LITCHFIELD, MN 55355 TOLL FREE: 800-CAB-LINE ((800)-222-5463) FAX (320)-693-7252 www.800cabline.com www.cozycab.com	X (ROPS)	X (ROPS)	X (ROPS)	X (ROPS)	
	Soft Cab Enclosure Contact: Original Tractor Cab Co., Inc., P.O. Box 97 Arlington, IN 46104 Phone: (765) 663-2214	X (ROPS)	X (ROPS)	X (ROPS)	X (ROPS)	
	HYDRAULICS GROUP					
	Single Rear Remote - 3-position, Self Centering, lever knob and coupler dust boot (Mono-block valve design. Remote valve not stackable; cannot add a second single rear remote)					
MT20133941	- Rear Remote #1 - CL2 - (Gear or HST)	2 Rear Remotes now STD on BMR 35/40 T4B	X (ROPS)			For S/N before 2242010914 (BMR33) and 2230011714 (for BMR 37)
MT20140713	- Rear Remote #1 - CL2 - (Gear or HST)		X (ROPS)			For S/N after 2242010914 (BMR33) and 2230011714 (for BMR 37)
MT20140704	- Rear Remote #1 - CL2 - (Gear or HST)		X (CAB)			
MT20134019	- Rear Remote #1 - CL3 - (Gear or HST)			2 Rear Remotes now STD on BMR 45/50/55 T4B	X (ROPS)	For S/N before 2231012132 (BMR41) and 2229012617 (for BMR 47)
MT20140712	- Rear Remote #1 - CL3 - (Gear or HST)				X (ROPS)	For S/N after 2231012132 (BMR41) and 2229012617 (for BMR 47)
	Dual Rear Remotes - 3-Position, Self Centering, lever knobs and coupler dust boot (Mono-block valve design. Contains two valves #1 & #2)					
MT20133942	- Rear Remotes #1 & #2 - CL2 - (Gear or HST)		X (ROPS)			For S/N before 2242010914 (BMR33) and 2230011714 (for BMR 37)
MT20140716	- Rear Remotes #1 & #2 - CL2 - (Gear or HST)		X (ROPS)			For S/N after 2242010914 (BMR33) and 2230011714 (for BMR 37)
MT20140705	- Rear Remotes #1 & #2 - CL2 - (Gear or HST)	X (CAB)	X (CAB)			
MT20134021	- Rear Remotes #1 & #2 - CL3 - (Gear or HST)				X (ROPS)	For S/N before 2231012132 (BMR41) and 2229012617 (for BMR 47)
MT20140711	- Rear Remotes #1 & #2 - CL3 - (Gear or HST)				X (ROPS)	For S/N after 2231012132 (BMR41) and 2229012617 (for BMR 47)
MT20140706	- Rear Remotes #1 & #2 - CL3 - (Gear or HST)				X (CAB)	
MT20144549	- Rear Remotes #1 & #2 - CL2 - (Gear or HST)	X (ROPS)				
MT20144747	- Rear Remotes #1 & #2 - CL3 - (Gear or HST)	X (CAB)				
MT20144631	- Rear Remotes #1 & #2 - CL3 - (Gear or HST)			X (ROPS)		
MT20144437	- Rear Remotes #1 & #2 - CL3 - (Gear or HST)			X (CAB)		
	Miscellaneous Hydraulics					
MT20117607	Draft Control ROPS - Gear or HST	X	X			
MT20134023	Draft Control ROPS - Gear or HST			X	X	
MT20137907	Draft Control Cab - Gear or HST	X	X	X	X	

PARTS DIVISION SUPPLIED ACCESSORIES FOR COMPACT TRACTORS						
Part Number	Description	Boomer 35/40 (T4B)	Boomer 33/37 (T4B)	Boomer 45/50/55 (T4B)	Boomer 41/47 (T4B)	NOTES:
PTO GROUP						
MT20131516	Mid PTO - 2000 RPM		X (ROPS)			
MT20123903	Mid PTO - 2000 RPM		X (CAB)			
MT20131515	Mid PTO - 2000 RPM				X (ROPS)	
MT20123902	Mid PTO - 2000 RPM				X (CAB)	
439602006	Mid PTO - 2000 RPM	X				
439604006	Mid PTO - 2000 RPM			X		
WEIGHT GROUP *Attaching hardware is available from Service Parts.						
710215016	Front End Weight 60LB (27 Kg), Max 5 , compatible with grill guard (Requires Front Weight Carrier #718233006 if using more than 2) Not compatible with loader.	X	X	X	X	
718215036	Front End Weight 100 LB (45 Kg), Max 3, NOT compatible with grill guard (Requires Front Weight Carrier #718233006) Not compatible with loader	X	X	X	X	
9864000	Rear Counter Weight Bracket	X	X	X	X	
718233006	Front Weight Bumper/Carrier - Max 5 - 60 lb. weights. Not compatible with loader or grille guard. Requires 100020(Nut); 120090(Bolt); 394631(Washer)	X		X		
48054629	Front Weight Bumper/Carrier - Max 3 - 100 lb. weights. Not compatible with loader or grille guard. Requires 100020(Nut); 120090(Bolt); 394631(Washer)	X		X		
86402249	Front Weight Bumper/Carrier - Max 5 - 60 lb. weights. Not compatible with loader or grille guard. Requires 100020(Nut); 120090(Bolt); 394631(Washer)		X		X	
710470026	Wheel weight (105 lbs each) for R4 IND tires & wheels - 2 max/ wheel; 4 max/ tractor 17.5x24 6PR R4			X	X	
717746006	Ballast Box (500lb Max)	X	X	X	X	Order through wholegoods (eEquipment)
717747006	Ballast Box (1000lb Max)	X	X	X	X	Order through wholegoods (eEquipment)
717748006	Ballast Box (1500lb Max)	X	X	X	X	Order through wholegoods (eEquipment)
MISCELLANEOUS GROUP						
86590117	Engine coolant heater - ISM engine		X		X	
84316967	Engine coolant heater - LS engine	X		X		
84579328	Transmission heater kit	X	X	X	X	
719849276	Grille guard - Deluxe	X	X	X	X	
47857749	Grille guard - Economy	X	X	X	X	Not compatible with front weight carrier and weights
710892016	Tow Hook - Front	X	X	X	X	
710740006	3pt. Quick Hitch	X	X	X	X	Order through wholegoods (eEquipment)
251006F	Linkage drawbar (FONNC830AA Stay kit required)	X	X	X	X	
FONNC830AA	Linkage drawbar stay kit	X	X	X	X	
MT20141007	2 Rear Mounted Cab Worklights (Cab only)	STD on Boomer 40 Cab T4B	X	STD on Boomer 45/50/55 Cab T4B	X	Boomer 40/45/50/55 (T4B) Cab units come with 2 Rear Mounted Cab Worklights as standard equipment.
MT20141006	Rear windshield Wiper/Washer (Cab only)	X	X	X	X	
MT20140914	Roof Beacon (Cab only)	X	X	X	X	
MT210143615	Radio with Blue Tooth (Cab only)	X	X	X	X	
MT20119006	7-pin electrical connector	X	X			
MT20119007	7-pin electrical connector			X	X	
87702589	ROPS mounted work light kit (requires jumper wire)	X	X	X	X	Must also order jumper wire 84360959
To order the following items, contact the Document Management Center (DMC) @ (262) 636-7540; or order online through Dealer Portal (goto "Tools"; select the DMC link)						
84491368	French Operator's Manual		X			
84491370	French Operator's Manual				X	
84389592	French Decal Kit (ROPS)	X	X	X	X	
MT20121713	French Decal Kit (Cab)	X	X	X	X	

**WORKMASTER 25S (SUB COMPACT)
US PRICE LIST**

Standard Equipment

Changes for 1/1/2021 Price Pages

The WM25S is now available with a
Factory Installed Hard Cab. Choose from
two new packages

- #5 (WM25S + Cab + 100LC)
- #6 (WM25S+ Cab+100LC+160GMS)

WORKMASTER 25S

24.7 Gross Engine hp @ 3000 rpm
17.2 PTO hp @ 2933 rpm (HST)

*Available Packages:

- #1 (WM25S + 100LC)
- #2 (WM25S + 100LC + 160GMS)
- #3 (WM25S + 100LC + 905GBL)
- #4 (WM25S + 160GMS)
- #5 (WM25S + Cab + 100LC)
- #6 (WM25S+ Cab+100LC+160GMS)

*Note WORKMASTER 25S is not
orderable as a bare tractor

ALL MODELS

Yanmar 3TNV80F Diesel Engine
3 Cylinder Naturally Aspirated
Tier 4 compliant
77.3 cu. in. (1.26L) Displacement
Under Hood Muffler / Exhaust
Single Element Air Cleaner
Full-flow, Spin-on Oil Filter
Fuel Filter with water separator
Quick Glow Plug Starting Aid
Flip-up Hood
6.6 gallon (25L) Fuel Tank

TRANSMISSION

2-Range Hydrostatic with Cruise Control
and Two-Pedal direction control for
forward and reverse

FRONT AXLE

Four Wheel Drive (FWD)
Color Coded Engagement Lever
Fixed Position Rims
Tread Setting with R4 tires
- 36.1 in. (916 mm)

REAR AXLE

Rear Differential Lock
Flange Type Axle
Fixed Position Rims
Tread Setting with R4 tires
- 34.6 in. (880 mm)

STEERING

Hydrostatic Power Steering
Fixed Steering Column

BRAKES

Wet Disc
Single Brake Pedal
Foot-Assist Parking Brake Latch

HYDRAULIC SYSTEM

Open Center Hydraulic System
Dual Gear-type Pumps
Implement Pump Capacity:
- 4.6 gpm (17.4 L/min)
Steering Pump Capacity:
- 2.1 gpm (8 L/min)
Mid-Mount Valve w/ Joystick

3-POINT LIFT SYSTEM

Lift Capacity @ 3-Point Ends:
- 992 (lbs.) / 450 (kg)
Category I, 3-point Linkage
3-Point Control Lever
Drop Rate Control Knob
Turn-Buckle Type Leveling Mechanism
Chain Stabilizers
Fixed Link Ends
Rotary Length of Cut Knob
(for use with 160GMS mower)

**WORKMASTER 25S (SUB COMPACT)
US PRICE LIST**

Standard Equipment

PTO

Rear PTO

- Independent 540 rpm
- Electro-hydraulic engagement
- Fixed Shield / Shaft Cap

Mid PTO

- Independent 2500 rpm
- Mechanical /E-hydraulic engagement

ROPS PLATFORM

2-Post, Foldable Roll Bar

Contoured Cushion Seat

- Fore / Aft Adjustable
- Adjustable Backrest
- Spring Suspension
- Arm Rests
- Retractable Seat Belt

Deluxe Floor Mat

Left & Right Side Grab Handles

Cupholder & Small Storage Area

Power Outlet

Slow Moving Vehicle Emblem

Cab PLATFORM

(2) Doors

Opening Rear Window

Heater (mulit-speed fan)

Radio-ready with speaker, wiring and antenna

Contoured Cushion Seat

- Fore / Aft Adjustable
- Adjustable Backrest
- Spring Suspension
- Arm Rests
- Retractable Seat Belt

Deluxe Floor Mat

Cupholder & Small Storage Area

Power Outlet

Left and Right External Mounted Mirrors

Front Wiper

Slow Moving Vehicle Emblem

INSTRUMENT PANEL

Deluxe Automotive-Style Dash

Digital Tachometer

Analog Fuel Gauge

Analog Engine Temperature Gauge

Digital Hour Meter

Engine Oil Pressure Warning Light

Coolant Temperature Warning Light

Battery Charge Warning Light

Quick Glow Plug Indicator Light

PTO ON Indicator Light

Cruise Control Engagement

Parking Brake Indicator Light

Turn Indicator Lights

Hazard Flasher Indicator Lights

ELECTRICAL

12-volt, 45Ah, 430 CCA Battery

Safety Start Switch

Key Start/Fuel Shutoff

40 amp Alternator

Operator Presence System

LIGHTING ROPS

(2) Halogen Headlights

(2) Taillights / Brakelights

(2) Flashing Warning Lights / Turn Signals

LIGHTING Cab

(2) Halogen Headlights

(2) Front-mounted Cab Work Lights

(2) Rear-mounted Cab Work Lights

(2) Taillights / Brakelights

(2) Flashing Warning Lights / Turn Signals

**WORKMASTER 25S (SUB COMPACT)
US PRICE LIST**

Standard Equipment

100LC Front End Loader

- Included in Package #1, 2, 3, 5, 6
 - Quick attach Design
 - 50" SSL Quick Attach
- (units produced after 1/1/2020)

Specifications:

Lift Capacity to Maximum Height

- @ Bucket Pivot Pins (lbs.): 1005
- @ 500mm forward (lbs.): 693

Lift Capacity to 1500 mm Height

- @ Bucket Pivot Pins (lbs.): 1142
- @ 500mm forward (lbs.): 823

Breakout Force

- @ Bucket Pivot Pins (lbs.): 2079
- @ 500mm forward (lbs.): 1426

Max Lift Height @ Pivot Pin (in.): 72

Clearance w/Bucket Dumped (in.): 51

Reach at Maximum Height (in.): 23.4

Maximum Dump Angle (deg.): 46

Maximum Rollback Angle (deg.): 28

Digging Depth (in.): 4.6

Height in Carry Position (in.): 41.5

Bucket Size and Capacity

- Width: 50 Inch
- Capacity (cu. ft.)
- Struck: 5.3
- Heaped: 7.4

Cycle Times (sec)

- Raise: 3.6
- Lower: 2.1
- Bucket Dump: 2.3
- Bucket Rollback: 1.5

Approx. Weight w/ Bucket (lbs.): 363

905GBL Backhoe (6.5 ft.)

- Included in Package #3
- 9 Inch Bucket
- Reversible Tractor Seat

Specifications:

Transport Height (in.): 74.7

Loading Height (in.): 59.6

Overall Width (in.): 45.3

Ground Clearance (in.): 12.8

Maximum Digging Depth (in.): 79.4

Reach from Centerline of Swing Pivot (in.): 114.9

Swing Arc (deg.): 135

Bucket Rotating (deg.): 169.4

Stabilizer Spread (Down) (in.): 78.6

Stabilizer Spread (Up) (in.): 53.2

Bucket Digging Forceper SAE J49 (lbs.)

w/Bucket Cylinder: 2,194

w/Dipperstick Cylinder: 1332

Shipping Weight (lbs.): 707



**WORKMASTER 25S (SUB COMPACT)
US PRICE LIST**

Standard Equipment

160GMS Mid Mount Mower

- Included in Packages #2, 4, 6
- Side Discharge Design

Specifications

Cutting Width (in.): 60
Overall Width (in.): 75.6
Cutting Height Range (in.): 1 to 4
Deck Shell Thickness (in.): 0.126
Spindle Speed at 3000 RPM: 2,640
Blade Tip Speed (ft./min.): 14,144
Number of Blades: 3
Blade Length (in.): 20.5
Blade Width (in.): 2.48
Blade Thickness (in.): 0.236
Weight of Base 60" Deck (lbs.): 285

WARRANTIES

(WORKMASTER 25S) BOOMER GUARD-6

Full Coverage

- 24 months or 750 total hours

Powertrain

- Additional 48 months (72 total months) or 1500 total hours

(100LC LDR, 905GBL BH, 160GMS M)

New Holland Standard Warranty Applies

WORKMASTER 25S compacts will arrive at your dealership fully assembled (Roll on / Roll off) and ready to sell. This includes the installation of any Cab, 100LC loader, 905GBL Backhoe or 160GMS Mower Deck included in Packages 1-6.

Tractor assembly and loader installation are free of charge. Freight charges will apply



**WORKMASTER 25S (SUB COMPACT)
US PRICE LIST**

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

FAST PICK CONFIGURATION

SD T9981 CONFIGURATION

X0362XX	<p>Tractor + Loader</p> <p>Package 1:</p> <p>WORKMASTER 25S + 100LC Loader</p> <p>Package Contains:</p> <ul style="list-style-type: none"> - 728038006 (WM25S) - 449334106 (2 Range Hydrostatic Transmission) - 464439006 (100LC Loader with *50 inch SSL QA bucket) * SSL QA Bucket on units produced after 1/1/2020. Prior to 1/1/2020 units have a 50 inch pin on bucket <p>This package does not include tires.</p> <p>Select one of the following tire packages:</p> <p>R4 Industrial: (Front 820780406 / Rear 830690406)</p> <p>or</p> <p>R3 Turf: (Front 820790406 / Rear 830700406)</p>			\$17,102.00
X0363XX	<p>Tractor + Loader + Mower</p> <p>Package 2:</p> <p>WORKMASTER 25S + 100LC Loader + 160GMS Mid-Mount Mower</p> <p>Package Contains:</p> <ul style="list-style-type: none"> - 728038006 (WM25S) - 449334106 (2 Range Hydrostatic Transmission) - 464439006 (100LC Loader with *50 inch SSL QA bucket) * SSL QA Bucket on units produced after 1/1/2020. Prior to 1/1/2020 units have a 50 inch pin on bucket - 728099006 (160GMS 60 inch Mid-Mount Mower) <p>This package does not include tires.</p> <p>Select one of the following tire packages:</p> <p>R4 Industrial: (Front 820780406 / Rear 830690406)</p> <p>or</p> <p>R3 Turf: (Front 820790406 / Rear 830700406)</p>			\$19,231.00

**WORKMASTER 25S (SUB COMPACT)
 US PRICE LIST**

		X0364XX	Tractor + Loader + Backhoe Package 3: WORKMASTER 25S + 100LC Loader + 905GBL Backhoe Package Contains: - 728038006 (WM25S) - 449334106 (2 Range Hydrostatic Transmission) - 464439006 (100LC Loader with *50 inch SSL QA bucket) * SSL QA Bucket on units produced after 1/1/2020. Prior to 1/1/2020 units have a 50 inch pin on bucket - 728035006 (905GBL Backhoe with 9" bucket) This package does not include tires. Select one of the following tire packages: R4 Industrial: (Front 820780406 / Rear 830690406) or R3 Turf: (Front 820790406 / Rear 830700406)			\$21,975.00
		X0365XX	Tractor + Mower Package 4: WORKMASTER 25S + 160GMS Mid-Mount Mower Package Contains: - 728038006 (WM25S) - 449334106 (2 Range Hydrostatic Transmission) - 728099006 (160GMS 60 inch Mid-Mount Mower) This package does not include tires. Select one of the following tire packages: R4 Industrial: (Front 820780406 / Rear 830690406) or R3 Turf: (Front 820790406 / Rear 830700406)			\$15,739.00

**WORKMASTER 25S (SUB COMPACT)
US PRICE LIST**

		X1955XX	WM25S W/CAB + LOADER Package 5 WORKMASTER 25S + Cab + 100LC Loader Package Contains: - 728038006 (WM25S) - 449334106 (2 Range Hydrostatic Transmission) - 464847006 (Sub Compact Cab) - 464439006 (100LC Loader with *50 inch SSL QA bucket) This package does not include tires. Select one of the following tire packages: R4 Industrial: (Front 820780406 / Rear 830690406) or R3 Turf: (Front 820790406 / Rear 830700406)			\$22,102.00
		X1956XX	WM25S W/CAB+LDR+MMM Package 6 WORKMASTER 25S + Cab + 100LC Loader + 160GMS Mid-Mower Package Contains: - 728038006 (WM25S) - 449334106 (2 Range Hydrostatic Transmission) - 464847006 (Sub Compact Cab) - 464439006 (100LC Loader with *50 inch SSL QA bucket) - 728099006 (160GMS 60 inch Mid-Mount Mower) This package does not include tires.			\$24,231.00

FRONT WHEELS AND TIRES

SD_T4940 FRONT WHEELS AND TIRES

		8207804	18X8.50-10 R4			No Charge
		8207904	18X8.50-10 R3 TURF			No Charge

REAR WHEELS AND TIRES

SD_T4950 REAR WHEELS AND TIRES

		8306904	26X12.00-12 R4			No Charge
		8307004	26X12.00-12 R3 TURF			No Charge

PARTS DIVISION SUPPLIED ACCESSORIES FOR COMPACT TRACTORS			
Part Number	Description	WORKMASTER 25S	Notes:
	CAB/ROPS/FOPS GROUP		
718857196	FOPS Canopy for Roll Bar - White	X	
	HYDRAULICS GROUP		
MT20143160	Single Rear Remote - (Max one rear remote per tractor)	X	
	WEIGHT GROUP *Attaching hardware is available from Service Parts.		
718233076	Front End Weight 60LB (27 Kg), Max 3, compatible with grill guard (Requires Front Weight Carrier #84532452) Not compatible with loader.	X	
710215016	Front Weight Bumper/Carrier - Max 3 - 60 lb. weights. Not compatible with loader	X	
717746006	Ballast Box 100lbs, 500lbs. Max capacity	X	Order Through Wholegoods (eEquipment)
	MISCELLANEOUS GROUP		
48198821	Engine coolant heater	X	
MT20147722	Grille guard - Vertical plates, no cross bars (Std w/LC100 Loader)	X	
MT20124710	Clevis / 2-Position Extension Drawbar Kit		
MT20145527	7 Pole connector	X	
MT20145526	ROPS mounted work light kit	X	
To order the following items, contact the Document Management Center (DMC) @ (262) 636-7540; or order online through Dealer Portal (goto "Tools"; select the DMC link)			
	French Operator's Manual / Decal Kit	X	

WORKMASTER 25/35/40 VALUE COMPACTS (T4B)
US PRICE LIST

Standard Equipment

Benefits of Fast Pick configurations:

- 2% discount over ala-cart orders
- Single Invoice for TL or TLB
- Easier Quoting
- Simplified Programing

WORKMASTER™ 25 (Tier 4B)

24.4 Gross Engine hp @ 2500 rpm
19.2 PTO hp @ 2500 rpm (Gear)
17.1 PTO hp @ 2500 rpm (Hydro)

ALL MODELS

Mitsubishi S3L 3 Cyl. Diesel Engine
3 Cylinder Naturally Aspirated
Tier 4 compliant
80.4 cu. in. (1.3L) Displacement
Under Hood Muffler / Exhaust
Single Element Air Cleaner
Full-flow, Spin-on Oil Filter
Fuel Filter with water separator
Quick Glow Plug Starting Aid
Flip-up Hood
7.4 (28L) gallon Fuel Tank

TRANSMISSION OPTIONS

12 x 12 Shuttle Shift Transmission
Left-hand, dash mounted,
synchronized shuttle
(4) Non-Synchronized gears
(3) Non-synchronized ranges

3-Range Hydrostatic with Cruise Control
and Dual-Pedal direction control for
forward and reverse

FRONT AXLE

Four Wheel Drive (FWD)
Fixed Position Rims
Tread Setting with R4 tires
- 45.6 in. (1159 mm)

REAR AXLE

Flange Type Axle
Rear Differential Lock
Reversible Position Rims - R1 tires only
Fixed Position Rims - R3, R4 tires
Tread Setting with R4 tires
- 50.5 in. (1283 mm)

STEERING

Hydrostatic Power Steering
Fixed Steering Column

BRAKES

Wet Disc
Dual Brake Pedals
Foot-assist Parking Brake Lever

HYDRAULIC SYSTEM

Open Center Hydraulic System
Dual Gear-type Pumps
Total Pump Capacity:
- Gear 12.5 gpm (47.5 L/min)
- HST 12.5 gpm (47.5 L/min)

1 Rear Remote Valve

3-POINT LIFT SYSTEM

Lift Capacity @ link ends:
- 1808 (lbs.) / 820 (kg)
Category I, 3-point Linkage
Position Control Lever
Drop Rate Control Knob
Turnbuckle Leveling Mechanism
Telescoping Stabilizers
Fixed Link Ends

PTO

Rear PTO
- Independent 540 rpm
- Electro-hydraulic engagement
- Flip-up Shield /Shaft Cap
Mid PTO (OPTIONAL)
-Independent 2000 RPM

DRAWBAR

2-Position Extendable + chain hook

WORKMASTER 25/35/40 VALUE COMPACTS (T4B)
US PRICE LIST

Standard Equipment

OPERATOR'S AREA

- 2 Post Foldable ROPS
- Contoured Cushion Seat
 - Fore / Aft
 - Flip up
 - Spring Suspension
 - Seat Belt

Foot Throttle (gear transmission)
Left Side Step
Left Side Grab Handle
Slow Moving Vehicle Emblem

WORKMASTER 25 compacts will arrive at your dealership fully assembled (Roll on / Roll off) and ready to sell. This includes Fast Pick configurations that include a 200LC loader or 200LC Loader and 910GBL Backhoe.

Tractor assembly and loader installation are free of charge. Freight charges will apply

INSTRUMENT PANEL

Deluxe Automotive-Style Dash
Digital Tachometer
Analog Fuel Gauge
Analog Engine Temperature Gauge
Digital Hour Meter
Engine Oil Pressure Warning Light
Coolant Temperature Warning Light
Battery Charge Warning Light
Quick Glow Plug Indicator Light
PTO ON Indicator Light
Parking Brake Indicator Light
Turn Indicator Lights
Hazard Flasher Indicator Lights

ELECTRICAL

12-volt, 80Ah, 660 CCA Battery
Safety Start Switch
Key Start/Fuel Shutoff
50 amp Alternator
Operator Presence System

LIGHTING

(2) Halogen Headlights
(2) Taillights / Brakelights
(2) Warning Lights /Turn Signals

BOOMER GUARD-6 WARRANTY

Full Coverage

- 24 months or 750 total hours

 Powertrain

- Additional 48 months (72 total months) or 1500 total hours

WORKMASTER 25/35/40 VALUE COMPACTS (T4B)
US PRICE LIST

Standard Equipment

Benefits of Fast Pick configurations:

- 2% discount over ala-cart orders
- Single Invoice for TL or TLB
- Easier Quoting
- Simplified Programing

WORKMASTER™ 35 (Tier 4B Final)
35.0 Gross Engine hp @ 2600 rpm
29.7 PTO hp @ 2600 rpm (Gear)
28.0 PTO hp @ 2600 rpm (Hydro)

WORKMASTER™ 40 (Tier 4B Final)
40.0 Gross Engine hp @ 2600 rpm
34.0 PTO hp @ 2600 rpm (Gear)
32.0 PTO hp @ 2600 rpm (Hydro)

ALL MODELS

LS Model L32L19 Diesel Engine
3 Cylinder, Turbcharged Engine
Common Rail / Direct Fuel Injection
Tier 4b Final Emissions Compliant
114.7 cu. in. (1.9L) Displacement
Under Hood Muffler / Exhaust
Two-stage Dual Element Air Cleaner
Full-flow, Spin-on Oil Filter
Fuel Filter with water separator
Quick Glow Plug Starting Aid
Flip-up Hood w/ Gas Strut
7.4 (28L) gallon Fuel Tank

TRANSMISSION OPTIONS

12 x 12 Shuttle Shift Transmission
Left-hand, dash mounted,
synchronized shuttle
(4) Non-Synchronized gears
(3) Non-synchronized ranges
3-Range Hydrostatic with Cruise Control
and Dual-Pedal direction control for
forward and reverse

FRONT AXLE

Four Wheel Drive (FWD)
Fixed Position Rims
Tread Setting with R4 tires
- 45.6 in. (1159 mm)

REAR AXLE

Flange Type Axle
Rear Differential Lock
Reversible Position Rims - R1 tires only
Fixed Position Rims - R3, R4 tires
Tread Setting with R4 tires
- 50.5 in. (1283 mm)

STEERING

Hydrostatic Power Steering
Fixed Steering Column

BRAKES

Wet Disc
Dual Brake Pedals
Foot-assist Parking Brake Lever

HYDRAULIC SYSTEM

Open Center Hydraulic System
Dual Gear-type Pumps
Total Pump Capacity:
- Gear 12.4 gpm (46.8 L/min)
- HST 13.5 gpm (50.8 L/min)
Mid-Mount Valve and Joystick
1 Rear Remote Valve

3-POINT LIFT SYSTEM

Lift Capacity @ link ends:
- 1808 (lbs.) / 820 (kg)
Category I, 3-point Linkage
Position Control Lever
Drop Rate Control Knob
Turnbuckle Leveling Mechanism
Telescoping Stabilizers
Fixed Link Ends

PTO

Rear PTO
- Independent 540 rpm
- Electro-hydraulic engagement
- Flip-up Shield / Shaft Cap
Mid PTO (OPTIONAL)
-Independent 2000 RPM

WORKMASTER 25/35/40 VALUE COMPACTS (T4B)
US PRICE LIST

Standard Equipment

DRAWBAR

- 2-Position Extendable
- Safety chain hook

OPERATOR'S AREA

- 2 Post Foldable ROPS
- Contoured Cushion Seat
 - Fore / Aft
 - Flip up
 - Spring Suspension
 - Seat Belt
- Foot Throttle (gear transmission)
- Left Side Step
- Left Side Grab Handle
- Slow Moving Vehicle Emblem

INSTRUMENT PANEL

- Digital Tachometer
- Fuel Gauge
- Coolant Temperature Gauge
- Hour Meter
- Engine Oil Pressure Warning Light
- Battery Charge Warning Light
- Cold Starting Aid Indicator Light
- PTO ON Indicator Light
- Parking Brake Indicator Light
- Turn Indicator Lights
- Hazard Flasher Indicator Lights
- High Beam Headlights Indicator

ELECTRICAL

- 12-volt, 80Ah, 660 CCA Battery
- Safety Start Switch
- Key Start/Fuel Shutoff
- 70 amp Alternator
- Operator Presence System

LIGHTING

- (2) Halogen Headlights
- (2) Halogen Corner Work Lights
- (2) Taillights / Brakelights
- (2) Flashing Warning Lights / Turn Signals

BOOMER GUARD-6 WARRANTY

- Full Coverage
 - 24 months or 750 total hours
- Powertrain
 - Additional 48 months (72 total months) or 1500 total hours

WORKMASTER 35 or 40 compacts will arrive at your dealership fully assembled (Roll on / Roll off) and ready to sell. This includes Fast Pick configurations that include a 140TLA2 loader or 140TLA2 Loader and 925GBH Backhoe.

Tractor assembly and loader installation are free of charge. Freight charges will apply



WORKMASTER 25/35/40 VALUE COMPACTS (T4B)
US PRICE LIST

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
WORKMASTER 25 T4B	2,469 LB		\$15,564.00
WORKMASTER 35 T4B	3,067 LB		\$20,255.00
WORKMASTER 40 T4B	3,067 LB		\$21,926.00



WORKMASTER 25/35/40 VALUE COMPACTS (T4B)
US PRICE LIST

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

FAST PICK CONFIGURATION

SD_T9981 CONFIGURATION

	X0535XX	WM25 12X12 LDR WORKMASTER 25 Gear w/200LC FAST PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER -720110 (12x12 Gear) -728025 (Mid-PTO) -720366 (1 Rear Remote) -728036 (200LC Loader) Fast Pick packages no longer include tires. Please select AG, Turf or R4 tires			(\$404.00)
	X0536XX	WM25 HST LDR WORKMASTER 25 HST w/200LC FAST PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER -729290 (3 Range HST) -728025 (Mid-PTO) -720366 (1 Rear Remote) -728036 (200LC Loader) Fast Pick packages no longer include tires. Please select AG, Turf or R4 tires			(\$431.00)
	X0537XX	WM25 HST LDR BH WORKMASTER 25 HST w/200LC + 910GBL FAST PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER -729290 (3 Range HST) -728025 (Mid-PTO) -720366 (1 Rear Remote) -728036 (200LC Loader) -728035 (910GBL Backhoe) Fast Pick packages no longer include tires. Please select AG, Turf or R4 tires			(\$589.00)

WORKMASTER 25/35/40 VALUE COMPACTS (T4B)
US PRICE LIST

		X0538XX	WM35 12X12 LDR WORKMASTER 35 Gear w/140TLA2 FAST PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER -720110 (12x12 Gear) -728025 (Mid-PTO) -720366 (1 Rear Remote) -464433 (140TLA2 Loader) Fast Pick packages no longer include tires. Please select AG, Turf or R4 tires			(\$521.00)
		X0539XX	WM35 HST LDR WORKMASTER 35 HST w/140TLA2 FAST PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER -729029 (3 Range HST) -728025 (Mid-PTO) -720366 (1 Rear Remote) -464433 (140TLA2 Loader) Fast Pick packages no longer include tires. Please select AG, Turf or R4 tires			(\$548.00)
		X0540XX	WM35 HST LDR BH WORKMASTER 35 HST w/140TLA2 + 925GBH FAST PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER -729029 (3 Range HST) -728025 (Mid-PTO) -720366 (1 Rear Remote) -464433 (140TLA2 Loader) - 464436 (925GBH Backhoe w/ 18" BKT + Thumb) Fast Pick packages no longer include tires. Please select AG, Turf or R4 tires			(\$743.00)
		X0541XX	WM40 12X12 LDR WORKMASTER 40 Gear w/140TLA2 FAST PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER -720110 (12x12 Gear) -728025 (Mid-PTO) -720366 (1 Rear Remote) -464433 (140TLA2 Loader) Fast Pick packages no longer include tires. Please select AG, Turf or R4 tires			(\$555.00)

WORKMASTER 25/35/40 VALUE COMPACTS (T4B)
US PRICE LIST

		X0542XX	WM40 HST LDR WORKMASTER 40 HST w/140TLA2 FAST PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER -729029 (3 Range HST) -728025 (Mid-PTO) -720366 (1 Rear Remote) -464433 (140TLA2 Loader) Fast Pick packages no longer include tires. Please select AG, Turf or R4 tires			(\$582.00)
		X0543XX	WM40 HST LDR BH WORKMASTER 40 HST w/140TLA2 + 925GBH FAST PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER -729029 (3 Range HST) -728025 (Mid-PTO) -720366 (1 Rear Remote) -464433 (140TLA2 Loader) -464436 (925GBH Backhoe w/ 18" BKT + Thumb) Fast Pick packages no longer include tires. Please select AG, Turf or R4 tires			(\$776.00)
		XT9981X	Less Fast Pick Config			No Charge
		X0341XX	WM 35 Gear R1 Fast Pick FAST PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER Fast Pick WORKMASTER 35 ROPS (T4B) Package Contains: - WORKMASTER 35 ROPS (T4B) - 720110 (12x12 Gear Transmission w/ Mechanical Shuttle) - 728025 (Mid-PTO) - 720366 (1 Rear Remote) Fast Pick packages no longer include tires. Please select AG, Turf or 4 tires			(\$412.00)
		X0337XX	WM 35 Gear R4 Fast Pick FAST PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER Fast Pick WORKMASTER 35 ROPS (T4B) Package Contains: - WORKMASTER 35 ROPS (T4B) - 720110 (12x12 Gear Transmission w/ Mechanical Shuttle) - 728025 (Mid-PTO) - 720366 (1 Rear Remote) Fast Pick packages no longer include tires. Please select AG, Turf or R4 tires			(\$412.00)

WORKMASTER 25/35/40 VALUE COMPACTS (T4B)
US PRICE LIST

		X0338XX	WM 40 HST R4 Fast Pick FAST PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER Fast Pick WORKMASTER 40 ROPS (T4B) Package Contains: - WORKMASTER 40 ROPS (T4B) - 729290 (3 Range Hydrostatic Transmission) - 728025 (Mid-PTO) - 720366 (1 Rear Remote) Fast Pick packages no longer include tires. Please select AG, Turf or R4 tires			(\$472.00)
--	--	---------	--	--	--	------------

FACTORY SUPPLIED OPTIONS

SD_T2810 TRANSMISSION

		720110	12 x 12 Synchro-shuttle			No Charge
		729290	Hydrostatic Transmission			\$1,358.00

SD_T4940 FRONT WHEELS AND TIRES

		8199907	Less Front Wheels and Tires. WITH THE CHANGE TO FULLY ASSEMBLED TRACTORS THE LESS FRONT TIRE (8199907) OPTION NO LONGER A VALID SELECTION.			No Charge
		8204604	7 x 14 6PR R1 Ag Bar			\$379.00
		8266304	25 x 8.50 - 14 6PR R4			\$494.00
		8267104	25x8.50-14 10PR R3 T			\$379.00

SD_T4950 REAR WHEELS AND TIRES

		8304804	41 x 14.00-20 4PR R3			\$1,437.00
		8332604	11.2 x 24 4PR R1 Ag Bar			\$968.00
		8364564	43 x 16.00-20 R4			\$1,246.00
		8399907	Less Rear Wheels and Tires WITH THE CHANGE TO FULLY ASSEMBLED TRACTORS THE LESS REAR TIRE (8399907) OPTION NO LONGER A VALID SELECTION.			No Charge

SD_T8073 MID PTO KIT

		728025	MID PTO Mid-PTO Option for WM 25/35/40 (T4B) gear and HST models			\$330.00
		XT8073X	LESS MID PTO			No Charge



WORKMASTER 25/35/40 VALUE COMPACTS (T4B)
US PRICE LIST

Factory Supplied Attachments

Order Code		Description	Weight	Factory Data	List Price
	820460446	7X14 6PR R1 NH	275 LB		\$232.00
	826630446	25X8.50-14 6PR R4 NH	275 LB		\$224.00
	826710406	25X8.50-14 10 PLY TURF R3	98 LB		\$235.00
	830480436	41X14.00-20 4PR R3 TURF NH	275 LB		\$596.00
	833260436	11.2X24 4PR R1 NH	275 LB		\$624.00
	836456446	43X16-20 R4	275 LB		\$643.00

Dealer Installed Accessories							
Part Number	Description	WM33 (T4B)	WM37 (T4B)	WM25	WM35 (T4B)	WM40 (T4B)	Notes
	ROPS / FOPS Group						
718857196	FOPS canopy - white	x	x	x	x	x	
FFB1A32W	Sunshade - white	x	x	x	x	x	
	Hydraulics & PTO Group						
439585006	MMV Kit for WM25 without Loader			x			Use when installing a Front Mount Snowblower or Broom pm units without a loader
MT20146722	Single rear remote; 3 position self centering			x			
MT20139103	Single rear remote; 3 position self centering	x	x		x	x	
MT20146724	Dual rear remote; 3 position self centering			x			
MT20139104	Dual rear remote; 3 position self centering	x	x		x	x	
MT20129402	Mid PTO - 2000 rpm	x	x	x	x	x	2 hour install time -
	Weight Group						
710215016	60lb (27kg) front weight segment	x	x	x	x	x	5 max; compatible with grille guard Requires Front Weight Carrier for 3 or more Weights (718233006)
718215036	100lb (45kg) front weight segment	x	x	x	x	x	3 max; compatible with grille guard Requires Front Weight Carrier (718233006)
718233006	Front weight carrier	x	x	x	x	x	Not compatible with loader
	Miscellaneous						
719849306	Grille guard	x	x	x	x	x	fixed in place
84550562	Block heater			x			
86590117	Block heater	x	x				
84316967	Block heater				x	x	
MT20129204	RH fender grab handle	x	x	x	x	x	
MT20117609	Lower flex link ends	x	x	x	x	x	complete rplaces lower arm
87702598	ROPS mounted rear work light	x	x	x	x	x	requires jumper 84360959
84360959	Rear work light jumper wire	x	x	x	x	x	
717746006	Ballast Box (500lb max)	x	x	x	x	x	order through wholegoods
MT20139107	Horn Kit	x	x		x	x	
MT20147215	Horn Kit			x			
To order the following items, contact the Document Management Center (DMC) @ (262) 636-7540; or order online through Dealer Portal ("Tools"; select the DMC link)							
	French Operator's Manual	X	X	X	X	X	
	French Decal Kit	X	X	X	X	X	
	Spanish Operator's Manual	X	X	X	X	X	



WORKMASTER 50 / 60 / 70
US PRICE LIST

Standard Equipment

WORKMASTER# 50

53 Engine hp @ 2600
 45 PTO hp @ 2600

WORKMASTER# 60

60 Engine hp @ 2600
 51 PTO hp @ 2600

WORKMASTER# 70

70 Engine hp @ 2600
 62 PTO hp @ 2600

ALL MODELS

3 Cylinder Turbocharged Engine
 Tier 4b Final Emission Compliant
 136.0 cu in (2.2 L) Displacement
 Mechanical Fuel Injection Pump
 Electric Engine Shutoff
 Hand and Foot Throttle Controls
 Quick Glow Plug Starting Aid
 Air Cleaner with dual dry elements
 Under Hood Muffler / Exhaust
 Fuel Sediment Filter
 Pivoting Engine Hood
 SMV Emblem
 B7 Biodiesel compatible
 17.2 Gallon Fuel Tank (65 L)

TRANSMISSION

8 x 8 Transmission with Synchronized
 Left Hand Shuttle
 (4) Synchronized gears
 (2) Non-synchronized ranges
 11 inch Traction Clutch

FRONT AXLE - 2WD

Adjustable Front Axle
 Adjustable Rear Rims

FRONT AXLE - 4WD

Mechanical FWD Engagement
 Front Drive Shaft Shield
 Adjustable Front & Rear Rims

REAR AXLE

Flange Type Axle
 In-board Planetary Design
 Rear Diff Lock - Mechanical Engagement

BRAKES

Mechanical Wet Brakes
 Park Brake - Hand Engagement

STANDARD TIRES: WM 50

Tires - 2wd - R1
 Front: 7.5 X 16 6PR (F2)
 Rear: 13.6 X 28 6PR (R1)
 Tires - 4wd - R1
 Front: 8.3 X 24 6PR (R1)
 Rear: 13.6 X 28 6PR (R1)

STANDARD TIRES: WM 50/70

Tires - 2wd - R1
 Front: 7.5 X 16 6PR (F2)
 Rear: 14.9 X 28 6PR (R1)
 Tires - 4wd - R1
 Front: 9.5 X 24 6PR (R1)
 Rear: 14.9 X 28 6PR (R1)

NOTE: All 4wd equipped units have a single gear box ratio allowing (AG), (R4) and (R3) tires to be swapped in the field without the need to change ratios.

HYDRAULIC SYSTEM

Hydrostatic Power Steering
 Open Center System
 (1) Lever Controlled Rear Remote Valve (Float & Detent)
 Dual Gear Pumps
 Implement Pump: 11.9 gpm (45 L/M)
 Steering Pump: 5.5 gpm (21 L/M)

LOADER READY

Includes Mid-Mount Valve & Joystick,
 Loader Mounts, Hose Kit & Grill Guard



**WORKMASTER 50 / 60 / 70
US PRICE LIST**

Standard Equipment

3-POINT LIFT SYSTEM

Single Lever Position Control
 Lift Capacity @ Ball ends:
 3307 lbs. (1500 kg)
 Lift Capacity @ 24" behind ball ends:
 2701 lbs. (1125 kg)
 Combined Ball ends Cat I / Cat II
 Telescoping Stabilizers
 Flexible Link Ends
 Draft Control

PTO

11 inch PTO Clutch
 Independent, 540 rpm PTO
 Single Lever, Mechanical Engagement
 Flip-up PTO Shaft Guard

DRAWBAR

Flat Swinging Drawbar

OPERATOR'S STATION

Straddle Deck Configuration
 2-post Foldable ROPS
 Contoured Cushion Seat
 - Fore / Aft Adjustment
 - Retractable Seat Belt

- Operator's Presence Sensor
 Cupholder
 Toolbox

INSTRUMENT PANEL

Digital / Analog Instrument Panel with
 warning lights, engine temperature,
 fuel level gauges, tachometer and hour
 meter

ELECTRICAL

(1) 12-volt, 720 CCA Battery
 Alternator = 75 amp
 7 Pin Outlet - For trailer/implement
 lighting

LIGHTING

(2) Halogen Headlights
 (2) Halogen Corner Work Lights
 Tail lights / Brake lights
 Turn Signals, Flashing warning lights

WARRANTY

New Holland Standard Warranty Applies



**WORKMASTER 50 / 60 / 70
US PRICE LIST**

Models

COMMERCIAL MODEL	TRACTION	Weight	Factory Data	List Price
WORKMASTER 50	2WD	4,442 LB		\$28,973.00
WORKMASTER 50	MFD	5,059 LB		\$32,496.00
WORKMASTER 60	2WD	4,442 LB		\$30,312.00
WORKMASTER 60	MFD	5,059 LB		\$33,835.00
WORKMASTER 70	2WD	4,442 LB		\$32,615.00
WORKMASTER 70	MFD	5,059 LB		\$36,138.00



**WORKMASTER 50 / 60 / 70
US PRICE LIST**

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

TIRES AND WHEELS

FRONT AND REAR WHEELS AND TIRES

SD_T4940 FRONT WHEELS AND TIRES

2wd				
	8199101	Front Shipping Wheels-2wd Less tire option. Front shipping wheels for all 2WD models Order with 8399905		(\$325.00)
	8299905	Front Shipping Wheels-4WD Less tire option. Front shipping wheels for all 4WD models Order with 8399905		(\$325.00)
	8812461	FR-R4-RYRE 11Lx15F3 - 2WD F3 Industrial Front Tires for all 2WD models. Order with 8940301		\$270.00
	8270600	Front Wheel - 7.5 x 16 - 2WD (F2)		No Charge
4wd				
	8812451	FR-R4 TYRE 12.4x20 R4 Industrial Front Tires for all 4WD models. Order with 8940301		\$372.00
	8812471	FR-R-3TYRE-9.5X24 - 4WD R3 Turf Front tires of all 4WD models. Order with 8912481		\$372.00
	8270605	Front Wheel - 8.3 X 24 - 4WD Standard R1 Ag Tire for WM50 4wd		No Charge
	8270601	Front Wheel - 9.5 X 24 - 4WD Standard R1 Ag Tire for WM60 & WM70 4wd		No Charge

SD_T4950 REAR WHEELS AND TIRES

	8980270	Rear Wheel - 13.6x28 Standard R1 Ag Tire for WM50 2wd or 4wd		No Charge
	8980280	Rear Wheel - 14.9x28 Standard R1 Ag Tire for WM60 & WM70 2wd or 4wd		No Charge
	8940301	Rear - R4 - 18.4 x 24 R4 Industrial Rear tires for all 4wd models. Order with 8812451		\$526.00
	8399905	Shipping Wheels-Rear Less tire option. Rear shipping wheel for 2WD or 4WD		(\$541.00)
	8912481	RR-R3-16.9x24 R3 Turf Rear Tires for all 4WD models. Order with 8812471		\$526.00



<p>WORKMASTER 50 / 60 / 70 US PRICE LIST</p>
--

<p>FACTORY SUPPLIED OPTIONS</p>
--

<p>OPERATOR'S MANUAL</p>

SD_T9800 OPERATORS MANUAL

		337952	French Manual				No Charge
--	--	--------	---------------	--	--	--	-----------



**WORKMASTER 55-75 STANDARD CAB FAST PICK
US PRICE LIST**

Standard Equipment

KEY SELLING POINTS:

- Best-in-Class value cab
- Instructor seat
- Air suspensions seat
- 12x12 power shuttle transmission
- Lift-O-Matic
- Factory installed loader

DIESEL ENGINE

Workmaster 55

54 Gross Engine hp

40 PTO hp @ 2300 rpm

3 Cyl Turbocharged Engine

179 cu in (2.9 L) Displacement

Workmaster 65

64 Gross Engine hp

50 PTO hp @ 2300 rpm

3 Cyl Turbocharged Engine

179 cu in (2.9 L) Displacement

Workmaster 75

74 Gross Engine hp

60 PTO hp @ 2300 rpm

3 Cyl Turbocharged Engine

179 cu in (2.9 L) Displacement

ALL MODELS:

Tier B Emissions Compliant:

(CEGR + DOC)

Electronic Injection Bosch

High-pressure Common Rail System

Electric Engine Shutoff

Hand and Foot Throttle Controls

Grid Heater Starting Aid

Powercore Dry Air Cleaner

Under Hood Muffler

Vertical Exhaust

21.6 gal Fuel Tank

2 function mid mount valve & joystick

16.9X30 rear and 11.2X24 front tires

TRANSMISSION:

LH side steering column mounted

Power Shuttle

12 Forward and 12 Reverse Speeds

(4) Synchronized Gears

(3) Non-synchronized Ranges

(2) clutches, 5 wet disc plates

FWD - 25 mph (40 KPH)

Speed varies with tire selection

Hand Operated Park Brake

STEERING/BRAKES:

Hydrostatic Power Steering

Brakes- Hydraulically assisted wet disc

4WD FRONT AXLE:

Limited Slip

Electro-Hydraulic engagement standard

Adjustable Tread Width from 51.5 in.

to 79.4 in.

REAR AXLE

Flange Type

Adjustable Tread Width 60.1 in.

to 76.0 in.

HYDRAULIC SYSTEM:

Open Center Gear Pump System

Dual Pumps Flow: 20.1 gpm (76.4 L)

Implement Pump: 12.5 gpm (47.7 L)

Steering Pump: 7.6 gpm (28.7 L)

(2) Open Center Remote Valves with

Detent & Kickout on #2

REAR DIFFERENTIAL LOCK:

Mechanically Engaged

PTO:

Fully Independent

Flip-up PTO Shaft Guard

4WD power shuttle:

-540 RPM hydraulic wet clutch

-Hydraulic engagement

-Wet clutch

1-3/8 in. 6 splines



**WORKMASTER 55-75 STANDARD CAB FAST PICK
US PRICE LIST**

Standard Equipment

3-POINT LIFT SYSTEM:

Right hand console mounted
lever control
Mechanical Draft Control
3,500 Pounds Lift Capacity
Category II Ends
Telescopic Stabilizers
Flexible Lower Link Ends

ELECTRICAL:

(1) 840 cca Heavy-Duty Battery
120 amp Alternator
7-pin Outlet for trailer/implement lighting
and signals
25 amp socket
12V power socket (cigarette lighter)

INSTRUMENTATION:

Analog Instrumentation with warning
lights for turn signals, high beam,
work lights, side lights, rear PTO,
4WD, differential lock, low fuel,
alternator, oil pressure, brake fluid,
grid heater & hand brake
Gauges for fuel level, engine
temperature and tachometer
Digital Readout for PTO speed,
ground speed, battery & hours

CAB LIGHTING:

Front: (2) Halogen Headlights
(2) cab mounted worklights
Rear: (2) cab mounted worklights
Turn Signals/Flashers/Rear Lights

TIRES:

11.2x24 R1 Front
16.9X30 R1 Rear

OPERATOR PROTECTIVE STRUCTURE:

CAB MODELS

ROPS protected, 4 post, flat deck
platform with heat and air
conditioning, tinted windshield,
retractable sun screen, front wiper
and washer, rear wiper and washer,
two doors with locks, two external
mirrors, hinged rear window (opens
completely)
Steering Wheel - adjustable tilt
Seat - Cloth covered air suspension,
operator's presence sensor,
retractable seat belt and arm rests
Instructor Seat
Suspended pedals
Radio, speakers, and antenna

MISCELLANEOUS:

Pivoting Engine Hood
SMV Emblem
Toolbox

WARRANTY:

New Holland Standard Warranty Applies

LOADER:

550LU NON SELF-LEVELING

Maximum Lift Height @
pivot pin: 131.8"
Dump Clearance @ 45 deg: 98.8"
Digging Depth: 5.9"
Lift Capacity @ 800mm: 2,425 LBS
Breakout Force @ 800mm: TBC LBS
Reach @ Max Lift Height @ 45
deg: 23.7"
Reach @ Ground Level: 85.8"
Bucket Rollback Angle: 42 degrees
Bucket Dump Angle: 58 degrees
Skid Steer style bucket attach
72" Bucket



**WORKMASTER 55-75 STANDARD CAB FAST PICK
US PRICE LIST**

Models

COMMERCIAL MODEL	VERSION	Weight	Factory Data	List Price
WORKMASTER 55 T4A	Cab	6,239 LB		\$54,061.00
WORKMASTER 65 T4A	Cab	6,239 LB		\$56,709.00
WORKMASTER 75 T4A	Cab	6,239 LB		\$59,357.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

PACKAGE SELECTION

SD T9980 PACKAGING

		X0590XX	<p>Standard Cab Fast Pick</p> <p>Standard Cab Fast Pick pricing includes:</p> <p>Cab with openable Black-Out panel</p> <p>2 rear remotes</p> <p>550LU NSL loader with SSL quick attach and 72" bucket</p> <p>Allows for choice of the following:</p> <p>Tires:</p> <p>16.9x30 R1 rear with 11.2x24 R1 front OR</p> <p>19.5L-24 R4 rear with 12.5/80-18 R4 front</p> <p>Rear weights:</p> <p>4 rear wheel weights OR</p> <p>NO rear wheel weights</p>			(\$2,678.00)
--	--	---------	---	--	--	--------------

TIRES

FRONT

SD T4940 FRONT WHEELS AND TIRES

		8232304	<p>11.2 x 24 6PR R1</p> <p>Matching rear tires = 16.9-30 (8355304)</p>			No Charge
		8290904	<p>12.5/80-18 10PR R4</p> <p>Matching rear tires = 19.5L-24 10 PR R4 (8391904)</p>			\$690.00



**WORKMASTER 55-75 STANDARD CAB FAST PICK
US PRICE LIST**

REAR

SD T4950 REAR WHEELS AND TIRES

		8355304	16.9-30 6PR R1 Matching front tires = 11.2-24 (8232304)			No Charge
		8391904	19.5L-24 10 PR R4 Matching front tires = 12.5/80-18 10PR R4 (8290904)			\$318.00

WEIGHTS

REAR

SD T4961 REAR BALLAST

		330470	4 x 110 lb Rear Wheel Weights Two weights per side (110 lbs each) = 440 lbs total			\$629.00
--	--	--------	---	--	--	----------

OPERATOR'S MANUALS

SD T9802 OPERATORS MANUAL

		330986	Spanish Operators Manual			No Charge
--	--	--------	--------------------------	--	--	-----------

SD T9803 FRENCH OPERATOR MANUAL

		330982	French Operators Manual			No Charge
--	--	--------	-------------------------	--	--	-----------



**WORKMASTER 55-75 STD CAB HIVIS FAST PIC
US PRICE LIST**

Standard Equipment

KEY SELLING POINTS:

- Best-in-Class value cab - HiVis panel
- Instructor seat
- Air suspensions seat
- 12x12 power shuttle transmission
- Lift-O-Matic
- Factory installed loader

DIESEL ENGINE

Workmaster 55

54 Gross Engine hp

40 PTO hp @ 2300 rpm

3 Cyl Turbocharged Engine

179 cu in (2.9 L) Displacement

Workmaster 65

64 Gross Engine hp

50 PTO hp @ 2300 rpm

3 Cyl Turbocharged Engine

179 cu in (2.9 L) Displacement

Workmaster 75

74 Gross Engine hp

60 PTO hp @ 2300 rpm

3 Cyl Turbocharged Engine

179 cu in (2.9 L) Displacement

ALL MODELS:

Tier B Emissions Compliant:
(CEGR + DOC)

Electronic Injection Bosch

High-pressure Common Rail System

Electric Engine Shutoff

Hand and Foot Throttle Controls

Grid Heater Starting Aid

Powercore Dry Air Cleaner

Under Hood Muffler

Vertical Exhaust

21.6 gal Fuel Tank

2 function mid mount valve & joystick

16.9X30 rear and 11.2X24 front tires

TRANSMISSION:

LH side steering column mounted

Power Shuttle

12 Forward and 12 Reverse Speeds

(4) Synchronized Gears

(3) Non-synchronized Ranges

(2) clutches, 5 wet disc plates

FWD - 25 mph (40 KPH)

Speed varies with tire selection

Hand Operated Park Brake

STEERING/BRAKES:

Hydrostatic Power Steering

Brakes- Hydraulically assisted wet disc

4WD FRONT AXLE:

Limited Slip

Electro-Hydraulic engagement standard

Adjustable Tread Width from 51.5 in.
to 79.4 in.

REAR AXLE

Flange Type

Adjustable Tread Width 60.1 in.
to 76.0 in.

HYDRAULIC SYSTEM:

Open Center Gear Pump System

Dual Pumps Flow: 20.1 gpm (76.4 L)

Implement Pump: 12.5 gpm (47.7 L)

Steering Pump: 7.6 gpm (28.7 L)

(2) Open Center Remote Valves with
Detent & Kickout on #2

REAR DIFFERENTIAL LOCK:

Mechanically Engaged

PTO:

Fully Independent

Flip-up PTO Shaft Guard

4WD power shuttle:

-540 RPM hydraulic wet clutch

-Hydraulic engagement

-Wet clutch

1-3/8 in. 6 splines



**WORKMASTER 55-75 STD CAB HIVIS FAST PIC
US PRICE LIST**

Standard Equipment

3-POINT LIFT SYSTEM:

Right hand console mounted
lever control
Mechanical Draft Control
3,500 Pounds Lift Capacity
Category II Ends
Telescopic Stabilizers
Flexible Lower Link Ends

ELECTRICAL:

(1) 840 cca Heavy-Duty Battery
120 amp Alternator
7-pin Outlet for trailer/implement lighting
and signals
25 amp socket
12V power socket (cigarette lighter)

INSTRUMENTATION:

Analog Instrumentation with warning
lights for turn signals, high beam,
work lights, side lights, rear PTO,
4WD, differential lock, low fuel,
alternator, oil pressure, brake fluid,
grid heater & hand brake
Gauges for fuel level, engine
temperature and tachometer
Digital Readout for PTO speed,
ground speed, battery & hours

CAB LIGHTING:

Front: (2) Halogen Headlights
(2) cab mounted worklights
Rear: (2) cab mounted worklights
Turn Signals/Flashers/Rear Lights

TIRES:

11.2x24 R1 Front
16.9X30 R1 Rear

OPERATOR PROTECTIVE STRUCTURE:

CAB MODELS

ROPS protected, 4 post, flat deck
platform with heat and air
conditioning, tinted windshield,
retractable sun screen, high visibility
panel, front wiper and washer, rear
wiper and washer, two doors with
locks, two external mirrors, hinged rear
window (opens completely)
Steering Wheel - adjustable tilt
Seat - Cloth covered air suspension,
operator's presence sensor,
retractable seat belt and arm rests
Instructor Seat
Suspended pedals
Radio, speakers, and antenna

MISCELLANEOUS:

Pivoting Engine Hood
SMV Emblem
Toolbox

WARRANTY:

New Holland Standard Warranty Applies

LOADER:

550LU NON SELF-LEVELING

Maximum Lift Height @
pivot pin: 131.8"
Dump Clearance @ 45 deg: 98.8"
Digging Depth: 5.9"
Lift Capacity @ 800mm: 2,425 LBS
Breakout Force @ 800mm: TBC LBS
Reach @ Max Lift Height @ 45
deg: 23.7"
Reach @ Ground Level: 85.8"
Bucket Rollback Angle: 42 degrees
Bucket Dump Angle: 58 degrees
Skid Steer style bucket attach
72" Bucket



**WORKMASTER 55-75 STD CAB HIVIS FAST PIC
US PRICE LIST**

Models

COMMERCIAL MODEL	VERSION	Weight	Factory Data	List Price
WORKMASTER 55 T4A	Cab	6,239 LB		\$54,061.00
WORKMASTER 65 T4A	Cab	6,239 LB		\$56,709.00
WORKMASTER 75 T4A	Cab	6,239 LB		\$59,357.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

PACKAGE SELECTION

SD T9980 PACKAGING

		X0592XX	<p>Standard Cab HiVis Fast Pick</p> <p>Standard Cab HiVis Fast Pick pricing includes:</p> <p>Cab with openable Clear HiVis panel</p> <p>2 rear remotes</p> <p>550LU NSL loader with SSL quick attach and 72" bucket</p> <p>Allows for choice of the following:</p> <p>Tires:</p> <p>16.9x30 R1 rear with 11.2x24 R1 front OR</p> <p>19.5L-24 R4 rear with 12.5/80-18 R4 front</p> <p>Rear weights:</p> <p>4 rear wheel weights OR</p> <p>NO rear wheel weights</p>			(\$2,292.00)
--	--	---------	---	--	--	--------------

TIRES

FRONT

SD T4940 FRONT WHEELS AND TIRES

		8232304	<p>11.2 x 24 6PR R1</p> <p>Matching rear tires = 16.9-30 (8355304)</p>			No Charge
		8290904	<p>12.5/80-18 10PR R4</p> <p>Matching rear tires = 19.5L-24 10 PR R4 (8391904)</p>			\$690.00



**WORKMASTER 55-75 STD CAB HIVIS FAST PIC
US PRICE LIST**

REAR

SD T4950 REAR WHEELS AND TIRES

		8355304	16.9-30 6PR R1 Matching front tires = 11.2-24 (8232304)			No Charge
		8391904	19.5L-24 10 PR R4 Matching front tires = 12.5/80-18 10PR R4 (8290904)			\$318.00

WEIGHTS

REAR

SD T4961 REAR BALLAST

		330470	4 x 110 lb Rear Wheel Weights Two weights per side (110 lbs each) = 440 lbs total			\$629.00
--	--	--------	---	--	--	----------

OPERATOR'S MANUALS

SD T9802 OPERATORS MANUAL

		330986	Spanish Operators Manual			No Charge
--	--	--------	--------------------------	--	--	-----------

SD T9803 FRENCH OPERATOR MANUAL

		330982	French Operators Manual			No Charge
--	--	--------	-------------------------	--	--	-----------



**WORKMASTER 55-75 DELUXE CAB FAST PICK
US PRICE LIST**

Standard Equipment

KEY SELLING POINTS:

- Best-in-Class value cab
- Instructor seat
- Air suspensions seat
- 12x12 power shuttle transmission
- Lift-O-Matic
- Factory installed loader

DIESEL ENGINE

Workmaster 55

54 Gross Engine hp

40 PTO hp @ 2300 rpm

3 Cyl Turbocharged Engine

179 cu in (2.9 L) Displacement

Workmaster 65

64 Gross Engine hp

50 PTO hp @ 2300 rpm

3 Cyl Turbocharged Engine

179 cu in (2.9 L) Displacement

Workmaster 75

74 Gross Engine hp

60 PTO hp @ 2300 rpm

3 Cyl Turbocharged Engine

179 cu in (2.9 L) Displacement

ALL MODELS:

Tier B Emissions Compliant:

(CEGR + DOC)

Electronic Injection Bosch

High-pressure Common Rail System

Electric Engine Shutoff

Hand and Foot Throttle Controls

Grid Heater Starting Aid

Powercore Dry Air Cleaner

Under Hood Muffler

Vertical Exhaust

21.6 gal Fuel Tank

2 function mid mount valve & joystick

16.9X30 rear and 11.2X24 front tires

TRANSMISSION:

LH side steering column mounted

Power Shuttle

12 Forward and 12 Reverse Speeds

(4) Synchronized Gears

(3) Non-synchronized Ranges

(2) clutches, 5 wet disc plates

FWD - 25 mph (40 KPH)

Speed varies with tire selection

Hand Operated Park Brake

STEERING/BRAKES:

Hydrostatic Power Steering

Brakes- Hydraulically assisted wet disc

4WD FRONT AXLE:

Limited Slip

Electro-Hydraulic engagement standard

Adjustable Tread Width from 51.5 in.

to 79.4 in.

REAR AXLE

Flange Type

Adjustable Tread Width 60.1 in.

to 76.0 in.

HYDRAULIC SYSTEM:

Open Center Gear Pump System

Dual Pumps Flow: 20.1 gpm (76.4 L)

Implement Pump: 12.5 gpm (47.7 L)

Steering Pump: 7.6 gpm (28.7 L)

(3) Open Center Remote Valves with

Detent & Kickout on #2 & #3

REAR DIFFERENTIAL LOCK:

Mechanically Engaged

PTO:

Fully Independent

Flip-up PTO Shaft Guard

4WD power shuttle:

-540 RPM hydraulic wet clutch

-Hydraulic engagement

-Wet clutch

1-3/8 in. 6 splines



**WORKMASTER 55-75 DELUXE CAB FAST PICK
US PRICE LIST**

Standard Equipment

3-POINT LIFT SYSTEM:

Right hand console mounted
lever control
Mechanical Draft Control
3,500 Pounds Lift Capacity
Category II Ends
Telescopic Stabilizers
Flexible Lower Link Ends

ELECTRICAL:

(1) 840 cca Heavy-Duty Battery
120 amp Alternator
7-pin Outlet for trailer/implement lighting
and signals
25 amp socket
12V power socket (cigarette lighter)

INSTRUMENTATION:

Analog Instrumentation with warning
lights for turn signals, high beam,
work lights, side lights, rear PTO,
4WD, differential lock, low fuel,
alternator, oil pressure, brake fluid,
grid heater & hand brake
Gauges for fuel level, engine
temperature and tachometer
Digital Readout for PTO speed,
ground speed, battery & hours

CAB LIGHTING:

Front: (2) Halogen Headlights
(2) cab mounted worklights
Rear: (2) cab mounted worklights
Turn Signals/Flashers/Rear Lights

TIRES:

11.2x24 R1 Front
16.9X30 R1 Rear

MISCELLANEOUS:

Pivoting Engine Hood
SMV Emblem
4 x 110 lb Rear Wheel Weights
Toolbox

OPERATOR PROTECTIVE STRUCTURE:

CAB MODELS

ROPS protected, 4 post, flat deck
platform with heat and air
conditioning, tinted windshield,
retractable sun screen, front wiper
and washer, rear wiper and washer,
two doors with locks, two external
mirrors, hinged rear window (opens
completely)
Steering Wheel - adjustable tilt
Seat - Cloth covered air suspension,
operator's presence sensor,
retractable seat belt and arm rests
Instructor Seat
Suspended pedals
Radio, speakers, and antenna

WARRANTY:

New Holland Standard Warranty Applies

**WORKMASTER 55-75 DELUXE CAB FAST PICK
US PRICE LIST****Standard Equipment****LOADER:****550LU NON SELF-LEVELING**

Maximum Lift Height @
pivot pin: 131.8"
Dump Clearance @ 45 deg: 98.8"
Digging Depth: 5.9"
Lift Capacity @ 800mm: 2,425 LBS
Breakout Force @ 800mm: TBC LBS
Reach @ Max Lift Height @ 45
deg: 23.7"
Reach @ Ground Level: 85.8"
Bucket Rollback Angle: 42 degrees
Bucket Dump Angle: 58 degrees
Skid Steer or Euro style bucket attach
72" Bucket

555LU MECHANICAL SELF-LEVELING

Maximum Lift Height @
pivot pin: 131.8"
Dump Clearance @ 45 deg: 98.8"
Digging Depth: 5.9"
Lift Capacity @ 800mm: 3,086 LBS
Breakout Force @ 800mm: TBC LBS
Reach @ Max Lift Height @ 45
deg: 20.8"
Reach @ Ground Level: 79.9"
Bucket Rollback Angle: 42 degrees
Bucket Dump Angle: 60 degrees
Skid Steer or Euro style bucket attach
72" Bucket



**WORKMASTER 55-75 DELUXE CAB FAST PICK
US PRICE LIST**

Models

COMMERCIAL MODEL	VERSION	Weight	Factory Data	List Price
WORKMASTER 55 T4A	Cab	6,239 LB		\$54,061.00
WORKMASTER 65 T4A	Cab	6,239 LB		\$56,709.00
WORKMASTER 75 T4A	Cab	6,239 LB		\$59,357.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

PACKAGE SELECTION

SD_T9980 PACKAGING

		X0591XX	Deluxe Cab Fast Pick Deluxe Cab Fast Pick pricing includes: Cab with openable Black-Out panel 3 rear remotes 4 rear wheel weights Allows for choice of the following: Tires: 16.9x30 R1 rear with 11.2x24 R1 front OR 19.5L-24 R4 rear with 12.5/80-18 R4 front Loader: 550LU NSL loader with SSL quick attach and 72" bucket OR 555LU MSL loader with EURO quick attach and 72" bucket			(\$1,222.00)
--	--	---------	---	--	--	--------------

TIRES

FRONT

SD_T4940 FRONT WHEELS AND TIRES

		8232304	11.2 x 24 6PR R1 Matching rear tires = 16.9-30 (8355304)			No Charge
		8290904	12.5/80-18 10PR R4 Matching rear tires = 19.5L-24 10 PR R4 (8391904)			\$690.00



**WORKMASTER 55-75 DELUXE CAB FAST PICK
US PRICE LIST**

REAR

SD T4950 REAR WHEELS AND TIRES

		8355304	16.9-30 6PR R1 Matching front tires = 11.2-24 (8232304)			No Charge
		8391904	19.5L-24 10 PR R4 Matching front tires = 12.5/80-18 10PR R4 (8290904)			\$318.00

LOADER

LOADER

SD T8110 LOADER BRACKETS

		344739	LOADER-NSL.2F.SSLWGG 550LU Non self leveling with skid steer style attachment Includes: -2 Function mid mount valve and joystick -72" Bucket -Grill guard with two cross bars			No Charge
		344742	LOADER-MSL-2F-EU-WGG 555LU Mechanical self leveling with euro style attachment Includes: -2 Function mid mount valve and joystick -72" Bucket -Grill guard with two cross bars			\$1,131.00

OPERATOR'S MANUALS

SD T9802 OPERATORS MANUAL

		330986	Spanish Operators Manual			No Charge
--	--	--------	--------------------------	--	--	-----------

SD T9803 FRENCH OPERATOR MANUAL

		330982	French Operators Manual			No Charge
--	--	--------	-------------------------	--	--	-----------



**WORKMASTER 55-75 DLX CAB H1VIS FAST PICK
US PRICE LIST**

Standard Equipment

KEY SELLING POINTS:

- Best-in-Class value cab - HiVis panel
- Instructor seat
- Air suspensions seat
- 12x12 power shuttle transmission
- Lift-O-Matic
- Factory installed loader

DIESEL ENGINE

Workmaster 55

54 Gross Engine hp

40 PTO hp @ 2300 rpm

3 Cyl Turbocharged Engine

179 cu in (2.9 L) Displacement

Workmaster 65

64 Gross Engine hp

50 PTO hp @ 2300 rpm

3 Cyl Turbocharged Engine

179 cu in (2.9 L) Displacement

Workmaster 75

74 Gross Engine hp

60 PTO hp @ 2300 rpm

3 Cyl Turbocharged Engine

179 cu in (2.9 L) Displacement

ALL MODELS:

Tier B Emissions Compliant:
(CEGR + DOC)

Electronic Injection Bosch

High-pressure Common Rail System

Electric Engine Shutoff

Hand and Foot Throttle Controls

Grid Heater Starting Aid

Powercore Dry Air Cleaner

Under Hood Muffler

Vertical Exhaust

21.6 gal Fuel Tank

2 function mid mount valve & joystick

16.9X30 rear and 11.2X24 front tires

TRANSMISSION:

LH side steering column mounted

Power Shuttle

12 Forward and 12 Reverse Speeds

(4) Synchronized Gears

(3) Non-synchronized Ranges

(2) clutches, 5 wet disc plates

FWD - 25 mph (40 KPH)

Speed varies with tire selection

Hand Operated Park Brake

STEERING/BRAKES:

Hydrostatic Power Steering

Brakes- Hydraulically assisted wet disc

4WD FRONT AXLE:

Limited Slip

Electro-Hydraulic engagement standard

Adjustable Tread Width from 51.5 in.

to 79.4 in.

REAR AXLE

Flange Type

Adjustable Tread Width 60.1 in.

to 76.0 in.

HYDRAULIC SYSTEM:

Open Center Gear Pump System

Dual Pumps Flow: 20.1 gpm (76.4 L)

Implement Pump: 12.5 gpm (47.7 L)

Steering Pump: 7.6 gpm (28.7 L)

(3) Open Center Remote Valves with

Detent & Kickout on #2 & #3

REAR DIFFERENTIAL LOCK:

Mechanically Engaged

PTO:

Fully Independent

Flip-up PTO Shaft Guard

4WD power shuttle:

-540 RPM hydraulic wet clutch

-Hydraulic engagement

-Wet clutch

1-3/8 in. 6 splines



**WORKMASTER 55-75 DLX CAB HIVIS FAST PICK
US PRICE LIST**

Standard Equipment

3-POINT LIFT SYSTEM:

Right hand console mounted
lever control
Mechanical Draft Control
3,500 Pounds Lift Capacity
Category II Ends
Telescopic Stabilizers
Flexible Lower Link Ends

ELECTRICAL:

(1) 840 cca Heavy-Duty Battery
120 amp Alternator
7-pin Outlet for trailer/implement lighting
and signals
25 amp socket
12V power socket (cigarette lighter)

INSTRUMENTATION:

Analog Instrumentation with warning
lights for turn signals, high beam,
work lights, side lights, rear PTO,
4WD, differential lock, low fuel,
alternator, oil pressure, brake fluid,
grid heater & hand brake
Gauges for fuel level, engine
temperature and tachometer
Digital Readout for PTO speed,
ground speed, battery & hours

CAB LIGHTING:

Front: (2) Halogen Headlights
(2) cab mounted worklights
Rear: (2) cab mounted worklights
Turn Signals/Flashers/Rear Lights

TIRES:

11.2x24 R1 Front
16.9X30 R1 Rear

MISCELLANEOUS:

Pivoting Engine Hood
SMV Emblem
4 x 110 lb Rear Wheel Weights
Toolbox

OPERATOR PROTECTIVE STRUCTURE:

CAB MODELS

ROPS protected, 4 post, flat deck
platform with heat and air
conditioning, tinted windshield,
retractable sun screen, high visibility
panel, front wiper and washer, rear
wiper and washer, two doors with
locks, two external mirrors, hinged rear
window (opens completely)
Steering Wheel - adjustable tilt
Seat - Cloth covered air suspension,
operator's presence sensor,
retractable seat belt and arm rests
Instructor Seat
Suspended pedals
Radio, speakers, and antenna

WARRANTY:

New Holland Standard Warranty Applies

**WORKMASTER 55-75 DLX CAB HIVIS FAST PICK
US PRICE LIST****Standard Equipment****LOADER:****550LU NON SELF-LEVELING**

Maximum Lift Height @
pivot pin: 131.8"
Dump Clearance @ 45 deg: 98.8"
Digging Depth: 5.9"
Lift Capacity @ 800mm: 2,425 LBS
Breakout Force @ 800mm: TBC LBS
Reach @ Max Lift Height @ 45
deg: 23.7"
Reach @ Ground Level: 85.8"
Bucket Rollback Angle: 42 degrees
Bucket Dump Angle: 58 degrees
Skid Steer or Euro style bucket attach
72" Bucket

555LU MECHANICAL SELF-LEVELING

Maximum Lift Height @
pivot pin: 131.8"
Dump Clearance @ 45 deg: 98.8"
Digging Depth: 5.9"
Lift Capacity @ 800mm: 3,086 LBS
Breakout Force @ 800mm: TBC LBS
Reach @ Max Lift Height @ 45
deg: 20.8"
Reach @ Ground Level: 79.9"
Bucket Rollback Angle: 42 degrees
Bucket Dump Angle: 60 degrees
Skid Steer or Euro style bucket attach
72" Bucket



**WORKMASTER 55-75 DLX CAB H1VIS FAST PICK
US PRICE LIST**

Models

COMMERCIAL MODEL	VERSION	Weight	Factory Data	List Price
WORKMASTER 55 T4A	Cab	6,239 LB		\$54,061.00
WORKMASTER 65 T4A	Cab	6,239 LB		\$56,709.00
WORKMASTER 75 T4A	Cab	6,239 LB		\$59,357.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

PACKAGE SELECTION

SD_T9980 PACKAGING

		X0593XX	Deluxe Cab HiVis Fast Pick Deluxe Cab HiVis Fast Pick pricing includes: Cab with openable Clear HiVis panel 3 rear remotes 4 rear wheel weights Allows for choice of the following: Tires: 16.9x30 R1 rear with 11.2x24 R1 front OR 19.5L-24 R4 rear with 12.5/80-18 R4 front Loader: 550LU NSL loader with SSL quick attach and 72" bucket OR 555LU MSL loader with EURO quick attach and 72" bucket			(\$835.00)
--	--	---------	---	--	--	------------

TIRES

FRONT

SD_T4940 FRONT WHEELS AND TIRES

		8232304	11.2 x 24 6PR R1 Matching rear tires = 16.9-30 (8355304)			No Charge
		8290904	12.5/80-18 10PR R4 Matching rear tires = 19.5L-24 10 PR R4 (8391904)			\$690.00



**WORKMASTER 55-75 DLX CAB HIVIS FAST PICK
US PRICE LIST**

REAR

SD T4950 REAR WHEELS AND TIRES

		8355304	16.9-30 6PR R1 Matching front tires = 11.2-24 (8232304)			No Charge
		8391904	19.5L-24 10 PR R4 Matching front tires = 12.5/80-18 10PR R4 (8290904)			\$318.00

LOADER

LOADER

SD T8110 LOADER BRACKETS

		344739	LOADER-NSL.2F.SSLWGG 550LU Non self leveling with skid steer style attachment Includes: -2 Function mid mount valve and joystick -72" Bucket -Grill guard with two cross bars			No Charge
		344742	LOADER-MSL-2F-EU-WGG 555LU Mechanical self leveling with euro style attachment Includes: -2 Function mid mount valve and joystick -72" Bucket -Grill guard with two cross bars			\$1,131.00

OPERATOR'S MANUALS

SD T9802 OPERATORS MANUAL

		330986	Spanish Operators Manual			No Charge
--	--	--------	--------------------------	--	--	-----------

SD T9803 FRENCH OPERATOR MANUAL

		330982	French Operators Manual			No Charge
--	--	--------	-------------------------	--	--	-----------



WORKMASTER 75 STANDARD ROPS FAST PICK US PRICE LIST

Standard Equipment

KEY SELLING POINTS:

- Best-in-Class value ROPS platform
- Mechanical suspensions seat
- 12x12 power shuttle transmission
- Lift-O-Matic
- Factory installed loader

DIESEL ENGINE

Workmaster 75
74 Gross Engine hp
60 PTO hp @ 2300 rpm
3 Cyl Turbocharged Engine
179 cu in (2.9 L) Displacement

ALL MODELS:

Tier B Emissions Compliant:
(CEGR + DOC)
Electronic Injection Bosch
High-pressure Common Rail System
Electric Engine Shutoff
Hand and Foot Throttle Controls
Grid Heater Starting Aid
Powercore Dry Air Cleaner
Under Hood Muffler
Vertical Exhaust
21.6 gal Fuel Tank
2 function mid mount valve & joystick
16.9X30 rear and 11.2X24 front tires

TRANSMISSION:

LH side steering column mounted
Power Shuttle
12 Forward and 12 Reverse Speeds
(4) Synchronized Gears
(3) Non-synchronized Ranges
(2) clutches, 5 wet disc plates
FWD - 25 mph (40 KPH)
Speed varies with tire selection
Hand Operated Park Brake

STEERING/BRAKES:

Hydrostatic Power Steering
Brakes- Hydraulically assisted wet disc

4WD FRONT AXLE:

Limited Slip
Electro-Hydraulic engagement standard
Adjustable Tread Width from 51.5 in.
to 79.4 in.

REAR AXLE

Flange Type
Adjustable Tread Width 60.1 in.
to 76.0 in.

HYDRAULIC SYSTEM:

Open Center System
Dual Gear Pumps
Implement Pump: 12.5 gpm (47.7 L)
Steering Pump: 7.6 gpm (28.7 L)
Total Flow: 20.1 gpm (76.4 L)
(2) Open Center Remote Valves with
Detent & Kickout on #2

REAR DIFFERENTIAL LOCK:

Mechanically Engaged

PTO:

Fully Independent
Flip-up PTO Shaft Guard

4WD power shuttle:

-540 RPM hydraulic wet clutch
-Hydraulic engagement
-Wet clutch
1-3/8 in. 6 splines

3-POINT LIFT SYSTEM:

Right hand console mounted
lever control
Mechanical Draft Control
3,500 Pounds Lift Capacity
Category II Ends
Telescopic Stabilizers
Flexible Lower Link Ends



**WORKMASTER 75 STANDARD ROPS FAST PICK
US PRICE LIST**

Standard Equipment

ELECTRICAL:

(1) 840 cca Heavy-Duty Battery
 120 amp Alternator
 7-pin Outlet for trailer/implement lighting
 and signals
 25 amp socket
 12V power socket (cigarette lighter)

INSTRUMENTATION:

Analog Instrumentation with warning
 lights for turn signals, high beam,
 work lights, side lights, rear PTO,
 4WD, differential lock, low fuel,
 alternator, oil pressure, brake fluid,
 grid heater & hand brake
 Gauges for fuel level, engine
 temperature and tachometer
 Digital Readout for PTO speed,
 ground speed, battery & hours

ROPS LIGHTING:

Front: (2) Halogen Headlights
 Rear: (1) Right hand fender
 mounted worklights
 Turn Signals/Flashers/Rear Lights

OPERATOR PROTECTIVE STRUCTURE:**ROPS MODELS**

2-Post Foldable ROPS with ISO-
 mounted flat deck platform
 Steering Wheel - adjustable tilt
 Seat - Vinyl mechanical suspension,
 operator's presence sensor,
 retractable seat belts and arm rests
 Suspended pedals
 Locking brake pedals

TIRES:

11.2x24 R1 Front
 16.9X30 R1 Rear

MISCELLANEOUS:

Pivoting Engine Hood
 SMV Emblem
 Toolbox

WARRANTY:

New Holland Standard Warranty Applies

LOADER:**550LU NON SELF-LEVELING**

Maximum Lift Height @
 pivot pin: 131.8"
 Dump Clearance @ 45 deg: 98.8"
 Digging Depth: 5.9"
 Lift Capacity @ 800mm: 2,425 LBS
 Breakout Force @ 800mm: TBC LBS
 Reach @ Max Lift Height @ 45
 deg: 23.7"
 Reach @ Ground Level: 85.8"
 Bucket Rollback Angle: 42 degrees
 Bucket Dump Angle: 58 degrees
 Skid Steer style bucket attach
 72" Bucket



**WORKMASTER 75 STANDARD ROPS FAST PICK
US PRICE LIST**

Models

COMMERCIAL MODEL	VERSION	Weight	Factory Data	List Price
WORKMASTER 75 T4A	Rops	6,239 LB		\$51,138.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

PACKAGE SELECTION

SD T9980 PACKAGING

		X0588XX	<p>Standard ROPS Fast Pick</p> <p>Standard ROPS Fast Pick pricing includes:</p> <p>2 rear remotes</p> <p>550LU NSL loader with SSL quick attach and 72" bucket</p> <p>Allows for choice of the following:</p> <p>Tires:</p> <p>16.9x30 R1 rear with 11.2x24 R1 front OR</p> <p>19.5L-24 R4 rear with 12.5/80-18 R4 front</p> <p>Rear weights:</p> <p>4 rear wheel weights OR</p> <p>NO rear wheel weights</p>			(\$2,678.00)
--	--	---------	---	--	--	--------------

TIRES

FRONT

SD T4940 FRONT WHEELS AND TIRES

		8232304	<p>11.2 x 24 6PR R1</p> <p>Matching rear tires = 16.9-30 (8355304)</p>			No Charge
		8290904	<p>12.5/80-18 10PR R4</p> <p>Matching rear tires = 19.5L-24 10 PR R4 (8391904)</p>			\$690.00

REAR

SD T4950 REAR WHEELS AND TIRES

		8355304	<p>16.9-30 6PR R1</p> <p>Matching front tires = 11.2-24 (8232304)</p>			No Charge
--	--	---------	--	--	--	-----------



**WORKMASTER 75 STANDARD ROPS FAST PICK
US PRICE LIST**

		8391904	19.5L-24 10 PR R4 Matching front tires = 12.5/80-18 10PR R4 (8290904)			\$318.00
--	--	---------	---	--	--	----------

WEIGHTS

REAR

SD T4961 REAR BALLAST

		330470	4 x 110 lb Rear Wheel Weights Two weights per side (110 lbs each) = 440 lbs total			\$629.00
--	--	--------	---	--	--	----------

OPERATOR'S MANUALS

SD T9802 OPERATORS MANUAL

		330986	Spanish Operators Manual			No Charge
--	--	--------	--------------------------	--	--	-----------

SD T9803 FRENCH OPERATOR MANUAL

		330982	French Operators Manual			No Charge
--	--	--------	-------------------------	--	--	-----------



WORKMASTER 75 DELUXE ROPS FAST PICK US PRICE LIST

Standard Equipment

KEY SELLING POINTS:

- Best-in-Class value ROPS platform
- Mechanical suspensions seat
- 12x12 power shuttle transmission
- Lift-O-Matic
- Factory installed loader

DIESEL ENGINE

Workmaster 75
 74 Gross Engine hp
 60 PTO hp @ 2300 rpm
 3 Cyl Turbocharged Engine
 179 cu in (2.9 L) Displacement

ALL MODELS:

Tier B Emissions Compliant:
 (CEGR + DOC)
 Electronic Injection Bosch
 High-pressure Common Rail System
 Electric Engine Shutoff
 Hand and Foot Throttle Controls
 Grid Heater Starting Aid
 Powercore Dry Air Cleaner
 Under Hood Muffler
 Vertical Exhaust
 21.6 gal Fuel Tank
 2 function mid mount valve & joystick
 16.9X30 rear and 11.2X24 front tires

TRANSMISSION:

LH side steering column mounted
 Power Shuttle
 12 Forward and 12 Reverse Speeds
 (4) Synchronized Gears
 (3) Non-synchronized Ranges
 (2) clutches, 5 wet disc plates
 FWD - 25 mph (40 KPH)
 Speed varies with tire selection
 Hand Operated Park Brake

STEERING/BRAKES:

Hydrostatic Power Steering
 Brakes- Hydraulically assisted wet disc

4WD FRONT AXLE:

Limited Slip
 Electro-Hydraulic engagement standard
 Adjustable Tread Width from 51.5 in.
 to 79.4 in.

REAR AXLE

Flange Type
 Adjustable Tread Width 60.1 in.
 to 76.0 in.

HYDRAULIC SYSTEM:

Open Center System
 Dual Gear Pumps
 Implement Pump: 12.5 gpm (47.7 L)
 Steering Pump: 7.6 gpm (28.7 L)
 Total Flow: 20.1 gpm (76.4 L)
 (3) Open Center Remote Valves with
 Detent & Kickout on #2 & #3

REAR DIFFERENTIAL LOCK:

Mechanically Engaged

PTO:

Fully Independent
 Flip-up PTO Shaft Guard

4WD power shuttle:

-540 RPM hydraulic wet clutch
 -Hydraulic engagement
 -Wet clutch
 1-3/8 in. 6 splines

3-POINT LIFT SYSTEM:

Right hand console mounted
 lever control
 Mechanical Draft Control
 3,500 Pounds Lift Capacity
 Category II Ends
 Telescopic Stabilizers
 Flexible Lower Link Ends



**WORKMASTER 75 DELUXE ROPS FAST PICK
US PRICE LIST**

Standard Equipment

ELECTRICAL:

(1) 840 cca Heavy-Duty Battery
 120 amp Alternator
 7-pin Outlet for trailer/implement lighting
 and signals
 25 amp socket
 12V power socket (cigarette lighter)

INSTRUMENTATION:

Analog Instrumentation with warning
 lights for turn signals, high beam,
 work lights, side lights, rear PTO,
 4WD, differential lock, low fuel,
 alternator, oil pressure, brake fluid,
 grid heater & hand brake
 Gauges for fuel level, engine
 temperature and tachometer
 Digital Readout for PTO speed,
 ground speed, battery & hours

ROPS LIGHTING:

Front: (2) Halogen Headlights
 Rear: (1) Right hand fender
 mounted worklights
 Turn Signals/Flashers/Rear Lights

OPERATOR PROTECTIVE STRUCTURE:**ROPS MODELS**

2-Post Foldable ROPS with ISO-
 mounted flat deck platform
 Steering Wheel - adjustable tilt
 Seat - Vinyl mechanical suspension,
 operator's presence sensor,
 retractable seat belts and arm rests
 Suspended pedals
 Locking brake pedals

TIRES:

11.2x24 R1 Front
 16.9X30 R1 Rear

MISCELLANEOUS:

Pivoting Engine Hood
 SMV Emblem
 4 x 110 lb Rear Wheel Weights
 Toolbox

WARRANTY:

New Holland Standard Warranty Applies

LOADER:**550LU NON SELF-LEVELING**

Maximum Lift Height @
 pivot pin: 131.8"
 Dump Clearance @ 45 deg: 98.8"
 Digging Depth: 5.9"
 Lift Capacity @ 800mm: 2,425 LBS
 Breakout Force @ 800mm: TBC LBS
 Reach @ Max Lift Height @ 45
 deg: 23.7"
 Reach @ Ground Level: 85.8"
 Bucket Rollback Angle: 42 degrees
 Bucket Dump Angle: 58 degrees
 Skid Steer or Euro style bucket attach
 72" Bucket

555LU MECHANICAL SELF-LEVELING

Maximum Lift Height @
 pivot pin: 131.8"
 Dump Clearance @ 45 deg: 98.8"
 Digging Depth: 5.9"
 Lift Capacity @ 800mm: 3,086 LBS
 Breakout Force @ 800mm: TBC LBS
 Reach @ Max Lift Height @ 45
 deg: 20.8"
 Reach @ Ground Level: 79.9"
 Bucket Rollback Angle: 42 degrees
 Bucket Dump Angle: 60 degrees
 Skid Steer or Euro style bucket attach
 72" Bucket



**WORKMASTER 75 DELUXE ROPS FAST PICK
US PRICE LIST**

Models

COMMERCIAL MODEL	VERSION	Weight	Factory Data	List Price
WORKMASTER 75 T4A	Rops	6,239 LB		\$51,138.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

PACKAGE SELECTION

SD T9980 PACKAGING

		X0589XX	Deluxe ROPS Fast Pick Deluxe ROPS Fast Pick pricing includes: 3 rear remotes 4 rear wheel weights Allows for choice of the following: Tires: 16.9x30 R1 rear with 11.2x24 R1 front OR 19.5L-24 R4 rear with 12.5/80-18 R4 front Loader: 550LU NSL loader with SSL quick attach and 72" bucket OR 555LU MSL loader with EURO quick attach and 72" bucket			(\$1,222.00)
--	--	---------	---	--	--	--------------

TIRES

FRONT

SD T4940 FRONT WHEELS AND TIRES

		8232304	11.2 x 24 6PR R1 Matching rear tires = 16.9-30 (8355304)			No Charge
		8290904	12.5/80-18 10PR R4 Matching rear tires = 19.5L-24 10 PR R4 (8391904)			\$690.00

REAR

SD T4950 REAR WHEELS AND TIRES

		8355304	16.9-30 6PR R1 Matching front tires = 11.2-24 (8232304)			No Charge
--	--	---------	---	--	--	-----------



**WORKMASTER 75 DELUXE ROPS FAST PICK
US PRICE LIST**

		8391904	19.5L-24 10 PR R4 Matching front tires = 12.5/80-18 10PR R4 (8290904)			\$318.00
--	--	---------	---	--	--	----------

LOADER

LOADER

SD T8110 LOADER BRACKETS

		344739	LOADER-NSL.2F.SSLWGG 550LU Non self leveling with skid steer style attachment Includes: -2 Function mid mount valve and joystick -72" Bucket -Grill guard with two cross bars			No Charge
		344742	LOADER-MSL-2F-EU-WGG 555LU Mechanical self leveling with euro style attachment Includes: -2 Function mid mount valve and joystick -72" Bucket -Grill guard with two cross bars			\$1,131.00

OPERATOR'S MANUALS

SD T9802 OPERATORS MANUAL

		330986	Spanish Operators Manual			No Charge
--	--	--------	--------------------------	--	--	-----------

SD T9803 FRENCH OPERATOR MANUAL

		330982	French Operators Manual			No Charge
--	--	--------	-------------------------	--	--	-----------



**WORKMASTER 55-75 WEST COAST FAST PICK
US PRICE LIST**

Standard Equipment

KEY SELLING POINTS:

- Best-in-Class value cab & ROPS platform
- 12x12 power shuttle transmission
- Lift-O-Matic
- 1 Auxiliary lift ram (4,000 lbs)
- 8 Front weights
- 3 Rear remotes

DIESEL ENGINE

Workmaster 55

54 Gross Engine hp

40 PTO hp @ 2300 rpm

3 Cyl Turbocharged Engine

179 cu in (2.9 L) Displacement

Workmaster 65

64 Gross Engine hp

50 PTO hp @ 2300 rpm

3 Cyl Turbocharged Engine

179 cu in (2.9 L) Displacement

Workmaster 75

74 Gross Engine hp

60 PTO hp @ 2300 rpm

3 Cyl Turbocharged Engine

179 cu in (2.9 L) Displacement

ALL MODELS:

Tier B Emissions Compliant:

(CEGR + DOC)

Electronic Injection Bosch

High-pressure Common Rail System

Electric Engine Shutoff

Hand and Foot Throttle Controls

Grid Heater Starting Aid

Powercore Dry Air Cleaner

Under Hood Muffler

Vertical Exhaust

21.6 gal Fuel Tank

2 function mid mount valve & joystick

16.9X30 rear and 11.2X24 front tires

TRANSMISSION:

LH side steering column mounted

Power Shuttle

12 Forward and 12 Reverse Speeds

(4) Synchronized Gears

(3) Non-synchronized Ranges

(2) clutches, 5 wet disc plates

FWD - 25 mph (40 KPH)

Speed varies with tire selection

Hand Operated Park Brake

STEERING/BRAKES:

Hydrostatic Power Steering

Brakes- Hydraulically assisted wet disc

4WD FRONT AXLE:

Limited Slip

Electro-Hydraulic engagement standard

Adjustable Tread Width from 51.5 in.

to 79.4 in.

REAR AXLE

Flange Type

Adjustable Tread Width 60.1 in.

to 76.0 in.

HYDRAULIC SYSTEM:

Open Center Gear Pump System

Dual Pumps Flow: 20.1 gpm (76.4 L)

Implement Pump: 12.5 gpm (47.7 L)

Steering Pump: 7.6 gpm (28.7 L)

(2) Open Center Remote Valves with

Detent & Kickout on #2

REAR DIFFERENTIAL LOCK:

Mechanically Engaged

PTO:

Fully Independent

Flip-up PTO Shaft Guard

4WD power shuttle:

-540 RPM hydraulic wet clutch

-Hydraulic engagement

-Wet clutch

1-3/8 in. 6 splines



**WORKMASTER 55-75 WEST COAST FAST PICK
US PRICE LIST**

Standard Equipment

3-POINT LIFT SYSTEM:

Right hand console mounted
 lever control
 Mechanical Draft Control
 4,000 Pounds Lift Capacity with
 1 Auxiliary Lift Ram
 Category II Ends
 Telescopic Stabilizers
 Flexible Lower Link Ends

ELECTRICAL:

(1) 840 cca Heavy-Duty Battery
 120 amp Alternator
 7-pin Outlet for trailer/implement lighting
 and signals
 25 amp socket
 12V power socket (cigarette lighter)

INSTRUMENTATION:

Analog Instrumentation with warning
 lights for turn signals, high beam,
 work lights, side lights, rear PTO,
 4WD, differential lock, low fuel,
 alternator, oil pressure, brake fluid,
 grid heater & hand brake
 Gauges for fuel level, engine
 temperature and tachometer
 Digital Readout for PTO speed,
 ground speed, battery & hours

CAB LIGHTING:

Front: (2) Halogen Headlights
 (2) cab mounted worklights
 Rear: (2) cab mounted worklights
 Turn Signals/Flashers/Rear Lights

ROPS LIGHTING:

Front: (2) Halogen Headlights
 Rear: (1) Right hand fender
 mounted worklights
 Turn Signals/Flashers/Rear Lights

OPERATOR PROTECTIVE STRUCTURE:

CAB MODELS

ROPS protected, 4 post, flat deck
 platform with heat and air
 conditioning, tinted windshield,
 retractable sun screen, front wiper
 and washer, rear wiper and washer,
 two doors with locks, two external
 mirrors, hinged rear window (opens
 completely)
 Steering Wheel - adjustable tilt
 Seat - Cloth covered air suspension,
 operator's presence sensor,
 retractable seat belt and arm rests
 Instructor Seat
 Suspended pedals
 Radio, speakers, and antenna

ROPS MODELS

2-Post Foldable ROPS with ISO-
 mounted flat deck platform
 Steering Wheel - adjustable tilt
 Seat - Vinyl mechanical suspension,
 operator's presence sensor,
 retractable seat belts and arm rests
 Suspended pedals
 Locking brake pedals

TIRES:

11.2x24 R1 Front
 16.9X30 R1 Rear

MISCELLANEOUS:

Pivoting Engine Hood
 SMV Emblem
 Toolbox

WARRANTY:

New Holland Standard Warranty Applies



**WORKMASTER 55-75 WEST COAST FAST PICK
US PRICE LIST**

Models

COMMERCIAL MODEL	VERSION	Weight	Factory Data	List Price
WORKMASTER 55 T4A	Cab	6,239 LB		\$54,061.00
WORKMASTER 65 T4A	Cab	6,239 LB		\$56,709.00
WORKMASTER 75 T4A	Cab	6,239 LB		\$59,357.00
WORKMASTER 75 T4A	Rops	6,239 LB		\$51,138.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

PACKAGE SELECTION

SD T9980 PACKAGING

		X0596XX	<p>West Coast Less Loader</p> <p>West Coast Less Loader Fast Pick pricing includes:</p> <p>3 rear remotes</p> <p>Less loader and mid mount valve</p> <p>8 front weights</p> <p>Auxiliary lift ram</p> <p>Cab Models:</p> <p>Cab with openable Black-Out panel</p> <p>Allows for choice of the following:</p> <p>Tires:</p> <p>16.9x30 R1 rear with 11.2x24 R1 front OR</p> <p>Front and rear shipping wheels</p> <p>Rear weights:</p> <p>4 rear wheel weights OR</p> <p>NO rear wheel weights</p>			(\$8,200.00)
--	--	---------	---	--	--	--------------

TIRES

FRONT

SD T4940 FRONT WHEELS AND TIRES

		8299801	Non-Return Ship Wheels - 4WD			(\$786.00)
		8232304	11.2 x 24 6PR R1			No Charge
			Matching rear tires = 16.9-30 (8355304)			



**WORKMASTER 55-75 WEST COAST FAST PICK
US PRICE LIST**

REAR

SD T4950 REAR WHEELS AND TIRES

		8399801	Non-Returnable Shipping Wheel			(\$1,521.00)
		8355304	16.9-30 6PR R1			No Charge
			Matching front tires = 11.2-24 (8232304)			

WEIGHTS

REAR

SD T4961 REAR BALLAST

		330470	4 x 110 lb Rear Wheel Weights			\$629.00
			Two weights per side (110 lbs each) = 440 lbs total			

OPERATOR'S MANUALS

SD T9802 OPERATORS MANUAL

		330986	Spanish Operators Manual			No Charge
--	--	--------	--------------------------	--	--	-----------

SD T9803 FRENCH OPERATOR MANUAL

		330982	French Operators Manual			No Charge
--	--	--------	-------------------------	--	--	-----------



WORKMASTER 55, 65, 75 CAB A LA CARTE US PRICE LIST

Standard Equipment

KEY SELLING POINTS:

- Best-in-Class value cab
- Instructor seat
- Air suspensions seat
- 12x12 power shuttle transmission
- Lift-O-Matic
- Factory installed loader

DIESEL ENGINE

Workmaster 55

54 Gross Engine hp

40 PTO hp @ 2300 rpm

3 Cyl Turbocharged Engine

179 cu in (2.9 L) Displacement

Workmaster 65

64 Gross Engine hp

50 PTO hp @ 2300 rpm

3 Cyl Turbocharged Engine

179 cu in (2.9 L) Displacement

Workmaster 75

74 Gross Engine hp

60 PTO hp @ 2300 rpm

3 Cyl Turbocharged Engine

179 cu in (2.9 L) Displacement

ALL MODELS:

Tier B Emissions Compliant:
(CEGR + DOC)

Electronic Injection Bosch

High-pressure Common Rail System

Electric Engine Shutoff

Hand and Foot Throttle Controls

Grid Heater Starting Aid

Powercore Dry Air Cleaner

Under Hood Muffler

Vertical Exhaust

21.6 gal Fuel Tank

2 function mid mount valve & joystick

16.9X30 rear and 11.2X24 front tires

TRANSMISSION:

LH side steering column mounted

Power Shuttle

12 Forward and 12 Reverse Speeds

(4) Synchronized Gears

(3) Non-synchronized Ranges

(2) clutches, 5 wet disc plates

FWD - 25 mph (40 KPH)

Speed varies with tire selection

Hand Operated Park Brake

STEERING/BRAKES:

Hydrostatic Power Steering

Brakes- Hydraulically assisted wet disc

4WD FRONT AXLE:

Limited Slip

Electro-Hydraulic engagement standard

Adjustable Tread Width from 51.5 in.
to 79.4 in.

REAR AXLE

Flange Type

Adjustable Tread Width 60.1 in.
to 76.0 in.

HYDRAULIC SYSTEM:

Open Center Gear Pump System

Dual Pumps Flow: 20.1 gpm (76.4 L)

Implement Pump: 12.5 gpm (47.7 L)

Steering Pump: 7.6 gpm (28.7 L)

(2) Open Center Remote Valves with
Detent & Kickout on #2

REAR DIFFERENTIAL LOCK:

Mechanically Engaged

PTO:

Fully Independent

Flip-up PTO Shaft Guard

4WD power shuttle:

-540 RPM hydraulic wet clutch

-Hydraulic engagement

-Wet clutch

1-3/8 in. 6 splines



**WORKMASTER 55, 65, 75 CAB A LA CARTE
US PRICE LIST**

Standard Equipment

3-POINT LIFT SYSTEM:

Right hand console mounted
 lever control
 Mechanical Draft Control
 3,500 Pounds Lift Capacity
 Category II Ends
 Telescopic Stabilizers
 Flexible Lower Link Ends

ELECTRICAL:

(1) 840 cca Heavy-Duty Battery
 120 amp Alternator
 7-pin Outlet for trailer/implement lighting
 and signals
 25 amp socket
 12V power socket (cigarette lighter)

INSTRUMENTATION:

Analog Instrumentation with warning
 lights for turn signals, high beam,
 work lights, side lights, rear PTO,
 4WD, differential lock, low fuel,
 alternator, oil pressure, brake fluid,
 grid heater & hand brake
 Gauges for fuel level, engine
 temperature and tachometer
 Digital Readout for PTO speed,
 ground speed, battery & hours

CAB LIGHTING:

Front: (2) Halogen Headlights
 (2) cab mounted worklights
 Rear: (2) cab mounted worklights
 Turn Signals/Flashers/Rear Lights

TIRES:

11.2x24 R1 Front
 16.9X30 R1 Rear

MISCELLANEOUS:

Pivoting Engine Hood
 SMV Emblem
 Toolbox

OPERATOR PROTECTIVE STRUCTURE:

CAB MODELS

ROPS protected, 4 post, flat deck
 platform with heat and air
 conditioning, tinted windshield,
 retractable sun screen, front wiper
 and washer, rear wiper and washer,
 two doors with locks, two external
 mirrors, hinged rear window (opens
 completely)
 Steering Wheel - adjustable tilt
 Seat - Cloth covered air suspension,
 operator's presence sensor,
 retractable seat belt and arm rests
 Instructor Seat
 Suspended pedals
 Radio, speakers, and antenna

WARRANTY:

New Holland Standard Warranty Applies

**WORKMASTER 55, 65, 75 CAB A LA CARTE
US PRICE LIST****Standard Equipment****LOADER:****550LU NON SELF-LEVELING**

Maximum Lift Height @
pivot pin: 131.8"
Dump Clearance @ 45 deg: 98.8"
Digging Depth: 5.9"
Lift Capacity @ 800mm: 2,425 LBS
Breakout Force @ 800mm: TBC LBS
Reach @ Max Lift Height @ 45
deg: 23.7"
Reach @ Ground Level: 85.8"
Bucket Rollback Angle: 42 degrees
Bucket Dump Angle: 58 degrees
Skid Steer or Euro style bucket attach
72" Bucket

555LU MECHANICAL SELF-LEVELING

Maximum Lift Height @
pivot pin: 131.8"
Dump Clearance @ 45 deg: 98.8"
Digging Depth: 5.9"
Lift Capacity @ 800mm: 3,086 LBS
Breakout Force @ 800mm: TBC LBS
Reach @ Max Lift Height @ 45
deg: 20.8"
Reach @ Ground Level: 79.9"
Bucket Rollback Angle: 42 degrees
Bucket Dump Angle: 60 degrees
Skid Steer or Euro style bucket attach
72" Bucket



**WORKMASTER 55, 65, 75 CAB A LA CARTE
US PRICE LIST**

Models

COMMERCIAL MODEL	VERSION	Weight	Factory Data	List Price
WORKMASTER 55 T4A	Cab	6,239 LB		\$54,061.00
WORKMASTER 65 T4A	Cab	6,239 LB		\$56,709.00
WORKMASTER 75 T4A	Cab	6,239 LB		\$59,357.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

OPERATOR PLATFORM

SD T9200 OPERATOR STRUCTURE #1

		333606	CAB FIX SCREEN OPEN Cab with openable high visibility panel			\$386.00
--	--	--------	---	--	--	----------

TIRES

FRONT

SD T4940 FRONT WHEELS AND TIRES

		8299801	Non-Return Ship Wheels - 4WD			(\$786.00)
		8232304	11.2 x 24 6PR R1 Matching rear tires = 16.9-30 (8355304)			No Charge
		8290904	12.5/80-18 10PR R4 Matching rear tires = 19.5L-24 10 PR R4 (8391904)			\$690.00

REAR

SD T4950 REAR WHEELS AND TIRES

		8399801	Non-Returnable Shipping Wheel			(\$1,521.00)
		8355304	16.9-30 6PR R1 Matching front tires = 11.2-24 (8232304)			No Charge
		8391904	19.5L-24 10 PR R4 Matching front tires = 12.5/80-18 10PR R4 (8290904)			\$318.00



**WORKMASTER 55, 65, 75 CAB A LA CARTE
US PRICE LIST**

HYDRAULICS

REAR REMOTES

SD T8270 REAR REMOTES

		335413	2 Rem. Valve (1 S/D 2 rear remote valves Float, Detent and kickout on 2nd remote			No Charge
		335640	3 REMOTE VALVE 3 rear remote valves Float, Detent and kickout on 2nd and 3rd remotes			\$827.00

LOADER

LOADER

SD T8110 LOADER BRACKETS

		344739	LOADER-NSL.2F.SSLWGG 550LU Non self leveling with skid steer style attachment Includes: -2 Function mid mount valve and joystick -72" Bucket -Grill guard with two cross bars			No Charge
		344743	LOADER-NSL-2F-EU-WGG 550LU Non self leveling with euro style attachment Includes: -2 Function mid mount valve and joystick -72" Bucket -Grill guard with two cross bars			No Charge
		344738	LOADER-MSL.2F.SSLWGG 555LU Mechanical self leveling with skid steer style attachment Includes: -2 Function mid mount valve and joystick -72" Bucket -Grill guard with two cross bars			\$1,131.00



**WORKMASTER 55, 65, 75 CAB A LA CARTE
US PRICE LIST**

		344742	LOADER-MSL-2F-EU-WGG 555LU Mechanical self leveling with euro style attachment Includes: -2 Function mid mount valve and joystick -72" Bucket -Grill guard with two cross bars			\$1,131.00
--	--	--------	---	--	--	------------

3-POINT HITCH

REAR 3 POINT HITCH

SD T8200 HITCH

		332785	MDC Hitch aux lift ram 1 Auxiliary lift ram = 4,000 lbs total lift capacity			\$469.00
--	--	--------	--	--	--	----------

WEIGHTS

REAR

SD T4961 REAR BALLAST

		330470	4 x 110 lb Rear Wheel Weights Two weights per side (110 lbs each) = 440 lbs total			\$629.00
--	--	--------	--	--	--	----------

OPERATOR'S MANUALS

SD T9802 OPERATORS MANUAL

		330986	Spanish Operators Manual			No Charge
--	--	--------	--------------------------	--	--	-----------

SD T9803 FRENCH OPERATOR MANUAL

		330982	French Operators Manual			No Charge
--	--	--------	-------------------------	--	--	-----------



WORKMASTER 75 ROPS A LA CARTE US PRICE LIST

Standard Equipment

KEY SELLING POINTS:

- Best-in-Class value ROPS platform
- Mechanical suspensions seat
- 12x12 power shuttle transmission
- Lift-O-Matic
- Factory installed loader

DIESEL ENGINE

Workmaster 75
74 Gross Engine hp
60 PTO hp @ 2300 rpm
3 Cyl Turbocharged Engine
179 cu in (2.9 L) Displacement

ALL MODELS:

Tier B Emissions Compliant:
(CEGR + DOC)
Electronic Injection Bosch
High-pressure Common Rail System
Electric Engine Shutoff
Hand and Foot Throttle Controls
Grid Heater Starting Aid
Powercore Dry Air Cleaner
Under Hood Muffler
Vertical Exhaust
21.6 gal Fuel Tank
2 function mid mount valve & joystick
16.9X30 rear and 11.2X24 front tires

TRANSMISSION:

LH side steering column mounted
Power Shuttle
12 Forward and 12 Reverse Speeds
(4) Synchronized Gears
(3) Non-synchronized Ranges
(2) clutches, 5 wet disc plates
FWD - 25 mph (40 KPH)
Speed varies with tire selection
Hand Operated Park Brake

STEERING/BRAKES:

Hydrostatic Power Steering
Brakes- Hydraulically assisted wet disc

4WD FRONT AXLE:

Limited Slip
Electro-Hydraulic engagement standard
Adjustable Tread Width from 51.5 in.
to 79.4 in.

REAR AXLE

Flange Type
Adjustable Tread Width 60.1 in.
to 76.0 in.

HYDRAULIC SYSTEM:

Open Center System
Dual Gear Pumps
Implement Pump: 12.5 gpm (47.7 L)
Steering Pump: 7.6 gpm (28.7 L)
Total Flow: 20.1 gpm (76.4 L)
(2) Open Center Remote Valves with
Detent & Kickout on #2

REAR DIFFERENTIAL LOCK:

Mechanically Engaged

PTO:

Fully Independent
Flip-up PTO Shaft Guard

4WD power shuttle:

-540 RPM hydraulic wet clutch
-Hydraulic engagement
-Wet clutch
1-3/8 in. 6 splines

3-POINT LIFT SYSTEM:

Right hand console mounted
lever control
Mechanical Draft Control
3,500 Pounds Lift Capacity
Category II Ends
Telescopic Stabilizers
Flexible Lower Link Ends



WORKMASTER 75 ROPS A LA CARTE US PRICE LIST

Standard Equipment

ELECTRICAL:

(1) 840 cca Heavy-Duty Battery
120 amp Alternator
7-pin Outlet for trailer/implement lighting
and signals
25 amp socket
12V power socket (cigarette lighter)

INSTRUMENTATION:

Analog Instrumentation with warning
lights for turn signals, high beam,
work lights, side lights, rear PTO,
4WD, differential lock, low fuel,
alternator, oil pressure, brake fluid,
grid heater & hand brake
Gauges for fuel level, engine
temperature and tachometer
Digital Readout for PTO speed,
ground speed, battery & hours

ROPS LIGHTING:

Front: (2) Halogen Headlights
Rear: (1) Right hand fender
mounted worklights
Turn Signals/Flashers/Rear Lights

OPERATOR PROTECTIVE STRUCTURE:

ROPS MODELS

2-Post Foldable ROPS with ISO-
mounted flat deck platform
Steering Wheel - adjustable tilt
Seat - Vinyl mechanical suspension,
operator's presence sensor,
retractable seat belts and arm rests
Suspended pedals
Locking brake pedals

TIRES:

11.2x24 R1 Front
16.9X30 R1 Rear

MISCELLANEOUS:

Pivoting Engine Hood
SMV Emblem
Toolbox

WARRANTY:

New Holland Standard Warranty Applies

LOADER:

550LU NON SELF-LEVELING

Maximum Lift Height @
pivot pin: 131.8"
Dump Clearance @ 45 deg: 98.8"
Digging Depth: 5.9"
Lift Capacity @ 800mm: 2,425 LBS
Breakout Force @ 800mm: TBC LBS
Reach @ Max Lift Height @ 45
deg: 23.7"
Reach @ Ground Level: 85.8"
Bucket Rollback Angle: 42 degrees
Bucket Dump Angle: 58 degrees
Skid Steer or Euro style bucket attach
72" Bucket

555LU MECHANICAL SELF-LEVELING

Maximum Lift Height @
pivot pin: 131.8"
Dump Clearance @ 45 deg: 98.8"
Digging Depth: 5.9"
Lift Capacity @ 800mm: 3,086 LBS
Breakout Force @ 800mm: TBC LBS
Reach @ Max Lift Height @ 45
deg: 20.8"
Reach @ Ground Level: 79.9"
Bucket Rollback Angle: 42 degrees
Bucket Dump Angle: 60 degrees
Skid Steer or Euro style bucket attach
72" Bucket



**WORKMASTER 75 ROPS A LA CARTE
US PRICE LIST**

Models

COMMERCIAL MODEL	VERSION	Weight	Factory Data	List Price
WORKMASTER 75 T4A	Rops	6,239 LB		\$51,138.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

TIRES

FRONT

SD T4940 FRONT WHEELS AND TIRES

	8299801	Non-Return Ship Wheels - 4WD			(\$786.00)
	8232304	11.2 x 24 6PR R1 Matching rear tires = 16.9-30 (8355304)			No Charge
	8290904	12.5/80-18 10PR R4 Matching rear tires = 19.5L-24 10 PR R4 (8391904)			\$690.00

REAR

SD T4950 REAR WHEELS AND TIRES

	8399801	Non-Returnable Shipping Wheel			(\$1,521.00)
	8355304	16.9-30 6PR R1 Matching front tires = 11.2-24 (8232304)			No Charge
	8391904	19.5L-24 10 PR R4 Matching front tires = 12.5/80-18 10PR R4 (8290904)			\$318.00

HYDRAULICS

REAR REMOTES

SD T8270 REAR REMOTES

	335413	2 Rem. Valve (1 S/D) 2 rear remote valves Float, Detent and kickout on 2nd remote			No Charge
	335640	3 REMOTE VALVE 3 rear remote valves Float, Detent and kickout on 2nd and 3rd remotes			\$827.00



**WORKMASTER 75 ROPS A LA CARTE
US PRICE LIST**

LOADER

LOADER

SD T8110 LOADER BRACKETS

		344739	LOADER-NSL.2F.SSLWGG 550LU Non self leveling with skid steer style attachment Includes: -2 Function mid mount valve and joystick -72" Bucket -Grill guard with two cross bars			No Charge
		344743	LOADER-NSL-2F-EU-WGG 550LU Non self leveling with euro style attachment Includes: -2 Function mid mount valve and joystick -72" Bucket -Grill guard with two cross bars			No Charge
		344738	LOADER-MSL.2F.SSLWGG 555LU Mechanical self leveling with skid steer style attachment Includes: -2 Function mid mount valve and joystick -72" Bucket -Grill guard with two cross bars			\$1,131.00
		344742	LOADER-MSL-2F-EU-WGG 555LU Mechanical self leveling with euro style attachment Includes: -2 Function mid mount valve and joystick -72" Bucket -Grill guard with two cross bars			\$1,131.00

3-POINT HITCH

REAR 3 POINT HITCH

SD T8200 HITCH

		332785	MDC Hitch aux lift ram 1 Auxiliary lift ram = 4,000 lbs total lift capacity			\$469.00
--	--	--------	---	--	--	----------



**WORKMASTER 75 ROPS A LA CARTE
US PRICE LIST**

WEIGHTS

REAR

SD_T4961 REAR BALLAST

		330470	4 x 110 lb Rear Wheel Weights Two weights per side (110 lbs each) = 440 lbs total			\$629.00
--	--	--------	--	--	--	----------

OPERATOR'S MANUALS

SD_T9802 OPERATORS MANUAL

		330986	Spanish Operators Manual			No Charge
--	--	--------	--------------------------	--	--	-----------

SD_T9803 FRENCH OPERATOR MANUAL

		330982	French Operators Manual			No Charge
--	--	--------	-------------------------	--	--	-----------



WORKMASTER 55, 65, 75 SPECIAL ORDER
US PRICE LIST

Standard Equipment

Special Custom Order Options

Requires YSR, YRT or YGR order codes.

Please place an order in the system with the configuration as close as possible to your desired configuration and then contact Dealer Sales Support with the following information to get the order configuration changed:

- 1. Vehicle Number(s)
- 2. Order Code(s) desired for each vehicle number

The orders will then be sent to have the order configurations changed to include your desired order code(s).

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

OPERATOR PLATFORM

SD T8520 INSTRUCTIONAL SEAT

	390865	Less Instructional Seat Removes instructor seat option from Cab Models			(\$552.00)
--	--------	---	--	--	------------



WORKMASTER 55, 65, 75 SPECIAL ORDER
US PRICE LIST

LOADER

LOADER

SD T8110 LOADER BRACKETS

		391489	Less Loader Bracket No Loader Removes mid mount valve, loader & bucket			(\$7,899.00)
--	--	--------	---	--	--	--------------

WEIGHTS

FRONT

SD T2150 FRONT BALLAST

		330183	FRONT WEIGHT 8X30KG Front weight carrier (42 lbs) + 8 front weights (66 lbs) = 572 lbs NOT COMPATIBLE with front loader			\$1,082.00
--	--	--------	--	--	--	------------



WORKMASTER 95-120 CAB FAST PICK US PRICE LIST

Standard Equipment

KEY SELLING POINTS:

- Best-in-Class value cab
- Instructor seat
- Air suspensions seat
- 12x12 power shuttle transmission
- Lift-O-Matic
- Factory installed loader

Workmaster 95

97 Gross Engine hp
78 PTO hp @ 2300 rpm
4 Cyl Turbocharged Engine
207cu in (3.4 L) Displacement

Workmaster 105

112 Gross Engine hp
92 PTO hp @ 2300 rpm
4 Cyl Turbocharged Engine
207cu in (3.4 L) Displacement

Workmaster 120

120 Gross Engine hp
100 PTO hp @ 2300 rpm
4 Cyl Turbocharged Engine
207cu in (3.4 L) Displacement

ALL MODELS:

Tier B Emissions Compliant:
(CEGR + SCR + CUC)
Electronic Injection Bosch
High-pressure Common Rail System
Electric Engine Shutoff
Hand and Foot Throttle Controls
Grid Heater Starting Aid
Powercore Dry Air Cleaner
Under Hood Muffler
Vertical Exhaust
29 gal Fuel Tank
2.9 gal DEF Tank
2 function mid mount valve & joystick

TRANSMISSION:

LH side steering column mounted
Power Shuttle
12 Forward and 12 Reverse Speeds
Creeper ready
(4) Synchronized Gears
(3) Non-synchronized Ranges
(2) clutches, 5 wet disc plates
FWD - 19 mph (30 KPH)
Speed varies with tire selection
Hand Operated Park Brake

STEERING/BRAKES:

Hydrostatic Power Steering
Brakes- Hydraulically assisted wet disc

4WD FRONT AXLE:

Limited Slip
Electro-Hydraulic engagement standard
Tread Width: 66.5 in. to 72.9 in.

REAR AXLE

Flange Type
Tread Width: 63.8 in. to 79.5 in.

HYDRAULIC SYSTEM:

Open Center System
Dual Gear Pumps
Implement Pump: 16.9 gpm (64 L)
Steering Pump: 9.7 gpm (37 L)
Total Flow: 26.6 gpm (101 L)
(2) Open Center Remote Valves with
Detent & Kickout on #2 &
Float on #1

REAR DIFFERENTIAL LOCK:

Mechanically Engaged

PTO:

Fully Independent
Flip-up PTO Shaft Guard
540 RPM hydraulic wet clutch
Electronic engagement
1-3/8 in. 6 splines



**WORKMASTER 95-120 CAB FAST PICK
US PRICE LIST**

Standard Equipment

3-POINT LIFT SYSTEM:

Right hand console mounted
lever control
Mechanical Draft Control
3,200 Pounds Lift Capacity
Category I/II Combi Ball Ends
Telescopic Stabilizers
Flexible Lower Link Ends

ELECTRICAL:

(1) 900 cca Heavy-Duty Battery
120 amp Alternator
7-pin Outlet for trailer/implement lighting
and signals
30 amp power plug
12V power socket (cigarette lighter)

INSTRUMENTATION:

Digital /Analog Instrumentation with
warning lights for turn signals, high
beam, work lights, side lights,
rear PTO, 4WD, differential lock,
low fuel, alternator, oil pressure,
brake fluid, grid heater & hand brake
Gauges for fuel level, engine
temperature and tachometer
Digital Readout for PTO speed,
ground speed, battery, hours &
DEF level percentage

LIGHTING:

Front: (2) Halogen Headlights
(2) cab mounted worklights
Rear: (2) cab mounted worklights
Turn Signals/Flashers/Rear Lights

TIRES:

12.4x24 R1 Front
18.4X30 R1 Rear

OPERATOR PROTECTIVE STRUCTURE:

CAB MODELS

ROPS protected, 4 post, flat deck
platform with heat and air
conditioning, tinted windshield,
retractable sun screen, front wiper
and washer, rear wiper and washer,
two doors with locks, two external
mirrors, hinged rear window (opens
completely)
Steering Wheel - adjustable tilt
Seat - Cloth covered air suspension,
operator's presence sensor,
retractable seat belt and arm rests
Instructor Seat
Suspended pedals
Radio, speakers, and antenna

MISCELLANEOUS:

Pivoting Engine Hood
SMV Emblem
Toolbox

WARRANTY:

New Holland Standard Warranty Applies

LOADER:

632TL NON SELF-LEVELING

Maximum Lift Height @
pivot pin: 134.5"
Dump Clearance @ 45 deg: 98.4"
Digging Depth: 5.1"
Lift Capacity @ 800mm: 2,028 LBS
Breakout Force @ 800mm: 3,102 LBS
Reach @ Max Lift Height @ 45
deg: 37.8"
Reach @ Ground Level: 87.4"
Bucket Rollback Angle: 40 degrees
Bucket Dump Angle: 53 degrees
Skid Steer style bucket attach
84" bucket



**WORKMASTER 95-120 CAB FAST PICK
US PRICE LIST**

Models

COMMERCIAL MODEL	VERSION	TRACTION	Weight	Factory Data	List Price
WORKMASTER 95 TIER4	Cab	MFD	6,768 LB		\$75,985.00
WORKMASTER 105 TIER4	Cab	MFD	7,936 LB		\$78,943.00
WORKMASTER 120 TIER4	Cab	MFD	7,253 LB		\$82,615.00



**WORKMASTER 95-120 CAB FAST PICK
US PRICE LIST**

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

FAST PICK CONFIGURATION

SD_T9980 PACKAGING

XF9911X	<p>Standard Cab Fast Pick</p> <p>Standard Cab Fast Pick pricing includes:</p> <p>Cab with openable Black-Out panel</p> <p>632TL NSL loader with SSL quick attach and 84" bucket</p> <p>Allows for choice of the following:</p> <p>Hydraulic Pumps</p> <ul style="list-style-type: none"> - 16.9 gpm (64 L) = (342056) - 21.6 gpm (82 L) = (347541) <p>Rear Remotes</p> <ul style="list-style-type: none"> - 2 Rear Remotes = (762204) - 3 Rear Remotes = (762205) <p>3-PT Hitch Capacity</p> <ul style="list-style-type: none"> - 3200 lb (1451 kg) = (342053) - 6200 lb (2812 kg) = (342054) <p>PTO</p> <ul style="list-style-type: none"> - 540 RPM = (759271) - 540/1000 RPM = (759273) <p>Tires:</p> <ul style="list-style-type: none"> - 18.4-30 R1 rear (8930605) with 12.4-24 R1 front (8230506) <p>OR</p> <ul style="list-style-type: none"> - 16.4-34 R1 rear (8930601) with 13.6-24 R1 front (8230505) <p>Rear weights:</p> <ul style="list-style-type: none"> - No rear wheel weights - 4 rear wheel weights = (762028) 			(\$3,774.00)
---------	---	--	--	--------------



**WORKMASTER 95-120 CAB FAST PICK
US PRICE LIST**

		XF9912X	<p>Basic Cab Fast Pick</p> <p>****NOTE THIS PACKAGE CONTAINS A 12X12 MECHANICAL SHUTTLE TRANSMISSION, DRY CLUTCH 540 RPM PTO AND 11.9 GPM HYDRAULIC PUMP ****</p> <p>NO SUBSTITUTIONS OR OPTIONS</p> <p>Basic Cab Fast Pick pricing includes:</p> <p>****NOTE THIS PACKAGE CONTAINS A 12X12 MECHANICAL SHUTTLE TRANSMISSION, DRY CLUTCH 540 RPM PTO AND 11.9 GPM HYDRAULIC PUMP ****</p> <p>NO SUBSTITUTIONS OR OPTIONS</p> <p>Basic Cab Fast Pick pricing includes:</p> <p>Transmission</p> <ul style="list-style-type: none"> - 12x12 Mechanical Shuttle (344215) <p>Hydraulics</p> <ul style="list-style-type: none"> - 11.9 GPM HYdraulic Pump (342055) - 2 Rear Remote Valves (762202) <p>3-PT Hitch</p> <ul style="list-style-type: none"> - 3200 lb (1451 kg) = (342053) <p>PTO</p> <ul style="list-style-type: none"> - 540 RPM Mechanically Engaged Independent PTO - Dry Clutch Design <p>Loader</p> <ul style="list-style-type: none"> - 632TL NSL Loader with 84 inch SSL QA Bucket (763052) <p>Tires</p> <ul style="list-style-type: none"> - 12.4x24 R1 Front (8230506) - 18.4x30 R1 Rear (8930605) 			(\$6,732.00)
--	--	---------	--	--	--	--------------

OPERATOR PLATFORM

SD T9200 OPERATOR STRUCTURE #1

Cab					
		762204	<p>HVAC CAB 2 REMOTE PS</p> <p>Cab with TWO rear remotes</p>		No Charge
		762205	<p>HVAC CAB 3 REMOTE PS</p> <p>Cab with THREE rear remotes</p>		No Charge



**WORKMASTER 95-120 CAB FAST PICK
US PRICE LIST**

TIRES

FRONT

SD T4940 FRONT WHEELS AND TIRES

4WD Front Tires - Ag

		8230506	FRONT 12.4 - 24 R1 Requires 18.4-30 rear tires			No Charge
		8230505	13.6 -24 R1 Requires 16.9-34 rear tires			\$224.00

REAR

SD T4950 REAR WHEELS AND TIRES

Rear tires - Ag

		8930605	REAR 18.4 - 30 R1 Requires 12.4-24 4WD front			No Charge
		8930601	REAR 16.9 - 34 R1 Requires 13.6-24 4WD front			(\$143.00)

HYDRAULICS

PUMP

SD T8230 HYD PUMP

		347541	HYD PUMP 21 gpm 21.6 GPM (82 LPM) Implement Pump			\$561.00
		342056	HYD PUMP 70,0 LPM 16.9 GPM (64 LPM) Implement Pump			No Charge

PTO

REAR PTO

SD T8010 PTO

		759271	540 RPM W CAP			No Charge
		759273	540-1000 RPM W CAP			\$541.00

3-POINT HITCH

SD T8200 HITCH

		342053	2000KG/4409LBS-Telesc/COMBI 3-PT lift capacity of 3,200 lbs.			No Charge
		342054	3500KG/7716LBS-Telesc/COMBI 2 auxiliary lift rams to increase rear hitch capacity to 6,200 lbs.			\$1,020.00



**WORKMASTER 95-120 CAB FAST PICK
US PRICE LIST**

WEIGHTS

REAR WHEEL WEIGHTS

SD_T4960 WHEEL WEIGHTS

		762028	if PACKAGING is Basic Cab Fast Pick 2 (110 lb) rear weights per side = 220 lbs total for all rear tires sizes except 500/60-22.5 2 (70 lb) rear weights per side = 140 lbs total for 500/60-22.5 rear tires			\$643.00
--	--	--------	---	--	--	----------

OPERATOR'S MANUALS

SD_T9805 OPERATOR MANUAL (SE

		342076	French (Canada)			No Charge
		342077	Spanish			No Charge



US PRICE LIST



US PRICE LIST

Factory Supplied Options

Order Code			Description	Weight	Factory Data	List Price
		342076	French (Canada)			No Charge



WORKMASTER 95-120 A LA CARTE CAB US PRICE LIST

Standard Equipment

KEY SELLING POINTS:

- Best-in-Class value cab
- Instructor seat
- Air suspensions seat
- 12x12 power shuttle transmission
- Lift-O-Matic
- Factory installed loader

Workmaster 95

97 Gross Engine hp
78 PTO hp @ 2300 rpm
4 Cyl Turbocharged Engine
207cu in (3.4 L) Displacement

Workmaster 105

112 Gross Engine hp
92 PTO hp @ 2300 rpm
4 Cyl Turbocharged Engine
207cu in (3.4 L) Displacement

Workmaster 120

120 Gross Engine hp
100 PTO hp @ 2300 rpm
4 Cyl Turbocharged Engine
207cu in (3.4 L) Displacement

ALL MODELS:

Tier B Emissions Compliant:
(CEGR + SCR + CUC)
Electronic Injection Bosch
High-pressure Common Rail System
Electric Engine Shutoff
Hand and Foot Throttle Controls
Grid Heater Starting Aid
Powercore Dry Air Cleaner
Under Hood Muffler
Vertical Exhaust
29 gal Fuel Tank
2.9 gal DEF Tank
2 function mid mount valve & joystick

TRANSMISSION:

LH side steering column mounted
Power Shuttle
12 Forward and 12 Reverse Speeds
Creeper ready
(4) Synchronized Gears
(3) Non-synchronized Ranges
(2) clutches, 5 wet disc plates
FWD - 19 mph (30 KPH)
Speed varies with tire selection
Hand Operated Park Brake

STEERING/BRAKES:

Hydrostatic Power Steering
Brakes- Hydraulically assisted wet disc

4WD FRONT AXLE:

Limited Slip
Electro-Hydraulic engagement standard
Tread Width: 63.8 in. to 72.9 in.

REAR AXLE

Flange Type
Tread Width: 63.9 in. to 79.7 in.

HYDRAULIC SYSTEM:

Open Center System
Dual Gear Pumps
Implement Pump: 16.9 gpm (64 L)
Steering Pump: 9.7 gpm (37 L)
Total Flow: 26.6 gpm (101 L)
(2) Open Center Remote Valves with
Detent & Kickout on #2 &
Float on #1

REAR DIFFERENTIAL LOCK:

Mechanically Engaged

PTO:

Fully Independent
Flip-up PTO Shaft Guard
540 RPM hydraulic wet clutch
Electronic engagement
1-3/8 in. 6 splines



**WORKMASTER 95-120 A LA CARTE CAB
US PRICE LIST**

Standard Equipment

3-POINT LIFT SYSTEM:

Right hand console mounted
lever control
Mechanical Draft Control
3,200 Pounds Lift Capacity
Category I/II Combi Ball Ends
Telescopic Stabilizers
Flexible Lower Link Ends

ELECTRICAL:

(1) 900 cca Heavy-Duty Battery
120 amp Alternator
7-pin Outlet for trailer/implement lighting
and signals
30 amp power plug
12V power socket (cigarette lighter)

INSTRUMENTATION:

Digital /Analog Instrumentation with
warning lights for turn signals, high
beam, work lights, side lights,
rear PTO, 4WD, differential lock,
low fuel, alternator, oil pressure,
brake fluid, grid heater & hand brake
Gauges for fuel level, engine
temperature and tachometer
Digital Readout for PTO speed,
ground speed, battery, hours &
DEF level percentage

LIGHTING:

Front: (2) Halogen Headlights
(2) cab mounted worklights
Rear: (2) cab mounted worklights
Turn Signals/Flashers/Rear Lights

TIRES:

12.4x24 R1 Front
18.4X30 R1 Rear

OPERATOR PROTECTIVE STRUCTURE:

CAB MODELS

ROPS protected, 4 post, flat deck
platform with heat and air
conditioning, tinted windshield,
retractable sun screen, front wiper
and washer, rear wiper and washer,
two doors with locks, two external
mirrors, hinged rear window (opens
completely)
Steering Wheel - adjustable tilt
Seat - Cloth covered air suspension,
operator's presence sensor,
retractable seat belt and arm rests
Instructor Seat
Suspended pedals
Radio, speakers, and antenna

MISCELLANEOUS:

Pivoting Engine Hood
SMV Emblem
Toolbox

WARRANTY:

New Holland Standard Warranty Applies

LOADER:

632TL NON SELF-LEVELING

Maximum Lift Height @
pivot pin: 134.5"
Dump Clearance @ 45 deg: 98.4"
Digging Depth: 5.1"
Lift Capacity @ 800mm: 2,028 LBS
Breakout Force @ 800mm: 3,102 LBS
Reach @ Max Lift Height @ 45
deg: 37.8"
Reach @ Ground Level: 87.4"
Bucket Rollback Angle: 40 degrees
Bucket Dump Angle: 53 degrees
Skid Steer style bucket attach
84" bucket



**WORKMASTER 95-120 A LA CARTE CAB
US PRICE LIST**

Models

COMMERCIAL MODEL	VERSION	TRACTION	Weight	Factory Data	List Price
WORKMASTER 95 TIER4	Cab	MFD	6,768 LB		\$75,985.00
WORKMASTER 105 TIER4	Cab	MFD	7,936 LB		\$78,943.00
WORKMASTER 120 TIER4	Cab	MFD	7,253 LB		\$82,615.00



**WORKMASTER 95-120 A LA CARTE CAB
US PRICE LIST**

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

OPERATOR PLATFORM

SD_T9200 OPERATOR STRUCTURE #1

Cab				
	762204	HVAC CAB 2 REMOTE PS Cab with TWO rear remotes		No Charge
	762205	HVAC CAB 3 REMOTE PS Cab with THREE rear remotes		\$816.00

TIRES

FRONT

SD_T4940 FRONT WHEELS AND TIRES

4WD Front Tires - Ag				
	8220701	11.2 - 24 R1 Requires 16.9-30 rear tires		(\$61.00)
	8230506	FRONT 12.4 - 24 R1 Requires 18.4-30 rear tires		No Charge
	8230505	13.6 -24 R1 Requires 16.9-34 rear tires		\$224.00
4WD Front Tires - Ind				
	8230503	FRONT 12.5 - 18 R4 Requires 19.5L-24 rear tires		\$714.00

REAR

SD_T4950 REAR WHEELS AND TIRES

Rear tires - Ag				
	8930602	REAR 16.9 - 30 R1 Requires 11.2-24 4WD front		\$306.00
	8930605	REAR 18.4 - 30 R1 Requires 12.4-24 4WD front		No Charge
	8930601	REAR 16.9 - 34 R1 Requires 13.6-24 4WD front		(\$143.00)
Rear tires - Ind				
	8930603	REAR 19.5 - 24 R4 Requires 12.5/80-18 4WD front tires		\$638.00



**WORKMASTER 95-120 A LA CARTE CAB
US PRICE LIST**

HYDRAULICS

PUMP

SD_T8230 HYD PUMP

		347541	HYD PUMP 21 gpm 21.6 GPM (82 LPM) Implement Pump			\$561.00
		342056	HYD PUMP 70,0 LPM 16.9 GPM (64 LPM) Implement Pump			No Charge

LOADER

LOADER

SD_T8110 LOADER BRACKETS

		762699	LESS LOADER W/ MMV Mid Mount Valve and Joystick ONLY.			(\$6,630.00)
		762698	LOADER READY 762698 Complete loader ready includes: - Horizontal and Vertical TPS loader brackets - 2 function mid mount valve and joystick - Hoses from mid mount valve to vertical bracket - Grill guard			(\$1,510.00)
		763052	632TL AND 84 BKT SSL 763052 632TL Non self leveling loader with 84" SSL Bucket			No Charge

PTO

REAR PTO

SD_T8010 PTO

		759271	540 RPM W CAP			No Charge
		759272	540-540E RPM W CAP			\$464.00
		759273	540-1000 RPM W CAP			\$541.00

3-POINT HITCH

SD_T8200 HITCH

		342053	2000KG/4409LBS-Telesc/COMBI 3-PT lift capacity of 3,200 lbs.			No Charge
		342054	3500KG/7716LBS-Telesc/COMBI 2 auxiliary lift rams to increase rear hitch capacity to 6,200 lbs.			\$1,020.00



**WORKMASTER 95-120 A LA CARTE CAB
US PRICE LIST**

WEIGHTS

FRONT WEIGHTS

SD T2151 WEIGHT PACK

		342070	110KgFCW/10X40-510kg Front carrier (154 lbs) + 10 weights (88lbs each) = 1,034 lbs			\$1,275.00
		342069	110KgFC W/8X40-430kg Front carrier (154 lbs) + 8 weights (88lbs each) = 858 lbs			\$1,020.00

REAR WHEEL WEIGHTS

SD T4960 WHEEL WEIGHTS

		762028	2X55or32Kg EACH SIDE 2 (110 lb) rear weights per side = 220 lbs total for all rear tires sizes except 500/60-22.5 2 (70 lb) rear weights per side = 140 lbs total for 500/60-22.5 rear tires			\$643.00
		759650	4X55or32Kg EACH SIDE 4 (110 lb) rear weights per side = 440 lbs total for all rear tires sizes except 500/60-22.5 4 (70 lb) rear weights per side = 280 lbs total for 500/60-22.5 rear tires			\$1,285.00

OPERATOR'S MANUALS

SD T9805 OPERATOR MANUAL (SE

		342076	French (Canada)			No Charge
		342077	Spanish			No Charge



WORKMASTER 95-120 ROPS FASTPICK US PRICE LIST

Standard Equipment

KEY SELLING POINTS:

- Semi straddle ROPS
- Air suspensions seat
- 12x12 power shuttle transmission
- Lift-O-Matic
- Factory installed loader

Workmaster 95

97 Gross Engine hp
78 PTO hp @ 2300 rpm
4 Cyl Turbocharged Engine
207cu in (3.4 L) Displacement

Workmaster 105

112 Gross Engine hp
92 PTO hp @ 2300 rpm
4 Cyl Turbocharged Engine
207cu in (3.4 L) Displacement

Workmaster 120

120 Gross Engine hp
100 PTO hp @ 2300 rpm
4 Cyl Turbocharged Engine
207cu in (3.4 L) Displacement

ALL MODELS:

Tier B Emissions Compliant:
(CEGR + SCR + CUC)
Electronic Injection Bosch
High-pressure Common Rail System
Electric Engine Shutoff
Hand and Foot Throttle Controls
Grid Heater Starting Aid
Powercore Dry Air Cleaner
Under Hood Muffler
Horizontal Rearward Exhaust
24 gal Fuel Tank
2.9 gal DEF Tank
2 function mid mount valve & joystick

TRANSMISSION:

LH side steering column mounted
Power Shuttle
Creeper ready
12 Forward and 12 Reverse Speeds
(4) Synchronized Gears
(3) Non-synchronized Ranges
(2) clutches, 5 wet disc plates
FWD - 19 mph (30 KPH) speed may vary
Hand Operated Park Brake

STEERING/BRAKES:

Hydrostatic Power Steering
Brakes- Hydraulically assisted wet disc

4WD FRONT AXLE:

Limited Slip
Electro-Hydraulic engagement standard
Tread Width: 66.5 in. to 72.9 in.

REAR AXLE

Flange Type
Tread Width: 63.8 in. to 79.5 in.

HYDRAULIC SYSTEM:

Open Center System
Dual Gear Pumps
Implement Pump: 16.9 gpm (64 L)
Steering Pump: 9.7 gpm (37 L)
Total Flow: 26.6 gpm (101 L)
(2) Open Center Remote Valves with
Detent & Kickout on #2
Float on #1

REAR DIFFERENTIAL LOCK:

Mechanically Engaged

PTO:

Fully Independent
Flip-up PTO Shaft Guard
540 RPM hydraulic wet clutch
Electronic engagement
1-3/8 in. 6 splines



WORKMASTER 95-120 ROPS FASTPICK US PRICE LIST

Standard Equipment

3-POINT LIFT SYSTEM:

Right hand console mounted
 lever control
 Mechanical Draft Control
 3,200 Pounds Lift Capacity
 Category I/II Combi Ball Ends
 Telescopic Stabilizers
 Flexible Lower Link Ends

ELECTRICAL:

(1) 800 cca Heavy-Duty Battery
 120 amp Alternator
 7-pin Outlet for trailer/implement lighting
 and signals
 30 amp power plug
 12V power socket (cigarette lighter)

INSTRUMENTATION:

Digital /Analog Instrumentation with
 warning lights for turn signals, high
 beam, work lights, side lights,
 rear PTO, 4WD, differential lock,
 low fuel, alternator, oil pressure,
 brake fluid, grid heater & hand brake
 Gauges for fuel level, engine
 temperature and tachometer
 Digital Readout for PTO speed,
 ground speed, battery, hours &
 DEF level percentage

LIGHTING:

Front: (2) Halogen Headlights
 Rear: (1) Right hand fender
 mounted worklights
 Turn Signals/Flashers/Rear Lights

TIRES:

12.4x24 R1 Front
 18.4X30 R1 Rear

OPERATOR PROTECTIVE STRUCTURE:

ROPS MODELS

2-Post Foldable ROPS with ISO-
 mounted flat deck platform
 Steering Wheel - adjustable tilt
 Seat - Low profile air suspension seat,
 operator's presence sensor, and
 retractable seat belts
 Suspended pedals
 Locking brake pedals

MISCELLANEOUS:

Pivoting Engine Hood
 SMV Emblem
 Toolbox

WARRANTY:

New Holland Standard Warranty Applies

LOADER:

632TL NON SELF-LEVELING

Maximum Lift Height @
 pivot pin: 134.5"
 Dump Clearance @ 45 deg: 98.4"
 Digging Depth: 5.1"
 Lift Capacity @ 800mm: 2,028 LBS
 Breakout Force @ 800mm: 3,102 LBS
 Reach @ Max Lift Height @ 45
 deg: 37.8"
 Reach @ Ground Level: 87.4"
 Bucket Rollback Angle: 40 degrees
 Bucket Dump Angle: 53 degrees
 Skid Steer bucket attach
 84" bucket



WORKMASTER 95-120 ROPS FASTPICK
US PRICE LIST

Models

COMMERCIAL MODEL	VERSION	TRACTION	Weight	Factory Data	List Price
WORKMASTER 95 TIER4	Rops	MFD	7,451 LB		\$61,062.00
WORKMASTER 105 TIER4	Rops	MFD	7,451 LB		\$64,020.00
WORKMASTER 120 TIER4	Rops	MFD	7,936 LB		\$67,692.00



**WORKMASTER 95-120 ROPS FASTPICK
US PRICE LIST**

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

FAST PICK CONFIGURATION

SD_T9980 PACKAGING

XF9913X	<p>Standard ROPS Fast Pick</p> <p>ROPS Standard Fast Pick pricing includes:</p> <p>632TL NSL loader with SSL quick attach and 84" bucket</p> <p>Allows for choice of the following:</p> <p>Hydraulic Pumps</p> <ul style="list-style-type: none"> - 16.9 gpm (64 L) = (342056) - 21.6 gpm (82 L) = (347541) <p>Rear Remotes</p> <ul style="list-style-type: none"> - 2 Rear Remotes = (762052) - 3 Rear Remotes = (762053) <p>3-PT Hitch Capacity</p> <ul style="list-style-type: none"> - 3200 lb (1451 kg) = (342053) - 6200 lb (2812 kg) = (342054) <p>PTO</p> <ul style="list-style-type: none"> - 540 RPM = (759271) - 540/1000 RPM = (759273) <p>Tires:</p> <ul style="list-style-type: none"> - 18.4-30 R1 rear (8930605) with 12.4-24 R1 front (8230506) <p>OR</p> <ul style="list-style-type: none"> - 16.4-34 R1 rear (8930601) with 13.6-24 R1 front (8230505) <p>Rear weights:</p> <ul style="list-style-type: none"> - No rear wheel weights - 4 rear wheel weights = (762028) 			(\$3,774.00)
---------	--	--	--	--------------



**WORKMASTER 95-120 ROPS FASTPICK
US PRICE LIST**

		XF9917X	<p>Low Profile All Purpose Fast P</p> <p>Low Profile All Purpose Fast Pick ROPS includes:</p> <p>Allows for choice of the following:</p> <p>Hydraulic Pumps</p> <ul style="list-style-type: none"> - 16.9 gpm (64 L) = (342056) - 21.6 gpm (82 L) = (347541) <p>Rear Remotes</p> <ul style="list-style-type: none"> - 2 Rear Remotes = (762052) - 3 Rear Remotes = (762053) <p>3-PT Hitch Capacity</p> <ul style="list-style-type: none"> - 3200 lb (1451 kg) = (342053) - 6200 lb (2812 kg) = (342054) <p>PTO</p> <ul style="list-style-type: none"> - 540 RPM = (759271) - 540/1000 RPM = (759273) <p>Mid Mount Valve/Loader</p> <ul style="list-style-type: none"> - No Mid-Mount Valve or Loader - Loader Ready = (762698) - Full Loader 632LA NSL with SSL QA 84" Bucket = (762057) <p>Tires:</p> <ul style="list-style-type: none"> - 16.9-30 R1 rear (8930602) with 11.2-24 R1 front (8220701) OR - 500/60-22.5 rear (8310501) with 11.5/80-15.3 front (8811501) OR - 19.5-24 R4 rear (8930603) with 12.5-18 front (8230503) <p>Rear weights:</p> <ul style="list-style-type: none"> - No rear wheel weights - 4 rear wheel weights = (762028) <p>Front weights:</p> <ul style="list-style-type: none"> - No front weights - 8 front weights = (342069) - 10 front weights = (342070) 			(\$3,774.00)
--	--	---------	---	--	--	--------------



**WORKMASTER 95-120 ROPS FASTPICK
US PRICE LIST**

		XF9921X	<p>Basic All-Purpose ROPS Fast Pi</p> <p>****NOTE THIS PACKAGE CONTAINS A 12X12 MECHANICAL SHUTTLE TRANSMISSION, DRY CLUTCH 540 RPM PTO AND 11.9 GPM HYDRAULIC PUMP ****</p> <p>NO SUBSTITUTIONS OR OPTIONS</p> <p>Basic ROPS Fast Pick pricing includes:</p> <p>Transmission</p> <ul style="list-style-type: none"> - 12x12 Mechanical Shuttle (344215) <p>Hydraulics</p> <ul style="list-style-type: none"> - 11.9 GPM HYdraulic Pump (342055) - 2 Rear Remote Valves (762202) <p>3-PT Hitch</p> <ul style="list-style-type: none"> - 3200 lb (1451 kg) = (342053) <p>PTO</p> <ul style="list-style-type: none"> - 540 RPM Mechanically Engaged Independent PTO - Dry Clutch Design <p>Loader</p> <ul style="list-style-type: none"> - 632TL NSL Loader with 84 inch SSL QA Bucket (763052) <p>Tires</p> <ul style="list-style-type: none"> - 12.4x24 R1 Front (8230506) - 18.4x30 R1 Rear (8930605) 			(\$6,732.00)
--	--	---------	--	--	--	--------------

OTHER EQUIPMENT

SD T1010 ENGINE OPTIONS

		343472	VISCOUS FAN			No Charge
		343473	REVERSE FAN			\$2,142.00

TIRES

FRONT

SD T4940 FRONT WHEELS AND TIRES

4WD Front Tires - Ag						
		8230506	FRONT 12.4 - 24 R1			No Charge
			Requires 18.4-30 rear tires			
		8230505	13.6 -24 R1			\$224.00
			Requires 16.9-34 rear tires			



**WORKMASTER 95-120 ROPS FASTPICK
US PRICE LIST**

REAR

SD T4950 REAR WHEELS AND TIRES

Rear tires - Ag

		8930605	REAR 18.4 - 30 R1 Requires 12.4-24 4WD front			No Charge
		8930601	REAR 16.9 - 34 R1 Requires 13.6-24 4WD front			(\$143.00)

HYDRAULICS

REAR REMOTES

SD T8270 REAR REMOTES

		762052	2 REMOTE 762052 2 rear remotes for Open Platform with foldable ROPS Float on remote 1 Extend and retract detent and kick-out on remote 2			No Charge
		762053	3 REMOTE 762053 3 rear remotes for Open Platform with foldable ROPS Float on remote 1 & 3 Extend and retract detent and kick-out on remote 2			\$816.00

PUMP

SD T8230 HYD PUMP

		347541	HYD PUMP 21 gpm 21.6 GPM (82 LPM) Implement Pump			\$561.00
		342056	HYD PUMP 70,0 LPM 16.9 GPM (64 LPM) Implement Pump			No Charge

PTO

REAR PTO

SD T8010 PTO

		759271	540 RPM W CAP			No Charge
		759273	540-1000 RPM W CAP			\$541.00

3-POINT HITCH

SD T8200 HITCH

		342053	2000KG/4409LBS-Telesc/COMBI 3-PT lift capacity of 3,200 lbs.			No Charge
--	--	--------	--	--	--	-----------



**WORKMASTER 95-120 ROPS FASTPICK
US PRICE LIST**

		342054	3500KG/7716LBS-Telesc/COMBI 2 auxiliary lift rams to increase rear hitch capacity to 6,200 lbs.			\$1,020.00
--	--	--------	---	--	--	------------

WEIGHTS

REAR WHEEL WEIGHTS

SD T4960 WHEEL WEIGHTS

		762028	2X55or32Kg EACH SIDE 2 (110 lb) rear weights per side = 220 lbs total for all rear tires sizes except 500/60-22.5 2 (70 lb) rear weights per side = 140 lbs total for 500/60-22.5 rear tires			\$643.00
--	--	--------	--	--	--	----------

OPERATOR'S MANUALS

SD T9805 OPERATOR MANUAL (SE

		342076	French (Canada)			No Charge
		342077	Spanish			No Charge



**WORKMASTER 95-120 CALIFORNIA SPECIAL ROP
US PRICE LIST**

Standard Equipment

KEY SELLING POINTS:

- Low profile semi straddle ROPS
- Low profile air suspensions seat
- 12x12 power shuttle transmission
- Lift-O-Matic
- 21.6 gpm hydraulic pump
- 3 rear remote valves
- 6200 lb. 3-pt lift capacity
- 540/1000 rpm PTO

Workmaster 95

97 Gross Engine hp
78 PTO hp @ 2300 rpm
4 Cyl Turbocharged Engine
207cu in (3.4 L) Displacement

Workmaster 105

112 Gross Engine hp
92 PTO hp @ 2300 rpm
4 Cyl Turbocharged Engine
207cu in (3.4 L) Displacement

Workmaster 120

120 Gross Engine hp
100 PTO hp @ 2300 rpm
4 Cyl Turbocharged Engine
207cu in (3.4 L) Displacement

ALL MODELS:

Tier B Emissions Compliant:
(CEGR + SCR + CUC)
Electronic Injection Bosch
High-pressure Common Rail System
Electric Engine Shutoff
Hand and Foot Throttle Controls
Grid Heater Starting Aid
Powercore Dry Air Cleaner
Under Hood Muffler
Horizontal Rearward Exhaust
24 gal Fuel Tank
2.9 gal DEF Tank

TRANSMISSION:

LH side steering column mounted
Power Shuttle
Creeper ready
12 Forward and 12 Reverse Speeds
(4) Synchronized Gears
(3) Non-synchronized Ranges
(2) clutches, 5 wet disc plates
FWD - 19 mph (30 KPH) speed may vary
Hand Operated Park Brake

STEERING/BRAKES:

Hydrostatic Power Steering
Brakes- Hydraulically assisted wet disc

4WD FRONT AXLE:

Limited Slip
Electro-Hydraulic engagement standard
Tread Width: 63.8 in. to 71.6 in.

REAR AXLE

Flange Type
Tread Width: 63.9 in. to 79.7 in.

HYDRAULIC SYSTEM:

Open Center System
Dual Gear Pumps
Implement Pump: 21.6 gpm (82 L)
Steering Pump: 9.7 gpm (36 L)
Total Flow: 31.3 gpm (118 L)
(3) Open Center Remote Valves with
Detent & Kickout on #2
Float on #1

REAR DIFFERENTIAL LOCK:

Mechanically Engaged

PTO:

Fully Independent
Flip-up PTO Shaft Guard
540/1000 RPM hydraulic wet clutch
Electronic engagement
1-3/8 in. 6 splines



**WORKMASTER 95-120 CALIFORNIA SPECIAL ROP
US PRICE LIST**

Standard Equipment

3-POINT LIFT SYSTEM:

Right hand console mounted
lever control
Mechanical Draft Control
6,200 Pounds Lift Capacity
Category I/II Combi Ball Ends
Telescopic Stabilizers
Flexible Lower Link Ends

ELECTRICAL:

(1) 800 cca Heavy-Duty Battery
120 amp Alternator
7-pin Outlet for trailer/implement lighting
and signals
30 amp power plug
12V power socket (cigarette lighter)

INSTRUMENTATION:

Digital /Analog Instrumentation with
warning lights for turn signals, high
beam, work lights, side lights,
rear PTO, 4WD, differential lock,
low fuel, alternator, oil pressure,
brake fluid, grid heater & hand brake
Gauges for fuel level, engine
temperature and tachometer
Digital Readout for PTO speed,
ground speed, battery, hours &
DEF level percentage

LIGHTING:

Front: (2) Halogen Headlights
Rear: (1) Right hand fender
mounted worklights
Turn Signals/Flashers/Rear Lights

OPERATOR PROTECTIVE STRUCTURE:

ROPS MODELS

2-Post Foldable ROPS with ISO-
mounted flat deck platform
Steering Wheel - adjustable tilt
Seat - Low profile air suspension seat,
operator's presence sensor, and
retractable seat belts
Suspended pedals
Locking brake pedals

TIRES:

11.5/80-15.3 R1 Front
500/60-22.5 R1 Rear
OR
12.5/80-18 R4 Front
19.5L24 R4 Rear
OR
11.2-24 R1 Front
16.9-30 R1 Rear

Weights:

10 Front weight + carrier (1,034 lb.)
4 Rear wheel weight (2 per wheel)

MISCELLANEOUS:

Pivoting Engine Hood
SMV Emblem
Toolbox

WARRANTY:

New Holland Standard Warranty Applies



**WORKMASTER 95-120 CALIFORNIA SPECIAL ROP
US PRICE LIST**

Models

COMMERCIAL MODEL	VERSION	TRACTION	Weight	Factory Data	List Price
WORKMASTER 95 TIER4	Rops	MFD	7,451 LB		\$61,062.00
WORKMASTER 105 TIER4	Rops	MFD	7,451 LB		\$64,020.00
WORKMASTER 120 TIER4	Rops	MFD	7,936 LB		\$67,692.00



**WORKMASTER 95-120 CALIFORNIA SPECIAL ROP
US PRICE LIST**

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

FAST PICK CONFIGURATION

SD_T9980 PACKAGING

XF9919X	<p>California Special ROPS Fast P</p> <p>California Special ROPS Fast Pick includes:</p> <p>Hydraulic Pump</p> <ul style="list-style-type: none"> - 21.6 gpm (82 L) = (347541) <p>Rear Remotes</p> <ul style="list-style-type: none"> - 3 Rear Remotes = (762053) <p>3-PT Hitch Capacity</p> <ul style="list-style-type: none"> - 6200 lb (2812 kg) = (342054) <p>PTO</p> <ul style="list-style-type: none"> - 540/1000 RPM = (759273) <p>Mid Mount Valve/Loader</p> <ul style="list-style-type: none"> - No Mid-Mount Valve or Loader <p>Tires:</p> <ul style="list-style-type: none"> - 19.5-24 R4 rear (8930603) with 12.5-18 front (8230503) <p>Rear weights:</p> <ul style="list-style-type: none"> - 2x55 EACH side (762028) <p>Front weights:</p> <ul style="list-style-type: none"> - 10 Front weights = (342070) <p>Allows for choice of the following:</p> <p>Engine Fan</p> <ul style="list-style-type: none"> - Reversing Fan (343473) <p>Tires:</p> <ul style="list-style-type: none"> - 500/60-22.5 rear (8310501) with 11.5/80-15.3 front (8811501) OR - 16.9-30 R1 rear (8930602) with 11.2-24 R1 front (8220701) <p>Manuals:</p> <ul style="list-style-type: none"> - French (372076) - Spanish (342077) 			(\$11,914.00)
---------	--	--	--	---------------



**WORKMASTER 95-120 CALIFORNIA SPECIAL ROP
US PRICE LIST**

OTHER EQUIPMENT

SD T1010 ENGINE OPTIONS

		343472	VISCOUS FAN			No Charge
		343473	REVERSE FAN			\$2,142.00

TIRES

FRONT

SD T4940 FRONT WHEELS AND TIRES

4WD Front Tires - Ag						
		8220701	11.2 - 24 R1 Requires 16.9-30 rear tires			(\$61.00)
		8811501	11.5/80-15.3 R1 Requires 500/60-22.5 rear tires (ROPS ONLY)			\$714.00
4WD Front Tires - Ind						
		8230503	FRONT 12.5 - 18 R4 Requires 19.5L-24 rear tires			\$714.00

REAR

SD T4950 REAR WHEELS AND TIRES

Rear tires - Ag						
		8930602	REAR 16.9 - 30 R1 Requires 11.2-24 4WD front			\$306.00
		8310501	500/60-22.5 R1 Requires 11.5/80-15.3 4WD front tires (ROPS ONLY)			\$638.00
Rear tires - Ind						
		8930603	REAR 19.5 - 24 R4 Requires 12.5/80-18 4WD front tires			\$638.00

OPERATOR'S MANUALS

SD T9805 OPERATOR MANUAL (SE

		342076	French (Canada)			No Charge
		342077	Spanish			No Charge



**WORKMASTER 95-120 AP LOW PRO FAST PICK
US PRICE LIST**

Standard Equipment

KEY SELLING POINTS:

- Low profile semi straddle ROPS
- Low profile air suspensions seat
- 12x12 power shuttle transmission
- Lift-O-Matic
- Factory installed loader

Workmaster 95

97 Gross Engine hp
78 PTO hp @ 2300 rpm
4 Cyl Turbocharged Engine
207cu in (3.4 L) Displacement

Workmaster 105

112 Gross Engine hp
92 PTO hp @ 2300 rpm
4 Cyl Turbocharged Engine
207cu in (3.4 L) Displacement

Workmaster 120

120 Gross Engine hp
100 PTO hp @ 2300 rpm
4 Cyl Turbocharged Engine
207cu in (3.4 L) Displacement

ALL MODELS:

Tier B Emissions Compliant:
(CEGR + SCR + CUC)
Electronic Injection Bosch
High-pressure Common Rail System
Electric Engine Shutoff
Hand and Foot Throttle Controls
Grid Heater Starting Aid
Powercore Dry Air Cleaner
Under Hood Muffler
Horizontal Rearward Exhaust
24 gal Fuel Tank
2.9 gal DEF Tank
2 function mid mount valve & joystick

TRANSMISSION:

LH side steering column mounted
Power Shuttle
Creeper ready
12 Forward and 12 Reverse Speeds
(4) Synchronized Gears
(3) Non-synchronized Ranges
(2) clutches, 5 wet disc plates
FWD - 19 mph (30 KPH) speed may vary
Hand Operated Park Brake

STEERING/BRAKES:

Hydrostatic Power Steering
Brakes- Hydraulically assisted wet disc

4WD FRONT AXLE:

Limited Slip
Electro-Hydraulic engagement standard
Tread Width: 63.8 in. to 71.6 in.

REAR AXLE

Flange Type
Tread Width: 63.9 in. to 79.7 in.

HYDRAULIC SYSTEM:

Open Center System
Dual Gear Pumps
Implement Pump: 16.9 gpm (64 L)
Steering Pump: 9.7 gpm (37 L)
Total Flow: 26.6 gpm (101 L)
(2) Open Center Remote Valves with
Detent & Kickout on #2
Float on #1

REAR DIFFERENTIAL LOCK:

Mechanically Engaged

PTO:

Fully Independent
Flip-up PTO Shaft Guard
540 RPM hydraulic wet clutch
Electronic engagement
1-3/8 in. 6 splines



**WORKMASTER 95-120 AP LOW PRO FAST PICK
US PRICE LIST**

Standard Equipment

3-POINT LIFT SYSTEM:

Right hand console mounted
lever control
Mechanical Draft Control
3,200 Pounds Lift Capacity
Category I/II Combi Ball Ends
Telescopic Stabilizers
Flexible Lower Link Ends

ELECTRICAL:

(1) 800 cca Heavy-Duty Battery
120 amp Alternator
7-pin Outlet for trailer/implement lighting
and signals
30 amp power plug
12V power socket (cigarette lighter)

INSTRUMENTATION:

Digital /Analog Instrumentation with
warning lights for turn signals, high
beam, work lights, side lights,
rear PTO, 4WD, differential lock,
low fuel, alternator, oil pressure,
brake fluid, grid heater & hand brake
Gauges for fuel level, engine
temperature and tachometer
Digital Readout for PTO speed,
ground speed, battery, hours &
DEF level percentage

LIGHTING:

Front: (2) Halogen Headlights
Rear: (1) Right hand fender
mounted worklights
Turn Signals/Flashers/Rear Lights

OPERATOR PROTECTIVE STRUCTURE:

ROPS MODELS
2-Post Foldable ROPS with ISO-
mounted flat deck platform
Steering Wheel - adjustable tilt
Seat - Low profile air suspension seat,
operator's presence sensor, and
retractable seat belts
Suspended pedals
Locking brake pedals

TIRES:

11.5/80-15.3 R1 Front
500/60-22.5 R1 Rear
OR
12.5/80-18 R4 Front
19.5L24 R4 Rear
OR
11.2-24 Front
16.9x30 Rear

MISCELLANEOUS:

Pivoting Engine Hood
SMV Emblem
Toolbox

WARRANTY:

New Holland Standard Warranty Applies



WORKMASTER 95-120 AP LOW PRO FAST PICK
US PRICE LIST

Models

COMMERCIAL MODEL	VERSION	TRACTION	Weight	Factory Data	List Price
WORKMASTER 95 TIER4	Rops	MFD	7,451 LB		\$61,062.00
WORKMASTER 105 TIER4	Rops	MFD	7,451 LB		\$64,020.00
WORKMASTER 120 TIER4	Rops	MFD	7,936 LB		\$67,692.00



**WORKMASTER 95-120 AP LOW PRO FAST PICK
US PRICE LIST**

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

FAST PICK CONFIGURATION

SD_T9980 PACKAGING

XF9917X	<p>Low Profile All Purpose Fast P</p> <p>Low Profile All Purpose Fast Pick ROPS includes:</p> <p>Allows for choice of the following:</p> <p>Hydraulic Pumps</p> <ul style="list-style-type: none"> - 16.9 gpm (64 L) = (342056) - 21.6 gpm (82 L) = (347541) <p>Rear Remotes</p> <ul style="list-style-type: none"> - 2 Rear Remotes = (762052) - 3 Rear Remotes = (762053) <p>3-PT Hitch Capacity</p> <ul style="list-style-type: none"> - 3200 lb (1451 kg) = (342053) - 6200 lb (2812 kg) = (342054) <p>PTO</p> <ul style="list-style-type: none"> - 540 RPM = (759271) - 540/1000 RPM = (759273) <p>Mid Mount Valve/Loader</p> <ul style="list-style-type: none"> - No Mid-Mount Valve or Loader - Loader Ready = (762698) - Full Loader 632LA NSL with SSL QA 84" Bucket = (762057) <p>Tires:</p> <ul style="list-style-type: none"> - 16.9-30 R1 rear (8930602) with 11.2-24 R1 front (8220701) OR - 500/60-22.5 rear (8310501) with 11.5/80-15.3 front (8811501) OR - 19.5-24 R4 rear (8930603) with 12.5-18 front (8230503) <p>Rear weights:</p> <ul style="list-style-type: none"> - No rear wheel weights - 4 rear wheel weights = (762028) <p>Front weights:</p> <ul style="list-style-type: none"> - No front weights - 8 front weights = (342069) - 10 front weights = (342070) 			(\$3,774.00)
---------	---	--	--	--------------



**WORKMASTER 95-120 AP LOW PRO FAST PICK
US PRICE LIST**

TIRES

FRONT

SD T4940 FRONT WHEELS AND TIRES

4WD Front Tires - Ag

		8811501	11.5/80-15.3 R1 Requires 500/60-22.5 rear tires (ROPS ONLY)			\$714.00
--	--	---------	---	--	--	----------

4WD Front Tires - Ind

		8230503	FRONT 12.5 - 18 R4 Requires 19.5L-24 rear tires			\$714.00
--	--	---------	---	--	--	----------

REAR

SD T4950 REAR WHEELS AND TIRES

Rear tires - Ag

		8930602	REAR 16.9 - 30 R1 Requires 11.2-24 4WD front			\$306.00
		8310501	500/60-22.5 R1 Requires 11.5/80-15.3 4WD front tires (ROPS ONLY)			\$638.00

Rear tires - Ind

		8930603	REAR 19.5 - 24 R4 Requires 12.5/80-18 4WD front tires			\$638.00
--	--	---------	---	--	--	----------

HYDRAULICS

REAR REMOTES

SD T8270 REAR REMOTES

		762052	2 REMOTE 762052 2 rear remotes for Open Platform with foldable ROPS Float on remote 1 Extend and retract detent and kick-out on remote 2			No Charge
		762053	3 REMOTE 762053 3 rear remotes for Open Platform with foldable ROPS Float on remote 1 & 3 Extend and retract detent and kick-out on remote 2			\$816.00

PUMP

SD T8230 HYD PUMP

		347541	HYD PUMP 21 gpm 21.6 GPM (82 LPM) Implement Pump			\$561.00
--	--	--------	--	--	--	----------



**WORKMASTER 95-120 AP LOW PRO FAST PICK
US PRICE LIST**

		342056	HYD PUMP 70,0 LPM 16.9 GPM (64 LPM) Implement Pump			No Charge
--	--	--------	--	--	--	-----------

LOADER

LOADER

SD_T8110 LOADER BRACKETS

		762698	LOADER READY 762698 Complete loader ready includes: - Horizontal and Vertical TPS loader brackets - 2 function mid mount valve and joystick - Hoses from mid mount valve to vertical bracket - Grill guard			(\$1,510.00)
		763052	632TL AND 84 BKT SSL 763052 632TL Non self leveling loader with 84" SSL Bucket			No Charge

PTO

REAR PTO

SD_T8010 PTO

		759271	540 RPM W CAP			No Charge
		759273	540-1000 RPM W CAP			\$541.00

3-POINT HITCH

SD_T8200 HITCH

		342053	2000KG/4409LBS-Telesc/COMBI 3-PT lift capacity of 3,200 lbs.			No Charge
		342054	3500KG/7716LBS-Telesc/COMBI 2 auxiliary lift rams to increase rear hitch capacity to 6,200 lbs.			\$1,020.00

WEIGHTS

FRONT WEIGHTS

SD_T2151 WEIGHT PACK

		342070	110KgFCW/10X40-510kg Front carrier (154 lbs) + 10 weights (88lbs each) = 1,034 lbs			\$1,275.00
		342069	110KgFC W/8X40-430kg Front carrier (154 lbs) + 8 weights (88lbs each) = 858 lbs			\$1,020.00



WORKMASTER 95-120 AP LOW PRO FAST PICK
US PRICE LIST

REAR WHEEL WEIGHTS

SD T4960 WHEEL WEIGHTS

		762028	2X55or32Kg EACH SIDE 2 (110 lb) rear weights per side = 220 lbs total for all rear tires sizes except 500/60-22.5 2 (70 lb) rear weights per side = 140 lbs total for 500/60-22.5 rear tires			\$643.00
--	--	--------	--	--	--	----------

OPERATOR'S MANUALS

SD T9805 OPERATOR MANUAL (SE

		342076	French (Canada)			No Charge
		342077	Spanish			No Charge



**WORKMASTER 95-120 POULTRY FAST PICKS
US PRICE LIST**

Standard Equipment

KEY SELLING POINTS:

- Low profile semi straddle ROPS
- Low profile air suspensions seat
- 12x12 power shuttle transmission
- Lift-O-Matic
- Factory installed loader

Workmaster 95

97 Gross Engine hp
78 PTO hp @ 2300 rpm
4 Cyl Turbocharged Engine
207cu in (3.4 L) Displacement

Workmaster 105

112 Gross Engine hp
92 PTO hp @ 2300 rpm
4 Cyl Turbocharged Engine
207cu in (3.4 L) Displacement

Workmaster 120

120 Gross Engine hp
100 PTO hp @ 2300 rpm
4 Cyl Turbocharged Engine
207cu in (3.4 L) Displacement

ALL MODELS:

Tier B Emissions Compliant:
(CEGR + SCR + CUC)
Engine Reversing Fan
Electronic Injection Bosch
High-pressure Common Rail System
Electric Engine Shutoff
Hand and Foot Throttle Controls
Grid Heater Starting Aid
Powercore Dry Air Cleaner
Under Hood Muffler
Horizontal Rearward Exhaust
24 gal Fuel Tank
2.9 gal DEF Tank
2 function mid mount valve & joystick

TRANSMISSION:

LH side steering column mounted
Power Shuttle
Creeper ready
12 Forward and 12 Reverse Speeds
(4) Synchronized Gears
(3) Non-synchronized Ranges
(2) clutches, 5 wet disc plates
FWD - 19 mph (30 KPH) speed may vary
Hand Operated Park Brake

STEERING/BRAKES:

Hydrostatic Power Steering
Brakes- Hydraulically assisted wet disc

4WD FRONT AXLE:

Limited Slip
Electro-Hydraulic engagement standard
Tread Width: 63.8 in. to 68.5 in.

REAR AXLE

Flange Type
Tread Width: 64.8 in. to 72.7 in.

HYDRAULIC SYSTEM:

Open Center System
Dual Gear Pumps
Implement Pump: 16.9 gpm (64 L)
Steering Pump: 9.7 gpm (37 L)
Total Flow: 26.6 gpm (101 L)
(2) Open Center Remote Valves with
Detent & Kickout on #2
Float on #1

REAR DIFFERENTIAL LOCK:

Mechanically Engaged

PTO:

Fully Independent
Flip-up PTO Shaft Guard
540 RPM hydraulic wet clutch
Electronic engagement
1-3/8 in. 6 splines



**WORKMASTER 95-120 POULTRY FAST PICKS
US PRICE LIST**

Standard Equipment

3-POINT LIFT SYSTEM:

Right hand console mounted
lever control
Mechanical Draft Control
3,200 Pounds Lift Capacity
Category I/II Combi Ball Ends
Telescopic Stabilizers
Flexible Lower Link Ends

ELECTRICAL:

(1) 800 cca Heavy-Duty Battery
120 amp Alternator
7-pin Outlet for trailer/implement lighting
and signals
30 amp power plug
12V power socket (cigarette lighter)

INSTRUMENTATION:

Digital /Analog Instrumentation with
warning lights for turn signals, high
beam, work lights, side lights,
rear PTO, 4WD, differential lock,
low fuel, alternator, oil pressure,
brake fluid, grid heater & hand brake
Gauges for fuel level, engine
temperature and tachometer
Digital Readout for PTO speed,
ground speed, battery, hours &
DEF level percentage

LIGHTING:

Front: (2) Halogen Headlights
Rear: (1) Right hand fender
mounted worklights
Turn Signals/Flashers/Rear Lights

MISCELLANEOUS:

Pivoting Engine Hood
SMV Emblem
Toolbox

TIRES:

11.5/80-15.3 R1 Front
500/60-22.5 R1 Rear
OR
12.5/80-18 R4 Front
19.5L24 R4 Rear

OPERATOR PROTECTIVE STRUCTURE:

ROPS MODELS

2-Post Foldable ROPS with ISO-
mounted flat deck platform
Steering Wheel - adjustable tilt
Seat - Low profile air suspension seat,
operator's presence sensor, and
retractable seat belts
Suspended pedals
Locking brake pedals

WARRANTY:

New Holland Standard Warranty Applies

LOADER:

632TL NON SELF-LEVELING

Maximum Lift Height @
pivot pin: 134.5"
Dump Clearance @ 45 deg: 98.4"
Digging Depth: 5.1"
Lift Capacity @ 800mm: 2,028 LBS
Breakout Force @ 800mm: 3,102 LBS
Reach @ Max Lift Height @ 45
deg: 37.8"
Reach @ Ground Level: 87.4"
Bucket Rollback Angle: 40 degrees
Bucket Dump Angle: 53 degrees
Skid Steer bucket attach
84" bucket



WORKMASTER 95-120 POULTRY FAST PICKS
US PRICE LIST

Models

COMMERCIAL MODEL	VERSION	TRACTION	Weight	Factory Data	List Price
WORKMASTER 95 TIER4	Rops	MFD	7,451 LB		\$61,062.00
WORKMASTER 105 TIER4	Rops	MFD	7,451 LB		\$64,020.00
WORKMASTER 120 TIER4	Rops	MFD	7,936 LB		\$67,692.00



**WORKMASTER 95-120 POULTRY FAST PICKS
US PRICE LIST**

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

FAST PICK CONFIGURATION

SD_T9980 PACKAGING

XF9915X	<p>Poultry NSL Loader Fast Pick</p> <p>Poultry NSL Loader Fast Pick pricing includes:</p> <p>Reversing engine fan</p> <p>632LA NSL loader with SSL quick attach and 84" bucket</p> <p>Allows for choice of the following:</p> <p>Hydraulic Pumps</p> <ul style="list-style-type: none"> - 16.9 gpm (64 L) = (342056) - 21.6 gpm (82 L) = (347541) <p>Rear Remotes</p> <ul style="list-style-type: none"> - 2 Rear Remotes = (762052) - 3 Rear Remotes = (762053) <p>3-PT Hitch Capacity</p> <ul style="list-style-type: none"> - 3200 lb (1451 kg) = (342053) - 6200 lb (2812 kg) = (342054) <p>PTO</p> <ul style="list-style-type: none"> - 540 RPM = (759271) - 540/1000 RPM = (759273) <p>Tires:</p> <ul style="list-style-type: none"> - 500/60-22.5 rear (8310501) with 11.5/80-15.3 front (8811501) <p>OR</p> <ul style="list-style-type: none"> - 19.5-24 R4 rear (8930603) with 12.5-18 front (8230503) <p>Rear weights:</p> <ul style="list-style-type: none"> - No rear wheel weights - 4 rear wheel weights = (762028) 			(\$561.00)
---------	--	--	--	------------



**WORKMASTER 95-120 POULTRY FAST PICKS
US PRICE LIST**

		XF9916X	Poultry NO Loader Fast Pick Poultry NSL Loader Fast Pick pricing includes: Reversing engine fan Less loader and mid-mount valve Allows for choice of the following: Hydraulic Pumps - 16.9 gpm (64 L) = (342056) - 21.6 gpm (82 L) = (347541) Rear Remotes - 2 Rear Remotes = (762052) - 3 Rear Remotes = (762053) 3-PT Hitch Capacity - 3200 lb (1451 kg) = (342053) - 6200 lb (2812 kg) = (342054) PTO - 540 RPM = (759271) - 540/1000 RPM = (759273) Tires: - 500/60-22.5 rear (8310501) with 11.5/80-15.3 front (8811501) OR - 19.5-24 R4 rear (8930603) with 12.5-18 front (8230503) Rear weights: - No rear wheel weights - 4 rear wheel weights = (762028)			(\$8,701.00)
--	--	---------	---	--	--	--------------

TIRES

FRONT

SD_T4940 FRONT WHEELS AND TIRES

4WD Front Tires - Ag						
		8811501	11.5/80-15.3 R1 Requires 500/60-22.5 rear tires (ROPS ONLY)			\$714.00
4WD Front Tires - Ind						
		8230503	FRONT 12.5 - 18 R4 Requires 19.5L-24 rear tires			\$714.00

REAR

SD_T4950 REAR WHEELS AND TIRES

Rear tires - Ag						
		8310501	500/60-22.5 R1 Requires 11.5/80-15.3 4WD front tires (ROPS ONLY)			\$638.00



**WORKMASTER 95-120 POULTRY FAST PICKS
US PRICE LIST**

Rear tires - Ind

		8930603	REAR 19.5 - 24 R4 Requires 12.5/80-18 4WD front tires			\$638.00
--	--	---------	---	--	--	----------

HYDRAULICS

REAR REMOTES

SD T8270 REAR REMOTES

		762052	2 REMOTE 762052 2 rear remotes for Open Platform with foldable ROPS Float on remote 1 Extend and retract detent and kick-out on remote 2			No Charge
		762053	3 REMOTE 762053 3 rear remotes for Open Platform with foldable ROPS Float on remote 1 & 3 Extend and retract detent and kick-out on remote 2			\$816.00

PUMP

SD T8230 HYD PUMP

		347541	HYD PUMP 21 gpm 21.6 GPM (82 LPM) Implement Pump			\$561.00
		342056	HYD PUMP 70,0 LPM 16.9 GPM (64 LPM) Implement Pump			No Charge

PTO

REAR PTO

SD T8010 PTO

		759271	540 RPM W CAP			No Charge
		759273	540-1000 RPM W CAP			\$541.00

3-POINT HITCH

SD T8200 HITCH

		342053	2000KG/4409LBS-Telesc/COMBI 3-PT lift capacity of 3,200 lbs.			No Charge
		342054	3500KG/7716LBS-Telesc/COMBI 2 auxiliary lift rams to increase rear hitch capacity to 6,200 lbs.			\$1,020.00



WORKMASTER 95-120 POULTRY FAST PICKS
US PRICE LIST

WEIGHTS

REAR WHEEL WEIGHTS

SD_T4960 WHEEL WEIGHTS

		762028	2X55or32Kg EACH SIDE 2 (110 lb) rear weights per side = 220 lbs total for all rear tires sizes except 500/60-22.5 2 (70 lb) rear weights per side = 140 lbs total for 500/60-22.5 rear tires			\$643.00
--	--	--------	--	--	--	----------

OPERATOR'S MANUALS

SD_T9805 OPERATOR MANUAL (SE

		342076	French (Canada)			No Charge
		342077	Spanish			No Charge



**WORKMASTER 95-120 ROPS MOWING FAST PICK
US PRICE LIST**

Standard Equipment

KEY SELLING POINTS:

- Semi straddle ROPS
- Air suspensions seat
- 12x12 power shuttle transmission
- Lift-O-Matic
- Factory installed loader

Workmaster 95

97 Gross Engine hp
78 PTO hp @ 2300 rpm
4 Cyl Turbocharged Engine
207cu in (3.4 L) Displacement

Workmaster 105

112 Gross Engine hp
92 PTO hp @ 2300 rpm
4 Cyl Turbocharged Engine
207cu in (3.4 L) Displacement

Workmaster 120

120 Gross Engine hp
100 PTO hp @ 2300 rpm
4 Cyl Turbocharged Engine
207cu in (3.4 L) Displacement

ALL MODELS:

Tier B Emissions Compliant:
(CEGR + SCR + CUC)
Electronic Injection Bosch
High-pressure Common Rail System
Electric Engine Shutoff
Hand and Foot Throttle Controls
Grid Heater Starting Aid
Powercore Dry Air Cleaner
Under Hood Muffler
Horizontal Rearward Exhaust
24 gal Fuel Tank
2.9 gal DEF Tank
2 function mid mount valve & joystick

TRANSMISSION:

LH side steering column mounted
Power Shuttle
Creeper ready
12 Forward and 12 Reverse Speeds
(4) Synchronized Gears
(3) Non-synchronized Ranges
(2) clutches, 5 wet disc plates
FWD - 19 mph (30 KPH) speed may vary
Hand Operated Park Brake

STEERING/BRAKES:

Hydrostatic Power Steering
Brakes- Hydraulically assisted wet disc

4WD FRONT AXLE:

Limited Slip
Electro-Hydraulic engagement standard
Tread Width: 66.5 in. to 72.9 in.

REAR AXLE

Flange Type
Tread Width: 63.8 in. to 79.5 in.

HYDRAULIC SYSTEM:

Open Center System
Dual Gear Pumps
Implement Pump: 16.9 gpm (64 L)
Steering Pump: 9.7 gpm (37 L)
Total Flow: 26.6 gpm (101 L)
(3) Open Center Remote Valves with
Detent & Kickout on #2
Float on #1 & #3

REAR DIFFERENTIAL LOCK:

Mechanically Engaged

PTO:

Fully Independent
Flip-up PTO Shaft Guard
540 RPM hydraulic wet clutch
Electronic engagement
1-3/8 in. 6 splines



**WORKMASTER 95-120 ROPS MOWING FAST PICK
US PRICE LIST**

Standard Equipment

3-POINT LIFT SYSTEM:

Right hand console mounted
lever control
Mechanical Draft Control
3,200 Pounds Lift Capacity
Category I/II Combi Ball Ends
Telescopic Stabilizers
Flexible Lower Link Ends

ELECTRICAL:

(1) 800 cca Heavy-Duty Battery
120 amp Alternator
7-pin Outlet for trailer/implement lighting
and signals
30 amp power plug
12V power socket (cigarette lighter)

INSTRUMENTATION:

Digital /Analog Instrumentation with
warning lights for turn signals, high
beam, work lights, side lights,
rear PTO, 4WD, differential lock,
low fuel, alternator, oil pressure,
brake fluid, grid heater & hand brake
Gauges for fuel level, engine
temperature and tachometer
Digital Readout for PTO speed,
ground speed, battery, hours &
DEF level percentage

LIGHTING:

Front: (2) Halogen Headlights
Rear: (1) Right hand fender
mounted worklights
Turn Signals/Flashers/Rear Lights

OPERATOR PROTECTIVE STRUCTURE:

ROPS MODELS
2-Post Foldable ROPS with ISO-
mounted flat deck platform
Steering Wheel - adjustable tilt
Seat - Low profile air suspension seat,
operator's presence sensor, and
retractable seat belts
Suspended pedals
Locking brake pedals

TIRES:

12.4x24 R1 Front
18.4X30 R1 Rear

MISCELLANEOUS:

Pivoting Engine Hood
SMV Emblem
Toolbox

WARRANTY:

New Holland Standard Warranty Applies



**WORKMASTER 95-120 ROPS MOWING FAST PICK
US PRICE LIST**

Models

COMMERCIAL MODEL	VERSION	TRACTION	Weight	Factory Data	List Price
WORKMASTER 95 TIER4	Rops	MFD	7,451 LB		\$61,062.00
WORKMASTER 105 TIER4	Rops	MFD	7,451 LB		\$64,020.00
WORKMASTER 120 TIER4	Rops	MFD	7,936 LB		\$67,692.00



**WORKMASTER 95-120 ROPS MOWING FAST PICK
US PRICE LIST**

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

FAST PICK CONFIGURATION

SD_T9980 PACKAGING

XF9918X	<p>ROPS Mowing Fast Pick</p> <p>ROPS Mowing Fast Pick pricing includes:</p> <p>3 Rear Remotes</p> <p>Less loader and mid-mount valve</p> <p>Allows for choice of the following:</p> <p>Hydraulic Pumps</p> <ul style="list-style-type: none"> - 16.9 gpm (64 L) = (342056) - 21.6 gpm (82 L) = (347541) <p>3-PT Hitch Capacity</p> <ul style="list-style-type: none"> - 3200 lb (1451 kg) = (342053) - 6200 lb (2812 kg) = (342054) <p>PTO</p> <ul style="list-style-type: none"> - 540 RPM = (759271) - 540/1000 RPM = (759273) <p>Mid Mount Valve/Loader</p> <ul style="list-style-type: none"> - No Mid-Mount Valve or Loader - Mid-Mount Valve and Joystick only = (762699) - Loader Ready = (762698) <p>Tires:</p> <ul style="list-style-type: none"> - 18.4-30 R1 rear (8930605) with 12.4-24 R1 front (8230506) OR - 16.9-34 R1 rear (8930601) with 13.6-24 R1 front (8230505) <p>Rear weights:</p> <ul style="list-style-type: none"> - No rear wheel weights - 4 rear wheel weights = (762028) - 8 rear wheel weights = (759650) <p>Front weights:</p> <ul style="list-style-type: none"> - No front weights - 8 front weights = (342069) - 10 front weights = (342070) 			(\$11,098.00)
---------	---	--	--	---------------



**WORKMASTER 95-120 ROPS MOWING FAST PICK
US PRICE LIST**

TIRES

FRONT

SD T4940 FRONT WHEELS AND TIRES

4WD Front Tires - Ag

		8230506	FRONT 12.4 - 24 R1 Requires 18.4-30 rear tires			No Charge
		8230505	13.6 -24 R1 Requires 16.9-34 rear tires			\$224.00

REAR

SD T4950 REAR WHEELS AND TIRES

Rear tires - Ag

		8930605	REAR 18.4 - 30 R1 Requires 12.4-24 4WD front			No Charge
		8930601	REAR 16.9 - 34 R1 Requires 13.6-24 4WD front			(\$143.00)

LOADER

LOADER

SD T8110 LOADER BRACKETS

		762699	LESS LOADER W/ MMV Mid Mount Valve and Joystick ONLY.			\$1,510.00
		762698	LOADER READY 762698 Complete loader ready includes: - Horizontal and Vertical TPS loader brackets - 2 function mid mount valve and joystick - Hoses from mid mount valve to vertical bracket - Grill guard			\$6,630.00

PTO

REAR PTO

SD T8010 PTO

		759271	540 RPM W CAP			No Charge
		759272	540-540E RPM W CAP			\$464.00
		759273	540-1000 RPM W CAP			\$541.00



**WORKMASTER 95-120 ROPS MOWING FAST PICK
US PRICE LIST**

WEIGHTS

FRONT WEIGHTS

SD T2151 WEIGHT PACK

		342070	110KgFCW/10X40-510kg Front carrier (154 lbs) + 10 weights (88lbs each) = 1,034 lbs			\$1,275.00
		342069	110KgFC W/8X40-430kg Front carrier (154 lbs) + 8 weights (88lbs each) = 858 lbs			\$1,020.00

REAR WHEEL WEIGHTS

SD T4960 WHEEL WEIGHTS

		762028	2X55or32Kg EACH SIDE 2 (110 lb) rear weights per side = 220 lbs total for all rear tires sizes except 500/60-22.5 2 (70 lb) rear weights per side = 140 lbs total for 500/60-22.5 rear tires			\$643.00
		759650	4X55or32Kg EACH SIDE 4 (110 lb) rear weights per side = 440 lbs total for all rear tires sizes except 500/60-22.5 4 (70 lb) rear weights per side = 280 lbs total for 500/60-22.5 rear tires			\$1,285.00

OPERATOR'S MANUALS

SD T9805 OPERATOR MANUAL (SE

		342076	French (Canada)			No Charge
		342077	Spanish			No Charge



WORKMASTER 95-120 A LA CARTE ROPS US PRICE LIST

Standard Equipment

KEY SELLING POINTS:

- Semi straddle ROPS
- Air suspensions seat
- 12x12 power shuttle transmission
- Lift-O-Matic
- Factory installed loader

Workmaster 95

97 Gross Engine hp
78 PTO hp @ 2300 rpm
4 Cyl Turbocharged Engine
207cu in (3.4 L) Displacement

Workmaster 105

112 Gross Engine hp
92 PTO hp @ 2300 rpm
4 Cyl Turbocharged Engine
207cu in (3.4 L) Displacement

Workmaster 120

120 Gross Engine hp
100 PTO hp @ 2300 rpm
4 Cyl Turbocharged Engine
207cu in (3.4 L) Displacement

ALL MODELS:

Tier B Emissions Compliant:
(CEGR + SCR + CUC)
Electronic Injection Bosch
High-pressure Common Rail System
Electric Engine Shutoff
Hand and Foot Throttle Controls
Grid Heater Starting Aid
Powercore Dry Air Cleaner
Under Hood Muffler
Horizontal Rearward Exhaust
24 gal Fuel Tank
2.9 gal DEF Tank
2 function mid mount valve & joystick

TRANSMISSION:

LH side steering column mounted
Power Shuttle
Creeper ready
12 Forward and 12 Reverse Speeds
(4) Synchronized Gears
(3) Non-synchronized Ranges
(2) clutches, 5 wet disc plates
FWD - 19 mph (30 KPH) speed may vary
Hand Operated Park Brake

STEERING/BRAKES:

Hydrostatic Power Steering
Brakes- Hydraulically assisted wet disc

4WD FRONT AXLE:

Limited Slip
Electro-Hydraulic engagement standard
Tread Width: 63.8 in. to 72.9 in.

REAR AXLE

Flange Type
Tread Width: 63.9 in. to 79.7 in.

HYDRAULIC SYSTEM:

Open Center System
Dual Gear Pumps
Implement Pump: 16.9 gpm (64 L)
Steering Pump: 9.7 gpm (37 L)
Total Flow: 26.6 gpm (101 L)
(2) Open Center Remote Valves with
Detent & Kickout on #2
Float on #1

REAR DIFFERENTIAL LOCK:

Mechanically Engaged

PTO:

Fully Independent
Flip-up PTO Shaft Guard
540 RPM hydraulic wet clutch
Electronic engagement
1-3/8 in. 6 splines



WORKMASTER 95-120 A LA CARTE ROPS US PRICE LIST

Standard Equipment

3-POINT LIFT SYSTEM:

Right hand console mounted
lever control
Mechanical Draft Control
3,200 Pounds Lift Capacity
Category I/II Combi Ball Ends
Telescopic Stabilizers
Flexible Lower Link Ends

ELECTRICAL:

(1) 800 cca Heavy-Duty Battery
120 amp Alternator
7-pin Outlet for trailer/implement lighting
and signals
30 amp power plug
12V power socket (cigarette lighter)

INSTRUMENTATION:

Digital /Analog Instrumentation with
warning lights for turn signals, high
beam, work lights, side lights,
rear PTO, 4WD, differential lock,
low fuel, alternator, oil pressure,
brake fluid, grid heater & hand brake
Gauges for fuel level, engine
temperature and tachometer
Digital Readout for PTO speed,
ground speed, battery, hours &
DEF level percentage

TIRES:

12.4x24 R1 Front
18.4X30 R1 Rear

MISCELLANEOUS:

Pivoting Engine Hood
SMV Emblem
Toolbox

LIGHTING:

Front: (2) Halogen Headlights
Rear: (1) Right hand fender
mounted worklights
Turn Signals/Flashers/Rear Lights

OPERATOR PROTECTIVE STRUCTURE:

ROPS MODELS
2-Post Foldable ROPS with ISO-
mounted flat deck platform
Steering Wheel - adjustable tilt
Seat - Low profile air suspension seat,
operator's presence sensor, and
retractable seat belts
Suspended pedals
Locking brake pedals

WARRANTY:

New Holland Standard Warranty Applies

LOADER:

632TL NON SELF-LEVELING
Maximum Lift Height @
pivot pin: 134.5"
Dump Clearance @ 45 deg: 98.4"
Digging Depth: 5.1"
Lift Capacity @ 800mm: 2,028 LBS
Breakout Force @ 800mm: 3,102 LBS
Reach @ Max Lift Height @ 45
deg: 37.8"
Reach @ Ground Level: 87.4"
Bucket Rollback Angle: 40 degrees
Bucket Dump Angle: 53 degrees
Skid Steer bucket attach
84" bucket



**WORKMASTER 95-120 A LA CARTE ROPS
US PRICE LIST**

Models

COMMERCIAL MODEL	VERSION	TRACTION	Weight	Factory Data	List Price
WORKMASTER 95 TIER4	Rops	MFD	7,451 LB		\$61,062.00
WORKMASTER 105 TIER4	Rops	MFD	7,451 LB		\$64,020.00
WORKMASTER 120 TIER4	Rops	MFD	7,936 LB		\$67,692.00



**WORKMASTER 95-120 A LA CARTE ROPS
US PRICE LIST**

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

TIRES

FRONT

SD T4940 FRONT WHEELS AND TIRES

4WD Front Tires - Ag

	8220701	11.2 - 24 R1 Requires 16.9-30 rear tires			(\$61.00)
	8230506	FRONT 12.4 - 24 R1 Requires 18.4-30 rear tires			No Charge
	8230505	13.6 -24 R1 Requires 16.9-34 rear tires			\$224.00
	8811501	11.5/80-15.3 R1 Requires 500/60-22.5 rear tires (ROPS ONLY)			\$714.00
4WD Front Tires - Ind					
	8230503	FRONT 12.5 - 18 R4 Requires 19.5L-24 rear tires			\$714.00

REAR

SD T4950 REAR WHEELS AND TIRES

Rear tires - Ag

	8930602	REAR 16.9 - 30 R1 Requires 11.2-24 4WD front			\$306.00
	8930605	REAR 18.4 - 30 R1 Requires 12.4-24 4WD front			No Charge
	8930601	REAR 16.9 - 34 R1 Requires 13.6-24 4WD front			(\$143.00)
	8310501	500/60-22.5 R1 Requires 11.5/80-15.3 4WD front tires (ROPS ONLY)			\$638.00
Rear tires - Ind					
	8930603	REAR 19.5 - 24 R4 Requires 12.5/80-18 4WD front tires			\$638.00



**WORKMASTER 95-120 A LA CARTE ROPS
US PRICE LIST**

HYDRAULICS

REAR REMOTES

SD T8270 REAR REMOTES

		762052	2 REMOTE 762052 2 rear remotes for Open Platform with foldable ROPS Float on remote 1 Extend and retract detent and kick-out on remote 2			No Charge
		762053	3 REMOTE 762053 3 rear remotes for Open Platform with foldable ROPS Float on remote 1 & 3 Extend and retract detent and kick-out on remote 2			\$816.00

PUMP

SD T8230 HYD PUMP

		347541	HYD PUMP 21 gpm 21.6 GPM (82 LPM) Implement Pump			\$561.00
		342056	HYD PUMP 70,0 LPM 16.9 GPM (64 LPM) Implement Pump			No Charge

LOADER

LOADER

SD T8110 LOADER BRACKETS

		762699	LESS LOADER W/ MMV Mid Mount Valve and Joystick ONLY.			(\$6,630.00)
		762698	LOADER READY 762698 Complete loader ready includes: - Horizontal and Vertical TPS loader brackets - 2 function mid mount valve and joystick - Hoses from mid mount valve to vertical bracket - Grill guard			(\$1,510.00)
		763052	632TL AND 84 BKT SSL 763052 632TL Non self leveling loader with 84" SSL Bucket			No Charge

PTO

REAR PTO

SD T8010 PTO

		759271	540 RPM W CAP			No Charge
		759272	540-540E RPM W CAP			\$464.00
		759273	540-1000 RPM W CAP			\$541.00



**WORKMASTER 95-120 A LA CARTE ROPS
US PRICE LIST**

3-POINT HITCH

SD_T8200 HITCH

		342053	2000KG/4409LBS-Telesc/COMBI 3-PT lift capacity of 3,200 lbs.			No Charge
		342054	3500KG/7716LBS-Telesc/COMBI 2 auxiliary lift rams to increase rear hitch capacity to 6,200 lbs.			\$1,020.00

WEIGHTS

FRONT WEIGHTS

SD_T2151 WEIGHT PACK

		342070	110KgFCW/10X40-510kg Front carrier (154 lbs) + 10 weights (88lbs each) = 1,034 lbs			\$1,275.00
		342069	110KgFC W/8X40-430kg Front carrier (154 lbs) + 8 weights (88lbs each) = 858 lbs			\$1,020.00

REAR WHEEL WEIGHTS

SD_T4960 WHEEL WEIGHTS

		762028	2X55or32Kg EACH SIDE 2 (110 lb) rear weights per side = 220 lbs total for all rear tires sizes except 500/60-22.5 2 (70 lb) rear weights per side = 140 lbs total for 500/60-22.5 rear tires			\$643.00
		759650	4X55or32Kg EACH SIDE 4 (110 lb) rear weights per side = 440 lbs total for all rear tires sizes except 500/60-22.5 4 (70 lb) rear weights per side = 280 lbs total for 500/60-22.5 rear tires			\$1,285.00

OPERATOR'S MANUALS

SD_T9805 OPERATOR MANUAL (SE

		342076	French (Canada)			No Charge
		342077	Spanish			No Charge



**POWERSTAR 75 STANDARD FAST PICK
US PRICE LIST**

Standard Equipment

KEY SELLING POINTS:

- CommandArc# ergonomically places most frequently used controls to operator's right
- Ten repositionable vents for heating and air conditioning
- 12x12 Transmission
- Hydraulic shuttle lever
- Full-size instructor seat
- Hi Visibility Panel
- Lift-O-Matic Plus
- Tier 4B EPA emissions compliant
- Factory Installed Loader

DIESEL ENGINE

PowerStar 75
 74 Gross Engine hp
 65 PTO hp @ 2300 rpm
 4 Cyl Turbocharged Engine
 207 cu in (3.4 L) Displacement

ALL MODELS

US EPA Tier 4B Emissions Compliant
 Bosch Fuel Injection Pump
 Electric Engine Shutoff
 Hand and Foot Throttle Controls
 Grid Heater Starting Aid
 Air Cleaner: Dry Type with Safety Element
 Under Hood Muffler
 Vertical Exhaust
 Fuel Sediment Filter with Water Sensor
 23.8 gal Fuel Tank w/ Protection Shield
 Parking brake

TRANSMISSION

Wet Clutch
 LH side steering column mounted shuttle
 12 Forward and 12 Reverse Speeds
 (4) Synchronized Gears
 (3) Non-synchronized Ranges
 Forward Reverse Power Shuttle
 FWD - 25 mph (40 kph)
 Speed varies with tire selection

AXLES

FWD FRONT AXLE
 Electro-Hydraulic engagement standard
 Adjustable Tread Width from 60.8 in. to 76.6 in.
 Limited Slip Differential Lock
 Standard FAS Ready

REAR AXLE

Flange Type
 Adjustable Tread Width 52.2 in. to 76.0 in.
 Rear Differential Lock - FWD mechanically engaged.

HYDRAULIC SYSTEM

Open Center System
 (2) Open Center Valves with detent
 2 Function mid mount valve and joystick
 Dual Gear Pumps
 Implement Pump: 12.5 gpm (47.5 L)
 Steering Pump: 7.3 gpm (27.5 L)
 Total Flow: 19.8 gpm (75 L)

PTO

540 rpm Hydraulic PTO
 (1-3/8 in. 6 splines)
 Fully Independent, wet clutch
 Hydraulic engagement
 Flip-up PTO Shaft Guard



**POWERSTAR 75 STANDARD FAST PICK
US PRICE LIST**

Standard Equipment

HITCH

3-point Category II with flex lower links
and telescoping stabilizers
Lift-O-Matic Plus rear hitch control
3664 lbs. Lift Capacity (SAE)
Swinging Drawbar
Mechanical Draft Control
Upper Link Draft Sensing
3-Point Hitch Ground Control

STEERING/BRAKES

Hydrostatic Power Steering
Brakes-
Wet disk brakes
Hydraulically assisted

INSTRUMENTATION

Analog Instrumentation with warning
lights for air cleaner service,
alternator, oil pressure, fuel
sediment/water sensor, PTO
engagement, head light high beam,
low fuel and parking brake, digital
speed readout, gauges for fuel level,
engine temperature, tachometer and
hour meter

ELECTRICAL

(1) 800 cca Heavy-duty Battery
Alternator: 120 amp
7-pin Outlet for trailer/implement lighting
and signals
4-pin Power Outlet (30 amp)
8 amp single pole
2 Auxiliary power sockets
(cigarette lighter)

LIGHTING

Front: (2) Halogen Headlights and
(2) cab mounted worklights
Rear: (2) cab mounted worklights
Turn Signals/Flashers/Rear Lights

OPERATOR PROTECTIVE STRUCTURE

ROPS protected, flat deck platform with
heat and air conditioning, tinted
windshield, retractable sun screen,
front and rear wiper and washer,
two doors with locks, two external
mirrors, openable side windows,
hinged rear window (fully opens)
High Visibility Panel
Steering Wheel - adjustable tilt
Seat - Cloth covered with air
suspension and 10 degrees of swivel,
operator's presence sensor, retractable
seat belt and arm rests
Instructor Seat
Suspended pedals
Radio, speakers, and antenna

MISCELLANEOUS

Pivoting Engine Hood
SMV Emblem
Rear wheel weights
Toolbox

WARRANTY

New Holland Standard Warranty Applies



**POWERSTAR 75 STANDARD FAST PICK
US PRICE LIST**

Standard Equipment

LOADER:

655TL/710LU NON SELF-LEVELING

Maximum Lift Height @ pivot pin: 127.2"

Dump Clearance: 94.4"

Digging Depth: 6.4"

Lift Capacity

Max Height @ 800mm: 2,478 LBS

59" high @ 800mm: 3,080 LBS

Breakout Force @ 800mm: 3,739 LBS

Reach @ Max Lift Height: 39.5"

Reach @ Ground Level: 90.7"

Bucket Rollback Angle: 45 degrees

Bucket Dump Angle: 60 degrees

Skid Steer style bucket attach

655TL/715LU SELF-LEVELING

Maximum Lift Height @ pivot pin: 127.2"

Dump Clearance: 94.4"

Digging Depth: 6.4"

Lift Capacity

Max Height @ 800mm: 3,179 LBS

59" high @ 800mm: 4,665 LBS

Breakout Force @ 800mm: 3,860 LBS

Reach @ Max Lift Height: 39.5"

Reach @ Ground Level: 90.7"

Bucket Rollback Angle: 40 degrees

Bucket Dump Angle: 60 degrees

Skid Steer or Euro style bucket attach



**POWERSTAR 75 STANDARD FAST PICK
US PRICE LIST**

Models

COMMERCIAL MODEL	VERSION	ENGINE POWER	Weight	Factory Data	List Price
POWERSTAR 75	Cab	75 HP	7,996 LB		\$70,392.00
Includes the following Equipment					
11.2R24 R1W (8232404) \$1,184.00					
16.9R30 R1W (8355404) \$2,581.00					

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

PACKAGE SELECTION

SD_T9980 PACKAGING

		X99803X	STANDARD PACKAGING Standard Package and Pricing Includes: 84 inch bucket 4 x 110 lb Rear Wheel Weights Requires one selection for each of the following: Mid mount valve and joystick: 2 Function mid mount valve and joystick or 2 Function mid mount valve and joystick + 3rd function diverter Loader: 655TL loader (select one)			(\$1,737.00)
--	--	---------	--	--	--	--------------

HYDRAULICS

MID-MOUNT

SD_T8280 MID-MOUNT VALVES

		762166	2MMV w/ Joystick New 2 function mid-mount valve and joystick.			No Charge
		762167	2MMV+DIV w/ Joystick New 2 function mid-mount valve and joystick with 3rd function diverter. Must be order with Loader. 3rd Function Implements/Attachments are NOT AVAILABLE as Factory Installed.			\$765.00



POWERSTAR 75 STANDARD FAST PICK
US PRICE LIST

LOADER

LOADER

SD_T8110 LOADER BRACKETS

Standard Duty Loader						
		336914	Non Self Leveling Ldr +SSQA 655TL/710LU Non Self Leveling with Skid Steer Attachment			No Charge
		336734	Mech Self Leveling Ldr +SSQA 655TL/715LU Mechanical Self Leveling with Skid Steer Style Attachment			\$1,141.00

OPERATOR'S MANUALS

SD_T9840 COUNTRY CONFIGURATION

		334256	Canada (FR) Config ROPS			No Charge
		334257	USA Spanish Configuration			No Charge



**POWERSTAR 75 A LA CARTE
US PRICE LIST**

Standard Equipment

KEY SELLING POINTS:

- CommandArc# ergonomically places most frequently used controls to operator's right
- Ten repositionable vents for heating and air conditioning
- 12x12 Transmission
- Mechanical or hydraulic shuttle lever
- Full-size instructor seat option
- Hi Visibility Panel Option
- Tier 4B EPA emissions compliant
- Factory Installed Loader

DIESEL ENGINE

PowerStar 75
74 Gross Engine hp
65 PTO hp @ 2300 rpm
4 Cyl Turbocharged Engine
207 cu in (3.4 L) Displacement

ALL MODELS

US EPA Tier 4B Emissions Compliant
Bosch Fuel Injection Pump
Electric Engine Shutoff
Hand and Foot Throttle Controls
Grid Heater Starting Aid
Air Cleaner: Dry Type with Safety Element
Under Hood Muffler
Vertical Exhaust
Fuel Sediment Filter with Water Sensor
23.8 gal Fuel Tank w/ Protection Shield
Parking brake

TRANSMISSION

Wet Clutch
LH side steering column mounted shuttle
12 Forward and 12 Reverse Speeds
(4) Synchronized Gears
(3) Non-synchronized Ranges
Forward Reverse Power Shuttle
FWD - 25 mph (40 kph)
Speed varies with tire selection

AXLES

2WD HD FRONT AXLE - PowerStar 75
Inverted U-section type
Adjustable Tread Width from 57.0 in. to 79.7 in.

FWD FRONT AXLE

Electro-Hydraulic engagement standard
Adjustable Tread Width from 60.8 in. to 76.6 in.
Limited Slip Differential Lock

REAR AXLE

Flange Type
Adjustable Tread Width 52.2 in. to 76.0 in.
Rear Differential Lock - 2WD and FWD mechanically engaged.

HYDRAULIC SYSTEM

Open Center System
(2) Open Center Valves with detent
2 Function mid mount valve and joystick
Dual Gear Pumps
Implement Pump: 12.5 gpm (47.5 L)
Steering Pump: 7.3 gpm (27.5 L)
Total Flow: 19.8 gpm (75 L)

PTO

540 rpm Mechanical PTO
(1-3/8 in. 6 splines)
Fully Independent, wet clutch
Hydraulic Engagement
Flip-up PTO Shaft Guard



**POWERSTAR 75 A LA CARTE
US PRICE LIST**

Standard Equipment

HITCH

3-point Category II with flex lower links
and telescoping stabilizers
3664 lbs. Lift Capacity (SAE)
Lift-O-Matic Plus
3-Point Hitch Ground Control
Swinging Drawbar
Mechanical Draft Control
Upper Link Draft Sensing

STEERING/BRAKES

Hydrostatic Power Steering
Brakes-
Wet disk brakes
Hydraulically assisted

INSTRUMENTATION

Analog Instrumentation with warning
lights for air cleaner service,
alternator, oil pressure, fuel
sediment/water sensor, PTO
engagement, head light high beam,
low fuel and parking brake, digital
speed readout
Gauges for fuel level, engine
temperature, tachometer and hour
meter

ELECTRICAL

(1) 800 cca Heavy-duty Battery
Alternator: 120 amp
7-pin Outlet for trailer/implement lighting
and signals
4-pin Power Outlet (30 amp)
8 amp single pole
Auxiliary power socket (cigarette lighter)

LIGHTING

Front: (2) Halogen Headlights and
(2) cab mounted worklights
Rear: (2) cab mounted worklights
Turn Signals/Flashers/Rear Lights

OPERATOR PROTECTIVE STRUCTURE

ROPS protected, flat deck platform with
heat and air conditioning, tinted
windshield, retractable sun screen,
front wiper and washer, two doors
with locks, two external mirrors,
openable side windows, hinged rear
window (fully opens)
High Visibility Pane
Steering Wheel - adjustable tilt
Seat - Cloth covered with air
suspension and 10 degrees of swivel,
operator's presence sensor, retractable
seat belt and arm rests
Instructor Seat
Suspended pedals
Radio, speakers, and antenna

MISCELLANEOUS

Pivoting Engine Hood
SMV Emblem
Toolbox
Toolbox on ROPS unit located in fenders

WARRANTY

New Holland Standard Warranty Applies

**POWERSTAR 75 A LA CARTE
US PRICE LIST****Standard Equipment****LOADER:****655TL/710LU NON SELF-LEVELING**

Maximum Lift Height @ pivot pin: 127.2"

Dump Clearance: 94.4"

Digging Depth: 6.4"

Lift Capacity

Max Height @ 800mm: 2,478 LBS

59" high @ 800mm: 3,080 LBS

Breakout Force @ 800mm: 3,739 LBS

Reach @ Max Lift Height: 39.5"

Reach @ Ground Level: 90.7"

Bucket Rollback Angle: 45 degrees

Bucket Dump Angle: 60 degrees

Skid Steer or Euro style bucket attach

655TL/715LU SELF-LEVELING

Maximum Lift Height @ pivot pin: 127.2"

Dump Clearance: 94.4"

Digging Depth: 6.4"

Lift Capacity

Max Height @ 800mm: 3,179 LBS

59" high @ 800mm: 4,665 LBS

Breakout Force @ 800mm: 3,860 LBS

Reach @ Max Lift Height: 39.5"

Reach @ Ground Level: 90.7"

Bucket Rollback Angle: 40 degrees

Bucket Dump Angle: 60 degrees

Skid Steer or Euro style bucket attach



**POWERSTAR 75 A LA CARTE
US PRICE LIST**

Models

COMMERCIAL MODEL	VERSION	ENGINE POWER	Weight	Factory Data	List Price
POWERSTAR 75	Cab	75 HP	7,996 LB		\$70,392.00
Includes the following Equipment					
11.2R24 R1W (8232404) \$1,184.00					
16.9R30 R1W (8355404) \$2,581.00					

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

PACKAGE SELECTION

SD_T9980 PACKAGING

	X99801X	Custom Configuration			No Charge
--	---------	----------------------	--	--	-----------

POWER TRAIN

AXLES

SD_T4010 FRONT AXLE

	336858	2WD Standard Axle Heavy Duty Requires 20 MPH (30 KPH) Compatible with 655TL Requires rear wheel weights (330470) ONLY when ordered with 655TL PowerStar 75 ONLY			(\$1,127.00)
	744580	4WD Electro Hyd Limited Slip Electro-hydraulic 4WD engagement			No Charge

TIRES

FRONT

SD_T4940 FRONT WHEELS AND TIRES

2WD Front Tires					
	8125801	7.50-16 8 PLY HD			\$482.00
	8126601	9.5L15 4 RIB 8 PLY			\$631.00



**POWERSTAR 75 A LA CARTE
US PRICE LIST**

4WD Radial Tires					
		8232404	11.2R24 R1W		\$1,184.00
4WD Specialty Tires					
		8290904	12.5/80-18 10PR R4		\$1,695.00
4WD Front Shipping Wheels					
		8299801	Non-Return Ship Wheels - 4WD		\$97.00

REAR

SD T4950 REAR WHEELS AND TIRES

Radial Tires					
		8355404	16.9R30 R1W 4WD Front Tire - 11.2R24 (8232404) 2WD Front Tire - 9.5L15 4 Rib (8126601) or 7.5-16 (8125801)		\$2,581.00
Specialty Tires					
		8391904	19.5L-24 10 PR R4 4WD Front Tire - 12.5/80-18 (8290904)		\$2,624.00
Rear Shipping Wheels					
		8399801	Non-Returnable Shipping Wheel		\$579.00

HYDRAULICS

MID-MOUNT

SD T8280 MID-MOUNT VALVES

		762166	2MMV w/ Joystick New 2 function mid-mount valve and joystick.		No Charge
		762167	2MMV+DIV w/ Joystick New 2 function mid-mount valve and joystick with 3rd function diverter. Must be order with Loader. 3rd Function Implements/Attachments are NOT AVAILABLE as Factory Installed.		\$765.00

LOADER

LOADER

SD T8110 LOADER BRACKETS

Standard Duty Loader					
		336914	Non Self Leveling Ldr +SSQA 655TL/710LU Non Self Leveling with Skid Steer Attachment		No Charge
		336734	Mech Self Leveling Ldr +SSQA 655TL/715LU Mechanical Self Leveling with Skid Steer Style Attachment		\$1,141.00



**POWERSTAR 75 A LA CARTE
US PRICE LIST**

		743593	Less Front Loader			(\$6,242.00)
--	--	--------	-------------------	--	--	--------------

SD T8140 BUCKET

		XT8140X	Less Bucket			(\$971.00)
		336750	84" Bucket			No Charge

WEIGHTS

FRONT

SD T2150 FRONT BALLAST

		333215	Front Carrier +6 88 lb Weights			\$861.00
			Total weight - 661 lbs (300 kg)			
		390215	Less Front Carrier and Weights			No Charge

REAR

SD T4961 REAR BALLAST

		330470	4 x 110 lb Rear Wheel Weights			\$658.00
		XT4961X	Standard less rear ballast			No Charge

OPERATOR'S MANUALS

SD T9840 COUNTRY CONFIGURATION

		334256	Canada (FR) Config ROPS			No Charge
		334257	USA Spanish Configuration			No Charge



US PRICE LIST

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

TIRES

FRONT

SD T4940 FRONT WHEELS AND TIRES

4WD Radial Tires				
		8223404	11.2R20 R1W	\$1,240.00

REAR

SD T4950 REAR WHEELS AND TIRES

Radial Tires				
		8351404	14.9R28 R1W 4WD Front Tire - 11.2R20 (8223404) 2WD Front Tire - 7.5-16 (8125801) Not compatible with front loader PowerStar 75 ONLY	\$2,113.00



**POWERSTAR 90-120 PS UTILITY FAST PICK
US PRICE LIST**

Standard Equipment

KEY SELLING POINTS:

- CommandArc# ergonomically places most frequently used controls to operator's right
- Ten repositionable vents for heating and air conditioning
- Full-size instructor seat
- Hydraulic shuttle lever
- 3.4L, 4-cylinder, 16 valve F5G engines with common rail fuel injection system
- Tier 4B EPA emissions compliant with Selective Catalytic Reduction (SCR) & Cooled Exhaust Gas Recirculation (CEGR)
- Factory Installed NSL SSL Loader

PowerStar 90

86 Gross Engine hp
73 PTO hp @ 2300 rpm
4 Cyl Turbocharged Engine
207 cu in (3.4 L) Displacement

PowerStar 100

99 Gross Engine hp
85 PTO hp @ 2300 rpm
4 Cyl Turbocharged Engine
207 cu in (3.4 L) Displacement

PowerStar 110

107 Gross Engine hp
93 PTO hp @ 2300 rpm
4 Cyl Turbocharged Engine
207 cu in (3.4 L) Displacement

PowerStar 120

117 Gross Engine hp
100 PTO hp @ 2300 rpm
4 Cyl Turbocharged Engine
207 cu in (3.4 L) Displacement

ALL MODELS:

Tier 4B Emissions Compliant:
(SCR + CEGR)

Electronic Injection Bosch
High-pressure Common Rail System
Electric Engine Shutoff
Hand and Foot Throttle Controls
Grid Heater Starting Aid
Dual Element Air Filter
Constant Engine RPM
Vertical Exhaust
30.3 gal Fuel Tank with Guard
2.8 gal AdBlue DEF Tank
Parking brake

TRANSMISSION:

LH side steering column mounted
Power Shuttle
12 Forward and 12 Reverse Speeds
(4) Synchronized Gears
(3) Non-synchronized Ranges
Forward Reverse Synchronized Shuttle
19 mph (30 kph)
Speed varies with tire selection

STEERING/BRAKES:

Hydrostatic Power Steering
Brakes-
Wet disk brakes
Hydraulically assisted

AXLES:

FRONT - 4WD
Limited Slip

- PowerStar 90, 100 & 110:

Electrohydraulic FWD Engagement
Adjustable Tread Width from
56.6 in to 76.6 in.

- PowerStar 120:

Heavy Duty Electrohydraulic FWD Engagement
Adjustable Tread Width from
56.6 in. to 76.6 in.



**POWERSTAR 90-120 PS UTILITY FAST PICK
US PRICE LIST**

Standard Equipment

AXLES Continued:**REAR**

- PowerStar 90, 100 & 110:
Flange Type
Adjustable Tread Width 55.5 in to
76.2 in.
- PowerStar 120:
Heavy Duty Flange Type
Adjustable Tread Width 55.5 in.
to 76.2 in.
- 4 x 110 lb Rear Wheel Weights

HYDRAULIC SYSTEM:

Open Center System

Dual Gear Pumps

Implement Pump: 16.9 gpm (63.9 L)

Steering Pump: 9.7 gpm (37.0 L)

Total Flow: 26.6 gpm (100.8 L)

(2) Open Center Remote Valves with
detent

2 Function Mid Mount Valve and Joystick

REAR DIFFERENTIAL LOCK:

Mechanically Engaged

PTO:

Fully Independent

Flip-up PTO Shaft Guard

PowerStar 90, 100 & 110:

540 rpm Hydraulic

PowerStar 120:

540/1000 rpm Hydraulic

-Electronic engagement

-Wet clutch

1-3/8 in. 6 splines

3-POINT LIFT SYSTEM:Right hand console mounted
lever control

Mechanical Draft Control

Rear 3 Point Hitch Control

5,620 Pounds Lift Capacity

Category II Ends

Telescopic Stabilizers

Flexible Lower Link Ends

ELECTRICAL:

(1) 800 cca Heavy-Duty Battery - Cab

120 amp Alternator

7-pin Outlet for trailer/implement lighting
and signals

3-pin Power Outlet (30 amp)

Single Pin (8 amp) Accessory Power
outlet

12V power socket

INSTRUMENTATION:

Analog Instrumentation with warning

lights for air cleaner service,
alternator, oil pressure, fuel
sediment/water sensor, PTO
engagement, head light high beam,
low fuel and parking brake,
digital speed readoutGauges for fuel level, engine
temperature, tachometer and hour
meter**LIGHTING:**Front: (2) Halogen Headlights and
(2) cab mounted worklights

Rear: (2) cab mounted worklights

Turn Signals/Flashers/Rear Lights

OPERATOR PROTECTIVE STRUCTURE:**CAB MODELS**ROPS protected, flat deck platform
with heat and air conditioning, tinted
windshield, retractable sun screen,
front and rear wiper and washer, two
doors with locks, two external mirrors,
openable side windows, hinged rear
window (opens completely)

Steering Wheel - adjustable tilt

Seat - Cloth covered with air

suspension and 10 degrees of swivel,
operator's presence sensor, retractable
seat belt and arm rests

Instructor Seat

Suspended pedals

Radio, speakers, and antenna



**POWERSTAR 90-120 PS UTILITY FAST PICK
US PRICE LIST**

Standard Equipment

MISCELLANEOUS:

Pivoting Engine Hood
SMV Emblem
Toolbox

WARRANTY:

New Holland Standard Warranty Applies

LOADER:

655TL/710LU NON SELF-LEVELING

Maximum Lift Height @ pivot pin: 126"

Dump Clearance: 93.6"

Digging Depth: 8.2"

Lift Capacity

Max Height @ 800mm: 2,478 LBS

59" high @ 800mm: 3,080 LBS

Breakout Force @ 800mm: 3,739 LBS

Reach @ Max Lift Height: 39.5"

Reach @ Ground Level: 90.7"

Bucket Rollback Angle: 45 degrees

Bucket Dump Angle: 60 degrees

Skid Steer Loader bucket attach



**POWERSTAR 90-120 PS UTILITY FAST PICK
US PRICE LIST**

Models

COMMERCIAL MODEL	VERSION	Weight	Factory Data	List Price
POWERSTAR 90	Cab	8,157 LB		\$76,567.00
Includes the following Equipment				
12.4-24 8PR (8235601) \$1,097.00				
18.4-30 12PR R1 FLAN (8363801) \$2,661.00				
POWERSTAR 100	Cab	10,031 LB		\$79,076.00
Includes the following Equipment				
12.4-24 8PR (8235601) \$1,097.00				
18.4-30 12PR R1 FLAN (8363801) \$2,661.00				
POWERSTAR 110	Cab	8,157 LB		\$81,801.00
Includes the following Equipment				
12.4-24 8PR (8235601) \$1,097.00				
18.4-30 12PR R1 FLAN (8363801) \$2,661.00				
POWERSTAR 120	Cab	8,158 LB		\$85,841.00
Includes the following Equipment				
4WD+EH Engage+Limited Slip (744581) \$283.00				
Heavy Duty Rear Axle (333411) \$678.00				
12.4-24 8PR (8235601) \$1,097.00				
18.4-30 12PR R1 FLAN (8363801) \$2,661.00				
540/1000 RPM PTO (743594) \$571.00				



**POWERSTAR 90-120 PS UTILITY FAST PICK
US PRICE LIST**

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

POWER TRAIN

AXLES

SD T4010 FRONT AXLE

		744581	4WD+EH Engage+Limited Slip+HD Heavy-Duty Limited Slip Base equipment on PowerStar 120 Requires Heavy-Duty rear axle (333411)			\$283.00
--	--	--------	--	--	--	----------

SD T4810 REAR AXLE

		333411	Heavy Duty Rear Axle Heavy-Duty Rear Axle Base Equipment on PowerStar 120 Required for 34 & 38 inch rear tires NOT compatible with Standard-Duty 4WD front axles (743559 or 744580) NOT compatible with 30 inch or smaller rear tires on PowerStar 90, 100 or 110			\$678.00
--	--	--------	---	--	--	----------

TIRES

FRONT

SD T4940 FRONT WHEELS AND TIRES

4WD Bias Front Tires						
		8235601	12.4-24 8PR			\$1,097.00
		8240604	14.9-24 8PR R1			\$1,654.00

REAR

SD T4950 REAR WHEELS AND TIRES

Bias Rear Tires						
		8363801	18.4-30 12PR R1 FLAN 4WD Front Tire - 12.4-24 (8235601) 2WD Front Tire - 7.50-16 (8125801) or 10.00-16 (8125901)			\$2,661.00
		8365501	18.4-34 10PR 4WD Front Tire - 14.9-24 (8240604) 2WD Front Tire - 10.00-16 (8125901)			\$2,933.00



**POWERSTAR 90-120 PS UTILITY FAST PICK
US PRICE LIST**

PTO

REAR PTO

SD T8010 PTO

		743594	540/1000 RPM PTO			\$571.00
--	--	--------	------------------	--	--	----------

WEIGHTS

REAR

SD T4961 REAR BALLAST

		330470	4 x 110 lb Rear Wheel Weights Total weight - 440 lbs (200 kg) NOT compatible with 24" rear tires option Required with 2WD HD front axle			\$652.00
--	--	--------	---	--	--	----------

OPERATOR'S MANUALS

SD T9840 COUNTRY CONFIGURATION

		334256	Canada (FR) Config ROPS French operator manual			No Charge
		334257	USA Spanish Configuration Spanish operator manual			No Charge



**POWERSTAR 90-120 PS STANDARD FAST PICK
US PRICE LIST**

Standard Equipment

KEY SELLING POINTS:

- CommandArc# ergonomically places most frequently used controls to operator's right
- Ten repositionable vents for heating and air conditioning
- High visibility panel for better view of loader when at full height
- Full-size instructor seat
- Hydraulic shuttle lever
- 3.4L, 4-cylinder, 16 valve F5G engines with common rail fuel injection system
- Tier 4B EPA emissions compliant with Selective Catalytic Reduction (SCR) & Cooled Exhaust Gas Recirculation (CEGR)
- Factory Installed Loader

PowerStar 90

86 Gross Engine hp
73 PTO hp @ 2300 rpm
4 Cyl Turbocharged Engine
207 cu in (3.4 L) Displacement

PowerStar 100

98 Gross Engine hp
85 PTO hp @ 2300 rpm
4 Cyl Turbocharged Engine
207 cu in (3.4 L) Displacement

PowerStar 110

107 Gross Engine hp
93 PTO hp @ 2300 rpm
4 Cyl Turbocharged Engine
207 cu in (3.4 L) Displacement

PowerStar 120

117 Gross Engine hp
100 PTO hp @ 2300 rpm
4 Cyl Turbocharged Engine
207 cu in (3.4 L) Displacement

ALL MODELS:

Tier 4B Emissions Compliant:
(SCR + CEGR)
Electronic Injection Bosch
High-pressure Common Rail System
Electric Engine Shutoff
Hand and Foot Throttle Controls
Grid Heater Starting Aid
Dual Element Air Filter
Constant Engine RPM
Vertical Exhaust
30.3 gal Fuel Tank with Guard
2.8 gal AdBlue DEF Tank
Parking brake

TRANSMISSION:

LH side steering column mounted
Power Shuttle
12 Forward and 12 Reverse Speeds
(4) Synchronized Gears
(3) Non-synchronized Ranges
Forward Reverse Synchronized Shuttle
25 mph (40 kph)
Speed varies with tire selection

STEERING/BRAKES:

Hydrostatic Power Steering
Brakes-
Wet disk brakes
Hydraulically assisted

AXLES:

FRONT - 4WD
Limited Slip
Heavy Duty Electrohydraulic
FWD Engagement
Adjustable Tread Width from
56.6 in. to 76.6 in.

REAR

Heavy Duty Flange Type
Adjustable Tread Width 55.5 in.
to 76.2 in.



**POWERSTAR 90-120 PS STANDARD FAST PICK
US PRICE LIST**

Standard Equipment

HYDRAULIC SYSTEM:

Open Center System

Dual Gear Pumps

Implement Pump: 16.9 gpm (63.9 L)

Steering Pump: 9.7 gpm (37.0 L)

Total Flow: 26.6 gpm (100.8 L)

(2) Open Center Remote Valves with
detent

2 Function Mid Mount Valve and Joystick

REAR DIFFERENTIAL LOCK:

Mechanically Engaged

PTO:

Fully Independent

Flip-up PTO Shaft Guard

540/1000 rpm Hydraulic

-Electronic engagement

-Wet clutch

1-3/8 in. 6 splines

3-POINT LIFT SYSTEM:Right hand console mounted
lever control

Lift-O-Matic Plus single lever control

3 Point Hitch Ground Control

Mechanical Draft Control

5,620 Pounds Lift Capacity

Category II Ends

Telescopic Stabilizers

Flexible Lower Link Ends

ELECTRICAL:

(1) 800 cca Heavy-Duty Battery - Cab

120 amp Alternator

7-pin Outlet for trailer/implement lighting
and signals

3-pin Power Outlet (30 amp)

Single Pin (8 amp) Accessory Power
outlet

(2) - 12V power sockets

INSTRUMENTATION:Analog Instrumentation with warning
lights for air cleaner service,
alternator, oil pressure, fuel
sediment/water sensor, PTO
engagement, head light high beam,
low fuel and parking brake,
digital speed readoutGauges for fuel level, engine
temperature, tachometer and hour
meter**CAB LIGHTING:**Front: (2) Halogen Headlights and
(2) cab mounted worklights

Rear: (2) cab mounted worklights

Turn Signals/Flashers/Rear Lights

OPERATOR PROTECTIVE STRUCTURE:**CAB MODELS**ROPS protected, flat deck platform
with heat and air conditioning, tinted
windshield, retractable sun screen,
front and rear wiper and washer, two
doors with locks, two external mirrors,
openable side windows, hinged rear
window, high visibility panel
Steering Wheel - adjustable tilt
Seat - Cloth covered with air
suspension and 10 degrees of swivel,
operator's presence sensor, retractable
seat belt and arm rests

Instructor Seat

Suspended pedals

Radio, speakers, and antenna

MISCELLANEOUS:

Pivoting Engine Hood

SMV Emblem

Toolbox

WARRANTY:

New Holland Standard Warranty Applies



**POWERSTAR 90-120 PS STANDARD FAST PICK
US PRICE LIST**

Standard Equipment

LOADER:

665TL/720LU NON SELF-LEVELING

Maximum Lift Height @ pivot pin: 134"
Dump Clearance: 101.4"
Digging Depth: 7"
Lift Capacity
Max Height @ 800mm: 2,632 LBS
59" high @ 800mm: 3,638 LBS
Breakout Force @ 800mm: 4,455 LBS
Reach @ Max Lift Height: 43"
Reach @ Ground Level: 91"
Bucket Rollback Angle: 44 degrees
Bucket Dump Angle: 60 degrees
Skid Steer style Loader bucket attach

665TL/725LU SELF-LEVELING

Maximum Lift Height @ pivot pin: 135"
Dump Clearance: 102.2"
Digging Depth: 6.4"
Lift Capacity
Max Height @ 800mm: 3,428 LBS
59" high @ 800mm: 5,549 LBS
Breakout Force @ 800mm: 5,661 LBS
Reach @ Max Lift Height: 43"
Reach @ Ground Level: 93
Bucket Rollback Angle: 40 degrees
Bucket Dump Angle: 60 degrees
Skid Steer or Euro style Loader
bucket attach



**POWERSTAR 90-120 PS STANDARD FAST PICK
US PRICE LIST**

Models

COMMERCIAL MODEL	VERSION	Weight	Factory Data	List Price
POWERSTAR 90	Cab	8,157 LB		\$76,567.00
Includes the following Equipment				
12.4-24 8PR (8235601) \$1,097.00				
18.4-30 12PR R1 FLAN (8363801) \$2,661.00				
POWERSTAR 100	Cab	10,031 LB		\$79,076.00
Includes the following Equipment				
12.4-24 8PR (8235601) \$1,097.00				
18.4-30 12PR R1 FLAN (8363801) \$2,661.00				
POWERSTAR 110	Cab	8,157 LB		\$81,801.00
Includes the following Equipment				
12.4-24 8PR (8235601) \$1,097.00				
18.4-30 12PR R1 FLAN (8363801) \$2,661.00				
POWERSTAR 120	Cab	8,158 LB		\$85,841.00
Includes the following Equipment				
4WD+EH Engage+Limited Slip (744581) \$283.00				
Heavy Duty Rear Axle (333411) \$678.00				
12.4-24 8PR (8235601) \$1,097.00				
18.4-30 12PR R1 FLAN (8363801) \$2,661.00				
540/1000 RPM PTO (743594) \$571.00				



**POWERSTAR 90-120 PS STANDARD FAST PICK
US PRICE LIST**

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

PACKAGE SELECTION

SD_T9980 PACKAGING

	X99803X	STANDARD PACKAGING Standard Package and Pricing Includes: 12x12 Power shuttle transmission Deluxe cab with instructor seat and hi-vis panel 25mph (40 kph) speed Heavy Duty 4WD front axle Heavy Duty rear axle 84" Bucket 540/1000 RPM PTO Rear 3 point hitch ground control Lift-O-Matic Plus 4 x 110 lb Rear wheel weights Requires one selection for each of the following: Mid mount valve and joystick: 2 Function mid mount valve and joystick or 2 Function mid mount valve and joystick + 3rd function diverter Loader: 665TL loader (select one)			\$9,119.00
--	---------	--	--	--	------------

TIRES

FRONT

SD_T4940 FRONT WHEELS AND TIRES

4WD Radial Tires					
	8235404	12.4R24 R1W			\$1,465.00
4WD Radial Front Tires					
	8239404	14.9R24 R1W			\$2,205.00



**POWERSTAR 90-120 PS STANDARD FAST PICK
US PRICE LIST**

REAR

SD T4950 REAR WHEELS AND TIRES

Radial Rear Tires						
		8357404	18.4R30 R1W 4WD Front Tire - 12.4R24 (8235404) 2WD Front Tire - 7.50-16 (8125801) or 10.00-16 (8125901)			\$3,550.00
		8365404	18.4R34 R1W 4WD Front Tire - 14.9R24 (8239404) 2WD Front Tire - 10.00-16 (8125901)			\$3,843.00

HYDRAULICS

MID-MOUNT

SD T8280 MID-MOUNT VALVES

		762166	if PACKAGING is STANDARD PACKAGING 2 function mid-mount valve and joystick			\$1,514.00
		762167	2MMV+DIV w/ Joystick New 2 function mid-mount valve and joystick with 3rd function diverter Requires a Loader Bucket with Grapple NOT AVAILABLE as Factory Installed			\$780.00

LOADER

LOADER

SD T8110 LOADER BRACKETS

Heavy Duty Loader						
		336740	HD Non Self Leveling Ldr +SSQA 665TL/720LU Non Self Leveling with Skid Steer Style Attachment			No Charge
		336744	HD Self Leveling Ldr +SSQA 665TL/725LU Mechanical Self Leveling with Skid Steer Style Attachment			\$1,170.00
		336746	HD Self Leveling Ldr +Euro 665TL/725LU Mechanical Self Leveling with Euro Style Attachment			\$1,170.00

OPERATOR'S MANUALS

SD T9840 COUNTRY CONFIGURATION

		334256	Canada (FR) Config ROPS French operator manual			No Charge
--	--	--------	--	--	--	-----------



POWERSTAR 90-120 PS STANDARD FAST PICK
US PRICE LIST

		334257	USA Spanish Configuration Spanish operator manual			No Charge
--	--	--------	---	--	--	-----------



**POWERSTAR 90-120 PS KLASIK FAST PICK
US PRICE LIST**

Standard Equipment

KEY SELLING POINTS:

- CommandArc# ergonomically places most frequently used controls to operator's right
- Ten repositionable vents for heating and air conditioning
- High visibility panel for better view of loader when at full height
- Full-size instructor seat
- Hydraulic shuttle lever
- 3.4L, 4-cylinder, 16 valve F5G engines with common rail fuel injection system
- Tier 4B EPA emissions compliant with Selective Catalytic Reduction (SCR) & Cooled Exhaust Gas Recirculation (CEGR)
- Factory Installed Loader available

PowerStar 90

86 Gross Engine hp
73 PTO hp @ 2300 rpm
4 Cyl Turbocharged Engine
207 cu in (3.4 L) Displacement

PowerStar 100

98 Gross Engine hp
85 PTO hp @ 2300 rpm
4 Cyl Turbocharged Engine
207 cu in (3.4 L) Displacement

PowerStar 110

107 Gross Engine hp
93 PTO hp @ 2300 rpm
4 Cyl Turbocharged Engine
207 cu in (3.4 L) Displacement

PowerStar 120

117 Gross Engine hp
100 PTO hp @ 2300 rpm
4 Cyl Turbocharged Engine
207 cu in (3.4 L) Displacement

ALL MODELS:

Tier 4B Emissions Compliant:

- (SCR + CEGR)
- Electronic Injection Bosch
- High-pressure Common Rail System
- Electric Engine Shutoff
- Hand and Foot Throttle Controls
- Grid Heater Starting Aid
- Dual Element Air Filter
- Constant Engine RPM
- Vertical Exhaust
- 30.3 gal Fuel Tank with Guard
- 2.8 gal AdBlue DEF Tank
- Parking brake

TRANSMISSION:

- LH side steering column mounted
- Power Shuttle
- 12 Forward and 12 Reverse Speeds
- (4) Synchronized Gears
- (3) Non-synchronized Ranges
- Forward Reverse Synchronized Shuttle
- 25 ph (40 kph)
- Speed varies with tire selection

STEERING/BRAKES:

- Hydrostatic Power Steering
- Brakes-
- Wet disk brakes
- Hydraulically assisted

AXLES:

- FRONT - 4WD
- Limited Slip
- Heavy Duty Electrohydraulic
- FWD Engagement
- Adjustable Tread Width from
- 56.6 in. to 76.6 in.

REAR

- Heavy Duty Flange Type
- Adjustable Tread Width 55.5 in.
- to 76.2 in.
- 4 Wheel Weights (2 x 110lb per side)



**POWERSTAR 90-120 PS KLASSIC FAST PICK
US PRICE LIST**

Standard Equipment

HYDRAULIC SYSTEM:

Open Center System

Dual Gear Pumps

Implement Pump: 16.9 gpm (63.9 L)

Steering Pump: 9.7 gpm (37.0 L)

Total Flow: 26.6 gpm (100.8 L)

(2) Open Center Remote Valves with
detent**REAR DIFFERENTIAL LOCK:**

Mechanically Engaged

PTO:

Fully Independent

Flip-up PTO Shaft Guard

540/1000 rpm Hydraulic

-Electronic engagement

-Wet clutch

1-3/8 in. 6 splines

3-POINT LIFT SYSTEM:Right hand console mounted
lever control

Mechanical Draft Control

Rear 3 Point Hitch Control

Lift-O-Matic Plus

5,620 Pounds Lift Capacity

Category II Ends

Telescopic Stabilizers

Flexible Lower Link Ends

ELECTRICAL:

(1) 800 cca Heavy-Duty Battery - Cab

120 amp Alternator

7-pin Outlet for trailer/implement lighting
and signals

3-pin Power Outlet (30 amp)

Single Pin (8 amp) Accessory Power
outlet

(2) - 12V power sockets

INSTRUMENTATION:Analog Instrumentation with warning
lights for air cleaner service,
alternator, oil pressure, fuel
sediment/water sensor, PTO
engagement, head light high beam,
low fuel and parking brake,
digital speed readoutGauges for fuel level, engine
temperature, tachometer and hour
meter**CAB LIGHTING:**Front: (2) Halogen Headlights and
(2) cab mounted worklights

Rear: (2) cab mounted worklights

Turn Signals/Flashers/Rear Lights

OPERATOR PROTECTIVE STRUCTURE:**CAB MODELS**ROPS protected, flat deck platform
with heat and air conditioning, tinted
windshield, retractable sun screen,
front and rear wiper and washer, two
doors with locks, two external mirrors,
openable side windows, hinged rear
window, high visibility panel
Steering Wheel - adjustable tilt
Seat - Cloth covered with air
suspension and 10 degrees of swivel,
operator's presence sensor, retractable
seat belt and arm rests

Instructor Seat

Suspended pedals

Radio, speakers, and antenna

MISCELLANEOUS:

Pivoting Engine Hood

SMV Emblem

Toolbox

WARRANTY:

New Holland Standard Warranty Applies



**POWERSTAR 90-120 PS KLASSIC FAST PICK
US PRICE LIST**

Standard Equipment

LOADER:

665TL/720LU NON SELF-LEVELING

Maximum Lift Height @ pivot pin: 134"

Dump Clearance: 101.4"

Digging Depth: 7"

Lift Capacity

Max Height @ 800mm: 2,632 LBS

59" high @ 800mm: 3,638 LBS

Breakout Force @ 800mm: 4,455 LBS

Reach @ Max Lift Height: 43"

Reach @ Ground Level: 91"

Bucket Rollback Angle: 44 degrees

Bucket Dump Angle: 60 degrees

Skid Steer or Euro style Loader

bucket attach



**POWERSTAR 90-120 PS KLASSIC FAST PICK
US PRICE LIST**

Models

COMMERCIAL MODEL	VERSION	Weight	Factory Data	List Price
POWERSTAR 90	Cab	8,157 LB		\$76,567.00
Includes the following Equipment				
12.4-24 8PR (8235601) \$1,097.00				
18.4-30 12PR R1 FLAN (8363801) \$2,661.00				
POWERSTAR 100	Cab	10,031 LB		\$79,076.00
Includes the following Equipment				
12.4-24 8PR (8235601) \$1,097.00				
18.4-30 12PR R1 FLAN (8363801) \$2,661.00				
POWERSTAR 110	Cab	8,157 LB		\$81,801.00
Includes the following Equipment				
12.4-24 8PR (8235601) \$1,097.00				
18.4-30 12PR R1 FLAN (8363801) \$2,661.00				
POWERSTAR 120	Cab	8,158 LB		\$85,841.00
Includes the following Equipment				
4WD+EH Engage+Limited Slip (744581) \$283.00				
Heavy Duty Rear Axle (333411) \$678.00				
12.4-24 8PR (8235601) \$1,097.00				
18.4-30 12PR R1 FLAN (8363801) \$2,661.00				
540/1000 RPM PTO (743594) \$571.00				



**POWERSTAR 90-120 PS KLASSIC FAST PICK
US PRICE LIST**

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

TIRES

FRONT

SD_T4940 FRONT WHEELS AND TIRES

4WD Bias Front Tires

		8235601	12.4-24 8PR			\$1,097.00
--	--	---------	-------------	--	--	------------

4WD Radial Front Tires

		8236404	13.6R24 R1W			\$1,792.00
--	--	---------	-------------	--	--	------------

REAR

SD_T4950 REAR WHEELS AND TIRES

Bias Rear Tires

		8363801	18.4-30 12PR R1 FLAN 4WD Front Tire - 12.4-24 (8235601) 2WD Front Tire - 7.50-16 (8125801) or 10.00-16 (8125901)			\$2,661.00
--	--	---------	--	--	--	------------

Radial Rear Tires

		8302804	16.9R34 R1W 4WD Front Tire - 13.6R24 (8236404) 2WD Front Tire - 7.50-16 (8125801) or 10.00-16 (8125901)			\$2,555.00
--	--	---------	---	--	--	------------

LOADER

LOADER

SD_T8110 LOADER BRACKETS

Heavy Duty Loader

		336740	HD Non Self Leveling Ldr +SSQA 665TL/720LU Non Self Leveling with Skid Steer Style Attachment			\$7,166.00
		336742	HD Non Self Leveling Ldr +Euro 665TL/720LU Non Self Leveling with Euro Style Attachment			\$7,166.00
		743593	Less Front Loader			No Charge

SD_T8140 BUCKET

		336750	84" Bucket			\$961.00
--	--	--------	------------	--	--	----------



POWERSTAR 90-120 PS KLASSIC FAST PICK
US PRICE LIST

WEIGHTS

FRONT

SD T2150 FRONT BALLAST

		333215	Front Carrier +6 88 lb Weights Total weight - 661 lbs (300 kg)			\$835.00
		335215	8 WEIGHTS 40 KG - CA Total weight - 837 lbs (380 kg)			\$1,057.00

OPERATOR'S MANUALS

SD T9840 COUNTRY CONFIGURATION

		334256	Canada (FR) Config ROPS French operator manual			No Charge
		334257	USA Spanish Configuration Spanish operator manual			No Charge



**POWERSTAR 90-120 PS A LA CARTE CAB
US PRICE LIST**

Standard Equipment

KEY SELLING POINTS:

- CommandArc# ergonomically places most frequently used controls to operator's right
- High visibility panel option for better view of loader when at full height
- Ten repositionable vents for heating and air conditioning
- Full-size instructor seat option
- Hydraulic shuttle lever
- 3.4L, 4-cylinder, 16 valve F5G engines with common rail fuel injection system
- Tier 4B EPA emissions compliant with Selective Catalytic Reduction (SCR) & Cooled Exhaust Gas Recirculation (CEGR)
- Factory Installed Loader available

PowerStar 90

86 Gross Engine hp
73 PTO hp @ 2300 rpm
4 Cyl Turbocharged Engine
207 cu in (3.4 L) Displacement

PowerStar 100

98 Gross Engine hp
85 PTO hp @ 2300 rpm
4 Cyl Turbocharged Engine
207 cu in (3.4 L) Displacement

PowerStar 110

107 Gross Engine hp
93 PTO hp @ 2300 rpm
4 Cyl Turbocharged Engine
207 cu in (3.4 L) Displacement

PowerStar 120

117 Gross Engine hp
100 PTO hp @ 2300 rpm
4 Cyl Turbocharged Engine
207 cu in (3.4 L) Displacement

Tier 4B Emissions Compliant:

(SCR + CEGR)
Electronic Injection Bosch
High-pressure Common Rail System
Electric Engine Shutoff
Hand and Foot Throttle Controls
Grid Heater Starting Aid
Dual Element Air Filter
Constant Engine RPM
Vertical Exhaust
30.3 gal Fuel Tank with Guard
2.8 gal AdBlue DEF Tank
Parking brake

TRANSMISSION:

LH side steering column mounted
Power Shuttle
12 Forward and 12 Reverse Speeds
(4) Synchronized Gears
(3) Non-synchronized Ranges
Forward Reverse Synchronized Shuttle
19 mph (30 kph)
Speed varies with tire selection

HYDRAULIC SYSTEM:

Open Center System
Dual Gear Pumps
Implement Pump: 16.9 gpm (63.9 L)
Steering Pump: 9.7 gpm (37.0 L)
Total Flow: 26.6 gpm (100.8 L)
(2) Open Center Remote Valves with detent

3-POINT LIFT SYSTEM:

Right hand console mounted lever control
Mechanical Draft Control
5,620 Pounds Lift Capacity
Category II Ends
Telescopic Stabilizers
Flexible Lower Link Ends

ALL MODELS:

STEERING/BRAKES:



**POWERSTAR 90-120 PS A LA CARTE CAB
US PRICE LIST**

Standard Equipment

Hydrostatic Power Steering

Brakes-

Wet disk brakes

Hydraulically assisted

AXLES:

FRONT - 2WD (19 mph, 30 kph)

Inverted U-section type

Adjustable Tread Width from 57.0 in.

to 79.7 in.

FRONT - 4WD

Limited Slip

- PowerStar 90, 100 & 110:

Electrohydraulic FWD Engagement

Adjustable Tread Width from

56.6 in. to 76.6 in.

- PowerStar 120:

Heavy Duty Electrohydraulic FWD Engagement

Adjustable Tread Width from

56.6 in. to 76.6 in.

REAR

- PowerStar 90, 100 & 110:

Flange Type

Adjustable Tread Width 55.5 in.

to 76.2 in.

- PowerStar 120:

Heavy Duty Flange Type

Adjustable Tread Width 55.5 in.

to 76.2 in.

REAR DIFFERENTIAL LOCK:

Mechanically Engaged

PTO:

Fully Independent

Flip-up PTO Shaft Guard

PowerStar 90, 100 & 110:

540 rpm Hydraulic

PowerStar 120:

540/1000 rpm Hydraulic

-Electronic engagement

-Wet clutch

1-3/8 in. 6 splines

ELECTRICAL:

(1) 800 cca Heavy-Duty Battery - Cab

120 amp Alternator

7-pin Outlet for trailer/implement lighting and signals

3-pin Power Outlet (30 amp)

Single Pin (8 amp) Accessory Power outlet

12V power socket

INSTRUMENTATION:

Analog Instrumentation with warning

lights for air cleaner service,

alternator, oil pressure, fuel

sediment/water sensor, PTO

engagement, head light high beam,

low fuel and parking brake,

digital speed readout

Gauges for fuel level, engine

temperature, tachometer and hour

meter

LIGHTING:

Front: (2) Halogen Headlights and

(2) cab mounted worklights

Rear: (2) cab mounted worklights

Turn Signals/Flashers/Rear Lights

OPERATOR PROTECTIVE STRUCTURE:

CAB MODELS

ROPS protected, flat deck platform

with heat and air conditioning, tinted

windshield, retractable sun screen,

front and rear wiper and washer, two

doors with locks, two external mirrors,

openable side windows, hinged rear

window (opens completely)

Steering Wheel - adjustable tilt

Seat - Cloth covered with air

suspension and 10 degrees of swivel,

operator's presence sensor, retractable

seat belt and arm rests

Instructor seat

Suspended pedals

Radio, speakers, and antenna



**POWERSTAR 90-120 PS A LA CARTE CAB
US PRICE LIST**

Standard Equipment

MISCELLANEOUS:

Pivoting Engine Hood
SMV Emblem
Toolbox

WARRANTY:

New Holland Standard Warranty Applies

LOADER:

655TL/710LU NON SELF-LEVELING

Maximum Lift Height @ pivot pin: 126"
Dump Clearance: 93.6"
Digging Depth: 8.2"
Lift Capacity
Max Height @ 800mm: 2,478 LBS
59" high @ 800mm: 3,080 LBS
Breakout Force @ 800mm: 3,739 LBS
Reach @ Max Lift Height: 39.5"
Reach @ Ground Level: 90.7"
Bucket Rollback Angle: 45 degrees
Bucket Dump Angle: 60 degrees
Skid Steer or Euro Style Loader
bucket attach

655TL/715LU SELF-LEVELING

Maximum Lift Height @ pivot pin: 125"
Dump Clearance: 93"
Digging Depth: 8"
Lift Capacity
Max Height @ 800mm: 3,179 LBS
59" high @ 800mm: 4,665 LBS
Breakout Force @ 800mm: 3,860 LBS
Reach @ Max Lift Height: 39.4"
Reach @ Ground Level: 90.5"
Bucket Rollback Angle: 40 degrees
Bucket Dump Angle: 60 degrees
Skid Steer or Euro style Loader
bucket attach

665TL/720LU NON SELF-LEVELING

Maximum Lift Height @ pivot pin: 134"
Dump Clearance: 101.4"
Digging Depth: 7"
Lift Capacity
Max Height @ 800mm: 2,632 LBS
59" high @ 800mm: 3,638 LBS
Breakout Force @ 800mm: 4,455 LBS
Reach @ Max Lift Height: 43"
Reach @ Ground Level: 91"
Bucket Rollback Angle: 44 degrees
Bucket Dump Angle: 60 degrees
Skid Steer or Euro style Loader
bucket attach

665TL/725LU SELF-LEVELING

Maximum Lift Height @ pivot pin: 135"
Dump Clearance: 102.2"
Digging Depth: 6.4"
Lift Capacity
Max Height @ 800mm: 3,428 LBS
59" high @ 800mm: 5,549 LBS
Breakout Force @ 800mm: 5,661 LBS
Reach @ Max Lift Height: 43"
Reach @ Ground Level: 93
Bucket Rollback Angle: 40 degrees
Bucket Dump Angle: 60 degrees
Skid Steer or Euro style Loader
bucket attach



**POWERSTAR 90-120 PS A LA CARTE CAB
US PRICE LIST**

Models

COMMERCIAL MODEL	VERSION	Weight	Factory Data	List Price
POWERSTAR 90	Cab	8,157 LB		\$76,567.00
Includes the following Equipment				
12.4-24 8PR (8235601) \$1,097.00				
18.4-30 12PR R1 FLAN (8363801) \$2,661.00				
POWERSTAR 100	Cab	10,031 LB		\$79,076.00
Includes the following Equipment				
12.4-24 8PR (8235601) \$1,097.00				
18.4-30 12PR R1 FLAN (8363801) \$2,661.00				
POWERSTAR 110	Cab	8,157 LB		\$81,801.00
Includes the following Equipment				
12.4-24 8PR (8235601) \$1,097.00				
18.4-30 12PR R1 FLAN (8363801) \$2,661.00				
POWERSTAR 120	Cab	8,158 LB		\$85,841.00
Includes the following Equipment				
4WD+EH Engage+Limited Slip (744581) \$283.00				
Heavy Duty Rear Axle (333411) \$678.00				
12.4-24 8PR (8235601) \$1,097.00				
18.4-30 12PR R1 FLAN (8363801) \$2,661.00				
540/1000 RPM PTO (743594) \$571.00				



**POWERSTAR 90-120 PS A LA CARTE CAB
US PRICE LIST**

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

PACKAGE SELECTION

SD_T9980 PACKAGING

		X99801X	Custom Configuration			No Charge
--	--	---------	----------------------	--	--	-----------

OPERATOR PLATFORM

SD_T9200 OPERATOR STRUCTURE #1

Cab						
		744588	Deluxe Cab Includes instructor seat, rear wiper and washer, radio & internal mirror			No Charge
		334183	Deluxe Cab w/HiVis Panel Includes high visibility panel, instructor seat, rear wiper and washer, radio & internal mirror			\$568.00

POWER TRAIN

TRANSMISSION

SD_T2800 SPEED

		759059	40KPH - REAL ALL TYR 25 MPH (40 KPH) Transmission for 4WD			\$269.00
--	--	--------	---	--	--	----------

AXLES

SD_T4010 FRONT AXLE

		336858	2WD Standard Axle Heavy Duty Requires 20 MPH (30 KPH) Compatible with 655TL Requires rear wheel weights (330470) ONLY when ordered with 655TL NOT compatible with 665TL			(\$1,127.00)
		744581	4WD+EH Engage+Limited Slip+HD Heavy-Duty Limited Slip Base equipment on PowerStar 120 Requires Heavy-Duty rear axle (333411)			\$283.00



**POWERSTAR 90-120 PS A LA CARTE CAB
US PRICE LIST**

SD T4810 REAR AXLE

		333411	Heavy Duty Rear Axle Heavy-Duty Rear Axle Base Equipment on PowerStar 120 Required for 34 & 38 inch rear tires NOT compatible with Standard-Duty 4WD front axles (743559 or 744580) NOT compatible with 30 inch or smaller rear tires on PowerStar 90, 100 or 110			\$678.00
--	--	--------	---	--	--	----------

TIRES

FRONT

SD T4940 FRONT WHEELS AND TIRES

2WD Front Tires						
		8126601	9.5L15 4 RIB 8 PLY			\$654.00
		8125801	7.50-16 8 PLY HD			\$499.00
		8125901	10.00-16 8 PLY HD			\$932.00
4WD Bias Front Tires						
		8235601	12.4-24 8PR			\$1,097.00
		8236501	13.6-24 8PR R1 FLANG			\$1,343.00
		8240604	14.9-24 8PR R1			\$1,654.00
4WD Radial Tires						
		8235404	12.4R24 R1W			\$1,465.00
4WD Radial Front Tires						
		8236404	13.6R24 R1W			\$1,792.00
		8239404	14.9R24 R1W			\$2,205.00
4WD Specialty Front Tires						
		8290904	12.5/80-18 10PR R4			\$1,751.00
		8247404	11.2R28 R1W			\$1,514.00
		8873402	360/80R20 TRI 2 HD Municipal tread			\$1,995.00

REAR

SD T4950 REAR WHEELS AND TIRES

Bias Rear Tires						
		8363801	18.4-30 12PR R1 FLAN 4WD Front Tire - 12.4-24 (8235601) 2WD Front Tire - 7.50-16 (8125801) or 10.00-16 (8125901)			\$2,661.00
		8364604	16.9-34 8PR R1 4WD Front Tire - 13.6-24 (8236501) 2WD Front Tire - 7.50-16 (8125801) or 10.00-16 (8125901)			\$1,916.00



**POWERSTAR 90-120 PS A LA CARTE CAB
US PRICE LIST**

		8365501	18.4-34 10PR 4WD Front Tire - 14.9-24 (8240604) 2WD Front Tire - 10.00-16 (8125901)			\$2,933.00
Radial Rear Tires						
		8357404	18.4R30 R1W 4WD Front Tire - 12.4R24 (8235404) 2WD Front Tire - 7.50-16 (8125801) or 10.00-16 (8125901)			\$3,550.00
		8302804	16.9R34 R1W 4WD Front Tire - 13.6R24 (8236404) 2WD Front Tire - 7.50-16 (8125801) or 10.00-16 (8125901)			\$2,555.00
		8365404	18.4R34 R1W 4WD Front Tire - 14.9R24 (8239404) 2WD Front Tire - 10.00-16 (8125901)			\$3,843.00
Specialty Rear Tires						
		8391904	19.5L-24 10 PR R4 4WD Front Tire - 12.5/80-18 (8290904)			\$2,711.00
		8372404	13.6R38 R1W 8372404 4WD Front Tire - 11.2R28 (8247404) 2WD Front Tire - 7.50-16 (8125801)			\$2,385.00
		8906401	440/80 R30 TRI 2 Municipal tread 4WD Front Tire - 360/80R20 (8873402)			\$3,717.00

HYDRAULICS

MID-MOUNT

SD T8280 MID-MOUNT VALVES

		762166	2MMV w/ Joystick New 2 function mid-mount valve and joystick			\$1,514.00
		762167	2MMV+DIV w/ Joystick New 2 function mid-mount valve and joystick with 3rd function diverter Requires a Loader Bucket with Grapple NOT AVAILABLE as Factory Installed			\$2,272.00

LOADER

LOADER

SD T8110 LOADER BRACKETS

Standard Duty Loader

		336914	Non Self Leveling Ldr +SSQA 655TL/710LU Non Self Leveling with Skid Steer Attachment NOT compatible with 38" rear tires			\$6,183.00
--	--	--------	---	--	--	------------



**POWERSTAR 90-120 PS A LA CARTE CAB
US PRICE LIST**

		336732	Non Self Leveling Ldr +Euro 655TL/710LU Non Self Leveling with Euro Style Attachment NOT compatible with 38" rear tires			\$6,183.00
		336734	Mech Self Leveling Ldr +SSQA 655TL/715LU Mechanical Self Leveling with Skid Steer Style Attachment NOT compatible with 38" rear tires			\$7,313.00
		336736	Mech Self Leveling Ldr +Euro 655TL/715LU Mechanical Self Leveling with Euro Style Attachment NOT compatible with 38" rear tires			\$7,313.00
Heavy Duty Loader						
		336740	HD Non Self Leveling Ldr +SSQA 665TL/720LU Non Self Leveling with Skid Steer Style Attachment			\$7,166.00
		336742	HD Non Self Leveling Ldr +Euro 665TL/720LU Non Self Leveling with Euro Style Attachment			\$7,166.00
		336744	HD Self Leveling Ldr +SSQA 665TL/725LU Mechanical Self Leveling with Skid Steer Style Attachment			\$8,301.00
		336746	HD Self Leveling Ldr +Euro 665TL/725LU Mechanical Self Leveling with Euro Style Attachment			\$8,301.00

SD T8140 BUCKET

		336750	84" Bucket			\$961.00
--	--	--------	------------	--	--	----------

PTO

REAR PTO

SD T8010 PTO

		743594	540/1000 RPM PTO			\$571.00
--	--	--------	------------------	--	--	----------

HITCH

REAR 3 POINT HITCH

SD T8130 3 POINT HITCH CONTROL

		332035	Mech 3 Pt Hitch Ground Control			\$266.00
--	--	--------	--------------------------------	--	--	----------

SD T8200 HITCH

		743595	Lift-O-Matic Plus Lift-O-Matic Plus			\$270.00
--	--	--------	---	--	--	----------



**POWERSTAR 90-120 PS A LA CARTE CAB
US PRICE LIST**

WEIGHTS

FRONT

SD T2150 FRONT BALLAST

		333215	Front Carrier +6 88 lb Weights Total weight - 661 lbs (300 kg)			\$835.00
		335215	8 WEIGHTS 40 KG - CA Total weight - 837 lbs (380 kg)			\$1,057.00

REAR

SD T4961 REAR BALLAST

		330470	4 x 110 lb Rear Wheel Weights Total weight - 440 lbs (200 kg) NOT compatible with 24" rear tires option Required with 2WD HD front axle			\$652.00
--	--	--------	---	--	--	----------

OPERATOR'S MANUALS

SD T9840 COUNTRY CONFIGURATION

		334256	Canada (FR) Config ROPS French operator manual			No Charge
		334257	USA Spanish Configuration Spanish operator manual			No Charge



**POWERSTAR 90-120 PS A LA CARTE ROPS
US PRICE LIST**

Standard Equipment

KEY SELLING POINTS:

- CommandArc# ergonomically places most frequently used controls to operator's right
- Hydraulic shuttle lever
- 3.4L, 4-cylinder, 16 valve F5G engines with common rail fuel injection system
- Tier 4B EPA emissions compliant with Selective Catalytic Reduction (SCR) & Cooled Exhaust Gas Recirculation (CEGR)
- Factory Installed Loader available

PowerStar 90

86 Gross Engine hp
73 PTO hp @ 2300 rpm
4 Cyl Turbocharged Engine
207 cu in (3.4 L) Displacement

PowerStar 100

98 Gross Engine hp
85 PTO hp @ 2300 rpm
4 Cyl Turbocharged Engine
207 cu in (3.4 L) Displacement

PowerStar 110

107 Gross Engine hp
93 PTO hp @ 2300 rpm
4 Cyl Turbocharged Engine
207 cu in (3.4 L) Displacement

PowerStar 120

117 Gross Engine hp
100 PTO hp @ 2300 rpm
4 Cyl Turbocharged Engine
207 cu in (3.4 L) Displacement

ALL MODELS:

Tier 4B Emissions Compliant:

- (SCR + CEGR)
- Electronic Injection Bosch
- High-pressure Common Rail System
- Electric Engine Shutoff
- Hand and Foot Throttle Controls
- Grid Heater Starting Aid
- Dual Element Air Filter
- Constant Engine RPM
- Vertical Exhaust
- 30.3 gal Fuel Tank with Guard
- 2.8 gal AdBlue DEF Tank
- Parking brake

TRANSMISSION:

- LH side steering column mounted
- Power Shuttle
- 12 Forward and 12 Reverse Speeds
- (4) Synchronized Gears
- (3) Non-synchronized Ranges
- Forward Reverse Synchronized Shuttle
- 19 mph (30 kph)
- Speed varies with tire selection

HYDRAULIC SYSTEM:

- Open Center System
- Dual Gear Pumps
 - Implement Pump: 16.9 gpm (63.9 L)
 - Steering Pump: 9.7 gpm (37.0 L)
 - Total Flow: 26.6 gpm (100.8 L)
- (2) Open Center Remote Valves with detent

3-POINT LIFT SYSTEM:

- Right hand console mounted lever control
- Mechanical Draft Control
- 5,620 Pounds Lift Capacity
- Category II Ends
- Telescopic Stabilizers
- Flexible Lower Link Ends



**POWERSTAR 90-120 PS A LA CARTE ROPS
US PRICE LIST**

Standard Equipment

STEERING/BRAKES:

Hydrostatic Power Steering

Brakes-

Wet disk brakes

Hydraulically assisted

AXLES:

FRONT - 2WD (19 mph, 30 kph)

Inverted U-section type

Adjustable Tread Width from 57.0 in.

to 79.7 in.

FRONT - 4WD

Limited Slip

- PowerStar 90, 100 & 110:

Electrohydraulic FWD Engagement

Adjustable Tread Width from

56.6 in. to 76.6 in.

- PowerStar 120:

Heavy Duty Electrohydraulic FWD
Engagement

Adjustable Tread Width from

56.6 in. to 76.6 in.

REAR

- PowerStar 90, 100 & 110:

Flange Type

Adjustable Tread Width 55.5 in.

to 76.2 in.

- PowerStar 120:

Heavy Duty Flange Type

Adjustable Tread Width 55.5 in.

to 76.2 in.

REAR DIFFERENTIAL LOCK:

Mechanically Engaged

PTO:

Fully Independent

Flip-up PTO Shaft Guard

PowerStar 90, 100 & 110:

540 rpm Hydraulic

PowerStar 120:

540/1000 rpm Hydraulic

-Electronic engagement

-Wet clutch

1-3/8 in. 6 splines

ELECTRICAL:

(1) 800 cca Heavy-Duty Battery - ROPS

120 amp Alternator

7-pin Outlet for trailer/implement lighting
and signals

3-pin Power Outlet (30 amp)

Single Pin (8 amp) Accessory Power
outlet

12V power socket

INSTRUMENTATION:

Analog Instrumentation with warning

lights for air cleaner service,
alternator, oil pressure, fuel
sediment/water sensor, PTO
engagement, head light high beam,
low fuel and parking brake,
digital speed readoutGauges for fuel level, engine temp,
tachometer and hour meter**LIGHTING:**

ROPS

Front: (2) Halogen Headlights

Rear: (1) ROPS mounted worklight

Turn Signals/Flashers/Rear Lights

OPERATOR PROTECTIVE STRUCTURE:

ROPS MODELS

2-Post Foldable ROPS with ISO-
mounted flat deck platform

Steering Wheel - adjustable tilt

Seat - Vinyl covered with mechanical
suspension, operator's presence
sensor, retractable seat belts and
arm rests

Suspended pedals

Locking brake pedals

MISCELLANEOUS:

Pivoting Engine Hood

SMV Emblem

Toolbox



**POWERSTAR 90-120 PS A LA CARTE ROPS
US PRICE LIST**

Standard Equipment

WARRANTY:

New Holland Standard Warranty Applies

LOADER:**LOADER:****655TL/710LU NON SELF-LEVELING**

Maximum Lift Height @ pivot pin: 126"

Dump Clearance: 93.6"

Digging Depth: 8.2"

Lift Capacity

Max Height @ 800mm: 2,478 LBS

59" high @ 800mm: 3,080 LBS

Breakout Force @ 800mm: 3,739 LBS

Reach @ Max Lift Height: 39.5"

Reach @ Ground Level: 90.7"

Bucket Rollback Angle: 45 degrees

Bucket Dump Angle: 60 degrees

Skid Steer or Euro Style Loader

bucket attach

665TL/720LU NON SELF-LEVELING

Maximum Lift Height @ pivot pin: 134"

Dump Clearance: 101.4"

Digging Depth: 7"

Lift Capacity

Max Height @ 800mm: 2,632 LBS

59" high @ 800mm: 3,638 LBS

Breakout Force @ 800mm: 4,455 LBS

Reach @ Max Lift Height: 43"

Reach @ Ground Level: 91"

Bucket Rollback Angle: 44 degrees

Bucket Dump Angle: 60 degrees

Skid Steer or Euro style Loader

bucket attach

655TL/715LU SELF-LEVELING

Maximum Lift Height @ pivot pin: 125"

Dump Clearance: 93"

Digging Depth: 8"

Lift Capacity

Max Height @ 800mm: 3,179 LBS

59" high @ 800mm: 4,665 LBS

Breakout Force @ 800mm: 3,860 LBS

Reach @ Max Lift Height: 39.4"

Reach @ Ground Level: 90.5"

Bucket Rollback Angle: 40 degrees

Bucket Dump Angle: 60 degrees

Skid Steer or Euro style Loader

bucket attach

665TL/725LU SELF-LEVELING

Maximum Lift Height @ pivot pin: 135"

Dump Clearance: 102.2"

Digging Depth: 6.4"

Lift Capacity

Max Height @ 800mm: 3,428 LBS

59" high @ 800mm: 5,549 LBS

Breakout Force @ 800mm: 5,661 LBS

Reach @ Max Lift Height: 43"

Reach @ Ground Level: 93"

Bucket Rollback Angle: 40 degrees

Bucket Dump Angle: 60 degrees

Skid Steer or Euro style Loader

bucket attach



**POWERSTAR 90-120 PS A LA CARTE ROPS
US PRICE LIST**

Models

COMMERCIAL MODEL	VERSION	Weight	Factory Data	List Price
POWERSTAR 90	Rops	8,157 LB		\$65,445.00
Includes the following Equipment				
12.4-24 8PR (8235601) \$1,097.00				
18.4-30 12PR R1 FLAN (8363801) \$2,661.00				
POWERSTAR 100	Rops	8,157 LB		\$67,954.00
Includes the following Equipment				
12.4-24 8PR (8235601) \$1,097.00				
18.4-30 12PR R1 FLAN (8363801) \$2,661.00				
POWERSTAR 110	Rops	8,157 LB		\$70,679.00
Includes the following Equipment				
12.4-24 8PR (8235601) \$1,097.00				
18.4-30 12PR R1 FLAN (8363801) \$2,661.00				
POWERSTAR 120	Rops	8,157 LB		\$74,719.00
Includes the following Equipment				
4WD+EH Engage+Limited Slip (744581) \$283.00				
Heavy Duty Rear Axle (333411) \$678.00				
12.4-24 8PR (8235601) \$1,097.00				
18.4-30 12PR R1 FLAN (8363801) \$2,661.00				
540/1000 RPM PTO (743594) \$571.00				



**POWERSTAR 90-120 PS A LA CARTE ROPS
US PRICE LIST**

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

PACKAGE SELECTION

SD_T9980 PACKAGING

		X99801X	Custom Configuration			No Charge
--	--	---------	----------------------	--	--	-----------

OPERATOR PLATFORM

SD_T9200 OPERATOR STRUCTURE #1

ROPS						
		392315	Platform w/Foldable ROPS Includes tilt column			No Charge
		334190	Deluxe Platform w/FOPS Includes tilt column, FOPS canopy, noise reduction kit and 12V power outlet			\$1,694.00

POWER TRAIN

TRANSMISSION

SD_T2800 SPEED

		759059	40KPH - REAL ALL TYR 25 MPH (40 KPH) Transmission for 4WD			\$269.00
--	--	--------	---	--	--	----------

AXLES

SD_T4010 FRONT AXLE

		336858	2WD Standard Axle Heavy Duty Requires 20 MPH (30 KPH) Compatible with 655TL Requires rear wheel weights (330470) ONLY when ordered with 655TL NOT compatible with 665TL			(\$1,127.00)
		744581	4WD+EH Engage+Limited Slip+HD Heavy-Duty Limited Slip Base equipment on PowerStar 120 Requires Heavy-Duty rear axle (333411)			\$283.00



**POWERSTAR 90-120 PS A LA CARTE ROPS
US PRICE LIST**

SD T4810 REAR AXLE

		333411	Heavy Duty Rear Axle Heavy-Duty Rear Axle Base Equipment on PowerStar 120 Required for 34 & 38 inch rear tires NOT compatible with Standard-Duty 4WD front axles (743559 or 744580) NOT compatible with 30 inch or smaller rear tires on PowerStar 90, 100 or 110			\$678.00
--	--	--------	---	--	--	----------

TIRES

FRONT

SD T4940 FRONT WHEELS AND TIRES

2WD Front Tires						
		8126601	9.5L15 4 RIB 8 PLY			\$654.00
		8125801	7.50-16 8 PLY HD			\$499.00
		8125901	10.00-16 8 PLY HD			\$932.00
4WD Bias Front Tires						
		8235601	12.4-24 8PR			\$1,097.00
		8236501	13.6-24 8PR R1 FLANG			\$1,343.00
		8240604	14.9-24 8PR R1			\$1,654.00
4WD Radial Tires						
		8235404	12.4R24 R1W			\$1,465.00
4WD Radial Front Tires						
		8236404	13.6R24 R1W			\$1,792.00
		8239404	14.9R24 R1W			\$2,205.00
4WD Specialty Front Tires						
		8290904	12.5/80-18 10PR R4			\$1,751.00
		8247404	11.2R28 R1W			\$1,514.00
		8873402	360/80R20 TRI 2 HD Municipal tread			\$1,995.00

REAR

SD T4950 REAR WHEELS AND TIRES

Bias Rear Tires						
		8363801	18.4-30 12PR R1 FLAN 4WD Front Tire - 12.4-24 (8235601) 2WD Front Tire - 7.50-16 (8125801) or 10.00-16 (8125901)			\$2,661.00
		8364604	16.9-34 8PR R1 4WD Front Tire - 13.6-24 (8236501) 2WD Front Tire - 7.50-16 (8125801) or 10.00-16 (8125901)			\$1,916.00



**POWERSTAR 90-120 PS A LA CARTE ROPS
US PRICE LIST**

		8365501	18.4-34 10PR 4WD Front Tire - 14.9-24 (8240604) 2WD Front Tire - 10.00-16 (8125901)			\$2,933.00
Radial Rear Tires						
		8357404	18.4R30 R1W 4WD Front Tire - 12.4R24 (8235404) 2WD Front Tire - 7.50-16 (8125801) or 10.00-16 (8125901)			\$3,550.00
		8302804	16.9R34 R1W 4WD Front Tire - 13.6R24 (8236404) 2WD Front Tire - 7.50-16 (8125801) or 10.00-16 (8125901)			\$2,555.00
		8365404	18.4R34 R1W 4WD Front Tire - 14.9R24 (8239404) 2WD Front Tire - 10.00-16 (8125901)			\$3,843.00
Specialty Rear Tires						
		8391904	19.5L-24 10 PR R4 4WD Front Tire - 12.5/80-18 (8290904)			\$2,711.00
		8372404	13.6R38 R1W 8372404 4WD Front Tire - 11.2R28 (8247404) 2WD Front Tire - 7.50-16 (8125801)			\$2,385.00
		8906401	440/80 R30 TRI 2 Municipal tread 4WD Front Tire - 360/80R20 (8873402)			\$3,717.00

HYDRAULICS

MID-MOUNT

SD T8280 MID-MOUNT VALVES

		762166	2MMV w/ Joystick New 2 function mid-mount valve and joystick			\$1,514.00
		762167	2MMV+DIV w/ Joystick New 2 function mid-mount valve and joystick with 3rd function diverter Requires a Loader Bucket with Grapple NOT AVAILABLE as Factory Installed			\$2,272.00

LOADER

LOADER

SD T8110 LOADER BRACKETS

Standard Duty Loader

		336914	Non Self Leveling Ldr +SSQA 655TL/710LU Non Self Leveling with Skid Steer Attachment NOT compatible with 38" rear tires			\$6,183.00
--	--	--------	---	--	--	------------



**POWERSTAR 90-120 PS A LA CARTE ROPS
US PRICE LIST**

		336732	Non Self Leveling Ldr +Euro 655TL/710LU Non Self Leveling with Euro Style Attachment NOT compatible with 38" rear tires			\$6,183.00
		336734	Mech Self Leveling Ldr +SSQA 655TL/715LU Mechanical Self Leveling with Skid Steer Style Attachment NOT compatible with 38" rear tires			\$7,313.00
		336736	Mech Self Leveling Ldr +Euro 655TL/715LU Mechanical Self Leveling with Euro Style Attachment NOT compatible with 38" rear tires			\$7,313.00
Heavy Duty Loader						
		336740	HD Non Self Leveling Ldr +SSQA 665TL/720LU Non Self Leveling with Skid Steer Style Attachment			\$7,166.00
		336742	HD Non Self Leveling Ldr +Euro 665TL/720LU Non Self Leveling with Euro Style Attachment			\$7,166.00
		336744	HD Self Leveling Ldr +SSQA 665TL/725LU Mechanical Self Leveling with Skid Steer Style Attachment			\$8,301.00
		336746	HD Self Leveling Ldr +Euro 665TL/725LU Mechanical Self Leveling with Euro Style Attachment			\$8,301.00

SD T8140 BUCKET

		336750	84" Bucket			\$961.00
--	--	--------	------------	--	--	----------

PTO

REAR PTO

SD T8010 PTO

		743594	540/1000 RPM PTO			\$571.00
--	--	--------	------------------	--	--	----------

HITCH

REAR 3 POINT HITCH

SD T8130 3 POINT HITCH CONTROL

		332035	Mech 3 Pt Hitch Ground Control			\$266.00
--	--	--------	--------------------------------	--	--	----------

SD T8200 HITCH

		743595	Lift-O-Matic Plus Lift-O-Matic Plus			\$270.00
--	--	--------	---	--	--	----------



**POWERSTAR 90-120 PS A LA CARTE ROPS
US PRICE LIST**

WEIGHTS

FRONT

SD T2150 FRONT BALLAST

		333215	Front Carrier +6 88 lb Weights Total weight - 661 lbs (300 kg)			\$835.00
		335215	8 WEIGHTS 40 KG - CA Total weight - 837 lbs (380 kg)			\$1,057.00

REAR

SD T4961 REAR BALLAST

		330470	4 x 110 lb Rear Wheel Weights Total weight - 440 lbs (200 kg) NOT compatible with 24" rear tires option Required with 2WD HD front axle			\$652.00
--	--	--------	---	--	--	----------

OPERATOR'S MANUALS

SD T9840 COUNTRY CONFIGURATION

		334256	Canada (FR) Config ROPS French operator manual			No Charge
		334257	USA Spanish Configuration Spanish operator manual			No Charge

**T5 DUAL COMMAND
US PRICE LIST**

Standard Equipment

KEY SELLING POINTS:

- CommandArc™ ergonomically places most frequently used controls to operator's right
- High visibility panel provides a better view of loader when at full height
- Ten repositionable vents for heating and air conditioning
- Full-size instructor seat
- Electro Hydraulic shuttle lever
- 24x24 Dual Command™ transmission
- Power clutch to allow for gear changes without the use of the foot clutch
- 3.4L, 4-cylinder, 16 valve F5G engines with common rail fuel injection system
- Tier 4B EPA emissions compliant with Selective Catalytic Reduction (SCR) & Cooled Exhaust Gas Recirculation (CEGR)
- Factory Installed Loader available

T5.90 DC

86 Gross Engine hp
73 PTO hp @ 2300 rpm
4 Cyl Turbocharged Engine
207 cu in (3.4 L) Displacement

T5.100 DC

99 Gross Engine hp
85 PTO hp @ 2300 rpm
4 Cyl Turbocharged Engine
207 cu in (3.4 L) Displacement

T5.110 DC

107 Gross Engine hp
93 PTO hp @ 2300 rpm
4 Cyl Turbocharged Engine
207 cu in (3.4 L) Displacement

T5.120 DC

117 Gross Engine hp
100 PTO hp @ 2300 rpm
4 Cyl Turbocharged Engine
207 cu in (3.4 L) Displacement

ALL MODELS:

Tier 4B Emissions Compliant:
(SCR + CEGR)

Electronic Injection Bosch
High-pressure Common Rail System
Electric Engine Shutoff
Constant Engine RPM
Hand and Foot Throttle Controls
Grid Heater Starting Aid
Dual Element Air Filter
Vertical Exhaust
30.3 gal Fuel Tank with Guard
2.8 gal AdBLUE DEF Tank
Front Axle Support with access for Front Pump
Parking brake

TRANSMISSION:

LH side steering column mounted
Power Shuttle
24 Forward X 24 Reverse Speeds
(4) Synchronized Gears with a HiLo in each Gear
Power clutch button on Gear lever to allow for gear changes without the use of the foot clutch
(3) Non-synchronized Ranges
Forward Reverse Synchronized Shuttle
25 mph (40 kph)
Speed varies with tire selection

STEERING/BRAKES:

Hydrostatic Power Steering
Brakes-
Wet disk brakes
Hydraulically assisted

AXLES:

FRONT
Heavy Duty 4WD
Electrohydraulic FWD Engagement
Adjustable Tread Width

**T5 DUAL COMMAND
US PRICE LIST**

Standard Equipment

REAR

Heavy Duty Flange Type
Adjustable Tread Width

HYDRAULIC SYSTEM:

Open Center System
Dual Gear Pumps with Cooler
Implement Pump: 16.9 gpm (63.8 L)
Steering Pump: 9.7 gpm (37.0 L)
Total Flow: 26.6 gpm (100.8 L)
(2) Open Center Remote Valves with
detent

REAR DIFFERENTIAL LOCK:
Electronically Engaged

PTO:

Fully Independent
Hydraulic Engagement
Flip-up PTO Shaft Guard
540/1000 rpm
Wet Clutch

3-POINT LIFT SYSTEM:

Right hand console mounted control
Cab - Electronic Draft Control with
Fender mounted controls
ROPS - Mechanical Draft Control with
Lift-O-Matic Plus
5,620 Pounds Lift Capacity
Category II Ends
Telescopic Stabilizers
Flexible Lower Link Ends

ELECTRICAL:

(1) 800 cca Heavy-Duty Battery
120 amp Alternator
7-pin Outlet for trailer/implement lighting
and signals
3-pin Power Outlet (30 amp)
Single Pin (8 amp) Accessory Power
outlet
CAB - 2 - 12V power sockets
ROPS - 1 - 12V power socket

LIGHTING:

CAB

Front: (2) Halogen Headlights and
(2) cab mounted worklights
Rear: (2) cab mounted worklights
Turn Signals/Flashers/Rear Lights

ROPS

Front: (2) Halogen Headlights
Rear: (1) Worklight
Turn Signals/Flashers/Rear Lights

INSTRUMENTATION:

Analog Instrumentation with warning
lights for air cleaner service,
alternator, oil pressure, fuel
sediment/water sensor, PTO
engagement, head light high beam,
low fuel and parking brake,
advanced instrument cluster,
digital speed readout, gauges
for fuel level, engine temperature,
tachometer and hour meter

OPERATOR PROTECTIVE STRUCTURE:

CAB MODELS

ROPS protected, flat deck platform
with heat and air conditioning, tinted
windshield, retractable sun screen,
front and rear wiper / washer,
instructor seat, two doors with locks,
one internal & two external mirrors,
openable side windows, hinged rear
window (opens completely)
Steering Wheel - tilt & telescope
Seat - Cloth covered air suspension
seat with 10 degrees swivel,
operator's presence sensor,
retractable seat belt and arm rests
Suspended pedals
Radio, speakers, and antenna

**T5 DUAL COMMAND
US PRICE LIST****Standard Equipment****ROPS MODELS**

2-Post Foldable ROPS with ISO-
mounted flat deck platform
Steering Wheel - adjustable tilt
Seat - Vinyl covered with mechanical
suspension, operator's presence
sensor, retractable seat belts and
arm rests
Suspended pedals
Locking brake pedals

MISCELLANEOUS:

Pivoting Engine Hood
SMV Emblem
Toolbox

WARRANTY:

New Holland Standard Warranty Applies

LOADER:**665TL/720LU NON SELF-LEVELING**

Maximum Lift Height @ pivot pin: 134"
Dump Clearance: 101.4"
Digging Depth: 7"
Lift Capacity
Max Height @ 800mm: 2,632 LBS
59" high @ 800mm: 3,638 LBS
Breakout Force @ 800mm: 4,455 LBS
Reach @ Max Lift Height: 43"
Reach @ Ground Level: 91"
Bucket Rollback Angle: 44 degrees
Bucket Dump Angle: 60 degrees
Skid Steer or Euro style Loader
bucket attach

665TL/725LU SELF-LEVELING

Maximum Lift Height @ pivot pin: 135"
Dump Clearance: 102.2"
Digging Depth: 6.4"
Lift Capacity
Max Height @ 800mm: 3,428 LBS
59" high @ 800mm: 5,549 LBS
Breakout Force @ 800mm: 5,661 LBS
Reach @ Max Lift Height: 43"
Reach @ Ground Level: 93
Bucket Rollback Angle: 40 degrees
Bucket Dump Angle: 60 degrees
Skid Steer or Euro style Loader
bucket attach

**T5 DUAL COMMAND
US PRICE LIST**
Models

COMMERCIAL MODEL	VERSION	Weight	Factory Data	List Price
T5.90 DC	Cab	8,157 LB		\$86,183.00
Includes the following Equipment				
14.9R24 R1W (8239404)	\$2,205.00			
18.4R34 R1W (8365404)	\$3,910.00			
T5.90 DC	Rops	8,157 LB		\$73,192.00
Includes the following Equipment				
14.9R24 R1W (8239404)	\$2,205.00			
18.4R34 R1W (8365404)	\$3,910.00			
T5.100 DC	Cab	8,157 LB		\$88,692.00
Includes the following Equipment				
14.9R24 R1W (8239404)	\$2,205.00			
18.4R34 R1W (8365404)	\$3,910.00			
T5.100 DC	Rops	8,157 LB		\$75,701.00
Includes the following Equipment				
14.9R24 R1W (8239404)	\$2,205.00			
18.4R34 R1W (8365404)	\$3,910.00			
T5.110 DC	Cab	8,157 LB		\$91,445.00
Includes the following Equipment				
14.9R24 R1W (8239404)	\$2,205.00			
18.4R34 R1W (8365404)	\$3,910.00			
T5.110 DC	Rops	8,157 LB		\$78,454.00
Includes the following Equipment				
14.9R24 R1W (8239404)	\$2,205.00			
18.4R34 R1W (8365404)	\$3,910.00			
T5.120 DC	Cab	10,031 LB		\$93,925.00
Includes the following Equipment				
14.9R24 R1W (8239404)	\$2,205.00			
18.4R34 R1W (8365404)	\$3,910.00			
T5.120 DC	Rops	8,157 LB		\$80,934.00
Includes the following Equipment				
14.9R24 R1W (8239404)	\$2,205.00			
18.4R34 R1W (8365404)	\$3,910.00			

**T5 DUAL COMMAND
US PRICE LIST****Factory Supplied Options**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

SD_VE VERSION

	CAB	Cab			\$12,991.00
	ROPS	Rops			No Charge

OPERATOR PLATFORM

SD_T9200 OPERATOR STRUCTURE #1

ROPS

	392315	Platform w/Foldable ROPS Includes tilt column			No Charge
	334190	Deluxe Platform w/FOPS Includes tilt column, FOPS canopy, noise reduction kit and 12V power outlet			\$1,694.00

Cab

	744588	Deluxe Cab Includes instructor seat, rear wiper and washer, radio & internal mirror			No Charge
	334183	Deluxe Cab w/HiVis Panel Includes high visibility panel, instructor seat, rear wiper and washer, radio & internal mirror			\$568.00

POWER TRAIN

TRANSMISSION

SD_T2820 PARK LOCK

	743551	Parking Lock			\$54.00
	759176	Hand Brake Hand operated parking brake lever Standard Equipment			No Charge

TIRES

FRONT

SD_T4940 FRONT WHEELS AND TIRES

Ag Front Tires

	8232404	11.2R24 R1W			\$1,227.00
	8235404	12.4R24 R1W			\$1,465.00



**T5 DUAL COMMAND
US PRICE LIST**

		8236404	13.6R24 R1W			\$1,792.00
		8239404	14.9R24 R1W			\$2,205.00
Specialty Front Tires						
		8290904	12.5/80-18 10PR R4			\$1,751.00
		8873402	360/80R20 TRI 2 HD Municipal tread			\$1,995.00
		8247404	11.2R28 R1W			\$1,514.00

REAR

SD_T4950 REAR WHEELS AND TIRES

Ag Rear Tires						
		8355404	16.9R30 R1W 4WD Front Tire - 11.2R24 (8232404)			\$2,661.00
		8357404	18.4R30 R1W 4WD Front Tire - 12.4R24 (8235404)			\$3,550.00
		8302804	16.9R34 R1W Front Tire - 13.6R24 (8236404)			\$2,555.00
		8365404	18.4R34 R1W 4WD Front Tire - 14.9R24 (8239404)			\$3,910.00
Specialty Rear Tires						
		8391904	19.5L-24 10 PR R4 4WD Front Tire - 12.5/80-18 (8290904)			\$2,711.00
		8906401	440/80 R30 TRI 2 Municipal tread 4WD Front Tire - 360/80R20 (8873402)			\$3,717.00
		8372404	13.6R38 R1W 8372404 4WD Front Tire - 11.2R28 (8247404)			\$2,385.00

HYDRAULICS

MID-MOUNT

SD_T8280 MID-MOUNT VALVES

		338125	2Mid-Mount w/Mec Joystick 2 function mid-mount valve and joystick			\$1,514.00
		336780	2Mid-Mount w/Mec Joystick +Div 2 function mid-mount valve and joystick with 3rd function diverter Requires a Loader Bucket with Grapple NOT AVAILABLE as Factory Installed			\$2,272.00



**T5 DUAL COMMAND
US PRICE LIST**

LOADER

LOADER

SD_T8110 LOADER BRACKETS

		336740	HD Non Self Leveling Ldr +SSQA 665TL Non Self Leveling with Skid Steer Style Attachment			\$7,166.00
		336742	HD Non Self Leveling Ldr +Euro 665TL Non Self Leveling with Euro Style Attachment			\$7,166.00
		336744	HD Self Leveling Ldr +SSQA 665TL Mechanical Self Leveling with Skid Steer Style Attachment			\$8,301.00
		336746	HD Self Leveling Ldr +Euro 665TL Mechanical Self Leveling with Euro Style Attachment			\$8,301.00

SD_T8140 BUCKET

		336750	84" Bucket			\$961.00
--	--	--------	------------	--	--	----------

HITCH

REAR 3 POINT HITCH

SD_T8130 3 POINT HITCH CONTROL

		332035	Mech 3 Pt Hitch Ground Control			\$266.00
--	--	--------	--------------------------------	--	--	----------

SD_T8200 HITCH

		758931	MDC HPL+LOM+2AUX 2 auxiliary lift rams for ROPS 8,000 lbs lift capacity			\$1,092.00
		758932	EDC HPL + 2 AUX 2 auxiliary lift rams for Cab 8,000 lbs lift capacity			\$1,092.00

CAB OR ROPS PLATFORM

OTHER

SD_T6730 PIN CONNECTOR

		334994	STD+30+HRN+ACS+MON Monitor mounting bracket, 30Ah socket & 2-12V power outlets Cab ONLY			\$80.00
--	--	--------	---	--	--	---------



**T5 DUAL COMMAND
US PRICE LIST**

WEIGHTS

FRONT

SD_T2150 FRONT BALLAST

		333215	Front Carrier +6 88 lb Weights Total weight - 661 lbs (300 kg)			\$835.00
		335215	8 WEIGHTS 40 KG - CA Total weight - 837 lbs (380 kg)			\$1,057.00

REAR

SD_T4961 REAR BALLAST

		330470	4 x 110 lb Rear Wheel Weights Total weight - 440 lbs (200 kg) NOT compatible with 24" rear tires option			\$652.00
--	--	--------	---	--	--	----------

MISCELLANEOUS

FENDERS FRONT

SD_T8700 FENDERS

		744599	Rear Fenders w/Extensions			\$169.00
--	--	--------	---------------------------	--	--	----------

FENDERS REAR

SD_T8740 FRONT FENDERS

		744674	Dynamic Fenders			\$730.00
--	--	--------	-----------------	--	--	----------

OPERATOR'S MANUALS

SD_T9840 COUNTRY CONFIGURATION

		334256	Canada (FR) Config ROPS French operator manual			No Charge
		334257	USA Spanish Configuration Spanish operator manual			No Charge

**T5 DUAL COMMAND - DELUXE CAB FAST PICK
US PRICE LIST**

Standard Equipment

KEY SELLING POINTS:

- CommandArc™ ergonomically places most frequently used controls to operator's right
- High visibility panel provides a better view of loader when at full height
- Ten repositionable vents for heating and air conditioning
- Full-size instructor seat
- Electro Hydraulic shuttle lever
- 24x24 Dual Command™ transmission
- Power clutch to allow for gear changes without the use of the foot clutch
- 3.4L, 4-cylinder, 16 valve F5G engines with common rail fuel injection system
- Tier 4B EPA emissions compliant with Selective Catalytic Reduction (SCR) & Cooled Exhaust Gas Recirculation (CEGR)
- Factory Installed Loader available

T5.90 DC
86 Gross Engine hp
73 PTO hp @ 2300 rpm
4 Cyl Turbocharged Engine
207 cu in (3.4 L) Displacement

T5.100 DC
99 Gross Engine hp
85 PTO hp @ 2300 rpm
4 Cyl Turbocharged Engine
207 cu in (3.4 L) Displacement

T5.110 DC
107 Gross Engine hp
93 PTO hp @ 2300 rpm
4 Cyl Turbocharged Engine
207 cu in (3.4 L) Displacement

T5.120 DC
117 Gross Engine hp
100 PTO hp @ 2300 rpm
4 Cyl Turbocharged Engine
207 cu in (3.4 L) Displacement

ALL MODELS:

- Tier 4B Emissions Compliant:
(SCR + CEGR)
- Electronic Injection Bosch
High-pressure Common Rail System
- Electric Engine Shutoff
Constant Engine RPM
Hand and Foot Throttle Controls
Grid Heater Starting Aid
Dual Element Air Filter
Vertical Exhaust
30.3 gal Fuel Tank with Guard
2.8 gal AdBLUE DEF Tank
Front Axle Support with access for Front Pump
Parking brake

TRANSMISSION:

- LH side steering column mounted
Power Shuttle
24 Forward X 24 Reverse Speeds
(4) Synchronized Gears with a HiLo in each Gear
Power clutch button on Gear lever to allow for gear changes without the use of the foot clutch
(3) Non-synchronized Ranges
Forward Reverse Synchronized Shuttle
25 mph (40 kph)
Speed varies with tire selection

STEERING/BRAKES:

- Hydrostatic Power Steering
Brakes-
Wet disk brakes
Hydraulically assisted

AXLES:

- FRONT
Heavy Duty 4WD
Electrohydraulic FWD Engagement
Adjustable Tread Width



**T5 DUAL COMMAND - DELUXE CAB FAST PICK
US PRICE LIST**

Standard Equipment

REAR

Heavy Duty Flange Type
Adjustable Tread Width

HYDRAULIC SYSTEM:

Open Center System
Dual Gear Pumps with Cooler
Implement Pump: 16.9 gpm (63.8 L)
Steering Pump: 9.7 gpm (37.0 L)
Total Flow: 26.6 gpm (100.8 L)
(2) Open Center Remote Valves with
detent

REAR DIFFERENTIAL LOCK:
Electronically Engaged

PTO:

Fully Independent
Hydraulic Engagement
Flip-up PTO Shaft Guard
540/1000 rpm
Wet Clutch

3-POINT LIFT SYSTEM:

Right hand console mounted control
Cab - Electronic Draft Control with
Fender mounted controls
5,620 Pounds Lift Capacity
Category II Ends
Telescopic Stabilizers
Flexible Lower Link Ends

ELECTRICAL:

(1) 800 cca Heavy-Duty Battery
120 amp Alternator
7-pin Outlet for trailer/implement lighting
and signals
3-pin Power Outlet (30 amp)
Single Pin (8 amp) Accessory Power
outlet
CAB - 2 - 12V power sockets
ROPS - 1 - 12V power socket

LIGHTING:

CAB

Front: (2) Halogen Headlights and
(2) cab mounted worklights
Rear: (2) cab mounted worklights
Turn Signals/Flashers/Rear Lights

INSTRUMENTATION:

Analog Instrumentation with warning
lights for air cleaner service,
alternator, oil pressure, fuel
sediment/water sensor, PTO
engagement, head light high beam,
low fuel and parking brake,
advanced instrument cluster,
digital speed readout, gauges
for fuel level, engine temperature,
tachometer and hour meter

OPERATOR PROTECTIVE STRUCTURE:

CAB MODELS

ROPS protected, flat deck platform
with heat and air conditioning, tinted
windshield, retractable sun screen,
front and rear wiper / washer,
instructor seat, two doors with locks,
one internal & two external mirrors,
openable side windows, hinged rear
window (opens completely)
Steering Wheel - tilt & telescope
Seat - Cloth covered air suspension
seat with 10 degrees swivel,
operator's presence sensor,
retractable seat belt and arm rests
Suspended pedals
Radio, speakers, and antenna

MISCELLANEOUS:

Pivoting Engine Hood
SMV Emblem
Toolbox



**T5 DUAL COMMAND - DELUXE CAB FAST PICK
US PRICE LIST**

Standard Equipment

WARRANTY:

New Holland Standard Warranty Applies

LOADER:

665TL/720LU NON SELF-LEVELING

Maximum Lift Height @ pivot pin: 134"

Dump Clearance: 101.4"

Digging Depth: 7"

Lift Capacity

Max Height @ 800mm: 2,632 LBS

59" high @ 800mm: 3,638 LBS

Breakout Force @ 800mm: 4,455 LBS

Reach @ Max Lift Height: 43"

Reach @ Ground Level: 91"

Bucket Rollback Angle: 44 degrees

Bucket Dump Angle: 60 degrees

Skid Steer or Euro style Loader

bucket attach



**T5 DUAL COMMAND - DELUXE CAB FAST PICK
US PRICE LIST**

Models

COMMERCIAL MODEL	VERSION	Weight	Factory Data	List Price
T5.90 DC	Cab	8,157 LB		\$86,183.00
Includes the following Equipment				
14.9R24 R1W (8239404) \$2,205.00				
18.4R34 R1W (8365404) \$3,910.00				
T5.100 DC	Cab	8,157 LB		\$88,692.00
Includes the following Equipment				
14.9R24 R1W (8239404) \$2,205.00				
18.4R34 R1W (8365404) \$3,910.00				
T5.110 DC	Cab	8,157 LB		\$91,445.00
Includes the following Equipment				
14.9R24 R1W (8239404) \$2,205.00				
18.4R34 R1W (8365404) \$3,910.00				
T5.120 DC	Cab	10,031 LB		\$93,925.00
Includes the following Equipment				
14.9R24 R1W (8239404) \$2,205.00				
18.4R34 R1W (8365404) \$3,910.00				

**T5 DUAL COMMAND - DELUXE CAB FAST PICK
US PRICE LIST****Factory Supplied Options**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

SD_VE VERSION

	CAB	Cab			\$12,991.00
--	-----	-----	--	--	-------------

FAST PICK CONFIGURATION

SD_T9980 PACKAGING

	X0591XX	Deluxe Cab Fast Pick Deluxe Cab Fast Pick Includes: 744588: Deluxe Cab 759176: Hand Brake 338125: 2Mid-Mount w/Mec Joystick 336740: HD Non Self Leveling Ldr +SSQA 336750: 84" Bucket 390832: EDC HPL 390832 334994: STD+30+HRN+ACS+MON 330470: 4 x 110 lb Rear Wheel Weights			\$6,087.00
--	---------	---	--	--	------------

MISCELLANEOUS

FENDERS REAR

SD_T8740 FRONT FENDERS

	744674	Dynamic Fenders			\$730.00
--	--------	-----------------	--	--	----------

OPERATOR'S MANUALS

SD_T9840 COUNTRY CONFIGURATION

	334256	Canada (FR) Config ROPS French operator manual			No Charge
	334257	USA Spanish Configuration Spanish operator manual			No Charge

**T5 DUAL COMMAND - DELUXE CAB H1V1S FAST
US PRICE LIST**

Standard Equipment

KEY SELLING POINTS:

- CommandArc™ ergonomically places most frequently used controls to operator's right
- High visibility panel provides a better view of loader when at full height
- Ten repositionable vents for heating and air conditioning
- Full-size instructor seat
- Electro Hydraulic shuttle lever
- 24x24 Dual Command™ transmission
- Power clutch to allow for gear changes without the use of the foot clutch
- 3.4L, 4-cylinder, 16 valve F5G engines with common rail fuel injection system
- Tier 4B EPA emissions compliant with Selective Catalytic Reduction (SCR) & Cooled Exhaust Gas Recirculation (CEGR)
- Factory Installed Loader available

T5.90 DC
86 Gross Engine hp
73 PTO hp @ 2300 rpm
4 Cyl Turbocharged Engine
207 cu in (3.4 L) Displacement

T5.100 DC
99 Gross Engine hp
85 PTO hp @ 2300 rpm
4 Cyl Turbocharged Engine
207 cu in (3.4 L) Displacement

T5.110 DC
107 Gross Engine hp
93 PTO hp @ 2300 rpm
4 Cyl Turbocharged Engine
207 cu in (3.4 L) Displacement

T5.120 DC
117 Gross Engine hp
100 PTO hp @ 2300 rpm
4 Cyl Turbocharged Engine
207 cu in (3.4 L) Displacement

ALL MODELS:

- Tier 4B Emissions Compliant:
(SCR + CEGR)
- Electronic Injection Bosch
High-pressure Common Rail System
- Electric Engine Shutoff
Constant Engine RPM
Hand and Foot Throttle Controls
Grid Heater Starting Aid
Dual Element Air Filter
Vertical Exhaust
30.3 gal Fuel Tank with Guard
2.8 gal AdBLUE DEF Tank
Front Axle Support with access for
Front Pump
Parking brake

TRANSMISSION:

- LH side steering column mounted
Power Shuttle
24 Forward X 24 Reverse Speeds
(4) Synchronized Gears with a
HiLo in each Gear
Power clutch button on Gear lever
to allow for gear changes without
the use of the foot clutch
(3) Non-synchronized Ranges
Forward Reverse Synchronized Shuttle
25 mph (40 kph)
Speed varies with tire selection

STEERING/BRAKES:

- Hydrostatic Power Steering
Brakes-
Wet disk brakes
Hydraulically assisted

AXLES:

- FRONT
Heavy Duty 4WD
Electrohydraulic FWD Engagement
Adjustable Tread Width



**T5 DUAL COMMAND - DELUXE CAB HIVIS FAST
US PRICE LIST**

Standard Equipment

REAR

Heavy Duty Flange Type
Adjustable Tread Width

HYDRAULIC SYSTEM:

Open Center System
Dual Gear Pumps with Cooler
Implement Pump: 16.9 gpm (63.8 L)
Steering Pump: 9.7 gpm (37.0 L)
Total Flow: 26.6 gpm (100.8 L)
(2) Open Center Remote Valves with
detent

REAR DIFFERENTIAL LOCK:
Electronically Engaged

PTO:

Fully Independent
Hydraulic Engagement
Flip-up PTO Shaft Guard
540/1000 rpm
Wet Clutch

3-POINT LIFT SYSTEM:

Right hand console mounted control
Cab - Electronic Draft Control with
Fender mounted controls
5,620 Pounds Lift Capacity
Category II Ends
Telescopic Stabilizers
Flexible Lower Link Ends

ELECTRICAL:

(1) 800 cca Heavy-Duty Battery
120 amp Alternator
7-pin Outlet for trailer/implement lighting
and signals
3-pin Power Outlet (30 amp)
Single Pin (8 amp) Accessory Power
outlet
CAB - 2 - 12V power sockets
ROPS - 1 - 12V power socket

LIGHTING:

CAB

Front: (2) Halogen Headlights and
(2) cab mounted worklights
Rear: (2) cab mounted worklights
Turn Signals/Flashers/Rear Lights

INSTRUMENTATION:

Analog Instrumentation with warning
lights for air cleaner service,
alternator, oil pressure, fuel
sediment/water sensor, PTO
engagement, head light high beam,
low fuel and parking brake,
advanced instrument cluster,
digital speed readout, gauges
for fuel level, engine temperature,
tachometer and hour meter

OPERATOR PROTECTIVE STRUCTURE:

CAB MODELS

ROPS protected, flat deck platform
with heat and air conditioning, tinted
windshield, retractable sun screen,
front and rear wiper / washer,
instructor seat, two doors with locks,
one internal & two external mirrors,
openable side windows, hinged rear
window (opens completely)
Steering Wheel - tilt & telescope
Seat - Cloth covered air suspension
seat with 10 degrees swivel,
operator's presence sensor,
retractable seat belt and arm rests
Suspended pedals
Radio, speakers, and antenna

MISCELLANEOUS:

Pivoting Engine Hood
SMV Emblem
Toolbox



**T5 DUAL COMMAND - DELUXE CAB HIVIS FAST
US PRICE LIST**

Standard Equipment

WARRANTY:

New Holland Standard Warranty Applies

LOADER:

665TL/720LU NON SELF-LEVELING

Maximum Lift Height @ pivot pin: 134"

Dump Clearance: 101.4"

Digging Depth: 7"

Lift Capacity

Max Height @ 800mm: 2,632 LBS

59" high @ 800mm: 3,638 LBS

Breakout Force @ 800mm: 4,455 LBS

Reach @ Max Lift Height: 43"

Reach @ Ground Level: 91"

Bucket Rollback Angle: 44 degrees

Bucket Dump Angle: 60 degrees

Skid Steer or Euro style Loader

bucket attach



**T5 DUAL COMMAND - DELUXE CAB HIVIS FAST
US PRICE LIST**

Models

COMMERCIAL MODEL	VERSION	Weight	Factory Data	List Price
T5.90 DC	Cab	8,157 LB		\$86,183.00
Includes the following Equipment				
14.9R24 R1W (8239404) \$2,205.00				
18.4R34 R1W (8365404) \$3,910.00				
T5.100 DC	Cab	8,157 LB		\$88,692.00
Includes the following Equipment				
14.9R24 R1W (8239404) \$2,205.00				
18.4R34 R1W (8365404) \$3,910.00				
T5.110 DC	Cab	8,157 LB		\$91,445.00
Includes the following Equipment				
14.9R24 R1W (8239404) \$2,205.00				
18.4R34 R1W (8365404) \$3,910.00				
T5.120 DC	Cab	10,031 LB		\$93,925.00
Includes the following Equipment				
14.9R24 R1W (8239404) \$2,205.00				
18.4R34 R1W (8365404) \$3,910.00				

**T5 DUAL COMMAND - DELUXE CAB HIVIS FAST
US PRICE LIST****Factory Supplied Options**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

SD_VE VERSION

	CAB	Cab			\$12,991.00
--	-----	-----	--	--	-------------

FAST PICK CONFIGURATION

SD_T9980 PACKAGING

	X0593XX	Deluxe Cab HiVis Fast Pick Deluxe Cab HiVis Fast Pick Includes: 334183: Deluxe Cab w/HiVis Panel 759176: Hand Brake 338125: 2Mid-Mount w/Mec Joystick 336740: HD Non Self Leveling Ldr +SSQA 336750: 84" Bucket 390832: EDC HPL 390832 334994: STD+30+HRN+ACS+MON 330470: 4 x 110 lb Rear Wheel Weights			\$6,656.00
--	---------	---	--	--	------------

MISCELLANEOUS

FENDERS REAR

SD_T8740 FRONT FENDERS

	744674	Dynamic Fenders			\$730.00
--	--------	-----------------	--	--	----------

OPERATOR'S MANUALS

SD_T9840 COUNTRY CONFIGURATION

	334256	Canada (FR) Config ROPS French operator manual			No Charge
	334257	USA Spanish Configuration Spanish operator manual			No Charge

**T5 DUAL COMMAND - CAB LESS LOADER FAST
US PRICE LIST**

Standard Equipment

KEY SELLING POINTS:

- CommandArc™ ergonomically places most frequently used controls to operator's right
- High visibility panel provides a better view of loader when at full height
- Ten repositionable vents for heating and air conditioning
- Full-size instructor seat
- Electro Hydraulic shuttle lever
- 24x24 Dual Command™ transmission
- Power clutch to allow for gear changes without the use of the foot clutch
- 3.4L, 4-cylinder, 16 valve F5G engines with common rail fuel injection system
- Tier 4B EPA emissions compliant with Selective Catalytic Reduction (SCR) & Cooled Exhaust Gas Recirculation (CEGR)
- Factory Installed Loader available

T5.90 DC
86 Gross Engine hp
73 PTO hp @ 2300 rpm
4 Cyl Turbocharged Engine
207 cu in (3.4 L) Displacement

T5.100 DC
99 Gross Engine hp
85 PTO hp @ 2300 rpm
4 Cyl Turbocharged Engine
207 cu in (3.4 L) Displacement

T5.110 DC
107 Gross Engine hp
93 PTO hp @ 2300 rpm
4 Cyl Turbocharged Engine
207 cu in (3.4 L) Displacement

T5.120 DC
117 Gross Engine hp
100 PTO hp @ 2300 rpm
4 Cyl Turbocharged Engine
207 cu in (3.4 L) Displacement

ALL MODELS:

- Tier 4B Emissions Compliant:
(SCR + CEGR)
- Electronic Injection Bosch
High-pressure Common Rail System
Electric Engine Shutoff
Constant Engine RPM
Hand and Foot Throttle Controls
Grid Heater Starting Aid
Dual Element Air Filter
Vertical Exhaust
30.3 gal Fuel Tank with Guard
2.8 gal AdBLUE DEF Tank
Front Axle Support with access for Front Pump
Parking brake

TRANSMISSION:

- LH side steering column mounted
Power Shuttle
24 Forward X 24 Reverse Speeds
(4) Synchronized Gears with a HiLo in each Gear
Power clutch button on Gear lever to allow for gear changes without the use of the foot clutch
(3) Non-synchronized Ranges
Forward Reverse Synchronized Shuttle
25 mph (40 kph)
Speed varies with tire selection

STEERING/BRAKES:

- Hydrostatic Power Steering
Brakes-
Wet disk brakes
Hydraulically assisted

AXLES:

- FRONT
Heavy Duty 4WD
Electrohydraulic FWD Engagement
Adjustable Tread Width

**T5 DUAL COMMAND - CAB LESS LOADER FAST
US PRICE LIST**

Standard Equipment

REAR

Heavy Duty Flange Type
Adjustable Tread Width

HYDRAULIC SYSTEM:

Open Center System
Dual Gear Pumps with Cooler
Implement Pump: 16.9 gpm (63.8 L)
Steering Pump: 9.7 gpm (37.0 L)
Total Flow: 26.6 gpm (100.8 L)
(2) Open Center Remote Valves with
detent

REAR DIFFERENTIAL LOCK:
Electronically Engaged

PTO:

Fully Independent
Hydraulic Engagement
Flip-up PTO Shaft Guard
540/1000 rpm
Wet Clutch

3-POINT LIFT SYSTEM:

Right hand console mounted control
Cab - Electronic Draft Control with
Fender mounted controls
5,620 Pounds Lift Capacity
Category II Ends
Telescopic Stabilizers
Flexible Lower Link Ends

ELECTRICAL:

(1) 800 cca Heavy-Duty Battery
120 amp Alternator
7-pin Outlet for trailer/implement lighting
and signals
3-pin Power Outlet (30 amp)
Single Pin (8 amp) Accessory Power
outlet
CAB - 2 - 12V power sockets
ROPS - 1 - 12V power socket

LIGHTING:

CAB

Front: (2) Halogen Headlights and
(2) cab mounted worklights
Rear: (2) cab mounted worklights
Turn Signals/Flashers/Rear Lights

INSTRUMENTATION:

Analog Instrumentation with warning
lights for air cleaner service,
alternator, oil pressure, fuel
sediment/water sensor, PTO
engagement, head light high beam,
low fuel and parking brake,
advanced instrument cluster,
digital speed readout, gauges
for fuel level, engine temperature,
tachometer and hour meter

OPERATOR PROTECTIVE STRUCTURE:

CAB MODELS

ROPS protected, flat deck platform
with heat and air conditioning, tinted
windshield, retractable sun screen,
front and rear wiper / washer,
instructor seat, two doors with locks,
one internal & two external mirrors,
openable side windows, hinged rear
window (opens completely)
Steering Wheel - tilt & telescope
Seat - Cloth covered air suspension
seat with 10 degrees swivel,
operator's presence sensor,
retractable seat belt and arm rests
Suspended pedals
Radio, speakers, and antenna

MISCELLANEOUS:

Pivoting Engine Hood
SMV Emblem
Toolbox

WARRANTY:

New Holland Standard Warranty Applies



**T5 DUAL COMMAND - CAB LESS LOADER FAST
US PRICE LIST**

Models

COMMERCIAL MODEL	VERSION	Weight	Factory Data	List Price
T5.90 DC	Cab	8,157 LB		\$86,183.00
Includes the following Equipment				
14.9R24 R1W (8239404) \$2,205.00				
18.4R34 R1W (8365404) \$3,910.00				
T5.100 DC	Cab	8,157 LB		\$88,692.00
Includes the following Equipment				
14.9R24 R1W (8239404) \$2,205.00				
18.4R34 R1W (8365404) \$3,910.00				
T5.110 DC	Cab	8,157 LB		\$91,445.00
Includes the following Equipment				
14.9R24 R1W (8239404) \$2,205.00				
18.4R34 R1W (8365404) \$3,910.00				
T5.120 DC	Cab	10,031 LB		\$93,925.00
Includes the following Equipment				
14.9R24 R1W (8239404) \$2,205.00				
18.4R34 R1W (8365404) \$3,910.00				



**T5 DUAL COMMAND - CAB LESS LOADER FAST
US PRICE LIST**

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

SD_VE VERSION

	CAB	Cab			\$12,991.00
--	-----	-----	--	--	-------------

FAST PICK CONFIGURATION

SD_T9980 PACKAGING

	X0594XX	Cab Less Loader Cab Less Loader Fast Pick Includes: 744588: Deluxe Cab 759176: Hand Brake 390124: Less Mid-Mount 743593: Less Front Loader 335215: 8 WEIGHTS 40 KG - CA			(\$3,227.00)
--	---------	---	--	--	--------------

MISCELLANEOUS

FENDERS REAR

SD_T8740 FRONT FENDERS

	744674	Dynamic Fenders			\$730.00
--	--------	-----------------	--	--	----------

OPERATOR'S MANUALS

SD_T9840 COUNTRY CONFIGURATION

	334256	Canada (FR) Config ROPS French operator manual			No Charge
	334257	USA Spanish Configuration Spanish operator manual			No Charge

**T5 DUAL COMMAND - DELUXE ROPS FAST PICK
US PRICE LIST**

Standard Equipment

KEY SELLING POINTS:

- CommandArc™ ergonomically places most frequently used controls to operator's right
- High visibility panel provides a better view of loader when at full height
- Ten repositionable vents for heating and air conditioning
- Full-size instructor seat
- Electro Hydraulic shuttle lever
- 24x24 Dual Command™ transmission
- Power clutch to allow for gear changes without the use of the foot clutch
- 3.4L, 4-cylinder, 16 valve F5G engines with common rail fuel injection system
- Tier 4B EPA emissions compliant with Selective Catalytic Reduction (SCR) & Cooled Exhaust Gas Recirculation (CEGR)
- Factory Installed Loader available

T5.90 DC

86 Gross Engine hp
73 PTO hp @ 2300 rpm
4 Cyl Turbocharged Engine
207 cu in (3.4 L) Displacement

T5.100 DC

99 Gross Engine hp
85 PTO hp @ 2300 rpm
4 Cyl Turbocharged Engine
207 cu in (3.4 L) Displacement

T5.110 DC

107 Gross Engine hp
93 PTO hp @ 2300 rpm
4 Cyl Turbocharged Engine
207 cu in (3.4 L) Displacement

T5.120 DC

117 Gross Engine hp
100 PTO hp @ 2300 rpm
4 Cyl Turbocharged Engine
207 cu in (3.4 L) Displacement

ALL MODELS:

Tier 4B Emissions Compliant:
(SCR + CEGR)

Electronic Injection Bosch

High-pressure Common Rail System

Electric Engine Shutoff

Constant Engine RPM

Hand and Foot Throttle Controls

Grid Heater Starting Aid

Dual Element Air Filter

Vertical Exhaust

30.3 gal Fuel Tank with Guard

2.8 gal AdBLUE DEF Tank

Front Axle Support with access for
Front Pump

Parking brake

TRANSMISSION:

LH side steering column mounted

Power Shuttle

24 Forward X 24 Reverse Speeds

(4) Synchronized Gears with a
HiLo in each Gear

Power clutch button on Gear lever
to allow for gear changes without
the use of the foot clutch

(3) Non-synchronized Ranges

Forward Reverse Synchronized Shuttle

25 mph (40 kph)

Speed varies with tire selection

STEERING/BRAKES:

Hydrostatic Power Steering

Brakes-

Wet disk brakes

Hydraulically assisted

AXLES:

FRONT

Heavy Duty 4WD

Electrohydraulic FWD Engagement

Adjustable Tread Width

**T5 DUAL COMMAND - DELUXE ROPS FAST PICK
US PRICE LIST**

Standard Equipment

REAR

Heavy Duty Flange Type
Adjustable Tread Width

HYDRAULIC SYSTEM:

Open Center System
Dual Gear Pumps with Cooler
Implement Pump: 16.9 gpm (63.8 L)
Steering Pump: 9.7 gpm (37.0 L)
Total Flow: 26.6 gpm (100.8 L)
(2) Open Center Remote Valves with
detent

REAR DIFFERENTIAL LOCK:
Electronically Engaged

PTO:

Fully Independent
Hydraulic Engagement
Flip-up PTO Shaft Guard
540/1000 rpm
Wet Clutch

3-POINT LIFT SYSTEM:

Right hand console mounted control
ROPS - Mechanical Draft Control with
Lift-O-Matic Plus
5,620 Pounds Lift Capacity
Category II Ends
Telescopic Stabilizers
Flexible Lower Link Ends

ELECTRICAL:

(1) 800 cca Heavy-Duty Battery
120 amp Alternator
7-pin Outlet for trailer/implement lighting
and signals
3-pin Power Outlet (30 amp)
Single Pin (8 amp) Accessory Power
outlet
ROPS - 1 - 12V power socket

LIGHTING:

ROPS

Front: (2) Halogen Headlights

Rear: (1) Worklight

Turn Signals/Flashers/Rear Lights

INSTRUMENTATION:

Analog Instrumentation with warning
lights for air cleaner service,
alternator, oil pressure, fuel
sediment/water sensor, PTO
engagement, head light high beam,
low fuel and parking brake,
advanced instrument cluster,
digital speed readout, gauges
for fuel level, engine temperature,
tachometer and hour meter

OPERATOR PROTECTIVE STRUCTURE:

ROPS MODELS

2-Post Foldable ROPS with ISO-
mounted flat deck platform
Steering Wheel - adjustable tilt
Seat - Vinyl covered with mechanical
suspension, operator's presence
sensor, retractable seat belts and
arm rests
Suspended pedals
Locking brake pedals

MISCELLANEOUS:

Pivoting Engine Hood
SMV Emblem
Toolbox

WARRANTY:

New Holland Standard Warranty Applies

LOADER:

665TL/720LU NON SELF-LEVELING

Maximum Lift Height @ pivot pin: 134"
Dump Clearance: 101.4"
Digging Depth: 7"
Lift Capacity
Max Height @ 800mm: 2,632 LBS
59" high @ 800mm: 3,638 LBS

**T5 DUAL COMMAND - DELUXE ROPS FAST PICK
US PRICE LIST**

Standard Equipment

Breakout Force @ 800mm: 4,455 LBS
Reach @ Max Lift Height: 43"
Reach @ Ground Level: 91"
Bucket Rollback Angle: 44 degrees
Bucket Dump Angle: 60 degrees
Skid Steer or Euro style Loader
bucket attach

665TL/725LU SELF-LEVELING

Maximum Lift Height @ pivot pin: 135"
Dump Clearance: 102.2"
Digging Depth: 6.4"
Lift Capacity
 Max Height @ 800mm: 3,428 LBS
 59" high @ 800mm: 5,549 LBS
Breakout Force @ 800mm: 5,661 LBS
Reach @ Max Lift Height: 43"
Reach @ Ground Level: 93
Bucket Rollback Angle: 40 degrees
Bucket Dump Angle: 60 degrees
Skid Steer or Euro style Loader
bucket attach



**T5 DUAL COMMAND - DELUXE ROPS FAST PICK
US PRICE LIST**

Models

COMMERCIAL MODEL	VERSION	Weight	Factory Data	List Price
T5.90 DC	Rops	8,157 LB		\$73,192.00
Includes the following Equipment				
14.9R24 R1W (8239404) \$2,205.00				
18.4R34 R1W (8365404) \$3,910.00				
T5.100 DC	Rops	8,157 LB		\$75,701.00
Includes the following Equipment				
14.9R24 R1W (8239404) \$2,205.00				
18.4R34 R1W (8365404) \$3,910.00				
T5.110 DC	Rops	8,157 LB		\$78,454.00
Includes the following Equipment				
14.9R24 R1W (8239404) \$2,205.00				
18.4R34 R1W (8365404) \$3,910.00				
T5.120 DC	Rops	8,157 LB		\$80,934.00
Includes the following Equipment				
14.9R24 R1W (8239404) \$2,205.00				
18.4R34 R1W (8365404) \$3,910.00				



**T5 DUAL COMMAND - DELUXE ROPS FAST PICK
US PRICE LIST**

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

SD_VE VERSION

		ROPS	Rops			No Charge
--	--	------	------	--	--	-----------

FAST PICK CONFIGURATION

SD_T9980 PACKAGING

		X0589XX	Deluxe ROPS Fast Pick Deluxe ROPS Fast Pick Includes: 334190: Deluxe Platform w/FOPS 759176: Hand Brake 338125: 2Mid-Mount w/Mec Joystick 336740: HD Non Self Leveling Ldr +SSQA 336750: 84" Bucket 743595: Lift-O-Matic Plus 330470: 4 x 110 lb Rear Wheel Weights			\$7,702.00
--	--	---------	---	--	--	------------

HITCH

REAR 3 POINT HITCH

SD_T8130 3 POINT HITCH CONTROL

		332035	Mech 3 Pt Hitch Ground Control			\$266.00
--	--	--------	--------------------------------	--	--	----------

MISCELLANEOUS

FENDERS FRONT

SD_T8700 FENDERS

		744599	Rear Fenders w/Extensions			\$169.00
--	--	--------	---------------------------	--	--	----------

FENDERS REAR

SD_T8740 FRONT FENDERS

		744674	Dynamic Fenders			\$730.00
--	--	--------	-----------------	--	--	----------



**T5 DUAL COMMAND - DELUXE ROPS FAST PICK
US PRICE LIST**

OPERATOR'S MANUALS

SD_T9840 COUNTRY CONFIGURATION

		334256	Canada (FR) Config ROPS French operator manual			No Charge
		334257	USA Spanish Configuration Spanish operator manual			No Charge

**T5 DUAL COMMAND - WEST COAST LESS LOADER
US PRICE LIST**

Standard Equipment

KEY SELLING POINTS:

- CommandArc™ ergonomically places most frequently used controls to operator's right
- High visibility panel provides a better view of loader when at full height
- Ten repositionable vents for heating and air conditioning
- Full-size instructor seat
- Electro Hydraulic shuttle lever
- 24x24 Dual Command™ transmission
- Power clutch to allow for gear changes without the use of the foot clutch
- 3.4L, 4-cylinder, 16 valve F5G engines with common rail fuel injection system
- Tier 4B EPA emissions compliant with Selective Catalytic Reduction (SCR) & Cooled Exhaust Gas Recirculation (CEGR)
- Factory Installed Loader available

T5.90 DC
86 Gross Engine hp
73 PTO hp @ 2300 rpm
4 Cyl Turbocharged Engine
207 cu in (3.4 L) Displacement

T5.100 DC
99 Gross Engine hp
85 PTO hp @ 2300 rpm
4 Cyl Turbocharged Engine
207 cu in (3.4 L) Displacement

T5.110 DC
107 Gross Engine hp
93 PTO hp @ 2300 rpm
4 Cyl Turbocharged Engine
207 cu in (3.4 L) Displacement

T5.120 DC
117 Gross Engine hp
100 PTO hp @ 2300 rpm
4 Cyl Turbocharged Engine
207 cu in (3.4 L) Displacement

ALL MODELS:

- Tier 4B Emissions Compliant:
(SCR + CEGR)
- Electronic Injection Bosch
High-pressure Common Rail System
- Electric Engine Shutoff
Constant Engine RPM
Hand and Foot Throttle Controls
Grid Heater Starting Aid
Dual Element Air Filter
Vertical Exhaust
30.3 gal Fuel Tank with Guard
2.8 gal AdBLUE DEF Tank
Front Axle Support with access for Front Pump
Parking brake

TRANSMISSION:

- LH side steering column mounted
Power Shuttle
24 Forward X 24 Reverse Speeds
(4) Synchronized Gears with a HiLo in each Gear
Power clutch button on Gear lever to allow for gear changes without the use of the foot clutch
(3) Non-synchronized Ranges
Forward Reverse Synchronized Shuttle
25 mph (40 kph)
Speed varies with tire selection

STEERING/BRAKES:

- Hydrostatic Power Steering
Brakes-
Wet disk brakes
Hydraulically assisted

AXLES:

- FRONT
Heavy Duty 4WD
Electrohydraulic FWD Engagement
Adjustable Tread Width

**T5 DUAL COMMAND - WEST COAST LESS LOADER
US PRICE LIST**

Standard Equipment

REAR

Heavy Duty Flange Type
Adjustable Tread Width

HYDRAULIC SYSTEM:

Open Center System
Dual Gear Pumps with Cooler
Implement Pump: 16.9 gpm (63.8 L)
Steering Pump: 9.7 gpm (37.0 L)
Total Flow: 26.6 gpm (100.8 L)
(2) Open Center Remote Valves with detent

REAR DIFFERENTIAL LOCK:
Electronically Engaged

PTO:

Fully Independent
Hydraulic Engagement
Flip-up PTO Shaft Guard
540/1000 rpm
Wet Clutch

3-POINT LIFT SYSTEM:

Right hand console mounted control
ROPS - Mechanical Draft Control with Lift-O-Matic Plus
5,620 Pounds Lift Capacity
Category II Ends
Telescopic Stabilizers
Flexible Lower Link Ends

ELECTRICAL:

(1) 800 cca Heavy-Duty Battery
120 amp Alternator
7-pin Outlet for trailer/implement lighting and signals
3-pin Power Outlet (30 amp)
Single Pin (8 amp) Accessory Power outlet

ROPS - 1 - 12V power socket

LIGHTING:

ROPS
Front: (2) Halogen Headlights
Rear: (1) Worklight
Turn Signals/Flashers/Rear Lights

INSTRUMENTATION:

Analog Instrumentation with warning lights for air cleaner service, alternator, oil pressure, fuel sediment/water sensor, PTO engagement, head light high beam, low fuel and parking brake, advanced instrument cluster, digital speed readout, gauges for fuel level, engine temperature, tachometer and hour meter

OPERATOR PROTECTIVE STRUCTURE:

ROPS MODELS
2-Post Foldable ROPS with ISO-mounted flat deck platform
Steering Wheel - adjustable tilt
Seat - Vinyl covered with mechanical suspension, operator's presence sensor, retractable seat belts and arm rests
Suspended pedals
Locking brake pedals

MISCELLANEOUS:

Pivoting Engine Hood
SMV Emblem
Toolbox

WARRANTY:

New Holland Standard Warranty Applies



**T5 DUAL COMMAND - WEST COAST LESS LOADER
US PRICE LIST**

Models

COMMERCIAL MODEL	VERSION	Weight	Factory Data	List Price
T5.90 DC	Rops	8,157 LB		\$73,192.00
Includes the following Equipment				
14.9R24 R1W (8239404) \$2,205.00				
18.4R34 R1W (8365404) \$3,910.00				
T5.100 DC	Rops	8,157 LB		\$75,701.00
Includes the following Equipment				
14.9R24 R1W (8239404) \$2,205.00				
18.4R34 R1W (8365404) \$3,910.00				
T5.110 DC	Rops	8,157 LB		\$78,454.00
Includes the following Equipment				
14.9R24 R1W (8239404) \$2,205.00				
18.4R34 R1W (8365404) \$3,910.00				
T5.120 DC	Rops	8,157 LB		\$80,934.00
Includes the following Equipment				
14.9R24 R1W (8239404) \$2,205.00				
18.4R34 R1W (8365404) \$3,910.00				

**T5 DUAL COMMAND - WEST COAST LESS LOADER
US PRICE LIST****Factory Supplied Options**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

SD_VE VERSION

		ROPS	Rops			No Charge
--	--	------	------	--	--	-----------

FAST PICK CONFIGURATION

SD_T9980 PACKAGING

		X0596XX	West Coast Less Loader West Coast Less Loader Fast Pick Includes: 392315: Platform w/Foldable ROPS 759176: Hand Brake 390124: Less Mid-Mount 743593: Less Front Loader XT8140X: Less Bucket 332035: Mech 3 Pt Hitch Ground Control 335215: 8 WEIGHTS 40 KG - CA			\$1,501.00
--	--	---------	---	--	--	------------

HITCH

REAR 3 POINT HITCH

SD_T8200 HITCH

		758931	MDC HPL+LOM+2AUX 2 auxiliary lift rams for ROPS 8,000 lbs lift capacity			\$1,092.00
--	--	--------	---	--	--	------------

OPERATOR'S MANUALS

SD_T9840 COUNTRY CONFIGURATION

		334256	Canada (FR) Config ROPS French operator manual			No Charge
		334257	USA Spanish Configuration Spanish operator manual			No Charge

**T5 DUAL COMMAND - LESS FAST PICK
US PRICE LIST**

Standard Equipment

KEY SELLING POINTS:

- CommandArc™ ergonomically places most frequently used controls to operator's right
- High visibility panel provides a better view of loader when at full height
- Ten repositionable vents for heating and air conditioning
- Full-size instructor seat
- Electro Hydraulic shuttle lever
- 24x24 Dual Command™ transmission
- Power clutch to allow for gear changes without the use of the foot clutch
- 3.4L, 4-cylinder, 16 valve F5G engines with common rail fuel injection system
- Tier 4B EPA emissions compliant with Selective Catalytic Reduction (SCR) & Cooled Exhaust Gas Recirculation (CEGR)
- Factory Installed Loader available

T5.90 DC

86 Gross Engine hp
73 PTO hp @ 2300 rpm
4 Cyl Turbocharged Engine
207 cu in (3.4 L) Displacement

T5.100 DC

99 Gross Engine hp
85 PTO hp @ 2300 rpm
4 Cyl Turbocharged Engine
207 cu in (3.4 L) Displacement

T5.110 DC

107 Gross Engine hp
93 PTO hp @ 2300 rpm
4 Cyl Turbocharged Engine
207 cu in (3.4 L) Displacement

T5.120 DC

117 Gross Engine hp
100 PTO hp @ 2300 rpm
4 Cyl Turbocharged Engine
207 cu in (3.4 L) Displacement

ALL MODELS:

Tier 4B Emissions Compliant:

(SCR + CEGR)

Electronic Injection Bosch

High-pressure Common Rail System

Electric Engine Shutoff

Constant Engine RPM

Hand and Foot Throttle Controls

Grid Heater Starting Aid

Dual Element Air Filter

Vertical Exhaust

30.3 gal Fuel Tank with Guard

2.8 gal AdBLUE DEF Tank

Front Axle Support with access for

Front Pump

Parking brake

TRANSMISSION:

LH side steering column mounted

Power Shuttle

24 Forward X 24 Reverse Speeds

(4) Synchronized Gears with a

HiLo in each Gear

Power clutch button on Gear lever

to allow for gear changes without the use of the foot clutch

(3) Non-synchronized Ranges

Forward Reverse Synchronized Shuttle

25 mph (40 kph)

Speed varies with tire selection

STEERING/BRAKES:

Hydrostatic Power Steering

Brakes-

Wet disk brakes

Hydraulically assisted

AXLES:

FRONT

Heavy Duty 4WD

Electrohydraulic FWD Engagement

Adjustable Tread Width



**T5 DUAL COMMAND - LESS FAST PICK
US PRICE LIST**

Standard Equipment

REAR

Heavy Duty Flange Type
Adjustable Tread Width

HYDRAULIC SYSTEM:

Open Center System
Dual Gear Pumps with Cooler
Implement Pump: 16.9 gpm (63.8 L)
Steering Pump: 9.7 gpm (37.0 L)
Total Flow: 26.6 gpm (100.8 L)
(2) Open Center Remote Valves with
detent

REAR DIFFERENTIAL LOCK:
Electronically Engaged

PTO:

Fully Independent
Hydraulic Engagement
Flip-up PTO Shaft Guard
540/1000 rpm
Wet Clutch

3-POINT LIFT SYSTEM:

Right hand console mounted control
Cab - Electronic Draft Control with
Fender mounted controls
ROPS - Mechanical Draft Control with
Lift-O-Matic Plus
5,620 Pounds Lift Capacity
Category II Ends
Telescopic Stabilizers
Flexible Lower Link Ends

ELECTRICAL:

(1) 800 cca Heavy-Duty Battery
120 amp Alternator
7-pin Outlet for trailer/implement lighting
and signals
3-pin Power Outlet (30 amp)
Single Pin (8 amp) Accessory Power
outlet
CAB - 2 - 12V power sockets
ROPS - 1 - 12V power socket

LIGHTING:

CAB

Front: (2) Halogen Headlights and
(2) cab mounted worklights

Rear: (2) cab mounted worklights
Turn Signals/Flashers/Rear Lights

ROPS

Front: (2) Halogen Headlights
Rear: (1) Worklight
Turn Signals/Flashers/Rear Lights

INSTRUMENTATION:

Analog Instrumentation with warning
lights for air cleaner service,
alternator, oil pressure, fuel
sediment/water sensor, PTO
engagement, head light high beam,
low fuel and parking brake,
advanced instrument cluster,
digital speed readout, gauges
for fuel level, engine temperature,
tachometer and hour meter

OPERATOR PROTECTIVE STRUCTURE:

CAB MODELS

ROPS protected, flat deck platform
with heat and air conditioning, tinted
windshield, retractable sun screen,
front and rear wiper / washer,
instructor seat, two doors with locks,
one internal & two external mirrors,
openable side windows, hinged rear
window (opens completely)

Steering Wheel - tilt & telescope

Seat - Cloth covered air suspension
seat with 10 degrees swivel,
operator's presence sensor,
retractable seat belt and arm rests

Suspended pedals

Radio, speakers, and antenna



**T5 DUAL COMMAND - LESS FAST PICK
US PRICE LIST**

Standard Equipment

ROPS MODELS

2-Post Foldable ROPS with ISO-
mounted flat deck platform
Steering Wheel - adjustable tilt
Seat - Vinyl covered with mechanical
suspension, operator's presence
sensor, retractable seat belts and
arm rests
Suspended pedals
Locking brake pedals

MISCELLANEOUS:

Pivoting Engine Hood
SMV Emblem
Toolbox

WARRANTY:

New Holland Standard Warranty Applies

LOADER:

665TL/720LU NON SELF-LEVELING

Maximum Lift Height @ pivot pin: 134"
Dump Clearance: 101.4"
Digging Depth: 7"
Lift Capacity
Max Height @ 800mm: 2,632 LBS
59" high @ 800mm: 3,638 LBS
Breakout Force @ 800mm: 4,455 LBS
Reach @ Max Lift Height: 43"
Reach @ Ground Level: 91"
Bucket Rollback Angle: 44 degrees
Bucket Dump Angle: 60 degrees
Skid Steer or Euro style Loader
bucket attach

665TL/725LU SELF-LEVELING

Maximum Lift Height @ pivot pin: 135"
Dump Clearance: 102.2"
Digging Depth: 6.4"
Lift Capacity
Max Height @ 800mm: 3,428 LBS
59" high @ 800mm: 5,549 LBS
Breakout Force @ 800mm: 5,661 LBS
Reach @ Max Lift Height: 43"
Reach @ Ground Level: 93
Bucket Rollback Angle: 40 degrees
Bucket Dump Angle: 60 degrees
Skid Steer or Euro style Loader
bucket attach

**T5 DUAL COMMAND - LESS FAST PICK
 US PRICE LIST**
Models

COMMERCIAL MODEL	VERSION	Weight	Factory Data	List Price
T5.90 DC	Cab	8,157 LB		\$86,183.00
Includes the following Equipment				
14.9R24 R1W (8239404)	\$2,205.00			
18.4R34 R1W (8365404)	\$3,910.00			
T5.90 DC	Rops	8,157 LB		\$73,192.00
Includes the following Equipment				
14.9R24 R1W (8239404)	\$2,205.00			
18.4R34 R1W (8365404)	\$3,910.00			
T5.100 DC	Cab	8,157 LB		\$88,692.00
Includes the following Equipment				
14.9R24 R1W (8239404)	\$2,205.00			
18.4R34 R1W (8365404)	\$3,910.00			
T5.100 DC	Rops	8,157 LB		\$75,701.00
Includes the following Equipment				
14.9R24 R1W (8239404)	\$2,205.00			
18.4R34 R1W (8365404)	\$3,910.00			
T5.110 DC	Cab	8,157 LB		\$91,445.00
Includes the following Equipment				
14.9R24 R1W (8239404)	\$2,205.00			
18.4R34 R1W (8365404)	\$3,910.00			
T5.110 DC	Rops	8,157 LB		\$78,454.00
Includes the following Equipment				
14.9R24 R1W (8239404)	\$2,205.00			
18.4R34 R1W (8365404)	\$3,910.00			
T5.120 DC	Cab	10,031 LB		\$93,925.00
Includes the following Equipment				
14.9R24 R1W (8239404)	\$2,205.00			
18.4R34 R1W (8365404)	\$3,910.00			
T5.120 DC	Rops	8,157 LB		\$80,934.00
Includes the following Equipment				
14.9R24 R1W (8239404)	\$2,205.00			
18.4R34 R1W (8365404)	\$3,910.00			

**T5 DUAL COMMAND - LESS FAST PICK
US PRICE LIST****Factory Supplied Options**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

SD_VE VERSION

	CAB	Cab			\$12,991.00
	ROPS	Rops			No Charge

FAST PICK CONFIGURATION

SD_T9980 PACKAGING

	X99801X	Custom Configuration			No Charge
--	---------	----------------------	--	--	-----------

OPERATOR PLATFORM

SD_T9200 OPERATOR STRUCTURE #1

ROPS					
	392315	Platform w/Foldable ROPS Includes tilt column			No Charge
	334190	Deluxe Platform w/FOPS Includes tilt column, FOPS canopy, noise reduction kit and 12V power outlet			\$1,694.00
Cab					
	744588	Deluxe Cab Includes instructor seat, rear wiper and washer, radio & internal mirror			No Charge
	334183	Deluxe Cab w/HiVis Panel Includes high visibility panel, instructor seat, rear wiper and washer, radio & internal mirror			\$568.00

POWER TRAIN

TRANSMISSION

SD_T2820 PARK LOCK

	743551	Parking Lock			\$54.00
	759176	Hand Brake Hand operated parking brake lever Standard Equipment			No Charge



**T5 DUAL COMMAND - LESS FAST PICK
US PRICE LIST**

TIRES

FRONT

SD_T4940 FRONT WHEELS AND TIRES

Ag Front Tires						
		8232404	11.2R24 R1W			\$1,227.00
		8235404	12.4R24 R1W			\$1,465.00
		8236404	13.6R24 R1W			\$1,792.00
		8239404	14.9R24 R1W			\$2,205.00
			if BRAND is New Holland Ag			\$2,205.00
Specialty Front Tires						
		8290904	12.5/80-18 10PR R4			\$1,751.00
		8873402	360/80R20 TRI 2 HD Municipal tread			\$1,995.00
		8247404	11.2R28 R1W			\$1,514.00

REAR

SD_T4950 REAR WHEELS AND TIRES

Ag Rear Tires						
		8357404	18.4R30 R1W 4WD Front Tire - 12.4R24 (8235404)			\$3,550.00
		8302804	16.9R34 R1W Front Tire - 13.6R24 (8236404)			\$2,555.00
		8365404	18.4R34 R1W 4WD Front Tire - 14.9R24 (8239404)			\$3,910.00
			if BRAND is New Holland Ag			\$3,910.00
Specialty Rear Tires						
		8391904	19.5L-24 10 PR R4 4WD Front Tire - 12.5/80-18 (8290904)			\$2,711.00
		8906401	440/80 R30 TRI 2 Municipal tread 4WD Front Tire - 360/80R20 (8873402)			\$3,717.00
		8372404	13.6R38 R1W 8372404 4WD Front Tire - 11.2R28 (8247404)			\$2,385.00

HYDRAULICS

MID-MOUNT

SD_T8280 MID-MOUNT VALVES

		338125	2Mid-Mount w/Mec Joystick 2 function mid-mount valve and joystick			\$1,514.00
--	--	--------	---	--	--	------------



**T5 DUAL COMMAND - LESS FAST PICK
US PRICE LIST**

		336780	2Mid-Mount w/Mec Joystick +Div 2 function mid-mount valve and joystick with 3rd function diverter Requires a Loader Bucket with Grapple NOT AVAILABLE as Factory Installed			\$2,272.00
--	--	--------	--	--	--	------------

LOADER

LOADER

SD_T8110 LOADER BRACKETS

		336740	HD Non Self Leveling Ldr +SSQA 665TL Non Self Leveling with Skid Steer Style Attachment			\$7,166.00
		336742	HD Non Self Leveling Ldr +Euro 665TL Non Self Leveling with Euro Style Attachment			\$7,166.00
		336744	HD Self Leveling Ldr +SSQA 665TL Mechanical Self Leveling with Skid Steer Style Attachment			\$8,301.00
		336746	HD Self Leveling Ldr +Euro 665TL Mechanical Self Leveling with Euro Style Attachment			\$8,301.00

SD_T8140 BUCKET

		336750	84" Bucket			\$961.00
--	--	--------	------------	--	--	----------

HITCH

REAR 3 POINT HITCH

SD_T8200 HITCH

		390832	EDC HPL 390832			No Charge
		758931	MDC HPL+LOM+2AUX 2 auxiliary lift rams for ROPS 8,000 lbs lift capacity			\$1,092.00
		758932	EDC HPL + 2 AUX 2 auxiliary lift rams for Cab 8,000 lbs lift capacity			\$1,092.00

CAB OR ROPS PLATFORM

OTHER

SD_T6730 PIN CONNECTOR

		334994	STD+30+HRN+ACS+MON Monitor mounting bracket, 30Ah socket & 2-12V power outlets Cab ONLY			\$80.00
--	--	--------	---	--	--	---------

**T5 DUAL COMMAND - LESS FAST PICK
US PRICE LIST****WEIGHTS****FRONT****SD_T2150 FRONT BALLAST**

		333215	Front Carrier +6 88 lb Weights Total weight - 661 lbs (300 kg)			\$835.00
		335215	8 WEIGHTS 40 KG - CA Total weight - 837 lbs (380 kg)			\$1,057.00

REAR**SD_T4961 REAR BALLAST**

		330470	4 x 110 lb Rear Wheel Weights Total weight - 440 lbs (200 kg) NOT compatible with 24" rear tires option			\$652.00
--	--	--------	---	--	--	----------

MISCELLANEOUS**FENDERS FRONT****SD_T8700 FENDERS**

		744599	Rear Fenders w/Extensions			\$169.00
--	--	--------	---------------------------	--	--	----------

FENDERS REAR**SD_T8740 FRONT FENDERS**

		744674	Dynamic Fenders			\$730.00
--	--	--------	-----------------	--	--	----------

OPERATOR'S MANUALS**SD_T9840 COUNTRY CONFIGURATION**

		334256	Canada (FR) Config ROPS French operator manual			No Charge
		334257	USA Spanish Configuration Spanish operator manual			No Charge

**T5 TIER 4B ELECTRO COMMAND SERIES
US PRICE LIST**

Standard Equipment

KEY SELLING POINTS (some features are optional equipment):

- 16 x 16 Electro Command semi-powershift transmission now with optional Auto Shift feature
- Comfort Ride™ cab suspension for a smoother ride - Optional
- Auto PTO manages PTO engagement in relation to the rear hitch position
- Engine Speed Management (constant engine RPM) - 2 settings
- Terralock™ automatic traction system
- Terraglide™ opt. front axle suspension
- Opt TerraGlide™ class 1.5 HD front axle
- CommandArc™ ergonomics
- Optional LED work lights
- 200 degree windshield wiper
- Standard high visibility panel (opening)
- (10) repositionable AC/heater vents
- Full-size instructor seat
- Electrohydraulic armrest-mntd joystick
- Hydraulic shuttle lever -finger control
- 3.4L, 4-cylinder, F5G engines with 4 valves per cylinder common rail fuel injection systems
- 8,084 lb. 3-point lift capacity
- Tier 4B/final emissions compliant ECOBlue Compact HI-eSCR (Selective Catalytic Reduction) after-treatment with low rate Cooled Exhaust Gas Recirculation (CEGR); no diesel particulate filter, no regeneration req.

MODELS:

T5.110
107 gross engine HP
93 PTO HP @ 2300 rpm
4-cyl. turbocharged and intercooled
207 cu. in. (3.4 L) displacement
4 valves per cylinder

T5.120
117 gross engine HP
100 PTO HP @ 2300 rpm
4-cyl. turbocharged and intercooled

207 cu. in. (3.4 L) displacement
4 Valves per cylinder

KEY COMMON FEATURES & OPTIONS:

- 16X16 Electro Command transmission with optional Auto Shift feature
- Optional Suspended cab w/HiVis panel
- Heavy-duty class 1.5 front axle with optional hydraulic differential lock
- Opt. premium air suspension seat with armrests, backrest, and heated cushion
- Full-size, deluxe radio with Bluetooth™
- Telescopic rearview mirror option
- (3) closed center rear remotes option
- Electrohydraulic mid-mount valve and armrest-mounted elec. joystick option
- Auto PTO option
- Engine block heater option

ENGINE:

- Tier 4B emissions: Compact HI-eSCR SCR with low rate CEGR
- Electronic injection Bosch high-pressure common rail system
- Engine Speed Management
- Electric engine shutoff
- Grid heater starting Aid
- Dual element air filter
- Vertical exhaust
- 43.6 gallon (165 L) fuel tank with guard
- 3.2 gallon (12 L) DEF (diesel exhaust fluid) tank

TRANSMISSION:

- 16 x 16 semi-powershift
- 8 push button powershift speeds
- Control buttons on gear shift lever and on CommandArc™
- Electrohydraulic shuttle
- 25-mph (40-kph) road speed
- 16th gear (32nd w/creeper) is an economy gear that operates the engine at a lower RPM to save fuel
- Multi-disk cerametallic clutch

**T5 TIER 4B ELECTRO COMMAND SERIES
US PRICE LIST**

Standard Equipment

STEERING/BRAKES:

- Hydrostatic power steering
- Hydraulic wet brakes (equalizing and self-adjusting)
- Park brake

FRONT AXLE:

- Class 1.5 w/Auto 4WD management
- Limited slip differential
- Opt. electrohydraulic FWD engagement
- Opt. suspended front axle

-REAR AXLE:

- Heavy-duty flange
- Dog clutch differential lock
- Auto differential lock management
- Electrohydraulic rear differential lock

HYDRAULIC SYSTEM:

- Fixed displacement pumps
- Tandem gear pumps
- Maximum flow at rated engine speed:
 - Implement pump: 21.1 gpm (80 l/m)
 - Steering pump: 11.4 gpm (43 l/m)
- (2) closed center rear remote valves configurable detent w/ quick release couplers

PTO:

- Fully independent
- Flip-up PTO shaft guard
- 540/1000 rpm interchangeable shaft
- Electrohydraulic engagement
- Multi-plate clutch
- Fender-mounted EDC / PTO switches

3-POINT LIFT SYSTEM:

- Right hand console-mounted mouse
- Electronic Draft Control (EDC)
- Fast raise/lower control
- 8,084 lb. lift cap (OECD, 90% psi at 24" rear of lower link balls)
- Category II flexible lower link ends
- Telescopic stabilizers

INSTRUMENTATION:

- Analog/digital instrument panel with:
 - Integrated warning lights
 - Analog fuel, temp., and temp. gauges
 - Digital hour meter, direction display, ground speed, and PTO speed

ELECTRICAL:

- (1) 12-volt, 800 CCA battery
- 120-amp alternator
- 7-pin outlet for implement lighting
- 3-pin connector (TYCO CPC)
- Single pin (8-amp) power outlet
- Detusch diagnostic port

LIGHTING:

- (2) Halogen front hood headlights
- (2) Front and (2) rear cab work lights
- Turn signals, flashers, and brake lights

OPERATOR'S STATION:

- Flat deck platform and integral ROPS
- Heater and air conditioner
- "A" pillar exhaust
- (2) tinted doors with locks
- Partially opening tinted side windows
- Hinged tinted rear window
- Rear cab access plug for imp. wires
- Front and rear wipers and washers
- Tilt and telescoping steering wheel
- Fixed external mirrors
- Radio and speakers
- Deluxe air suspension seat with operator's presence and seat belt
- Instructor's seat with seat belt
- HiVis panel (overhead window-opens)

MISCELLANEOUS:

- One-piece hood with gas strut
- Swinging drawbar
- SMV emblem
- Toolbox

WARRANTY:

New Holland standard warranty applies



**T5 TIER 4B ELECTRO COMMAND SERIES
US PRICE LIST**

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
T5.110 ELEC COM T4B	8,157 LB		\$104,425.00
Includes the following Equipment			
14.9R24 A8 HD Rim (8242301)	\$2,204.00		
460/85(18.4)R34 A8 FI,MI,C (8365401)	\$3,911.00		
T5.120 ELEC COM T4B	8,157 LB		\$106,515.00
Includes the following Equipment			
14.9R24 A8 HD Rim (8242301)	\$2,204.00		
460/85(18.4)R34 A8 FI,MI,C (8365401)	\$3,911.00		

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

TIRES

BRAND CHOICE

SD_T4900 TIRE CATEGORY CHOICE

	330438	No tire brand preference			No Charge
	330447	Alliance			\$453.00
	330439	Continental			\$453.00
	330418	Trelleborg			\$453.00
	330442	Michelin			\$1,130.00

FRONT

SD_T4940 FRONT WHEELS AND TIRES

Ag Front Tires

	8235401	12.4R24 A8 R1W, Adjustable Rim, Match w/ 8357401 rear tire/wheel			\$1,464.00
	8242301	14.9R24 A8 HD Rim R1W, adjustable rim Match with 8365401 rear tire/wheel			\$2,204.00
	8838501	13.6-R28 6PR Match with 8376701 rear tire/wheel R1W, adjustable rim			\$2,897.00

**T5 TIER 4B ELECTRO COMMAND SERIES
US PRICE LIST**

		8224604	480/60R28 Match with 8324604 rear tire/wheel R1W tread pattern			\$4,012.00
--	--	---------	--	--	--	------------

REAR**SD_T4950 REAR WHEELS AND TIRES**

Ag Rear Tires						
		8357401	18.4R30 R1W Matching front tire/whl is 8235401, 12.4R24 (320/85R24) R1W, adjustable rim Not compatible with narrow rear fenders option code: 331870			\$3,550.00
		8365401	460/85(18.4)R34 A8 FI,MI,CO,TR Matching front tire/whl is 8242301, 14.9R24 (380/85R24) R1W, adjustable rim Not compatible with narrow rear fenders option code: 331870			\$3,911.00
		8376701	16.9R38 R1W Matching front tire is 8838501, 13.6R28 (340/85R28) R1W, adjustable rim Not compatible with narrow rear fenders option code: 331870			\$2,880.00
		8324604	600/60R38 Matching front tire/whl is 8224604 480/60R28 with Fixed rim R1W tread pattern Not compatible with narrow rear fenders 331870			\$6,928.00

HYDRAULICS**REAR REMOTES****SD_T8270 REAR REMOTES**

		330849	2 MRRV (2C) Fixed Pump,EDC 2 closed center mechanical hydraulic remote valves both with configurable detent			No Charge
--	--	--------	---	--	--	-----------

**T5 TIER 4B ELECTRO COMMAND SERIES
US PRICE LIST**

		331844	3 MRRV (1NC+2C)Fixed Pump,EDC 3 mechanical rear hydraulic remote valves, 2 with configurable detents and 1 with non-configurable detent			\$1,526.00
--	--	--------	---	--	--	------------

ENGINE

AIR INTAKE

SD_T1910 AIR CLEANER

		330200	Air Filter w/Dust Ejector Engine air cleaner with dust ejector			\$123.00
		390200	Air Cleaner w/ Pre-Cleaner Standare engine air cleaner with precleaner			No Charge

CAB OR ROPS PLATFORM

OTHER

SD_T9360 RR MIRRORS

		392428	2 Fixed Wide Angle Mirrors			No Charge
		341852	2 External Wide Angle Mirrors 2 Telescopic Rear Wide Angle Mirrors With Mechanical Adjustment			\$409.00

LIGHTS

ROTARY BEACON

SD_T9146 ROTARY BEACON

		759160	ROTARY BEACON 759160			\$113.00
		335916	2 Beacons RH and LH Side Left and right side safety beacons			\$224.00

WEIGHTS

FRONT

SD_T2150 FRONT BALLAST

		331759	10 Weights Qty. 10, 88 lb. (40 Kg) weights totaling 882 lb. (400 Kg) Requires a front axle support with weight carrier (335156 or 758385)			\$1,187.00
--	--	--------	---	--	--	------------

**T5 TIER 4B ELECTRO COMMAND SERIES
US PRICE LIST****REAR****SD_T4961 REAR BALLAST**

		330471	6 Rear Wheel Weights 6, 110 lb. (50 kg.) rear disc weights totaling 661 lb. (300Kg)			\$995.00
--	--	--------	---	--	--	----------

MANUALS**OPERATORS****SD_T9840 COUNTRY CONFIGURATION**

		335148	USA Spanish Config Spanish Operator Manual			No Charge
		335151	Canada (FR) Config French Operator Manual			No Charge

MISCELLANEOUS**FENDERS FRONT****SD_T8740 FRONT FENDERS**

		758330	Dynamic Front Fenders 480mm 18.9 inch (480 mm) dynamic front fenders			\$758.00
--	--	--------	--	--	--	----------

FENDERS REAR**SD_T8700 FENDERS**

		331870	Narrow Rear Fenders 331870 Not compatible with front fender options Requires 8201801 9.5R28 front tires/wheels and 8369501 12.4R38 rear tire/wheels			No Charge
--	--	--------	---	--	--	-----------

REVERSE ALARM**SD_T9249 REVERSE ALARM**

		332692	Reverse Alarm w/Work Light			\$250.00
--	--	--------	----------------------------	--	--	----------

**T5 ELECTRO COMMAND - STANDARD FASTPICK
US PRICE LIST**

Standard Equipment

KEY SELLING POINTS (some features are optional equipment):

- 16 x 16 Electro Command semi-powershift transmission
- Auto PTO manages PTO engagement in relation to the rear hitch position
- Engine Speed Management (constant engine RPM) - 2 settings
- Terralock™ automatic traction system
- CommandArc™ ergonomics
- 200 degree windshield wiper
- Standard high visibility panel (opening)
- (10) repositionable AC/heater vents
- Full-size instructor seat
- Hydraulic shuttle lever -finger control
- 3.4L, 4-cylinder, F5G engines with 4 valves per cylinder common rail fuel injection systems
- 8,084 lb. 3-point lift capacity
- Tier 4B/final emissions compliant ECOBlue Compact HI-eSCR (Selective Catalytic Reduction) after-treatment with low rate Cooled Exhaust Gas Recirculation (CEGR); no diesel particulate filter, no regeneration req.

MODELS:

T5.110

- 107 gross engine HP
- 93 PTO HP @ 2300 rpm
- 4-cyl. turbocharged and intercooled
- 207 cu. in. (3.4 L) displacement
- 4 valves per cylinder

T5.120

- 117 gross engine HP
- 100 PTO HP @ 2300 rpm
- 4-cyl. turbocharged and intercooled
- 207 cu. in. (3.4 L) displacement
- 4 Valves per cylinder

ENGINE:

- Tier 4B emissions: Compact HI-eSCR SCR with low rate CEGR
- Electronic injection Bosch high-pressure common rail system
- Engine Speed Management
- Electric engine shutoff
- Grid heater starting Aid
- Engine block heater
- Dual element air filter
- Vertical exhaust
- 43.6 gallon (165 L) fuel tank with guard
- 3.2 gallon (12 L) DEF (diesel exhaust fluid) tank

TRANSMISSION:

- 16 x 16 semi-powershift
- 8 push button powershift speeds
- Control buttons on gear shift lever and on CommandArc™
- Electrohydraulic shuttle
- 25-mph (40-kph) road speed
- 16th gear (32nd w/creeper) is an economy gear that operates the engine at a lower RPM to save fuel
- Multi-disk cerametallic clutch
- Transmission heater

STEERING/BRAKES:

- Hydrostatic power steering
- Hydraulic wet brakes (equalizing and self-adjusting)
- Park brake

FRONT AXLE:

- Class 1.5 w/Auto 4WD management
- Electrohydraulic FWD engagement

-REAR AXLE:

- Heavy-duty flange
- Dog clutch differential lock
- Auto differential lock management
- Electrohydraulic rear differential lock

**T5 ELECTRO COMMAND - STANDARD FASTPICK
US PRICE LIST**

Standard Equipment

HYDRAULIC SYSTEM:

- Fixed displacement pumps
- Tandem gear pumps
- Maximum flow at rated engine speed:
 - Implement pump: 21.1 gpm (80 l/m)
 - Steering pump: 11.4 gpm (43 l/m)
- (2) closed center rear remote valves configurable detent w/ quick release couplers
- 2 function mechanical mid mount valve and joystick
- Complete loader ready

PTO:

- Fully independent
- Flip-up PTO shaft guard
- 540/1000 rpm interchangeable shaft
- Electrohydraulic engagement
- Multi-plate clutch
- Fender-mounted EDC / PTO switches

3-POINT LIFT SYSTEM:

- Right hand console-mounted mouse
- Electronic Draft Control (EDC)
- Fast raise/lower control
- 8,084 lb. lift cap (OECD, 90% psi at 24" rear of lower link balls)
- Category II flexible lower link ends
- Telescopic stabilizers

INSTRUMENTATION:

- Analog/digital instrument panel with:
 - Integrated warning lights
 - Analog fuel, temp., and temp. gauges
 - Digital hour meter, direction display, ground speed, and PTO speed

ELECTRICAL:

- (1) 12-volt, 800 CCA battery
- 120-amp alternator
- 7-pin outlet for implement lighting
- 3-pin connector (TYCO CPC)
- Single pin (8-amp) power outlet
- Detusch diagnostic port

LIGHTING:

- (2) Halogen front hood headlights
- (2) Front and (2) rear cab work lights
- Turn signals, flashers, and brake lights

OPERATOR'S STATION:

- Flat deck platform and integral ROPS
- Heater and air conditioner
- "A" pillar exhaust
- (2) tinted doors with locks
- Partially opening tinted side windows
- Hinged tinted rear window
- Rear cab access plug for imp. wires
- Front and rear wipers and washers
- Tilt and telescoping steering wheel
- Fixed external mirrors
- Radio and speakers
- Deluxe air suspension seat with operator's presence and seat belt
- Instructor's seat with seat belt
- HiVis panel (overhead window-opens)

MISCELLANEOUS:

- One-piece hood with gas strut
- Swinging drawbar
- SMV emblem
- Toolbox
- 6 rear wheel weights

WARRANTY:

New Holland standard warranty applies

**T5 ELECTRO COMMAND - STANDARD FASTPICK
US PRICE LIST****Models**

COMMERCIAL MODEL	Weight	Factory Data	List Price
T5.110 ELEC COM T4B	8,157 LB		\$104,425.00
Includes the following Equipment			
14.9R24 A8 HD Rim (8242301) \$2,204.00			
460/85(18.4)R34 A8 FI,MI,C (8365401) \$3,911.00			
T5.120 ELEC COM T4B	8,157 LB		\$106,515.00
Includes the following Equipment			
14.9R24 A8 HD Rim (8242301) \$2,204.00			
460/85(18.4)R34 A8 FI,MI,C (8365401) \$3,911.00			

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

FAST PICK CONFIGURATION

SD_T9980 PACKAGING

	X0474XX	NAR NH PCK C STD Standard Fastpick Package includes: 330849 2 Mechanical Rear Remotes 392428 2 Fixed Wide Angle Mirrors 390430 16 x 16 SPS 40 KPH 758820 2 Slice Mech CC MMV 332850 Deluxe Fabric Seat w/Air Suspension 330308 HD MFD Axle w/ Hydraulic Diff Lock 758980 Complete Loader Ready 744982 Engine Block and Transmission Heaters 330471 6 Rear Wheel Weights			\$2,252.00
--	---------	--	--	--	------------

PTO

REAR PTO

SD_T8010 PTO

	331729	540/540E/1000 RPM			\$814.00
--	--------	-------------------	--	--	----------



**T5 ELECTRO COMMAND - STANDARD FASTPICK
US PRICE LIST**

CAB OR ROPS PLATFORM

MONITOR MOUNTING

SD_T7612 BRACKET MONITOR

		338761	Monitor Mounting Bracket			\$142.00
--	--	--------	--------------------------	--	--	----------

ELECTRICAL/CONNECTORS

BATTERY

SD_T7420 BATTERY

		334774	Batt. 140 AH W/B.IS. Battery Isolator			\$396.00
--	--	--------	---	--	--	----------

LIGHTS

ROTARY BEACON

SD_T9146 ROTARY BEACON

		759160	ROTARY BEACON 759160			\$113.00
		335916	2 Beacons RH and LH Side Left and right side safety beacons			\$224.00

MANUALS

OPERATORS

SD_T9840 COUNTRY CONFIGURATION

		335148	USA Spanish Config Spanish Operator Manual			No Charge
		335151	Canada (FR) Config French Operator Manual			No Charge

MISCELLANEOUS

FENDERS FRONT

SD_T8740 FRONT FENDERS

		758330	Dynamic Front Fenders 480mm 18.9 inch (480 mm) dynamic front fenders			\$758.00
--	--	--------	--	--	--	----------

**T5 ELECTRO COMMAND - DELUXE FASTPICK
US PRICE LIST**

Standard Equipment

KEY SELLING POINTS (some features are optional equipment):

- 16 x 16 Electro Command semi-powershift transmission with Auto Shift feature
- Auto PTO manages PTO engagement in relation to the rear hitch position
- Engine Speed Management (constant engine RPM) - 2 settings
- Terralock™ automatic traction system
- CommandArc™ ergonomics
- 200 degree windshield wiper
- Standard high visibility panel (opening)
- (10) repositionable AC/heater vents
- Full-size instructor seat
- Hydraulic shuttle lever -finger control
- 3.4L, 4-cylinder, F5G engines with 4 valves per cylinder common rail fuel injection systems
- 8,084 lb. 3-point lift capacity
- Tier 4B/final emissions compliant ECOBlue Compact HI-eSCR (Selective Catalytic Reduction) after-treatment with low rate Cooled Exhaust Gas Recirculation (CEGR); no diesel particulate filter, no regeneration req.

MODELS:

T5.110

- 107 gross engine HP
- 93 PTO HP @ 2300 rpm
- 4-cyl. turbocharged and intercooled
- 207 cu. in. (3.4 L) displacement
- 4 valves per cylinder

T5.120

- 117 gross engine HP
- 100 PTO HP @ 2300 rpm
- 4-cyl. turbocharged and intercooled
- 207 cu. in. (3.4 L) displacement
- 4 Valves per cylinder

ENGINE:

- Tier 4B emissions: Compact HI-eSCR SCR with low rate CEGR
- Electronic injection Bosch high-pressure common rail system
- Engine Speed Management
- Electric engine shutoff
- Grid heater starting Aid
- Engine block heater
- Dual element air filter
- Vertical exhaust
- 43.6 gallon (165 L) fuel tank with guard
- 3.2 gallon (12 L) DEF (diesel exhaust fluid) tank

TRANSMISSION:

- 16 x 16 semi-powershift with Auto Shift
- 8 push button powershift speeds
- Control buttons on gear shift lever and on CommandArc™
- Electrohydraulic shuttle
- 25-mph (40-kph) road speed
- 16th gear (32nd w/creeper) is an economy gear that operates the engine at a lower RPM to save fuel
- Multi-disk cerametallic clutch
- Transmission heater

STEERING/BRAKES:

- Hydrostatic power steering
- Hydraulic wet brakes (equalizing and self-adjusting)
- Park brake

FRONT AXLE:

- Class 1.5 w/Auto 4WD management
- Electrohydraulic FWD and differential lock engagement

-REAR AXLE:

- Heavy-duty flange
- Dog clutch differential lock
- Auto differential lock management
- Electrohydraulic rear differential lock

**T5 ELECTRO COMMAND - DELUXE FASTPICK
US PRICE LIST**

Standard Equipment

HYDRAULIC SYSTEM:

- Fixed displacement pumps
- Tandem gear pumps
- Maximum flow at rated engine speed:
 - Implement pump: 21.1 gpm (80 l/m)
 - Steering pump: 11.4 gpm (43 l/m)
- (3) closed center rear remote valves configurable detent w/ quick release couplers
- 2 function mid mount valve with electronic arm-rest mounted joystick
- Complete loader ready

PTO:

- Fully independent
- Flip-up PTO shaft guard
- 540/1000 rpm interchangeable shaft
- Electrohydraulic engagement
- Multi-plate clutch
- Fender-mounted EDC / PTO switches

3-POINT LIFT SYSTEM:

- Right hand console-mounted mouse
- Electronic Draft Control (EDC)
- Fast raise/lower control
- 8,084 lb. lift cap (OECD, 90% psi at 24" rear of lower link balls)
- Category II flexible lower link ends
- Telescopic stabilizers

INSTRUMENTATION:

- Analog/digital instrument panel with:
 - Integrated warning lights
 - Analog fuel, temp., and temp. gauges
 - Digital hour meter, direction display, ground speed, and PTO speed

ELECTRICAL:

- (1) 12-volt, 800 CCA battery
- 120-amp alternator
- 7-pin outlet for implement lighting
- 3-pin connector (TYCO CPC)
- Single pin (8-amp) power outlet
- Detusch diagnostic port

LIGHTING:

- (2) Halogen front hood headlights
- (2) Front and (2) rear cab work lights
- Turn signals, flashers, and brake lights

OPERATOR'S STATION:

- Flat deck platform and integral ROPS
- Cab suspension
- Heater and air conditioner
- "A" pillar exhaust
- (2) tinted doors with locks
- Partially opening tinted side windows
- Hinged tinted rear window
- Rear cab access plug for imp. wires
- Front and rear wipers and washers
- Tilt and telescoping steering wheel
- Telescopic external mirrors
- Monitor mounting bracket
- Radio and speakers
- Premium air suspension seat with operator's presence and seat belt
- Instructor's seat with seat belt
- HiVis panel (overhead window-opens)

MISCELLANEOUS:

- One-piece hood with gas strut
- Swinging drawbar
- SMV emblem
- Toolbox
- 6 rear wheel weights

WARRANTY:

New Holland standard warranty applies

**T5 ELECTRO COMMAND - DELUXE FASTPICK
US PRICE LIST****Models**

COMMERCIAL MODEL	Weight	Factory Data	List Price
T5.110 ELEC COM T4B	8,157 LB		\$104,425.00
Includes the following Equipment			
14.9R24 A8 HD Rim (8242301)	\$2,204.00		
460/85(18.4)R34 A8 FI,MI,C (8365401)	\$3,911.00		
T5.120 ELEC COM T4B	8,157 LB		\$106,515.00
Includes the following Equipment			
14.9R24 A8 HD Rim (8242301)	\$2,204.00		
460/85(18.4)R34 A8 FI,MI,C (8365401)	\$3,911.00		

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

FAST PICK CONFIGURATION

SD_T9980 PACKAGING

	X0473XX	NAR NH PCK B DELUXE Deluxe Fastpick Package Includes: 331844 3 Mechanical Rear Remotes 341852 2 External Telescopic Wide Angle Mirrors 330471 6 Rear Wheel Weights 744982 Engine Block and Transmission Heaters 334775 40 KPH W/Autofunction 330308 HD MFD Axle w/ Hydraulic Diff Lock 338761 Monitor Mounting Bracket 758980 Complete Loader Ready 758821 2 MMV CC w/EH Joystick 758312 Premium Air Seat			\$7,103.00
--	---------	---	--	--	------------

PTO

REAR PTO

SD_T8010 PTO

	331729	540/540E/1000 RPM			\$814.00
--	--------	-------------------	--	--	----------

**T5 ELECTRO COMMAND - DELUXE FASTPICK
US PRICE LIST**

ELECTRICAL/CONNECTORS

BATTERY

SD_T7420 BATTERY

		334774	Batt. 140 AH W/B.IS. Battery Isolator			\$396.00
--	--	--------	---	--	--	----------

LIGHTS

ROTARY BEACON

SD_T9146 ROTARY BEACON

		759160	ROTARY BEACON 759160			\$113.00
		335916	2 Beacons RH and LH Side Left and right side safety beacons			\$224.00

MANUALS

OPERATORS

SD_T9840 COUNTRY CONFIGURATION

		335148	USA Spanish Config Spanish Operator Manual			No Charge
		335151	Canada (FR) Config French Operator Manual			No Charge

MISCELLANEOUS

FENDERS FRONT

SD_T8740 FRONT FENDERS

		758330	Dynamic Front Fenders 480mm 18.9 inch (480 mm) dynamic front fenders			\$758.00
--	--	--------	--	--	--	----------

T5 ELECTRO COMMAND - LESS FASTPICK US PRICE LIST

Standard Equipment

KEY SELLING POINTS (some features are optional equipment):

- 16 x 16 Electro Command semi-powershift transmission now with optional Auto Shift feature
- Comfort Ride™ cab suspension for a smoother ride - Optional
- Auto PTO manages PTO engagement in relation to the rear hitch position
- Engine Speed Management (constant engine RPM) - 2 settings
- Terralock™ automatic traction system
- Terraglide™ opt. front axle suspension
- Opt TerraGlide™ class 1.5 HD front axle
- CommandArc™ ergonomics
- Optional LED work lights
- 200 degree windshield wiper
- Standard high visibility panel (opening)
- (10) repositionable AC/heater vents
- Full-size instructor seat
- Electrohydraulic armrest-mntd joystick
- Hydraulic shuttle lever -finger control
- 8,084 lb. 3-point lift capacity
- Tier 4B/final emissions compliant ECOBlue Compact HI-eSCR (Selective Catalytic Reduction) after-treatment with low rate Cooled Exhaust Gas Recirculation (CEGR); no diesel particulate filter, no regeneration req.

MODELS:

T5.110

107 gross engine HP

93 PTO HP @ 2300 rpm

4-cyl. turbocharged and intercooled

207 cu. in. (3.4 L) displacement

4 valves per cylinder

T5.120

117 gross engine HP

100 PTO HP @ 2300 rpm

4-cyl. turbocharged and intercooled

207 cu. in. (3.4 L) displacement

4 Valves per cylinder

KEY COMMON FEATURES & OPTIONS:

- 16X16 Electro Command transmission with optional Auto Shift feature
- Optional Suspended cab w/HiVis panel
- Heavy-duty class 1.5 front axle with optional hydraulic differential lock
- Opt. premium air suspension seat with armrests, backrest, and heated cushion
- Full-size, deluxe radio with Bluetooth™
- Telescopic rearview mirror option
- (3) closed center rear remotes option
- Electrohydraulic mid-mount valve and armrest-mounted elec. joystick option
- Auto PTO option
- Engine block heater option

ENGINE:

- Tier 4B emissions: Compact HI-eSCR SCR with low rate CEGR
- Electronic injection Bosch high-pressure common rail system
- Engine Speed Management
- Electric engine shutoff
- Grid heater starting Aid
- Dual element air filter
- Vertical exhaust
- 43.6 gallon (165 L) fuel tank with guard
- 3.2 gallon (12 L) DEF (diesel exhaust fluid) tank

TRANSMISSION:

- 16 x 16 semi-powershift
- 8 push button powershift speeds
- Control buttons on gear shift lever and on CommandArc™
- Electrohydraulic shuttle
- 25-mph (40-kph) road speed
- 16th gear (32nd w/creeper) is an economy gear that operates the engine at a lower RPM to save fuel
- Multi-disk cerametallic clutch

**T5 ELECTRO COMMAND - LESS FASTPICK
US PRICE LIST**

Standard Equipment

STEERING/BRAKES:

- Hydrostatic power steering
- Hydraulic wet brakes (equalizing and self-adjusting)
- Park brake

FRONT AXLE:

- Class 1.5 w/Auto 4WD management
- Limited slip differential
- Opt. electrohydraulic FWD engagement
- Opt. suspended front axle

-REAR AXLE:

- Heavy-duty flange
- Dog clutch differential lock
- Auto differential lock management
- Electrohydraulic rear differential lock

HYDRAULIC SYSTEM:

- Fixed displacement pumps
- Tandem gear pumps
- Maximum flow at rated engine speed:
 - Implement pump: 21.1 gpm (80 l/m)
 - Steering pump: 11.4 gpm (43 l/m)
- (2) closed center rear remote valves configurable detent w/ quick release couplers

PTO:

- Fully independent
- Flip-up PTO shaft guard
- 540/1000 rpm interchangeable shaft
- Electrohydraulic engagement
- Multi-plate clutch
- Fender-mounted EDC / PTO switches

3-POINT LIFT SYSTEM:

- Right hand console-mounted mouse
- Electronic Draft Control (EDC)
- Fast raise/lower control
- 8,084 lb. lift cap (OECD, 90% psi at 24" rear of lower link balls)
- Category II flexible lower link ends
- Telescopic stabilizers

INSTRUMENTATION:

- Analog/digital instrument panel with:
 - Integrated warning lights
 - Analog fuel, temp., and temp. gauges
 - Digital hour meter, direction display, ground speed, and PTO speed

ELECTRICAL:

- (1) 12-volt, 800 CCA battery
- 120-amp alternator
- 7-pin outlet for implement lighting
- 3-pin connector (TYCO CPC)
- Single pin (8-amp) power outlet
- Detusch diagnostic port

LIGHTING:

- (2) Halogen front hood headlights
- (2) Front and (2) rear cab work lights
- Turn signals, flashers, and brake lights

OPERATOR'S STATION:

- Flat deck platform and integral ROPS
- Heater and air conditioner
- "A" pillar exhaust
- (2) tinted doors with locks
- Partially opening tinted side windows
- Hinged tinted rear window
- Rear cab access plug for imp. wires
- Front and rear wipers and washers
- Tilt and telescoping steering wheel
- Fixed external mirrors
- Radio and speakers
- Deluxe air suspension seat with operator's presence and seat belt
- Instructor's seat with seat belt
- HiVis panel (overhead window-opens)

MISCELLANEOUS:

- One-piece hood with gas strut
- Swinging drawbar
- SMV emblem
- Toolbox

WARRANTY:

New Holland standard warranty applies

**T5 ELECTRO COMMAND - LESS FASTPICK
US PRICE LIST****Models**

COMMERCIAL MODEL	Weight	Factory Data	List Price
T5.110 ELEC COM T4B	8,157 LB		\$104,425.00
Includes the following Equipment			
14.9R24 A8 HD Rim (8242301)	\$2,204.00		
460/85(18.4)R34 A8 FI,MI,C (8365401)	\$3,911.00		
T5.120 ELEC COM T4B	8,157 LB		\$106,515.00
Includes the following Equipment			
14.9R24 A8 HD Rim (8242301)	\$2,204.00		
460/85(18.4)R34 A8 FI,MI,C (8365401)	\$3,911.00		

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

FAST PICK CONFIGURATION

SD_T9980 PACKAGING

	X0475XX	LESS PACKAGING			No Charge
--	---------	----------------	--	--	-----------

OPERATOR PLATFORM

SD_T9200 OPERATOR STRUCTURE #1

	336730	Susp HiVis A/C Cab Suspension			\$1,469.00
--	--------	---	--	--	------------

POWER TRAIN

TRANSMISSION

SD_T2810 TRANSMISSION

	390430	16x16 SPS 40KPH			No Charge
	334775	40KPH W/Autofunction Auto Shift			\$741.00
	334114	16x16 40KPH W/Creep Creeper			\$808.00
	334779	40KPH W/AutoF+Creep Auto Shift + Creeper			\$1,548.00



**T5 ELECTRO COMMAND - LESS FASTPICK
US PRICE LIST**

AXLES

SD_T4010 FRONT AXLE

		337707	Suspended Front Axle Less Brks			\$4,262.00
--	--	--------	--------------------------------	--	--	------------

TIRES

BRAND CHOICE

SD_T4900 TIRE CATEGORY CHOICE

		330438	No tire brand preference			No Charge
		330447	Alliance			\$453.00
		330439	Continental			\$453.00
		330418	Trelleborg			\$453.00
		330442	Michelin			\$1,130.00

FRONT

SD_T4940 FRONT WHEELS AND TIRES

Ag Front Tires						
		8235401	12.4R24 A8 R1W, Adjustable Rim, Match w/ 8357401 rear tire/wheel			\$1,464.00
		8242301	14.9R24 A8 HD Rim R1W, adjustable rim Match with 8365401 rear tire/wheel			\$2,204.00
		8201801	9.5R28 R1W, Adjustable Rim, Match w/ 8369501 rear tire/wheel			\$1,804.00

REAR

SD_T4950 REAR WHEELS AND TIRES

Ag Rear Tires						
		8357401	18.4R30 R1W Matching front tire/whl is 8235401, 12.4R24 (320/85R24) R1W, adjustable rim Not compatible with narrow rear fenders option code: 331870			\$3,550.00
		8365401	460/85(18.4)R34 A8 FI,MI,CO,TR Matching front tire/whl is 8242301, 14.9R24 (380/85R24) R1W, adjustable rim Not compatible with narrow rear fenders option code: 331870			\$3,911.00

**T5 ELECTRO COMMAND - LESS FASTPICK
 US PRICE LIST**
Specialty Rear Tires

		8369501	12.4R38) W11 x 38 Matching front tire/wheel is 9.5R28 Not compatible with front fender options 758329 and 758330 Row Crop with adjustable rim Required when selecting narrow rear fender option 331870			\$2,090.00
--	--	---------	---	--	--	------------

HYDRAULICS
REAR REMOTES
SD_T8270 REAR REMOTES

		330849	2 MRRV (2C) Fixed Pump,EDC 2 closed center mechanical hydraulic remote valves both with configurable detent			No Charge
		331844	3 MRRV (1NC+2C)Fixed Pump,EDC 3 mechanical rear hydraulic remote valves, 2 with configurable detents and 1 with non-configurable detent			\$1,526.00

MID-MOUNT
SD_T8280 MID-MOUNT VALVES

		758820	2 Slice Mech CC MMV 2 function mid mount valve with mechanical joystick			\$1,469.00
		758821	2 MMV CC w/EH Joystk 2 function mid mount valve with armrest mounted electronic joystick			\$2,034.00

LOADER
LOADER BRACKETS
SD_T8110 LOADER BRACKETS

		758980	Loader Ready. Complete loader ready Includes: - Complete TPS mounting brackets - Hose kit from mid mount valve to vertical brackets - Multi-coupler base Requires a mid mount valve selection			\$4,678.00
--	--	--------	---	--	--	------------



**T5 ELECTRO COMMAND - LESS FASTPICK
US PRICE LIST**

ENGINE

AIR INTAKE

SD_T1910 AIR CLEANER

		330200	Air Filter w/Dust Ejector Engine air cleaner with dust ejector			\$123.00
--	--	--------	--	--	--	----------

SD_T1931 COLD WEATHER STARTI

		744982	Block Heater_120V			\$164.00
--	--	--------	-------------------	--	--	----------

PTO

REAR PTO

SD_T8010 PTO

		331729	540/540E/1000 RPM			\$814.00
--	--	--------	-------------------	--	--	----------

CAB OR ROPS PLATFORM

MONITOR MOUNTING

SD_T7612 BRACKET MONITOR

		338761	Monitor Mounting Bracket			\$142.00
--	--	--------	--------------------------	--	--	----------

OTHER

SD_T9360 RR MIRRORS

		341852	2 External Wide Angle Mirrors 2 Telescopic Rear Wide Angle Mirrors With Mechanical Adjustment			\$409.00
--	--	--------	---	--	--	----------

ELECTRICAL/CONNECTORS

BATTERY

SD_T7420 BATTERY

		334774	Batt. 140 AH W/B.IS. Battery Isolator			\$396.00
--	--	--------	---	--	--	----------

LIGHTS

ROTARY BEACON

SD_T9146 ROTARY BEACON

		759160	ROTARY BEACON 759160			\$113.00
--	--	--------	----------------------	--	--	----------

**T5 ELECTRO COMMAND - LESS FASTPICK
US PRICE LIST**

		335916	2 Beacons RH and LH Side Left and right side safety beacons			\$224.00
--	--	--------	---	--	--	----------

WEIGHTS

FRONT

SD_T2150 FRONT BALLAST

		331759	10 Weights Qty. 10, 88 lb. (40 Kg) weights totaling 882 lb. (400 Kg) Requires a front axle support with weight carrier (335156 or 758385)			\$1,187.00
--	--	--------	---	--	--	------------

SD_T8100 FRONT THREE POINT HITCH

		335156	L/FHPL L/FPTO-STD Standard front axle support with weight carrier. Not compatible with suspended front axle.			\$366.00
		758385	L/FHPL L/FPTO-MULTI Suspended axle front axle support with weight carrier Not compatible with non suspended front axle.			No Charge

REAR

SD_T4961 REAR BALLAST

		330471	6 Rear Wheel Weights 6, 110 lb. (50 kg.) rear disc weights totaling 661 lb. (300Kg)			\$995.00
--	--	--------	---	--	--	----------

MISCELLANEOUS

FENDERS FRONT

SD_T8740 FRONT FENDERS

		758330	Dynamic Front Fenders 480mm 18.9 inch (480 mm) dynamic front fenders			\$758.00
--	--	--------	--	--	--	----------

REVERSE ALARM

SD_T9249 REVERSE ALARM

		332692	Reverse Alarm w/Work Light			\$250.00
--	--	--------	----------------------------	--	--	----------

**T5 AUTO COMMAND - LESS FASTPICK
US PRICE LIST**

Standard Equipment

KEY SELLING POINTS:

- Fuel efficient high torque 4.5L, 4-cylinder
- FPT engines with 4 valves per cylinder and common rail fuel injection systems
- Tier 4B EPA emissions compliant with SCR only ECOBlue™ HI-eSCR Tier4B emissions system
- Underhood compact aftertreatment
- Auto Command™ CVT high efficiency Transmission
- Best in class cab in terms of space and comfort (same cab as the T6 and T7 Series)
- Standard LED work lighting
- High level of Automating features (E-Hydr 4WD, PTO, e-controlled remotes)
- Closed Center Load Sensing "high efficiency" pumps, up to 108 l/m
- Easy attach remote outlets
- New bold styling (hood, cab roof, lighting)
- Long Stable 98" wheel base for all Models
- Gross Vehicle Weight up to 18,700 lbs.

MODELS

T5.130 Auto Command
Rated PTO HP - 102
Rated Engine HP - 120
Maximum Engine HP - 130
Rated Speed - 2200 RPM
274 cu. in. (4.5L) - 4 Cylinder
Fuel Tank: 47 Gallon (180L)
DEF Tank: 5 Gallon (19L)

T5.140 Auto Command
Rated PTO HP - 111
ENGINE Rated Engine HP - 130
Maximum Engine HP - 140
Rated Speed - 2200 RPM
274 cu. in. (4.5L) - 4 Cylinder
Fuel Tank: 47 Gallon (180L)
DEF Tank: 5 Gallon (19L)

ENGINE

Tier 4B Emissions Compliant
ECOBBlue™ HI-eSCR Tier4B system
Engine with Turbocharger and
Air-to-Air Intercooler
4 Valves Per Cylinder
Bosch Common Rail Fuel Injection
Pump (electronic)
Grid Heater Starting Aid
Dual Element Air Filter with Pre-Cleaner
(spin tube intakes)
A-Pillar Exhaust with Integral Muffler
Viscous Fan (5 blade)
Hand Throttle

TRANSMISSION

Auto Command™ CVT with
column-mounted power shuttle
Command Grip™ multi-function controller
Infinite speed from 0 to 25 MPH
3 target speed selections
Infinite target speed thumb wheel
Right foot "go pedal"
25-MPH (40-KPH) (varies by tire size)

CAB

-
- Low Roof w/ Opening Visibility Panel and Sunshade
 - Flat Deck Platform with Integrated ROPS
 - Standard Air Conditioner and Heater with 4-Speed Pressurizer and dual zone air conditioning
 - Two doors with Locks
 - Two-speed Intermittent Front Wiper/Washer
 - Rear Intermittent Wiper/Washer
 - Hinged Rear Window
 - Tinted Glass with Sunshade
 - Tilt and Telescoping Steering Wheel
 - IntelliView™ IV disp. mtd. on arm rest

**T5 AUTO COMMAND - LESS FASTPICK
US PRICE LIST**

Standard Equipment

- Deluxe Air Suspension Seat with Automatic Adjustment, Operator Presence Switch and Lap Belt
- Instructor Seat
- Deluxe radio
- Digital clock
- Integral ROPS
- Interior dome light
- (2) External courtesy lights
- (2) External telescopic remote
- Adjustable mirrors
- Horn
- Std steering wheel & floor mat
- ISOBUS II connector

STEERING & BRAKES

- Hydrostatic power steering
- Hydraulic wet disc brakes (self-equalizing/self-adjusting)
- Parking brake (automotive style)

FRONT AXLE

- Front FWD (TerraLock™)
- Class 1.75 heavy-duty FWD axle
- 55-degree turning angle
- Dual steering cylinders
- 11-degree axle oscillation
- Electrohydraulic FWD engagement
- TerraLock™ Auto FWD/Diff-Lock
- Driveshaft shield

REAR AXLE

- Heavy-duty flange axle
- Wet plate differential lock
- Electrohydraulic-engaged dif. lock

ELECTRICAL

- (1) 12-volt 1300 CCA battery
- 120-amp alternator
- Geared starter motor (4.2 kW)
- 7-pin outlet for implement lighting
- 3-pin 40-amp implement socket
- ISO/JD (30 amp) socket
- 15 amp screw-type +/- terminals
- Single pin (8 amp) accessory outlet
- Cigarette lighter
- (2) single-pin outlets for beacon on roof
- Battery boost terminals
- ISOBUS Class 2

LIGHTS

- (4) Halogen front hood headlights
- (2) LED front hood signature lights
- (12) LED cab mounted work lights
 - (8) LED high front & rear
 - (4) LED mid-mount front & rear
- (2) taillights
- Front & Rear Flashing Cab Safety Lights
- Time Delayed, Self-Cancelling Turn Indicators with Audiable Warning

PTO

- Independent 540/540E/1000 RPM PTO with reversible shaft and flip-up shield
- Multi-plate wet clutch design
- Electrohydraulic-engagement with soft start/auto feathering
- Hydraulic piston PTO brake w/override

HYDRAULIC SYSTEM

- Closed-center load-sensing pump
- Flow at 1,900 RPM: 28.5 gpm (108 l/m)
- (2) electro-hydraulic rear remote valves controlled in SideWinder II™ console (fully programmable)



**T5 AUTO COMMAND - LESS FASTPICK
US PRICE LIST**

Standard Equipment

Oil collection bottles
Hydraulic tapping port (Power Beyond)
Independent pump for CVT and
operating circuits

3-POINT LIFT SYSTEM

Electronic Draft Control (EDC)
Lower link sensing
Fast raise/lower control
Dynamic Ride Control™
Category II flex link ends
Telescopic stabilizers
10228 lb. Lift Capacity with Dual 80mm
External Rams

MISCELLANEOUS

Flip-up engine hood
Swinging drawbar
SMV emblem
Toolbox

WARRANTY

New Holland standard warranty applies

**T5 AUTO COMMAND - LESS FASTPICK
US PRICE LIST****Models**

COMMERCIAL MODEL	Weight	Factory Data	List Price
T5.130 AUTOCOMMAND	6,800 LB		\$143,438.00
Includes the following Equipment			
14.9R24 A8 HD Rim (8242301) \$2,203.00			
460/85(18.4)R34 A8 FI,MI,C (8365401) \$3,912.00			
L/Loader Ready w/MMV (744711) (\$4,677.00)			
T5.140 AUTOCOMMAND	6,800 LB		\$147,008.00
Includes the following Equipment			
14.9R24 A8 HD Rim (8242301) \$2,203.00			
460/85(18.4)R34 A8 FI,MI,C (8365401) \$3,912.00			
L/Loader Ready w/MMV (744711) (\$4,677.00)			

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

FAST PICK CONFIGURATION

SD_T9980 PACKAGING

	X0475XX	LESS PACKAGING		No Charge
--	---------	----------------	--	-----------

ENGINE

COLD WEATHER AIDS

SD_T1938 WEATHER PACK

	758402	Grid_Heater + 110V Pack Grid heater and cold weather pack Includes engine block heater and transmission heater		\$413.00
--	--------	--	--	----------

FRONT AXLE

SD_T4010 FRONT AXLE

	759669	SUSP. AXLE L/BRKS		\$3,866.00
--	--------	-------------------	--	------------



**T5 AUTO COMMAND - LESS FASTPICK
US PRICE LIST**

TIRES

BRAND CHOICE

SD_T4900 TIRE CATEGORY CHOICE

		330438	No tire brand preference			No Charge
		330442	Michelin			\$571.00
		330444	Nokian			\$571.00

FRONT WHEELS & TIRES

SD_T4940 FRONT WHEELS AND TIRES

Ag Front Tires						
		8235401	12.4R24 A8 R1W RADIAL ISO 4WD ADJUSTABLE RIM Match w/ 8357401 rear tire/wheel			\$1,464.00
		8242301	14.9R24 A8 HD Rim R1W RADIAL ISO 4WD ADJUSTABLE RIM Match with 8365401 rear tire/wheel			\$2,203.00
		8247401	11.2R28 A8 R1W RADIAL ISO 4WD ADJUSTABLE RIM Matches with 8372401 Rear tires 13.6R38 (340/85R38) MAVT			\$1,515.00
MUNICIPALTY - ADJUSTABLE RIMS						
		8880401	360/80R24 GRSLND, Adj. Rim Match with 8916401 rear tire/wheel Municipal tire with adjustable rim			\$1,994.00
Shipping wheels						
		8299801	Non-Return Ship Wheels - 4WD			\$97.00

REAR WHEELS & TIRES

SD_T4950 REAR WHEELS AND TIRES

Ag Rear Tires						
		8372401	13.6R38 A8 R1W RADIAL ISO 4WD ADJUSTABLE RIM Matches with 8247401 Fronts 11.2R28 (280/85R28) MAVT			\$2,386.00
		8357401	18.4R30 R1W R1W RADIAL ISO 4WD ADJUSTABLE RIM Match w/ 8235401 front tire/wheel Not compatible with narrow rear fenders option code: 331870			\$3,550.00



**T5 AUTO COMMAND - LESS FASTPICK
US PRICE LIST**

		8365401	460/85(18.4)R34 A8 FI,MI,CO,TR R1W RADIAL ISO 4WD ADJUSTABLE RIM Matches with 8242301 14.9R24 (380/85R24) MAVT			\$3,912.00
MUNICIPALTY - ADJUSTABLE RIMS						
		8916401	440/80R34 GRSLND, Adj. Rim Matches with 888041, 360/80R24 TRI 2 MAVT Front Tires			\$3,320.00
Shipping wheels						
		8399801	Non-Returnable Shipping Wheel			\$592.00

HYDRAULICS

REAR REMOTES

SD_T8270 REAR REMOTES

		759365	3 MECH RR (3NC) 3 MECH REAR REMOTES (3NC)			\$913.00
		743685	4 Mech Rear Remotes (2NC+2C) 4 mechanical rear remote valves, two with configurable detents			\$2,040.00
		759690	2 RR MV + 1 EH.RR.V. 2 RR MV (CONFIG. DETENT) + 1 ELECTRO HYD. REAR REMOTE VALVES			\$1,734.00
		759691	2 RR MV + 2 EH.RR.V. 2 RR MV (CONFIG. DETENT) + 2 ELECTRO HYD. REAR REMOTE VALVES			\$2,657.00

COMPLETE LOADER READY

SD_T8110 LOADER BRACKETS

		744711	L/Loader Ready w/MMV			(\$4,677.00)
		758980	Loader Ready.			No Charge

JOYSTICK CONTROL

SD_T7780 JOYSTICK

		758069	Joystick with Rocker Switch			No Charge
		759694	L/JOYSTICK W/EDC POD 759694			(\$2,086.00)

MID MOUNT VALVES

SD_T7790 MID-MOUNT VALVES

		759695	L/MID-MOUNT VALVES 759695			(\$2,550.00)
		743689	2 Electronic MMV			No Charge
		743690	3 Electronic MMV			\$1,357.00



**T5 AUTO COMMAND - LESS FASTPICK
US PRICE LIST**

PTO

REAR PTO

SD_T8710 FENDERS PTO CONTROL

		743680	Fender EDC/PTO/Rem Valv Contrl			\$296.00
--	--	--------	--------------------------------	--	--	----------

WEIGHTS

FRONT

SD_T2150 FRONT BALLAST

		759769	10 FRONT WEIGHTS Qty. 10, 88 lb. (40 Kg) weights totaling 882 lb. (400 Kg)			\$1,183.00
--	--	--------	--	--	--	------------

REAR WHEEL WEIGHTS

SD_T4960 WHEEL WEIGHTS

		759137	2X150KG + 2X250KG Wheel Weight			\$1,594.00
--	--	--------	--------------------------------	--	--	------------

CAB OPTION

SD_T4820 HEADLAND SYSTEM

		758592	Adv. Headland Ctrl Config EHR			\$989.00
--	--	--------	-------------------------------	--	--	----------

SD_T9360 RR MIRRORS

		759153	2 Telescopic Mirrors 759153			No Charge
		759154	2 Tele/Heat/Rem Adj Mirror			\$66.00

SEATS

SD_T8500 SEAT

		758485	Deluxe Seat Air Susp Heated			\$1,994.00
		758671	Deluxe Air and Heated Cushion			\$434.00
		759735	DLX AIR SUSP. + BELT			No Charge

LIGHTS

SD_T9130 WORK LAMPS

		758594	12 LED High Power Hi-Roof			\$1,596.00
		758596	16 LED High Power Hi-Roof			\$3,193.00

SD_T9146 ROTARY BEACON

		758491	Twin Beacon			\$852.00
--	--	--------	-------------	--	--	----------

**T5 AUTO COMMAND - LESS FASTPICK
US PRICE LIST****MONITOR BRACKETS**

SD_T9223 RH WINDOW BAR MOUNT

		758153	Monitor Mounting Bracket.			\$153.00
--	--	--------	---------------------------	--	--	----------

SD_T9230 CLIMATE CONTROL

		759728	AIR CONDITIONING 759728			(\$740.00)
--	--	--------	-------------------------	--	--	------------

AUTO GUIDANCE**AUTO GUIDANCE READY**

SD_T6300 STEERING OR AUTOGUIDANCE READY

		759185	Autoguidance Ready Autoguidance Ready prewired for guidance does not include Nav III Controller and NH 372 receiver			\$5,425.00
--	--	--------	---	--	--	------------

SD_T7616 AUTOGUIDANCE NAV/CO

		762158	AUTOGUID. - Lv.1 Includes Auto Guidance Ready offering with Nav III Controller and NH 372 receiver activated to WAAS level accuracy (Level 1)			\$15,050.00
		762159	AUTOGUID. - Lv.2 Includes Auto Guidance Ready offering with Nav III Controller and NH 372 receiver activated to OmniSTAR HP/G2/XP & CenterPoint RTX level accuracy (Level 2)			\$17,850.00

TELEMATICS

SD_T7625 TELEMATICS

		759394	Basic Telematics Offering includes: Mounting Kit, Modem, 1 Year susbcription to PLM Connect Essential			\$729.00
--	--	--------	---	--	--	----------

MISCELLANEOUS**FENDERS REAR**

SD_T8700 FENDERS

		743777	Standard fenders with extensn			No Charge
		759767	NARROW FNDERS L/EXT.			No Charge



T5 AUTO COMMAND - LESS FASTPICK
US PRICE LIST

RADAR

SD_T7580 RADAR

		758501	Radar NAR			\$834.00
--	--	--------	-----------	--	--	----------

OPERATOR'S MANUALS

SD_T9802 OPERATORS MANUAL

		758535	Spanish NAR			No Charge
		759101	French NAR			No Charge

**T5 AUTO COMMAND - PREMIUM FASTPICK
US PRICE LIST**

Standard Equipment

KEY SELLING POINTS:

- Fuel efficient high torque 4.5L, 4-cylinder
- FPT engines with 4 valves per cylinder and common rail fuel injection systems
- Tier 4B EPA emissions compliant with SCR only ECOBlue™ HI-eSCR Tier4B emissions system
- Underhood compact aftertreatment
- Auto Command™ CVT high efficiency Transmission
- Best in class cab in terms of space and comfort (same cab as the T6 and T7 Series)
- Standard LED work lighting
- High level of Automating features (E-Hydr 4WD, PTO, e-controlled remotes)
- Closed Center Load Sensing "high efficiency" pumps, up to 108 l/m
- Easy attach remote outlets
- New bold styling (hood, cab roof, lighting)
- Long Stable 98" wheel base for all Models
- Gross Vehicle Weight up to 18,700 lbs.

MODELS

T5.130 Auto Command
Rated PTO HP - 102
Rated Engine HP - 120
Maximum Engine HP - 130
Rated Speed - 2200 RPM
274 cu. in. (4.5L) - 4 Cylinder
Fuel Tank: 47 Gallon (180L)
DEF Tank: 5 Gallon (19L)

T5.140 Auto Command
Rated PTO HP - 111
ENGINE Rated Engine HP - 130
Maximum Engine HP - 140
Rated Speed - 2200 RPM
274 cu. in. (4.5L) - 4 Cylinder
Fuel Tank: 47 Gallon (180L)
DEF Tank: 5 Gallon (19L)

ENGINE

Tier 4B Emissions Compliant
ECOBBlue™ HI-eSCR Tier4B system
Engine with Turbocharger and
Air-to-Air Intercooler
4 Valves Per Cylinder
Bosch Common Rail Fuel Injection
Pump (electronic)
Grid Heater Starting Aid
Dual Element Air Filter with Pre-Cleaner
(spin tube intakes)
A-Pillar Exhaust with Integral Muffler
Viscous Fan (5 blade)
Hand Throttle

TRANSMISSION

Auto Command™ CVT with
column-mounted power shuttle
Command Grip™ multi-function controller
Infinite speed from 0 to 25 MPH
3 target speed selections
Infinite target speed thumb wheel
Right foot "go pedal"
25-MPH (40-KPH) (varies by tire size)

CAB

-
- Low Roof w/ Opening Visibility Panel and Sunshade
 - Flat Deck Platform with Integrated ROPS
 - Standard Air Conditioner and Heater with 4-Speed Pressurizer and dual zone air conditioning
 - Two doors with Locks
 - Two-speed Intermittent Front Wiper/Washer
 - Rear Intermittent Wiper/Washer
 - Hinged Rear Window
 - Tinted Glass with Sunshade
 - Tilt and Telescoping Steering Wheel
 - IntelliView™ IV disp. mtd. on arm rest

T5 AUTO COMMAND - PREMIUM FASTPICK US PRICE LIST

Standard Equipment

- Deluxe Air Suspension Seat with Automatic Adjustment, Operator Presence Switch and Lap Belt
- Instructor Seat
- Deluxe radio
- Digital clock
- Integral ROPS
- Interior dome light
- (2) External courtesy lights
- (2) External telescopic remote
- Adjustable mirrors
- Horn
- Std steering wheel & floor mat
- ISOBUS II connector

STEERING & BRAKES

- Hydrostatic power steering
- Hydraulic wet disc brakes (self-equalizing/self-adjusting)
- Parking brake (automotive style)

FRONT AXLE

- Front FWD (TerraLock™)
- Class 1.75 heavy-duty FWD axle
- 55-degree turning angle
- Dual steering cylinders
- 11-degree axle oscillation
- Electrohydraulic FWD engagement
- TerraLock™ Auto FWD/Diff-Lock
- Driveshaft shield

REAR AXLE

- Heavy-duty flange axle
- Wet plate differential lock
- Electrohydraulic-engaged dif. lock

ELECTRICAL

- (1) 12-volt 1300 CCA battery
- 120-amp alternator
- Geared starter motor (4.2 kW)
- 7-pin outlet for implement lighting
- 3-pin 40-amp implement socket
- ISO/JD (30 amp) socket
- 15 amp screw-type +/- terminals
- Single pin (8 amp) accessory outlet
- Cigarette lighter
- (2) single-pin outlets for beacon on roof
- Battery boost terminals
- ISOBUS Class 2

LIGHTS

- (4) Halogen front hood headlights
- (2) LED front hood signature lights
- (12) LED cab mounted work lights
- (8) LED high front & rear
- (4) LED mid-mount front & rear
- (2) taillights
- Front & Rear Flashing Cab Safety Lights
- Time Delayed, Self-Cancelling Turn Indicators with Audiable Warning

PTO

- Independent 540/540E/1000 RPM PTO with reversible shaft and flip-up shield
- Multi-plate wet clutch design
- Electrohydraulic-engagement with soft start/auto feathering
- Hydraulic piston PTO brake w/override

HYDRAULIC SYSTEM

- Closed-center load-sensing pump
- Flow at 1,900 RPM: 28.5 gpm (108 l/m)
- (2) electro-hydraulic rear remote valves controlled in SideWinder II™ console (fully programmable)



**T5 AUTO COMMAND - PREMIUM FASTPICK
US PRICE LIST**

Standard Equipment

Oil collection bottles
Hydraulic tapping port (Power Beyond)
Independent pump for CVT and
operating circuits

3-POINT LIFT SYSTEM

Electronic Draft Control (EDC)
Lower link sensing
Fast raise/lower control
Dynamic Ride Control™
Category II flex link ends
Telescopic stabilizers
10228 lb. Lift Capacity with Dual 80mm
External Rams

MISCELLANEOUS

Flip-up engine hood
Swinging drawbar
SMV emblem
Toolbox

WARRANTY

New Holland standard warranty applies

**T5 AUTO COMMAND - PREMIUM FASTPICK
US PRICE LIST****Models**

COMMERCIAL MODEL	Weight	Factory Data	List Price
T5.130 AUTOCOMMAND	6,800 LB		\$143,438.00
Includes the following Equipment			
14.9R24 A8 HD Rim (8242301) \$2,203.00			
460/85(18.4)R34 A8 FI,MI,C (8365401) \$3,912.00			
L/Loader Ready w/MMV (744711) (\$4,677.00)			
T5.140 AUTOCOMMAND	6,800 LB		\$147,008.00
Includes the following Equipment			
14.9R24 A8 HD Rim (8242301) \$2,203.00			
460/85(18.4)R34 A8 FI,MI,C (8365401) \$3,912.00			
L/Loader Ready w/MMV (744711) (\$4,677.00)			

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

FAST PICK CONFIGURATION

SD_T9980 PACKAGING

		X0472XX	NAR NH PCK A PREMIUM Premium Fastpick Package Includes: 743680: Fender EDC/PTO/Rem Valv Control 758671: Deluxe Air and Heated Cushion 758596: 16 LED High Power Hi-Roof 759675: WET DIFF & 4WD CLTCH			(\$2,147.00)
--	--	---------	--	--	--	--------------

ENGINE**COLD WEATHER AIDS**

SD_T1938 WEATHER PACK

		758402	Grid_Heater + 110V Pack Grid heater and cold weather pack Includes engine block heater and transmission heater			\$413.00
--	--	--------	--	--	--	----------

**T5 AUTO COMMAND - PREMIUM FASTPICK
US PRICE LIST****FRONT AXLE**

SD_T4010 FRONT AXLE

		759669	SUSP. AXLE L/BRKS			\$3,866.00
--	--	--------	-------------------	--	--	------------

TIRES**BRAND CHOICE**

SD_T4900 TIRE CATEGORY CHOICE

		330438	No tire brand preference			No Charge
		330442	Michelin			\$571.00
		330444	Nokian			\$571.00

FRONT WHEELS & TIRES

SD_T4940 FRONT WHEELS AND TIRES

Ag Front Tires

		8235401	12.4R24 A8 R1W RADIAL ISO 4WD ADJUSTABLE RIM Match w/ 8357401 rear tire/wheel			\$1,464.00
		8242301	14.9R24 A8 HD Rim R1W RADIAL ISO 4WD ADJUSTABLE RIM Match with 8365401 rear tire/wheel			\$2,203.00
		8247401	11.2R28 A8 R1W RADIAL ISO 4WD ADJUSTABLE RIM Matches with 8372401 Rear tires 13.6R38 (340/85R38) MAVT			\$1,515.00

MUNICIPALTY - ADJUSTABLE RIMS

		8880401	360/80R24 GRSLND, Adj. Rim Match with 8916401 rear tire/wheel Municipal tire with adjustable rim			\$1,994.00
--	--	---------	--	--	--	------------

Shipping wheels

		8299801	Non-Return Ship Wheels - 4WD			\$97.00
--	--	---------	------------------------------	--	--	---------

REAR WHEELS & TIRES

SD_T4950 REAR WHEELS AND TIRES

Ag Rear Tires

		8372401	13.6R38 A8 R1W RADIAL ISO 4WD ADJUSTABLE RIM Matches with 8247401 Fronts 11.2R28 (280/85R28) MAVT			\$2,386.00
--	--	---------	---	--	--	------------

**T5 AUTO COMMAND - PREMIUM FASTPICK
US PRICE LIST**

		8357401	18.4R30 R1W R1W RADIAL ISO 4WD ADJUSTABLE RIM Match w/ 8235401 front tire/wheel Not compatible with narrow rear fenders option code: 331870			\$3,550.00
		8365401	460/85(18.4)R34 A8 FI,MI,CO,TR R1W RADIAL ISO 4WD ADJUSTABLE RIM Matches with 8242301 14.9R24 (380/85R24) MAVT			\$3,912.00
MUNICIPALTY - ADJUSTABLE RIMS						
		8916401	440/80R34 GRSLND, Adj. Rim Matches with 888041, 360/80R24 TRI 2 MAVT Front Tires			\$3,320.00
Shipping wheels						
		8399801	Non-Returnable Shipping Wheel			\$592.00

HYDRAULICS

REAR REMOTES

SD_T8270 REAR REMOTES

		759690	2 RR MV + 1 EH.RR.V. 2 RR MV (CONFIG. DETENT) + 1 ELECTRO HYD. REAR REMOTE VALVES			\$1,734.00
		759691	2 RR MV + 2 EH.RR.V. 2 RR MV (CONFIG. DETENT) + 2 ELECTRO HYD. REAR REMOTE VALVES			\$2,657.00

COMPLETE LOADER READY

SD_T8110 LOADER BRACKETS

		744711	L/Loader Ready w/MMV			(\$4,677.00)
		758980	Loader Ready.			No Charge

JOYSTICK CONTROL

SD_T7780 JOYSTICK

		758069	Joystick with Rocker Switch			No Charge
--	--	--------	-----------------------------	--	--	-----------

MID MOUNT VALVES

SD_T7790 MID-MOUNT VALVES

		743689	2 Electronic MMV			No Charge
		743690	3 Electronic MMV			\$1,357.00

**T5 AUTO COMMAND - PREMIUM FASTPICK
US PRICE LIST**

WEIGHTS

REAR WHEEL WEIGHTS

SD_T4960 WHEEL WEIGHTS

		759137	2X150KG + 2X250KG Wheel Weight			\$1,594.00
--	--	--------	--------------------------------	--	--	------------

CAB OPTION

SD_T4820 HEADLAND SYSTEM

		758592	Adv. Headland Ctrl Config EHR			\$989.00
--	--	--------	-------------------------------	--	--	----------

AUTO GUIDANCE

AUTO GUIDANCE READY

SD_T6300 STEERING OR AUTOGUIDANCE READY

		759185	Autoguidance Ready Autoguidance Ready prewired for guidance does not include Nav III Controller and NH 372 receiver			\$5,425.00
--	--	--------	---	--	--	------------

SD_T7616 AUTOGUIDANCE NAV/CO

		762158	AUTOGUID. - Lv.1 Includes Auto Guidance Ready offering with Nav III Controller and NH 372 receiver activated to WAAS level accuracy (Level 1)			\$15,050.00
		762159	AUTOGUID. - Lv.2 Includes Auto Guidance Ready offering with Nav III Controller and NH 372 receiver activated to OmniSTAR HP/G2/XP & CenterPoint RTX level accuracy (Level 2)			\$17,850.00

TELEMATICS

SD_T7625 TELEMATICS

		759394	Basic Telematics Offering includes: Mounting Kit, Modem, 1 Year subscription to PLM Connect Essential			\$729.00
--	--	--------	---	--	--	----------



**T5 AUTO COMMAND - PREMIUM FASTPICK
US PRICE LIST**

MISCELLANEOUS

FENDERS REAR

SD_T8700 FENDERS

		743777	Standard fenders with extensn			No Charge
--	--	--------	-------------------------------	--	--	-----------

OPERATOR'S MANUALS

SD_T9802 OPERATORS MANUAL

		758535	Spanish NAR			No Charge
		759101	French NAR			No Charge

**T5 AUTO COMMAND - DELUXE FASTPICK
US PRICE LIST**

Standard Equipment

KEY SELLING POINTS:

- Fuel efficient high torque 4.5L, 4-cylinder
- FPT engines with 4 valves per cylinder and common rail fuel injection systems
- Tier 4B EPA emissions compliant with SCR only ECOBlue™ HI-eSCR Tier4B emissions system
- Underhood compact aftertreatment
- Auto Command™ CVT high efficiency Transmission
- Best in class cab in terms of space and comfort (same cab as the T6 and T7 Series)
- Standard LED work lighting
- High level of Automating features (E-Hydr 4WD, PTO, e-controlled remotes)
- Closed Center Load Sensing "high efficiency" pumps, up to 108 l/m
- Easy attach remote outlets
- New bold styling (hood, cab roof, lighting)
- Long Stable 98" wheel base for all Models
- Gross Vehicle Weight up to 18,700 lbs.

MODELS

T5.130 Auto Command
Rated PTO HP - 102
Rated Engine HP - 120
Maximum Engine HP - 130
Rated Speed - 2200 RPM
274 cu. in. (4.5L) - 4 Cylinder
Fuel Tank: 47 Gallon (180L)
DEF Tank: 5 Gallon (19L)

T5.140 Auto Command
Rated PTO HP - 111
ENGINE Rated Engine HP - 130
Maximum Engine HP - 140
Rated Speed - 2200 RPM
274 cu. in. (4.5L) - 4 Cylinder
Fuel Tank: 47 Gallon (180L)
DEF Tank: 5 Gallon (19L)

ENGINE

Tier 4B Emissions Compliant
ECOBBlue™ HI-eSCR Tier4B system
Engine with Turbocharger and
Air-to-Air Intercooler
4 Valves Per Cylinder
Bosch Common Rail Fuel Injection
Pump (electronic)
Grid Heater Starting Aid
Dual Element Air Filter with Pre-Cleaner
(spin tube intakes)
A-Pillar Exhaust with Integral Muffler
Viscous Fan (5 blade)
Hand Throttle

TRANSMISSION

Auto Command™ CVT with
column-mounted power shuttle
Command Grip™ multi-function controller
Infinite speed from 0 to 25 MPH
3 target speed selections
Infinite target speed thumb wheel
Right foot "go pedal"
25-MPH (40-KPH) (varies by tire size)

CAB

-
- Low Roof w/ Opening Visibility Panel and Sunshade
 - Flat Deck Platform with Integrated ROPS
 - Standard Air Conditioner and Heater with 4-Speed Pressurizer and dual zone air conditioning
 - Two doors with Locks
 - Two-speed Intermittent Front Wiper/Washer
 - Rear Intermittent Wiper/Washer
 - Hinged Rear Window
 - Tinted Glass with Sunshade
 - Tilt and Telescoping Steering Wheel
 - IntelliView™ IV disp. mtd. on arm rest

**T5 AUTO COMMAND - DELUXE FASTPICK
US PRICE LIST**

Standard Equipment

- Deluxe Air Suspension Seat with Automatic Adjustment, Operator Presence Switch and Lap Belt
- Instructor Seat
- Deluxe radio
- Digital clock
- Integral ROPS
- Interior dome light
- (2) External courtesy lights
- (2) External telescopic remote
- Adjustable mirrors
- Horn
- Std steering wheel & floor mat
- ISOBUS II connector

STEERING & BRAKES

- Hydrostatic power steering
- Hydraulic wet disc brakes (self-equalizing/self-adjusting)
- Parking brake (automotive style)

FRONT AXLE

- Front FWD (TerraLock™)
- Class 1.75 heavy-duty FWD axle
- 55-degree turning angle
- Dual steering cylinders
- 11-degree axle oscillation
- Electrohydraulic FWD engagement
- TerraLock™ Auto FWD/Diff-Lock
- Driveshaft shield

REAR AXLE

- Heavy-duty flange axle
- Wet plate differential lock
- Electrohydraulic-engaged dif. lock

ELECTRICAL

- (1) 12-volt 1300 CCA battery
- 120-amp alternator
- Geared starter motor (4.2 kW)
- 7-pin outlet for implement lighting
- 3-pin 40-amp implement socket
- ISO/JD (30 amp) socket
- 15 amp screw-type +/- terminals
- Single pin (8 amp) accessory outlet
- Cigarette lighter
- (2) single-pin outlets for beacon on roof
- Battery boost terminals
- ISOBUS Class 2

LIGHTS

- (4) Halogen front hood headlights
- (2) LED front hood signature lights
- (12) LED cab mounted work lights
 - (8) LED high front & rear
 - (4) LED mid-mount front & rear
- (2) taillights
- Front & Rear Flashing Cab Safety Lights
- Time Delayed, Self-Cancelling Turn Indicators with Audiable Warning

PTO

- Independent 540/540E/1000 RPM PTO with reversible shaft and flip-up shield
- Multi-plate wet clutch design
- Electrohydraulic-engagement with soft start/auto feathering
- Hydraulic piston PTO brake w/override

HYDRAULIC SYSTEM

- Closed-center load-sensing pump
- Flow at 1,900 RPM: 28.5 gpm (108 l/m)
- (2) electro-hydraulic rear remote valves controlled in SideWinder II™ console (fully programmable)



**T5 AUTO COMMAND - DELUXE FASTPICK
US PRICE LIST**

Standard Equipment

Oil collection bottles
Hydraulic tapping port (Power Beyond)
Independent pump for CVT and
operating circuits

3-POINT LIFT SYSTEM

Electronic Draft Control (EDC)
Lower link sensing
Fast raise/lower control
Dynamic Ride Control™
Category II flex link ends
Telescopic stabilizers
10228 lb. Lift Capacity with Dual 80mm
External Rams

MISCELLANEOUS

Flip-up engine hood
Swinging drawbar
SMV emblem
Toolbox

WARRANTY

New Holland standard warranty applies

**T5 AUTO COMMAND - DELUXE FASTPICK
US PRICE LIST****Models**

COMMERCIAL MODEL	Weight	Factory Data	List Price
T5.130 AUTOCOMMAND	6,800 LB		\$143,438.00
Includes the following Equipment			
14.9R24 A8 HD Rim (8242301) \$2,203.00			
460/85(18.4)R34 A8 FI,MI,C (8365401) \$3,912.00			
L/Loader Ready w/MMV (744711) (\$4,677.00)			
T5.140 AUTOCOMMAND	6,800 LB		\$147,008.00
Includes the following Equipment			
14.9R24 A8 HD Rim (8242301) \$2,203.00			
460/85(18.4)R34 A8 FI,MI,C (8365401) \$3,912.00			
L/Loader Ready w/MMV (744711) (\$4,677.00)			

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

FAST PICK CONFIGURATION

SD_T9980 PACKAGING

	X0473XX	NAR NH PCK B DELUXE Deluxe Fastpick Package Includes: 759154: 2 Tele/Heat/Rem Adj Mirror 758485: Deluxe Seat Air Susp Heated 758594: 12 LED High Power Hi-Roof 758491: Twin Beacon 758153: Moniot Mounting Bracket.			(\$2,479.00)
--	---------	---	--	--	--------------

ENGINE**COLD WEATHER AIDS**

SD_T1938 WEATHER PACK

	758402	Grid_Heater + 110V Pack Grid heater and cold weather pack Includes engine block heater and transmission heater			\$413.00
--	--------	--	--	--	----------



**T5 AUTO COMMAND - DELUXE FASTPICK
US PRICE LIST**

TIRES

BRAND CHOICE

SD_T4900 TIRE CATEGORY CHOICE

		330438	No tire brand preference			No Charge
		330442	Michelin			\$571.00
		330444	Nokian			\$571.00

FRONT WHEELS & TIRES

SD_T4940 FRONT WHEELS AND TIRES

Ag Front Tires						
		8235401	12.4R24 A8 R1W RADIAL ISO 4WD ADJUSTABLE RIM Match w/ 8357401 rear tire/wheel			\$1,464.00
		8242301	14.9R24 A8 HD Rim R1W RADIAL ISO 4WD ADJUSTABLE RIM Match with 8365401 rear tire/wheel			\$2,203.00
		8247401	11.2R28 A8 R1W RADIAL ISO 4WD ADJUSTABLE RIM Matches with 8372401 Rear tires 13.6R38 (340/85R38) MAVT			\$1,515.00
MUNICIPALTY - ADJUSTABLE RIMS						
		8880401	360/80R24 GRSLND, Adj. Rim Match with 8916401 rear tire/wheel Municipal tire with adjustable rim			\$1,994.00
Shipping wheels						
		8299801	Non-Return Ship Wheels - 4WD			\$97.00

REAR WHEELS & TIRES

SD_T4950 REAR WHEELS AND TIRES

Ag Rear Tires						
		8372401	13.6R38 A8 R1W RADIAL ISO 4WD ADJUSTABLE RIM Matches with 8247401 Fronts 11.2R28 (280/85R28) MAVT			\$2,386.00
		8357401	18.4R30 R1W R1W RADIAL ISO 4WD ADJUSTABLE RIM Match w/ 8235401 front tire/wheel Not compatible with narrow rear fenders option code: 331870			\$3,550.00



**T5 AUTO COMMAND - DELUXE FASTPICK
US PRICE LIST**

		8365401	460/85(18.4)R34 A8 FI,MI,CO,TR R1W RADIAL ISO 4WD ADJUSTABLE RIM Matches with 8242301 14.9R24 (380/85R24) MAVT			\$3,912.00
MUNICIPALTY - ADJUSTABLE RIMS						
		8916401	440/80R34 GRSLND, Adj. Rim Matches with 888041, 360/80R24 TRI 2 MAVT Front Tires			\$3,320.00
Shipping wheels						
		8399801	Non-Returnable Shipping Wheel			\$592.00

HYDRAULICS

REAR REMOTES

SD_T8270 REAR REMOTES

		759365	3 MECH RR (3NC) 3 MECH REAR REMOTES (3NC)			\$913.00
		743685	4 Mech Rear Remotes (2NC+2C) 4 mechanical rear remote valves, two with configurable detents			\$2,040.00

COMPLETE LOADER READY

SD_T8110 LOADER BRACKETS

		758980	Loader Ready.			No Charge
--	--	--------	---------------	--	--	-----------

JOYSTICK CONTROL

SD_T7780 JOYSTICK

		758069	Joystick with Rocker Switch			No Charge
--	--	--------	-----------------------------	--	--	-----------

MID MOUNT VALVES

SD_T7790 MID-MOUNT VALVES

		743689	2 Electronic MMV			No Charge
		743690	3 Electronic MMV			\$1,357.00

WEIGHTS

REAR WHEEL WEIGHTS

SD_T4960 WHEEL WEIGHTS

		759137	2X150KG + 2X250KG Wheel Weight			\$1,594.00
--	--	--------	--------------------------------	--	--	------------

**T5 AUTO COMMAND - DELUXE FASTPICK
 US PRICE LIST**
AUTO GUIDANCE

AUTO GUIDANCE READY

SD_T6300 STEERING OR AUTOGUIDANCE READY

		759185	Autoguidance Ready Autoguidance Ready prewired for guidance does not include Nav III Controller and NH 372 receiver			\$5,425.00
--	--	--------	---	--	--	------------

SD_T7616 AUTOGUIDANCE NAV/CO

		762158	AUTOGUID. - Lv.1 Includes Auto Guidance Ready offering with Nav III Controller and NH 372 receiver activated to WAAS level accuracy (Level 1)			\$15,050.00
		762159	AUTOGUID. - Lv.2 Includes Auto Guidance Ready offering with Nav III Controller and NH 372 receiver activated to OmniSTAR HP/G2/XP & CenterPoint RTX level accuracy (Level 2)			\$17,850.00

TELEMATICS

SD_T7625 TELEMATICS

		759394	Basic Telematics Offering includes: Mounting Kit, Modem, 1 Year susbcription to PLM Connect Essential			\$729.00
--	--	--------	---	--	--	----------

MISCELLANEOUS

FENDERS REAR

SD_T8700 FENDERS

		743777	Standard fenders with extensn			No Charge
		759767	NARROW FNDERS L/EXT.			No Charge

OPERATOR'S MANUALS

SD_T9802 OPERATORS MANUAL

		758535	Spanish NAR			No Charge
		759101	French NAR			No Charge

**T5 AUTO COMMAND - BLUE POWER
US PRICE LIST**

Standard Equipment

KEY SELLING POINTS:

- Fuel efficient high torque 4.5L, 4-cylinder
- FPT engines with 4 valves per cylinder and common rail fuel injection systems
- Tier 4B EPA emissions compliant with SCR only ECOBlue™ HI-eSCR Tier4B emissions system
- Underhood compact aftertreatment
- Auto Command™ CVT high efficiency Transmission
- Best in class cab in terms of space and comfort (same cab as the T6 and T7 Series)
- Standard LED work lighting
- High level of Automating features (E-Hydr 4WD, PTO, e-controlled remotes)
- Closed Center Load Sensing "high efficiency" pumps, up to 108 l/m
- Easy attach remote outlets
- New bold styling (hood, cab roof, lighting)
- Long Stable 98" wheel base for all Models
- Gross Vehicle Weight up to 18,700 lbs.

MODELS

T5.130 Auto Command
Rated PTO HP - 102
Rated Engine HP - 120
Maximum Engine HP - 130
Rated Speed - 2200 RPM
274 cu. in. (4.5L) - 4 Cylinder
Fuel Tank: 47 Gallon (180L)
DEF Tank: 5 Gallon (19L)

T5.140 Auto Command
Rated PTO HP - 111
ENGINE Rated Engine HP - 130
Maximum Engine HP - 140
Rated Speed - 2200 RPM
274 cu. in. (4.5L) - 4 Cylinder
Fuel Tank: 47 Gallon (180L)
DEF Tank: 5 Gallon (19L)

ENGINE

Tier 4B Emissions Compliant
ECOBBlue™ HI-eSCR Tier4B system
Engine with Turbocharger and
Air-to-Air Intercooler
4 Valves Per Cylinder
Bosch Common Rail Fuel Injection
Pump (electronic)
Grid Heater Starting Aid
Dual Element Air Filter with Pre-Cleaner
(spin tube intakes)
A-Pillar Exhaust with Integral Muffler
Viscous Fan (5 blade)
Hand Throttle

TRANSMISSION

Auto Command™ CVT with
column-mounted power shuttle
Command Grip™ multi-function controller
Infinite speed from 0 to 25 MPH
3 target speed selections
Infinite target speed thumb wheel
Right foot "go pedal"
25-MPH (40-KPH) (varies by tire size)

CAB

-
- Low Roof w/ Opening Visibility Panel and Sunshade
 - Flat Deck Platform with Integrated ROPS
 - Standard Air Conditioner and Heater with 4-Speed Pressurizer and dual zone air conditioning
 - Two doors with Locks
 - Two-speed Intermittent Front Wiper/Washer
 - Rear Intermittent Wiper/Washer
 - Hinged Rear Window
 - Tinted Glass with Sunshade
 - Tilt and Telescoping Steering Wheel
 - IntelliView™ IV disp. mtd. on arm rest

T5 AUTO COMMAND - BLUE POWER US PRICE LIST

Standard Equipment

- Deluxe Air Suspension Seat with Automatic Adjustment, Operator Presence Switch and Lap Belt
- Instructor Seat
- Deluxe radio
- Digital clock
- Integral ROPS
- Interior dome light
- (2) External courtesy lights
- (2) External telescopic remote
- Adjustable mirrors
- Horn
- Std steering wheel & floor mat
- ISOBUS II connector

STEERING & BRAKES

- Hydrostatic power steering
- Hydraulic wet disc brakes (self-equalizing/self-adjusting)
- Parking brake (automotive style)

FRONT AXLE

- Front FWD (TerraLock™)
- Class 1.75 heavy-duty FWD axle
- 55-degree turning angle
- Dual steering cylinders
- 11-degree axle oscillation
- Electrohydraulic FWD engagement
- TerraLock™ Auto FWD/Diff-Lock
- Driveshaft shield

REAR AXLE

- Heavy-duty flange axle
- Wet plate differential lock
- Electrohydraulic-engaged dif. lock

ELECTRICAL

- (1) 12-volt 1300 CCA battery
- 120-amp alternator
- Geared starter motor (4.2 kW)
- 7-pin outlet for implement lighting
- 3-pin 40-amp implement socket
- ISO/JD (30 amp) socket
- 15 amp screw-type +/- terminals
- Single pin (8 amp) accessory outlet
- Cigarette lighter
- (2) single-pin outlets for beacon on roof
- Battery boost terminals
- ISOBUS Class 2

LIGHTS

- (4) Halogen front hood headlights
- (2) LED front hood signature lights
- (12) LED cab mounted work lights
- (8) LED high front & rear
- (4) LED mid-mount front & rear
- (2) taillights
- Front & Rear Flashing Cab Safety Lights
- Time Delayed, Self-Cancelling Turn Indicators with Audiable Warning

PTO

- Independent 540/540E/1000 RPM PTO with reversible shaft and flip-up shield
- Multi-plate wet clutch design
- Electrohydraulic-engagement with soft start/auto feathering
- Hydraulic piston PTO brake w/override

HYDRAULIC SYSTEM

- Closed-center load-sensing pump
- Flow at 1,900 RPM: 28.5 gpm (108 l/m)
- (2) electro-hydraulic rear remote valves controlled in SideWinder II™ console (fully programmable)



**T5 AUTO COMMAND - BLUE POWER
US PRICE LIST**

Standard Equipment

Oil collection bottles
Hydraulic tapping port (Power Beyond)
Independent pump for CVT and
operating circuits

3-POINT LIFT SYSTEM

Electronic Draft Control (EDC)
Lower link sensing
Fast raise/lower control
Dynamic Ride Control™
Category II flex link ends
Telescopic stabilizers
10228 lb. Lift Capacity with Dual 80mm
External Rams

MISCELLANEOUS

Flip-up engine hood
Swinging drawbar
SMV emblem
Toolbox

WARRANTY

New Holland standard warranty applies



**T5 AUTO COMMAND - BLUE POWER
US PRICE LIST**

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
T5.140 AUTOCOMMAND	6,800 LB		\$147,008.00
Includes the following Equipment			
14.9R24 A8 HD Rim (8242301) \$2,203.00			
460/85(18.4)R34 A8 FI,MI,C (8365401) \$3,912.00			
L/Loader Ready w/MMV (744711) (\$4,677.00)			

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

**T5 AUTO COMMAND - BLUE POWER
US PRICE LIST****CAB CONFIGURATION**

CAB ROOF/COLOR

SD_T9850 SPECIAL COLORS/PANELS

		758320	BLUE POW. SPEC. ED. Blue Power Option includes: -#Distinct metallic midnight blue paint -#Chrome colored grill -#Silver wheel rims -#Eye Catching 3D leaf and New Holland Logo -#Blue Power Seat -#Silver light surround on cab work lights -#An extensive list of standard equipment including: 758483: Leather Steering Wheel +Carpet LEATHER STEERING WHEEL+CARPET 759384: SDLX HTD ALCANT Blue Power SDLX SEAT LOW FREQ SUSP/SWIVEL HEADREST/HEATED/LEATHER-ALCANTARA BLUE POWER 758596: 16 LED High Power Hi-Roof 16 LED HIGH POWER HIGH ROOF 758491: Twin Beacon 759154: 2 Tele/Heat/Rem Adj Mirror 2 TELE/HEATED/REM ADJUST MIRRORS (SHATTER PROOF - LARGE HEAD - SPOTTER 759663: 200 AMP ALTERNATOR 759663 758504: Self-Cancel + Audible Turn SELF CANCEL.+AUDI. WARN. TURN INDICATORS			\$9,690.00
--	--	--------	---	--	--	------------

ENGINE

COLD WEATHER AIDS

SD_T1938 WEATHER PACK

		758402	Grid_Heater + 110V Pack Grid heater and cold weather pack Includes engine block heater and transmission heater			\$413.00
--	--	--------	--	--	--	----------

**T5 AUTO COMMAND - BLUE POWER
US PRICE LIST****FRONT AXLE**

SD_T4010 FRONT AXLE

		759669	SUSP. AXLE L/BRKS			\$3,866.00
--	--	--------	-------------------	--	--	------------

TIRES

BRAND CHOICE

SD_T4900 TIRE CATEGORY CHOICE

		330442	Michelin			\$571.00
--	--	--------	----------	--	--	----------

HYDRAULICS

REAR REMOTES

SD_T8270 REAR REMOTES

		759365	3 MECH RR (3NC) 3 MECH REAR REMOTES (3NC)			\$913.00
		743685	4 Mech Rear Remotes (2NC+2C) 4 mechanical rear remote valves, two with configurable detents			\$2,040.00
		759690	2 RR MV + 1 EH.RR.V. 2 RR MV (CONFIG. DETENT) + 1 ELECTRO HYD. REAR REMOTE VALVES			\$1,734.00
		759691	2 RR MV + 2 EH.RR.V. 2 RR MV (CONFIG. DETENT) + 2 ELECTRO HYD. REAR REMOTE VALVES			\$2,657.00

COMPLETE LOADER READY

SD_T8110 LOADER BRACKETS

		744711	L/Loader Ready w/MMV			(\$4,677.00)
--	--	--------	----------------------	--	--	--------------

JOYSTICK CONTROL

SD_T7780 JOYSTICK

		759694	L/JOYSTICK W/EDC POD 759694			(\$2,086.00)
--	--	--------	-----------------------------	--	--	--------------

MID MOUNT VALVES

SD_T7790 MID-MOUNT VALVES

		759695	L/MID-MOUNT VALVES 759695			(\$2,550.00)
		743689	2 Electronic MMV			No Charge
		743690	3 Electronic MMV			\$1,357.00



**T5 AUTO COMMAND - BLUE POWER
US PRICE LIST**

PTO

REAR PTO

SD_T8710 FENDERS PTO CONTROL

		743680	Fender EDC/PTO/Rem Valv Contrl			\$296.00
--	--	--------	--------------------------------	--	--	----------

WEIGHTS

FRONT

SD_T2150 FRONT BALLAST

		759769	10 FRONT WEIGHTS Qty. 10, 88 lb. (40 Kg) weights totaling 882 lb. (400 Kg)			\$1,183.00
--	--	--------	--	--	--	------------

REAR WHEEL WEIGHTS

SD_T4960 WHEEL WEIGHTS

		759137	2X150KG + 2X250KG Wheel Weight			\$1,594.00
--	--	--------	--------------------------------	--	--	------------

CAB OPTION

SD_T4820 HEADLAND SYSTEM

		758592	Adv. Headland Ctrl Config EHR			\$989.00
--	--	--------	-------------------------------	--	--	----------

MONITOR BRACKETS

SD_T9223 RH WINDOW BAR MOUNT

		758153	Monitor Mounting Bracket.			\$153.00
--	--	--------	---------------------------	--	--	----------

AUTO GUIDANCE

AUTO GUIDANCE READY

SD_T7616 AUTOGUIDANCE NAV/CO

		762158	AUTOGUID. - Lv.1 Includes Auto Guidance Ready offering with Nav III Controller and NH 372 receiver activated to WAAS level accuracy (Level 1)			\$15,050.00
--	--	--------	--	--	--	-------------



**T5 AUTO COMMAND - BLUE POWER
US PRICE LIST**

		762159	AUTOGUID. - Lv.2 Includes Auto Guidance Ready offering with Nav III Controller and NH 372 receiver activated to OmniSTAR HP/G2/XP & CenterPoint RTX level accuracy (Level 2)			\$17,850.00
--	--	--------	--	--	--	-------------

TELEMATICS

SD_T7625 TELEMATICS

		759394	Basic Telematics Offering includes: Mounting Kit, Modem, 1 Year subscription to PLM Connect Essential			\$729.00
--	--	--------	---	--	--	----------

OPERATOR'S MANUALS

SD_T9802 OPERATORS MANUAL

		758535	Spanish NAR			No Charge
		759101	French NAR			No Charge

**T5 DYNAMIC COMMAND - STANDARD FAST PICK
US PRICE LIST**

Standard Equipment

KEY SELLING POINTS:

- Fuel efficient high torque 4.5L, 4-cylinder
- FPT engines with 4 valves per cylinder and common rail fuel injection systems
- Tier 4B EPA emissions compliant with SCR only ECOBlue™ HI-eSCR Tier4B emissions system
- Underhood compact aftertreatment
- 24X24 Dynamic Command™ 8-Step Semi-Powershift transmission
- Best in class cab in terms of space and comfort (same cab as the T6 and T7 Series)
- Standard LED work lighting
- High level of Automating features (E-Hydr 4WD, PTO, e-controlled remotes)
- Closed Center Load Sensing "high efficiency" pumps, up to 108 l/m
- Easy attach remote outlets
- New bold styling (hood, cab roof, lighting)
- Long Stable 98" wheel base for all Models
- Gross Vehicle Weight up to 18,700 lbs.

MODELS

T5.130 Dynamic Command

Rated PTO HP - 102

Rated Engine HP - 120

Maximum Engine HP - 130

Rated Speed - 2200 RPM

274 cu. in. (4.5L) - 4 Cylinder

Fuel Tank: 47 Gallon (180L)

DEF Tank: 5 Gallon (19L)

T5.140 Dynamic Command

Rated PTO HP - 111

ENGINE Rated Engine HP - 130

Maximum Engine HP - 140

Rated Speed - 2200 RPM

274 cu. in. (4.5L) - 4 Cylinder

Fuel Tank: 47 Gallon (180L)

DEF Tank: 5 Gallon (19L)

ENGINE

Tier 4B Emissions Compliant
ECOBlue™ HI-eSCR Tier4B system
Engine with Turbocharger and
Air-to-Air Intercooler
4 Valves Per Cylinder
Bosch Common Rail Fuel Injection
Pump (electronic)
Grid Heater Starting Aid
Cold weather pack block and
transmission heater
Dual Element Air Filter with Pre-Cleaner
(spin tube intakes)
A-Pillar Exhaust with Integral Muffler
Viscous Fan (5 blade)
Hand Throttle

TRANSMISSION

- 24x24 Dynamic Command Semi Powershift Transmission
- Clutchless Range Change between Ranges A/B, B/C.
- 25-MPH (40-KPH) (varies by tire size)

CAB

-High Roof w/ Opening Visibility Panel and Sunshade
-Cab suspension
- Flat Deck Platform with Integrated ROPS
- Standard Air Conditioner and Heater with 4-Speed Pressurizer and dual zone air conditioning
- Two doors with Locks
- Two-speed Intermittent Front
- Wiper/Washer
- Rear Intermittent Wiper/Washer
- Hinged Rear Window
- Tinted Glass with Sunshade
- Tilt and Telescoping Steering Wheel
- IntelliView™ IV disp. mtd. on arm rest
- Deluxe Air Suspension Seat with Automatic Adjustment, Operator

**T5 DYNAMIC COMMAND - STANDARD FAST PICK
US PRICE LIST**

Standard Equipment

Presence Switch and Lap Belt

- Instructor Seat
- Deluxe radio
- Digital clock
- Integral ROPS
- Interior dome light
- (2) External courtesy lights
- (2) External telescopic remote
- Adjustable mirrors
- Horn
- Std steering wheel & floor mat
- ISOBUS II connector

STEERING & BRAKES

- Hydrostatic power steering
- Hydraulic wet disc brakes (self-equalizing/self-adjusting)
- Parking brake (automotive style)

FRONT AXLE

- Front FWD (TerraLock™)
- Class 1.75 heavy-duty FWD axle
- 55-degree turning angle
- Dual steering cylinders
- 11-degree axle oscillation
- Electrohydraulic FWD engagement
- TerraLock™ Auto FWD/Diff-Lock
- Driveshaft shield

REAR AXLE

- Heavy-duty flange axle
- Wet plate differential lock
- Electrohydraulic-engaged dif. lock

ELECTRICAL

- (1) 12-volt 1300 CCA battery
- 120-amp alternator
- Geared starter motor (4.2 kW)
- 7-pin outlet for implement lighting
- 3-pin 40-amp implement socket
- ISO/JD (30 amp) socket

- 15 amp screw-type +/- terminals
- Single pin (8 amp) accessory outlet
- Cigarette lighter
- (2) single-pin outlets for beacon on roof
- Battery boost terminals
- ISOBUS Class 2

LIGHTS

- (4) Halogen front hood headlights
- (2) LED front hood signature lights
- (8) LED cab mounted work lights
- (4) LED high front & rear
- (4) LED mid-mount front & rear
- (2) taillights
- Front & Rear Flashing Cab Safety Lights
- Time Delayed, Self-Cancelling Turn Indicators with Audiable Warning Rotary beacon

PTO

- Independent 540/540E/1000 RPM
- PTO with
- reversible shaft and flip-up shield
- Multi-plate wet clutch design
- Electrohydraulic-engagement with soft start/auto feathering
- Hydraulic piston PTO brake w/override

HYDRAULIC SYSTEM

- Closed-center load-sensing pump
- Flow at 1,900 RPM: 28.5 gpm (108 l/m)
- (2) electro-hydraulic rear remote valves controlled in SideWinder II™ console (fully programmable)
- Oil collection bottles
- Hydraulic tapping port (Power Beyond)
- Independent pump for CVT and operating circuits
- 3 function electronic mid mount valve and joystick



**T5 DYNAMIC COMMAND - STANDARD FAST PICK
US PRICE LIST**

Standard Equipment

3-POINT LIFT SYSTEM

Electronic Draft Control (EDC)
Lower link sensing
Fast raise/lower control
Dynamic Ride Control™
Category II flex link ends
Telescopic stabilizers
10228 lb. Lift Capacity with Dual 80mm
External Rams

MISCELLANEOUS

Complete loader ready: vertical and
horizontal brackets and hoses from
valve to vertical bracket
Rear wheel weights
Flip-up engine hood
Swinging drawbar
SMV emblem
Toolbox

WARRANTY

New Holland standard warranty applies

**T5 DYNAMIC COMMAND - STANDARD FAST PICK
US PRICE LIST**

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
T5.130 DCT	6,239 LB		\$122,644.00
Includes the following Equipment			
14.9R24 A8 HD Rim (8242301)	\$2,203.00		
460/85(18.4)R34 A8 FI,MI,C (8365401)	\$3,912.00		
T5.130 DCT	19,401 LB		\$122,644.00
Includes the following Equipment			
14.9R24 A8 HD Rim (8242301)	\$2,203.00		
460/85(18.4)R34 A8 FI,MI,C (8365401)	\$3,912.00		
T5.140 DCT	6,239 LB		\$126,214.00
Includes the following Equipment			
14.9R24 A8 HD Rim (8242301)	\$2,203.00		
460/85(18.4)R34 A8 FI,MI,C (8365401)	\$3,912.00		
T5.140 DCT	19,401 LB		\$126,214.00
Includes the following Equipment			
14.9R24 A8 HD Rim (8242301)	\$2,203.00		
460/85(18.4)R34 A8 FI,MI,C (8365401)	\$3,912.00		

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

FAST PICK CONFIGURATION

SD_T9980 PACKAGING

X0474XX	NAR NH PCK C STD Standard Fast Pick Package Includes: 759768: BASE COLOUR HI ROOF 758479: Suspended_Cab 758402: Grid_Heater + 110V Pack 758980: Loader Ready 743690: 3 Electronic MMV 759137: 2X150KG + 2X250KG Wheel Weight 759166: BASIC AUTO FEATURE 759155: BASIC ARMRST MTD DOG 759777: ROTARY BEACON 759777 758357: 8 LED High Power Hi-Roof			\$9,448.00
---------	--	--	--	------------



**T5 DYNAMIC COMMAND - STANDARD FAST PICK
US PRICE LIST**

TIRES

BRAND CHOICE

SD_T4900 TIRE CATEGORY CHOICE

		330418	Trelleborg			\$571.00
		330438	No tire brand preference			No Charge
		330447	Alliance			\$571.00
		330439	Continental			\$571.00
		330446	Firestone			\$571.00
		330442	Michelin			\$571.00
		330444	Nokian			\$571.00

FRONT WHEELS & TIRES

SD_T4940 FRONT WHEELS AND TIRES

Ag Front Tires						
		8235401	12.4R24 A8 R1W RADIAL ISO 4WD ADJUSTABLE RIM Match w/ 8357401 rear tire/wheel			\$1,464.00
		8242301	14.9R24 A8 HD Rim R1W RADIAL ISO 4WD ADJUSTABLE RIM Match with 8365401 rear tire/wheel			\$2,203.00
		8299801	Non-Return Ship Wheels - 4WD			\$97.00
		8880401	360/80R24 GRSLND, Adj. Rim			\$1,994.00
		8247401	11.2R28 A8 R1W RADIAL ISO 4WD ADJUSTABLE RIM Matches with 8372401 Rear tires 13.6R38 (340/85R38) MAVT			\$1,515.00

REAR WHEELS & TIRES

SD_T4950 REAR WHEELS AND TIRES

		8357401	18.4R30 R1W			\$3,550.00
		8365401	460/85(18.4)R34 A8 FI,MI,CO,TR			\$3,912.00
		8372401	13.6R38 A8			\$2,386.00
		8399801	Non-Returnable Shipping Wheel			\$592.00
		8916401	440/80R34 GRSLND, Adj. Rim			\$3,320.00

CAB OPTION

SD_T9360 RR MIRRORS

		759154	2 Tele/Heat/Rem Adj Mirror			\$66.00
--	--	--------	----------------------------	--	--	---------



**T5 DYNAMIC COMMAND - STANDARD FAST PICK
US PRICE LIST**

SEATS

SD_T8500 SEAT

		758670	Deluxe Air and Belt			\$765.00
		758486	MAXIMO EVO Semi Active Suspension, Heated, Vented, Belt, Alacantara/Leather, Up/Down Headrest (Maximo Evo)			\$3,909.00

MONITOR BRACKETS

SD_T9223 RH WINDOW BAR MOUNT

		758153	Monitor Mounting Bracket.			\$153.00
		758154	RH Window Bar Display Ready.			\$250.00
		758621	10" Color Touch Screen Display			\$5,942.00

MISCELLANEOUS

FENDERS FRONT

SD_T8740 FRONT FENDERS

		758330	Dynamic Front Fenders 480mm			\$755.00
--	--	--------	-----------------------------	--	--	----------

OPERATOR'S MANUALS

SD_T9802 OPERATORS MANUAL

		758535	Spanish NAR			No Charge
		759101	French NAR			No Charge

**T5 DYNAMIC COMMAND - PREMIUM FAST PICK
US PRICE LIST**

Standard Equipment

KEY SELLING POINTS:

- Fuel efficient high torque 4.5L, 4-cylinder
- FPT engines with 4 valves per cylinder and common rail fuel injection systems
- Tier 4B EPA emissions compliant with SCR only ECOBlue™ HI-eSCR Tier4B emissions system
- Underhood compact aftertreatment
- 24X24 Dynamic Command™ 8-Step Semi-Powershift transmission
- Best in class cab in terms of space and comfort (same cab as the T6 and T7 Series)
- Standard LED work lighting
- High level of Automating features (E-Hydr 4WD, PTO, e-controlled remotes)
- Closed Center Load Sensing "high efficiency" pumps, up to 108 l/m
- Easy attach remote outlets
- New bold styling (hood, cab roof, lighting)
- Long Stable 98" wheel base for all Models
- Gross Vehicle Weight up to 18,700 lbs.

MODELS

T5.130 Dynamic Command

Rated PTO HP - 102

Rated Engine HP - 120

Maximum Engine HP - 130

Rated Speed - 2200 RPM

274 cu. in. (4.5L) - 4 Cylinder

Fuel Tank: 47 Gallon (180L)

DEF Tank: 5 Gallon (19L)

T5.140 Dynamic Command

Rated PTO HP - 111

ENGINE Rated Engine HP - 130

Maximum Engine HP - 140

Rated Speed - 2200 RPM

274 cu. in. (4.5L) - 4 Cylinder

Fuel Tank: 47 Gallon (180L)

DEF Tank: 5 Gallon (19L)

ENGINE

Tier 4B Emissions Compliant
ECOBlue™ HI-eSCR Tier4B system
Engine with Turbocharger and
Air-to-Air Intercooler
4 Valves Per Cylinder
Bosch Common Rail Fuel Injection
Pump (electronic)
Grid Heater Starting Aid
Cold weather pack block and
transmission heater
Dual Element Air Filter with Pre-Cleaner
(spin tube intakes)
A-Pillar Exhaust with Integral Muffler
Viscous Fan (5 blade)
Hand Throttle

TRANSMISSION

- 24x24 Dynamic Command Semi Powershift Transmission
- Clutchless Range Change between Ranges A/B, B/C.
- 25-MPH (40-KPH) (varies by tire size)

CAB

-Low Roof w/ Opening Visibility Panel and Sunshade
-Cab suspension
- Flat Deck Platform with Integrated ROPS
- Standard Air Conditioner and Heater with 4-Speed Pressurizer and dual zone air conditioning
- Two doors with Locks
- Two-speed Intermittent Front
- Wiper/Washer
- Rear Intermittent Wiper/Washer
- Hinged Rear Window
- Tinted Glass with Sunshade
- Tilt and Telescoping Steering Wheel
- IntelliView™ IV disp. mtd. on arm rest
- Deluxe Air Suspension Seat with Automatic Adjustment, Operator

**T5 DYNAMIC COMMAND - PREMIUM FAST PICK
US PRICE LIST**

Standard Equipment

Presence Switch and Lap Belt

- Instructor Seat
- Deluxe radio
- Digital clock
- Integral ROPS
- Interior dome light
- (2) External courtesy lights
- (2) External telescopic remote
- Adjustable mirrors
- Horn
- Std steering wheel & floor mat
- ISOBUS II connector

STEERING & BRAKES

- Hydrostatic power steering
- Hydraulic wet disc brakes (self-equalizing/self-adjusting)
- Parking brake (automotive style)

FRONT AXLE

- Front FWD (TerraLock™)
- Class 1.75 heavy-duty FWD axle
- 55-degree turning angle
- Dual steering cylinders
- 11-degree axle oscillation
- Electrohydraulic FWD engagement
- TerraLock™ Auto FWD/Diff-Lock
- Driveshaft shield

REAR AXLE

- Heavy-duty flange axle
- Wet plate differential lock
- Electrohydraulic-engaged dif. lock

ELECTRICAL

- (1) 12-volt 1300 CCA battery
- 120-amp alternator
- Geared starter motor (4.2 kW)
- 7-pin outlet for implement lighting
- 3-pin 40-amp implement socket
- ISO/JD (30 amp) socket

- 15 amp screw-type +/- terminals
- Single pin (8 amp) accessory outlet
- Cigarette lighter
- (2) single-pin outlets for beacon on roof
- Battery boost terminals
- ISOBUS Class 2

LIGHTS

- (4) Halogen front hood headlights
- (2) LED front hood signature lights
- (8) LED cab mounted work lights
- (4) LED high front & rear
- (4) LED mid-mount front & rear
- (2) taillights
- Front & Rear Flashing Cab Safety Lights
- Time Delayed, Self-Cancelling Turn Indicators with Audiable Warning Rotary beacon

PTO

- Independent 540/540E/1000 RPM
- PTO with
- reversible shaft and flip-up shield
- Multi-plate wet clutch design
- Electrohydraulic-engagement with soft start/auto feathering
- Hydraulic piston PTO brake w/override

HYDRAULIC SYSTEM

- Closed-center load-sensing pump
- Flow at 1,900 RPM: 28.5 gpm (108 l/m)
- (2) electro-hydraulic rear remote valves controlled in SideWinder II™ console (fully programmable)
- Oil collection bottles
- Hydraulic tapping port (Power Beyond)
- Independent pump for CVT and operating circuits
- 3 function electronic mid mount valve and joystick



**T5 DYNAMIC COMMAND - PREMIUM FAST PICK
US PRICE LIST**

Standard Equipment

3-POINT LIFT SYSTEM

Electronic Draft Control (EDC)

Lower link sensing

Fast raise/lower control

Dynamic Ride Control™

Category II flex link ends

Telescopic stabilizers

10228 lb. Lift Capacity with Dual 80mm

External Rams

Complete loader ready: vertical and
horizontal brackets and hoses from
valve to vertical bracket

Rear wheel weights

Flip-up engine hood

Swinging drawbar

SMV emblem

Toolbox

WARRANTY

New Holland standard warranty applies

MISCELLANEOUS

**T5 DYNAMIC COMMAND - PREMIUM FAST PICK
 US PRICE LIST**
Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
T5.130 DCT	6,239 LB		\$122,644.00
Includes the following Equipment			
14.9R24 A8 HD Rim (8242301) \$2,203.00			
460/85(18.4)R34 A8 FI,MI,C (8365401) \$3,912.00			
T5.130 DCT	19,401 LB		\$122,644.00
Includes the following Equipment			
14.9R24 A8 HD Rim (8242301) \$2,203.00			
460/85(18.4)R34 A8 FI,MI,C (8365401) \$3,912.00			
T5.140 DCT	6,239 LB		\$126,214.00
Includes the following Equipment			
14.9R24 A8 HD Rim (8242301) \$2,203.00			
460/85(18.4)R34 A8 FI,MI,C (8365401) \$3,912.00			
T5.140 DCT	19,401 LB		\$126,214.00
Includes the following Equipment			
14.9R24 A8 HD Rim (8242301) \$2,203.00			
460/85(18.4)R34 A8 FI,MI,C (8365401) \$3,912.00			

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------



**T5 DYNAMIC COMMAND - PREMIUM FAST PICK
US PRICE LIST**

FAST PICK CONFIGURATION

SD_T9980 PACKAGING

		X0472XX	NAR NH PCK A PREMIUM Premium Fast Pick Package Includes: 762040: LOW ROOF HIVIS PAN 758479: Suspended Cab 758402: Grid Heater + 110V Pack 759666: 1.75 W/EH DIFF LOCK 758980: Loader Ready 743690: 3 Electronic MMV 759137: 2X150KG + 2X250KG Wheel Weight 758631: ADV TRANS AUTO FEAT 759756: LARGE T.S. DISPLAY 759777: ROTARY BEACON 759777 758482: Air Conditioning W/ATC			\$18,587.00
--	--	---------	---	--	--	-------------

TIRES

BRAND CHOICE

SD_T4900 TIRE CATEGORY CHOICE

		330418	Trelleborg			\$571.00
		330438	No tire brand preference			No Charge
		330447	Alliance			\$571.00
		330439	Continental			\$571.00
		330446	Firestone			\$571.00
		330442	Michelin			\$571.00
		330444	Nokian			\$571.00

FRONT WHEELS & TIRES

SD_T4940 FRONT WHEELS AND TIRES

		8235401	12.4R24 A8 R1W RADIAL ISO 4WD ADJUSTABLE RIM Match w/ 8357401 rear tire/wheel			\$1,464.00
		8242301	14.9R24 A8 HD Rim R1W RADIAL ISO 4WD ADJUSTABLE RIM Match with 8365401 rear tire/wheel			\$2,203.00
		8299801	Non-Return Ship Wheels - 4WD			\$97.00
		8880401	360/80R24 GRS LND, Adj. Rim			\$1,994.00



**T5 DYNAMIC COMMAND - PREMIUM FAST PICK
US PRICE LIST**

		8247401	11.2R28 A8 R1W RADIAL ISO 4WD ADJUSTABLE RIM Matches with 8372401 Rear tires 13.6R38 (340/85R38) MAVT			\$1,515.00
--	--	---------	---	--	--	------------

REAR WHEELS & TIRES

SD_T4950 REAR WHEELS AND TIRES

		8365401	460/85(18.4)R34 A8 FI,MI,CO,TR			\$3,912.00
		8372401	13.6R38 A8			\$2,386.00
		8399801	Non-Returnable Shipping Wheel			\$592.00
		8916401	440/80R34 GRSLND, Adj. Rim			\$3,320.00

CAB OPTION

SD_T9360 RR MIRRORS

		759154	2 Tele/Heat/Rem Adj Mirror			\$66.00
--	--	--------	----------------------------	--	--	---------

LIGHTS

SD_T9130 WORK LAMPS

		762051	12 LED W/LGTS HI PWR			\$1,596.00
--	--	--------	----------------------	--	--	------------

MONITOR BRACKETS

SD_T9223 RH WINDOW BAR MOUNT

		758153	Monitor Mounting Bracket.			\$153.00
		758154	RH Window Bar Display Ready.			\$250.00
		758621	10" Color Touch Screen Display			\$5,942.00

OPERATOR'S MANUALS

SD_T9802 OPERATORS MANUAL

		758535	Spanish NAR			No Charge
		759101	French NAR			No Charge

**T5 DYNAMIC COMMAND - LESS FAST PICK
US PRICE LIST**

Standard Equipment

KEY SELLING POINTS:

- Fuel efficient high torque 4.5L, 4-cylinder
- FPT engines with 4 valves per cylinder and common rail fuel injection systems
- Tier 4B EPA emissions compliant with SCR only ECOBlue™ HI-eSCR Tier4B emissions system
- Underhood compact aftertreatment
- 24x24 Dynamic Command™ 8-Step Semi-Powershift transmission
- Best in class cab in terms of space and comfort (same cab as the T6 and T7 Series)
- Standard LED work lighting
- High level of Automating features (E-Hydr 4WD, PTO, e-controlled remotes)
- Closed Center Load Sensing "high efficiency" pumps, up to 108 l/m
- Easy attach remote outlets
- New bold styling (hood, cab roof, lighting)
- Long Stable 98" wheel base for all Models
- Gross Vehicle Weight up to 18,700 lbs.

MODELS

T5.130 Dynamic Command
Rated PTO HP - 102
Rated Engine HP - 120
Maximum Engine HP - 130
Rated Speed - 2200 RPM
274 cu. in. (4.5L) - 4 Cylinder
Fuel Tank: 47 Gallon (180L)
DEF Tank: 5 Gallon (19L)

T5.140 Dynamic Command
Rated PTO HP - 111
ENGINE Rated Engine HP - 130
Maximum Engine HP - 140
Rated Speed - 2200 RPM
274 cu. in. (4.5L) - 4 Cylinder
Fuel Tank: 47 Gallon (180L)
DEF Tank: 5 Gallon (19L)

ENGINE

Tier 4B Emissions Compliant
ECOBBlue™ HI-eSCR Tier4B system
Engine with Turbocharger and
Air-to-Air Intercooler
4 Valves Per Cylinder
Bosch Common Rail Fuel Injection
Pump (electronic)
Grid Heater Starting Aid
Dual Element Air Filter with Pre-Cleaner (spin tube intakes)
A-Pillar Exhaust with Integral Muffler
Viscous Fan (5 blade)
Hand Throttle

TRANSMISSION

- 24x24 Dynamic Command Semi Powershift Transmission
- Clutchless Range Change between Ranges A/B, B/C.
- 25-MPH (40-KPH) (varies by tire size)

CAB

- -High Roof w/ Opening Visibility Panel and Sunshade
- Flat Deck Platform with Integrated ROPS
 - Standard Air Conditioner and Heater with 4-Speed Pressurizer and dual zone air conditioning
 - Two doors with Locks
 - Two-speed Intermittent Front Wiper/Washer
 - Rear Intermittent Wiper/Washer
 - Hinged Rear Window
 - Tinted Glass with Sunshade
 - Tilt and Telescoping Steering Wheel
 - IntelliView™ IV disp. mtd. on arm rest
 - Deluxe Air Suspension Seat with Automatic Adjustment, Operator Presence Switch and Lap Belt
 - Instructor Seat
 - Deluxe radio

T5 DYNAMIC COMMAND - LESS FAST PICK US PRICE LIST

Standard Equipment

- Digital clock
- Integral ROPS
- Interior dome light
- (2) External courtesy lights
- (2) External telescopic remote
- Adjustable mirrors
- Horn
- Std steering wheel & floor mat
- ISOBUS II connector

STEERING & BRAKES

- Hydrostatic power steering
- Hydraulic wet disc brakes (self-equalizing/self-adjusting)
- Parking brake (automotive style)

FRONT AXLE

- Front FWD (TerraLock™)
- Class 1.75 heavy-duty FWD axle
- 55-degree turning angle
- Dual steering cylinders
- 11-degree axle oscillation
- Electrohydraulic FWD engagement
- TerraLock™ Auto FWD/Diff-Lock
- Driveshaft shield

REAR AXLE

- Heavy-duty flange axle
- Wet plate differential lock
- Electrohydraulic-engaged dif. lock

ELECTRICAL

- (1) 12-volt 1300 CCA battery
- 120-amp alternator
- Geared starter motor (4.2 kW)
- 7-pin outlet for implement lighting
- 3-pin 40-amp implement socket
- ISO/JD (30 amp) socket
- 15 amp screw-type +/- terminals
- Single pin (8 amp) accessory outlet
- Cigarette lighter

- (2) single-pin outlets for beacon on roof
- Battery boost terminals
- ISOBUS Class 2

LIGHTS

- (4) Halogen front hood headlights
- (2) LED front hood signature lights
- (8) LED cab mounted work lights
- (4) LED high front & rear
- (4) LED mid-mount front & rear
- (2) taillights
- Front & Rear Flashing Cab Safety Lights
- Time Delayed, Self-Cancelling Turn Indicators with Audiable Warning

PTO

- Independent 540/540E/1000 RPM PTO with
- reversible shaft and flip-up shield
- Multi-plate wet clutch design
- Electrohydraulic-engagement with soft start/auto feathering
- Hydraulic piston PTO brake w/override

HYDRAULIC SYSTEM

- Closed-center load-sensing pump
- Flow at 1,900 RPM: 28.5 gpm (108 l/m)
- (2) electro-hydraulic rear remote valves controlled in SideWinder II™ console (fully programmable)
- Oil collection bottles
- Hydraulic tapping port (Power Beyond)
- Independent pump for CVT and operating circuits

3-POINT LIFT SYSTEM

- Electronic Draft Control (EDC)
- Lower link sensing
- Fast raise/lower control
- Dynamic Ride Control™



**T5 DYNAMIC COMMAND - LESS FAST PICK
US PRICE LIST**

Standard Equipment

Category II flex link ends
Telescopic stabilizers
10228 lb. Lift Capacity with Dual 80mm
External Rams

MISCELLANEOUS

Flip-up engine hood
Swinging drawbar
SMV emblem
Toolbox

WARRANTY

New Holland standard warranty applies

**T5 DYNAMIC COMMAND - LESS FAST PICK
US PRICE LIST****Models**

COMMERCIAL MODEL	Weight	Factory Data	List Price
T5.130 DCT	6,239 LB		\$122,644.00
Includes the following Equipment			
14.9R24 A8 HD Rim (8242301) \$2,203.00			
460/85(18.4)R34 A8 FI,MI,C (8365401) \$3,912.00			
T5.130 DCT	19,401 LB		\$122,644.00
Includes the following Equipment			
14.9R24 A8 HD Rim (8242301) \$2,203.00			
460/85(18.4)R34 A8 FI,MI,C (8365401) \$3,912.00			
T5.140 DCT	6,239 LB		\$126,214.00
Includes the following Equipment			
14.9R24 A8 HD Rim (8242301) \$2,203.00			
460/85(18.4)R34 A8 FI,MI,C (8365401) \$3,912.00			
T5.140 DCT	19,401 LB		\$126,214.00
Includes the following Equipment			
14.9R24 A8 HD Rim (8242301) \$2,203.00			
460/85(18.4)R34 A8 FI,MI,C (8365401) \$3,912.00			

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

FAST PICK CONFIGURATION

SD_T9980 PACKAGING

	X0475XX	LESS PACKAGING		No Charge
--	---------	----------------	--	-----------

CAB CONFIGURATION

CAB ROOF/COLOR

SD_T9850 SPECIAL COLORS/PANELS

	762040	LOW ROOF HIVIS PAN. Low roof with a new visibility panel		\$765.00
--	--------	---	--	----------



**T5 DYNAMIC COMMAND - LESS FAST PICK
US PRICE LIST**

FIXED OR SUSPENDED

SD_T9200 OPERATOR STRUCTURE #1

		758479	Suspended_Cab			\$1,800.00
--	--	--------	---------------	--	--	------------

ENGINE

COLD WEATHER AIDS

SD_T1938 WEATHER PACK

		758402	Grid_Heater + 110V Pack Grid heater and cold weather pack Includes engine block heater and transmission heater			\$413.00
--	--	--------	--	--	--	----------

TRANSMISSION

SD_T2800 SPEED

		759112	40K ECO - DCT+CREEPE			\$2,550.00
--	--	--------	----------------------	--	--	------------

SD_T2816 AUTO FEATURES

		758631	ADV TRANS AUTO FEAT			\$1,693.00
--	--	--------	---------------------	--	--	------------

FRONT AXLE

SD_T4010 FRONT AXLE

		759670	Class 1.75 Suspd Front Axle			\$3,866.00
--	--	--------	-----------------------------	--	--	------------

TIRES

BRAND CHOICE

SD_T4900 TIRE CATEGORY CHOICE

		330418	Trelleborg			\$571.00
		330438	No tire brand preference			No Charge
		330447	Alliance			\$571.00
		330439	Continental			\$571.00
		330446	Firestone			\$571.00
		330442	Michelin			\$571.00
		330444	Nokian			\$571.00

**T5 DYNAMIC COMMAND - LESS FAST PICK
US PRICE LIST**

FRONT WHEELS & TIRES

SD_T4940 FRONT WHEELS AND TIRES

		8235401	12.4R24 A8 R1W RADIAL ISO 4WD ADJUSTABLE RIM Match w/ 8357401 rear tire/wheel			\$1,464.00
		8242301	14.9R24 A8 HD Rim R1W RADIAL ISO 4WD ADJUSTABLE RIM Match with 8365401 rear tire/wheel			\$2,203.00
		8299801	Non-Return Ship Wheels - 4WD			\$97.00
		8880401	360/80R24 GRSLND, Adj. Rim			\$1,994.00
		8247401	11.2R28 A8 R1W RADIAL ISO 4WD ADJUSTABLE RIM Matches with 8372401 Rear tires 13.6R38 (340/85R38) MAVT			\$1,515.00

REAR WHEELS & TIRES

SD_T4950 REAR WHEELS AND TIRES

		8357401	18.4R30 R1W			\$3,550.00
		8365401	460/85(18.4)R34 A8 FI,MI,CO,TR			\$3,912.00
		8372401	13.6R38 A8			\$2,386.00
		8399801	Non-Returnable Shipping Wheel			\$592.00
		8916401	440/80R34 GRSLND, Adj. Rim			\$3,320.00

HYDRAULICS

COMPLETE LOADER READY

SD_T8110 LOADER BRACKETS

		758980	Loader Ready.			\$4,677.00
--	--	--------	---------------	--	--	------------

MID MOUNT VALVES

SD_T7780 JOYSTICK

		759396	EHSTICK ADV +/- PROP			\$2,550.00
--	--	--------	----------------------	--	--	------------

SD_T7790 MID-MOUNT VALVES

		743689	2 Electronic MMV			\$2,550.00
		743690	3 Electronic MMV			\$3,907.00

**T5 DYNAMIC COMMAND - LESS FAST PICK
US PRICE LIST****WEIGHTS****FRONT****SD_T2150 FRONT BALLAST**

		759769	10 FRONT WEIGHTS Qty. 10, 88 lb. (40 Kg) weights totaling 882 lb. (400 Kg)			\$1,183.00
--	--	--------	--	--	--	------------

REAR WHEEL WEIGHTS**SD_T4960 WHEEL WEIGHTS**

		759137	2X150KG + 2X250KG Wheel Weight			\$1,594.00
--	--	--------	--------------------------------	--	--	------------

CAB OPTION**SD_T9360 RR MIRRORS**

		759154	2 Tele/Heat/Rem Adj Mirror			\$66.00
--	--	--------	----------------------------	--	--	---------

SEATS**SD_T8500 SEAT**

		758670	Deluxe Air and Belt			\$765.00
		758485	Deluxe Seat Air Susp Heated Super Deluxe Seat with Low Frequency Suspension (+DDS) Belt and Swivel Headrest Heated Leather/Alacantara			\$1,994.00
		758486	MAXIMO EVO Semi Active Suspension, Heated, Vented, Belt, Alacantara/Leather, Up/Down Headrest (Maximo Evo)			\$3,909.00

LIGHTS**SD_T9130 WORK LAMPS**

		762051	12 LED W/LGTS HI PWR			\$1,596.00
--	--	--------	----------------------	--	--	------------

SD_T9146 ROTARY BEACON

		758491	Twin Beacon			\$852.00
		759777	ROTARY BEACON 759777			\$423.00

MONITOR BRACKETS**SD_T9223 RH WINDOW BAR MOUNT**

		758153	Monitor Mounting Bracket.			\$153.00
--	--	--------	---------------------------	--	--	----------

**T5 DYNAMIC COMMAND - LESS FAST PICK
US PRICE LIST**

		758154	RH Window Bar Display Ready.			\$250.00
		758621	10" Color Touch Screen Display			\$5,942.00

SD_T9230 CLIMATE CONTROL

		758482	Air Conditioning W/ATC			\$740.00
--	--	--------	------------------------	--	--	----------

ISO BUS CONNECTOR

SD_T7642 ISO BUS

		758632	ISO CL2+9PIN IN CAB			No Charge
--	--	--------	---------------------	--	--	-----------

AUTO GUIDANCE

AUTO GUIDANCE READY

SD_T6300 STEERING OR AUTOGUIDANCE READY

		759185	Autoguidance Ready Autoguidance Ready prewired for guidance does not include Nav III Controller and NH 372 receiver			\$5,425.00
--	--	--------	---	--	--	------------

SD_T7616 AUTOGUIDANCE NAV/CO

		762158	AUTOGUID. - Lv.1 Includes Auto Guidance Ready offering with Nav III Controller and NH 372 receiver activated to WAAS level accuracy (Level 1)			\$15,050.00
		762159	AUTOGUID. - Lv.2 Includes Auto Guidance Ready offering with Nav III Controller and NH 372 receiver activated to OmniSTAR HP/G2/XP & CenterPoint RTX level accuracy (Level 2)			\$17,850.00

MISCELLANEOUS

FENDERS FRONT

SD_T8740 FRONT FENDERS

		758330	Dynamic Front Fenders 480mm			\$755.00
--	--	--------	-----------------------------	--	--	----------

RADAR

SD_T7580 RADAR

		758501	Radar NAR			\$834.00
--	--	--------	-----------	--	--	----------



**T5 DYNAMIC COMMAND - LESS FAST PICK
US PRICE LIST**

OPERATOR'S MANUALS

SD_T9802 OPERATORS MANUAL

		758535	Spanish NAR			No Charge
		759101	French NAR			No Charge

**TS6 CAB FWD 16X8 LESS LOADER FAST PICK
US PRICE LIST**

Standard Equipment

KEY SELLING POINTS:

- CommandArc™ ergonomically places most frequently used controls to operator's right
- Cab has ten repositionable vents for heating and air conditioning
- Full-size instructor seat (option)
- Creeper transmission (option)
- 4.5L, 4-cylinder, FPT engines with 4 valves per cylinder, and common rail fuel injection systems
- Tier 4B EPA emissions compliant with ECOBlue™ HI-eSCR Tier4B emissions system

ENGINE

TS6.110

Rated PTO HP - 90
Rated Engine HP - 110
Rated Engine Speed - @ 2200 rpm
274 cu. in. (4.5L) Displacement
4 Cylinders, Turbocharged
Intercooled Diesel Engine

TS6.120

Rated PTO HP - 96
Rated Engine HP - 119
Rated Engine Speed - @ 2200 rpm
274 cu. in. (4.5L) Displacement
4 Cylinders, Turbocharged
Intercooled Engine

TS6.130

Rated PTO HP - 105
Rated Engine HP - 130
Rated Engine Speed - @ 2200 rpm
274 cu. in. (4.5L) Displacement
4 Cylinders, Turbocharged
Intercooled Engine

TS6.140

Rated PTO HP - 115
Rated Engine HP - 139

Rated Engine Speed - @ 2200 rpm
274 cu. in. (4.5L) Displacement
4 Cylinders, Turbocharged
Intercooled Engine

COMMON ENGINE FEATURES

Tier 4B Emissions Compliant
ECOBlue™ HI-eSCR Tier4B emissions system
Engine with Turbocharger and Air-to-Air Intercooler
4 Valves Per Cylinder
Bosch Common Rail Fuel Injection Pump (electronic)
Grid Heater Starting Aid
Dual Element Air Filter with Pre-Cleaner (spin tube intakes)
A-Pillar Exhaust with Integral Muffler
Air cleaner with integrated pre-cleaner & dust ejector
Fixed Fan
Cooling System with Antifreeze
Water Separator and Dual Fuel Filters
Plastic Fuel Tank
57.5 gallon (217.6 liter) fuel capacity
7.9 gallon (30 liter) DEF tank capacity
Fuel tank guard

TRANSMISSION

16 X 8 Power Shuttle
16 Forward x 8 Reverse
24.9 MPH (40 KPH)
Main gearbox synchronized in range
Left-hand shuttle lever
(2) Right-hand Shift Levers
Multiplate Wet Clutch (7) 6in. plates

STEERING

Hydrostatic Power Steering

**TS6 CAB FWD 16X8 LESS LOADER FAST PICK
US PRICE LIST**

Standard Equipment

AXLES

Front - FWD

104" Wheel Base

Class 3 Heavy Duty

Limited Slip Front Wheel Drive

Mechanical FWD Engagement

55° Turning Angle

12° Axle Oscillation

Front Drive Shaft Shield

Manual Adjustable Tread Width from
64 in. to 80 in.

Rear

Hydraulic Wet Brakes (equalizing)

Park Brake Lever

Swinging Drawbar

Manual Adjustable Tread Width from
64 in. to 80 in.

PTO

Independent, 540/1000 rpm PTO

Multi-plate Wet Clutch

Mechanical Engagement

HYDRAULIC SYSTEM

Fixed displacement pumps

Dual Gear Pumps

Maximum Flow at Rated Engine Speed:

Implement Pump: 22 gpm

Steering Pump: 7 gpm

Total Flow: 29 gpm

(2) Close Center Deluxe Remotes (opt.

for 3) with Flow Control and

(4) Couplers

3-POINT LIFT SYSTEM

Top Link Draft Sensing

3735 lbs. Lift Capacity @ 24 in. (ASAE)

Category II, 3-point Linkage with Flexible
Link Ends

Telescopic Stabilizers

ELECTRICAL:

(1) 950 cca Heavy-Duty Battery

120 amp Alternator

7-pin Outlet for trailer/implement lighting
and signals

3-pin Power Outlet (30 amp) - cab only

Single Pin (8 amp) Accessory Power
outlet

12V power socket (cigarette lighter) -
cab only

INSTRUMENTATION:

Analog Instrumentation with warning
lights for air cleaner service,
alternator, oil pressure, fuel
sediment/water sensor, PTO
engagement, head light high beam,
low fuel and parking brake,
digital speed readout

Gauges for fuel level, engine
temperature, tachometer and hour
meter

Horn

LIGHTING:

CAB

Front: (2) Halogen Headlights and
(4) cab mounted worklights

Rear: (4) cab mounted worklights

Turn Signals/Flashers/Rear Lights

OPERATOR PROTECTIVE STRUCTURE:

CAB MODELS

ROPS protected, FOPS Certified, flat
deck platform with heat and air
conditioning, tinted windshield, two
doors with locks, two external mirrors,
openable side windows, hinged rear
window (opens completely)
Steering Wheel - adjustable tilt
Seat - Cloth covered with mechanical



TS6 CAB FWD 16X8 LESS LOADER FAST PICK
US PRICE LIST

Standard Equipment

suspension, operator's presence sensor,
retractable seat belt and arm rests
Suspended pedals
Radio, wires, speakers, and
antenna
Front window washer and wiper

WARRANTY

New Holland Standard Warranty Applies

MISCELLANEOUS

Pivoting Engine Hood
SMV Emblem
Toolbox



**TS6 CAB FWD 16X8 LESS LOADER FAST PICK
US PRICE LIST**

Models

COMMERCIAL MODEL	VERSION	TRACTION	Weight	Factory Data	List Price
TS6.110 T4B	Cab	MFD	10,450 LB		\$89,075.00
Includes the following Equipment					
13.6R28 MICHELIN (8201703) \$1,890.00					
18.4R34 MICHELIN (8301703) \$3,664.00					
Radio 392295 (392295) \$249.00					
TS6.120 T4B	Cab	MFD	10,450 LB		\$92,452.00
Includes the following Equipment					
13.6R28 MICHELIN (8201703) \$1,890.00					
18.4R34 MICHELIN (8301703) \$3,664.00					
Radio 392295 (392295) \$249.00					
TS6.130 T4B	Cab	MFD	10,626 LB		\$96,985.00
Includes the following Equipment					
13.6R28 MICHELIN (8201703) \$1,890.00					
18.4R34 MICHELIN (8301703) \$3,664.00					
Radio 392295 (392295) \$249.00					
TS6.140 T4B	Cab	MFD	10,626 LB		\$104,695.00
Includes the following Equipment					
13.6R28 MICHELIN (8201703) \$1,890.00					
18.4R34 MICHELIN (8301703) \$3,664.00					
Radio 392295 (392295) \$249.00					

**TS6 CAB FWD 16X8 LESS LOADER FAST PICK
US PRICE LIST****Factory Supplied Options**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

SD_TR TRACTION

	4WD	MFD			No Charge
--	-----	-----	--	--	-----------

SD_VE VERSION

	CAB	Cab			\$12,106.00
--	-----	-----	--	--	-------------

FAST PICK CONFIGURATION

SD_T9980 PACKAGING

	X0548XX	NH FAST PICK #3 NH FAST PICK #3 TS6 Cab FWD 16X8 Less Loader Includes: 337280: 40 KPH 330061: 16x8 With Power Shuttle 390331: Heavy-duty Flange Axle 429472: 2 Bosch RR Flow Ctrl 390819: Less Loader Ready XT8240X: Std less External 3-pt Control 390215: Less Front Carrier and Weights XT4961X: Standard less rear ballast 334743: High-visibility window 336937: Instructor seat 390860: Less Front Fenders 392295: Radio 392295 X5701XX: Floor mat in Cab base			(\$781.00)
--	---------	--	--	--	------------

OTHER EQUIPMENT

SD_T8112 ENGINE SIDE RAILS

	463924	INSTALLED PUSH BAR			\$2,234.00
--	--------	--------------------	--	--	------------

HITCH AND DRAWBAR

SD_T8900 REAR HITCHES/DRAWBAR

	464040	PINTLE HITCH			\$485.00
--	--------	--------------	--	--	----------

**TS6 CAB FWD 16X8 LESS LOADER FAST PICK
US PRICE LIST****TRANSMISSION**

SD_T3230 CREEPER or Interlock

		330066	10:1 CREEPER FOR 8+8 & 16+8 Creeper Transmission NOT Compatible with 16x8 (330061) AND 46" rear wheels (8360761 or 8360781).			\$2,567.00
--	--	--------	--	--	--	------------

TIRES**FRONT WHEELS & TIRES**

SD_T4940 FRONT WHEELS AND TIRES

4WD Front						
		8201703	13.6R28 MICHELIN Requires 18.4R34 R1W Rear Tires			\$1,890.00
		8282201	12.4 x 28 6PR R1 Requires 12.4x42 Rear Tires			\$2,196.00
		8248621	250/95 R34 R1 Requires 12.4R46 or 320/90R46 R1 Rear Tires			\$2,500.00
		8248631	320/85 R34 R1 Requires 14.9R46 (380/85R46) Rear Tires			\$4,273.00
		8299905	Front Shipping Wheels-4WD 4WD Shipping Wheels			\$199.00

REAR WHEELS & TIRES

SD_T4950 REAR WHEELS AND TIRES

Flange Axle						
		8340612	18.4x34 8 ply R1 8340612			\$3,588.00
		8301702	18.4R30 MICHELIN			\$3,124.00
		8301703	18.4R34 MICHELIN			\$3,664.00
		8301705	18.4R38 MICHELIN			\$4,265.00
		8380100	12.4x42 8PR R1			\$4,713.00
		8399905	Shipping Wheels-Rear			\$748.00

3-POINT HITCH**REAR 3 POINT HITCH**

SD_T8950 AUX RAMS

		390344	Hyd Lift w/ 1 int. cyl 1 Internal Lift Ram 3,735 pounds lift capacity			No Charge
--	--	--------	---	--	--	-----------



**TS6 CAB FWD 16X8 LESS LOADER FAST PICK
US PRICE LIST**

		336784	Hyd Lift w/ 1 int. & 1 ext cyl 1 Auxiliary Lift Ram 5,499 pounds lift capacity			\$720.00
		339784	Hyd Lift w/ 1 int. & 2 ext cyl 2 Auxiliary Lift Rams 7,326 pounds lift capacity			\$1,361.00

CAB OPTION

SEATS

SD_T8500 SEAT

		336923	Air suspension seat w/swivel With 15 degree swivel			\$958.00
--	--	--------	--	--	--	----------

REAR WINDOW WIPER/WASHER

SD_T9150 REAR WIPER & WASHER

		330642	Rear wiper/washer - CAB Rear window wiper/washer for Cab			\$277.00
--	--	--------	--	--	--	----------

OPERATOR'S MANUALS

SD_T9802 OPERATORS MANUAL

		429481	Spanish Bosch T4B			No Charge
		429482	French Bosch T4B			No Charge

SD_T9840 COUNTRY CONFIGURATION

		339982	French Decals			No Charge
		339986	Spanish Decals			No Charge

**TS6 CAB FWD 16X8 LOADER READY FAST PICK
US PRICE LIST**

Standard Equipment

KEY SELLING POINTS:

- CommandArc™ ergonomically places most frequently used controls to operator's right
- High visibility panel provides a better view of loader when at full height
- Ten repositionable vents for heating and air conditioning
- Full-size instructor seat
- 4.5L, 4-cylinder, FPT engines with 4 valves per cylinder, and common rail fuel injection systems
- Tier 4B EPA emissions compliant with ECOBlue™ HI-eSCR Tier4B emissions system
- Factory Installed joystick and loader mounts
- Economy priced All Purpose Heavy tractor

ENGINE

----- TS6.110

Rated PTO HP - 90
Rated Engine HP - 110
Rated Engine Speed - @ 2200 rpm
274 cu. in. (4.5L) Displacement
4 Cylinders, Turbocharged
Intercooled Diesel Engine

TS6.120

Rated PTO HP - 96
Rated Engine HP - 119
Rated Engine Speed - @ 2200 rpm
274 cu. in. (4.5L) Displacement
4 Cylinders, Turbocharged
Intercooled Diesel Engine

TS6.130

Rated PTO HP - 105
Rated Engine HP - 130
Rated Engine Speed - @ 2200 rpm
274 cu. in. (4.5L) Displacement
4 Cylinders, Turbocharged
Intercooled Diesel Engine

TS6.140

Rated PTO HP - 115
Rated Engine HP - 139
Rated Engine Speed - @ 2200 rpm
274 cu. in. (4.5L) Displacement
4 Cylinders, Turbocharged
Intercooled Diesel Engine

COMMON ENGINE FEATURES

Tier 4B Emissions Compliant
ECOBlue™ HI-eSCR Tier4B emissions system
Engine with Turbocharger and
Air-to-Air Intercooler
4 Valves Per Cylinder
Bosch Common Rail Fuel Injection
Pump (electronic)
Grid Heater Starting Aid
Dual Element Air Filter with Pre-Cleaner (spin tube intakes)
A-Pillar Exhaust with Integral Muffler
Air cleaner with integrated pre-cleaner & dust ejector
Fixed Fan
Cooling System with Antifreeze
Water Separator and Dual Fuel Filters
Plastic Fuel Tank
57.5 gallon (217.6 liter) fuel capacity
7.9 gallon (30 liter) DEF tank capacity
Fuel tank guard

TRANSMISSION

16 X 8 Power Shuttle
16 Forward x 8 Reverse
4WD - 24.9 MPH (40 KPH)
Main gearbox synchronized in range
Left-hand shuttle lever
(2) Right-hand shift Levers
Multi-plate wet clutch (7) 6in. plates

STEERING

**TS6 CAB FWD 16X8 LOADER READY FAST PICK
US PRICE LIST**

Standard Equipment

Hydrostatic Power Steering

AXLES

Front - FWD

104" Wheel Base

Class 3 Heavy Duty

Limited Slip Front Wheel Drive

Mechanical FWD Engagement

55° Turning Angle

12° Axle Oscillation

Front Drive Shaft Shield

Manual Adjustable Tread Width from
64 in. to 80 in.

Rear

Hydraulic Wet Brakes (equalizing)

Park Brake Lever

Swinging Drawbar

Manual Adjustable Tread Width from
64 in. to 80 in.

PTO

Independent, 540/1000 rpm PTO

Multi-plate Wet Clutch

Mechanical Engagement

HYDRAULIC SYSTEM

Fixed displacement pumps

Dual Gear Pumps

Maximum Flow at Rated Engine Speed:

Implement Pump: 22 gpm

Steering Pump: 7 gpm

Total Flow: 29 gpm

(3) Close Center Deluxe Remotes

(6) Couplers

2 function mid mount valve and

joystick with loader brackets,

hoses and multi-coupler quick coupler

3-POINT LIFT SYSTEM

Top Link Draft Sensing

3735 lbs. Lift Capacity @ 24 in. (ASAE)

Category II, 3-point Linkage with Flexible
Link Ends

Telescopic Stabilizers

External 3-point hitch control

ELECTRICAL:

(1) 950 cca Heavy-Duty Battery

120 amp Alternator

7-pin Outlet for trailer/implement lighting
and signals

3-pin Power Outlet (30 amp) - cab only

Single Pin (8 amp) Accessory Power
outlet

12V power socket (cigarette lighter) -
cab only

INSTRUMENTATION:

Analog Instrumentation with warning
lights for air cleaner service,
alternator, oil pressure, fuel
sediment/water sensor, PTO
engagement, head light high beam,
low fuel and parking brake,
digital speed readout

Gauges for fuel level, engine
temperature, tachometer and hour
meter

Horn

LIGHTING:

CAB

Front: (2) Halogen Headlights and
(4) cab mounted worklights

Rear: (4) cab mounted worklights

Turn Signals/Flashers/Rear Lights

OPERATOR PROTECTIVE STRUCTURE:

ROPS protected, FOPS certified, flat
deck platform

with heat and air conditioning, tinted
windshield, two doors with locks, two
external mirrors, openable side



**TS6 CAB FWD 16X8 LOADER READY FAST PICK
US PRICE LIST**

Standard Equipment

windows, hinged rear window (opens completely)
Steering Wheel - adjustable tilt
Seat - Cloth covered with air suspension, operator's presence sensor, retractable seat belt and arm rests
Instructor seat
Suspended pedals
Radio complete with radio, wires, speakers, and antenna
Front and rear window washer and wiper
Overhead high visibility window
Sun visor

MISCELLANEOUS

Pivoting Engine Hood
SMV Emblem
Toolbox
6 Rear Wheel Weights

WARRANTY

New Holland Standard Warranty Applies



**TS6 CAB FWD 16X8 LOADER READY FAST PICK
US PRICE LIST**

Models

COMMERCIAL MODEL	VERSION	TRACTION	Weight	Factory Data	List Price
TS6.110 T4B	Cab	MFD	10,450 LB		\$89,075.00
Includes the following Equipment 13.6R28 MICHELIN (8201703) \$1,890.00 18.4R34 MICHELIN (8301703) \$3,664.00 Radio 392295 (392295) \$249.00					
TS6.120 T4B	Cab	MFD	10,450 LB		\$92,452.00
Includes the following Equipment 13.6R28 MICHELIN (8201703) \$1,890.00 18.4R34 MICHELIN (8301703) \$3,664.00 Radio 392295 (392295) \$249.00					
TS6.130 T4B	Cab	MFD	10,626 LB		\$96,985.00
Includes the following Equipment 13.6R28 MICHELIN (8201703) \$1,890.00 18.4R34 MICHELIN (8301703) \$3,664.00 Radio 392295 (392295) \$249.00					
TS6.140 T4B	Cab	MFD	10,626 LB		\$104,695.00
Includes the following Equipment 13.6R28 MICHELIN (8201703) \$1,890.00 18.4R34 MICHELIN (8301703) \$3,664.00 Radio 392295 (392295) \$249.00					



TS6 CAB FWD 16X8 LOADER READY FAST PICK
US PRICE LIST

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

SD_TR TRACTION

	4WD	MFD			No Charge
--	-----	-----	--	--	-----------

SD_VE VERSION

	CAB	Cab			\$12,106.00
--	-----	-----	--	--	-------------

FAST PICK CONFIGURATION

SD_T9980 PACKAGING

	X0549XX	NH FAST PICK #4 NH FAST PICK #4 Cab FWD 16X8 Loader Ready Include: 337280: 40 KPH 330061: 16x8 With Power Shuttle 390331: Heavy-duty Flange Axle 390266: L/CREEPER FOR 8+8 429473: 3 Bosch RR Flow Ctrl 330845: External 3-pt Control for MDC 429475: Loader Ready 429475 330471: 6 Rear Wheel Weights 334743: High-visibility window 336937: Instructor seat 390860: Less Front Fenders 392295: Radio 392295 X5701XX: Floor mat in Cab base			\$6,724.00
--	---------	--	--	--	------------

OTHER EQUIPMENT

HITCH AND DRAWBAR

SD_T8900 REAR HITCHES/DRAWBAR

	464040	PINTLE HITCH			\$485.00
--	--------	--------------	--	--	----------

**TS6 CAB FWD 16X8 LOADER READY FAST PICK
US PRICE LIST****TIRES****FRONT WHEELS & TIRES****SD_T4940 FRONT WHEELS AND TIRES**

4WD Front						
		8230608	14.9X24 6 PLY R1 8230608			\$1,740.00
		8201703	13.6R28 MICHELIN Requires 18.4R34 R1W Rear Tires			\$1,890.00
		8282201	12.4 x 28 6PR R1 Requires 12.4x42 Rear Tires			\$2,196.00
		8299905	Front Shipping Wheels-4WD 4WD Shipping Wheels			\$199.00

REAR WHEELS & TIRES**SD_T4950 REAR WHEELS AND TIRES**

Flange Axle						
		8340612	18.4x34 8 ply R1 8340612			\$3,588.00
		8301702	18.4R30 MICHELIN			\$3,124.00
		8301703	18.4R34 MICHELIN			\$3,664.00
		8301705	18.4R38 MICHELIN			\$4,265.00
		8380100	12.4x42 8PR R1			\$4,713.00

3-POINT HITCH**REAR 3 POINT HITCH****SD_T8950 AUX RAMS**

		390344	Hyd Lift w/ 1 int. cyl 1 Internal Lift Ram 3,735 pounds lift capacity			No Charge
		336784	Hyd Lift w/ 1 int. & 1 ext cyl 1 Auxiliary Lift Ram 5,499 pounds lift capacity			\$720.00

WEIGHTS**FRONT WEIGHTS****SD_T2150 FRONT BALLAST**

		334923	Carrier less front weights			\$319.00
		330213	Front Weight Carrier +8 wgths Front weight carrier & 8 weight slices (31kgs / 68 lbs each)			\$1,257.00
		330214	Front Weight Carrier +12 wgths Front weight carrier & 12 weight slices (31kgs / 68 lbs each)			\$1,778.00

**TS6 CAB FWD 16X8 LOADER READY FAST PICK
US PRICE LIST**

		330218	Front Weight Carrier +16 wghts Front weight carrier & 16 weight slices (31kgs / 68 lbs each)			\$1,946.00
--	--	--------	--	--	--	------------

CAB OPTION

SEATS

SD_T8500 SEAT

		336923	Air suspension seat w/swivel With 15 degree swivel			\$958.00
--	--	--------	--	--	--	----------

REAR WINDOW WIPER/WASHER

SD_T9150 REAR WIPER & WASHER

		330642	Rear wiper/washer - CAB Rear window wiper/washer for Cab			\$277.00
--	--	--------	--	--	--	----------

MISCELLANEOUS

FENDERS FRONT

SD_T8740 FRONT FENDERS

		336940	Front Fenders-Dynamic Requires 331497 axle oscillation stops.			\$748.00
--	--	--------	---	--	--	----------

OPERATOR'S MANUALS

SD_T9802 OPERATORS MANUAL

		429481	Spanish Bosch T4B			No Charge
		429482	French Bosch T4B			No Charge

SD_T9840 COUNTRY CONFIGURATION

		339982	French Decals			No Charge
		339986	Spanish Decals			No Charge

**TS6 CAB 2WD 16X8 LESS LOADER FAST PICK
US PRICE LIST**

Standard Equipment

KEY SELLING POINTS:

- CommandArc™ ergonomically places most frequently used controls to operator's right
- Ten repositionable vents for heating and air conditioning
- Full-size instructor seat
- 4.5L, 4-cylinder, FPT engines with 4 valves per cylinder, and common rail fuel injection systems
- Tier 4B EPA emissions compliant with ECOBlue™ HI-eSCR Tier4B emissions system
- Economy priced All Purpose Heavy tractor

ENGINE

TS6.110

Rated PTO HP - 90
Rated Engine HP - 110
Rated Engine Speed - @ 2200 rpm
274 cu. in. (4.5L) Displacement
4 Cylinders, Turbocharged
Intercooled Diesel Engine

TS6.120

Rated PTO HP - 96
Rated Engine HP - 119
Rated Engine Speed - @ 2200 rpm
274 cu. in. (4.5L) Displacement
4 Cylinders, Turbocharged
Intercooled Diesel Engine

TS6.130

Rated PTO HP - 105
Rated Engine HP - 130
Rated Engine Speed - @ 2200 rpm
274 cu. in. (4.5L) Displacement
4 Cylinders, Turbocharged
Intercooled Diesel Engine

TS6.140

Rated PTO HP - 115
Rated Engine HP - 139

Rated Engine Speed - @ 2200 rpm
274 cu. in. (4.5L) Displacement
4 Cylinders, Turbocharged
Intercooled Diesel Engine

COMMON ENGINE FEATURES

Tier 4B Emissions Compliant
ECOBBlue™ HI-eSCR Tier4B emissions system
Engine with Turbocharger and
Air-to-Air Intercooler
4 Valves Per Cylinder
Bosch Common Rail Fuel Injection
Pump (electronic)
Grid Heater Starting Aid
Dual Element Air Filter with Pre-Cleaner (spin tube intakes)
A-Pillar Exhaust with Integral Muffler
Air cleaner with integrated pre-cleaner & dust ejector
Fixed Fan
Cooling System with Antifreeze
Water Separator and Dual Fuel Filters
Plastic Fuel Tank
57.5 gallon (217.6 liter) fuel capacity
7.9 gallon (30 liter) DEF tank capacity
Fuel tank guard

TRANSMISSION

16 X 8 Power Shuttle
16 Forward x 8 Reverse
2WD - 18.7 MPH (30 KPH)
Main gearbox synchronized in range
Left-hand shuttle lever
(2) Right-hand shift Levers
Multi-plate wet clutch (7) 6in. plates

STEERING

Hydrostatic Power Steering

AXLES

**TS6 CAB 2WD 16X8 LESS LOADER FAST PICK
US PRICE LIST**

Standard Equipment

Front - 2WD
STD - 100" Wheel Base - TS6.110 &
TS6.120
HD - 96" wheel Base - TS6.130 &
TS6.140
55° Turning Angle
12° Axle Oscillation
Adjustable Tread Width from 60 in.
to 80 in.

Rear
Hydraulic Wet Brakes (equalizing)
Park Brake Lever
Swinging Drawbar
Manual Adjustable Tread Width from
64 in. to 80 in.

PTO

Independent, 540/1000 rpm PTO
Multi-plate Wet Clutch
Mechanical Engagement

HYDRAULIC SYSTEM

Fixed displacement pumps
Dual Gear Pumps
Maximum Flow at Rated Engine Speed:
Implement Pump: 22 gpm
Steering Pump: 7 gpm
Total Flow: 29 gpm
(2) Close Center Deluxe Remotes
(4) Couplers

3-POINT LIFT SYSTEM

Top Link Draft Sensing
5499 lbs. Lift Capacity @ 24 in. (ASAE)
Category II, 3-point Linkage with Flexible
Link Ends
Telescopic Stabilizers

ELECTRICAL:

(1) 950 cca Heavy-Duty Battery

120 amp Alternator
7-pin Outlet for trailer/implement lighting
and signals
3-pin Power Outlet (30 amp) - cab only
Single Pin (8 amp) Accessory Power
outlet
12V power socket (cigarette lighter) -
cab only

INSTRUMENTATION:

Analog Instrumentation with warning
lights for air cleaner service,
alternator, oil pressure, fuel
sediment/water sensor, PTO
engagement, head light high beam,
low fuel and parking brake,
digital speed readout
Gauges for fuel level, engine
temperature, tachometer and hour
meter
Horn

CAB

Front: (2) Halogen Headlights and
(4) cab mounted worklights
Rear: (4) cab mounted worklights
Turn Signals/Flashers/Rear Lights

CAB MODELS

ROPS protected, FOPS certified, flat
deck platform
with heat and air conditioning, tinted
windshield, two doors with locks, two
external mirrors, openable side
windows, hinged rear window (opens
completely)
Steering Wheel - adjustable tilt
Seat - Cloth covered with air suspension,
operator's presence sensor, retractable
seat belt and arm rests
Instructor seat
Suspended pedals
Radio complete with radio, wires,
speakers, and antenna
Front and rear window washer and



TS6 CAB 2WD 16X8 LESS LOADER FAST PICK
US PRICE LIST

Standard Equipment

wiper
Sun visor

MISCELLANEOUS

Pivoting Engine Hood
SMV Emblem
Toolbox

WARRANTY

New Holland Standard Warranty Applies



**TS6 CAB 2WD 16X8 LESS LOADER FAST PICK
US PRICE LIST**

Models

COMMERCIAL MODEL	VERSION	TRACTION	Weight	Factory Data	List Price
TS6.130 T4B	Cab	2WD	9,326 LB		\$89,650.00
Includes the following Equipment					
10.00 x 16 8ply For HD Axl (8180522) \$881.00					
18.4R34 MICHELIN (8301703) \$3,664.00					
Radio 392295 (392295) \$249.00					
TS6.140 T4B	Cab	2WD	9,326 LB		\$97,360.00
Includes the following Equipment					
10.00 x 16 8ply For HD Axl (8180522) \$881.00					
18.4R34 MICHELIN (8301703) \$3,664.00					
Radio 392295 (392295) \$249.00					



TS6 CAB 2WD 16X8 LESS LOADER FAST PICK
US PRICE LIST

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

SD_TR TRACTION

	2WD	2WD			(\$6,326.00)
--	-----	-----	--	--	--------------

SD_VE VERSION

	CAB	Cab			\$12,106.00
--	-----	-----	--	--	-------------

FAST PICK CONFIGURATION

SD_T9980 PACKAGING

	X0552XX	NH FAST PICK #7 X0552XX: NH FAST PICK #7 TS6 Cab 2WD 16X8 Less Loader Include: 330061: 16x8 With Power Shuttle 390331: Heavy-duty Flange Axle 429472: 2 Bosch RR Flow Ctrl 390819: Less Loader Ready 336784: Hyd Lift w/ 1 int. & 1 ext cyl XT4961X: Standard less rear ballast 330642: Rear wiper/washer - CAB 392295: Radio 392295 X5701XX: Floor mat in Cab base			(\$1,167.00)
--	---------	---	--	--	--------------

OTHER EQUIPMENT

SD_T8112 ENGINE SIDE RAILS

	463924	INSTALLED PUSH BAR			\$2,234.00
--	--------	--------------------	--	--	------------

HITCH AND DRAWBAR

SD_T8900 REAR HITCHES/DRAWBAR

	464040	PINTLE HITCH			\$485.00
--	--------	--------------	--	--	----------

**TS6 CAB 2WD 16X8 LESS LOADER FAST PICK
 US PRICE LIST**
FRONT AXLE

SD_T4010 FRONT AXLE

		390373	2WD Front Axle HD Standard Equipment Heavy Duty 2WD Front Axle for TS6.130 and TS6.140			\$2,713.00
			if MODEL is TS6.140			No Charge
			if MODEL is TS6 130 NH			No Charge

TIRES

FRONT WHEELS & TIRES

SD_T4940 FRONT WHEELS AND TIRES

2WD Front						
		8114404	10.00-16 8PR F2 Firestone Brand - 2WD			\$881.00
		8180522	10.00 x 16 8ply For HD Axle Firestone Brand - 2WD			\$881.00
		8199101	Front Shipping Wheels-2wd 2WD Shipping Wheels (NOT compatible with Heavy Duty 2WD front axle 390373)			\$116.00
		8843901	Front Shipping Wheels 2WD HD Requires 2WD Heavy Duty axle 390373			\$116.00

REAR WHEELS & TIRES

SD_T4950 REAR WHEELS AND TIRES

Flange Axle						
		8301702	18.4R30 MICHELIN			\$3,124.00
		8301703	18.4R34 MICHELIN			\$3,664.00
		8301705	18.4R38 MICHELIN			\$4,265.00
		8380100	12.4x42 8PR R1			\$4,713.00
		8399905	Shipping Wheels-Rear			\$748.00

3-POINT HITCH

REAR 3 POINT HITCH

SD_T8240 EXTERNAL LIFT CONTROL

		330845	External 3-pt Control for MDC Mechanical ground control for 3 point hitch (not compatible with 2 external lift cylinders 339784)			\$185.00
--	--	--------	--	--	--	----------



**TS6 CAB 2WD 16X8 LESS LOADER FAST PICK
US PRICE LIST**

WEIGHTS
FRONT WEIGHTS

SD_T2150 FRONT BALLAST

		390215	Less Front Carrier and Weights			No Charge
		334923	Carrier less front weights			\$319.00
		330213	Front Weight Carrier +8 wghts Front weight carrier & 8 weight slices (31kgs / 68 lbs each)			\$1,257.00
		330214	Front Weight Carrier +12 wghts Front weight carrier & 12 weight slices (31kgs / 68 lbs each)			\$1,778.00
		330218	Front Weight Carrier +16 wghts Front weight carrier & 16 weight slices (31kgs / 68 lbs each)			\$1,946.00

CAB OPTION

SD_T9411 HIGH VISIBILITY WINDOW

		334743	High-visibility window			\$541.00
--	--	--------	------------------------	--	--	----------

SEATS

SD_T8500 SEAT

		336923	Air suspension seat w/swivel With 15 degree swivel			\$958.00
--	--	--------	--	--	--	----------

INSTRUCTOR SEAT

SD_T5702 INSTRUCTOR SEAT

		336937	Instructor seat			\$587.00
--	--	--------	-----------------	--	--	----------

MISCELLANEOUS
BRAKES/TRAILER BRAKE

SD_T7130 TRLR BRK VLV

		330718	Hydraulic trailer brakes			\$933.00
--	--	--------	--------------------------	--	--	----------

REVERSE ALARM

SD_T9249 REVERSE ALARM

		330692	Reverse Alarm			\$172.00
--	--	--------	---------------	--	--	----------



**TS6 CAB 2WD 16X8 LESS LOADER FAST PICK
US PRICE LIST**

OPERATOR'S MANUALS

SD_T9802 OPERATORS MANUAL

		429481	Spanish Bosch T4B			No Charge
		429482	French Bosch T4B			No Charge

SD_T9840 COUNTRY CONFIGURATION

		339982	French Decals			No Charge
		339986	Spanish Decals			No Charge

**TS6 ROPS FWD 16X8 LESS LOADER FAST PICK
US PRICE LIST**

Standard Equipment

KEY SELLING POINTS:

- CommandArc™ ergonomically places most frequently used controls to operator's right
- 4.5L, 4-cylinder, FPT engines with 4 valves per cylinder, and common rail fuel injection systems
- Tier 4B EPA emissions compliant with ECOBlue™ HI-eSCR Tier4B emissions system
- Economy priced All Purpose Heavy tractor

ENGINE

TS6.110

Rated PTO HP - 90
Rated Engine HP - 110
Rated Engine Speed - @ 2200 rpm
274 cu. in. (4.5L) Displacement
4 Cylinders, Turbocharged
Intercooled Diesel Engine

TS6.120

Rated PTO HP - 96
Rated Engine HP - 119
Rated Engine Speed - @ 2200 rpm
274 cu. in. (4.5L) Displacement
4 Cylinders, Turbocharged
Intercooled Diesel Engine

TS6.130

Rated PTO HP - 105
Rated Engine HP - 130
Rated Engine Speed - @ 2200 rpm
274 cu. in. (4.5L) Displacement
4 Cylinders, Turbocharged
Intercooled Diesel Engine

TS6.140

Rated PTO HP - 115
Rated Engine HP - 139
Rated Engine Speed - @ 2200 rpm
274 cu. in. (4.5L) Displacement
4 Cylinders, Turbocharged

Intercooled Diesel Engine

COMMON ENGINE FEATURES

Tier 4B Emissions Compliant
ECOBBlue™ HI-eSCR Tier4B emissions system
Engine with Turbocharger and Air-to-Air Intercooler
4 Valves Per Cylinder
Bosch Common Rail Fuel Injection Pump (electronic)
Grid Heater Starting Aid
Dual Element Air Filter with Pre-Cleaner (spin tube intakes)
A-Pillar Exhaust with Integral Muffler
Air cleaner with integrated pre-cleaner & dust ejector
Fixed Fan
Cooling System with Antifreeze
Water Separator and Dual Fuel Filters
Plastic Fuel Tank
57.5 gallon (217.6 liter) fuel capacity
7.9 gallon (30 liter) DEF tank capacity
Fuel tank guard

TRANSMISSION

16 X 8 Power Shuttle
16 Forward x 8 Reverse
4WD - 24.9 MPH (40 KPH)
Main gearbox synchronized in range
Left-hand shuttle lever
(2) Right-hand shift Levers
Multi-plate wet clutch (7) 6in. plates

STEERING

Hydrostatic Power Steering

AXLES

Front - FWD
104" Wheel Base

**TS6 ROPS FWD 16X8 LESS LOADER FAST PICK
US PRICE LIST**

Standard Equipment

Class 3 Heavy Duty
Limited Slip Front Wheel Drive
Mechanical FWD Engagement
55° Turning Angle
12° Axle Oscillation
Front Drive Shaft Shield
Manual Adjustable Tread Width from
64 in. to 80 in.

Rear
Hydraulic Wet Brakes (equalizing)
Park Brake Lever
Swinging Drawbar
Manual Adjustable Tread Width from
64 in. to 80 in.

PTO

Independent, 540/1000 rpm PTO
Multi-plate Wet Clutch
Mechanical Engagement

HYDRAULIC SYSTEM

Fixed displacement pumps
Dual Gear Pumps
Maximum Flow at Rated Engine Speed:
Implement Pump: 22 gpm
Steering Pump: 7 gpm
Total Flow: 29 gpm
(2) Close Center Deluxe Remotes
(4) Couplers

3-POINT LIFT SYSTEM

Top Link Draft Sensing
5499 lbs. Lift Capacity @ 24 in. (ASAE)
Category II, 3-point Linkage with Flexible
Link Ends
Telescopic Stabilizers
External 3-point hitch control

ELECTRICAL:

(1) 950 cca Heavy-Duty Battery

120 amp Alternator
7-pin Outlet for trailer/implement lighting
and signals
3-pin Power Outlet (30 amp) - cab only
Single Pin (8 amp) Accessory Power
outlet
12V power socket (cigarette lighter) -
cab only

INSTRUMENTATION:

Analog Instrumentation with warning
lights for air cleaner service,
alternator, oil pressure, fuel
sediment/water sensor, PTO
engagement, head light high beam,
low fuel and parking brake,
digital speed readout
Gauges for fuel level, engine
temperature, tachometer and hour
meter
Horn

LIGHTING:

ROPS
Front: (2) Halogen Headlights
Rear: (1) Worklight
Turn Signals/Flashers/Rear Lights

OPERATOR PROTECTIVE STRUCTURE:

ROPS MODELS
2-Post Foldable ROPS with ISO-
mounted flat deck platform
with rubber floor mat
Steering Wheel - adjustable tilt
Seat - Vinyl covered with mechanical
suspension, operator's presence
sensor, retractable seat belts and
arm rests
Suspended pedals
Locking brake pedals

MISCELLANEOUS



**TS6 ROPS FWD 16X8 LESS LOADER FAST PICK
US PRICE LIST**

Standard Equipment

Pivoting Engine Hood
SMV Emblem
Toolbox

New Holland Standard Warranty Applies

WARRANTY



**TS6 ROPS FWD 16X8 LESS LOADER FAST PICK
US PRICE LIST**

Models

COMMERCIAL MODEL	VERSION	TRACTION	Weight	Factory Data	List Price
TS6.120 T4B	Rops	MFD	9,700 LB		\$80,097.00
Includes the following Equipment					
13.6R28 MICHELIN (8201703) \$1,890.00					
18.4R34 MICHELIN (8301703) \$3,664.00					
TS6.140 T4B	Rops	MFD	9,877 LB		\$92,340.00
Includes the following Equipment					
13.6R28 MICHELIN (8201703) \$1,890.00					
18.4R34 MICHELIN (8301703) \$3,664.00					

**TS6 ROPS FWD 16X8 LESS LOADER FAST PICK
US PRICE LIST****Factory Supplied Options**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

SD_TR TRACTION

	4WD	MFD			No Charge
--	-----	-----	--	--	-----------

SD_VE VERSION

	ROPS	Rops			No Charge
--	------	------	--	--	-----------

FAST PICK CONFIGURATION

SD_T9980 PACKAGING

	X0550XX	NH FAST PICK #5 X0550XX: NH FAST PICK #5 TS6 ROPS FWD 16X8 Less Loader Include: 337280: 40 KPH 330061: 16x8 With Power Shuttle 390266: L/CREEPER FOR 8+8 XT401XX: Less 2WD Front Axle 390331: Heavy-duty Flange Axle 429472: 2 Bosch RR Flow Ctrl 390819: Less Loader Ready 330845: External 3-pt Control for MDC 336784: Hyd Lift w/ 1 int. & 1 ext cyl 390215: Less Front Carrier and Weights XT4961X: Standard less rear ballast			(\$1,253.00)
--	---------	--	--	--	--------------

OTHER EQUIPMENT

SD_T8112 ENGINE SIDE RAILS

	463924	INSTALLED PUSH BAR			\$2,234.00
--	--------	--------------------	--	--	------------

HITCH AND DRAWBAR

SD_T8900 REAR HITCHES/DRAWBAR

	464040	PINTLE HITCH			\$485.00
--	--------	--------------	--	--	----------



TS6 ROPS FWD 16X8 LESS LOADER FAST PICK
US PRICE LIST

TIRES

FRONT WHEELS & TIRES

SD_T4940 FRONT WHEELS AND TIRES

4WD Front						
		8230608	14.9X24 6 PLY R1 8230608			\$1,740.00
		8201703	13.6R28 MICHELIN Requires 18.4R34 R1W Rear Tires			\$1,890.00
		8282201	12.4 x 28 6PR R1 Requires 12.4x42 Rear Tires			\$2,196.00
		8248621	250/95 R34 R1 Requires 12.4R46 or 320/90R46 R1 Rear Tires			\$2,500.00
		8248631	320/85 R34 R1 Requires 14.9R46 (380/85R46) Rear Tires			\$4,273.00
		8299905	Front Shipping Wheels-4WD 4WD Shipping Wheels			\$199.00

REAR WHEELS & TIRES

SD_T4950 REAR WHEELS AND TIRES

Flange Axle						
		8340612	18.4x34 8 ply R1 8340612			\$3,588.00
		8301702	18.4R30 MICHELIN			\$3,124.00
		8301703	18.4R34 MICHELIN			\$3,664.00
		8301705	18.4R38 MICHELIN			\$4,265.00
		8380100	12.4x42 8PR R1			\$4,713.00
		8399905	Shipping Wheels-Rear			\$748.00

MISCELLANEOUS

FENDERS FRONT

SD_T8740 FRONT FENDERS

		336940	Front Fenders-Dynamic Requires 331497 axle oscillation stops.			\$748.00
--	--	--------	---	--	--	----------

ROPS CANOPY

SD_T8771 CANOPY

		335857	Canopy Only for Open Station ROPS tractor			\$811.00
--	--	--------	---	--	--	----------



TS6 ROPS FWD 16X8 LESS LOADER FAST PICK
US PRICE LIST

RUBBER FLOOR MAT

SD_T5701 FLOOR MAT

		334742	Rubber floor mat Only for open station ROPS tractors			\$108.00
--	--	--------	--	--	--	----------

OPERATOR'S MANUALS

SD_T9802 OPERATORS MANUAL

		429481	Spanish Bosch T4B			No Charge
		429482	French Bosch T4B			No Charge

SD_T9840 COUNTRY CONFIGURATION

		339982	French Decals			No Charge
		339986	Spanish Decals			No Charge

**TS6 ROPS FWD 8X8 LESS LOADER FAST PICK
US PRICE LIST**

Standard Equipment

KEY SELLING POINTS:

- CommandArc™ ergonomically places most frequently used controls to operator's right
- 4.5L, 4-cylinder, FPT engines with 4 valves per cylinder, and common rail fuel injection systems
- Tier 4B EPA emissions compliant with ECOBlue™ HI-eSCR Tier4B emissions system
- Economy priced All Purpose Heavy tractor

ENGINE

TS6.110

Rated PTO HP - 90
Rated Engine HP - 110
Rated Engine Speed - @ 2200 rpm
274 cu. in. (4.5L) Displacement
4 Cylinders, Turbocharged
Intercooled Diesel Engine

TS6.120

Rated PTO HP - 96
Rated Engine HP - 119
Rated Engine Speed - @ 2200 rpm
274 cu. in. (4.5L) Displacement
4 Cylinders, Turbocharged
Intercooled Diesel Engine

TS6.130

Rated PTO HP - 105
Rated Engine HP - 130
Rated Engine Speed - @ 2200 rpm
274 cu. in. (4.5L) Displacement
4 Cylinders, Turbocharged
Intercooled Diesel Engine

TS6.140

Rated PTO HP - 115
Rated Engine HP - 139
Rated Engine Speed - @ 2200 rpm
274 cu. in. (4.5L) Displacement
4 Cylinders, Turbocharged

Intercooled Diesel Engine

COMMON ENGINE FEATURES

Tier 4B Emissions Compliant
ECOBBlue™ HI-eSCR Tier4B emissions system
Engine with Turbocharger and Air-to-Air Intercooler
4 Valves Per Cylinder
Bosch Common Rail Fuel Injection Pump (electronic)
Grid Heater Starting Aid
Dual Element Air Filter with Pre-Cleaner (spin tube intakes)
A-Pillar Exhaust with Integral Muffler
Air cleaner with integrated pre-cleaner & dust ejector
Fixed Fan
Cooling System with Antifreeze
Water Separator and Dual Fuel Filters
Plastic Fuel Tank
57.5 gallon (217.6 liter) fuel capacity
7.9 gallon (30 liter) DEF tank capacity
Fuel tank guard

TRANSMISSION

8 X 8 Power Shuttle
8 Forward x 8 Reverse
4WD - 24.9 MPH (40 KPH)
Main gearbox synchronized in range
Left-hand shuttle lever
(2) Right-hand shift Levers
Multi-plate wet clutch (7) 6in. plates

STEERING

Hydrostatic Power Steering

AXLES

Front - FWD
104" Wheel Base

**TS6 ROPS FWD 8X8 LESS LOADER FAST PICK
US PRICE LIST****Standard Equipment**

Class 3 Heavy Duty
Limited Slip Front Wheel Drive
Mechanical FWD Engagement
55° Turning Angle
12° Axle Oscillation
Front Drive Shaft Shield
Manual Adjustable Tread Width from
64 in. to 80 in.

Rear
Hydraulic Wet Brakes (equalizing)
Park Brake Lever
Swinging Drawbar
Manual Adjustable Tread Width from
64 in. to 80 in.

PTO

Independent, 540/1000 rpm PTO
Multi-plate Wet Clutch
Mechanical Engagement

HYDRAULIC SYSTEM

Fixed displacement pumps
Dual Gear Pumps
Maximum Flow at Rated Engine Speed:
Implement Pump: 22 gpm
Steering Pump: 7 gpm
Total Flow: 29 gpm
(2) Close Center Deluxe Remotes (opt.
f/ 3 & 4) with Flow Controls and
(4) Couplers

3-POINT LIFT SYSTEM

Top Link Draft Sensing
5499 lbs. Lift Capacity @ 24 in. (ASAE)
Category II, 3-point Linkage with Flexible
Link Ends
Telescopic Stabilizers

ELECTRICAL:

(1) 950 cca Heavy-Duty Battery

120 amp Alternator
7-pin Outlet for trailer/implement lighting
and signals
3-pin Power Outlet (30 amp) - cab only
Single Pin (8 amp) Accessory Power
outlet
12V power socket (cigarette lighter) -
cab only

INSTRUMENTATION:

Analog Instrumentation with warning
lights for air cleaner service,
alternator, oil pressure, fuel
sediment/water sensor, PTO
engagement, head light high beam,
low fuel and parking brake,
digital speed readout
Gauges for fuel level, engine
temperature, tachometer and hour
meter
Horn

LIGHTING:

ROPS
Front: (2) Halogen Headlights
Rear: (1) Worklight
Turn Signals/Flashers/Rear Lights

OPERATOR PROTECTIVE STRUCTURE:

ROPS MODELS
2-Post Foldable ROPS with ISO-
mounted flat deck platform
with rubber floor mat
Steering Wheel - adjustable tilt
Seat - Vinyl covered with mechanical
suspension, operator's presence
sensor, retractable seat belts and
arm rests
Suspended pedals
Locking brake pedals

MISCELLANEOUS



**TS6 ROPS FWD 8X8 LESS LOADER FAST PICK
US PRICE LIST**

Standard Equipment

Pivoting Engine Hood
SMV Emblem
Toolbox

New Holland Standard Warranty Applies

WARRANTY



**TS6 ROPS FWD 8X8 LESS LOADER FAST PICK
US PRICE LIST**

Models

COMMERCIAL MODEL	VERSION	TRACTION	Weight	Factory Data	List Price
TS6.120 T4B	Rops	MFD	9,700 LB		\$80,097.00
Includes the following Equipment					
13.6R28 MICHELIN (8201703) \$1,890.00					
18.4R34 MICHELIN (8301703) \$3,664.00					
TS6.140 T4B	Rops	MFD	9,877 LB		\$92,340.00
Includes the following Equipment					
13.6R28 MICHELIN (8201703) \$1,890.00					
18.4R34 MICHELIN (8301703) \$3,664.00					

**TS6 ROPS FWD 8X8 LESS LOADER FAST PICK
US PRICE LIST****Factory Supplied Options**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

SD_TR TRACTION

	4WD	MFD			No Charge
--	-----	-----	--	--	-----------

SD_VE VERSION

	ROPS	Rops			No Charge
--	------	------	--	--	-----------

FAST PICK CONFIGURATION

SD_T9980 PACKAGING

	X0551XX	NH FAST PICK #6 X0551XX: NH FAST PICK #6 TS6 ROPS FWD 8X8 Less Loader Include: 337280: 40 KPH 330059: 8x8 With Power Shuttle 390266: L/CREEPER FOR 8+8 XT401XX: Less 2WD Front Axle 390331: Heavy-duty Flange Axle 429472: 2 Bosch RR Flow Ctrl 390819: Less Loader Ready 330845: External 3-pt Control for MDC 336784: Hyd Lift w/ 1 int. & 1 ext cyl 390215: Less Front Carrier and Weights XT4961X: Standard less rear ballast			(\$3,327.00)
--	---------	--	--	--	--------------

OTHER EQUIPMENT

SD_T8112 ENGINE SIDE RAILS

	463924	INSTALLED PUSH BAR			\$2,234.00
--	--------	--------------------	--	--	------------

HITCH AND DRAWBAR

SD_T8900 REAR HITCHES/DRAWBAR

	464040	PINTLE HITCH			\$485.00
--	--------	--------------	--	--	----------



**TS6 ROPS FWD 8X8 LESS LOADER FAST PICK
US PRICE LIST**

TIRES

FRONT WHEELS & TIRES

SD_T4940 FRONT WHEELS AND TIRES

4WD Front						
		8230608	14.9X24 6 PLY R1 8230608			\$1,740.00
		8201703	13.6R28 MICHELIN Requires 18.4R34 R1W Rear Tires			\$1,890.00
		8282201	12.4 x 28 6PR R1 Requires 12.4x42 Rear Tires			\$2,196.00
		8248621	250/95 R34 R1 Requires 12.4R46 or 320/90R46 R1 Rear Tires			\$2,500.00
		8248631	320/85 R34 R1 Requires 14.9R46 (380/85R46) Rear Tires			\$4,273.00
		8299905	Front Shipping Wheels-4WD 4WD Shipping Wheels			\$199.00

REAR WHEELS & TIRES

SD_T4950 REAR WHEELS AND TIRES

Flange Axle						
		8340612	18.4x34 8 ply R1 8340612			\$3,588.00
		8301702	18.4R30 MICHELIN			\$3,124.00
		8301703	18.4R34 MICHELIN			\$3,664.00
		8301705	18.4R38 MICHELIN			\$4,265.00
		8380100	12.4x42 8PR R1			\$4,713.00
		8399905	Shipping Wheels-Rear			\$748.00

MISCELLANEOUS

FENDERS FRONT

SD_T8740 FRONT FENDERS

		336940	Front Fenders-Dynamic Requires 331497 axle oscillation stops.			\$748.00
--	--	--------	---	--	--	----------

ROPS CANOPY

SD_T8771 CANOPY

		335857	Canopy Only for Open Station ROPS tractor			\$811.00
--	--	--------	---	--	--	----------



**TS6 ROPS FWD 8X8 LESS LOADER FAST PICK
US PRICE LIST**

RUBBER FLOOR MAT

SD_T5701 FLOOR MAT

		334742	Rubber floor mat Only for open station ROPS tractors			\$108.00
--	--	--------	--	--	--	----------

OPERATOR'S MANUALS

SD_T9802 OPERATORS MANUAL

		429481	Spanish Bosch T4B			No Charge
		429482	French Bosch T4B			No Charge

SD_T9840 COUNTRY CONFIGURATION

		339982	French Decals			No Charge
		339986	Spanish Decals			No Charge

**TS6 ALL PURPOSE - LESS FAST PICK
US PRICE LIST**

Standard Equipment

KEY SELLING POINTS:

- CommandArc™ ergonomically places most frequently used controls to operator's right
- High visibility panel provides a better view of loader when at full height
- Ten repositionable vents for heating and air conditioning
- Full-size instructor seat
- Creeper transmission option
- 4.5L, 4-cylinder, FPT engines with 4 valves per cylinder, and common rail fuel injection systems
- Tier 4B EPA emissions compliant with ECOBlue™ HI-eSCR Tier4B emissions system
- Cab, ROPS, 2WD or 4WD options
- Factory Installed joystick and loader mounts (optional)
- Economy priced All Purpose Heavy tractor

ENGINE

TS6.110

Rated PTO HP - 90
Rated Engine HP - 110
Rated Engine Speed - @ 2200 rpm
274 cu. in. (4.5L) Displacement
4 Cylinders, Turbocharged
Intercooled Diesel Engine

TS6.120

Rated PTO HP - 96
Rated Engine HP - 119
Rated Engine Speed - @ 2200 rpm
274 cu. in. (4.5L) Displacement
4 Cylinders, Turbocharged
Intercooled Diesel Engine

TS6.130

Rated PTO HP - 105
Rated Engine HP - 130
Rated Engine Speed - @ 2200 rpm
274 cu. in. (4.5L) Displacement

4 Cylinders, Turbocharged
Intercooled Diesel Engine

TS6.140

Rated PTO HP - 115
Rated Engine HP - 139
Rated Engine Speed - @ 2200 rpm
274 cu. in. (4.5L) Displacement
4 Cylinders, Turbocharged
Intercooled Diesel Engine

COMMON ENGINE FEATURES

Tier 4B Emissions Compliant
ECOBBlue™ HI-eSCR Tier4B emissions system
Engine with Turbocharger and
Air-to-Air Intercooler
4 Valves Per Cylinder
Bosch Common Rail Fuel Injection
Pump (electronic)
Grid Heater Starting Aid
Dual Element Air Filter with Pre-Cleaner (spin tube intakes)
A-Pillar Exhaust with Integral Muffler
Air cleaner with integrated pre-cleaner & dust ejector
Fixed Fan
Cooling System with Antifreeze
Water Separator and Dual Fuel Filters
Plastic Fuel Tank
57.5 gallon (217.6 liter) fuel capacity
7.9 gallon (30 liter) DEF tank capacity
Fuel tank guard

TRANSMISSION

8 X 8 Power Shuttle
8 Forward x 8 Reverse
4WD - 24.9 MPH (40 KPH)
2WD - 18.7 MPH (30 KPH)
Main gearbox synchronized in range
Left-hand shuttle lever
(2) Right-hand shift Levers
Multi-plate wet clutch (7) 6in. plates

**TS6 ALL PURPOSE - LESS FAST PICK
US PRICE LIST**

Standard Equipment

STEERING

Hydrostatic Power Steering

AXLES

Front - 2WD

STD - 100" Wheel Base - TS6.110 &
TS6.120

HD - 96" wheel Base - TS6.130 &
TS6.140

55° Turning Angle

12° Axle Oscillation

Adjustable Tread Width from 60 in.
to 80 in.

Front - FWD

104" Wheel Base

Class 3 Heavy Duty

Limited Slip Front Wheel Drive

Mechanical FWD Engagement

55° Turning Angle

12° Axle Oscillation

Front Drive Shaft Shield

Manual Adjustable Tread Width from
64 in. to 80 in.

Rear

Hydraulic Wet Brakes (equalizing)

Park Brake Lever

Swinging Drawbar

Manual Adjustable Tread Width from
64 in. to 80 in.

PTO

Independent, 540/1000 rpm PTO

Multi-plate Wet Clutch

Mechanical Engagement

HYDRAULIC SYSTEM

Fixed displacement pumps

Dual Gear Pumps

Maximum Flow at Rated Engine Speed:

Implement Pump: 22 gpm

Steering Pump: 7 gpm

Total Flow: 29 gpm

(2) Close Center Deluxe Remotes (opt.

f/ 3 & 4) with Flow Controls and

(4) Couplers

3-POINT LIFT SYSTEM

Top Link Draft Sensing

3735 lbs. Lift Capacity @ 24 in. (ASAE)

Category II, 3-point Linkage with Flexible
Link Ends

Telescopic Stabilizers

ELECTRICAL:

(1) 950 cca Heavy-Duty Battery

120 amp Alternator

7-pin Outlet for trailer/implement lighting
and signals

3-pin Power Outlet (30 amp) - cab only

Single Pin (8 amp) Accessory Power
outlet

12V power socket (cigarette lighter) -
cab only

INSTRUMENTATION:

Analog Instrumentation with warning
lights for air cleaner service,
alternator, oil pressure, fuel
sediment/water sensor, PTO
engagement, head light high beam,
low fuel and parking brake,
digital speed readout

Gauges for fuel level, engine
temperature, tachometer and hour
meter

Horn

LIGHTING:

ROPS

**TS6 ALL PURPOSE - LESS FAST PICK
US PRICE LIST**

Standard Equipment

Front: (2) Halogen Headlights
Rear: (1) Worklight
Turn Signals/Flashers/Rear Lights

CAB

Front: (2) Halogen Headlights and
(4) cab mounted worklights
Rear: (4) cab mounted worklights
Turn Signals/Flashers/Rear Lights

OPERATOR PROTECTIVE STRUCTURE: ROPS MODELS

2-Post Foldable ROPS with ISO-
mounted flat deck platform
with rubber floor mat
Steering Wheel - adjustable tilt
Seat - Vinyl covered with mechanical
suspension, operator's presence
sensor, retractable seat belts and
arm rests
Suspended pedals
Locking brake pedals

CAB MODELS

ROPS protected, FOPS certified, flat
deck platform
with heat and air conditioning, tinted
windshield, two doors with locks, two

external mirrors, openable side
windows, hinged rear window (opens
completely)
Steering Wheel - adjustable tilt
Seat - Cloth covered with air suspension,
operator's presence sensor, retractable
seat belt and arm rests
Suspended pedals
Radio complete with radio, wires,
speakers, and antenna
Front and rear window washer and
wiper
Sun visor

MISCELLANEOUS

Pivoting Engine Hood
SMV Emblem
Toolbox

WARRANTY

New Holland Standard Warranty Applies



**TS6 ALL PURPOSE - LESS FAST PICK
US PRICE LIST**

Models

COMMERCIAL MODEL	VERSION	TRACTION	Weight	Factory Data	List Price
TS6.110 T4B	Cab	MFD	10,450 LB		\$89,075.00
Includes the following Equipment 13.6R28 MICHELIN (8201703) \$1,890.00 18.4R34 MICHELIN (8301703) \$3,664.00 Radio 392295 (392295) \$249.00					
TS6.120 T4B	Rops	MFD	9,700 LB		\$80,097.00
Includes the following Equipment 13.6R28 MICHELIN (8201703) \$1,890.00 18.4R34 MICHELIN (8301703) \$3,664.00					
TS6.120 T4B	Cab	MFD	10,450 LB		\$92,452.00
Includes the following Equipment 13.6R28 MICHELIN (8201703) \$1,890.00 18.4R34 MICHELIN (8301703) \$3,664.00 Radio 392295 (392295) \$249.00					
TS6.130 T4B	Cab	2WD	9,326 LB		\$89,650.00
Includes the following Equipment 10.00 x 16 8ply For HD Axl (8180522) \$881.00 18.4R34 MICHELIN (8301703) \$3,664.00 Radio 392295 (392295) \$249.00					
TS6.130 T4B	Cab	MFD	10,626 LB		\$96,985.00
Includes the following Equipment 13.6R28 MICHELIN (8201703) \$1,890.00 18.4R34 MICHELIN (8301703) \$3,664.00 Radio 392295 (392295) \$249.00					
TS6.140 T4B	Rops	MFD	9,877 LB		\$92,340.00
Includes the following Equipment 13.6R28 MICHELIN (8201703) \$1,890.00 18.4R34 MICHELIN (8301703) \$3,664.00					
TS6.140 T4B	Cab	2WD	9,326 LB		\$97,360.00
Includes the following Equipment 10.00 x 16 8ply For HD Axl (8180522) \$881.00 18.4R34 MICHELIN (8301703) \$3,664.00 Radio 392295 (392295) \$249.00					
TS6.140 T4B	Cab	MFD	10,626 LB		\$104,695.00
Includes the following Equipment 13.6R28 MICHELIN (8201703) \$1,890.00 18.4R34 MICHELIN (8301703) \$3,664.00 Radio 392295 (392295) \$249.00					

**TS6 ALL PURPOSE - LESS FAST PICK
US PRICE LIST****Factory Supplied Options**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

SD_TR TRACTION

	2WD	2WD			(\$6,326.00)
	4WD	MFD			No Charge

SD_VE VERSION

	ROPS	Rops			No Charge
	CAB	Cab			\$12,106.00

FAST PICK CONFIGURATION

SD_T9980 PACKAGING

	X0557XX	LESS PACKAGING.			No Charge
--	---------	-----------------	--	--	-----------

OTHER EQUIPMENT

SD_T8112 ENGINE SIDE RAILS

	463924	INSTALLED PUSH BAR			\$2,234.00
--	--------	--------------------	--	--	------------

HITCH AND DRAWBAR

SD_T8900 REAR HITCHES/DRAWBAR

	464040	PINTLE HITCH			\$485.00
--	--------	--------------	--	--	----------

TRANSMISSION

SD_T2800 SPEED

	337280	40 KPH			\$256.00
--	--------	--------	--	--	----------

SD_T2810 TRANSMISSION

	330061	16x8 With Power Shuttle 16x8 DualPower Power Shuttle NOT Compatible with Creeper (330066) AND rear wheels 8360781.			\$2,075.00
--	--------	--	--	--	------------



**TS6 ALL PURPOSE - LESS FAST PICK
US PRICE LIST**

SD_T3230 CREEPER or Interlock

		330066	10:1 CREEPER FOR 8+8 & 16+8 Creeper Transmission NOT Compatible with 16x8 (330061) AND 46" rear wheels (8360761 or 8360781).			\$2,567.00
--	--	--------	--	--	--	------------

FRONT AXLE

SD_T4010 FRONT AXLE

		390373	2WD Front Axle HD Standard Equipment Heavy Duty 2WD Front Axle for TS6.130 and TS6.140			\$2,713.00
			if MODEL is TS6.140			No Charge
			if MODEL is TS6 130 NH			No Charge

REAR AXLE

SD_T3200 REAR AXLE

		330331	98 in. bar axle (Steel Wheels) Includes Extremity lights (fold down safety flashers)			\$1,687.00
--	--	--------	--	--	--	------------

TIRES

FRONT WHEELS & TIRES

SD_T4940 FRONT WHEELS AND TIRES

2WD Front						
		8114404	10.00-16 8PR F2 Firestone Brand - 2WD			\$881.00
		8180522	10.00 x 16 8ply For HD Axle Firestone Brand - 2WD			\$881.00
		8199101	Front Shipping Wheels-2wd 2WD Shipping Wheels (NOT compatible with Heavy Duty 2WD front axle 390373)			\$116.00
		8843901	Front Shipping Wheels 2WD HD Requires 2WD Heavy Duty axle 390373			\$116.00
4WD Front						
		8230608	14.9X24 6 PLY R1 8230608			\$1,740.00
		8201703	13.6R28 MICHELIN Requires 18.4R34 R1W Rear Tires			\$1,890.00
		8282201	12.4 x 28 6PR R1 Requires 12.4x42 Rear Tires			\$2,196.00



**TS6 ALL PURPOSE - LESS FAST PICK
US PRICE LIST**

		8248621	250/95 R34 R1 Requires 12.4R46 or 320/90R46 R1 Rear Tires			\$2,500.00
		8248631	320/85 R34 R1 Requires 14.9R46 (380/85R46) Rear Tires			\$4,273.00
		8299905	Front Shipping Wheels-4WD 4WD Shipping Wheels			\$199.00

REAR WHEELS & TIRES

SD_T4950 REAR WHEELS AND TIRES

Flange Axle						
		8340612	18.4x34 8 ply R1 8340612			\$3,588.00
		8301702	18.4R30 MICHELIN			\$3,124.00
		8301707	520/70R38 MICHELIN 520/70R38 R1W Michelin Omnibib			\$7,352.00
		8301703	18.4R34 MICHELIN			\$3,664.00
		8301705	18.4R38 MICHELIN			\$4,265.00
		8380100	12.4x42 8PR R1			\$4,713.00
		8399905	Shipping Wheels-Rear			\$748.00
Bar Axle - Singles						
		8301708	520/85R38 MICH BAR S 520/70R38 R1W Michelin Omnibib			\$7,461.00
		8301704	18.4R34-MICH BAR S			\$3,664.00
		8301706	18.4R38 MICH BAR S			\$4,265.00
		8318590	Single 12.4 x 42 R1			\$4,713.00
		8360761	320/90R46 R-1 - Bar Single Requires 250/95 R34 R1 Front Tire			\$5,762.00
		8399906	Rear Shipping Wheels			\$748.00

HYDRAULICS

REAR REMOTE VALVES

SD_T8270 REAR REMOTES

		429472	2 Bosch RR Flow Ctrl			No Charge
		429473	3 Bosch RR Flow Ctrl			\$1,059.00
		429474	4 Bosch RR Flow Ctrl			\$2,115.00

**TS6 ALL PURPOSE - LESS FAST PICK
US PRICE LIST**

LOADER READY OPTIONS

SD_T8110 LOADER BRACKETS

		429475	Loader Ready 429475 Includes loader mounting brackets (horizontal and verticle), 2 slice mid-mount loader valve and joystick control, with hoses from the mid-mount valve (MMV) to the multi-coupler. Includes tractor half of the multi-coupler. Does not include front end loader frame, buckets or attachments. Refer to 805 Series loader pages to order suitable front end loader. Order base loader, desired bucket or attachments and multi-coupler 4 hose cap (MC4) if a non-self leveling (NSL) base loader. For 3rd loader function, must order diverter valve kit and electric joystick handle kit.			\$5,400.00
--	--	--------	--	--	--	------------

3-POINT HITCH

REAR 3 POINT HITCH

SD_T8240 EXTERNAL LIFT CONTROL

		330845	External 3-pt Control for MDC Mechanical ground control for 3 point hitch (not compatible with 2 external lift cylinders 339784)			\$185.00
--	--	--------	--	--	--	----------

SD_T8950 AUX RAMS

		390344	Hyd Lift w/ 1 int. cyl 1 Internal Lift Ram 3,735 pounds lift capacity			No Charge
		336784	Hyd Lift w/ 1 int. & 1 ext cyl 1 Auxiliary Lift Ram 5,499 pounds lift capacity			\$720.00
		339784	Hyd Lift w/ 1 int. & 2 ext cyl 2 Auxiliary Lift Rams 7,326 pounds lift capacity			\$1,361.00

WEIGHTS

FRONT WEIGHTS

SD_T2150 FRONT BALLAST

		390215	Less Front Carrier and Weights			No Charge
		334923	Carrier less front weights			\$319.00
		330213	Front Weight Carrier +8 wghts Front weight carrier & 8 weight slices (31kgs / 68 lbs each)			\$1,257.00
		330214	Front Weight Carrier +12 wghts Front weight carrier & 12 weight slices (31kgs / 68 lbs each)			\$1,778.00

**TS6 ALL PURPOSE - LESS FAST PICK
US PRICE LIST**

		330218	Front Weight Carrier +16 wghts Front weight carrier & 16 weight slices (31kgs / 68 lbs each)			\$1,946.00
--	--	--------	--	--	--	------------

REAR WHEEL WEIGHTS

SD_T4961 REAR BALLAST

Bar Axle						
		336935	6 Rear wheel weights 6 rear wheel weights for bar axle (65 kgs / 143 lbs each)			\$862.00
		334354	10 rear wheel weight 10 rear wheel weights for bar axle (65 kgs / 143 lbs each)			\$1,436.00
		XT4961X	Standard less rear ballast			No Charge
		330471	6 Rear Wheel Weights 6 rear wheel weights (40 kgs / 88 lbs each) for flange axle , total 528 lbs. ONLY compatible with 18.4-34 & 18.4-38 rear wheels			\$862.00
Flange Axle						
		332497	12 Rear wheel weights 12 rear wheel weights for flange axle (40 kgs / 88 lbs each)total 1056 lbs. ONLY compatible with 18.4-38 rear wheels			\$1,720.00

CAB OPTION

SD_T9411 HIGH VISIBILITY WINDOW

		334743	High-visibility window			\$541.00
--	--	--------	------------------------	--	--	----------

SEATS

SD_T8500 SEAT

		336923	Air suspension seat w/swivel With 15 degree swivel			\$958.00
--	--	--------	--	--	--	----------

REAR WINDOW WIPER/WASHER

SD_T9150 REAR WIPER & WASHER

		330642	Rear wiper/washer - CAB Rear window wiper/washer for Cab			\$277.00
--	--	--------	--	--	--	----------

**TS6 ALL PURPOSE - LESS FAST PICK
US PRICE LIST**

MISCELLANEOUS

FENDERS FRONT

SD_T8740 FRONT FENDERS

		336940	Front Fenders-Dynamic Requires 331497 axle oscillation stops.			\$748.00
--	--	--------	---	--	--	----------

BRAKES/TRAILER BRAKE

SD_T7130 TRLR BRK VLV

		330718	Hydraulic trailer brakes			\$933.00
--	--	--------	--------------------------	--	--	----------

REVERSE ALARM

SD_T9249 REVERSE ALARM

		330692	Reverse Alarm			\$172.00
--	--	--------	---------------	--	--	----------

ROPS CANOPY

SD_T8771 CANOPY

		335857	Canopy Only for Open Station ROPS tractor			\$811.00
--	--	--------	---	--	--	----------

RUBBER FLOOR MAT

SD_T5701 FLOOR MAT

		334742	Rubber floor mat Only for open station ROPS tractors			\$108.00
--	--	--------	--	--	--	----------

OPERATOR'S MANUALS

SD_T9802 OPERATORS MANUAL

		429481	Spanish Bosch T4B			No Charge
		429482	French Bosch T4B			No Charge

SD_T9840 COUNTRY CONFIGURATION

		339982	French Decals			No Charge
		339986	Spanish Decals			No Charge

**TS6.120 HC ROPS TANKS & CANOPY FAST PICK
US PRICE LIST**

Standard Equipment

KEY SELLING POINTS:

- CommandArc™ ergonomically places most frequently used controls to operator's right
- Creeper transmission
- 4.5L, 4-cylinder, FPT engines with 4 valves per cylinder, and common rail fuel injection systems
- Tier 4B EPA emissions compliant with ECOBlue™ HI-eSCR Tier4B emissions system

ENGINE

TS6.120

Rated PTO HP - 96
Rated Engine HP - 119
Rated Engine Speed - @ 2200 rpm
274 cu. in. (4.5L) Displacement
4 Cylinders, Turbocharged
Intercooled Diesel Engine

COMMON ENGINE FEATURES

Tier 4B Emissions Compliant
ECOBBlue™ HI-eSCR Tier4B emissions system
Engine with Turbocharger and
Air-to-Air Intercooler
4 Valves Per Cylinder
Bosch Common Rail Fuel Injection Pump (electronic)
Grid Heater Starting Aid
Dual Element Air Filter with Pre-Cleaner (spin tube intakes)
A-Pillar Exhaust with Integral Muffler
Air cleaner with integrated pe-cleaner & dust ejector
Fixed Fan
Cooling System with Antifreeze
Water Separator and Dual Fuel Filters
Plastic Fuel Tank
57.5 gallon (217.6 liter) fuel capacity
7.9 gallon (30 liter) DEF tank capacity

Fuel tank guard

TRANSMISSION

8X8 Power Shuttle
8 Forward x 8 Reverse gears
Creeper transmission
Synchronized gear change
Main gearbox synchronized
Left-hand shuttle lever
14" cerametallic clutch
18.7 MPH (30 KPH)

STEERING

Hydrostatic Power Steering

PTO

Independent, 540/1000 rpm PTO
Multi-plate Wet Clutch
Mechanical Engagement

AXLES

Front Axle - FWD:
Class III Standard Duty
Limited Slip Front Wheel Drive Axle
Mechanical FWD Engagement
55° Turning Angle
12° Axle Oscillation Drive Shaft Shield
Front Drive Shaft Shield
Manual Adjustable Tread Width from 72 in. to 84 in.
Maximum Axle Clearance - 28 in.

Rear Axle:
Drop Box Final Drives
Hydraulic Wet Brakes (equalizing)
Park Brake Lever
Manual Adjustable Tread Width from 72 in. to 84 in.
Maximum Drawbar Support Clearance - 30 in.



**TS6.120 HC ROPS TANKS & CANOPY FAST PICK
US PRICE LIST**

Standard Equipment

HYDRAULIC SYSTEM

Fixed displacement pumps

Dual Gear Pumps

Maximum Flow at Rated Engine Speed:

Implement Pump: 22 gpm

Steering Pump: 7 gpm

Total Flow: 29 gpm

(2) Close Center Deluxe Remotes with
Flow Controls, Adjustable Detents and

(4) Couplers

3-POINT LIFT SYSTEM

One internal lift cylinder

Top Link Draft Sensing

3735 lbs. Lift Capacity @ 24 in. (ASAE)

Category II, 3-point Linkage with Flexible
Link Ends

Telescopic Stabilizers

INSTRUMENTATION:

Analog Instrumentation with warning
lights for air cleaner service,

alternator, oil pressure, fuel

sediment/water sensor, PTO

engagement, head light high beam,

low fuel and parking brake,

digital speed readout

Gauges for fuel level, engine

temperature, tachometer and hour

meter

Horn

ELECTRICAL:

(1) 950 cca Heavy-Duty Battery

120 amp Alternator

7-pin Outlet for trailer/implement lighting
and signals

3-pin Power Outlet (30 amp) - cab only

Single Pin (8 amp) Accessory Power
outlet

12V power socket (cigarette lighter) -
cab only

Reverse alarm

LIGHTING:

ROPS

Front: (2) Halogen Headlights

Rear: (1) Worklight

Turn Signals/Flashers/Rear Lights

OPERATOR PROTECTIVE STRUCTURE:

ROPS MODELS

2-Post Foldable ROPS with ISO-
mounted flat deck platform

Canopy

Steering Wheel - adjustable tilt

Seat - Vinyl covered with mechanical

suspension, operator's presence

sensor, retractable seat belts and

arm rests

Suspended pedals

Locking brake pedals

MISCELLANEOUS

Front push frame mounts

Two 120 gallon tanks integrated
into the rear fenders

16 front weights

Pivoting Engine Hood

SMV Emblem

Toolbox

WARRANTY

New Holland Standard Warranty Applies



**TS6.120 HC ROPS TANKS & CANOPY FAST PICK
US PRICE LIST**

Models

COMMERCIAL MODEL	VERSION	TRACTION	Weight	Factory Data	List Price
TS6.120 HC T4B	Rops & High Clearance	MFD	10,692 LB		\$94,859.00
Includes the following Equipment					
13.6R38 MICHELIN (8201706) \$2,348.00					
13.6R38 MICHELIN HC (8301709) \$2,348.00					



TS6.120 HC ROPS TANKS & CANOPY FAST PICK
US PRICE LIST

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

SD_VE VERSION

	ROPSHC	Rops & High Clearance			\$15,620.00
--	--------	-----------------------	--	--	-------------

FAST PICK CONFIGURATION

SD_T9980 PACKAGING

	X0546XX	NH FAST PICK #1 NH FAST PICK #1 TS6.120 High Clear ROPS Pkg - Tanks & Canopy Includes: 330059: 8x8 With Power Shuttle 30066: 10:1 CREEPER FOR 8+8 & 16+ 8201706: 13.6R38 MICHELIN 8301709: 13.6R38 MICHELIN HC 429472: 2 Bosch RR Flow Ctrl 463748: 2 TANKS SET 463789: HYD LIFT 1CYL TANKS 330218: Front Weight Carrier +16 wghts 330692: Reverse Alarm 335857: Canopy			\$14,671.00
--	---------	---	--	--	-------------

OTHER EQUIPMENT

SD_T8112 ENGINE SIDE RAILS

	463924	INSTALLED PUSH BAR			\$2,234.00
--	--------	--------------------	--	--	------------

HITCH AND DRAWBAR

SD_T8900 REAR HITCHES/DRAWBAR

	464040	PINTLE HITCH			\$485.00
--	--------	--------------	--	--	----------



TS6.120 HC ROPS TANKS & CANOPY FAST PICK
US PRICE LIST

TIRES

REAR WHEELS & TIRES

SD_T4950 REAR WHEELS AND TIRES

		8301709	13.6R38 MICHELIN HC Requires 13.6R38 Front Tires			\$2,348.00
		8390701	12.4R X46 R2 8390701 Requires 12.4 x 46 R2 Front Tires			\$4,693.00

OPERATOR'S MANUALS

SD_T9802 OPERATORS MANUAL

		429481	Spanish Bosch T4B			No Charge
		429482	French Bosch T4B			No Charge

SD_T9840 COUNTRY CONFIGURATION

		339982	French Decals			No Charge
		339986	Spanish Decals			No Charge

**TS6.120 HC ROPS LESS TANKS FAST PICK
US PRICE LIST**

Standard Equipment

KEY SELLING POINTS:

- CommandArc™ ergonomically places most frequently used controls to operator's right
- Creeper transmission
- 4.5L, 4-cylinder, FPT engines with 4 valves per cylinder, and common rail fuel injection systems
- Tier 4B EPA emissions compliant with ECOBlue™ HI-eSCR Tier4B emissions system

ENGINE

TS6.120

Rated PTO HP - 96
Rated Engine HP - 119
Rated Engine Speed - @ 2200 rpm
274 cu. in. (4.5L) Displacement
4 Cylinders, Turbocharged
Intercooled Diesel Engine

COMMON ENGINE FEATURES

Tier 4B Emissions Compliant
ECOBBlue™ HI-eSCR Tier4B emissions system
Engine with Turbocharger and
Air-to-Air Intercooler
4 Valves Per Cylinder
Bosch Common Rail Fuel Injection Pump (electronic)
Grid Heater Starting Aid
Dual Element Air Filter with Pre-Cleaner (spin tube intakes)
A-Pillar Exhaust with Integral Muffler
Air cleaner with integrated pe-cleaner & dust ejector
Fixed Fan
Cooling System with Antifreeze
Water Separator and Dual Fuel Filters
Plastic Fuel Tank
57.5 gallon (217.6 liter) fuel capacity
7.9 gallon (30 liter) DEF tank capacity

Fuel tank guard

TRANSMISSION

8X8 Power Shuttle
8 Forward x 8 Reverse gears
Creeper transmission
Synchronized gear change
Main gearbox synchronized
Left-hand shuttle lever
14" cerametallic clutch
18.7 MPH (30 KPH)

STEERING

Hydrostatic Power Steering

PTO

Independent, 540/1000 rpm PTO
Multi-plate Wet Clutch
Mechanical Engagement

AXLES

Front Axle - FWD:
Class III Standard Duty
Limited Slip Front Wheel Drive Axle
Mechanical FWD Engagement
55° Turning Angle
12° Axle Oscillation Drive Shaft Shield
Front Drive Shaft Shield
Manual Adjustable Tread Width from 72 in. to 84 in.
Maximum Axle Clearance - 28 in.

Rear Axle:
Drop Box Final Drives
Hydraulic Wet Brakes (equalizing)
Park Brake Lever
Manual Adjustable Tread Width from 72 in. to 84 in.
Maximum Drawbar Support Clearance - 30 in.

**TS6.120 HC ROPS LESS TANKS FAST PICK
US PRICE LIST**

Standard Equipment

HYDRAULIC SYSTEM

Fixed displacement pumps
Dual Gear Pumps
Maximum Flow at Rated Engine Speed:
Implement Pump: 22 gpm
Steering Pump: 7 gpm
Total Flow: 29 gpm
(2) Close Center Deluxe Remotes with
Flow Controls, Adjustable Detents and
(4) Couplers

3-POINT LIFT SYSTEM

One internal lift cylinder
Top Link Draft Sensing
3735 lbs. Lift Capacity @ 24 in. (ASAE)
Category II, 3-point Linkage with Flexible
Link Ends
Telescopic Stabilizers

INSTRUMENTATION:

Analog Instrumentation with warning
lights for air cleaner service,
alternator, oil pressure, fuel
sediment/water sensor, PTO
engagement, head light high beam,
low fuel and parking brake,
digital speed readout
Gauges for fuel level, engine
temperature, tachometer and hour
meter
Horn

ELECTRICAL:

(1) 950 cca Heavy-Duty Battery
120 amp Alternator
7-pin Outlet for trailer/implement lighting
and signals
3-pin Power Outlet (30 amp) - cab only

Single Pin (8 amp) Accessory Power
outlet
12V power socket (cigarette lighter) -
cab only
Reverse alarm

LIGHTING:

ROPS
Front: (2) Halogen Headlights
Rear: (1) Worklight
Turn Signals/Flashers/Rear Lights

OPERATOR PROTECTIVE STRUCTURE:

ROPS MODELS
2-Post Foldable ROPS with ISO-
mounted flat deck platform
Steering Wheel - adjustable tilt
Seat - Vinyl covered with mechanical
suspension, operator's presence
sensor, retractable seat belts and
arm rests
Suspended pedals
Locking brake pedals

MISCELLANEOUS

Front push frame mounts
16 front weights
Pivoting Engine Hood
SMV Emblem
Toolbox

WARRANTY

New Holland Standard Warranty Applies



**TS6.120 HC ROPS LESS TANKS FAST PICK
US PRICE LIST**

Models

COMMERCIAL MODEL	VERSION	TRACTION	Weight	Factory Data	List Price
TS6.120 HC T4B	Rops & High Clearance	MFD	10,692 LB		\$94,859.00
Includes the following Equipment					
13.6R38 MICHELIN (8201706) \$2,348.00					
13.6R38 MICHELIN HC (8301709) \$2,348.00					



TS6.120 HC ROPS LESS TANKS FAST PICK
US PRICE LIST

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

SD_VE VERSION

		ROPSHC	Rops & High Clearance				\$15,620.00
--	--	--------	-----------------------	--	--	--	-------------

FAST PICK CONFIGURATION

SD_T9980 PACKAGING

		X0547XX	NH FAST PICK #2 NH FAST PICK #2 TS6.120 High Clear ROPS Pkg - Less Tanks & Canopy Includes: 8x8 With Power Shuttle 10:1 CREEPER FOR 8+8 & 16+ 13.6R38 MICHELIN 13.6R38 MICHELIN HC 2 Bosch RR Flow Ctrl Hyd Lift w/ 1 int. cyl Front Weight Carrier +16 wghts Reverse Alarm				(\$420.00)
--	--	---------	---	--	--	--	------------

OTHER EQUIPMENT

SD_T8112 ENGINE SIDE RAILS

		463924	INSTALLED PUSH BAR				\$2,234.00
--	--	--------	--------------------	--	--	--	------------

HITCH AND DRAWBAR

SD_T8900 REAR HITCHES/DRAWBAR

		464040	PINTLE HITCH				\$485.00
--	--	--------	--------------	--	--	--	----------

**TS6.120 HC ROPS LESS TANKS FAST PICK
US PRICE LIST**

3-POINT HITCH

REAR 3 POINT HITCH

SD_T8240 EXTERNAL LIFT CONTROL

		330845	External 3-pt Control for MDC Mechanical ground control for 3 point hitch (not compatible with 2 external lift cylinders 339784)			\$185.00
--	--	--------	--	--	--	----------

MISCELLANEOUS

ROPS CANOPY

SD_T8771 CANOPY

		335857	Canopy Only for Open Station ROPS tractor			\$811.00
--	--	--------	---	--	--	----------

OPERATOR'S MANUALS

SD_T9802 OPERATORS MANUAL

		429481	Spanish Bosch T4B			No Charge
		429482	French Bosch T4B			No Charge

SD_T9840 COUNTRY CONFIGURATION

		339982	French Decals			No Charge
		339986	Spanish Decals			No Charge

**TS6 T4B HIGH CLEARANCE - LESS FAST PICK
US PRICE LIST**

Standard Equipment

KEY SELLING POINTS:

- VisionView™ cab
- CommandArc™ ergonomically places most frequently used controls to operator's right
- Cab has ten repositionable vents for heating and air conditioning w/dual fan
- Full-size instructor seat (option)
- Creeper transmission
- 4.5L, 4-cylinder, FPT engines with 4 valves per cylinder, and common rail fuel injection systems
- Tier 4B EPA emissions compliant with ECOBlue™ HI-eSCR Tier4B emissions system
- Offering to fit customer; Cab or ROPS

ENGINE

TS6.120

Rated PTO HP - 96
Rated Engine HP - 119
Rated Engine Speed - @ 2200 rpm
274 cu. in. (4.5L) Displacement
4 Cylinders, Turbocharged
Intercooled Diesel Engine

COMMON ENGINE FEATURES

Tier 4B Emissions Compliant
ECOBBlue™ HI-eSCR Tier4B emissions system
Engine with Turbocharger and Air-to-Air Intercooler
4 Valves Per Cylinder
Bosch Common Rail Fuel Injection Pump (electronic)
Grid Heater Starting Aid
Dual Element Air Filter with Pre-Cleaner (spin tube intakes)
A-Pillar Exhaust with Integral Muffler
Air cleaner with integrated pe-cleaner & dust ejector
Fixed Fan

Cooling System with Antifreeze
Water Separator and Dual Fuel Filters
Plastic Fuel Tank
57.5 gallon (217.6 liter) fuel capacity
7.9 gallon (30 liter) DEF tank capacity
Fuel tank guard

TRANSMISSION

8X8 Power Shuttle
8 Forward x 8 Reverse gears
Creeper transmission
Synchronized gear change
Main gearbox synchronized
Left-hand shuttle lever
14" cerametalic clutch
18.7 MPH (30 KPH)

STEERING

Hydrostatic Power Steering

PTO

Independent, 540/1000 rpm PTO
Multi-plate Wet Clutch
Mechanical Engagement

AXLES

Front Axle - FWD:
Class III Standard Duty
Limited Slip Front Wheel Drive Axle
Mechanical FWD Engagement
55° Turning Angle
12° Axle Oscillation Drive Shaft Shield
Front Drive Shaft Shield
Manual Adjustable Tread Width from 72 in. to 84 in.
Maximum Axle Clearance - 28 in.

Rear Axle:
Drop Box Final Drives
Hydraulic Wet Brakes (equalizing)
Park Brake Lever

**TS6 T4B HIGH CLEARANCE - LESS FAST PICK
US PRICE LIST**

Standard Equipment

Manual Adjustable Tread Width from
72 in. to 84 in.
Maximum Drawbar Support Clearance -
30 in.

HYDRAULIC SYSTEM

Fixed displacement pumps
Dual Gear Pumps
Maximum Flow at Rated Engine Speed:
Implement Pump: 22 gpm
Steering Pump: 7 gpm
Total Flow: 29 gpm
(2) Close Center Deluxe Remotes with
Flow Controls, Adjustable Detents and
(4) Couplers

3-POINT LIFT SYSTEM

One internal lift cylinder
Top Link Draft Sensing
3735 lbs. Lift Capacity @ 24 in. (ASAE)
Category II, 3-point Linkage with Flexible
Link Ends
Telescopic Stabilizers

INSTRUMENTATION:

Analog Instrumentation with warning
lights for air cleaner service,
alternator, oil pressure, fuel
sediment/water sensor, PTO
engagement, head light high beam,
low fuel and parking brake,
digital speed readout
Gauges for fuel level, engine
temperature, tachometer and hour
meter
Horn

ELECTRICAL:

(1) 950 cca Heavy-Duty Battery
120 amp Alternator
7-pin Outlet for trailer/implement lighting
and signals
3-pin Power Outlet (30 amp) - cab only

Single Pin (8 amp) Accessory Power
outlet
12V power socket (cigarette lighter) -
cab only

LIGHTING:

ROPS
Front: (2) Halogen Headlights
Rear: (1) Worklight
Turn Signals/Flashers/Rear Lights

CAB

Front: (2) Halogen Headlights and
(4) cab mounted worklights
Rear: (4) cab mounted worklights
Turn Signals/Flashers/Rear Lights

OPERATOR PROTECTIVE STRUCTURE:

ROPS MODELS
2-Post Foldable ROPS with ISO-
mounted flat deck platform
Steering Wheel - adjustable tilt
Seat - Vinyl covered with mechanical
suspension, operator's presence
sensor, retractable seat belts and
arm rests
Suspended pedals
Locking brake pedals

CAB MODELS

ROPS protected, FOPS Certified, flat
deck platform with heat and air
conditioning, tinted windshield, two
doors with locks, two external mirrors,
openable side windows, hinged rear
window (opens completely)
Steering Wheel - adjustable tilt
Seat - Cloth covered with mechanical
suspension, operator's presence sensor,
retractable seat belt and arm rests
Suspended pedals, Radio, wires,
speakers, and antenna
Front window washer and wiper



**TS6 T4B HIGH CLEARANCE - LESS FAST PICK
US PRICE LIST**

Standard Equipment

MISCELLANEOUS

Front push frame mounts
Pivoting Engine Hood
SMV Emblem
Toolbox

WARRANTY

New Holland Standard Warranty Applies



**TS6 T4B HIGH CLEARANCE - LESS FAST PICK
US PRICE LIST**

Models

COMMERCIAL MODEL	VERSION	TRACTION	Weight	Factory Data	List Price
TS6.120 HC T4B	Rops & High Clearance	MFD	10,692 LB		\$94,859.00
Includes the following Equipment					
13.6R38 MICHELIN (8201706) \$2,348.00					
13.6R38 MICHELIN HC (8301709) \$2,348.00					

**TS6 T4B HIGH CLEARANCE - LESS FAST PICK
US PRICE LIST****Factory Supplied Options**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

SD_VE VERSION

	CABHC	Cab & High Clearance			\$27,598.00
	ROPSHC	Rops & High Clearance			\$15,620.00

FAST PICK CONFIGURATION

SD_T9980 PACKAGING

	X0557XX	LESS PACKAGING.			No Charge
--	---------	-----------------	--	--	-----------

OTHER EQUIPMENT

SD_T8112 ENGINE SIDE RAILS

	463924	INSTALLED PUSH BAR			\$2,234.00
--	--------	--------------------	--	--	------------

HITCH AND DRAWBAR

SD_T8900 REAR HITCHES/DRAWBAR

	464040	PINTLE HITCH			\$485.00
--	--------	--------------	--	--	----------

TRANSMISSION

SD_T2810 TRANSMISSION

	330061	16x8 With Power Shuttle 16x8 DualPower Power Shuttle NOT Compatible with Creeper (330066) AND rear wheels 8360781.			\$2,075.00
--	--------	--	--	--	------------

SD_T3230 CREEPER or Interlock

	330066	10:1 CREEPER FOR 8+8 & 16+8 Creeper Transmission NOT Compatible with 16x8 (330061) AND 46" rear wheels (8360761 or 8360781).			No Charge
	390266	L/CREEPER FOR 8+8 Less Creeper Option			(\$2,567.00)

**TS6 T4B HIGH CLEARANCE - LESS FAST PICK
US PRICE LIST****TIRES****FRONT WHEELS & TIRES****SD_T4940 FRONT WHEELS AND TIRES**

4WD Front						
		8201706	13.6R38 MICHELIN			\$2,348.00
		8296801	12.4R x 46 R2 - ANY BR			\$4,693.00
		8215404	9.5R48 R1W Wide Track Matches 230/95R48 R1W Rear Tire			\$4,812.00
		8299905	Front Shipping Wheels-4WD 4WD Shipping Wheels			\$199.00

REAR WHEELS & TIRES**SD_T4950 REAR WHEELS AND TIRES**

Flange Axle						
		8301709	13.6R38 MICHELIN HC Requires 13.6R38 Front Tires			\$2,348.00
		8390701	12.4R X46 R2 8390701 Requires 12.4 x 46 R2 Front Tires			\$4,693.00
		8903401	230/95R48 R1W Requires 230/9.5 x 48 FrontTires			\$4,812.00
		8399905	Shipping Wheels-Rear			\$748.00

HYDRAULICS**REAR REMOTE VALVES****SD_T8270 REAR REMOTES**

		429473	3 Bosch RR Flow Ctrl			\$1,059.00
		429474	4 Bosch RR Flow Ctrl			\$2,115.00

TANKS**TANKS****SD_P8103 TANK**

		463747	240G FENDER TANKS Two 120 US Gallon Tanks are intergrated into the fenders and installed on the tractor.			\$6,120.00
		463748	2 TANKS SET Two 120 US Gallon Tanks are intergrated into the fenders and installed on the tractor and two additional tanks shipped with the tractor on a skid.			\$14,280.00

**TS6 T4B HIGH CLEARANCE - LESS FAST PICK
US PRICE LIST**

3-POINT HITCH

REAR 3 POINT HITCH

SD_T8240 EXTERNAL LIFT CONTROL

		330845	External 3-pt Control for MDC Mechanical ground control for 3 point hitch (not compatible with 2 external lift cylinders 339784)			\$185.00
--	--	--------	--	--	--	----------

SD_T8950 AUX RAMS

		390344	Hyd Lift w/ 1 int. cyl 1 Internal Lift Ram 3,735 pounds lift capacity			No Charge
		336784	Hyd Lift w/ 1 int. & 1 ext cyl 1 Auxiliary Lift Ram 5,499 pounds lift capacity			\$720.00
		339784	Hyd Lift w/ 1 int. & 2 ext cyl 2 Auxiliary Lift Rams 7,326 pounds lift capacity			\$1,361.00
		463789	HYD LIFT 1CYL TANKS 1 Internal Lift Ram 3,735 pounds lift capacity Used with 240 Gallon Fender Tanks			No Charge
		463790	HYD LIFT XT CYL TANK 1 Auxiliary Lift Ram 5,499 pounds lift capacity Used with 240 Gallon Fender Tanks			\$720.00
		463791	HYD LIFT 2CYL TANKS 2 Auxiliary Lift Rams 7,326 pounds lift capacity Used with 240 Gallon Fender Tanks			\$1,361.00

WEIGHTS

FRONT WEIGHTS

SD_T2150 FRONT BALLAST

		334923	Carrier less front weights			\$319.00
		330213	Front Weight Carrier +8 wghts Front weight carrier & 8 weight slices (31kgs / 68 lbs each)			\$1,257.00
		330214	Front Weight Carrier +12 wghts Front weight carrier & 12 weight slices (31kgs / 68 lbs each)			\$1,778.00
		330218	Front Weight Carrier +16 wghts Front weight carrier & 16 weight slices (31kgs / 68 lbs each)			\$1,946.00



**TS6 T4B HIGH CLEARANCE - LESS FAST PICK
US PRICE LIST**

CAB OPTION

SEATS

SD_T8500 SEAT

		336923	Air suspension seat w/swivel With 15 degree swivel			\$958.00
--	--	--------	--	--	--	----------

INSTRUCTOR SEAT

SD_T5702 INSTRUCTOR SEAT

		336937	Instructor seat			\$587.00
--	--	--------	-----------------	--	--	----------

REAR WINDOW WIPER/WASHER

SD_T9150 REAR WIPER & WASHER

		330642	Rear wiper/washer - CAB Rear window wiper/washer for Cab			\$277.00
--	--	--------	--	--	--	----------

RADIO

SD_T9160 RADIO READY

		392295	Radio 392295			\$249.00
--	--	--------	--------------	--	--	----------

MISCELLANEOUS

BRAKES/TRAILER BRAKE

SD_T7130 TRLR BRK VLV

		330718	Hydraulic trailer brakes			\$933.00
--	--	--------	--------------------------	--	--	----------

REVERSE ALARM

SD_T9249 REVERSE ALARM

		330692	Reverse Alarm			\$172.00
--	--	--------	---------------	--	--	----------

ROPS CANOPY

SD_T8771 CANOPY

		335857	Canopy Only for Open Station ROPS tractor			\$811.00
--	--	--------	---	--	--	----------



**TS6 T4B HIGH CLEARANCE - LESS FAST PICK
US PRICE LIST**

RUBBER FLOOR MAT

SD_T5701 FLOOR MAT

		334742	Rubber floor mat Only for open station ROPS tractors			\$108.00
--	--	--------	--	--	--	----------

OPERATOR'S MANUALS

SD_T9802 OPERATORS MANUAL

		429481	Spanish Bosch T4B			No Charge
		429482	French Bosch T4B			No Charge

SD_T9840 COUNTRY CONFIGURATION

		339982	French Decals			No Charge
		339986	Spanish Decals			No Charge



Index – T6 Series Tractor

<u>EQUIPMENT DESCRIPTION</u>	<u>LATEST REVISION</u>	<u>PAGE NUMBER</u>
T6 Series Electro Command	01/04/2021	2
T6 Series Dynamic Command	01/04/2021	20
T6 Series Auto Command	01/04/2021	40
Special Paint Color Information	01/04/2021	59
Service Parts Supplied Dealer Installed Accessories	01/04/2021	60

**T6 ELECTRO COMMAND - STAGE V
US PRICE LIST**

Standard Equipment

KEY SELLING POINTS:

- Fuel efficient high torque 4.5L, 4-cylinder or 6.7L, 6 cylinder with power boost FPT engines with 4 valves per cylinder and common rail fuel injection systems
- Tier 4B Stage V EPA emissions compliant with SCR only ECOBlue™ HI-eSCR
- Electro Command™ Semi-powershift
- Standard LED work lighting
- Easy attach remote outlets
- Long Stable 104" wheel base

ENGINE

T6.145

Rated PTO HP - 95
 Rated Engine HP - 116
 Engine Power Management (EPM)
 Maximum Engine HP w/ EPM - 145
 Rated Speed - 2200 RPM
 274 cu. in. (4.5L) - 4 Cylinder
 Fuel Tank: 52.2 Gallon (197.5L)
 DEF Tank: 10.4 Gallon (39.5L)

T6.155

Rated PTO HP - 105
 Rated Engine HP - 125
 Engine Power Management (EPM)
 Maximum Engine HP w/ EPM - 155
 Rated Speed - 2200 RPM
 274 cu. in. (4.5L) - 4 Cylinder
 Fuel Tank: 52.2 Gallon (197.5L)
 DEF Tank: 10.4 Gallon (39.5L)

T6.160

Rated PTO HP - 115
 Rated Engine HP - 135
 Engine Power Management (EPM)
 Maximum Engine HP w/ EPM - 165
 Rated Speed - 2200 RPM
 411 cu. in. (6.7L) - 6 Cylinder
 Fuel Tank: 52.2 Gallon (197.5L)
 DEF Tank: 10.4 Gallon (39.5L)

T6.175

Rated PTO HP - 120
 Rated Engine HP - 145
 Engine Power Management (EPM)
 Maximum Engine HP w/ EPM - 175
 Rated Speed - 2200 RPM
 274 cu. in. (4.5L) - 4 Cylinder
 Fuel Tank: 52.2 Gallon (197.5L)
 DEF Tank: 10.4 Gallon (39.5L)

T6.180

Rated PTO HP - 125
 Rated Engine HP - 145
 Engine Power Management (EPM)
 Maximum Engine HP w/ EPM - 175
 Rated Speed - 2200 RPM
 411 cu. in. (6.7L) - 6 Cylinder
 Fuel Tank: 52.2 Gallon (197.5L)
 DEF Tank: 10.4 Gallon (39.5L)

COMMON ENGINE FEATURES

Tier 4B Emissions Compliant
 ECOBlue™ HI-eSCR Tier 4B Stage V
 Engine with Turbocharger and
 Air-to-Air Intercooler
 4 Valves Per Cylinder
 Bosch Common Rail Fuel Injection
 Pump (electronic)
 Power Management and Constant RPM
 Power Boost in PTO & Transport Modes
 Grid Heater Starting Aid
 Dual Element Air Filter with Pre-Cleaner
 (spin tube intakes)
 A-Pillar Exhaust with Integral Muffler
 Standard Cooling Fan
 Foot and Hand Throttle

TRANSMISSION

T6 ELECTRO COMMAND - STAGE V US PRICE LIST

Standard Equipment

16x16 Electro Command™ Semi-
powershift w/opt. AutoShift feature
Clutchless Range Change Between
Ranges A/B and C/D
Steering Column Mounted Left-hand
Power Shuttle
Multi-plate Wet Clutch Design

ROAD SPEEDS

Std 4WD - 25 mph/40 kph

STEERING & BRAKES

Hydrostatic Power Steering
Hydraulic Wet Disc Brakes
(self-equalizing/self-adjusting)
Parking Brake (automotive style)

REAR AXLE

Heavy Duty Flange
Wet Plate Differential Lock
Electrohydraulic Engaged Rear Diff Lock

FRONT AXLE

STD Front FWD (limited slip)
Class 4 Heavy Duty FWD Axle
55 Degree Turning Angle -4WD
Dual Steering Cylinders
8 Degree Axle Oscillation(adjustable)
Adjustable Tread Width from
61.4 in. to 88.8 in. (varies by tire size)
Electrohydraulic FWD Engagement
Limited Slip Differential
Drive Shaft Shield

PTO

Independent 540/1000 rpm PTO
with Reversible Shaft
Multi-Plate Wet Clutch Design
Electrohydraulic Engagement
with Soft Start/Auto Feathering
Hydraulic Piston PTO Brake with Manual
Override (coast-down feature)
Flip-up PTO Shaft Guard
Rear Fender Mounted PTO Controls

HYDRAULIC SYSTEM

Fixed Displacement Gear Pumps
with closed center remote valves
Maximum Flow at Rated Engine Speed
21.1 gpm (80 l/m) Implement Pump
12.4 gpm (47 l/m) Steering Pump
(2) Lever Controlled, Configurable,
Mechanical Remote Valves with Quick
Couplers, Flow Control & Anti-leak-down
Oil Collection Bottles
Hydraulic Tapping Port (power beyond)
Low Pressure Return Quick Coupler

3-POINT LIFT SYSTEM

Electronic Draft Control (EDC)
Lower Link Sensing
Fast Raise/Lower Control in Cab
Rear Fender Mounted 3-PT Raise/Lower
Switches
Dynamic Ride Control™
Category II/III Flex Link Ends
Telescoping Stabilizers
9,214 lb. Lift Capacity (OECD)
with Dual 80mm External Rams

DRAWBAR

Independent Swinging Drawbar

ELECTRICAL

**T6 ELECTRO COMMAND - STAGE V
US PRICE LIST**

Standard Equipment

(1) 12-volt 1300 cca Battery
150 amp Alternator
Geared Starter Motor (4.2 kW)
3-pin, 40 amp Implement Socket
ISO/JD (30 amp) Socket
15 amp Screw-type Positive/Negative
Terminals
Single Pin (8 amp) Accessory Outlet
Cigar Lighter
(2) Roof Mounted Single Pin Outlets
Battery Boost Terminals

LIGHTS

(4) Halogen front hood headlights
(2) LED front hood signature lights
(8) LED cab mounted work lights
(4) LED high front & rear cab
(4) LED mid-mount front & rear
(2) taillights

Front & Rear Flashing Cab Safety Lights
INSTRUMENTATION

Analog/Digital Instrument Cluster with
LCD Display

Low Roof w/Fixed Visibility Panel
and Sunshade
Flat Deck Platform
Air Conditioner and Heater with
4-speed Pressurizer
Two Doors with Locks
Two-speed Intermittent Front
Wiper/Washer
Rear Intermittent Wiper/Washer
Hinged Rear Window
Tinted Glass with Sunshade
Tilt and Telescoping Steering Wheel
Air Suspension Seat with Operator
Presence Switch and Lap Belt
Instructor Seat
Deluxe Bluetooth radio
Digital Clock
Integral ROPS
Interior Dome Light
(2) External Courtesy Lights
(2) Fixed External Mirrors
Horn

MISCELLANEOUS

Pivoting Engine Hood
SMV Emblem
Toolbox

WARRANTY

New Holland Standard Warranty Applies

CAB

**T6 ELECTRO COMMAND - STAGE V
 US PRICE LIST**
Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
T6.145 EC 4CYL STG5	11,120 LB		\$125,936.00
Includes the following Equipment			
HD Flange Multi-Diff (758430)	\$340.00		
T6.155 EC 4CYL STG5	20,944 LB		\$133,937.00
Includes the following Equipment			
HD Flange Multi-Diff (758430)	\$340.00		
T6.160 EC 6CYL STG5	20,944 LB		\$142,911.00
Includes the following Equipment			
HD Flange Multi-Diff (758430)	\$340.00		
T6.175 EC 4CYL STG5	11,045 LB		\$144,256.00
Includes the following Equipment			
HD Flange Multi-Diff (758430)	\$340.00		
T6.180 EC 6CYL STG5	19,841 LB		\$149,937.00
Includes the following Equipment			
HD Flange Multi-Diff (758430)	\$340.00		

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------



**T6 ELECTRO COMMAND - STAGE V
US PRICE LIST**

FAST PICK CONFIGURATION

SD_T9980 PACKAGING

		X0789XX	T6 EC FAST PICK 1 Package Includes (DF): 759128... Std Fuel Tank + Guard 390166... Std HD Brakes 390711... Less Trailer Brakes 390703... Less Ground Speed Radar 743902... Enhanced Instrument Panel w/ ISO Socket 758441... 29.9 GPM Hydraulic Pump 391283... Basic Air Suspension Seat 390160... Less Auto PTO Selectable Options (some choices are limited) Alternator, Weather Pack, Ballast, Transmission, Rear Axle, Front Axle, Tires, Battery, Loader Ready, Mechanical Rear Remotes, Front Fenders, Hydraulic Lift Cylinders, Rotary Beacon, Cab Type, External Cab Mirrors			(\$7,312.00)
--	--	---------	---	--	--	--------------

**T6 ELECTRO COMMAND - STAGE V
US PRICE LIST**

		X0790XX	<p>T6 EC FAST PICK 2</p> <p>Package Includes (KF):</p> <p>758557... 150 AMP Alternator 759128... Std Fuel Tank + Guard 758430... HD Flange Rear Axle 390166... Std HD Brakes 391296... Class 3 Front Axle 390711... Less Trailer Brakes 390703... Less Ground Speed Radar 743902... Enhanced Instrument Panel w/ ISO Socket 391828... 21.1 GPM Hydraulic Pump 391283... Basic Air Suspension Seat 390160... Less Auto PTO 391610... Cab w/ no suspension 759453... 2 Std Mirrors</p> <p>Selectable Options (some choices are limited) Weather Pack, Ballast, Transmission, Tires, Battery, Loader Ready, Mechanical Rear Remotes, Front Fenders, Hydraulic Lift Cylinders, Rotary Beacon, Rear Sunshade</p>			(\$7,312.00)
		X0791XX	<p>T6 EC FAST PICK 3</p> <p>2WD Package</p> <p>Package Includes:</p> <p>759128... Std Fuel Tank + Guard 759375... 30KPH 16x16 Less AutoShift 390166... Std HD Brakes 759381... 2WD HD Front Axle 390711... Less Trailer Brakes 390703... Less Ground Speed Radar 743902... Enhanced Instrument Panel w/ ISO Socket 391283... Basic Air Suspension Seat 390160... Less Auto PTO 390875... Less Front Fenders</p> <p>Selectable Options (some choices are limited) Alternator, Weather Pack, Ballast, Rear Axle, Tires, Battery, Loader Ready, Hydraulic Pump, Mechanical Rear Remotes, Hydraulic Lift Cylinders, Rotary Beacon, Cab Type, Rear Sunshade, External Cab Mirrors</p>			(\$7,312.00)

**T6 ELECTRO COMMAND - STAGE V
US PRICE LIST**

		X0792XX	<p>T6 EC FAST PICK 4 Deluxe Loader Package</p> <p>Package Includes:</p> <p>759128... Std Fuel Tank + Guard 392195... 40 KPH 16x16 Less AutoShift 390166... Std HD Brakes 758420... Class 3 Hydraulic Lock Front Axle 390711... Less Trailer Brakes 390703... Less Ground Speed Radar 758354... Loader Ready plus 3 EH MMV plus Joystick 743902... Enhanced Instrument Panel w/ ISO Socket 758441... 29.9 GPM Hydraulic Pump 391283... Basic Air Suspension Seat 390160... Less Auto PTO 758479... Cab w/ Suspension 758580... Rear Sunshade 759153... 2 Telescopic Mirrors</p> <p>Selectable Options (some choices are limited) Alternator, Weather Pack, Ballast, Rear Axle, Tires, Battery, Rear Remotes, Front Fenders, Hydraulic Lift Cylinders, Rotary Beacon, Rear Sunshade</p>			(\$7,312.00)
		XT9980X	<p>Less Packaging Custom Configuration No Package selected; Custom premium pricing included in base model</p>			No Charge

OPERATOR STRUCTURE

SD_T7610 INSTRUMENT PANEL

		390761	<p>Analog/Digital Basic Cluster Basic instrument cluster Does not monitor PTO speed</p>			No Charge
		743902	<p>Enhanced Inst w/ ISO Socket Required with radar Includes 7-pin DIN/ISO 11786 socket in RH console to power implement monitors Includes ground speed, rear PTO speed, and rear 3-point position & work status Includes functionality for Area accumulator, odometer, PTO speed display, and wheel slip on dashboard instrument cluster.</p>			\$175.00

**T6 ELECTRO COMMAND - STAGE V
US PRICE LIST**

SD_T8500 SEAT

		758485	Deluxe Seat Air Susp Heated Super Deluxe Seat with Low Frequency Suspension (+DDS) Belt and Swivel Headrest Heated Leather/Alacantara			\$1,994.00
--	--	--------	---	--	--	------------

SD_T9010 REAR CAB STORAGE BO

		758570	Lefthand Rear Cab Storage Box Large LH storage box Located in the back left hand corner, behind instructor seat area Compatible with or without instructor seat/front toolbox options			\$228.00
--	--	--------	---	--	--	----------

SD_T9146 ROTARY BEACON

		758489	Rotary Beacon Lefthand Side Single rotary beacon mounted on rear left side of tractor for increased safety and visibility			\$426.00
		758491	Twin Beacon Rotary beacons mounted on rear of the cab on both left and right side of tractor for maximum safety and visibility			\$853.00
		X91461X	No Rotary Beacon			No Charge

SD_T9200 OPERATOR STRUCTURE #1

		391610	Cab w/Fixed Front Screen			No Charge
		758479	Suspended_Cab Cab suspension reduces shock loads to the tractor by up to 25% utilitizing two adjustable shocks to increase confort to the operator.			\$1,802.00

SD_T9230 CLIMATE CONTROL

		392701	AIR CONDITIONING 392701			No Charge
--	--	--------	-------------------------	--	--	-----------

SD_T9291 REAR WINDOW SUNSHADE

		758580	Sunshade, Rear Window			\$210.00
		X92911X	No Rear Window Sunshade			No Charge

SD_T9360 RR MIRRORS

		759153	2 Telescopic Mirrors 759153			\$283.00
		759154	2 Tele/Heat/Rem Adj Mirror (2) External Mirrors (Electric-adjust, Telescopic and Heated) Requires: - 743729, 713816, or 743730 (High Roof Cab)			\$349.00
		759453	2 Std Mirrors			No Charge

**T6 ELECTRO COMMAND - STAGE V
US PRICE LIST**

ENGINE

SD_T1000 ENGINE

		393110	ENG STG V W/BOOST			No Charge
		762186	ENG STG V W/BST W/BR			\$1,946.00

SD_T1010 ENGINE OPTIONS

		392300	STD ENG COOLING FAN			No Charge
--	--	--------	---------------------	--	--	-----------

SD_T1040 CHARGING SYSTEMS

		758557	150 AMP_Alternator			No Charge
		758558	200 AMP_Alternator			\$245.00

SD_T1400 FUEL TANK

		759128	Std Fuel Tank+Guard Standard fuel tank with guard - 52.2 gallons (197.5 L) Required for use with 34" rear wheels			No Charge
		759130	Large Fuel Tank+Guard Standard fuel tank plus auxiliary tank - 58.6 gal (222 L) Incompatible with 34" rear wheels			\$240.00

SD_T1934 ENG SPEED MANAGEMENT

		743814	Engine Speed Management			No Charge
--	--	--------	-------------------------	--	--	-----------

STARTING AID

SD_T1938 WEATHER PACK

		758401	Grid_Heater			No Charge
		758402	Grid_Heater + 110V Pack Grid heater and cold weather pack Includes engine block heater and transmission heater			\$413.00

BATTERY

SD_T7420 BATTERY

		758407	HD Battery 176AH Does not include battery isolator			No Charge
--	--	--------	--	--	--	-----------

**T6 ELECTRO COMMAND - STAGE V
US PRICE LIST**

		758409	HD Battery W/Isolator 176AH Includes electronic battery isolator switch on right hand rear c-pillar in cab. In-cab switch disconnects battery to prevent battery drainage.			\$447.00
		759140	Hvy Dty Bty Mech ISO Mechanical switch disconnects battery to prevent battery drainage.			\$335.00

TRANSMISSION

SD_T2800 SPEED

		392195	40KPH_16X16_L/Autoshift 16x16 Electro Command semi-powershift			No Charge
		743764	40 KPH (17x16) ECO 17x16 Electro Command "Economy" Semipowershift with AutoShift			\$2,244.00
		758413	40KPH_16X16_w/Autoshift 16x16 Electro Command semi-powershift with AutoShift feature			\$810.00
		758414	40KPH_32X32_Autoshift+Creeper 32x32 Electro Command semi-powershift with AutoShift and creeper			\$3,361.00
		759375	30KPH 16X16 L/Autoshift 16x16 Electro Command semi-powershift for 2WD axle			(\$1,476.00)
		759377	30KPH 16X16 W/Autoshift 16x16 Electro Command semi-powershift with AutoShift feature for 2WD axle			(\$680.00)
		759379	30KPH 16X16 Autoshift+Creeper 16x16 Electro Command semi-powershift with AutoShift and creeper for 2WD axle			\$1,821.00

RADAR

SD_T7580 RADAR

		390703	Less Radar			No Charge
--	--	--------	------------	--	--	-----------

**T6 ELECTRO COMMAND - STAGE V
US PRICE LIST**

HITCH

SD_T8950 AUX RAMS

		390911	EDC Base Hydraulic Lift Cyl. 3-Point Hitch Capacity with two 80mm lift cylinders 6,990 lbs. (3,170 kg) OECD rated lift capacity through the whole range per Nebraska Tractor Test			No Charge
		743811	2 External 90mm Cylinders -EDC 3-Point Hitch Capacity with two 90mm lift cylinders 8945 lbs. (4057 kg) OECD rated lift capacity through the whole range per Nebraska Tractor Test			\$540.00

HYDRAULICS

SD_T8230 HYD PUMP

		391828	80L/Min Fixed Displacement Pmp			No Charge
		758441	CCLS Pump 113L/MIN CCLS PUMP			\$1,689.00

SD_T8275 POWER BEYOND COUPLE

		758540	Low-Pressure Return			No Charge
--	--	--------	---------------------	--	--	-----------

REAR REMOTE VALVES

SD_T8270 REAR REMOTES

		743685	4 Mech Rear Remotes (2NC+2C) 2 Configurable, 2 Non-Configurable Rear Remotes			\$2,167.00
		743740	2 Mech Rear Remote Valves (2C) 2 Configurable Rear Remotes			No Charge
		743741	3 Mech Rear Remote Valves (2C) 2 Configurable, 1 Non-Configurable Rear Remotes			\$914.00

REAR AXLE

SD_T3200 REAR AXLE

		758430	HD Flange Multi-Diff Axle: HD Flange- 56.3"-84" (1430 mm - 2134 mm) Differential: Hydraulic Wheel: Steel Wheel Rims			\$340.00
		758432	HD Bar Steel Multi-Diff Heavy duty 98" bar axle for steel wheels			\$1,519.00

**T6 ELECTRO COMMAND - STAGE V
US PRICE LIST**

REAR WHEELS AND TIRES

SD_T4950 REAR WHEELS AND TIRES

		8334406	460/85(18.4)R38 R1W- MI,FI,CM Matching Front Tire - 16.9R28 R1W - 8241401 (Class 3 Axle) - 8241901 (Class 4 Axle) Compatible with 31 MPH (50 KPH) Adjustable Rims			\$1,612.00
		8365401	460/85(18.4)R34 A8 FI,MI,CO,TR Matching Front Tire - 14.9R24 R1W - 8240402 (Class 3 Axle)			(\$1,449.00)
		8370404	380/90(14.9)R46R1WAdj Rim-C,MI Matching Front Tire - 14.9R30 R1 - 8258404 (Class 3 Axle) - 8258704 (Class 4 Axle) Adjustable Rims			\$393.00
		8388404	460/85(18.4)R42R1W MI,F,T,C,A Matching Front Tire - 14.9R30 R1W - 8258404 (Class 3 Axle) Compatible with 31 MPH (50 KPH) Adjustable Rims			\$487.00
		8399906	Rear Shipping Wheels Matching Front Shipping Wheels - 8299905 (Class 3 Axle) - 8299906 (Class 4 Axle)			(\$3,672.00)
		8963504	320/90R50 R1W MI Matching Front Tire - 320/85R34 R1W - 8859604 (Class 3 Axle) - 8801604 (Class 4 Axle) Adjustable Rims			\$634.00

FRONT AXLE

SD_T4010 FRONT AXLE

		392196	Class 3, L/Brakes Limited slip front axle			No Charge
		758420	Class 3 Hydraulic Lock With TerraLock traction management system with multi-plate differential			\$340.00
		758425	Class 4 Hydraulic Lock -With TerraLock traction management system with multi-plate differential -Incompatible with 34" rear wheels			\$1,285.00

**T6 ELECTRO COMMAND - STAGE V
US PRICE LIST**

		758429	Class 4 SuperSteer L/Water SuperSteer front axle with TerraLock traction management system. Includes mult-plate differential lock.			\$4,799.00
		759381	2WD Heavy Duty Axle			(\$9,184.00)

FRONT WHEELS AND TIRES

SD_T4940 FRONT WHEELS AND TIRES

		8138401	11.00-16 10PR F2 2WD Alliance brand 2WD front tire			(\$1,773.00)
		8240402	380/85(14.9)R24 A8 Requires 460/85(18.4)R34 R1W			\$324.00
		8241401	380/85(14.9)R28 A8 Requires 460/85(18.4R38) R1W			No Charge
		8255404	420/85(16.9) R28 R1W MI-FI-TR Requires 20.8R38 R1W			\$756.00
		8258404	380/85(14.9)R30R1W MI,F,T,C,A Requires 18.4R42 R1W			\$573.00
		8299905	Front Shipping Wheels-4WD Requires rear shipping wheels			(\$1,241.00)
		8859604	320/85R34 R1W MI,FI Requires 320/90R50 R1W			\$748.00

FENDERS

SD_T8710 FENDERS PTO CONTROL

		392803	Fender Mounted Controls			No Charge
--	--	--------	-------------------------	--	--	-----------

FRONT FENDERS

SD_T8740 FRONT FENDERS

		390875	Less front fender			No Charge
		758505	Front Fender 420mm Dynamic Recommended for tire sizes less than 420/16.9" Dynamic front fenders allow the fenders to turn with the tires			\$802.00
		758506	Front Fender 480mm Dynamic Recommended for tire sizes less than 480/18.9" Dynamic front fenders allow the fenders to turn with the tires			\$932.00
		758507	Front Fender 540mm Dynamic Recommended for tire sizes larger than 520/20.8" Dynamic front fenders allow the fenders to turn with the tires			\$1,047.00



**T6 ELECTRO COMMAND - STAGE V
US PRICE LIST**

REAR FENDERS

SD_T8700 FENDERS

		391153	Standard Fenders			No Charge
--	--	--------	------------------	--	--	-----------

TRAILER BRAKES

TRAILER BRAKES

SD_T7130 TRLR BRK VLV

		390711	Less trailer brakes			No Charge
		759472	HYD TRLBRK - NOT ISO HYDRAULIC TRAILER BRAKE - NOT ISO			\$1,154.00

SD_T7230 PNEUM TRAILER BRAKE

		390729	L/ Pneumatic Trailer Brakes			No Charge
		758447	Pneumatic Trailer Brake Univ Requires hydraulic trailer brakes (759472). Dual air line system is used for dual cylinder truck type trailer brakes. For customers with air brakes in heavy applications, such as manure tankers.			\$8,257.00

TIRES

BRAND CHOICE

SD_T4900 TIRE CATEGORY CHOICE

		330438	No tire brand preference			No Charge
		330439	Continental			\$571.00
		330442	Michelin			\$571.00
		330446	Firestone			\$571.00

LOADER

LOADER BRACKETS

SD_T8110 LOADER BRACKETS

		390819	Less Loader Ready			No Charge
--	--	--------	-------------------	--	--	-----------

**T6 ELECTRO COMMAND - STAGE V
US PRICE LIST**

		758351	<p>Loader Ready + 3Mech MMV+Joy</p> <p>Complete Loader Ready: Includes 3 slice mechanical mid-mount valve (MMM), horizontal and vertical two piece system (TPS) mounting brackets, grill guard, hydraulic plumbing, tractor half of the multi-coupler and joystick. Incompatible with electro-hydraulic rear remotes & electronic joystick.</p> <p>Includes predisposition for Complete Loader Ready (758622)</p> <p>Does not include front end loader frame, buckets or loader attachments. Order a front end loader from the 805TL Series Front End Loader Price & Data Pages.</p>			\$9,474.00
--	--	--------	---	--	--	------------

WEIGHTS

FRONT WEIGHTS

SD_T2150 FRONT BALLAST

		758518	<p>Weight Pack A w/Hook</p> <p>Pack "A" includes weight rack - 199.3 lbs., (6) 99.2 lbs. weights, plus the tow hook - 15.4 lbs., total weight is 703 lbs. (319 kg)</p>			\$1,152.00
		758519	<p>Weight Pack B w/Hook</p> <p>Pack "B" includes: weight rack - (1) 199 lbs., (10) 99 lbs. weights, plus the tow hook - 15 lbs., total weight is 1,207 lbs. (547 kg)</p>			\$1,793.00
		758520	<p>Weight Pack C w/Hook</p> <p>Pack "C" includes: (1) weight rack - 199 lbs., (18) 99 lbs. weights, plus the tow hook - 15 lbs., total weight is 2000 lbs. (907 kg)</p> <p>Not compatible with two wheel drive (2WD) option</p> <p>Not compatible with loader ready packages: 758344, 758351, 758353, 758354, 758351</p>			\$2,922.00
		758562	<p>Weight Carrier w/Hook</p> <p>Weight carrier with tow hook - 199 lbs (90.4 kg)</p>			\$266.00

REAR WHEEL WEIGHTS

SD_T4960 WHEEL WEIGHTS

		758564	<p>6X65KG Wheel Weight</p> <p>Includes (6) 143 lbs. weights totalling 860 lbs.</p>			\$1,222.00
		762228	<p>R WHL WEIGHTS 4X200</p> <p>Rear Wheel Weights</p> <p>Includes 2 Left Hand X 200 KG and 2 Right Hand X 200 KG Weights</p> <p>Four weights totaling 800 KG or 1,764 lbs.</p>			\$1,594.00

**T6 ELECTRO COMMAND - STAGE V
US PRICE LIST**

		762229	R WHL WEIGHTS 6X200 Rear Wheel Weights Includes 3 Left Hand X 200 KG and 3 Right Hand X 200 KG Weights Six weights totaling 1200 KG or 2,646 lbs.			\$2,736.00
		X49601X	L/Wheel Weights			No Charge

ADDITIONAL EQUIPMENT

SD_T3600 BRAKE PACK

		390166	Std. Heavy Duty Brake Discs			No Charge
		758435	Extended-Life Brake Discs			\$349.00

SD_T9560 FRONT TOOLBOX

		390996	Standard Toolbox 5.5 in. x 12.5 in. (140 mm x 315 mm)			No Charge
		743848	Large Toolbox 5.5 in. x 16.5 in. (140 mm x 420 mm) Great for larger tools, like hammers and larger wrenches			\$96.00

T6 DYNAMIC COMMAND - STAGE V US PRICE LIST

Standard Equipment

KEY SELLING POINTS:

- Fuel efficient high torque 4.5L, 4-cylinder with power boost
FPT engines with 4 valves per cylinder and common rail fuel injection systems
- Tier 4B Stage V EPA emissions compliant with SCR only ECOBlue™ HI-eSCR
- 23X23 Dynamic Command™ Powershift with AutoShift feature
- Standard LED work lighting
- Easy attach remote outlets
- Bold styling (hood, cab roof, lighting)
- Long Stable 104" wheel base for all 4WD models
- 15' 1" (181") turning radius (Std FWD disengaged, no brake, no fenders)

ENGINE

T6.145

Rated PTO HP - 95
Rated Engine HP - 116
Engine Power Management (EPM)
Maximum Engine HP w/ EPM - 145
Rated Speed - 2200 RPM
274 cu. in. (4.5L) - 4 Cylinder
Fuel Tank: 52.2 Gallon (197.5L)
DEF Tank: 10.4 Gallon (39.5L)

T6.155

Rated PTO HP - 105
Rated Engine HP - 125
Engine Power Management (EPM)
Maximum Engine HP w/ EPM - 155
Rated Speed - 2200 RPM
274 cu. in. (4.5L) - 4 Cylinder
Fuel Tank: 52.2 Gallon (197.5L)
DEF Tank: 10.4 Gallon (39.5L)

T6.165

Rated PTO HP - 110
Rated Engine HP - 135
Engine Power Management (EPM)

Maximum Engine HP w/ EPM - 169
Rated Speed - 2200 RPM
274 cu. in. (4.5L) - 4 Cylinder
Fuel Tank: 52.2 Gallon (197.5L)
DEF Tank: 10.4 Gallon (39.5L)

T6.175

Rated PTO HP - 120
Rated Engine HP - 145
Engine Power Management (EPM)
Maximum Engine HP w/ EPM - 175
Rated Speed - 2200 RPM
274 cu. in. (4.5L) - 4 Cylinder
Fuel Tank: 52.2 Gallon (197.5L)
DEF Tank: 10.4 Gallon (39.5L)

T6.180

Rated PTO HP - 125
Rated Engine HP - 145
Engine Power Management (EPM)
Maximum Engine HP w/ EPM - 175
Rated Speed - 2200 RPM
411 cu. in. (6.7L) - 6 Cylinder
Fuel Tank: 52.2 Gallon (197.5L)
DEF Tank: 10.4 Gallon (39.5L)

COMMON ENGINE FEATURES

Tier 4B Stage V Emissions Compliant
ECOBBlue™ HI-eSCR Engine with
Turbocharger and Air-to-Air Intercooler
4 Valves Per Cylinder
Bosch Common Rail Fuel Injection
Pump (electronic)
Power Management and Constant RPM
Power Boost in PTO & Transport Modes
Grid Heater Starting Aid
Dual Element Air Filter with Pre-Cleaner (spin tube intakes)
A-Pillar Exhaust with Integral Muffler
Vistronic Fan (5 blade)
Foot and Hand Throttle

TRANSMISSION

**T6 DYNAMIC COMMAND - STAGE V
US PRICE LIST**

Standard Equipment

23 X 23 Dynamic Command™
Powershift
Clutchless Range Change between
Ranges A/B, B/C
Steering Column Mounted Left-hand
Power Shuttle
Multi-plate Wet Clutch Design

ROAD SPEEDS

Std 4WD - 25 mph/40 kph
Optional 4WD - 31 mph/50KPH
(speeds varies by tire size)

STEERING & BRAKES

Hydrostatic Power Steering
Hydraulic Wet Disc Brakes
(self-equalizing/self-adjusting)
Parking Brake (automotive style)

REAR AXLE

Heavy Duty Flange
Wet Plate Differential Lock
Electrohydraulic Engaged Rear Diff Lock

FRONT AXLE

SELECTION MUST BE MADE WHEN
ORDERING. ENTRY LEVEL OPTION IS:
Front FWD (TerraLock™)
Class 4 Heavy Duty FWD Axle
55 Degree Turning Angle
Dual Steering Cylinders
8 Degree Axle Oscillation
Adjustable Tread Width from
61.4 in. to 88.8 in. (varies by tire size)
Electrohydraulic FWD Engagement
TerraLock™ Auto FWD/Diff-Lock
Drive Shaft Shield

PTO

Independent 540/1000 rpm PTO

with Reversible Shaft
Multi-Plate Wet Clutch Design
Electrohydraulic Engagement with
Soft Start/Auto Feathering
Hydraulic Piston PTO Brake with Manual
Override (coast-down feature)
Flip-up PTO Shaft Guard
Auto PTO Management System
Rear Fender Mounted PTO Controls

HYDRAULIC SYSTEM

CCLS: Closed-Center-Load-Sensing
System
Variable Displacement Piston Pump
Maximum Flow at Rated Engine Speed
29.9 gpm (113 l/m) Implement Pump
12.4 gpm (47 l/m) Steering Pump
(2) Lever Controlled, Configurable,
Mechanical Remote Valves with Quick
Couplers, Flow Control & Anti-leak-down
Oil Collection Bottles
Hydraulic Tapping Port (power beyond)
Low Pressure Return Quick Coupler

3-POINT LIFT SYSTEM

Electronic Draft Control (EDC)
Lower Link Sensing
Fast Raise/Lower Control in Cab
Rear Fender Mounted 3-PT Raise/Lower
Switches
Dynamic Ride Control™
Category II/III Flex Link Ends
Telescoping Stabilizers
8,338 lb. Lift Capacity (OECD)

DRAWBAR

Independent Swinging Drawbar

CUSTOM HEADLAND MANAGEMENT SYSTEM

Allows Programming of the Following

**T6 DYNAMIC COMMAND - STAGE V
US PRICE LIST**

Standard Equipment

- Transmission Upshift/Downshift
- Fast Raise/Lower of the 3-PT Hitch
- Engine rpm Increase/Decrease
via Throttle
- Engine rpm Increase/Decrease
via Constant RPM
- Optional Electro-Hydraulic Remotes

ELECTRICAL

(1) 12-volt 1300 cca Battery
ALTERNATOR SELECTION MUST BE
MADE. ENTRY LEVEL OPTION IS:
150 amp Alternator
Geared Starter Motor (4.2 kW)
3-pin, 40 amp Implement Socket
ISO/JD (30 amp) Socket
15 amp Screw-type Positive/Negative
Terminals
ISO BUS Class 2 Basic
Single Pin (8 amp) Accessory Outlet
Cigar Lighter
(2) Roof Mounted Single Pin Outlets for
beacon
Battery Boost Terminals

LIGHTS

WORK LIGHT SELECTION MUST BE
MADE. STANDARD EQUIPMENT IS:
(4) Halogen front hood headlights
(2) LED front hood signature lights
(12) LED cab mounted work lights
(8) LED high front & rear
(4) LED mid-mount front & rear
(2) taillights

Front & Rear Flashing Cab Safety Lights
Time Delayed, Self-Cancelling Turn
Indicators with Audible Warning

INSTRUMENTATION

Analog/Digital Instrument Cluster with
LCD Display, Enhanced Key Pad and
Performance Monitor
CAB

High Roof w/ Opening Visibility Panel
and Sunshade
Flat Deck Platform with Integrated ROPS
Standard A/C manual control
Two doors with Locks
Two-speed Intermittent Front
Wiper/Washer
Rear Intermittent Wiper/Washer
Hinged Rear Window
Tinted Glass with Sunshade
Tilt and Telescoping Steering Wheel

Deluxe Air Suspension Seat with
Automatic Adjustment, Operator
Presence Switch and Lap Belt
Instructor Seat
Deluxe Radio with Bluetooth, High
Performance Speakers & Antenna
Digital Clock
Interior Dome Light
(2) External Courtesy Lights
(2) Electronically Adjustment
Telescoping, Heated External Mirrors
Horn

MISCELLANEOUS

Pivoting Engine Hood
SMV Emblem
Toolbox
WARRANTY

New Holland Standard Warranty Applies



**T6 DYNAMIC COMMAND - STAGE V
US PRICE LIST**

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
T6.145 DCT			\$142,496.00
T6.155 DCT	20,944 LB		\$150,966.00
T6.165 DCT	20,944 LB		\$154,444.00
T6.175 DCT	11,045 LB		\$161,285.00
T6.180 DCT	19,841 LB		\$166,967.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

FAST PICK CONFIGURATION

SD_T9980 PACKAGING

	X0805XX	T6 DCT FAST PICK 1 Package Includes: 390703... Less Ground Speed Radar 758482... Air Conditioning w/ Automatic Temperature Control 758580... Rear Window Shade 758483... Leather Steering Wheel plus Carpet Selectable Options (some choices are limited) Alternator, Fuel Tank, Weather Pack, Ballast, Transmission, Auto Features, Park Brake, Rear Axle, Brake Pack, Front Axle, Headland Management, Tires, Steering Type, Hydraulic Trailer Brakes, Pneumatic Trailer Brakes, Battery, AutoGuidance, ISOBus, Joystick, Electronic MMV, Loader Brackets, Rear Remotes, Seat, Rear Fenders, Front Fenders, 3 Point Hitch Lift Cylinders, Cab Roof Lights, Rotary Beacons, Cab Suspension, RH Window Bar Mount, Armrest Display			(\$7,312.00)
--	---------	--	--	--	--------------

**T6 DYNAMIC COMMAND - STAGE V
 US PRICE LIST**

		X0806XX	T6 DCT FAST PICK 2 Loader Package Package Includes: 392464... 40 KPH DCT Transmission 390166... Std Heavy Duty Brake Discs 759109... Class 4 Heavy Duty Front Axle 743737... End of Row Function 390711... Less Hydraulic Trailer Brakes 390729... Less Pneumatic Trailer Brakes 390703... Less Ground Speed Radar 759396... EH Advanced Joystick 743690... 3 Electronic MMV 759471... Loader Ready plus 3 Electronic MMV 391153... Standard Rear Fenders 758594... 12 LED High Power Lights, Roof Cab 758479... Suspended Cab 392701... Air Conditioning w/ Manual Temperature Control 758580... Rear Window Shade 391152... Std Steering Wheel Selectable Options (some choices are limited) Alternator, Fuel Tank, Weather Pack, Ballast, Auto Features, Park Brake, Rear Axle, Tires, Steering Type, Battery, AutoGuidance, ISOBus, Rear Remotes, Seat, Front Fenders, 3 Point Hitch Lift Cylinders, Rotary Beacons, RH Window Bar Mount, Armrest Display				(\$7,312.00)
--	--	---------	---	--	--	--	--------------

**T6 DYNAMIC COMMAND - STAGE V
US PRICE LIST**

		X0807XX	<p>T6 DCT FAST PICK 3</p> <p>Package Includes:</p> <p>390166... Std Heavy Duty Brake Discs 743737... End of Row Function 390711... Less Hydraulic Trailer Brakes 390729... Less Pneumatic Trailer Brakes 390703... Less Ground Speed Radar 391284... Deluxe Air Suspension Seat 391153... Standard Rear Fenders 758594... 12 LED High Power Lights, Roof Cab 392701... Air Conditioning w/ Manual Temperature Control X92911X... Less Rear Window Shade 391152... Std Steering Wheel</p> <p>Selectable Options (some choices are limited) Alternator, Fuel Tank, Weather Pack, Ballast, Transmission, Auto Features, Park Brake, Rear Axle, Front Axle, Tires, Steering Type, Battery, AutoGuidance, ISOBus, Joystick, Electronic MMV, Loader Brackets, Rear Remotes, Front Fenders, 3 Point Hitch Lift Cylinders, Rotary Beacons, Cab Suspension, RH Window Bar Mount, Armrest Display</p>				(\$7,312.00)
--	--	---------	---	--	--	--	--------------

**T6 DYNAMIC COMMAND - STAGE V
US PRICE LIST**

		X0810XX	<p>T6 DCT BLUE POWER FAST PICK Blue Power Edition Package</p> <p>Package Includes:</p> <p>390711... Less Hydraulic Trailer Brakes 390703... Less Ground Speed Radar 759384... Super Deluxe Seat w/ Low Frequency Suspension, Heated, Leather 758596... 16 LED High Power Lights, Roof Cab 758482... Air Conditioning w/ Automatic Temperature Control 758580... Rear Window Shade 758483... Leather Steering Wheel plus Carpet 758320... Blue Power Edition Special Paint</p> <p>Selectable Options (some choices are limited) Alternator, Fuel Tank, Weather Pack, Ballast, Transmission, Auto Features, Park Brake, Rear Axle, Brake Pack, Front Axle, Headland Management, Tires, Steering Type, Pneumatic Trailer Brakes, Battery, AutoGuidance, ISOBus, Joystick, Electronic MMV, Loader Brackets, Rear Remotes, Rear Fenders, Front Fenders, 3 Point Hitch Lift Cylinders, Rotary Beacons, Cab Suspension, RH Window Bar Mount, Armrest Display</p>			(\$7,312.00)
		XT9980X	<p>Less Packaging Custom Configuration No Package selected; Custom premium pricing included in base model</p>			No Charge

OPERATOR STRUCTURE

SD_T7620 SPEAKERS

		743714	<p>Deluxe Radio with Bluetooth Deluxe Radio that includes AM, FM, Micro SD, USB, AUX and Bluetooth with noise cancelling microphone complete with wires and speakers in the cab.</p>			No Charge
--	--	--------	---	--	--	-----------

SD_T9180 AUDIBLE WARNING TURN INDICATOR

		758504	Self-Cancel + Audible Turn			No Charge
--	--	--------	----------------------------	--	--	-----------

SD_T9200 OPERATOR STRUCTURE #1

		391610	<p>Cab w/Fixed Front Screen Standard Cab - Does not include cab suspension.</p>			(\$1,802.00)
--	--	--------	--	--	--	--------------

**T6 DYNAMIC COMMAND - STAGE V
US PRICE LIST**

		758479	Suspended_Cab Suspended Cab includes two adjustable rear shocks Cab suspension reduces shock loads to the tractor by up to 25% utilitizing two adjustable shocks to increase confort to the operator.			No Charge
		758480	Suspended Cab w/Heated Screens Includes 758479 Cab Suspension plus defrost elements on front and rear windows Requires 200 Amp alternator			\$517.00

SD_T9223 RH WINDOW BAR MOUNT

		390665	Fixings for Mounted Monitor No Bar or Monitor			No Charge
		758154	RH Window Bar Display Ready. Includes Bar mounted in right hand side of cab with Intelliview ready harness and window mount without Monitor			\$249.00
		758621	10" Color Touch Screen Display Monitor mounting bracket with IntelliView IV			\$5,411.00

SD_T9230 CLIMATE CONTROL

		392701	AIR CONDITIONING 392701			No Charge
		758482	Air Conditioning W/ATC Automatic Temperature Control (ATC) allows the operator to set a desired temperature and the system maintains the desired set temperature.			\$744.00

SD_T9291 REAR WINDOW SUNSHADE

		758580	Sunshade, Rear Window Perforated sun screen used to reduce sun shine on operator			\$210.00
--	--	--------	--	--	--	----------

CAB

SD_T9010 REAR CAB STORAGE BO

		758570	Lefthand Rear Cab Storage Box Large LH storage box Located in the back left hand corner, behind instructor seat area Incompatible with Autoguidance			\$228.00
--	--	--------	--	--	--	----------

**T6 DYNAMIC COMMAND - STAGE V
US PRICE LIST**

MIRRORS

SD_T9360 RR MIRRORS

		759154	2 Tele/Heat/Rem Adj Mirror (2) External Mirrors (Electric-adjust, Telescopic and Heated) Requires: - 743729, 713816, or 743730 (High Roof Cab)			No Charge
--	--	--------	--	--	--	-----------

WORK LIGHTING

SD_T9130 WORK LAMPS

		758594	12 LED High Power Hi-Roof Work Lamp Package includes: 12 total LED cab mounted work lights: 8 high roof mounted; 4 front, 4 rear 4 mid-cab mounted; 2 front, 2 rear Total work light package emits 23,400 lumens			No Charge
		758596	16 LED High Power Hi-Roof Work Lamp Package includes: 16 Cab mounted LED work lights 12 high cab-mounted; 6 front, 6 rear 4 mid-cab mounted; 2 front, 2 rear 16 LED work lights emitting 31,200 lumens			\$999.00

BEACON LIGHTING

SD_T9146 ROTARY BEACON

		758489	Rotary Beacon Lefthand Side Single rotary beacon mounted on rear left side of tractor for increased safety and visibility			\$426.00
		758491	Twin Beacon Rotary beacons mounted on rear of the cab on both left and right side of tractor for maximum safety and visibility			\$853.00

SEAT

SD_T8500 SEAT

		391284	DLX AIR SWIVEL HEAD Deluxe Air suspension seat with adjustable headrest			No Charge
		758485	Deluxe Seat Air Susp Heated Super Deluxe Seat with Low Frequency Suspension (+DDS) Belt and Swivel Headrest Heated Leather/Alacantara			\$1,994.00

**T6 DYNAMIC COMMAND - STAGE V
US PRICE LIST**

		758486	MAXIMO EVO Semi Active Suspension, Heated, Vented, Belt, Alcantara/Leather, Up/Down Headrest (Maximo Evo)			\$3,909.00
--	--	--------	---	--	--	------------

SD_T9228 RH ARMREST MOUNT

		759155	BASIC ARMST MTD DOG Basic display of gears mounted on the armrest			No Charge
		763121	FRED DISPLAY ARMREST 763121 10.4 inch, wide screen Intelliview touchscreen monitor attached to SideWinder II armrest			\$5,411.00

PRECISION FARMING

SD_T4820 HEADLAND SYSTEM

		758592	Adv. Headland Ctrl Confg EHR			\$993.00
--	--	--------	------------------------------	--	--	----------

SD_T7630 AUTOGUIDANCE

		758803	Full AG Nav GPS L1 Autoguidance Complete Includes Nav II controller and NH 372 receiver Requires Autoguidance ready, IntelliView IV display Activated to WAAS level accuracy (Level 1)			\$8,826.00
		758804	Full AG Nav GPS L2 Autoguidance - Complete Pack Autoguidance Complete Includes Nav II controller and NH 372 receiver Requires Autoguidance ready, IntelliView IV display Activated to OmniSTAR HP/G2/XP & CenterPoint RTX level accuracy (Level 2)			\$11,376.00
		758871	Autoguidance Lvl 3 RTK Modem Autoguidance Complete Includes Nav II controller, NH 372 receiver Requires Autoguidance ready, IntelliView IV display Activated to RTK level accuracy (Level 3) Requires either a RTK radio or modem not included			\$13,926.00

AUTOGUIDANCE

SD_T6300 STEERING OR AUTOGUIDANCE READY

		759185	Autoguidance Ready Autoguidance Ready with steering sensor, electronic steering valve, steering manifold, hoses, wiring harness, receiver mounting bracket, cabling, & hardware			No Charge
--	--	--------	---	--	--	-----------

**T6 DYNAMIC COMMAND - STAGE V
US PRICE LIST**

		759186	Variable Ratio Steer CUSTOMSTEER™ OPTION feature allows operators to turn fully from lock to lock with as little as one rotation of the steering wheel with precision control. You can choose a steering ratio preference from 1:1 to 1:4 for quicker maneuvering at the headland, reversing with trailers, or during repetitive loader work.			\$2,763.00
		759187	Va.Ratio + Autoguidance Includes Variable Ratio Steer 759186 and Autoguidance Ready (759185)			\$5,396.00

ENGINE

SD_T1010 ENGINE OPTIONS

		758700	VISTRONIC FAN Can vary speed independent of engine speed, based on the demand for cooling			No Charge
--	--	--------	--	--	--	-----------

SD_T1040 CHARGING SYSTEMS

		758557	150 AMP_Alternator			No Charge
		758558	200 AMP_Alternator Required for units equipped with 758480 Suspended Cab w/Heated Screens			\$245.00

SD_T1400 FUEL TANK

		759128	Std Fuel Tank+Guard Standard fuel tank with guards Compatible with 34" Rear Wheels 55 Gallon / 210 Liter Capacity			No Charge
		759130	Large Fuel Tank+Guard Large fuel tank with guards Not compatible with 34" Rear Wheels 59 Gallon / 222 Liters Capacity			\$240.00

STARTING AID

SD_T1938 WEATHER PACK

		758402	Grid_Heater + 110V Pack Improves starting in cold weather conditions. Option includes grid heater and 110V electrical plug in of engine block heater and transmission heater			\$413.00
--	--	--------	---	--	--	----------

**T6 DYNAMIC COMMAND - STAGE V
US PRICE LIST**

BATTERY

SD_T7420 BATTERY

		758407	HD Battery 176AH Does not include battery isolator			No Charge
		758409	HD Battery W/Isolator 176AH Heavy duty battery with electronic isolator switch on right hand rear c-pillar in cab. In-cab switch disconnects battery to prevent battery drainage.			\$447.00
		759140	Hvy Dty Bty Mech ISO Includes mechanical battery isolator switch Mechanical switch disconnects battery to prevent battery drainage			\$336.00

TRANSMISSION

SD_T2800 SPEED

		759111	40 KPH ECO - DCT Dynamic Command Transmission: 24 Speed Transmission with Economy 24th gear 24 gear limited @ 1650 engine rpm , 23 gear limited @ 2000 engine rpm both forward and reverse			\$1,869.00
		759112	40K ECO - DCT+CREEPE Creeper Transmisison - provides 722 Feet per Hour (220 meters per hour)			\$4,419.00
		759113	50 KPH - DCT Dynamic Command Transmission: 24 Speed Transmission with 50 KPH 24th gear providing top transport speed of 31 MPH			\$1,869.00
		759131	40KPH DCT + CREEPER Creeper Transmisison - provides 722 Feet per Hour (220 meters per hour)			\$2,551.00
		759134	50KPH DCT + CREEPER Creeper Transmisison - provides 722 Feet per Hour (220 meters per hour) Requires 113l Hyd Pump (758441) which is base equipment			\$4,419.00

**T6 DYNAMIC COMMAND - STAGE V
US PRICE LIST**

SD_T2816 AUTO FEATURES

		758631	ADV TRANS AUTO FEAT Ground Speed Management: Allows an operator to select a target ground speed.			\$760.00
		759166	BASIC AUTO FEATURE Basic Auto Features include: Smart Range Shift, Memory Shuttle, Smooth Shift, Pedal Kick Down, Auto Functions and Brake-To-Clutch			No Charge

RADAR

SD_T7580 RADAR

		758501	Radar NAR			\$834.00
--	--	--------	-----------	--	--	----------

HITCH

SD_T8950 AUX RAMS

		390911	EDC Base Hydraulic Lift Cyl. Lift capacity (3782 kg) 8,338 lbs			No Charge
		743811	2 External 90mm Cylinders -EDC Lift Capacity 11,649 lbs (5284 kg)			\$540.00

HITCH AND DRAWBAR

SD_T8960 DRAWBAR AND 3 POINT HITCH

		758452	Cat II/III Flex Links			No Charge
--	--	--------	-----------------------	--	--	-----------

HYDRAULICS

SD_T8230 HYD PUMP

		758441	CCLS Pump 29.9 gpm (Implement Pump)			No Charge
--	--	--------	---	--	--	-----------

REAR REMOTE VALVES

SD_T8270 REAR REMOTES

		743685	4 Mech Rear Remotes (2NC+2C) 4 mechanical rear remotes, 2 configurable detents and flow control			(\$1,230.00)
		743686	3 Elect Hyd. Rear Remote Valve 3 electronic rear remotes			No Charge
		743733	4 Elect Hyd. Rear Remote Valve 4 electronic rear remotes			\$1,256.00
		743741	3 Mech Rear Remote Valves (2C) 3 mechanical rear remotes, 2 configurable detents and flow control			(\$2,484.00)

**T6 DYNAMIC COMMAND - STAGE V
US PRICE LIST**

REAR AXLE

SD_T3200 REAR AXLE

		758430	HD Flange Multi-Diff HD Flange, Hydraulic, Steel wheel rims Track setting with adjustable wheels 56.3 - 84.0 in (1430 - 2134 mm)			No Charge
		758432	HD Bar Steel Multi-Diff Heavy duty 98" bar axle for steel wheels			\$1,519.00
		758434	HD Bar Cast Multi-Differential Heavy duty 98" bar axle for cast wheels			\$1,519.00
		759136	HD 98"BAR STEEL MULT This bar axle is for dual wheels - 320/90R50 (8440104) - 380/90R46 (8470404) Includes 4 hubs with steel wheels Multiplate Diff Lock 4WD Clutch			\$1,519.00

REAR WHEELS AND TIRES

SD_T4950 REAR WHEELS AND TIRES

		8328401	460/85(18.4)R38 R1W-MIFITR Matching Front Tire - 14.9R28 R1W - 8241901 (Class 4 Axle) Compatible with 31 MPH (50 KPH) Adjustable Rims			No Charge
		8370404	380/90(14.9)R46R1WAdj Rim-C,MI Matching Front Tire - 14.9R30 R1W - 8258404 (Class 3 Axle) - 8258704 (Class 4 Axle) Adjustable Rims			\$393.00
		8380404	520/85 (20.8) R38 R1W MI, TR Matching front tire is 8255404 420/85(16.9) R28 R1W MI-FI-TR			\$2,190.00
		8388404	460/85(18.4)R42R1W MI,F,T,C,A Matching Front Tire - 14.9R30 R1W - 8258704 (Class 4 Axle) Compatible with 31 MPH (50 KPH) Adjustable Rims			\$487.00
		8399906	Rear Shipping Wheels Matching Front Shipping Wheels - 8299906 (Class 4 Axle)			\$1,990.00

**T6 DYNAMIC COMMAND - STAGE V
US PRICE LIST**

		8440104	DUAL 320/90R50 This option is for Dual Rear Wheels and Tires Must be ordered with Dual Rear Axle (759136)			\$6,616.00
		8470404	DUAL 380/90R46 (14.9) R1W MICO This option is for Dual Rear Wheels and Tires Must be ordered with Dual Rear Axle (759136)			\$6,373.00
		8907601	650/60R38 R1W F/Bar AXL - MI Matching Front Tire - 520/60R28 R1W - 8801301 (Class 3 Axle) Compatible with 31 MPH (50 KPH) Requires: - 743707 (Full Cover Rear Fenders) Adjustable Rims			\$1,406.00
		8963504	320/90R50 R1W MI Matching Front Tire - 320/85R34 R1W - 8801604 (Class 4 Axle) Adjustable Rims			\$634.00
		8998401	650/65R38 A8 R1W FI/MI/TR/CO Matching Front Tire - 540/65R28 R1W - 8858501 (Class 4 Axle) Compatible with 31 MPH (50 KPH) Requires: - 743707 (Full Cover Rear Fenders) Fixed Rims			\$907.00

FRONT AXLE

SD_T4010 FRONT AXLE

		758425	Class 4 Hydraulic Lock With TerraLock traction management system with multi-plate differential Incompatible with 34" rear wheels			No Charge
		758428	Class 4 Susp + Brake Hyd Lock With TerraGlide suspended axle with TerraLock traction management system. Includes multi-plate differential and front brakes. Incompatible with 34" rear wheels			\$6,469.00
		758429	Class 4 SuperSteer L/Water SuperSteer front axle with TerraLock traction management system. Includes multi-plate differential lock.			\$4,799.00
		759109	Class 4 HD Std Axle			\$257.00

**T6 DYNAMIC COMMAND - STAGE V
US PRICE LIST**

FRONT WHEELS AND TIRES

SD_T4940 FRONT WHEELS AND TIRES

		8241401	380/85(14.9)R28 A8 Requires 460(18.4)R38			No Charge
		8241901	380/85(14.9)R28R1W HD-MIFITR Requires: 460(18.4)R38 R1W			No Charge
		8255404	420/85(16.9) R28 R1W MI-FI-TR Requires 20.8R38 R1W			\$756.00
		8255904	420/85(16.9)R28 R1W MI-FI Requires 20.8R38 R1W or 18.4R42 R1W			\$756.00
		8258704	380/85(14.9)R30 R1W MI-FI-CM Requires 18.4R42 R1W or 14.9R46 R1W			\$573.00
		8299905	Front Shipping Wheels-4WD Requires rear shipping wheels			(\$1,241.00)
		8299906	Front Shipping Wheels Requires rear shipping wheels			(\$1,241.00)
		8801301	520/60R28 MAVT Rims - MI			\$2,352.00
		8801601	520/60R28 R1W Fixed HD Brand: Michelin fixed rims, not adjustable Requires 650/60R38			\$3,356.00
		8801604	320/85R34 R1W Brands - MI Requires 320/90R50 R1W			\$748.00
		8815601	480/65R28 R1W HD Brands: Firestone, Michelin, Trelleborg Requires 600/65R38 R1W Requires Full Cover Rear Fenders			\$369.00
		8859604	320/85R34 R1W MI,FI Requires 320/90R50 R1W			\$748.00

**T6 DYNAMIC COMMAND - STAGE V
US PRICE LIST**

FENDERS

SD_T8710 FENDERS PTO CONTROL

		743680	Fender EDC/PTO/Rem Valv Contrl Rear Fender Mounted (Right/Left) 3-PT, PTO & 3rd Rear Remote Control Switches. Requires: - 743686 or 743733 (3 or 4 EH Rear Remotes) - 330345 (Advanced Processor)			\$296.00
--	--	--------	---	--	--	----------

FRONT FENDERS

SD_T8740 FRONT FENDERS

		390875	Less front fender			No Charge
		758505	Front Fender 420mm Dynamic Recommended for tire sizes less than 420/16.9" Dynamic front fenders allow the fenders to turn with the tires			\$802.00
		758506	Front Fender 480mm Dynamic Recommended for tire sizes less than 480/18.9" Dynamic front fenders allow the fenders to turn with the tires			\$932.00
		758507	Front Fender 540mm Dynamic Recommended for tire sizes larger than 520/20.8" Dynamic front fenders allow the fenders to turn with the tires			\$1,047.00

REAR FENDERS

SD_T8700 FENDERS

		743707	Full Cover Full Cover Rear Fender (92.1 in. / 2,340 mm)			\$740.00
--	--	--------	---	--	--	----------

TRAILER BRAKES

TRAILER BRAKES

SD_T7130 TRLR BRK VLV

		759472	HYD TRLBRK - NOT ISO HYDRAULIC TRAILER BRAKE - NOT ISO			\$1,154.00
--	--	--------	--	--	--	------------

SD_T7230 PNEUM TRAILER BRAKE

		758447	Pneumatic Trailer Brake Univ Requires hydraulic trailer brakes (759472). Dual air line system is used for dual cylinder truck type trailer brakes. For customers with air brakes in heavy applications, such as manure tankers.			\$8,257.00
--	--	--------	---	--	--	------------

**T6 DYNAMIC COMMAND - STAGE V
US PRICE LIST**

LOADER

MOUNTING BRACKETS

SD_T8110 LOADER BRACKETS

		758478	Engine Side Rails			\$992.00
		759470	NA LDR RDY+2MMV+ADV Complete Loader Ready: Includes 2 slice electronic mid-mount valve (EMMV), horizontal and vertical two piece system (TPS) mounting brackets, grill guard, hydraulic plumbing, tractor half of the multi-coupler and joystick. Includes predisposition for Complete Loader Ready (758622) Does not include front end loader frame, buckets or loader attachments. Order a front end loader from the 805TL Series Front End Loader Price & Data Pages			\$9,994.00
		759471	NA LDR RDY+3MMV+ADV Complete Loader Ready: Includes 3 slice electronic mid-mount valve (EMMV), horizontal and vertical two piece system (TPS) mounting brackets, grill guard, hydraulic plumbing, tractor half of the multi-coupler and joystick. Includes predisposition for Complete Loader Ready (758622) Does not include front end loader frame, buckets or loader attachments. Order a front end loader from the 805TL Series Front End Loader Price & Data Pages.			\$11,532.00

OPERATOR'S MANUAL

SD_T9802 OPERATORS MANUAL

		758534	English USA			No Charge
		758535	Spanish NAR			No Charge
		759101	French NAR			No Charge

TIRES

BRAND CHOICE

SD_T4900 TIRE CATEGORY CHOICE

		330418	Trelleborg			\$571.00
--	--	--------	------------	--	--	----------

**T6 DYNAMIC COMMAND - STAGE V
US PRICE LIST**

		330438	No tire brand preference			No Charge
		330439	Continental			\$571.00
		330442	Michelin			\$571.00
		330446	Firestone			\$571.00
		330447	Alliance			\$571.00

3-POINT HITCH

FRONT 3 POINT HITCH

SD_T8100 FRONT THREE POINT HITCH

		390811	Less Front Linkage			No Charge
		759144	Integrated FHPL 759144 Front Hitch for units with Standard or Suspended Front Axles Requires hoses (758473, 758474, 758475, 758544 or 758582) Incompatible with front weights Includes integrated tow hook			\$7,933.00
		759147	Int FHPL+FPTO Front Hitch and PTO for units with standard or suspended Front Axle (ratio matches rear PTO) hoses (758473, 758474, 758475, 758544 or 758582) Incompatible with front weights Includes integrated tow hook 1,000 RPM 6 spline counter clockwise rotation (looking at the PTO) Engine RPM's at 1895 Maximum power transmission: 87 HP @ 86 deg. F ambient/ 107 HP @ 32 deg F Ambient			\$16,733.00

SD_T8106 7P PLUG ON FHPL SUP

		758713	7PIN + 3 PIN 40AMP			\$169.00
		XT8106X	Std L/ 7P Plug On F			No Charge

SD_T8300 HOSES FOR FHPL

		390926	Less Tubes for FHPL			No Charge
		758473	Tubes FHPL Connect Mech RR Front hitch hoses to connect front hitch to mechanical rear remotes			No Charge
		758582	Tubes + Coupler Mech Rear Rem. Front couplers and hoses for front hitch to connect to mechanical rear remotes. Requires 4 rear remotes Incompatible with mid mount valve			\$197.00

**T6 DYNAMIC COMMAND - STAGE V
US PRICE LIST**

WEIGHTS

FRONT WEIGHTS

SD_T2150 FRONT BALLAST

		390444	Tow Hook-Only Tow hook with attachment hardware - 15.4 lbs.			No Charge
		758518	Weight Pack A w/Hook Pack "A" includes weight rack - 199.3 lbs., (6) 99.2 lbs. weights, plus the tow hook - 15.4 lbs., total weight is 703 lbs. (319 kg) Not compatible with front 3-PT hitch: 743699 and 743700			\$1,152.00
		758519	Weight Pack B w/Hook Pack "B" includes: weight rack - 199.3 lbs., 10 99.2 lbs. weights, plus the tow hook - 15.4 lbs., total weight is 1207 lbs. (547 kg) Not compatible with front 3-PT hitch: 743699 and 743700			\$1,793.00
		758520	Weight Pack C w/Hook Pack "C" includes: weight rack - 199.3 lbs., 18 99.2 lbs. weights, plus the tow hook - 15.4 lbs., total weight is 2000 lbs. (907 kg) Not compatible with front 3-PT hitch: 743699 and 743700 Not compatible with loader ready packages: 758344, 758351, 758353, 758354, 758351			\$2,922.00
		758562	Weight Carrier w/Hook Weight carrier with tow hook - 199.3 lbs (90.4 kg)			\$266.00

REAR WHEEL WEIGHTS

SD_T4960 WHEEL WEIGHTS

		758564	6X65KG Wheel Weight Includes (6) 143 lbs. weights totalling 860 lbs.			\$1,222.00
		762228	R WHL WEIGHTS 4X200 Rear Wheel Weights Includes 2 Left Hand X 200 KG and 2 Right Hand X 200 KG Weights Four weights totaling 800 KG or 1,764 lbs.			TBD
		762229	R WHL WEIGHTS 6X200 Rear Wheel Weights Includes 3 Left Hand X 200 KG and 3 Right Hand X 200 KG Weights Six weights totaling 1200 KG or 2,646 lbs.			TBD

ADDITIONAL EQUIPMENT

SD_T2820 PARK LOCK

		758034	EPL Electronic parkbrake75803			\$1,252.00
--	--	--------	-------------------------------	--	--	------------



**T6 DYNAMIC COMMAND - STAGE V
US PRICE LIST**

SD_T7642 ISO BUS

		758632	ISO CL2+9PIN IN CAB			No Charge
		759062	CL 3 ISO BUS W/Stop			\$400.00

SPECIAL PAINT

SD_T9850 SPECIAL COLORS/PANELS

		758320	BLUE POW. SPEC. ED. T6.175 and T6.180 Models only			\$9,686.00
		763200	METALLIC HI ROOF W/H Special paint code used for Hi Vis Panel models			\$4,442.00
		763201	METALLIC HI ROOF L/H Special paint code used for no Hi Vis Panel models			\$4,442.00

T6 AUTO COMMAND - STAGE V US PRICE LIST

Standard Equipment

KEY SELLING POINTS:

- Fuel efficient high torque 4.5L, 4-cylinder with power boost
FPT engines with 4 valves per cylinder and common rail fuel injection systems
- Tier 4B Stage V EPA emissions compliant with SCR only ECOBlue™ HI-eSCR
- Auto Command™ CVT high efficiency transmission
- Standard LED work lighting
- Easy attach remote outlets
- Bold styling (hood, cab roof, lighting)
- Long Stable 104" wheel base for all models
- 15' 1" (181") turning radius (Std FWD disengaged, no brake, no fenders)

MODELS

T6.145

Rated PTO HP - 95
Rated Engine HP - 116
Engine Power Management (EPM)
Maximum Engine HP w/ EPM - 145
Rated Speed - 2200 RPM
274 cu. in. (4.5L) - 4 Cylinder
Fuel Tank: 52.2 Gallon (197.5L)
DEF Tank: 10.4 Gallon (39.5L)

T6.165

Rated PTO HP - 110
Rated Engine HP - 135
Engine Power Management (EPM)
Maximum Engine HP w/ EPM - 169
Rated Speed - 2200 RPM
274 cu. in. (4.5L) - 4 Cylinder
Fuel Tank: 52.2 Gallon (197.5L)
DEF Tank: 10.4 Gallon (39.5L)

T6.175

Rated PTO HP - 120
Rated Engine HP - 145
Engine Power Management (EPM)
Maximum Engine HP w/ EPM - 175

Rated Speed - 2200 RPM
274 cu. in. (4.5L) - 4 Cylinder
Fuel Tank: 52.2 Gallon (197.5L)
DEF Tank: 10.4 Gallon (39.5L)

T6.180

Rated PTO HP - 125
ENGINE Rated Engine HP - 145
Engine Power Management (EPM)
Maximum Engine HP w/ EPM - 175
Rated Speed - 2200 RPM
411 cu. in. (6.7L) - 6 Cylinder
Fuel Tank: 52.2 Gallon (197.5L)
DEF Tank: 10.4 Gallon (39.5L)

ENGINE

Tier 4B Stage V Emissions Compliant
ECOBBlue™ HI-eSCR Engine with
Turbocharger and Air-to-Air Intercooler
4 Valves Per Cylinder
Bosch Common Rail Fuel Injection
Pump (electronic)
Power Management and Constant RPM
Power Boost in PTO & Transport Modes
Grid Heater Starting Aid
Dual Element Air Filter with Pre-Cleaner (spin tube intakes)
A-Pillar Exhaust with Integral Muffler
Standard Cooling Fan
Hand Throttle

TRANSMISSION

Auto Command™ CVT with
column-mounted power shuttle
Command Grip™ multi-function controller
Infinite speed from 0 to 25 MPH
(Opt.31 MPH / 50 KPH)
3 target speed selections
Infinite target speed thumb wheel
Three choice forward/reverse shuttle controls
Right foot "go pedal"
25-MPH (40-KPH) (varies by tire size)

T6 AUTO COMMAND - STAGE V US PRICE LIST

Standard Equipment

(self-equalizing/self-adjusting)
Parking brake (automotive style)

CAB

High Roof w/ Opening Visibility Panel
and Sunshade
Flat Deck Platform with Integrated ROPS
Standard Air Conditioner and Heater
with 4-Speed Pressurizer and
dual zone air conditioning
Two doors with Locks
Two-speed Intermittent Front
Wiper/Washer
Rear Intermittent Wiper/Washer
Hinged Rear Window
Tinted Glass with Sunshade
Tilt and Telescoping Steering Wheel
IntelliView™ IV disp. mtd. on arm rest
SEAT SELECTION MUST BE MADE
WHEN ORDERING. ENTRY LEVEL SEAT
FOR AC CONFIGURATION IS:
Deluxe Air Suspension Seat with
Automatic Adjustment, Operator
Presence Switch and Lap Belt
Instructor Seat
Deluxe Bluetooth radio
Digital clock
Integral ROPS
Interior dome light
(2) External courtesy lights
(2) External telescopic remote
adjustable, heated mirrors
Horn
Std steering wheel & floor mat
ISOBUS connector

STEERING & BRAKES

Hydrostatic power steering
Hydraulic wet disc brakes

FRONT AXLE

Front FWD (TerraLock™)
Class 4 heavy-duty FWD axle
55-degree turning angle
Dual steering cylinders
8-degree axle oscillation
Adjustable tread width from 62.2 in. to
92 in. (varies by tire size)
Electrohydraulic FWD engagement
TerraLock™ Auto FWD/Diff-Lock
Driveshaft shield

REAR AXLE

Heavy-duty flange axle
Wet plate differential lock
Electrohydraulic-engaged dif. lock

ELECTRICAL

(1) 12-volt 1300 CCA battery
ALTERNATOR SELECTION MUST BE
MADE. ENTRY LEVEL OPTION IS:
150-amp alternator
Geared starter motor (4.2 kW)
3-pin 40-amp implement socket
ISO/JD (30 amp) socket
15 amp screw-type +/- terminals
Single pin (8 amp) accessory outlet
Cigarette lighter
(2) single-pin outlets for beacon on roof
Battery boost terminals
ISOBUS Class 3 Basic Speed Control

**T6 AUTO COMMAND - STAGE V
US PRICE LIST**

Standard Equipment

LIGHTS

WORK LIGHT SELECTION MUST BE
MADE. ENTRY LEVEL OPTION IS:

- (4) Halogen front hood headlights
- (2) LED front hood signature lights
- (12) LED cab mounted work lights
 - (8) LED high front & rear
 - (4) LED mid-mount front & rear
- (2) taillights

Front & Rear Flashing Cab Safety Lights
Time Delayed, Self-Cancelling Turn
Indicators with Audible Warning

PTO

Independent 540/1000 RPM PTO with
reversible shaft and flip-up shield
Multi-plate wet clutch design
Electrohydraulic-engagement with
soft start/auto feathering
Hydraulic piston PTO brake w/override

HYDRAULIC SYSTEM

Closed-center load-sensing pump
Flow at 1,900 RPM: 33.5 gpm (127 l/m)
(3) electro-hydraulic rear remote valves
controlled in SideWinder II™ console
(fully programmable)
Oil collection bottles
Independent pump for CVT and
operating circuits

3-POINT LIFT SYSTEM

Electronic Draft Control (EDC)
Lower link sensing
Fast raise/lower control
Dynamic Ride Control™
Category II/III flex link ends
Telescopic stabilizers
8,338 lb. Lift Capacity (OECD)
with Dual 80mm External Rams

MISCELLANEOUS

Flip-up engine hood
Swinging drawbar
SMV emblem
Toolbox

WARRANTY

New Holland standard warranty applies

**T6 AUTO COMMAND - STAGE V
US PRICE LIST**

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
T6.145 AC CVT ST 5			\$160,316.00
T6.155 AC CVT ST 5	20,944 LB		\$170,962.00
T6.165 AC CVT ST 5	20,944 LB		\$181,608.00
T6.175 AC CVT ST 5	20,944 LB		\$188,704.00
T6.180 AC CVT ST 5	20,944 LB		\$194,597.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

FAST PICK CONFIGURATION

SD_T9980 PACKAGING

	X0819XX	<p>T6 ACT CVT FAST PICK 1</p> <p>Package Includes:</p> <p>758402... Grid Heater plus 110v Pack 390703... Less Ground Speed Radar 758482... Air Conditioning w/ Automatic Temperature Control 758580... Rear Cab Window Sunshade 759154... 2 Telescopic/Heated/Remote Adjustable Mirrors 758483... Leather Steering Wheel plus Carpet</p> <p>Selectable Options (some choices are limited) Alternator, Fuel Tank, Ballast, Transmission, Rear Axle, Brake Pack, Front Axle, Tires, Steering Type, Trailer Brakes, Battery, AutoGuidance, Joystick, Electronic MMV, Loader Brackets, Rear Remotes, Seat Type, Rear Fenders, Front Fenders, 3 Point Hitch Lift Cylinders, Cab Roof Lights, Rotary Beacons, Cab Suspension, RH Window Bar Mount</p>			(\$7,312.00)
--	---------	---	--	--	--------------

**T6 AUTO COMMAND - STAGE V
US PRICE LIST**

		X0820XX	<p>T6 ACT CVT FAST PICK 2</p> <p>Package Includes:</p> <p>758402... Grid Heater plus 110v Pack 396247... 40 KPH Economy 390166... Std Heavy Duty Brake Discs 390711... Less Trailer Brakes 390703... Less Ground Speed Radar 391284... Deluxe Air Suspension Seat 391153... Standard Fenders 758594... 12 LED High Power Lights, Roof Cab 392701... Air Conditioning w/ Manual Temperature Control X92911X... Less Rear Cab Window Sunshade 759154... 2 Telescopic/Heated/Remote Adjustable Mirrors 391152... Standard Steering Wheel</p> <p>Selectable Options (some choices are limited) Alternator, Fuel Tank, Ballast, Rear Axle, Front Axle, Tires, Steering Type, Battery, AutoGuidance, Joystick, Electronic MMV, Loader Brackets, Rear Remotes, Front Fenders, 3 Point Hitch Lift Cylinders, Rotary Beacons, Cab Suspension, RH Window Bar Mount</p>				(\$7,312.00)
--	--	---------	---	--	--	--	--------------

**T6 AUTO COMMAND - STAGE V
 US PRICE LIST**

		X0821XX	T6 ACT CVT FAST PICK 3 Loader Package Package Includes: 758402... Grid Heater plus 110v Pack 396247... 40 KPH Economy 390166... Std Heavy Duty Brake Discs 759109... Class 4 HD Std Front Axle 390711... Less Trailer Brakes 390703... Less Ground Speed Radar 758069... Joystick w/ Rocker Switch 743690... 3 Electronic MMV 758354... Loader Ready plus 3 EH MMV 391153... Standard Fenders 758594... 12 LED High Power Lights, Roof Cab 392701... Air Conditioning w/ Manual Temperature Control 758580... Rear Cab Window Sunshade 759154... 2 Telescopic/Heated/Remote Adjustable Mirrors 391152... Standard Steering Wheel Selectable Options (some choices are limited) Alternator, Fuel Tank, Ballast, Rear Axle, Tires, Steering Type, Battery, AutoGuidance, Rear Remotes, Seat Type, Front Fenders, 3 Point Hitch Lift Cylinders, Rotary Beacons, Cab Suspension, RH Window Bar Mount			(\$7,312.00)
--	--	---------	---	--	--	--------------

**T6 AUTO COMMAND - STAGE V
US PRICE LIST**

		X0825XX	<p>T6 ACT CVT BLUE POWER FP Blue Power Edition Package</p> <p>Package Includes:</p> <p>758558... 200 AMP Alternator 330442... Michelin brand tires 390711... Less Trailer Brakes 390703... Less Ground Speed Radar 759384... Super Deluxe Seat w/ Low Frequency Suspension, Heated, Leather 758596... 16 LED High Power Lights, Roof Cab 758482... Air Conditioning w/ Automatic Temperature Control 758580... Rear Cab Window Sunshade 759154... 2 Telescopic/Heated/Remote Adjustable Mirrors 758483... Leather Steering Wheel plus Carpet 758320... Blue Power Edition Special Paint</p> <p>Selectable Options (some choices are limited) Fuel Tank, Weather Pack, Ballast, Transmission, Rear Axle, Brake Pack, Front Axle, Tires, Steering Type, Battery, AutoGuidance, Joystick, Electronic MMV, Loader Brackets, Rear Remotes, Rear Fenders, Front Fenders, 3 Point Hitch Lift Cylinders, Rotary Beacons, Cab Suspension, RH Window Bar Mount</p>			(\$7,312.00)
		XT9980X	<p>Less Packaging Custom Configuration No Package selected; Custom premium pricing included in base model</p>			No Charge

OPERATOR STRUCTURE

SD_T8500 SEAT

		758485	<p>Deluxe Seat Air Susp Heated Super Deluxe Seat with Low Frequency Suspension (+DDS) Belt and Swivel Headrest Heated Leather/Alacantara Seat swivel: 10 degrees left and 20 degrees right.</p>			\$1,994.00
--	--	--------	--	--	--	------------

**T6 AUTO COMMAND - STAGE V
US PRICE LIST**

		759384	SDLX HTD ALCANT BP BLUE POWER Super Deluxe Seat with Low Frequency Suspension (+DDS) Belt and Swivel Headrest Heated Leather/Alcantara Seat swivel: 10 degrees left and 20 degrees right			\$2,188.00
--	--	--------	--	--	--	------------

SD_T9130 WORK LAMPS

		758357	8 LED High Power Hi-Roof			(\$1,599.00)
		758594	12 LED High Power Hi-Roof Work Lamp Package includes: 12 total LED cab mounted work lights: 8 high roof mounted; 4 front, 4 rear 4 mid-cab mounted; 2 front, 2 rear Total work light package emits 23,400 lumens			No Charge
		758596	16 LED High Power Hi-Roof Work Lamp Package includes: 16 Cab mounted LED work lights 12 high cab-mounted; 6 front, 6 rear 4 mid-cab mounted; 2 front, 2 rear 16 LED work lights emitting 31,200 lumens			\$999.00

SD_T9146 ROTARY BEACON

		758489	Rotary Beacon Lefthand Side Single rotary beacon mounted on rear left side of tractor for increased safety and visibility			\$426.00
		758491	Twin Beacon Rotary beacons mounted on rear of the cab on both left and right side of tractor for maximum safety and visibility			\$853.00
		X91461X	No Rotary Beacon			No Charge

SD_T9200 OPERATOR STRUCTURE #1

		758479	Suspended_Cab Cab Suspension			No Charge
		758480	Suspended Cab w/Heated Screens Cab Suspension with defrost elements on front and rear windows Requires 200 Amp alternator			\$517.00

SD_T9223 RH WINDOW BAR MOUNT

		390665	Fixings for Mounted Monitor Predisposition for installing DIA monitor mounting bracket			No Charge
		758154	RH Window Bar Display Ready. Monitor mounting bracket with wiring harness and monitor mount Requires ISOBUS socket 743795, 758561 or 758624			\$268.00

**T6 AUTO COMMAND - STAGE V
US PRICE LIST**

		758621	10" Color Touch Screen Display Monitor mounting bracket with IntelliView IV Requires ISOBUS socket 743795, 758561 or 758624			\$5,428.00
--	--	--------	---	--	--	------------

SD_T9230 CLIMATE CONTROL

		392701	AIR CONDITIONING 392701			No Charge
		758482	Air Conditioning W/ATC			\$744.00

SD_T9360 RR MIRRORS

		759153	2 Telescopic Mirrors 759153 2 Telescopic Mirrors: Shatter Proof with Large Head and Spotter 7.9" x 11.8" (200 x 300 mm)			No Charge
		759154	2 Tele/Heat/Rem Adj Mirror 2 Telescopic, Heated, Remote Adjustable Mirrors: Shatter proof with Large Head and Spotter 7.9" x 11.8" (200 x 300 mm)			\$67.00

SD_T9553 LUXURY PACK

		391152	Std Steering Wheel			No Charge
		758483	Leather Steering Wheel +Carpet			\$265.00

PRECISION FARMING

SD_T7630 AUTOGUIDANCE

		392484	Less Autoguidance			No Charge
		758803	Full AG Nav GPS L1 Autoguidance Complete Includes Nav II controller and NH 372 receiver Requires Autoguidance ready, IntelliView IV display Activated to WAAS level accuracy (Level 1)			\$8,826.00
		758804	Full AG Nav GPS L2 Autoguidance - Complete Pack Autoguidance Complete Includes Nav II controller and NH 372 receiver Requires Autoguidance ready, IntelliView IV Activated to OmniSTAR HP/G2/XP & CenterPoint RTX level accuracy (Level 2)			\$11,376.00

**T6 AUTO COMMAND - STAGE V
US PRICE LIST**

		758871	Autoguidance Lvl 3 RTK Modem Autoguidance Complete Includes Nav II controller, NH 372 receiver Requires Autoguidance ready, IntelliView IV display Activated to RTK level accuracy (Level 3) Requires either a RTK radio or modem not included			\$13,926.00
--	--	--------	--	--	--	-------------

AUTOGUIDANCE

SD_T6300 STEERING OR AUTOGUIDANCE READY

		391630	Standard Steering			No Charge
		759186	Variable Ratio Steer CUSTOMSTEER™ OPTION feature allows operators to turn fully from lock to lock with as little as one rotation of the steering wheel with precision control. You can choose a steering ratio preference from 1:1 to 1:4 for quicker maneuvering at the headland, reversing with trailers, or during repetitive loader work.			\$2,763.00
		759187	Va.Ratio + Autoguidance Includes steering valve and manifold, hoses, wiring harness and roof mounting bracket for receiver. Also includes everything from 759186.			\$5,396.00

ENGINE

SD_T1000 ENGINE

		393110	ENG STG V W/BOOST			No Charge
		762186	ENG STG V W/BST W/BR			\$1,946.00

SD_T1010 ENGINE OPTIONS

		392300	STD ENG COOLING FAN			No Charge
		758700	VISTRONIC FAN Can vary speed independent of engine speed, based on the demand for cooling.			\$171.00

SD_T1040 CHARGING SYSTEMS

		758557	150 AMP_Alternator			No Charge
		758558	200 AMP_Alternator Required when ordering 758480 Suspended Cab w/Heated Screens			\$245.00

SD_T1400 FUEL TANK

		759128	Std Fuel Tank+Guard Standard fuel tank with guard - 52.2 gallons (197.5 L) Required for use with 34" rear wheels			No Charge
--	--	--------	--	--	--	-----------

**T6 AUTO COMMAND - STAGE V
US PRICE LIST**

		759130	Large Fuel Tank+Guard Large fuel tank with guards Not compatible with 34" Rear Wheels 59 Gallon / 222 Liter compacity			\$240.00
--	--	--------	---	--	--	----------

STARTING AID

SD_T1938 WEATHER PACK

		758401	Grid_Heater			No Charge
		758402	Grid_Heater + 110V Pack Grid heater and cold weather pack Includes engine block heater and transmission heater			\$413.00

BATTERY

SD_T7420 BATTERY

		758407	HD Battery 176AH Heavy Duty Battery (176Ah 1300 EN cca) Does not include battery isolator			No Charge
		758409	HD Battery W/Isolator 176AH Includes electronic battery isolator switch on right hand rear c-pillar in cab. In-cab switch disconnects battery to prevent battery drainage.			\$447.00
		759140	Hvy Dty Bty Mech ISO Includes mechanical battery isolator switch Mechanical switch disconnects battery to prevent battery drainage.			\$336.00

TRANSMISSION

SD_T2800 SPEED

		396247	40 KPH Economy			No Charge
		758549	50KPH ECO CVT Requires suspended front axle 758427 or 758428			\$1,438.00

RADAR

SD_T7580 RADAR

		758501	Radar NAR			\$834.00
--	--	--------	-----------	--	--	----------

HITCH

SD_T8950 AUX RAMS

		390911	EDC Base Hydraulic Lift Cyl. Lift capacity from 8,338 lbs (21.1 gpm pump) or 9,214 lbs (w/ 33.5 gpm pump)			No Charge
--	--	--------	---	--	--	-----------

**T6 AUTO COMMAND - STAGE V
US PRICE LIST**

		743811	2 External 90mm Cylinders -EDC Increased 3-point lift capacity to 11,649 lbs.			\$540.00
--	--	--------	---	--	--	----------

HITCH AND DRAWBAR

SD_T8900 REAR HITCHES/DRAWBAR

		758466	Ind. Swinging Drawbar L/Clevis			No Charge
--	--	--------	--------------------------------	--	--	-----------

SD_T8960 DRAWBAR AND 3 POINT HITCH

		758452	Cat II/III Flex Links			No Charge
--	--	--------	-----------------------	--	--	-----------

HYDRAULICS

REAR REMOTE VALVES

SD_T8270 REAR REMOTES

		743686	3 Elect Hyd. Rear Remote Valve 3 electro-hydraulic rear remotes			No Charge
		743733	4 Elect Hyd. Rear Remote Valve 4 electro-hydraulic rear remote valves			\$1,256.00
		758359	4-Elec Rear Remotes W/ Pwr Byd 4 electro-hydraulic rear remotes for power beyond Requires 758542 power beyond plus low pressure return			\$2,045.00

REAR AXLE

SD_T3200 REAR AXLE

		391223	Heavy-duty Rear Flange			No Charge
		758432	HD Bar Steel Multi-Diff			\$1,519.00
		759136	HD 98"BAR STEEL MULT This bar axle is for dual wheels - 320/90R50 (8440104) - 380/90R46 (8470404) Includes 4 hubs with steel wheels Multiplate Diff Lock 4WD Clutch			\$1,519.00

REAR WHEELS AND TIRES

SD_T4950 REAR WHEELS AND TIRES

		8334406	460/85(18.4)R38 R1W- MI,FI,CM Matching Front Tire - 16.9R28 R1W - 8241901 (Class 4 Axle) Compatible with 31 MPH (50 KPH) Adjustable Rims			No Charge
		8365401	460/85(18.4)R34 A8 FI,MI,CO,TR			(\$1,449.00)

**T6 AUTO COMMAND - STAGE V
US PRICE LIST**

		8370404	380/90(14.9)R46R1WAdj Rim-C,MI Matching Front Tire - 14.9R30 R1 - 8258704 (Class 4 Axle) Adjustable Rims			\$393.00
		8375501	420/85(16.9)R38 R1W FI,CM Brands: Firestone, Mitas			(\$59.00)
		8380404	520/85 (20.8) R38 R1W MI, TR Matching front tire is 8255904 - 16,9 R28 Compatible with 31 MPH (50 KPH) Adjustable Rims			\$2,190.00
		8384406	460/85(18.4)R42 R1W - MI Matching Front Tire - 14.9R30 (380/85R30) - 8258704 (Class 4 Axle) Compatible with 31 MPH (50 KPH) Adjustable Rims			\$2,032.00
		8388404	460/85(18.4)R42R1W MI,F,T,C,A Matching Front Tire - 14.9R30 R1W - 8258704 (Class 4 Axle) Compatible with 31 MPH (50 KPH) Adjustable Rims			\$487.00
		8399906	Rear Shipping Wheels Matching Front Shipping Wheels - 8299906 (Class 4 Axle)			(\$3,672.00)
		8440104	DUAL 320/90R50 This option is for Dual Rear Wheels and Tires Must be ordered with Dual Rear Axle (759136)			\$6,616.00
		8470404	DUAL 380/90R46 (14.9) R1W MICO			\$6,373.00
		8907601	650/60R38 R1W F/Bar AXL - MI Brands: Michelin			\$1,406.00
		8919401	480/80R38 Alliance Matching Front Tire - 400/80 R28 Municipality - 8866501 (Class 4 Axle)Fixed steel rims			\$1,443.00
		8963504	320/90R50 R1W MI Matching Front Tire - 320/85R34 R1W - 8801604 (Class 4 Axle) Adjustable Rims			\$634.00
		8969401	600/65R38 R1W-FI,MI,CO,TR Brands: Trelleborg, Michelin, Firestone, Mitas			\$1,081.00

**T6 AUTO COMMAND - STAGE V
US PRICE LIST**

FRONT AXLE

SD_T4010 FRONT AXLE

		758425	Class 4 Hydraulic Lock With TerraLock traction management system with multi-plate differential. Incompatible with 34" rear wheels			No Charge
		758428	Class 4 Susp + Brake Hyd Lock With TerraGlide suspended axle with TerraLock traction management system. Includes multi-plate differential and brakes. Incompatible with 34" rear wheels			\$6,469.00
		758429	Class 4 SuperSteer L/Water -SuperSteer front axle with TerraLock traction management system. -Includes multi-plate differential lock.			\$4,799.00

FRONT WHEELS AND TIRES

SD_T4940 FRONT WHEELS AND TIRES

		8241901	380/85(14.9)R28R1W HD-MIFITRICO Requires 18.4 R38			No Charge
		8255904	420/85(16.9)R28 R1W MI-FI Requires 20.8R38 R1W or 18.4R42 R1W			\$756.00
		8258704	380/85(14.9)R30 R1W MI-FI-CM Requires 18.4R42 R1W or 14.9R46 R1W			\$573.00
		8299906	Front Shipping Wheels			(\$1,241.00)
		8801601	520/60R28 R1W Fixed HD Brand: Michelin Requires 650/60R38			\$3,356.00
		8801604	320/85R34 R1W Brands - MI Requires 320/90R50 R1W			\$748.00
		8815601	480/65R28 R1W HD Brands: Firestone, Michelin, Trelleborg Requires 600/65R38 R1W Requires Full Cover Rear Fenders			\$369.00
		8866501	400/80R28 Fixed CIs 4 Alliance Requires 480/80 R38 Municipality			\$1,059.00

**T6 AUTO COMMAND - STAGE V
US PRICE LIST**

FENDERS

SD_T8710 FENDERS PTO CONTROL

		743680	Fender EDC/PTO/Rem Valv Contrl Rear Fender Mounted (Right/Left) 3-PT, PTO & 3rd Rear Remote Control Switches. Requires: - 743686 or 743733 (3 or 4 EH Rear Remotes) - 330345 (Advanced Processor)			No Charge
--	--	--------	---	--	--	-----------

FRONT FENDERS

SD_T8740 FRONT FENDERS

		390875	Less front fender			No Charge
		758505	Front Fender 420mm Dynamic Recommended for tire sizes less than 420/16.9" Dynamic front fenders allow the fenders to turn with the tires			\$802.00
		758506	Front Fender 480mm Dynamic Recommended for tire sizes less than 480/18.4" Dynamic front fenders allow the fenders to turn with the tires			\$932.00
		758507	Front Fender 540mm Dynamic Recommended for tire sizes larger than 520/20.8" Dynamic front fenders allow the fenders to turn with the tires			\$1,047.00

TRAILER BRAKES

TRAILER BRAKES

SD_T7130 TRLR BRK VLV

		390711	Less trailer brakes			No Charge
		759472	HYD TRLBRK - NOT ISO HYDRAULIC TRAILER BRAKE - NOT ISO			\$1,154.00

SD_T7230 PNEUM TRAILER BRAKE

		758447	Pneumatic Trailer Brake Univ Requires hydraulic trailer brakes (759472). Dual air line system is used for dual cylinder truck type trailer brakes. For customers with air brakes in heavy applications, such as manure tankers.			\$8,257.00
--	--	--------	---	--	--	------------

LOADER

SD_T7780 JOYSTICK

		394782	Less Joystick			No Charge
--	--	--------	---------------	--	--	-----------

**T6 AUTO COMMAND - STAGE V
US PRICE LIST**

		758069	Joystick with Rocker Switch Electro-hydraulic joystick Incompatible with Complete Loader Ready Electronic Joystick with Proportional Rocker Required if loader will include "Live" 3rd function circuit			
			if LOADER BRACKETS is Loader Ready + 2 EH MMV + Joy			No Charge
			if LOADER BRACKETS is Loader Ready + 3 EH MMV + Joy			No Charge

SD_T7790 MID-MOUNT VALVES

		390560	Less Mid-Mount Valves			No Charge
		743689	2 Electronic MMV 2 function electronic mid-mount valve Requires electronic joystick 758069 Incompatible with Complete Loader Ready Included in Complete Loader Ready option 758353			No Charge
		743690	3 Electronic MMV 3 function electronic mid mount valve (EMMV) Requires electronic joystick 758069 Incompatible with Complete Loader Ready Included in Complete Loader Ready 758354			No Charge

SD_T8110 LOADER BRACKETS

		390819	Less Loader Ready			No Charge
		758353	Loader Ready + 2 EH MMV + Joy Complete Loader Ready Includes 2 slice electronic mid-mount valve (EMMV), horizontal and vertical two piece system (TPS) mounting brackets, grill guard, hydraulic plumbing, tractor half of the multi-coupler and joystick. Includes predisposition for Complete Loader Ready (758622) Does not include front end loader frame, buckets or loader attachments. Order a front end loader from the 805TL Series Front End Loader Price & Data Pages.			\$9,540.00
		758354	Loader Ready + 3 EH MMV + Joy Complete Loader Ready Includes 3 slice electronic mid-mount valve (EMMV), horizontal and vertical two piece system (TPS) mounting brackets, grill guard, hydraulic plumbing, tractor half of the hydraulic multi-coupler and joystick. Includes predisposition for Complete Loader Ready (758622) Does not include front end loader frame, buckets or loader attachments. Order a front end loader from the 805TL Series Front End Loader Price & Data Pages.			\$11,079.00

**T6 AUTO COMMAND - STAGE V
US PRICE LIST**

TIRES

BRAND CHOICE

SD_T4900 TIRE CATEGORY CHOICE

		330438	No tire brand preference			No Charge
		330439	Continental			\$571.00
		330442	Michelin			\$571.00
		330446	Firestone			\$571.00

3-POINT HITCH

FRONT 3 POINT HITCH

SD_T8100 FRONT THREE POINT HITCH

		390811	Less Front Linkage			No Charge
		759144	Integrated FHPL 759144 Front Hitch for units with Standard or Suspended Front Axles Requires hoses (758473, 758474, 758475, 758544 or 758582) Incompatible with front weights Includes integrated tow hook			\$7,933.00
		759147	Int FHPL+FPTO Front Hitch and PTO for units with standard or suspended Front Axle (ratio matches rear PTO), hoses (758473, 758474, 758475, 758544 or 758582) Incompatible with front weights Includes integrated tow hook 1,000 RPM 6 spline counter clockwise rotation (looking at the PTO) Engine RPM's at 1895 Maximum power transmission: 87 HP @ 86 deg. F ambient/ 107 HP @ 32 deg F Ambient			\$16,733.00

SD_T8106 7P PLUG ON FHPL SUP

		758713	7PIN + 3 PIN 40AMP			\$169.00
		XT8106X	Std L/ 7P Plug On F			No Charge

SD_T8300 HOSES FOR FHPL

		390926	Less Tubes for FHPL			No Charge
		758474	Hose pkg for frt hitch w/ ERV Front hitch hoses to connect front hitch to electro-hydraulic rear remotes			No Charge
		758475	Hose pkg for frt hitch w/ MMV Front hitch hoses to connect front hitch to mid mount valve Incompatible with loader ready			No Charge

**T6 AUTO COMMAND - STAGE V
US PRICE LIST**

		758544	Hse pkg frt hit w/MMV/frt coup Front couplers and hoses for front hitch to connect to mid mount valve Incompatible with loader ready			\$197.00
--	--	--------	--	--	--	----------

WEIGHTS

FRONT WEIGHTS

SD_T2150 FRONT BALLAST

		390444	Tow Hook-Only			No Charge
		758519	Weight Pack B w/Hook Pack "B" includes weight rack - 199.3 lbs., 10 99.2 lbs. weights, plus the tow hook - 15.4 lbs., total weight is 1207 lbs. (547 kg) Not compatible with front 3-PT hitch - 743699 and 743700			\$1,793.00
		758520	Weight Pack C w/Hook Pack "C" includes weight rack - 199.3 lbs., 18 99.2 lbs. weights, plus the tow hook - 15.4 lbs., total weight is 2000 lbs. (907 kg) Not compatible with front 3-PT hitch - 743699 and 743700 Not compatible with loader ready packages 758344,758351,758353,758354,758478			\$2,922.00
		758562	Weight Carrier w/Hook Weight carrier with tow hook - 199.3 lbs (90.4 kg)			\$266.00

REAR WHEEL WEIGHTS

SD_T4960 WHEEL WEIGHTS

		758564	6X65KG Wheel Weight Includes (6) 143 lbs. weights totalling 860 lbs.			\$1,222.00
		762228	R WHL WEIGHTS 4X200 Rear Wheel Weights Includes 2 Left Hand X 200 KG and 2 Right Hand X 200 KG Weights Four weights totaling 800 KG or 1,764 lbs.			\$1,594.00
		762229	R WHL WEIGHTS 6X200 Rear Wheel Weights Includes 3 Left Hand X 200 KG and 3 Right Hand X 200 KG Weights Six weights totaling 1200 KG or 2,646 lbs.			\$2,736.00
		X49601X	L/Wheel Weights			No Charge

ADDITIONAL EQUIPMENT

SD_T3600 BRAKE PACK

		390166	Std. Heavy Duty Brake Discs			No Charge
		758435	Extended-Life Brake Discs			\$349.00



**T6 AUTO COMMAND - STAGE V
US PRICE LIST**

SD_T7642 ISO BUS

		758710	ISO CL3+9PIN+SPEED			No Charge
--	--	--------	--------------------	--	--	-----------

SD_T9560 FRONT TOOLBOX

		743848	Large Toolbox			No Charge
--	--	--------	---------------	--	--	-----------

SPECIAL PAINT

SD_T9850 SPECIAL COLORS/PANELS

		758320	BLUE POW. SPEC. ED. Blue Power Special Edition Available on T6.175 or T6.180 ONLY			\$9,686.00
--	--	--------	--	--	--	------------



US PRICE LIST

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

TIRES

BRAND CHOICE

SD_T4900 TIRE CATEGORY CHOICE

		330438	No tire brand preference			No Charge
		330439	Continental			\$571.00
		330442	Michelin			\$571.00
		330446	Firestone			\$571.00



Special Paint Color Information

Customer demand may require special color paint. New Holland can supply many of the standard colors that are listed in the Classic RAL System on the exterior of T6 Series Tractors. The Special Paint service is aimed at meeting the requirement by operations such as highway maintenance agencies, airport authorities, etc. for a tractor painted in a nonstandard color. This process delivers to the customer a professionally painted tractor with no requirement for a dealer to strip down and paint the tractor locally.

The Process:

The New Holland Territory Business Manager (TBM) must be involved to authorize the color choice and coordinate contact with the order management team.

1. TBM approval of RAL color
2. The tractor retail order* is placed including the Special Paint Color order as listed in options in the Price & Data pages.
3. The Special Paint order code flags order management and the plant of the request for special paint
4. The RAL paint color is communicated to order management to go along with the retail tractor order
5. Order management then contacts the manufacturing plant to gain authorization
6. The tractor with special paint is scheduled into production**

Please determine the RAL System color number your customer requests (example Omaha Orange = RAL 2005). Please visit www.ralcolor.com or <https://www.ral-farben.de/info-ral-classic.html?&L=1> for more information on RAL colors.

The Special Paint Color order codes are offered in two levels of special paint inclusion:

1. Hood, roof, rear fenders
2. Chassis, wheels, hood, roof, fenders

See the Price & Data pages for order codes and other details

More information:

Any replacement panels for special color tractors do have to be sourced locally. Unlike Blue Power parts, they will not be available through the CNH parts system.

*New Holland will only accept retail sales orders for tractors with special paint colors and we reserve the right to refuse to paint tractors in colors deemed inappropriate (example: competitor paint schemes).

**Tractors with special color paint schemes may require additional lead times. Once a tractor order is submitted with a special color paint request, the tractor order cannot be changed to another color.



Service Parts Supplied DIA Kits – T6 Series

Service Parts Supplied Dealer Installed Accessories (DIA's)		T6 Electro Command Semi-Powershift					T6 Dynamic Command					T6 Auto Command				
DIA Description	Part Number	T6.145 SPS	T6.155 SPS	T6.165 SPS	T6.175 SPS	T6.180 SPS	T6.145 DCT	T6.155 DCT	T6.165 DCT	T6.175 DCT	T6.180 DCT	T6.145 AC	T6.155 AC	T6.165 AC	T6.175 AC	T6.180 AC
ENGINE & STARTING SYSTEM																
DIA - GRID HEATER - STAGE V	718203154	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
COLD WEATHER PACK (BLOCK AND TRANS HEATER 110V)	710206154	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
DIA - COLD WEATHER PACK (BLOCK AND TRANS HEATER 240V)	719106124	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
DIA - FUEL HEATER - STAGE V	718204094	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
FUEL COOLER (6CYL)	719831064					X					X				X	X
FUEL COOLER (4CYL)	719831054	X	X	X	X		X	X	X	X		X	X	X	X	
ENGINE SIDE RAILS 4 AND 6 CYL	710245124	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
LOCKABLE DEF AND FUEL CAP	718221024	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
CREEPER																
CREEPER SPEED FOR 16X16 SPS	718100024	X	X	X	X	X										
CLOSED CENTRE MECHANICAL - CONFIG/NON-CONFIG MIX DETENTS																
DIA - ADDITIONAL REAR REMOTE VALVE (FROM 2 TO 3)	718715094	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
ADDITIONAL REAR REMOTE VALVE (FROM 3 TO 4)	710020084	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
ELECTRO-HYDRAULIC																
EH REMOTE SLICE 3 TO 4 GARU - EHS 1	719411204											X	X	X	X	X
DIA - EH REMOTE SLICE 3 TO 4 DCT - EHS 1	719411214						X	X	X	X	X					
DIA - EH REMOTE SLICE 3 TO 4 MTA (1 ARCHITECTURE) EHS 1	719411224	X	X	X	X	X										
DETENT KITS FOR NON-CONFIGURABLE RCV SLICES																
PERMANENT DETENT KIT FOR SINGLE RCV SPOOL (CLOSED CENTRE VALVES)	710362024	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
ZERO DETENT KIT FOR SINGLE RCV SPOOL (CLOSED CENTRE VALVES)	718362024	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
ZERO DETENT KIT (PLUS FLOAT) FOR SINGLE RCV SPOOL (CLOSED CENTRE VALVES)	719362024	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
HYDRAULIC FREE FLOW RETURN PIPE KIT	719979054	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
HYDRAULIC POWER BEYOND SLICE WITH FLAT FACE COUPLERS	719143014	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
MID MOUNT VALVE KITS																
DIA - 2 MECH SLICE MMV FOR 113L/MIN CCLS	710919074	X	X	X	X	X										
DIA 2 MECH SLICE MMV NAR CC FOR 80L/MIN PUMP	710921054	X	X	X	X	X										
DIA - ELEC MMV KIT (1SLICE) - JOYSTICK NOT INCLUDED - CVT	718223084											X	X	X	X	X
DIA - ELEC MMV KIT (1SLICE) - JOYSTICK NOT INCLUDED - SPS	718223074	X	X	X	X	X										
DIA - ELEC MMV KIT (1SLICE) - JOYSTICK NOT INCLUDED - DCT - STAGE V	718223054						X	X	X	X	X					
DIA - ELEC MMV KIT (2SLICE) - JOYSTICK NOT INCLUDED - CVT	719763204											X	X	X	X	X
DIA - ELEC MMV KIT (2SLICE) - JOYSTICK NOT INCLUDED - SPS	719763194	X	X	X	X	X										
DIA - ELEC MMV KIT (2SLICE) - JOYSTICK NOT INCLUDED - DCT - STAGE V	719763174						X	X	X	X	X					
DIA - ELEC MMV KIT (3SLICE) - JOYSTICK NOT INCLUDED - CVT	718229074											X	X	X	X	X
DIA - ELEC MMV KIT (3SLICE) - JOYSTICK NOT INCLUDED - SPS	718229084	X	X	X	X	X										
DIA - ELEC MMV KIT (3SLICE) - JOYSTICK NOT INCLUDED - DCT - STAGE V	718229054						X	X	X	X	X					
ELECTRONIC JOYSTICK/ELECTRONIC MID MOUNT VALVE KITS																
ELECTRONIC JOYSTICK WITH PROPORTIONAL SIMULTANEOUS CONTROL OF 3RD FUNCTION (NH)	719300044						X	X	X	X	X	X	X	X	X	X
ELECTRONIC JOYSTICK WITH 2 ANCILLARY BUTTONS FOR 12 V SUPPLY TO DIVERTER VALVE (NH)	719301064						X	X	X	X	X	X	X	X	X	X
ELECTRONIC JOYSTICK WITH 2 ANCILLARY BUTTONS FOR 12 V SUPPLY TO DIVERTER VALVE MTA	719304014	X	X	X	X	X										
ADV LOADER JOYSTICK 3RD FUNCTION NH	731183014						X	X	X	X	X	X	X	X	X	X
ADV LOADER JOYSTICK PROP NH	731184014						X	X	X	X	X	X	X	X	X	X
PNEUMATIC TRAILER BRAKES																
DIA - PNEUMATIC AIR BRAKE BASE KIT - STAGE V	718264084	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
UNIVERSAL PNEUMATIC AIR BRAKE FINISHING KIT	718266074	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
REAR LINKAGE																
HYDRAULIC ADJUST TOP LINK	719790044	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
HYDRAULIC ADJUST ADJ. RH LIFT LINK	718485044	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X



Service Parts Supplied DIA Kits – T6 Series

Service Parts Supplied Dealer Installed Accessories (DIA's)		T6 Electro Command Semi-Powershift					T6 Dynamic Command					T6 Auto Command				
DIA Description	Part Number	T6.145 SPS	T6.155 SPS	T6.165 SPS	T6.175 SPS	T6.180 SPS	T6.145 DCT	T6.155 DCT	T6.165 DCT	T6.175 DCT	T6.180 DCT	T6.145 AC	T6.155 AC	T6.165 AC	T6.175 AC	T6.180 AC
REAR WHEEL WEIGHTS																
DIA - WEIGHTS - REAR WHEEL - 2X200 KG - 1XLH - 1XRH	731288014	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
FRONT HPL & PTO																
FRONT LINKAGE FOR SUPERSTEER AXLE - LESS PTO LESS AUX COUPLER	710063154	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
FRONT PTO, 6 SPLINE - NOT SUITABLE FOR INTEGRATED FRONT HPL	718041074	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
DIA - 2 FRT MTD (LHS) HYD COUPLER OP. FROM 1 REAR RCV F/INT. FHPL	731176024	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
2 FRT MTD (LHS) HYD COUPLERS OPERATED FROM 1 MID RCV FOR INTEGRATED F.HPL	731177014	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
FHPL FLOAT PREDISPOSITION FOR INTERGRATED FHPL	718205014	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
FRONT PTO 6 SPLINE FOR INTEGRATED FHPL	719098134	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
FRONT TOW HOOK & FRONT WEIGHTS																
SUPERSTEER CARRIER LESS WEIGHTS LESS TOW HOOK	710022014	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
STANDARD STEER CARRIER LESS WEIGHTS LESS TOW HOOK NH	710023014	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
PACK OF 45 KG FRONT END WEIGHTS & ATTACHING HARDWARE - NH = 10	719065034	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
1000 KG FRONT END WEIGHT & ATTACHING HARDWARE NH	710061024	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
FRONT FENDERS																
FENDER 420 DYNAMIC	718510024	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
FENDER 480 DYNAMIC	718511024	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
FENDER 540 DYNAMIC	718775024	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
REAR FENDERS																
REAR FENDER EXTENSIONS NARROW	710869164	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
REAR FENDER EXTENSIONS FOR FULL COVER FENDERS 75 MM	718293014	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
REAR FENDER EXTENSIONS FOR FULL COVER FENDERS 150 MM	718601014	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
CAB & PLATFORM																
DIA - TELESCOPIC ARMS FOR REAR VIEW MIRROR	718794034	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
MIRROR INT WIDE R/VIEW	719876024	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
DIA - REAR SUNSHADE KIT - MR	719570024	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
LH REAR CAB STORAGE BOX NH	718577054	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
SEATS																
INSTRUCTION SEAT WITH BELT (NEW FABRIC - NH) (INCLUDES WARNING DECAL FOR NAR)	718248044	X	X	X	X	X						X	X	X	X	X
WORKLIGHTS / HEADLIGHTS																
FRONT HEADLIGHTS KIT FOR TOP OF SIDELIGHTS LH DIP	710177124	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
FRONT HEADLIGHTS KIT FOR TOP OF SIDELIGHTS RH DIP	718177124	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
2 X ADDITIONAL WORKLIGHT FOR UNDER SIDE LIGHTS NH	710768084	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
2 X WORKLAMPS ON "C" PILLAR NH	719766064	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
INSTRUMENTS & PERFORMANCE MONITORS																
BRACKET FOR MOUNTING EQUIPMENT MONITORS ('BALER BAR')	710686024	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
DIA - MOUNTING BRACKET AND HARNESS FOR MOUNTING FRED	719343024	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
DIA - REAR ISOBUS HARNESS AND SOCKET F/VEHICLES W/FRED SCREENS_STAGE V	719344164	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
FRONT ISOBUS HARNESS AND SOCKET FOR VEHICLES WITH FRED SCREENS	731161024	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
TECU HARDWARE	710059014	X	X	X	X	X										
AUTOGUIDANCE																
DIA - FITMENT OF AUTOGUIDANCE SYS CVT CL 3_STAGE V	718083044											X	X	X	X	X
DIA - FITMENT OF AUTOGUIDANCE SYS CVT CL 4_STAGE V	718084044											X	X	X	X	X
DIA - FITMENT OF AUTOGUIDANCE SYS SPS CL 3	718228034	X	X	X	X	X										
DIA - FITMENT OF AUTOGUIDANCE SYS DCT CL 3 STAGE V	718083064						X	X	X	X	X					
DIA FITMENT OF AUTOGUIDANCE SYSTEM SPS CLASS 4	718230034	X	X	X	X	X										
DIA - FITMENT OF AUTOGUIDANCE SYS DCT CL 4 STAGE V	718084064						X	X	X	X	X					
DIA P&CM TELEMATIC 4G KIT - LOW ROOF	731326014	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
DIA P&CM TELEMATIC 4G KIT - HIGH ROOF	731327014	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
MISCELLANEOUS																
DIA REVERSE ALARM WITH LIGHT	719161034	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
UNLOCK CODE																
ISOBus Class III Base	47636543						X	X	X	X	X					
ISOBus Class III Speed Control	47645762						X	X	X	X	X					
ISOBus Class III Steering Control	47645764						X	X	X	X	X					
HMC_2 / HTS_II / Easy_Tronic_2	47611682						X	X	X	X	X					
Remote Valve Configurator/Management	47850811						X	X	X	X	X					
Variable Ratio Steering	48158902						X	X	X	X	X					
Engine Speed Management (CRPM)	48103010						X	X	X	X	X					
Basic Transmission Features (Requires Advanced Multi-Function Handle)	48103007						X	X	X	X	X					
Advanced Transmission Features	48103009						X	X	X	X	X					
Pneumatic Trailer Stabilization System	48178349						X	X	X	X	X					
Basic HTS	51419116						X	X	X	X	X					
Auto-PTO	51419113						X	X	X	X	X					
Economy Mode	51419120						X	X	X	X	X					

100LC LOADER FOR WM25S SUBCOMPACT (ONLY)
US PRICE LIST

Standard Equipment

TRACTOR APPLICATIONS:

- Current New Holland Compact Models:
- WORKMASTER™ 25S (ONLY)

NOTE:

Important Compatibility Information

- 100LC now features a SSL QA 50 inch bucket
- A configured model 100LC is ONLY compatible with the WORKMASTER 25S Subcompact tractor
- To assure proper performance, see Operator's Manual for recommended counterweighting

Loader Specifications:

Lift Capacity to Maximum Height

- @ Bucket Pivot Pins (lbs.): 1005
- @ 500mm forward (lbs.): 693

Lift Capacity to 1500 mm Height

- @ Bucket Pivot Pins (lbs.): 1142
- @ 500mm forward (lbs.): 823

Breakout Force

- @ Bucket Pivot Pins (lbs.): 2078
- @ 500mm forward (lbs.): 1426

Max Lift Height @ Pivot Pin (in.): 72

Clearance w/Bucket Dumped (in.): 51

Reach at Maximum Height (in.): 23.4

Maximum Dump Angle (deg.): 46

Maximum Rollback Angle (deg.): 28

Digging Depth (in.): 4.6

Height in Carry Position (in.): 41.5

Bucket Size and Capacity

- Width: 50 Inch
- Capacity (cu. ft.)
- Struck: 5.3
- Heaped: 7.4

Cycle Times (sec)

- Raise: 3.6
- Lower: 2.1
- Bucket Dump: 2.3
- Bucket Rollback: 1.5

Approx. Weight w/ Bucket (lbs.): 363

Loader specifications may vary based on tractor model, hydraulic system, tire size, etc.

*NOTE: The 100LC DOES NOT come with mid mount valve, couplers or joystick as these items are standard on the WORKMASTER™ 25S

WARRANTY

New Holland Standard Warranty Applies



**100LC LOADER FOR WM25S SUBCOMPACT (ONLY)
US PRICE LIST**

Models

COMMERCIAL MODEL	MODEL	Weight	Factory Data	List Price
LC100	100LC	511 LB		\$3,493.00



**200LC LOADER FOR WM25 (ONLY)
US PRICE LIST**

Standard Equipment

TRACTOR APPLICATIONS:

- Current New Holland Compact Models:
- WORKMASTER™ 25 (ONLY)

NOTE:

- Important Compatibility Information
- A configured model 200LC is ONLY compatible with the WORKMASTER 25 compact tractor. It is NOT compatible with WORKMASTER 33/37 (T4B) or WORKMASTER 35/40 (T4B) compact tractors
 - To assure proper performance, see Operator's Manual for recommended counterweighting

Loader Specifications:

- Lift Capacity to Maximum Height
- @ Bucket Pivot Pins (lbs.): 1600
 - @ 500mm forward (lbs.): 1214
- Lift Capacity to 1500 mm Height
- @ Bucket Pivot Pins (lbs.): 1955
 - @ 500mm forward (lbs.): 1508

Breakout Force

- @ Bucket Pivot Pins (lbs.): 2637
- @ 500mm forward (lbs.): 1926

- Max Lift Height @ Pivot Pin (in.): 94.3
Clearance w/Bucket Dumped (in.): 64.3
Reach at Maximum Height (in.): 18.2
Maximum Dump Angle (deg.): 52
Maximum Rollback Angle (deg.): 41
Digging Depth (in.): 4.3
Height in Carry Position (in.): 51.3

Bucket, Type Size and Capacity

- Quick Attach Design
- Width: 66 Inch
- Capacity (cu. ft.)
Struck: 9.5
Heaped: 14.5

Cycle Times (sec)

- Raise: 3.1
- Lower: 2.0
- Bucket Dump: 1.7
- Bucket Rollback: 2.7

Approx. Weight w/ Bucket (lbs.): 1819

Loader specifications may vary based on tractor model, hydraulic system, tire size, etc.

*NOTE: The 200LC comes with a mid mount valve and couplers.

WARRANTY

New Holland Standard Warranty Applies



**200LC LOADER FOR WM25 (ONLY)
US PRICE LIST**

Models

COMMERCIAL MODEL	MODEL	Weight	Factory Data	List Price
LC200	200LC	1,124 LB		\$4,866.00



200LC LOADER FOR WM25 (ONLY)
US PRICE LIST

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

HIDDEN ITEMS

SD_MD		MODEL					
		200LC	200LC				\$1,373.00

250TLA2 FARM LOADER BOOMER 35/40 (T4B) US PRICE LIST

Standard Equipment

TRACTOR APPLICATIONS:

- Current New Holland Compact Models:
- Boomer™ 35/40 ROPS (T4B ONLY)
 - Boomer™ 40 Cab (T4B ONLY)

NOTE:

Important Compatibility Information

- A configured model 250TLA2 is NOT compatible with other model tractors:
Boomer™ 3040/3045/3050, 30/40
Tier 3 or 33/37 Tier 4B
- To assure proper performance, see Operator's Manual for recommended counterweighting.

Loader Specifications: (PRELIMINARY)

- Max lift height (to bucket pivot pin):
- 104 in / 2642 mm
- Max lift height (under level bucket):
- 98 in / 2489 mm
- Clearance with bucket dumped:
- 77 in / 1956 mm
- Reach at max lift height:
- 48 in / 1219 mm
- Max dump angle: 48 °
- Reach with bucket on ground:
- 78 in / 1981 mm
- Bucket roll back angle: 30 °
- Digging depth:
- 6.8 in / 173 mm

Lift capacity:

- @ bucket pivot pin, max height:
 - 1822 (lbs.) / 826 (kg)
- @ 500 mm forward, max height:
 - 1354 (lbs.) / 614 (kg)
- @ bucket pivot pin, 1500 mm height:
 - 2176 (lbs.) / 987 (kg)
- @ 500 mm forward, 1500 mm height:
 - 1686 (lbs.) / 765 (kg)

Breakout force:

- @ bucket pivot pin:
 - 3257 (lbs.) / 1477 (kg)
- @ 500 mm forward:
 - 2444 (lbs.) / 1109 (kg)

Cycle times:

- Raising: 3.8 sec
- Lowering: 2.0 sec
- Bucket dumping: 3.5 sec
- Bucket roll back: 2.2 sec

Bucket width:

- 68 in / 1727 mm

Bucket Capacities:

- Struck:
 - 68" Bucket = .43 cu yd.
- Heaped:
 - 68" Bucket = .53 cu yd.

Loader specifications may vary based on tractor model, hydraulic system, tire size, etc.

*NOTE: The 250TLA2 do not come configured come with a mid mount valve and joystick as these items are now standard on the Boomer™ 35/40 T4B tractors. If a mid mount valve, joystick is needed, these items must be ordered from parts.

*Couplers are included with loader

WARRANTY

New Holland Standard Warranty Applies



**250TLA2 FARM LOADER BOOMER 35/40 (T4B)
US PRICE LIST**

Models

COMMERCIAL MODEL	TECHNICAL TYPE	Weight	Factory Data	List Price
250TLA2 T4B 35/40	550941121	800 LB		\$6,547.00



250TLA2 FARM LOADER BOOMER 35/40 (T4B)
US PRICE LIST

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

FAST PICK CONFIGURATION

SD_T9981 CONFIGURATION

		XT9981X	Less Fast Pick Config			No Charge
		X0331XX	BMR 40 Cab Fast Pick Fast Pick 250TLA2 Loader for Boomer 40 Cab (T4B) Package Contains: <ul style="list-style-type: none">- Base 250TLA2 Loader- Mounting Frame- SSL Quick Attach Face plate- 68" Quick Attach bucket			(\$132.00)

SD_T6072 FRONT END LOADER

		464431	FRT END LDR 2464431 250TLA2 Loader for: <ul style="list-style-type: none">- Boomer 35 T4B Rops- Boomer 40 T4B Rops or Cab			No Charge
--	--	--------	--	--	--	-----------



**250TLA2 FARM LOADER BOOMER 35/40 (T4B)
US PRICE LIST**

Factory Supplied Attachments

Order Code		Description	Weight	Factory Data	List Price
	713762016	Cls 2 Mounting & Hardware Kit CONVERSION KIT. This kit allows a 250TLA1 loader (727099016 Rops / 727099026 Cab) for BOOMER 33/37 tractors to be used on BOOMER 35/40 T4B Rops and Cab tractors. The kit contains new loader mounting brackets, hardware and hydraulic coupler kit.	265 LB		\$750.00

260TLA2 FARM LOADER BOOMER 45/50/55 T4B US PRICE LIST

Standard Equipment

TRACTOR APPLICATIONS:

- Current New Holland Compact Models:
- Boomer™ 45/50/55 ROPS(T4B ONLY)
 - Boomer™ 45/50/55 Cab (T4B ONLY)

NOTE:

Important Compatibility Information

- A configured model 260TLA2 is NOT compatible with other model tractors: Boomer™ 40/50 Tier 3 or 41/47 T4B
- To assure proper performance, see Operator's Manual for recommended counterweighting.

Breakout force:

- @ bucket pivot pin:
 - 4081 (lbs.) / 1851 (kg)
- @ 500 mm forward:
 - 3191 (lbs.) / 1447 (kg)

Loader Specifications: (PRELIMINARY)

Max lift height (to bucket pivot pin):

- 109 in / 2769 mm

Max lift height (under level bucket):

- 103 in / 2616 mm

Clearance with bucket dumped:

- 80 in / 2032 mm

Reach at max lift height:

- 58 in / 1473 mm

Max dump angle: 56 °

Reach with bucket on ground:

- 86 in / 2184 mm

Bucket roll back angle: 28 °

Digging depth:

- 6.3 in / 160 mm

Lift capacity:

- @ bucket pivot pin, max height:
 - 2371 (lbs.) / 1076 (kg)
- @ 500 mm forward, max height:
 - 1849 (lbs.) / 839 (kg)
- @ bucket pivot pin, 1500 mm height:
 - 2828 (lbs.) / 1283 (kg)
- @ 500 mm forward, 1500 mm height:
 - 2256 (lbs.) / 1023 (kg)

Cycle times:

- Raising: 3.8 sec
- Lowering: 2.0 sec
- Bucket dumping: 3.5 sec
- Bucket roll back: 2.2 sec

Bucket width:

- 72 in / 1829 mm

Loader specifications may vary based on tractor model, hydraulic system, tire size, etc.

*NOTE: The 260TLA2 do not come configured come with a mid mount valve and joystick as these items are now standard on the Boomer™ 45/50/55 tractors. If a mid mount valve, joystick is needed, these items must be ordered from parts.

*Couplers are included with loader

WARRANTY

New Holland Standard Warranty Applies



**260TLA2 FARM LOADER BOOMER 45/50/55 T4B
US PRICE LIST**

Models

COMMERCIAL MODEL	TECHNICAL TYPE	Weight	Factory Data	List Price
260TLA2 T4B 45/50/55	550941122	800 LB		\$6,802.00



260TLA2 FARM LOADER BOOMER 45/50/55 T4B
US PRICE LIST

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

FAST PICK CONFIGURATION

SD_T9981 CONFIGURATION

		XT9981X	Less Fast Pick Config			No Charge
		X0333XX	BMR 50 Cab Fast Pick Fast Pick 260TLA2 Loader for Boomer 50 Cab (T4B) Package Contains: - Base 260TLA2 Loader - Mounting Frame - SSL Quick Attach Face plate - 72" Quick Attach bucket			(\$136.00)
		X0332XX	BMR 50 ROPS Fast Pick Fast Pick 260TLA2 Loader for Boomer 50 ROPS (T4B) Package Contains: - Base 260TLA2 Loader - Mounting Frame - SSL Quick Attach Face plate - 72" Quick Attach bucket			(\$136.00)

SD_T6072 FRONT END LOADER

		464432	FRT END LDR 2464432 260TLA2 Loader for: - Boomer 45 T4B Rops or Cab - Boomer 50 T4B Rops or Cab - Boomer 55 T4B Rops or Cab			No Charge
--	--	--------	--	--	--	-----------



**260TLA2 FARM LOADER BOOMER 45/50/55 T4B
US PRICE LIST**

Factory Supplied Attachments

Order Code		Description	Weight	Factory Data	List Price
	713762026	Cls 3 Mounting & Hardware Kit CONVERSION KIT. This kit allows a 260TLA1 loader (727100006 Rops/ 727100026 Cab) for BOOMER 41/47 tractors to be used on BOOMER 45/50/55 T4B Rops and Cab tractors. The kit contains new loader mounting brackets, hardware and hydraulic coupler kit.	231 LB		\$750.00

250TLA1 FARM LOADER BOOMER 33/37 (T4B) US PRICE LIST

Standard Equipment

TRACTOR APPLICATIONS:

- Current New Holland Compact Models:
- Boomer™ 33/37 ROPS (T4B)
 - Boomer™ 37 Cab (T4B)

NOTE:

Important Compatibility Information

- A configured model 250TLA1 is NOT compatible with other model tractors: Boomer™ 3040/3045/3050, 30/40 T3
- To assure proper performance, see Operator's Manual for recommended counterweighting.

Loader Specifications:

- Max lift height (to bucket pivot pin):
- 104 in / 2642 mm
- Max lift height (under level bucket):
- 98 in / 2489 mm
- Clearance with bucket dumped:
- 77 in / 1956 mm
- Reach at max lift height:
- 48 in / 1219 mm
- Max dump angle: 48 °
- Reach with bucket on ground:
- 78 in / 1981 mm
- Bucket roll back angle: 30 °
- Digging depth:
- 6.8 in / 173 mm

Lift capacity:

- @ bucket pivot pin, max height:
 - 1822 (lbs.) / 826 (kg)
- @ 500 mm forward, max height:
 - 1354 (lbs.) / 614 (kg)
- @ bucket pivot pin, 1500 mm height:
 - 2176 (lbs.) / 987 (kg)
- @ 500 mm forward, 1500 mm height:
 - 1686 (lbs.) / 765 (kg)

Breakout force:

- @ bucket pivot pin:
 - 3257 (lbs.) / 1477 (kg)
- @ 500 mm forward:
 - 2444 (lbs.) / 1109 (kg)

Cycle times:

- Raising: 3.8 sec
- Lowering: 2.0 sec
- Bucket dumping: 3.5 sec
- Bucket roll back: 2.2 sec

Bucket width:

- 68 in / 1727 mm

Bucket Capacities:

- Struck:
 - 68" Bucket = .43 cu yd.
- Heaped:
 - 68" Bucket = .53 cu yd.

Loader specifications may vary based on tractor model, hydraulic system, tire size, etc.

*NOTE: The 250TLA1 do not come configured come with a mid mount valve and joystick as these items are now standard on the Boomer™ 33/37 T4B tractors. If a mid mount valve, joystick is needed, these items must be ordered from parts.

*Couplers are included with loader

WARRANTY

New Holland Standard Warranty Applies



**250TLA1 FARM LOADER BOOMER 33/37 (T4B)
US PRICE LIST**

Models

COMMERCIAL MODEL	TECHNICAL TYPE	Weight	Factory Data	List Price
250TLA1	550941103	800 LB		\$6,547.00
250TLA1	550941114	800 LB		\$6,802.00
250TLA1 CAB NON-CVT	550941115	800 LB		\$6,547.00



250TLA1 FARM LOADER BOOMER 33/37 (T4B)
US PRICE LIST

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

FAST PICK CONFIGURATION

SD_T9981 CONFIGURATION

	XT9981X	Less Fast Pick Config		No Charge
--	---------	-----------------------	--	-----------



**250TLA1 FARM LOADER BOOMER 33/37 (T4B)
US PRICE LIST**

Factory Supplied Attachments

Order Code		Description	Weight	Factory Data	List Price
	713762016	Cls 2 Mounting & Hardware Kit CONVERSION KIT. This kit allows a 250TLA1 loader (727099016 Rops / 727099026 Cab) for BOOMER 33/37 tractors to be used on BOOMER 35/40 T4B Rops and Cab tractors. The kit contains new loader mounting brackets, hardware and hydraulic coupler kit.	265 LB		\$750.00

260TLA1 FARM LOADER BOOMER 41/47 (T4B) US PRICE LIST

Standard Equipment

TRACTOR APPLICATIONS:

Current New Holland Compact Models:

- Boomer™ 41/47 ROPS (T4B)
- Boomer™ 41/47 Cab (T4B)

NOTE:

Important Compatibility Information

- A configured model 260TLA1 is NOT compatible with other model tractors: Boomer™ 40/50 T3 or 45/50/55 T4B
- To assure proper performance, see Operator's Manual for recommended counterweighting.

Breakout force:

- @ bucket pivot pin:
 - 4081 (lbs.) / 1851 (kg)
- @ 500 mm forward:
 - 3191 (lbs.) / 1447 (kg)

Loader Specifications:

Max lift height (to bucket pivot pin):

- 109 in / 2769 mm

Max lift height (under level bucket):

- 103 in / 2616 mm

Clearance with bucket dumped:

- 80 in / 2032 mm

Reach at max lift height:

- 58 in / 1473 mm

Max dump angle: 56 °

Reach with bucket on ground:

- 86 in / 2184 mm

Bucket roll back angle: 28 °

Digging depth:

- 6.3 in / 160 mm

Cycle times:

- Raising: 3.8 sec
- Lowering: 2.0 sec
- Bucket dumping: 3.5 sec
- Bucket roll back: 2.2 sec

Bucket width:

- 72 in / 1829 mm

Loader specifications may vary based on tractor model, hydraulic system, tire size, etc.

*NOTE: The 260TLA1 do not come configured come with a mid mount valve and joystick as these items are now standard on the Boomer™ 41/47 tractors. If a mid mount valve, joystick is needed, these items must be ordered from parts.

*Couplers are included with loader

WARRANTY

New Holland Standard Warranty Applies



**260TLA1 FARM LOADER BOOMER 41/47 (T4B)
US PRICE LIST**

Models

COMMERCIAL MODEL	TECHNICAL TYPE	Weight	Factory Data	List Price
260TLA1	550941104	800 LB		\$6,802.00
260TLA1 CAB NON-CVT	550941116	800 LB		\$6,802.00



260TLA1 FARM LOADER BOOMER 41/47 (T4B)
US PRICE LIST

Factory Supplied Options

Order Code		Description	Weight	Factory Data	List Price
	XT9981X	Less Fast Pick Config			No Charge



**260TLA1 FARM LOADER BOOMER 41/47 (T4B)
US PRICE LIST**

Factory Supplied Attachments

Order Code		Description	Weight	Factory Data	List Price
	713762026	Cls 3 Mounting & Hardware Kit CONVERSION KIT. This kit allows a 260TLA1 loader (727100006 Rops/ 727100026 Cab) for BOOMER 41/47 tractors to be used on BOOMER 45/50/55 T4B Rops and Cab tractors. The kit contains new loader mounting brackets, hardware and hydraulic coupler kit.	231 LB		\$750.00



**250TLA FARM LOADER BOOMER 45/50D 46/54D
US PRICE LIST**

Standard Equipment

TRACTOR APPLICATIONS:

- Current New Holland Compact Models:
- Boomer™ CVT 45/50D
 - Boomer™ CVT 46/54D

Prior New Holland Compact Models:

- Boomer™ CVT 3040/3045/3050
Serial # ZDMB11925 & newer ONLY

NOTE:

- Important Compatibility Information
- A configured model 250TLA IV is NOT compatible with other model tractors
 - To assure proper performance, see Operator's Manual for recommended counterweighting.

Loader Specifications:

- Max lift height (to bucket pivot pin):
- 104 in / 2642 mm
- Max lift height (under level bucket):
- 98 in / 2489 mm
- Clearance with bucket dumped:
- 77 in / 1956 mm
- Reach at max lift height:
- 48 in / 1219 mm
- Max dump angle: 48 °
- Reach with bucket on ground:
- 78 in / 1981 mm
- Bucket roll back angle: 30 °
- Digging depth:
- 6.8 in / 173 mm

Lift capacity:

- @ bucket pivot pin, max height:
 - 1822 (lbs.) / 826 (kg)
- @ 500 mm forward, max height:
 - 1354 (lbs.) / 614 (kg)
- @ bucket pivot pin, 1500 mm height:
 - 2176 (lbs.) / 987 (kg)
- @ 500 mm forward, 1500 mm height:
 - 1686 (lbs.) / 765 (kg)

Breakout force:

- @ bucket pivot pin:
 - 3257 (lbs.) / 1477 (kg)
- @ 500 mm forward:
 - 2444 (lbs.) / 1109 (kg)

Cycle times:

- Raising: 3.8 sec
- Lowering: 2.0 sec
- Bucket dumping: 3.5 sec
- Bucket roll back: 2.2 sec

Bucket width:

- 68 in / 1727 mm

Bucket Capacities:

- Struck:
 - 68" Bucket = .43 cu yd.
- Heaped:
 - 68" Bucket = .53 cu yd.

Loader specifications may vary based on tractor model, hydraulic system, tire size, etc.

WARRANTY

New Holland Standard Warranty Applies



**250TLA FARM LOADER BOOMER 45/50D 46/54D
US PRICE LIST**

Models

COMMERCIAL MODEL	TECHNICAL TYPE	Weight	Factory Data	List Price
250TLA	550941098	800 LB		\$5,761.00



250TLA FARM LOADER BOOMER 45/50D 46/54D
US PRICE LIST

Factory Supplied Options

Order Code			Description	Weight	Factory Data	List Price
		XT9981X	Less Fast Pick Config			No Charge
		X0281XX	BMR 54D Fast Pick FAST PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER Fast Pick 250TLA1 Loader for Boomer 54D Cab Package Contains: - Base 250TLA1 Loader for Loader Ready Tractor - SSL Quick Attach Face plate - 72" Quick Attach bucket			(\$115.00)

140TLA FARM LOADER WM33/37 (T4B ONLY)
US PRICE LIST

Standard Equipment

TRACTOR APPLICATIONS:

- Current New Holland Compact Models:
- WORKMASTER™ 33 (T4B)
 - WORKMASTER™ 37 (T4B)

NOTE:
Important Compatibility Information

- A configured model 140TLA is NOT compatible with the WORKMASTER 35/40 T3 or T4B Tractors
- To assure proper performance, see Operator's Manual for recommended counterweighting

Loader Specifications:

Max lift height (under level bucket):

- 91.5 in / 2324 mm

Clearance with bucket dumped:

- 64 in / 1626 mm

Max dump angle: 48 °

Reach with bucket on ground:

- 74.0 in / 1879.6 mm

Bucket roll back angle: 30.4 °

Lift capacity:

@ bucket pivot pin, max height:

- 1250 (lbs.) / 567 (kg)

@ 500 mm forward, max height:

- 1100 (lbs.) / 499 (kg)

@ bucket pivot pin, 1500 mm height:

- 1500 (lbs.) / 680 (kg)

Breakout force:

@ bucket pivot pin:

- 2700 (lbs.) / 1225 (kg)

@ 500 mm forward:

- 1900 (lbs.) / 862 (kg)

Cycle times:

Raising: 3.8 sec

Lowering: 1.7 sec

Lowering (float): 2.2 sec

Bucket dumping: 2.2 sec

Bucket roll back: 1.7 sec

Bucket Dimensions:

Width: 68.4 in / 1736.7 mm

Depth: 22.0 in / 558.8 mm

Height: 21.4 in / 542.9 mm

Length: 31.0 in / 787.4 mm

Weight: 260 (lbs.) / 118 (kg)

Bucket Capacities:

Struck:

68" Bucket = .43 cu yd.

Heaped:

68" Bucket = .53 cu yd.

Loader specifications may vary based on tractor model, hydraulic system, tire size, etc.

***NOTE:** The 140TLA DOES NOT come with mid mount valve, couplers or joystick as these items are now standard on the WORKMASTER™ 33/37 tractors. If a mid mount valve, coupler or joystick is needed, these items must be ordered from parts.

WARRANTY

New Holland Standard Warranty Applies



140TLA FARM LOADER WM33/37 (T4B ONLY)
US PRICE LIST

Models

COMMERCIAL MODEL	TECHNICAL TYPE	Weight	Factory Data	List Price
140TL	550941111	800 LB		\$5,532.00



140TLA FARM LOADER WM33/37 (T4B ONLY)
US PRICE LIST

Factory Supplied Options

Order Code		Description	Weight	Factory Data	List Price
	XT9981X	Less Fast Pick Config			No Charge



**140TLA FARM LOADER WM33/37 (T4B ONLY)
US PRICE LIST**

Factory Supplied Attachments

Order Code		Description	Weight	Factory Data	List Price
	713762006	Cls 2 Hydraulic Line & Fitting Kit CONVERSION KIT. This kit allows a 140TL loader (713740016) for WORKMASTER 33/37 tractors to be used on WORKMASTER 35/40 T4B tractors. The kit contains new loader mounting brackets, hardware and hydraulic coupler kit.	300 LB		\$750.00

**140TLA2 FARM LOADER WM35/40 (T4B ONLY)
US PRICE LIST**

Standard Equipment

TRACTOR APPLICATIONS:

- Current New Holland Compact Models:
- WORKMASTER™ 35 (T4B ONLY)
 - WORKMASTER™ 40 (T4B ONLY)

NOTE:

- Important Compatibility Information
- A configured model 140TLA2 is NOT compatible with the WORKMASTER 35/40 T3 or WM33/37 T4B Tractors
 - To assure proper performance, see Operator's Manual for recommended counterweighting

Loader Specifications: (PRELIMINARY)

- Max lift height (under level bucket):
- 91.5 in / 2324 mm
- Clearance with bucket dumped:
- 64 in / 1626 mm
- Max dump angle: 48 °
- Reach with bucket on ground:
- 74.0 in / 1879.6 mm
- Bucket roll back angle: 30.4 °

Lift capacity:

- @ bucket pivot pin, max height:
 - 1250 (lbs.) / 567 (kg)
- @ 500 mm forward, max height:
 - 1100 (lbs.) / 499 (kg)
- @ bucket pivot pin, 1500 mm height:
 - 1500 (lbs.) / 680 (kg)

Breakout force:

- @ bucket pivot pin:
 - 2700 (lbs.) / 1225 (kg)
- @ 500 mm forward:
 - 1900 (lbs.) / 862 (kg)

Cycle times:

- Raising: 3.8 sec
- Lowering: 1.7 sec
- Lowering (float): 2.2 sec
- Bucket dumping: 2.2 sec
- Bucket roll back: 1.7 sec

Bucket Dimensions:

- Width: 68.4 in / 1736.7 mm
- Depth: 22.0 in / 558.8 mm
- Height: 21.4 in / 542.9 mm
- Length: 31.0 in / 787.4 mm
- Weight: 260 (lbs.) / 118 (kg)

Bucket Capacities:

- Struck:
 - 68" Bucket = .43 cu yd.
- Heaped:
 - 68" Bucket = .53 cu yd.

Loader specifications may vary based on tractor model, hydraulic system, tire size, etc.

***NOTE:** The 140TLA2 DOES NOT come with mid mount valve, couplers or joystick as these items are now standard on the WORKMASTER™ 35/40 T4B tractors. If a mid mount valve, coupler or joystick is needed, these items must be ordered from parts.

WARRANTY

New Holland Standard Warranty Applies



**140TLA2 FARM LOADER WM35/40 (T4B ONLY)
US PRICE LIST**

Models

COMMERCIAL MODEL	TECHNICAL TYPE	Weight	Factory Data	List Price
140TLA2 T4B 35/40	550941119	800 LB		\$5,532.00



**140TLA2 FARM LOADER WM35/40 (T4B ONLY)
US PRICE LIST**

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
XT9981X	Less Fast Pick Config			No Charge
X0337XX	WM 35 Gear R4 Fast Pick Fast Pick 140TL2 Loader for WORKMASTER 35 ROPS (T4B) Package Contains: - Base 140TLA2 Loader - Mounting Frame - SSL Quick Attach Face plate - 68" Quick Attach bucket			(\$111.00)
X0338XX	WM 40 HST R4 Fast Pick Fast Pick 140TLA2 Loader for WORKMASTER 40 ROPS (T4B) Package Contains: - Base 140TLA2 Loader - Mounting Frame - SSL Quick Attach Face plate - 68" Quick Attach bucket			(\$111.00)

SD_T6072 FRONT END LOADER

464433	FRT END LDR 1464433 140TLA2 Loader for: - WORKMASTER 35 T4B - WORKMASTER 40 T4B			No Charge
--------	---	--	--	-----------



**140TLA2 FARM LOADER WM35/40 (T4B ONLY)
US PRICE LIST**

Factory Supplied Attachments

Order Code		Description	Weight	Factory Data	List Price
	713762006	Cls 2 Hydraulic Line & Fitting Kit CONVERSION KIT. This kit allows a 140TL loader (713740016) for WORKMASTER 33/37 tractors to be used on WORKMASTER 35/40 T4B tractors. The kit contains new loader mounting brackets, hardware and hydraulic coupler kit.	300 LB		\$750.00

**611TL & 616TL QUICK-ATTACH LOADER
US PRICE LIST**

Standard Equipment

WORKMASTER 50/60/70

Standard Axle

Maximum Lift Height @ pivot pin:

NSL - 9.35ft (2850mm)

MSL - 9.58ft (2920mm)

Dump Clearance:

NSL - 6.82ft (2080mm)

MSL - 7.02ft (2140mm)

Digging Depth:

NSL - 4.72in (120mm)

MSL - 4.72in (120mm)

Lift Capacity to 59" (1.5m) @ 800mm
from bucket pivot pin:

NSL - 2359lbs. (1070Kg)

MSL - 2623lbs. (1190Kg)

Lift Capacity to 59" (1.5m) @ pivot pin:

NSL - 3263lbs. (1480Kg)

MSL - 2469lbs. (1120Kg)

Breakout Force @ 800 mm in front of
pivot point:

NSL - 2998lbs (1360Kg)

MSL - 3130lbs (1420Kg)

Bucket Rollback Angle (degrees):

NSL - 27

MSL - 32

Bucket Dump Angle (degrees):

NSL - 43

MSL - 46

*The Loader specifications provided
are general specifications and
may vary based on tractor model,
hydraulic system, tire size, etc.

NOTE: IMPORTANT ORDERING INFORMATION

- This loader is compatible with the
Factory Installed Mid Mounted Valves

LOADER COMPONENTS:

Order the following to make up a
complete Model 611/616TL Quick-
Attach

Loader:

- (A) Basic Packaged Loader Non Self-
Leveling Package: Includes boom, 4-bar
bucket linkage, bucket level indicator
and parking stands.

Self-Leveling Package: Includes boom,
MSL linkage, 4-bar bucket linkage,
bucket level indicator and parking
stands.

- (B) Mounting Kit w/ grill guard (if
tractor is NOT loader ready)

- (C) Hydraulic Components:

Mid Mounted loader valve order through
parts (if tractor is NOT loader ready)
Hydraulic hose package (if tractor is NOT
loader ready)

- (D) Bucket(s) and Attachments

- (E) Extra Equipment

- (F) Miscellaneous

WARRANTY

New Holland - 1 Year Warranty

**611TL & 616TL QUICK-ATTACH LOADER
US PRICE LIST****Models**

COMMERCIAL MODEL	SPECIALTY	LEVELING	Weight	Factory Data	List Price
611TL	Euro Style	Non Self Leveling	1,800 LB		\$3,292.00
611TL	Skid Steer Style	Non Self Leveling	1,800 LB		\$3,292.00
616TL	Euro Style	Mechanical Self Leveling	1,800 LB		\$4,389.00
616TL	Skid Steer Style	Mechanical Self Leveling	1,800 LB		\$4,389.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

FAST PICK CONFIGURATION

SD_T9981 CONFIGURATION

	XT9981X	Less Fast Pick Config			No Charge
	X0274XX	WRKMSTR 60 Fast Pick FAST PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER Fast Pick 611TL Loader for "Loader Ready" WORKMASTER 60 Package Contains: - Base 611TL Loader - 730889 (72" Standard material bucket SSL) - 715824 (Heavy-Duty grill guard insert)			(\$90.00)

BRACKETS

FRONT BRACKETS AND SUBFRAMES

SD_39016 MOUNTING KITS

	713722	MOUNTING KIT ECON3 WORKMASTER 50/60/70 (Tier 4) Includes Standard Grill Guard For HD Grill Guard insert - order 715824136			\$1,426.00
--	--------	---	--	--	------------

GRILL GUARD

SD_39006 GRILL GUARDS

	715824	HD Grl Grd Insr FML Heavy Duty Grill Guard Insert			\$335.00
--	--------	---	--	--	----------



**611TL & 616TL QUICK-ATTACH LOADER
US PRICE LIST**

HYDRAULIC KITS

LOADER MOUNTED VALVES/HOSE KITS

SD_20102 HYDRAULIC KIT

Loader Mounted Valve					
		713726	HYD KITT4 50/60/70 2 Function Loader Mounted valve for WORKMASTER 50, 60 or 70 *Note 713726006 is for tractors not ordered with "Loader Mount Ready" factory option. Does not require 713720006 hose kit NOT Compatible with 3rd Function Diverter Valve		\$1,172.00

HOSE KITS

SD_20078 HOSE KIT

		713720	HOSE KIT UTILITY For WORKMASTER 50/60/70 Not required if tractor is ordered with L/R package. Not required when ordering 713726 (713726006) 2 Function Loader Mounted valve. Required for completion when tractor is equipped with dealer installed Mid-Mount Valve kit 731047012		\$580.00
--	--	--------	---	--	----------

DIVERTER VALVES/HANDLE KIT

SD_20056 3RD FUN DIVERTR VLV

		713719	3RD FUNC DIV 713719 3rd Diverter valve for NSL Loaders Requires: - 3rd function wire harness kit (713759) for Workmaster series tractors - Electric Handle Kit (713627) for PowerStar, WorkMaster, or T4 series tractors NOT Compatible with 2 function Loader Mounted Valve (713726)		\$1,019.00
		713733	3RD FUNC DIV MSL 3rd Diverter valve for MSL Loaders Requires: - 3rd function wire harness kit (713759) for Workmaster series tractors - Electric Handle Kit (713627) for PowerStar, WorkMaster, or T4 series tractors NOT Compatible with 2 function Loader Mounted Valve (713726)		\$1,019.00



**611TL & 616TL QUICK-ATTACH LOADER
US PRICE LIST**

SD_N6016 ELECT HANDLE KIT

		713759	3RD FCN HARNESS KIT Required to operate 3rd function diverter valve on Workmaster 50, 60 or 70 ordered with Complete Loader Ready or for Workmaster 50, 60, or 70 with a mid mount valve and joystick ordered as DIA from CNHi Parts.			\$141.00
--	--	--------	---	--	--	----------

OTHERS

SD_N6014 SOFTRIDE OPTION

		730755	Soft Ride 730755			\$788.00
--	--	--------	------------------	--	--	----------

LOADER BUCKETS AND ATTACHMENTS

MATERIAL BUCKETS

SD_29021 BOLT ON GRAPPLE KIT

		716983	Bolt on Grapple Kit Bolt on Grapple Assembly Kit 3 Grapple Claws (Handles up to 5' diameter Round Bale) Only Compatible with High Capacity Buckets (730403, 730404, 717417, 717419, 730403006, 730404006, 717417006, 717419006) 716983046			\$3,150.00
--	--	--------	---	--	--	------------

SD_K5230 BUCKET

		730848	84" Std Material Bucket EUR Euro Style - 84" 19 cu. ft. Standard Material Bucket 0.71 yd struck capacity, 0.88 yd heaped capacity 730848006			\$1,008.00
--	--	--------	---	--	--	------------

SD_N5242 72 INCH MATERIAL BUCKET

		730847	72" Std Material Bucket EUR Euro Style - 72" 16 cu. ft. Standard Material Bucket 0.61 yd struck capacity, 0.74 yd heaped capacity 730847006			\$868.00
		730889	72" Std Material Bucket SSL SSL Style - 72" 16 cu. ft. Standard Material Bucket 0.61 yd struck capacity, 0.74 yd heaped capacity 730889016			\$868.00

**611TL & 616TL QUICK-ATTACH LOADER
US PRICE LIST**

SD_N5244 73" STD QA BUCKETS

		717417	73" Std Mat bucket Euro Style Euro Style - 73" 21 cu.ft. High Capacity Material Bucket 0.63 yd struck capacity, 0.78 yd heaped capacity 717417006			\$1,196.00
		730403	73" Std Mat bucket 730403 SSL Style - 73" 21 cu.ft. High Capacity Material Bucket 0.63 yd struck capacity, 0.78 yd heaped capacity 730403016			\$1,309.00

SD_N5252 83" MATERIAL BUCKET QA

		717419	83" Std Mat bucket Euro Styl Euro Style - 83" 24 cu.ft. High Capacity Material Bucket 0.72 yd struck capacity, 0.89 yd heaped capacity 717419006			\$1,356.00
		730404	83" Std Mat bucket SSL style SSL Style - 83" 24 cu.ft. High Capacity Material Bucket 0.72 yd struck capacity, 0.89 yd heaped capacity. 730404016			\$1,484.00

PALLET FORKS

SD_N5343 BALE FRK WITH BACK STOP

		730842	Bale Fork w_Back Stop SSL Style - Big Bale Fork with Back Stop 55" (2 long tines) 730842006			\$1,389.00
		730843	Bale Fork w_Back Stop EUR Euro Style - Big Bale Fork with Back Stop 55" (2 long tines) 730843006			\$1,389.00

SD_N5344 48IN FK 55W 2200 CP

		713669	48IN FK 55W 2200 EUR EURO Style - Pallet Fork 48" fork, 55" wide 2,200 lb capacity			\$959.00
		713670	48IN FK 55W 2200 SSL SS Style - Pallet Fork 48" fork, 55" wide 2,200 lb capacity 713670006			\$959.00

SD_N5345 48IN FK 55W 3500 CP

		713671	48IN FK 55W 3500 EUR Euro Style - Pallet Fork 48" fork, 55" wide 3,500 lb capacity 713671006			\$1,074.00
--	--	--------	--	--	--	------------



611TL & 616TL QUICK-ATTACH LOADER
US PRICE LIST

		713672	48IN FK 55W 3500 SSL SS Style - Pallet Fork 48" fork, 55" wide 3,500 lb capacity 713672006			\$1,074.00
--	--	--------	--	--	--	------------

BALLAST BOXES

SD_29016 BALLAST BOX

		717506	Ballast Box - 2200 lbs. Ballasting Box Maximum 2,200 lbs capacity			\$1,053.00
--	--	--------	---	--	--	------------



**611TL & 616TL QUICK-ATTACH LOADER
US PRICE LIST**

Factory Supplied Attachments

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

Pallet Fork

713670006	48IN Fork 55IN Wide 2200 LB Cap SSL SS Style - Pallet Fork 48" fork, 55" wide 2,200 lb capacity Same 713670	270 LB		\$465.00
713669006	48IN FK 55W 2200 EURO EURO Style - Pallet Fork 48" fork, 55" wide 2,200 lb capacity	270 LB		\$466.00

Loader Mounted Valve

713726006	HYD VALVE KIT 4 50/60/70 2 Function Loader Mounted valve for WORKMASTER 50, 60 or 70 *Note 713726006 is for tractors not ordered with "Loader Mount Ready" factory option. Does not require 713720006 hose kit	55 LB		\$590.00
-----------	--	-------	--	----------

Bale Fork

730842006	Bale Fork with Back Stop SSL SSL Style - Big Bale Fork with Back Stop 55" (2 long tines) (Same as 730842)	198 LB		\$375.00
730843006	Bale Fork with Back Stop Euro Euro Style - Big Bale Fork with Back Stop 55" (2 long tines) (Same as 730843)	181 LB		\$375.00

Bale Spike/Spear

713721006	Bale Spear - Euro Style Euro Style - Bale Spike (one long tine and one short tine maintains bale control) (Same as 713721)	135 LB		\$361.00
715106026	Bale spike SSL Style - Bale Spike (one long tine and one short tine maintains bale control) (Same as 715106)	132 LB		\$1,102.00

Ballast Boxes

717506006	Ballasting box for 3-pt hitch Cat II Ballasting Box Maximum 2,200 lbs capacity	276 LB		\$514.00
717747006	Ballast box 1000 Lb Max Ballasting Box Maximum 1,000 lbs capacity	169 LB		\$209.00
717748006	Ballast box 1500 Lb Max Ballasting Box Maximum 1,500 lbs capacity	243 LB		\$268.00

**611TL & 616TL QUICK-ATTACH LOADER
 US PRICE LIST**
Bucket Euro Quick Attach

	717417006	73" wide 21 Cu. Ft. standard material Euro Style - 73" 21 cu.ft. High Capacity Material Bucket 0.63 yd struck capacity, 0.78 yd heaped capacity (Same as 717417)	401 LB		\$571.00
	717419006	83" Wide standard material bucket Euro Style - 83" 24 cu.ft. High Capacity Material Bucket 0.72 yd struck capacity, 0.89 yd heaped capacity 717419006	505 LB		\$649.00
	730847006	72" wide material bucket Euro Euro Style - 72" 16 cu. ft. Standard Material Bucket 0.61 yd struck capacity, 0.74 yd heaped capacity (Same as 730847)	390 LB		\$851.00

Bucket Skid Steer Quick Attach

	730403006	73" Wide 21 Cu Ft Std material bucket SSL Style - 73" 21 cu.ft. High Capacity Material Bucket 0.63 yd struck capacity, 0.78 yd heaped capacity (Same as 730403)	401 LB		\$1,283.00
	730404006	83" Wide 24 Cu Ft standard material bkt SSL Style - 83" 24 cu.ft. High Capacity Material Bucket 0.72 yd struck capacity, 0.89 yd heaped capacity. 730404006	505 LB		\$1,455.00
	730889006	72" wide material bucket SSL SSL Style - 72" 16 cu. ft. Standard Material Bucket 0.61 yd struck capacity, 0.74 yd heaped capacity (Same as 730889)	390 LB		\$851.00

Electric Handle Kit

	713627006	Electric Handle Set Required for 3rd function on PowerStar or T4 series tractors.	10 LB		\$92.00
--	-----------	--	-------	--	---------

Grapple

	716983046	Bolt-on Grapple Bolt on Grapple Assembly Kit 3 Grapple Claws (Handles up to 5' diameter Round Bale) Only Compatible with High Capacity Buckets (730403, 730404, 717417, 717419, 730403006, 730404006, 717417006, 717419006) (Same as 716983)	200 LB		\$1,670.00
--	-----------	---	--------	--	------------

Grill Guards

	715824136	Grill Guard Heavy Duty Insert	25 LB		\$151.00
--	-----------	----------------------------------	-------	--	----------

Hose Kits

	713720006	HOSE KIT UTILITY For WORKMASTER 50/60/70 Not required if tractor is ordered with L/R package. Not required when ordering 713726 (713726006) 2 Function Loader Mounted valve. Required for completion when tractor is equipped with dealer installed Mid-Mount Valve kit 731047012	24 LB		\$260.00
--	-----------	---	-------	--	----------

**611TL & 616TL QUICK-ATTACH LOADER
 US PRICE LIST**
Hydraulic Kits

	713719036	3RD FUNCTION SERVICE KIT NSL 3rd Diverter valve for NSL Loaders Requires: - 3rd function wire harness kit (713759) for Workmaster series tractors - Electric Handle Kit (713627) for PowerStar or T4 series tractors NOT Compatible with 2 function Loader Mounted Valve (713726)	25 LB		\$999.00
	713733016	3RD FUNCTION DIVERTER VAL 3rd Diverter valve for MSL Loaders Requires: - 3rd function wire harness kit (713759) for Workmaster series tractors - Electric Handle Kit (713627) for PowerStar or T4 series tractors NOT Compatible with 2 function Loader Mounted Valve (713726)	30 LB		\$999.00
	713759006	3RD FUNCTION HARNESS KIT Required to operate 3rd function diverter valve on Workmaster 50, 60 or 70 ordered with Complete Loader Ready or for Workmaster 50, 60, or 70 with a mid mount valve and joystick ordered as DIA from CNHi Parts.	1 LB		\$59.00

Mounting Brackets

	713722006	MOUNTING KIT ECONOMY 3 WORKMASTER 50/60/70 (Tier 4) Includes Standard Grill Guard For HD Grill Guard insert - order 715824136	385 LB		\$826.00
--	-----------	--	--------	--	----------

Other Hydraulic Options

	730755016	SOFT RIDE	11 LB		\$773.00
--	-----------	-----------	-------	--	----------

**621TL & 626TL QUICK-ATTACH LOADER
US PRICE LIST**

Standard Equipment

WORKMASTER 50/60/70

Standard Axle

Maximum Lift Height @ pivot pin:

NSL - 9.94ft (3030mm)

MSL - 10.20ft (3110mm)

Dump Clearance:

NSL - 7.48ft (2280mm)

MSL - 7.64ft (2330mm)

Digging Depth:

NSL - 5.90in (150mm)

MSL - 5.90in (150mm)

Lift Capacity to 59" (1.5m) @ 800mm

from bucket pivot pin:

NSL - 2778lbs. (1260Kg)

MSL - 3130lbs. (1420Kg)

Lift Capacity to 59" (1.5m) @ pivot pin:

NSL - 3880lbs. (1760Kg)

MSL - 3020lbs. (1370Kg)

Breakout Force @ 800mm in front of

pivot point:

NSL - 3086lbs (1460Kg)

MSL - 3527lbs (1600Kg)

Bucket Rollback Angle (degrees):

NSL - 27

MSL - 45

Bucket Dump Angle (degrees):

NSL - 42

MSL - 46

T4F Tier 4A Series

SuperSteer Axle

Maximum Lift Height @ pivot pin:

NSL - 10.0ft (3070mm)

MSL - 10.0ft (3070mm)

Dump Clearance:

NSL - 7.7ft (2350mm)

MSL - 7.6ft (2320mm)

Digging Depth:

NSL - 3.9in (100mm)

MSL - 3.1in (80mm)

Lift Capacity to 59" (1.5m) @ pivot pin:

NSL - 3703lbs. (1680Kg)

MSL - 2888lbs. (1310Kg)

Breakout Force @ 800mm in front of

pivot point:

NSL - 3086lbs (1400Kg)

MSL - 3395lbs (1540Kg)

Bucket Rollback Angle (degrees):

NSL - 29

MSL - 47

Bucket Dump Angle (degrees):

NSL - 38

MSL - 42

*The Loader specifications provided are general specifications and may vary based on tractor model, hydraulic system, tire size, etc.



**621TL & 626TL QUICK-ATTACH LOADER
US PRICE LIST**

Standard Equipment

**NOTE: IMPORTANT ORDERING
INFORMATION**

- This loader is compatible with the
Factory Installed Mid Mounted Valves

LOADER COMPONENTS:

Order the following to make up a
complete Model 611/616TL Quick-
Attach

Loader:

- (A) Basic Packaged Loader Non Self-
Leveling Package: Includes boom, 4-bar
bucket linkage, bucket level indicator
and parking stands.

Self-Leveling Package: Includes boom,
MSL linkage, 4-bar bucket linkage,

bucket level indicator and parking
stands.

- (B) Mounting Kit w/ grill guard (if
tractor is NOT loader ready)

- (C) Hydraulic Components:

Mid Mounted loader valve order through
parts (if tractor is NOT loader ready)
Hydraulic hose package (if tractor is NOT
loader ready)

- (D) Bucket(s) and Attachments

- (E) Extra Equipment

- (F) Miscellaneous

WARRANTY

New Holland - 1 Year Warranty



621TL & 626TL QUICK-ATTACH LOADER
US PRICE LIST

Models

COMMERCIAL MODEL	SPECIALTY	LEVELING	Weight	Factory Data	List Price
621TL	Euro Style	Non Self Leveling	1,800 LB		\$3,732.00
621TL	Skid Steer Style	Non Self Leveling	1,800 LB		\$3,732.00
626TL	Euro Style	Mechanical Self Leveling	1,800 LB		\$4,829.00
626TL	Skid Steer Style	Mechanical Self Leveling	1,800 LB		\$4,829.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

SD_LV LEVELING

	MSL	Mechanical Self Leveling			\$1,097.00
	NSL	Non Self Leveling			No Charge

SD_SY SPECIALTY

	EURSTYL	Euro Style			No Charge
	SS	Skid Steer Style			No Charge

BRACKETS

FRONT BRACKETS AND SUBFRAMES

SD_39016 MOUNTING KITS

	713722	MOUNTING KIT ECON3 WORKMASTER 50/60/70 (Tier 4) Includes Standard Grill Guard For HD Grill Guard insert - order 715824136			\$1,426.00
--	--------	---	--	--	------------

**621TL & 626TL QUICK-ATTACH LOADER
US PRICE LIST**

SD_N5701 HITCH AND SUBFRAME

		713728	<p>MOUNTG KIT- FRUIT</p> <p>Complete Subframe Set for T4F Tier 4A MY 2017</p> <p>Model Year 2017 with serial number equal to or after: -T4F ROPS = ZHLH04307 -T4F Cab = ZHLH03632</p> <p>IS NOT COMPATIBLE WITH ANY TIER 4A T4F TRACTORS PRIOR TO THE SERIAL NUMBERS LISTED ABOVE.</p> <p>IS NOT COMPATIBLE WITH MY 2018 AND LATER T4F WITH SERIAL STRUCTURE HLRT4xxxxxLTxxxxx.</p>			\$1,426.00
		464184	<p>HYD VLV KIT LESS DPF</p> <p>Complete Subframe Set for T4F Tier 4A MY 2018 and Later</p> <p>Compatible with MY T4F series tractors with DOC ONLY emissions and Serial Structure HLRT4xxxxxLTxxxxx.</p>			\$1,426.00

GRILL GUARD

SD_39006 GRILL GUARDS

		715824	<p>HD Grl Grd Insrt FML</p> <p>Heavy Duty Grill Guard Insert</p>			\$335.00
--	--	--------	---	--	--	----------

HYDRAULIC KITS

LOADER MOUNTED VALVES/HOSE KITS

SD_20102 HYDRAULIC KIT

		713726	<p>HYD KITT4 50/60/70</p> <p>2 Function Loader Mounted valve for WORKMASTER 50, 60 or 70</p> <p>*Note 713726006 is for tractors not ordered with "Loader Mount Ready" factory option. Does not require 713720006 hose kit</p> <p>NOT Compatible with 3rd Function Diverter Valve</p>			\$1,172.00
--	--	--------	---	--	--	------------

**621TL & 626TL QUICK-ATTACH LOADER
 US PRICE LIST**

		713783	HYD VALVE KIT UTL LT Loader Mounted Valve for T4F Tier 4A Model Year 2017 with serial number equal to or after: -T4F ROPS = ZHLH04307 -T4F Cab = ZHLH03632 Does NOT require a hose kit. IS NOT COMPATIBLE WITH MY 2018 AND LATER T4F WITH SERIAL STRUCTURE HLRT4xxxxxLTxxxxx.			\$1,172.00
		464065	HYD VLV KT LESS DPF Loader Mounted Valve for MY 18 and Later T4F Tier 4A Compatible with MY T4F series tractors with DOC ONLY emissions and Serial Structure HLRT4xxxxxLTxxxxx. Does NOT require a hose kit.			\$1,172.00

HOSE KITS
SD_20078 HOSE KIT

		713720	HOSE KIT UTILITY For WORKMASTER 50/60/70 Not required if tractor is ordered with L/R package. Not required when ordering 713726 (713726006) 2 Function Loader Mounted valve. Required for completion when tractor is equipped with dealer installed Mid-Mount Valve kit 731047012			\$580.00
--	--	--------	--	--	--	----------

DIVERTER VALVES/HANDLE KIT
SD_20056 3RD FUN DIVERTR VLV

		713719	3RD FUNC DIV 713719 3rd Diverter valve for NSL Loaders Requires: - 3rd function wire harness kit (713759) for Workmaster series tractors - Electric Handle Kit (713627) for PowerStar, WorkMaster, or T4 series tractors NOT Compatible with 2 function Loader Mounted Valve (713726)			\$1,019.00
--	--	--------	--	--	--	------------

**621TL & 626TL QUICK-ATTACH LOADER
US PRICE LIST**

		713733	3RD FUNC DIV MSL 3rd Diverter valve for MSL Loaders Requires: - 3rd function wire harness kit (713759) for Workmaster series tractors - Electric Handle Kit (713627) for PowerStar, WorkMaster, or T4 series tractors NOT Compatible with 2 function Loader Mounted Valve (713726)			\$1,019.00
--	--	--------	--	--	--	------------

SD_N6016 ELECT HANDLE KIT

		713759	3RD FCN HARNESS KIT Required to operate 3rd function diverter valve on Workmaster 50, 60 or 70 ordered with Complete Loader Ready or for Workmaster 50, 60, or 70 with a mid mount valve and joystick ordered as DIA from CNHi Parts.			\$141.00
--	--	--------	---	--	--	----------

OTHERS

SD_N6014 SOFTRIDE OPTION

		730755	Soft Ride 730755			\$788.00
--	--	--------	------------------	--	--	----------

LOADER BUCKETS AND ATTACHMENTS

MATERIAL BUCKETS

SD_29021 BOLT ON GRAPPLE KIT

		716983	Bolt on Grapple Kit Bolt on Grapple Assembly Kit 3 Grapple Claws (Handles up to 5' diameter Round Bale) Only Compatible with High Capacity Buckets (730403, 730404, 717417, 717419, 730403006, 730404006, 717417006, 717419006) 716983046			\$3,150.00
--	--	--------	---	--	--	------------

SD_K5230 BUCKET

		730848	84" Std Material Bucket EUR Euro Style - 84" 19 cu. ft. Standard Material Bucket 0.71 yd struck capacity, 0.88 yd heaped capacity 730848006			\$1,008.00
		730890	84" Std Material Bucket SSL SSL Style - 83" 19 cu. ft. Standard Material Bucket 0.71 yd struck capacity, 0.88 yd heaped capacity 730890016			\$1,008.00

**621TL & 626TL QUICK-ATTACH LOADER
 US PRICE LIST**
SD_N5242 72 INCH MATERIAL BUCKET

		730847	72" Std Material Bucket EUR Euro Style - 72" 16 cu. ft. Standard Material Bucket 0.61 yd struck capacity, 0.74 yd heaped capacity 730847006			\$868.00
		730889	72" Std Material Bucket SSL SSL Style - 72" 16 cu. ft. Standard Material Bucket 0.61 yd struck capacity, 0.74 yd heaped capacity 730889016			\$868.00

SD_N5244 73" STD QA BUCKETS

		717417	73" Std Mat bucket Euro Style Euro Style - 73" 21 cu.ft. High Capacity Material Bucket 0.63 yd struck capacity, 0.78 yd heaped capacity 717417006			\$1,196.00
		730403	73" Std Mat bucket 730403 SSL Style - 73" 21 cu.ft. High Capacity Material Bucket 0.63 yd struck capacity, 0.78 yd heaped capacity 730403016			\$1,309.00

SD_N5252 83" MATERIAL BUCKET QA

		717419	83" Std Mat bucket Euro Styl Euro Style - 83" 24 cu.ft. High Capacity Material Bucket 0.72 yd struck capacity, 0.89 yd heaped capacity 717419006			\$1,356.00
		730404	83" Std Mat bucket SSL style SSL Style - 83" 24 cu.ft. High Capacity Material Bucket 0.72 yd struck capacity, 0.89 yd heaped capacity. 730404016			\$1,484.00

PALLET FORKS
SD_N5343 BALE FRK WITH BACK STOP

		730842	Bale Fork w_Back Stop SSL Style - Big Bale Fork with Back Stop 55" (2 long tines) 730842006			\$1,389.00
		730843	Bale Fork w_Back Stop EUR Euro Style - Big Bale Fork with Back Stop 55" (2 long tines) 730843006			\$1,389.00

SD_N5344 48IN FK 55W 2200 CP

		713669	48IN FK 55W 2200 EUR EURO Style - Pallet Fork 48" fork, 55" wide 2,200 lb capacity			\$959.00
--	--	--------	--	--	--	----------



621TL & 626TL QUICK-ATTACH LOADER
US PRICE LIST

		713670	48IN FK 55W 2200 SSL SS Style - Pallet Fork 48" fork, 55" wide 2,200 lb capacity 713670006			\$959.00
--	--	--------	--	--	--	----------

SD_N5345 48IN FK 55W 3500 CP

		713671	48IN FK 55W 3500 EUR Euro Style - Pallet Fork 48" fork, 55" wide 3,500 lb capacity 713671006			\$1,074.00
		713672	48IN FK 55W 3500 SSL SS Style - Pallet Fork 48" fork, 55" wide 3,500 lb capacity 713672006			\$1,074.00

BALE HANDLING

SD_N5501 BALE SPEAR

		713806	BALE SPEAR 713806			\$1,125.00
--	--	--------	-------------------	--	--	------------

BALLAST BOXES

SD_29016 BALLAST BOX

		717506	Ballast Box - 2200 lbs. Ballasting Box Maximum 2,200 lbs capacity			\$1,053.00
--	--	--------	---	--	--	------------



**621TL & 626TL QUICK-ATTACH LOADER
US PRICE LIST**

Factory Supplied Attachments

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

Pallet Fork

713670006	48IN Fork 55IN Wide 2200 LB Cap SSL SS Style - Pallet Fork 48" fork, 55" wide 2,200 lb capacity Same 713670	270 LB		\$465.00
713669006	48IN FK 55W 2200 EURO EURO Style - Pallet Fork 48" fork, 55" wide 2,200 lb capacity	270 LB		\$466.00

Loader Mounted Valve

713726006	HYD VALVE KIT 4 50/60/70 2 Function Loader Mounted valve for WORKMASTER 50, 60 or 70 *Note 713726006 is for tractors not ordered with "Loader Mount Ready" factory option. Does not require 713720006 hose kit	55 LB		\$590.00
713783006	HYD VALVE KIT 71378 Loader Mounted Valve for T4F Tier 4A Model Year 2017 with serial number equal to or after: -T4F ROPS = ZHLH04307 -T4F Cab = ZHLH03632 Does NOT require a hose kit.	55 LB		\$590.00

Bale Fork

730842006	Bale Fork with Back Stop SSL SSL Style - Big Bale Fork with Back Stop 55" (2 long tines) (Same as 730842)	198 LB		\$375.00
730843006	Bale Fork with Back Stop Euro Euro Style - Big Bale Fork with Back Stop 55" (2 long tines) (Same as 730843)	181 LB		\$375.00

Bale Spike/Spear

713721006	Bale Spear - Euro Style Euro Style - Bale Spike (one long tine and one short tine maintains bale control) (Same as 713721)	135 LB		\$361.00
715106026	Bale spike SSL Style - Bale Spike (one long tine and one short tine maintains bale control) (Same as 715106)	132 LB		\$1,102.00

Ballast Boxes

717506006	Ballasting box for 3-pt hitch Cat II Ballasting Box Maximum 2,200 lbs capacity	276 LB		\$514.00
-----------	--	--------	--	----------

**621TL & 626TL QUICK-ATTACH LOADER
 US PRICE LIST**

	717747006	Ballast box 1000 Lb Max Ballasting Box Maximum 1,000 lbs capacity	169 LB		\$209.00
	717748006	Ballast box 1500 Lb Max Ballasting Box Maximum 1,500 lbs capacity	243 LB		\$268.00

Bucket Euro Quick Attach

	717417006	73" wide 21 Cu. Ft. standard material Euro Style - 73" 21 cu.ft. High Capacity Material Bucket 0.63 yd struck capacity, 0.78 yd heaped capacity (Same as 717417)	401 LB		\$571.00
	717419006	83" Wide standard material bucket Euro Style - 83" 24 cu.ft. High Capacity Material Bucket 0.72 yd struck capacity, 0.89 yd heaped capacity 717419006	505 LB		\$649.00
	730847006	72" wide material bucket Euro Euro Style - 72" 16 cu. ft. Standard Material Bucket 0.61 yd struck capacity, 0.74 yd heaped capacity (Same as 730847)	390 LB		\$851.00
	730848006	84" wide material bucket Euro Euro Style - 84" 19 cu. ft. Standard Material Bucket 0.71 yd struck capacity, 0.88 yd heaped capacity 730848006	437 LB		\$988.00

Bucket Skid Steer Quick Attach

	730403006	73" Wide 21 Cu Ft Std material bucket SSL Style - 73" 21 cu.ft. High Capacity Material Bucket 0.63 yd struck capacity, 0.78 yd heaped capacity (Same as 730403)	401 LB		\$1,283.00
	730404006	83" Wide 24 Cu Ft standard material bkt SSL Style - 83" 24 cu.ft. High Capacity Material Bucket 0.72 yd struck capacity, 0.89 heaped capacity. 730404006	505 LB		\$1,455.00
	730889006	72" wide material bucket SSL SSL Style - 72" 16 cu. ft. Standard Material Bucket 0.61 yd struck capacity, 0.74 yd heaped capacity (Same as 730889)	390 LB		\$851.00
	730890006	84" wide material bucket SSL SSL Style - 84" 19 cu. ft. Standard Material Bucket 0.71 yd struck capacity, 0.88 yd heaped capacity (Same as 730890)	437 LB		\$988.00

Electric Handle Kit

	713627006	Electric Handle Set Required for 3rd function on PowerStar or T4 series tractors.	10 LB		\$92.00
--	-----------	--	-------	--	---------

**621TL & 626TL QUICK-ATTACH LOADER
 US PRICE LIST**
Grapple

		716983046	Bolt-on Grapple Bolt on Grapple Assembly Kit 3 Grapple Claws (Handles up to 5' diameter Round Bale) Only Compatible with High Capacity Buckets (730403, 730404, 717417, 717419, 730403006, 730404006, 717417006, 717419006) (Same as 716983)	200 LB		\$1,670.00
--	--	-----------	---	--------	--	------------

Grill Guards

		715824136	Grill Guard Heavy Duty Insert	25 LB		\$151.00
--	--	-----------	----------------------------------	-------	--	----------

Hose Kits

		713720006	HOSE KIT UTILITY For WORKMASTER 50/60/70 Not required if tractor is ordered with L/R package. Not required when ordering 713726 (713726006) 2 Function Loader Mounted valve. Required for completion when tractor is equipped with dealer installed Mid-Mount Valve kit 731047012	24 LB		\$260.00
--	--	-----------	---	-------	--	----------

Hydraulic Kits

		713719036	3RD FUNCTION SERVICE KIT NSL 3rd Diverter valve for NSL Loaders Requires: - 3rd function wire harness kit (713759) for Workmaster series tractors - Electric Handle Kit (713627) for PowerStar or T4 series tractors NOT Compatible with 2 function Loader Mounted Valve (713726)	25 LB		\$999.00
		713733016	3RD FUNCTION DIVERTER VAL 3rd Diverter valve for MSL Loaders Requires: - 3rd function wire harness kit (713759) for Workmaster series tractors - Electric Handle Kit (713627) for PowerStar or T4 series tractors NOT Compatible with 2 function Loader Mounted Valve (713726)	30 LB		\$999.00
		713759006	3RD FUNCTION HARNESS KIT Required to operate 3rd function diverter valve on Workmaster 50, 60 or 70 ordered with Complete Loader Ready or for Workmaster 50, 60, or 70 with a mid mount valve and joystick ordered as DIA from CNHi Parts.	1 LB		\$59.00

Mounting Brackets

		713722006	MOUNTING KIT ECONOMY 3 WORKMASTER 50/60/70 (Tier 4) Includes Standard Grill Guard For HD Grill Guard insert - order 715824136	385 LB		\$826.00
--	--	-----------	--	--------	--	----------



**621TL & 626TL QUICK-ATTACH LOADER
US PRICE LIST**

	713728006	MOUNTING KIT T4F 4WD T4B Complete Subframe Set for T4F Tier 4A Model Year 2017 with serial number equal to or after: -T4F ROPS = ZHLH04307 -T4F Cab = ZHLH03632 IS NOT COMPATIBLE WITH ANY TIER 4A T4F TRACTORS PRIOR TO THE SERIAL NUMBERS LISTED ABOVE. IS NOT COMPATIBLE WITH MY 2018 T4F.	390 LB		\$826.00
--	-----------	--	--------	--	----------

Other Hydraulic Options

	730755016	SOFT RIDE	11 LB		\$773.00
--	-----------	-----------	-------	--	----------

**622TL & 627TL QUICK-ATTACH LOADER
US PRICE LIST****Standard Equipment**

PowerStar 65, 75
PowerStar T4.65, T4.75
Maximum Lift Height (feet):
 MSL/NSL - 9.6
Dump Clearance (feet):
 MSL/NSL - 7.2
Digging Depth (inches):
 MSL/NSL - 13
Lift Capacity @ 800mm from bucket
pivot point (lbs.): MSL - 2,728
 NSL - 1,1936
Breakout Force @ pivot point (lbs.):
MSL - 4,026
NSL - 4,928
Reach @ Maximum Lift (inches):
 MSL/NSL - 3.7
Reach @ Ground Level (inches):
 MSL/NSL - 86.3
Bucket Rollback Angle (degrees):
 MSL/NSL - 45
Bucket Dump Angle (degrees):
 MSL/NSL - 53

*The Loader specifications provided
are general specifications and
may vary based on tractor model,
hydraulic system, tire size, etc.

*See model compatibility chart for full
tractor model compatibility.

**NOTE: IMPORTANT ORDERING
INFORMATION**

- This loader is compatible with the
Factory Installed Mid Mounted Valves or
the Loader Mounted Valves offered
with this loader.

LOADER COMPONENTS:

Order the following to make up a
complete Model 631/636TL Quick-
Attach

Loader:

- (A) Basic Packaged Loader Non Self-
Leveling Package: Includes boom, 4-bar
bucket linkage, bucket level indicator
and parking stands.

Self-Leveling Package: Includes boom,
MSL linkage, 4-bar bucket linkage,
bucket level indicator and parking
stands.

- (B) Mounting Kit
- (C) Hydraulic Components: Loader
Mounted loader valve or Mid Mounted
loader valve ordered as FIO on tractor
and hydraulic hose package (included
with Loader Mounted loader valve).
- (D) Bucket(s) and Attachments
- (E) Extra Equipment
- (F) Miscellaneous

WARRANTY

New Holland - 1 Year Warranty

**622TL & 627TL QUICK-ATTACH LOADER
US PRICE LIST****Models**

COMMERCIAL MODEL	SPECIALTY	LEVELING	Weight	Factory Data	List Price
622TL	Euro Style	Non Self Leveling	1,200 LB		\$3,841.00
622TL	Skid Steer Style	Non Self Leveling	1,700 LB		\$3,841.00
627TL	Euro Style	Mechanical Self Leveling	1,700 LB		\$4,938.00
627TL	Skid Steer Style	Mechanical Self Leveling	1,700 LB		\$4,938.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

SD_LV LEVELING

	MSL	Mechanical Self Leveling			\$1,097.00
	NSL	Non Self Leveling			No Charge

SD_SY SPECIALTY

	EURSTYL	Euro Style			No Charge
	SS	Skid Steer Style			No Charge

BRACKETS

FRONT BRACKETS AND SUBFRAMES

SD_N5701 HITCH AND SUBFRAME

	713702	UTL LT T4 TPS COMP PowerStar 65 & 75 and Powerstar T4.65 & T4.75 Includes Standard Grill Guard For HD Grill Guard insert - order 715824136			\$2,231.00
--	--------	--	--	--	------------

GRILL GUARD

SD_39006 GRILL GUARDS

	715824	HD Grl Grd Insrt FML Heavy Duty Grill Guard Insert			\$335.00
--	--------	--	--	--	----------

**622TL & 627TL QUICK-ATTACH LOADER
US PRICE LIST**

HYDRAULIC KITS

HOSE KITS

SD_20078 HOSE KIT

		713709	HOSE KT SNGL FF CPLR Hose kit PowerStar 65 & 75 and Powerstar T4.65 & T4.75 713709006			\$580.00
--	--	--------	---	--	--	----------

DIVERTER VALVES/HANDLE KIT

SD_20056 3RD FUN DIVERTR VLV

		713719	3RD FUNC DIV 713719 3rd Diverter valve for NSL Loaders Requires: - 3rd function wire harness kit (713759) for Workmaster series tractors - Electric Handle Kit (713627) for PowerStar, WorkMaster, or T4 series tractors NOT Compatible with 2 function Loader Mounted Valve (713726)			\$1,019.00
		713733	3RD FUNC DIV MSL 3rd Diverter valve for MSL Loaders Requires: - 3rd function wire harness kit (713759) for Workmaster series tractors - Electric Handle Kit (713627) for PowerStar, WorkMaster, or T4 series tractors NOT Compatible with 2 function Loader Mounted Valve (713726)			\$1,019.00

SD_N6016 ELECT HANDLE KIT

		713627	Electric Handle Kit Required for 3rd function on PowerStar or T4 series tractors.			\$185.00
--	--	--------	---	--	--	----------

OTHERS

SD_N6014 SOFTRIDE OPTION

		730755	Soft Ride 730755			\$788.00
--	--	--------	------------------	--	--	----------



**622TL & 627TL QUICK-ATTACH LOADER
US PRICE LIST**

LOADER BUCKETS AND ATTACHMENTS

MATERIAL BUCKETS

SD_29021 BOLT ON GRAPPLE KIT

		716983	Bolt on Grapple Kit Bolt on Grapple Assembly Kit 3 Grapple Claws (Handles up to 5' diameter Round Bale) Only Compatible with High Capacity Buckets (730403, 730404, 717417, 717419, 730403006, 730404006, 717417006, 717419006) 716983046			\$3,150.00
--	--	--------	--	--	--	------------

SD_K5230 BUCKET

		730848	84" Std Material Bucket EUR Euro Style - 84" 19 cu. ft. Standard Material Bucket 0.71 yd struck capacity, 0.88 yd heaped capacity 730848006			\$1,008.00
		730890	84" Std Material Bucket SSL SSL Style - 83" 19 cu. ft. Standard Material Bucket 0.71 yd struck capacity, 0.88 yd heaped capacity 730890016			\$1,008.00

SD_N5242 72 INCH MATERIAL BUCKET

		730847	72" Std Material Bucket EUR Euro Style - 72" 16 cu. ft. Standard Material Bucket 0.61 yd struck capacity, 0.74 yd heaped capacity 730847006			\$868.00
		730889	72" Std Material Bucket SSL SSL Style - 72" 16 cu. ft. Standard Material Bucket 0.61 yd struck capacity, 0.74 yd heaped capacity 730889016			\$868.00

SD_N5244 73" STD QA BUCKETS

		717417	73" Std Mat bucket Euro Style Euro Style - 73" 21 cu.ft. High Capacity Material Bucket 0.63 yd struck capacity, 0.78 yd heaped capacity 717417006			\$1,196.00
		730403	73" Std Mat bucket 730403 SSL Style - 73" 21 cu.ft. High Capacity Material Bucket 0.63 yd struck capacity, 0.78 yd heaped capacity 730403016			\$1,309.00



**622TL & 627TL QUICK-ATTACH LOADER
US PRICE LIST**

SD_N5252 83" MATERIAL BUCKET QA

		717419	83" Std Mat bucket Euro Styl Euro Style - 83" 24 cu.ft. High Capacity Material Bucket 0.72 yd struck capacity, 0.89 yd heaped capacity 717419006			\$1,356.00
		730404	83" Std Mat bucket SSL style SSL Style - 83" 24 cu.ft. High Capacity Material Bucket 0.72 yd struck capacity, 0.89 yd heaped capacity. 730404016			\$1,484.00

PALLET FORKS

SD_N5343 BALE FRK WITH BACK STOP

		730842	Bale Fork w_Back Stop SSL Style - Big Bale Fork with Back Stop 55" (2 long tines) 730842006			\$1,389.00
		730843	Bale Fork w_Back Stop EUR Euro Style - Big Bale Fork with Back Stop 55" (2 long tines) 730843006			\$1,389.00

SD_N5344 48IN FK 55W 2200 CP

		713669	48IN FK 55W 2200 EUR EURO Style - Pallet Fork 48" fork, 55" wide 2,200 lb capacity			\$959.00
		713670	48IN FK 55W 2200 SSL SS Style - Pallet Fork 48" fork, 55" wide 2,200 lb capacity 713670006			\$959.00

SD_N5345 48IN FK 55W 3500 CP

		713671	48IN FK 55W 3500 EUR Euro Style - Pallet Fork 48" fork, 55" wide 3,500 lb capacity 713671006			\$1,074.00
		713672	48IN FK 55W 3500 SSL SS Style - Pallet Fork 48" fork, 55" wide 3,500 lb capacity 713672006			\$1,074.00

BALE HANDLING

SD_N5501 BALE SPEAR

		713806	BALE SPEAR 713806			\$1,125.00
--	--	--------	-------------------	--	--	------------



622TL & 627TL QUICK-ATTACH LOADER
US PRICE LIST

BALLAST BOXES

SD_29016 BALLAST BOX

		717506	Ballast Box - 2200 lbs. Ballasting Box Maximum 2,200 lbs capacity			\$1,053.00
--	--	--------	---	--	--	------------

**622TL & 627TL QUICK-ATTACH LOADER
 US PRICE LIST**
Factory Supplied Attachments

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

Pallet Fork

713670006	48IN Fork 55IN Wide 2200 LB Cap SSL SS Style - Pallet Fork 48" fork, 55" wide 2,200 lb capacity Same 713670	270 LB		\$465.00
713669006	48IN FK 55W 2200 EURO EURO Style - Pallet Fork 48" fork, 55" wide 2,200 lb capacity	270 LB		\$466.00

Bale Fork

730842006	Bale Fork with Back Stop SSL SSL Style - Big Bale Fork with Back Stop 55" (2 long tines) (Same as 730842)	198 LB		\$375.00
730843006	Bale Fork with Back Stop Euro Euro Style - Big Bale Fork with Back Stop 55" (2 long tines) (Same as 730843)	181 LB		\$375.00

Bale Spike/Spear

713721006	Bale Spear - Euro Style Euro Style - Bale Spike (one long tine and one short tine maintains bale control) (Same as 713721)	135 LB		\$361.00
715106026	Bale spike SSL Style - Bale Spike (one long tine and one short tine maintains bale control) (Same as 715106)	132 LB		\$1,102.00

Ballast Boxes

717506006	Ballasting box for 3-pt hitch Cat II Ballasting Box Maximum 2,200 lbs capacity	276 LB		\$514.00
717747006	Ballast box 1000 Lb Max Ballasting Box Maximum 1,000 lbs capacity	169 LB		\$209.00
717748006	Ballast box 1500 Lb Max Ballasting Box Maximum 1,500 lbs capacity	243 LB		\$268.00

Bucket Euro Quick Attach

717417006	73" wide 21 Cu. Ft. standard material Euro Style - 73" 21 cu.ft. High Capacity Material Bucket 0.63 yd struck capacity, 0.78 yd heaped capacity (Same as 717417)	401 LB		\$571.00
717419006	83" Wide standard material bucket Euro Style - 83" 24 cu.ft. High Capacity Material Bucket 0.72 yd struck capacity, 0.89 yd heaped capacity 717419006	505 LB		\$649.00

**622TL & 627TL QUICK-ATTACH LOADER
US PRICE LIST**

		730847006	72" wide material bucket Euro Euro Style - 72" 16 cu. ft. Standard Material Bucket 0.61 yd struck capacity, 0.74 yd heaped capacity (Same as 730847)	390 LB		\$851.00
		730848006	84" wide material bucket Euro Euro Style - 84" 19 cu. ft. Standard Material Bucket 0.71 yd struck capacity, 0.88 yd heaped capacity 730848006	437 LB		\$988.00

Bucket Skid Steer Quick Attach

		730403006	73" Wide 21 Cu Ft Std material bucket SSL Style - 73" 21 cu.ft. High Capacity Material Bucket 0.63 yd struck capacity, 0.78 yd heaped capacity (Same as 730403)	401 LB		\$1,283.00
		730404006	83" Wide 24 Cu Ft standard material bkt SSL Style - 83" 24 cu.ft. High Capacity Material Bucket 0.72 yd struck capacity, 0.89 yd heaped capacity. 730404006	505 LB		\$1,455.00
		730889006	72" wide material bucket SSL SSL Style - 72" 16 cu. ft. Standard Material Bucket 0.61 yd struck capacity, 0.74 yd heaped capacity (Same as 730889)	390 LB		\$851.00
		730890006	84" wide material bucket SSL SSL Style - 84" 19 cu. ft. Standard Material Bucket 0.71 yd struck capacity, 0.88 yd heaped capacity (Same as 730890)	437 LB		\$988.00

Electric Handle Kit

		713627006	Electric Handle Set Required for 3rd function on PowerStar or T4 series tractors.	10 LB		\$92.00
--	--	-----------	--	-------	--	---------

Grapple

		716983046	Bolt-on Grapple Bolt on Grapple Assembly Kit 3 Grapple Claws (Handles up to 5' diameter Round Bale) Only Compatible with High Capacity Buckets (730403, 730404, 717417, 717419, 730403006, 730404006, 717417006, 717419006) (Same as 716983)	200 LB		\$1,670.00
--	--	-----------	---	--------	--	------------

Grill Guards

		715824136	Grill Guard Heavy Duty Insert	25 LB		\$151.00
--	--	-----------	----------------------------------	-------	--	----------

Hose Kits

		713709006	HOSE KIT, SINGLE FLAT FACED COUPLERS T3, Hose kit PowerStar 65 & 75 and Powerstar T4.65 & T4.75 713709	26 LB		\$291.00
--	--	-----------	--	-------	--	----------

**622TL & 627TL QUICK-ATTACH LOADER
 US PRICE LIST**
Hydraulic Kits

	713719036	3RD FUNCTION SERVICE KIT NSL 3rd Diverter valve for NSL Loaders Requires: - 3rd function wire harness kit (713759) for Workmaster series tractors - Electric Handle Kit (713627) for PowerStar or T4 series tractors NOT Compatible with 2 function Loader Mounted Valve (713726)	25 LB		\$999.00
	713733016	3RD FUNCTION DIVERTER VAL 3rd Diverter valve for MSL Loaders Requires: - 3rd function wire harness kit (713759) for Workmaster series tractors - Electric Handle Kit (713627) for PowerStar or T4 series tractors NOT Compatible with 2 function Loader Mounted Valve (713726)	30 LB		\$999.00

Mounting Brackets

	713702006	MOUNTING KIT - UTILITY LIGHT T4 PowerStar 65 & 75 and Powerstar T4.65 & T4.75 Includes Standard Grill Guard For HD Grill Guard insert - order 715824136	516 LB		\$1,142.00
--	-----------	---	--------	--	------------

Other Hydraulic Options

	730755016	SOFT RIDE	11 LB		\$773.00
--	-----------	-----------	-------	--	----------

Pallet Forks

	713671006	48IN Fork 55IN Wide 3500 LB Cap EUR Euro Style - Pallet Fork 48" fork, 55" wide 3,500 lb capacity	355 LB		\$513.00
	713672006	48IN Fork 55IN Wide 3500 LB Cap SSL SS Style - Pallet Fork 48" fork, 55" wide 3,500 lb capacity	355 LB		\$513.00

**632TL & 637TL QUICK-ATTACH LOADER
US PRICE LIST**

Standard Equipment

T4 Series

PowerStar 90-120

T5 Dual Command 90-120

Standard Axle

Maximum Lift Height (feet):

MSL/NSL - 10

Dump Clearance (feet):

MSL/NSL - 8.0

Digging Depth (inches):

MSL/NSL - 7.87

Lift Capacity @ 800mm from bucket

pivot point (lbs.): MSL - 3,175

NSL - 2,028

Breakout Force @ pivot point (lbs.):

MSL - 4,387

NSL - 5,247

Bucket Rollback Angle (degrees):

MSL/NSL - 44

Bucket Dump Angle (degrees):

MSL/NSL - 52

*The Loader specifications provided are general specifications and may vary based on tractor model, hydraulic system, tire size, etc.

*See model compatibility chart for full tractor model compatibility.

NOTE: IMPORTANT ORDERING INFORMATION

- This loader is compatible with the Factory Installed Mid Mounted Valves or the Loader Mounted Valves offered with this loader.

LOADER COMPONENTS:

Order the following to make up a complete Model 631/636TL Quick-Attach

Loader:

- (A) Basic Packaged Loader Non Self-Leveling Package: Includes boom, 4-bar bucket linkage, bucket level indicator and parking stands.

Self-Leveling Package: Includes boom, MSL linkage, 4-bar bucket linkage, bucket level indicator and parking stands.

- (B) Mounting Kit

- (C) Hydraulic Components: Loader Mounted loader valve or Mid Mounted loader valve ordered as FIO on tractor and hydraulic hose package (included with Loader Mounted loader valve).

- (D) Bucket(s) and Attachments

- (E) Extra Equipment

- (F) Miscellaneous

WARRANTY

New Holland - 1 Year Warranty



632TL & 637TL QUICK-ATTACH LOADER
US PRICE LIST

Models

COMMERCIAL MODEL	SPECIALTY	LEVELING	Weight	Factory Data	List Price
632TL	Euro Style	Non Self Leveling	1,700 LB		\$4,060.00
632TL	Skid Steer Style	Non Self Leveling	1,700 LB		\$4,060.00
637TL	Euro Style	Mechanical Self Leveling	1,700 LB		\$5,157.00
637TL	Skid Steer Style	Mechanical Self Leveling	1,700 LB		\$5,157.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

SD_LV LEVELING

	MSL	Mechanical Self Leveling			\$1,097.00
	NSL	Non Self Leveling			No Charge

SD_SY SPECIALTY

	EURSTYL	Euro Style			No Charge
	SS	Skid Steer Style			No Charge

BRACKETS

FRONT BRACKETS AND SUBFRAMES

SD_39016 MOUNTING KITS

	464064	MT KT T4 WM WORKMASTER 95, 105 & 120 Includes Standard Grill Guard For HD Grill Guard insert - order 715824136			\$1,426.00
--	--------	--	--	--	------------

SD_N5701 HITCH AND SUBFRAME

	713693	Subframe_w/ Grill Guard T4 T4 Series Tractors Tier 4A 12x12 Jesi Production Includes Standard Grill Guard For HD Grill Guard insert - order 715824136			\$2,971.00
--	--------	--	--	--	------------



**632TL & 637TL QUICK-ATTACH LOADER
US PRICE LIST**

		713619	SF - UTILITY MEDIUM T4 Series Tractors Tier 4A 12x12 Ankara Production 24x24 Jesi Production Includes Standard Grill Guard For HD Grill Guard insert - order 715824136			\$2,971.00
		713729	MTG KIT - UTL MEDIUM T4 Series Tier 4B PowerStar 90-120 T5 Dual Command 90-120 Includes Standard Grill Guard For HD Grill Guard insert - order 715824136			\$2,231.00

GRILL GUARD

SD_39006 GRILL GUARDS

		715824	HD Grl Grd Insrt FML Heavy Duty Grill Guard Insert			\$335.00
--	--	--------	--	--	--	----------

HYDRAULIC KITS

HOSE KITS

SD_20078 HOSE KIT

		713622	HOSE KIT UT MED SING Hose Kit T4 Series Tier 4A 713622006			\$580.00
		713757	HOSE KIT 2 FCN IND C T4 Series Tier 4B PowerStar 90-120 T5 Dual Command 90-120 713757006			\$580.00

DIVERTER VALVES/HANDLE KIT

SD_20056 3RD FUN DIVERTR VLV

		713719	3RD FUNC DIV 713719 3rd Diverter valve for NSL Loaders Requires: - 3rd function wire harness kit (713759) for Workmaster series tractors - Electric Handle Kit (713627) for PowerStar, WorkMaster, or T4 series tractors NOT Compatible with 2 function Loader Mounted Valve (713726)			\$1,019.00
--	--	--------	---	--	--	------------

**632TL & 637TL QUICK-ATTACH LOADER
US PRICE LIST**

		713733	3RD FUNC DIV MSL 3rd Diverter valve for MSL Loaders Requires: - 3rd function wire harness kit (713759) for Workmaster series tractors - Electric Handle Kit (713627) for PowerStar, WorkMaster, or T4 series tractors NOT Compatible with 2 function Loader Mounted Valve (713726)			\$1,019.00
--	--	--------	--	--	--	------------

SD_N6016 ELECT HANDLE KIT

		713627	Electric Handle Kit Required for 3rd function on PowerStar or T4 series tractors.			\$185.00
--	--	--------	---	--	--	----------

OTHERS

SD_N6014 SOFTRIDE OPTION

		730755	Soft Ride 730755			\$788.00
--	--	--------	------------------	--	--	----------

LOADER BUCKETS AND ATTACHMENTS

MATERIAL BUCKETS

SD_29021 BOLT ON GRAPPLE KIT

		716983	Bolt on Grapple Kit Bolt on Grapple Assembly Kit 3 Grapple Claws (Handles up to 5' diameter Round Bale) Only Compatible with High Capacity Buckets (730403, 730404, 717417, 717419, 730403006, 730404006, 717417006, 717419006) 716983046			\$3,150.00
--	--	--------	---	--	--	------------

SD_K5230 BUCKET

		730848	84" Std Material Bucket EUR Euro Style - 84" 19 cu. ft. Standard Material Bucket 0.71 yd struck capacity, 0.88 yd heaped capacity 730848006			\$1,008.00
		730890	84" Std Material Bucket SSL SSL Style - 83" 19 cu. ft. Standard Material Bucket 0.71 yd struck capacity, 0.88 yd heaped capacity 730890016			\$1,008.00

**632TL & 637TL QUICK-ATTACH LOADER
 US PRICE LIST**
SD_N5242 72 INCH MATERIAL BUCKET

		730847	72" Std Material Bucket EUR Euro Style - 72" 16 cu. ft. Standard Material Bucket 0.61 yd struck capacity, 0.74 yd heaped capacity 730847006			\$868.00
		730889	72" Std Material Bucket SSL SSL Style - 72" 16 cu. ft. Standard Material Bucket 0.61 yd struck capacity, 0.74 yd heaped capacity 730889016			\$868.00

SD_N5244 73" STD QA BUCKETS

		717417	73" Std Mat bucket Euro Style Euro Style - 73" 21 cu.ft. High Capacity Material Bucket 0.63 yd struck capacity, 0.78 yd heaped capacity 717417006			\$1,196.00
		730403	73" Std Mat bucket 730403 SSL Style - 73" 21 cu.ft. High Capacity Material Bucket 0.63 yd struck capacity, 0.78 yd heaped capacity 730403016			\$1,309.00

SD_N5252 83" MATERIAL BUCKET QA

		717419	83" Std Mat bucket Euro Styl Euro Style - 83" 24 cu.ft. High Capacity Material Bucket 0.72 yd struck capacity, 0.89 yd heaped capacity 717419006			\$1,356.00
		730404	83" Std Mat bucket SSL style SSL Style - 83" 24 cu.ft. High Capacity Material Bucket 0.72 yd struck capacity, 0.89 yd heaped capacity. 730404016			\$1,484.00

PALLET FORKS
SD_N5343 BALE FRK WITH BACK STOP

		730842	Bale Fork w_Back Stop SSL Style - Big Bale Fork with Back Stop 55" (2 long tines) 730842006			\$1,389.00
		730843	Bale Fork w_Back Stop EUR Euro Style - Big Bale Fork with Back Stop 55" (2 long tines) 730843006			\$1,389.00

SD_N5344 48IN FK 55W 2200 CP

		713669	48IN FK 55W 2200 EUR EURO Style - Pallet Fork 48" fork, 55" wide 2,200 lb capacity			\$959.00
--	--	--------	--	--	--	----------



632TL & 637TL QUICK-ATTACH LOADER
US PRICE LIST

		713670	48IN FK 55W 2200 SSL SS Style - Pallet Fork 48" fork, 55" wide 2,200 lb capacity 713670006			\$959.00
--	--	--------	--	--	--	----------

SD_N5345 48IN FK 55W 3500 CP

		713671	48IN FK 55W 3500 EUR Euro Style - Pallet Fork 48" fork, 55" wide 3,500 lb capacity 713671006			\$1,074.00
		713672	48IN FK 55W 3500 SSL SS Style - Pallet Fork 48" fork, 55" wide 3,500 lb capacity 713672006			\$1,074.00

BALLAST BOXES

SD_29016 BALLAST BOX

		717506	Ballast Box - 2200 lbs. Ballasting Box Maximum 2,200 lbs capacity			\$1,053.00
--	--	--------	---	--	--	------------

**632TL & 637TL QUICK-ATTACH LOADER
 US PRICE LIST**
Factory Supplied Attachments

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

Mounting Brackets

	713619006	Subframe, Utility Medium 85/95/105hp T4 Series Tractors (Tier IV A) 12x12 Ankara Production 24x24 Jesi Production Includes Standard Grill Guard For HD Grill Guard insert - order 715824136	416 LB		\$1,142.00
	464064006	MTG KIT - T4 WM AND FARMALL A 85/95/105/ WORKMASTER 95, 105 & 120 Includes Standard Grill Guard For HD Grill Guard insert - order 715824136	573 LB		\$2,187.00
	713693006	Jesi Utility T4 Complete T4 Series Tractors (Tier IV A) 12x12 Jesi Production Includes Standard Grill Guard For HD Grill Guard insert - order 715824136	379 LB		\$2,913.00
	713729006	MOUNTING KIT - UTILITY MEDIUM T4 Series (Tier4B) PowerStar 90-120 T5 Dual Command 90-120 Includes Standard Grill Guard For HD Grill Guard insert - order 715824136	510 LB		\$1,142.00

Pallet Fork

	713670006	48IN Fork 55IN Wide 2200 LB Cap SSL SS Style - Pallet Fork 48" fork, 55" wide 2,200 lb capacity Same 713670	270 LB		\$465.00
	713669006	48IN FK 55W 2200 EURO EURO Style - Pallet Fork 48" fork, 55" wide 2,200 lb capacity	270 LB		\$466.00

Hose Kits

	713622006	Hose Kit - Jesi Utility T4 Single Hose Kit T4 Series (Tier IV A) 713622006	26 LB		\$569.00
	713757006	HOSE KIT 2FCN INDIVIDUAL COUPLERS T4 Series (Tier 4B) PowerStar 90-120 T5 Dual Command 90-120 713732006	23 LB		\$569.00

Bale Fork

	730842006	Bale Fork with Back Stop SSL SSL Style - Big Bale Fork with Back Stop 55" (2 long tines) (Same as 730842)	198 LB		\$375.00
--	-----------	--	--------	--	----------

**632TL & 637TL QUICK-ATTACH LOADER
 US PRICE LIST**

		730843006	Bale Fork with Back Stop Euro Euro Style - Big Bale Fork with Back Stop 55" (2 long tines) (Same as 730843)	181 LB		\$375.00
--	--	-----------	--	--------	--	----------

Bale Spike/Spear

		713721006	Bale Spear - Euro Style Euro Style - Bale Spike (one long tine and one short tine maintains bale control) (Same as 713721)	135 LB		\$361.00
		715106026	Bale spike SSL Style - Bale Spike (one long tine and one short tine maintains bale control) (Same as 715106)	132 LB		\$1,102.00

Ballast Boxes

		717506006	Ballasting box for 3-pt hitch Cat II Ballasting Box Maximum 2,200 lbs capacity	276 LB		\$514.00
		717747006	Ballast box 1000 Lb Max Ballasting Box Maximum 1,000 lbs capacity	169 LB		\$209.00
		717748006	Ballast box 1500 Lb Max Ballasting Box Maximum 1,500 lbs capacity	243 LB		\$268.00

Bucket Euro Quick Attach

		717417006	73" wide 21 Cu. Ft. standard material Euro Style - 73" 21 cu.ft. High Capacity Material Bucket 0.63 yd struck capacity, 0.78 yd heaped capacity (Same as 717417)	401 LB		\$571.00
		717419006	83" Wide standard material bucket Euro Style - 83" 24 cu.ft. High Capacity Material Bucket 0.72 yd struck capacity, 0.89 yd heaped capacity 717419006	505 LB		\$649.00
		730847006	72" wide material bucket Euro Euro Style - 72" 16 cu. ft. Standard Material Bucket 0.61 yd struck capacity, 0.74 yd heaped capacity (Same as 730847)	390 LB		\$851.00
		730848006	84" wide material bucket Euro Euro Style - 84" 19 cu. ft. Standard Material Bucket 0.71 yd struck capacity, 0.88 yd heaped capacity 730848006	437 LB		\$988.00

Bucket Skid Steer Quick Attach

		730403006	73" Wide 21 Cu Ft Std material bucket SSL Style - 73" 21 cu.ft. High Capacity Material Bucket 0.63 yd struck capacity, 0.78 yd heaped capacity (Same as 730403)	401 LB		\$1,283.00
		730404006	83" Wide 24 Cu Ft standard material bkt SSL Style - 83" 24 cu.ft. High Capacity Material Bucket 0.72 yd struck capacity, 0.89 yd heaped capacity. 730404006	505 LB		\$1,455.00

**632TL & 637TL QUICK-ATTACH LOADER
 US PRICE LIST**

		730889006	72" wide material bucket SSL SSL Style - 72" 16 cu. ft. Standard Material Bucket 0.61 yd struck capacity, 0.74 yd heaped capacity (Same as 730889)	390 LB		\$851.00
		730890006	84" wide material bucket SSL SSL Style - 84" 19 cu. ft. Standard Material Bucket 0.71 yd struck capacity, 0.88 yd heaped capacity (Same as 730890)	437 LB		\$988.00

Electric Handle Kit

		713627006	Electric Handle Set Required for 3rd function on PowerStar or T4 series tractors.	10 LB		\$92.00
--	--	-----------	--	-------	--	---------

Grapple

		716983046	Bolt-on Grapple Bolt on Grapple Assembly Kit 3 Grapple Claws (Handles up to 5' diameter Round Bale) Only Compatible with High Capacity Buckets (730403, 730404, 717417, 717419, 730403006, 730404006, 717417006, 717419006) (Same as 716983)	200 LB		\$1,670.00
--	--	-----------	---	--------	--	------------

Grill Guards

		715824136	Grill Guard Heavy Duty Insert	25 LB		\$151.00
--	--	-----------	----------------------------------	-------	--	----------

Hydraulic Kits

		713719036	3RD FUNCTION SERVICE KIT NSL 3rd Diverter valve for NSL Loaders Requires: - 3rd function wire harness kit (713759) for Workmaster series tractors - Electric Handle Kit (713627) for PowerStar or T4 series tractors NOT Compatible with 2 function Loader Mounted Valve (713726)	25 LB		\$999.00
		713733016	3RD FUNCTION DIVERTER VAL 3rd Diverter valve for MSL Loaders Requires: - 3rd function wire harness kit (713759) for Workmaster series tractors - Electric Handle Kit (713627) for PowerStar or T4 series tractors NOT Compatible with 2 function Loader Mounted Valve (713726)	30 LB		\$999.00

Other Hydraulic Options

		730755016	SOFT RIDE	11 LB		\$773.00
--	--	-----------	-----------	-------	--	----------

Pallet Forks

		713671006	48IN Fork 55IN Wide 3500 LB Cap EUR Euro Style - Pallet Fork 48" fork, 55" wide 3,500 lb capacity	355 LB		\$513.00
--	--	-----------	---	--------	--	----------



**632TL & 637TL QUICK-ATTACH LOADER
US PRICE LIST**

		713672006	48IN Fork 55IN Wide 3500 LB Cap SSL SS Style - Pallet Fork 48" fork, 55" wide 3,500 lb capacity	355 LB		\$513.00
--	--	-----------	---	--------	--	----------



US PRICE LIST

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

SD_LV LEVELING

	MSL	Mechanical Self Leveling			\$1,097.00
	NSL	Non Self Leveling			No Charge

SD_SY SPECIALTY

	EURSTYL	Euro Style			No Charge
	SS	Skid Steer Style			No Charge



US PRICE LIST

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

SD_LV LEVELING

	MSL	Mechanical Self Leveling		\$1,097.00
	NSL	Non Self Leveling		No Charge

SD_SY SPECIALTY

	EURSTYL	Euro Style		No Charge
	SS	Skid Steer Style		No Charge

**810LA & 815LA
US PRICE LIST**

Standard Equipment

PowerStar 90-120 4WD
T5.90-120 Dual Command
T4.90-120 4WD
Maximum Lift Height at pivot pin (feet):
810LA/815LA - 11.7
Dump Clearance (feet):
810LA/815LA - 8.5
Digging Depth (inches):
810LA/815LA - 5.5
Lift Capacity @ 800mm from bucket
pivot point (lbs.): 810LA - 2,204
815LA - 3,240
Breakout Force @ 800mm from bucket
pivot point (lbs.): 810LA - 3,174
815LA - 3,417
Reach @ Maximum Lift from grill guard
(inches): 810LA/815LA - 36.6
Reach @ Ground Level from center of
axle (inches): 810LA/815LA - 94.8
Bucket Rollback Angle (degrees):
810LA/815LA - 46
Bucket Dump Angle (degrees):
810LA/815LA - 60

T5 Electro Command (Tier B)
Maximum Lift Height at pivot pin (feet):
810LA/815LA - 12.0
Dump Clearance (feet):
810LA/815LA - 8.8
Digging Depth (inches):
810LA/815LA - 2.3
Lift Capacity @ 800mm from bucket
pivot point (lbs.): 810LA - 2,358
815LA - 3,461
Breakout Force @ 800mm from bucket
pivot point (lbs.): 810LA - 3,395
815LA - 3,659
Reach @ Maximum Lift from grill guard
(inches): 810LA/815LA - 37.0
Reach @ Ground Level from center of
axle (inches): 810LA/815LA - 90.5
Bucket Rollback Angle (degrees):
810LA/815LA - 43
Bucket Dump Angle (degrees):
810LA/815LA - 60

T5 Dynamic /Auto Command (Tier B)
Maximum Lift Height at pivot pin (feet):
810LA/815LA - 12.0
Dump Clearance (feet):
810LA/815LA - 8.8
Digging Depth (inches):
810LA/815LA - 3.1
Lift Capacity @ 800mm from bucket
pivot point (lbs.): 810LA - 2,380
815LA - 3,505
Breakout Force @ 800mm from bucket
pivot point (lbs.): 810LA - 3,439
815LA - 3,681
Reach @ Maximum Lift from grill guard
(inches): 810LA/815LA - 32.7
Reach @ Ground Level from center of
axle (inches): 810LA/815LA - 91.7
Bucket Rollback Angle (degrees):
810LA/815LA - 45
Bucket Dump Angle (degrees):
810LA/815LA - 59

TS6 Series (Tier 4B)
2WD Front Axle
Maximum Lift Height at pivot pin (feet):
810LA - 12.0
Dump Clearance (feet):
810LA - 8.8
Digging Depth (inches):
810LA - 1.9
Lift Capacity @ 800mm from bucket
pivot point (lbs.): 810LA - 2,094
Breakout Force @ 800mm from bucket
pivot point (lbs.): 810LA - 3,020
Reach @ Maximum Lift from grill guard
(inches): 810LA - 30.7
Reach @ Ground Level from center of
axle (inches): 810LA - 88.1
Bucket Rollback Angle (degrees):
810LA - 42
Bucket Dump Angle (degrees):
810LA - 62

810LA & 815LA US PRICE LIST

Standard Equipment

T6 Series (Tier 4B)

2WD Front Axle

Maximum Lift Height at pivot pin (feet):

810LA - 11.9

Dump Clearance (feet):

810LA - 8.7

Digging Depth (inches):

810LA - 3.1

Lift Capacity @ 800mm from bucket

pivot point (lbs.): 810LA - 2,380

Breakout Force @ 800mm from bucket

pivot point (lbs.): 810LA - 3,439

Reach @ Maximum Lift from grill guard

(inches): 810LA - 27.9

Reach @ Ground Level from center of

axle (inches): 810LA - 83.8

Bucket Rollback Angle (degrees):

810LA - 44

Bucket Dump Angle (degrees):

810LA - 60

*The Loader specifications provided are general specifications and may vary based on tractor model, hydraulic system, tire size, etc.

*See model compatibility chart for full tractor model compatibility.

NOTE: IMPORTANT ORDERING INFORMATION

- Tractors must be equipped with a mid mounted valve and joystick to operate the 810LA/815LA loader. The mid mounted valve and joystick is available as a Factory Installed Option or through CNHi Parts.

LOADER COMPONENTS:

T5, TS6, or T6 Tier 4B tractors ordered WITH Complete Loader Ready option, order the following to make up a complete Model 810LA/815LA Quick-Attach

Loader:

- Required items:

(1) Base Loader:

Non Self-Leveling Package: Includes boom, 4-bar bucket linkage, bucket level indicator and parking stands.

Self-Leveling Package: Includes boom, MSL linkage, 4-bar bucket linkage, bucket level indicator and parking stands.

- Optional items:

(2) Bucket(s) and/or Attachments

(3) Additional Desired Equipment

T5 Tier 4A tractors ordered WITH Loader Ready option (TPS sideframes), order the following to make up a complete Model 810LA/815LA Quick-Attach

Loader:

- Required items:

(1) Base Loader:

Non Self-Leveling Package: Includes boom, 4-bar bucket linkage, bucket level indicator and parking stands.

Self-Leveling Package: Includes boom, MSL linkage, 4-bar bucket linkage, bucket level indicator and parking stands.

(2) Brackets: Vertical TPS Upright

(3) Hydraulic Kits: 2 Function Hose Kit

- Optional items:

(4) Bucket(s) and/or Attachments

(5) Additional Desired Equipment

PowerStar 90-120, T5 Dual Command Tier 4B,

T4 Tier 4A or Tier 4B,

T5 Tier 4A or Tier 4B, or

T6 Tier 4B tractors ordered WITHOUT Loader Ready or Complete Loader Ready options, order the following to make up a complete Model 810LA/815LA Quick-Attach

**810LA & 815LA
US PRICE LIST**

Standard Equipment

Loader:

- Required items:

(1) Base Loader:

Non Self-Leveling Package: Includes boom, 4-bar bucket linkage, bucket level indicator and parking stands.

Self-Leveling Package: Includes boom, MSL linkage, 4-bar bucket linkage, bucket level indicator and parking stands.

(2) Brackets: Complete TPS Subframe

(3) Hydraulic Kits: 2 Function Hose Kit

- Optional items:

(4) Bucket(s) and Attachments

(5) Extra Equipment

- CNHi Parts items:

(6) Mid-Mount valve and joystick
(if not installed on tractor)

stands.

(2) Brackets: Complete TPS Subframe

- Optional items:

(3) Bucket(s) and Attachments

(4) Extra Equipment

- CNHi Parts items required:

(5) Mid-Mount valve and joystick and hose kit

WARRANTY

New Holland - 2 Year Warranty

TS6 Tier 4B tractors ordered WITHOUT Complete Loader Ready order the following to make up a complete Model 810LA/815LA Quick-Attach Loader:

- Required items:

(1) Base Loader:

Non Self-Leveling Package: Includes boom, 4-bar bucket linkage, bucket level indicator and parking stands.

Self-Leveling Package: Includes boom, MSL linkage, 4-bar bucket linkage, bucket level indicator and parking



810LA & 815LA
US PRICE LIST

Models

COMMERCIAL MODEL	VERSION	SPECIALTY	LEVELING	Weight	Factory Data	List Price
810LA EURO	BASE	Euro Style	Non Self Leveling	3,060 LB		\$5,437.00
810LA SSL	BASE	Skid Steer Style	Non Self Leveling	3,060 LB		\$5,437.00
815LA EURO	BASE	Euro Style	Mechanical Self Leveling	3,060 LB		\$7,339.00
815LA SSL	BASE	Skid Steer Style	Mechanical Self Leveling	3,060 LB		\$7,339.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

SD_LV LEVELING

	NSL	Non Self Leveling			No Charge
	MSL	Mechanical Self Leveling			No Charge

SD_SY SPECIALTY

	EURSTYL	Euro Style			No Charge
	SS	Skid Steer Style			No Charge

SD_VE VERSION

	BASE	BASE			No Charge
--	------	------	--	--	-----------

BRACKETS

FRONT BRACKETS AND SUBFRAMES

SD_N5701 HITCH AND SUBFRAME

Complete Subframe or TPS

	713729	MTG KIT - UTL MEDIUM PowerStar 90, 100, 110, 120 Tier 4B T5.90, T5.100, T5.110, T5.120 Dual Command (24x24) Tier 4B T4.90, 100, 110, 120 (12x12 & Dual Command 24x24) Tier 4B Complete Horizontal brackets and Vertical uprights with grill guard 713729006			\$2,974.00
--	--------	---	--	--	------------

**810LA & 815LA
 US PRICE LIST**

		713747	SF T4B COMP W GR GUA T5.110, T5.120 Electro Command Tier 4B Complete Horizontal brackets and Vertical uprights with grill guard 713747006			\$2,974.00
		464051	MT KT TPS GG APL SH T5.130 AC/DCT & T5.140 AC/DCT Complete Horizontal brackets and Vertical uprights with grill guard 464051006			\$3,116.00
		464055	MT KT TPS GG APHE TS6.110, TS6.120, TS6.130, TS6.140 Tier 4B Complete Horizontal brackets and Vertical uprights with grill guard Mid Mount Valve and Hose kit to complete loader installation are ordered as a Dealer Installed Accessory kit available from CNHi Parts (see TS6 Price and Data pages) Replaces (713727 / 713727006) 464055006			\$2,686.00
		713744	SUBFRAME APH T4B FIN T6.145, T6.155, T6.165, T6.175, T6.180 Tier 4B Complete Horizontal brackets and Vertical uprights with grill guard 713744006			\$3,257.00
		713619	SF - UTILITY MEDIUM T4.85, T4.95, T4.105, T4.115 Tier 4A Ankara (12x12)/Jesi (24x24) Complete Horizontal brackets and Vertical uprights with grill guard For tractors with serial number ZxJT5xxxx 713619006			\$2,974.00
		713693	Subframe_w/ Grill Guar.d T4 T4.85, T4.95, T4.105, T4.115 Tier 4A Jesi (12x12) Complete Horizontal brackets and Vertical uprights with grill guard For Tractors with serial number ZxJY5xxxx 713693006			\$2,974.00

**810LA & 815LA
US PRICE LIST**

		439608	SB FR W/GG HD 2 PC T5.105, T5.115 Electro Command Tier 4A Complete ONE PIECE SUBFRAME with grill guard Replaces 713703 / 713703006 439608006			\$2,974.00
		439607	SB FR W/GG HD 1 PC T5.95, T5.105, T5.115 Tier 4A 12x12 or Dual Command 24x24 Complete ONE PIECE SUBFRAME with grill guard Replaces 713684 / 713684006 & 713685 / 713685006 439607006			\$2,974.00
Vertical TPS Upright						
		439622	SB FR T4 TPS VER GG T5.105, T5.115 Electro Command Tier 4A Vertical TPS Uprights with grill guard Replaces 713704 / 713704006 439622006			\$1,735.00

GRILL GUARD
SD_39006 GRILL GUARDS

		715824	HD Grl Grd Insrt FML Heavy Duty Grill Guard Insert PowerStar 90-120 Tier 4B, T5 Dual Command (24x24) Tier 4B, T4 (Tier 4A & Tier 4B), TS6 (Tier 3 & Tier 4B) & T5 (12x12, 24x24 & 16x16) Tier 4A Series Tractors 715824136			\$338.00
		713742	HD Grl Grd Insrt APH Heavy Duty Grill Guard Insert T7 SWB, T6 & T5 (Tier 4B 16x16) Series ONLY 713742006			\$348.00

**810LA & 815LA
US PRICE LIST**
HYDRAULIC KITS
TRACTOR SIDE LOADER HOSES

SD_20078 HOSE KIT

2 Function Hose Kit

		713758	HOSE KIT 2 FCN MC4 2 Function Hose Kit PowerStar 90-120, T5 Dual Command (24x24) & T4 Series Tier 4B (Ankara 12x12, Jesi 24x24) 713623006			\$853.00
		713752	APL M/E MMV MC4 FF C 2 Function Hose Kit For ALL T5 Electro Command (16x16) Series Tier 4B tractors For ALL T5 Auto Command and Dynamic Command Tractors 713752006			\$853.00
		713754	APH T4B M/E MMV MC 2 2 Function Hose Kit T6 Series Tier 4B 713754006			\$853.00
		713687	2 funct multi coupler hose kit 2 Function Hose Kit For ALL T5.95, T5.105 & T5.115 Tier 4A tractors - with mechanical mid mount valve (T5 12x12, T5 Dual Command 24x24 & T5 Electro Command 16x16) 713687006			\$827.00
		713706	APL EC MLTI CPL MMV 2 Function Hose Kit For ALL T5.95, T5.105 & T5.115 Tier 4A tractors - with electronic mid mount valve (T5 12x12, T5 Dual Command 24x24 & T5 Electro Command 16x16) 713706006			\$853.00

**810LA & 815LA
US PRICE LIST**
QUICK CONNECT COUPLERS
SD_N6004 SINGLE LEVER MULTI-COUPLER

		713621	2 Function Multi Coupler			\$545.00
--	--	--------	--------------------------	--	--	----------

3RD LIVE HOSE KITS
SD_20018 3 FUN LIVE HOSE KIT

		713798	LV3RD MC2 713798			\$588.00
--	--	--------	------------------	--	--	----------

DIVERTER VALVES/HANDLE KIT
SD_20056 3RD FUN DIVERTR VLV

		713772	3RD FCN DIV 713772 3rd function diverter valve - Solenoid valve controlled by joystick mounted button which diverts oil flow from the bucket circuit to front mounted implements. NOTE: Requires joystick handle kit (464148 or 464148006) for mechanical joysticks or wire harness (713707 or 713707006) for T5 Electro Command with electronic joystick. If tractor is NOT Complete Loader Ready, requires 464063 or 464063006 electrical interface kit Not compatible with T6 series 713772006			\$832.00
--	--	--------	--	--	--	----------

SD_N6015 ELECT SWITCH SET

		713626	Soft Ride electric switch set Soft Ride Switch Kit Only Required when base loader includes Soft Ride (855LA, 915LA & 935LA Euro + SR + Live 3 models which include soft ride) 713626006			\$43.00
--	--	--------	--	--	--	---------

**810LA & 815LA
US PRICE LIST**
SD_N6016 ELECT HANDLE KIT

	464063	<p>EXTD WRNG HARNS CCH</p> <p>Electrical Interface Kit for Electrical Controlled Loader Options (Diverter Valve, Soft Ride, Hydraulic Implement Lock, etc.)</p> <p>Required for Genesis T8 Series with PLM Intelligence.</p> <p>For tractors NOT ordered with Complete Loader Ready.</p> <p>Provides connection to 12V power and ground circuits and harness connectors for switches to activate loader options.</p> <p>Harness is installed at operator area and connects to loader connection point on right hand side of engine compartment.</p> <p>464063 (replaces 713807006 / 713807)</p>			\$185.00
	464148	<p>ELECTRIC HANDLE SET</p> <p>Joystick handle kit for Electrical Controlled Loader Options</p> <p>Diverter valve, Soft Ride and Hydraulic Implement Lock.</p> <p>For tractors NOT ordered with Complete Loader Ready with mechanical mid mount valve and joystick.</p> <p>Provides connection to 12V power and ground circuits and harness connectors for switches to activate loader options.</p> <p>Harness is installed at operator area and connects to loader connection point on right hand side of engine compartment.</p> <p>Replaces 713627 / 713627006</p> <p>464148006</p>			\$185.00
	713707	<p>APL EC Harns 3-4 Fcn</p> <p>Wire harness for T5 series with electronic valve for use of 3rd function diverter.</p> <p>713707006</p>			\$152.00

**810LA & 815LA
US PRICE LIST**
SD_N6017 Electrical Interface

		713761	INTERFACE KIT Electrical Interface Kit to operate Diverter Valve, Soft Ride electric shutoff or hydraulic implement attachment on Tier 4B T5, TS6, T6 or T7 tractors ordered with the complete loader ready option. Provides all necessary switches and connectors to utilize existing tractor harnesses that are included with the complete loader ready option. TS6 tractors with serial number prior to NT00546M also require harness part number 47839199 ordered through CNHi Parts. 713761006			\$142.00
--	--	--------	--	--	--	----------

OTHERS
SD_N6003 HYD FACEPLATE IMP LOCK EURO

		464525	EL-HYD IMP LK 464525 Hydraulic Implement Lock for 810LA, 815LA, 830LA, 835LA, 850LA, 855LA, 857LA, 910LA, 915LA & 917LA Euro Style quick attach only For all PowerStar 90-120, T5 Dual Command & T4 90-120 tractors 713807 or 713807006 Electrical Interface kit is REQUIRED For all T5 Electro Command, TS6, T6 & T7 tractors ordered WITHOUT Complete Loader Ready 713807 or 713807006 Electrical Interface kit is REQUIRED 464525006 (replaces 713770 / 713770006)			\$609.00
--	--	--------	--	--	--	----------

**810LA & 815LA
US PRICE LIST**

		713770	<p>ELE IMP LOCK 713770</p> <p>Hydraulic Implement Lock for 810LA, 815LA, 830LA, 835LA, 850LA, 855LA, 857LA, 910LA, 915LA & 917LA</p> <p>Euro Style quick attach only</p> <p>For all PowerStar 90-120, T5 Dual Command & T4 90-120 tractors 713807 or 713807006 Electrical Interface kit is REQUIRED</p> <p>For all T5 Electro Command, T5 AutoCommand, T5 Dynamic Command, TS6, T6 & T7 tractors ordered WITHOUT Complete Loader Ready 713807 or 713807006 Electrical Interface kit is REQUIRED</p> <p>713770006</p>			\$609.00
--	--	--------	---	--	--	----------

SD_N6011 QUICK CNCT FASTSNAP LDR COMP

		713771	<p>QCK REL LDR 713771</p> <p>Loader Half of fast snap at the front end of the loader arms to provide single lever quick connect for 3rd function implements (i.e. grapples) (Kit contains only the implement portion)</p> <p>Requires implement to be equipped with (713791 or 713791006)</p> <p>713771006</p>			\$555.00
--	--	--------	---	--	--	----------

SD_N6012 QUICK CNCT FASTSNAP IMP COMP

		713791	<p>QCK RLSE IMP 713791</p> <p>Implement Half of fast snap at the front end of the loader arms to provide single lever quick connect for 3rd function implements (i.e. grapples) (Kit contains only the implement portion)</p> <p>Requires base loader to be equipped with (713771 or 713771006)</p> <p>713791006</p>			\$315.00
--	--	--------	---	--	--	----------

**810LA & 815LA
US PRICE LIST****LOADER OPTIONS**

SOFT RIDE

SD_N6014 SOFTRIDE OPTION

		464810	SFT DRV Q SERI Q3/Q4			\$957.00
--	--	--------	----------------------	--	--	----------

OTHERS

SD_47022 FRENCH LANGUAGE

		715214	French Canadian manual French Canadian Operators Manual			No Charge
--	--	--------	---	--	--	-----------

LOADER BUCKETS AND ATTACHMENTS

MATERIAL BUCKETS

SD_N5252 83" MATERIAL BUCKET QA

		717419	83" Std Mat bucket Euro Styl Euro Style - 83" 24 cu. ft. Standard Material Bucket 0.72 yd struck capacity, 0.89 yd heaped capacity 717419006			\$1,360.00
		730404	83" Std Mat bucket SSL style SSL Style - 83" 24 cu. ft. Standard Material Bucket 0.72 yd struck capacity, 0.89 yd heaped capacity 730404006			\$1,484.00

SD_N5253 83" HD MAT BUCKET EUROSTYLE

		717424	83" HD Mat bucket Euro Style Euro Style - 83" 29 cu. ft. Heavy Duty Material Bucket 0.90 yd struck capacity, 1.07 yd heaped capacity 717424006			\$1,696.00
--	--	--------	--	--	--	------------

BALE HANDLING

SD_N5501 BALE SPEAR

		713805	BALE SPEAR 713805 SSL Style - Bale Spike (one long tine and one short tine maintains bale control) 713805006			\$1,125.00
--	--	--------	--	--	--	------------

**810LA & 815LA
US PRICE LIST**

		713806	BALE SPEAR 713806 Euro Style - Bale Spike (1 Long tine and one short tine maintains bale control) 713806006			\$1,125.00
--	--	--------	--	--	--	------------

GRAPPLE BUCKETS
SD_29005 BACK SCREEN F/ROUND BALE KING

		717509	Back Screen for Round Bale Euro Style - Back Screen for Heavy Duty Grapples (Round Bale King) 717509006			\$338.00
--	--	--------	---	--	--	----------

SD_29019 BOLT ON GRAPPLE KIT EURO STYLE

		717548	Weld-on HD/RBK grapple kit Bolt on Grapple Assembly Kit, 4 Grapple Claws -Directly compatible with 717497, 717498, 717497006 or 717498006 -Includes weld on brackets for compatibility with 717420, 717421, 717424, 717425, 730793, 730772, 717420006, 717421006, 717424006, 717425006, 730793006 or 730772006 83" an 95" Material Buckets 717548006			\$3,344.00
--	--	--------	---	--	--	------------

SD_29021 BOLT ON GRAPPLE KIT

		716983	Bolt on Grapple Kit Bolt on Grapple Assembly Kit 3 Grapple Claws (Handles up to 5' diameter Round Bale) For use on: SSL Buckets - 730403, 730404, 730403006 or 730404016 Euro Buckets - 717417, 717419, 717417006 or 717419006 716983046			\$3,154.00
--	--	--------	--	--	--	------------

SD_29022 BACK SCREEN KIT

		730771	Back screen kit Back Screen Kit for bolt on Utility Grapple 716983 or 716983046 730771016			\$332.00
--	--	--------	--	--	--	----------



810LA & 815LA
US PRICE LIST

SD_N5261 83" HD BUCKET W/GRAPPLE

		717500	83" HD Bkt w/grapple Euro Styl Euro Style - 83" Heavy Duty Round Bale King Bucket with Grapple, 4 Grapple Claws 0.90 yd struck capacity, 1.07 yd heaped capacity 717500006			\$5,214.00
--	--	--------	--	--	--	------------

830LA & 835LA US PRICE LIST

Standard Equipment

TS6 Series Tier 4B (4WD)

Maximum Lift Height at pivot pin (feet):

830LA/835LA - 12.5

Dump Clearance (feet):

830LA/835LA - 9.4

Digging Depth (inches):

830LA/835LA - 5.1

Lift Capacity @ 800mm from bucket

pivot point (lbs.): 830LA - 2,557

835LA - 3,813

Breakout Force @ 800mm from bucket

pivot point (lbs.): 830LA - 3,681

835LA - 3,968

Reach @ Maximum Lift from grill guard

(inches): 830LA/835LA - 33.8

Reach @ Ground Level from center of

axle (inches): 830LA/835LA - 94.4

Bucket Rollback Angle (degrees):

830LA/835LA - 45

Bucket Dump Angle (degrees):

830LA/835LA - 62

*The Loader specifications provided are general specifications and may vary based on tractor model, hydraulic system, tire size, etc.

*See model compatibility chart for full tractor model compatibility.

NOTE: IMPORTANT ORDERING INFORMATION

- Tractors must be equipped with a mid mounted valve and joystick to operate the 830LA/835LA loader. The mid mounted valve and joystick is available as a Factory Installed Option or through CNHi Parts.

LOADER COMPONENTS:

TS6 Tier 4B tractors ordered WITH Complete Loader Ready option, order the following to make up a complete Model 830LA/835LA Quick-Attach

Loader:

- Required items:

(1) Base Loader:

Non Self-Leveling Package: Includes boom, 4-bar bucket linkage, bucket level indicator and parking stands.

Self-Leveling Package: Includes boom, MSL linkage, 4-bar bucket linkage, bucket level indicator and parking stands.

- Optional items:

(2) Bucket(s) and/or Attachments

(3) Additional Desired Equipment

TS6 Tier 4B tractors ordered WITHOUT Complete Loader Ready order the following to make up a complete Model 830LA/835LA Quick-Attach Loader:

- Required items:

(1) Base Loader:

Non Self-Leveling Package: Includes boom, 4-bar bucket linkage, bucket level indicator and parking stands.

Self-Leveling Package: Includes boom, MSL linkage, 4-bar bucket linkage, bucket level indicator and parking stands.

(2) Brackets: Complete TPS Subframe

- Optional items:

(3) Bucket(s) and Attachments

(4) Extra Equipment

- CNHi Parts items required:

(5) Mid-Mount valve and joystick and hose kit

**830LA & 835LA
US PRICE LIST**

Standard Equipment

TS6 Tier 3 tractors ordered WITH
Loader Ready option (TPS sideframes),
order the following to make up a
complete Model 830LA/835LA Quick-
Attach
Loader:

- Required items:

(1) Base Loader:

Non Self-Leveling Package: Includes
boom, 4-bar bucket linkage, bucket
level indicator and parking stands.

Self-Leveling Package: Includes boom,
MSL linkage, 4-bar bucket linkage,
bucket level indicator and parking
stands.

(2) Brackets: Vertical TPS Upright

(3) Hydraulic Kits: Loader mounted
valve, joystick and hose kit
(if not installed on tractor)

- Optional items:

(4) Bucket(s) and/or Attachments

(5) Additional Desired Equipment

WARRANTY

New Holland - 2 Year Warranty



830LA & 835LA
US PRICE LIST

Models

COMMERCIAL MODEL	VERSION	SPECIALTY	LEVELING	Weight	Factory Data	List Price
830LA EURO	EBB	Euro Style	Non Self Leveling	3,060 LB		\$6,959.00
830LA SSL	EBB	Skid Steer Style	Non Self Leveling	3,060 LB		\$6,959.00
835LA EURO	EBB	Euro Style	Mechanical Self Leveling	3,060 LB		\$9,406.00
835LA SSL	EBB	Skid Steer Style	Mechanical Self Leveling	3,060 LB		\$9,406.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

SD_LV LEVELING

	NSL	Non Self Leveling			No Charge
	MSL	Mechanical Self Leveling			No Charge

SD_SY SPECIALTY

	EURSTYL	Euro Style			No Charge
	SS	Skid Steer Style			No Charge

SD_VE VERSION

	EBB	EBB			No Charge
--	-----	-----	--	--	-----------

830LA & 835LA
US PRICE LIST

BRACKETS

FRONT BRACKETS AND SUBFRAMES

SD_N5701 HITCH AND SUBFRAME

Complete Subframe or TPS

		713781	CCM SWB WIDE T7 Series SWB Tier 4A & Tier 4B Horizontal TPS sideframe & Verticle TPS upright with grill guard Standard and SuperSteer Axles T7 SWB MY 17 & Prior AND MY 18 units with serial numbers below EJE103874 require a new right hand A-post mounting bracket part number (51414102) available via CNHi Parts. NOT COMPATIBLE WITH 805TL SERIES LOADERS. 713781006			\$3,588.00
		464055	MT KT TPS GG APHE TS6.110, TS6.120, TS6.130, TS6.140 Tier 4B Complete Horizontal brackets and Vertical uprights with grill guard Mid Mount Valve and Hose kit to complete loader installation are ordered as a Dealer Installed Accessory kit available from CNHi Parts (see TS6 Price and Data pages) Replaces (713727 / 713727006) 464055006			\$2,686.00
Vertical TPS Upright						
		730896	Aph 4 Cyl Standard T4 Vertical T6.140, T6.150, T6.160 Tier 4A (4 cylinder) Vertical TPS Uprights with grill guard Standard and SuperSteer Axles 730896006			\$1,735.00

**830LA & 835LA
US PRICE LIST**

GRILL GUARD

SD_39006 GRILL GUARDS

		715824	HD Grl Grd Insrt FML Heavy Duty Grill Guard Insert PowerStar 90-120 Tier 4B, T5 Dual Command (24x24) Tier 4B, T4 (Tier 4A & Tier 4B), TS6 (Tier 3 & Tier 4B) & T5 (12x12, 24x24 & 16x16) Tier 4A Series Tractors 715824136			\$338.00
		713742	HD Grl Grd Insrt APH Heavy Duty Grill Guard Insert T7 SWB, T6 & T5 (Tier 4B 16x16) Series ONLY 713742006			\$348.00

HYDRAULIC KITS

TRACTOR SIDE LOADER HOSES

SD_20078 HOSE KIT

2 Function Hose Kit						
		713664	2FUNC MULTI CPLR T4 2 Function Hose Kit T6 Series Tier 4A (4 & 6 cylinder) 713664006			\$837.00
3 Function Hose Kit						
		713666	3FUNC MULTI CPLR T4 3 Function Hose Kit T6 Series Tier 4A (4 & 6 cylinder) 713666006			\$1,017.00

QUICK CONNECT COUPLERS

SD_N6004 SINGLE LEVER MULTI-COUPLER

		713621	2 Function Multi Coupler			\$545.00
--	--	--------	--------------------------	--	--	----------

**830LA & 835LA
US PRICE LIST**
DIVERTER VALVES/HANDLE KIT
SD_20056 3RD FUN DIVERTR VLV

		713772	3RD FCN DIV 713772 3rd function diverter valve - Solenoid valve controlled by joystick mounted button which diverts oil flow from the bucket circuit to front mounted implements. NOTE: Requires joystick handle kit (464148 or 464148006) for mechanical joysticks or wire harness (713707 or 713707006) for T5 Electro Command with electronic joystick. If tractor is NOT Complete Loader Ready, requires 464063 or 464063006 electrical interface kit Not compatible with T6 series 713772006			\$832.00
--	--	--------	--	--	--	----------

SD_N6015 ELECT SWITCH SET

		713626	Soft Ride electric switch set Soft Ride Switch Kit Only Required when base loader includes Soft Ride (855LA, 915LA & 935LA Euro + SR + Live 3 models which include soft ride) 713626006			\$43.00
--	--	--------	--	--	--	---------

SD_N6016 ELECT HANDLE KIT

		464063	EXTD WRNG HARNS CCH Electrical Interface Kit for Electrical Controlled Loader Options (Diverter Valve, Soft Ride, Hydraulic Implement Lock, etc.) Required for Genesis T8 Series with PLM Intelligence. For tractors NOT ordered with Complete Loader Ready. Provides connection to 12V power and ground circuits and harness connectors for switches to activate loader options. Harness is installed at operator area and connects to loader connection point on right hand side of engine compartment. 464063 (replaces 713807006 / 713807)			\$185.00
--	--	--------	---	--	--	----------

**830LA & 835LA
US PRICE LIST**

		464148	ELECTRIC HANDLE SET Joystick handle kit for Electricl Controlled Loader Options Diverter valve, Soft Ride and Hydraulic Implement Lock. For tractors NOT ordered with Complete Loader Ready with mechanical mid mount valve and joystick. Provides connection to 12V power and ground circuits and harness connectors for switches to activate loader options. Harness is installed at operator area and connects to loader connection point on right hand side of engine compartment. Replaces 713627 / 713627006 464148006			\$185.00
--	--	--------	---	--	--	----------

SD_N6017 Electrical Interface

		713761	INTERFACE KIT Electrical Interface Kit to operate Diverter Valve, Soft Ride electric shutoff or hydraulic implement attachment on Tier 4B T5, TS6, T6 or T7 tractors ordered with the complete loader ready option. Provides all necessary switches and connectors to utilize existing tractor harnesses that are included with the complete loader ready option. TS6 tractors with serial number prior to NT00546M also require harness part number 47839199 ordered through CNHi Parts. 713761006			\$142.00
--	--	--------	--	--	--	----------

**830LA & 835LA
US PRICE LIST**

OTHERS

SD_N6003 HYD FACEPLATE IMP LOCK EURO

		464525	<p>EL-HYD IMP LK 464525</p> <p>Hydraulic Implement Lock for 810LA, 815LA, 830LA, 835LA, 850LA, 855LA, 857LA, 910LA, 915LA & 917LA</p> <p>Euro Style quick attach only</p> <p>For all PowerStar 90-120, T5 Dual Command & T4 90-120 tractors 713807 or 713807006 Electrical Interface kit is REQUIRED</p> <p>For all T5 Electro Command, TS6, T6 & T7 tractors ordered WITHOUT Complete Loader Ready 713807 or 713807006 Electrical Interface kit is REQUIRED</p> <p>464525006 (replaces 713770 / 713770006)</p>			\$609.00
		713770	<p>ELE IMP LOCK 713770</p> <p>Hydraulic Implement Lock for 810LA, 815LA, 830LA, 835LA, 850LA, 855LA, 857LA, 910LA, 915LA & 917LA</p> <p>Euro Style quick attach only</p> <p>For all PowerStar 90-120, T5 Dual Command & T4 90-120 tractors 713807 or 713807006 Electrical Interface kit is REQUIRED</p> <p>For all T5 Electro Command, T5 AutoCommand, T5 Dynamic Command, TS6, T6 & T7 tractors ordered WITHOUT Complete Loader Ready 713807 or 713807006 Electrical Interface kit is REQUIRED</p> <p>713770006</p>			\$609.00

830LA & 835LA
US PRICE LIST

SD_N6011 QUICK CNCT FASTSNAP LDR COMP

		713771	QCK REL LDR 713771 Loader Half of fast snap at the front end of the loader arms to provide single lever quick connect for 3rd function implements (i.e. grapples) (Kit contains only the implement portion) Requires implement to be equipped with (713791 or 713791006) 713771006			\$555.00
--	--	--------	--	--	--	----------

SD_N6012 QUICK CNCT FASTSNAP IMP COMP

		713791	QCK RLSE IMP 713791 Implement Half of fast snap at the front end of the loader arms to provide single lever quick connect for 3rd function implements (i.e. grapples) (Kit contains only the implement portion) Requires base loader to be equipped with (713771 or 713771006) 713791006			\$315.00
--	--	--------	--	--	--	----------

LOADER OPTIONS

SOFT RIDE

SD_N6014 SOFTRIDE OPTION

		464810	SFT DRV Q SERI Q3/Q4			\$957.00
--	--	--------	----------------------	--	--	----------

OTHERS

SD_29016 BALLAST BOX

		717506	Ballast Box - 2200 lbs.			\$1,057.00
--	--	--------	-------------------------	--	--	------------

SD_47022 FRENCH LANGUAGE

		715214	French Canadian manual French Canadian Operators Manual			No Charge
--	--	--------	---	--	--	-----------

**830LA & 835LA
US PRICE LIST**

LOADER BUCKETS AND ATTACHMENTS

MATERIAL BUCKETS

SD_N5252 83" MATERIAL BUCKET QA

		717419	83" Std Mat bucket Euro Styl Euro Style - 83" 24 cu. ft. Standard Material Bucket 0.72 yd struck capacity, 0.89 yd heaped capacity 717419006			\$1,360.00
		730404	83" Std Mat bucket SSL style SSL Style - 83" 24 cu. ft. Standard Material Bucket 0.72 yd struck capacity, 0.89 yd heaped capacity 730404006			\$1,484.00

SD_N5253 83" HD MAT BUCKET EUROSTYLE

		717424	83" HD Mat bucket Euro Style Euro Style - 83" 29 cu. ft. Heavy Duty Material Bucket 0.90 yd struck capacity, 1.07 yd heaped capacity 717424006			\$1,696.00
--	--	--------	--	--	--	------------

SD_N5272 95" STD MATERIAL BUCKET

		717421	95" Standard Mat bkt Euro Styl Euro Style - 95" 34 cu. ft. Standard Material Bucket 1.03 yd struck capacity, 1.24 yd heaped capacity 717421006			\$1,920.00
--	--	--------	--	--	--	------------

BALE HANDLING

SD_N5501 BALE SPEAR

		713805	BALE SPEAR 713805 SSL Style - Bale Spike (one long tine and one short tine maintains bale control) 713805006			\$1,125.00
		713806	BALE SPEAR 713806 Euro Style - Bale Spike (1 Long tine and one short tine maintains bale control) 713806006			\$1,125.00


830LA & 835LA
US PRICE LIST

GRAPPLE BUCKETS

SD_29005 BACK SCREEN F/ROUND BALE KING

		717509	Back Screen for Round Bale Euro Style - Back Screen for Heavy Duty Grapples (Round Bale King) 717509006			\$338.00
--	--	--------	---	--	--	----------

SD_29019 BOLT ON GRAPPLE KIT EURO STYLE

		717548	Weld-on HD/RBK grapple kit Bolt on Grapple Assembly Kit, 4 Grapple Claws -Directly compatible with 717497, 717498, 717497006 or 717498006 -Includes weld on brackets for compatibility with 717420, 717421, 717424, 717425, 730793, 730772, 717420006, 717421006, 717424006, 717425006, 730793006 or 730772006 83" an 95" Material Buckets 717548006			\$3,344.00
--	--	--------	--	--	--	------------

SD_29021 BOLT ON GRAPPLE KIT

		716983	Bolt on Grapple Kit Bolt on Grapple Assembly Kit 3 Grapple Claws (Handles up to 5' diameter Round Bale) For use on: SSL Buckets - 730403, 730404, 730403006 or 730404016 Euro Buckets - 717417, 717419, 717417006 or 717419006 716983046			\$3,154.00
--	--	--------	--	--	--	------------

SD_29022 BACK SCREEN KIT

		730771	Back screen kit Back Screen Kit for bolt on Utility Grapple 716983 or 716983046 730771016			\$332.00
--	--	--------	---	--	--	----------

SD_N5261 83" HD BUCKET W/GRAPPLE

		717500	83" HD Bkt w/grapple Euro Styl Euro Style - 83" Heavy Duty Round Bale King Bucket with Grapple, 4 Grapple Claws 0.90 yd struck capacity, 1.07 yd heaped capacity 717500006			\$5,214.00
--	--	--------	--	--	--	------------

850LA, 855LA & 857LA US PRICE LIST

Standard Equipment

T6 Series Tier 4B (4WD)

Maximum Lift Height at pivot pin (feet):

850LA/855LA - 13.5

Dump Clearance (feet):

850LA/855LA - 10.3

Digging Depth (inches):

850LA/855LA - 3.9

Lift Capacity @ 800mm from bucket

pivot point (lbs.): 850LA - 2,932

855LA - 5,202

Breakout Force @ 800mm from bucket

pivot point (lbs.): 850LA - 4,673

855LA - 5,974

Reach @ Maximum Lift from grill guard

(inches): 850LA/855LA - 28.3

Reach @ Ground Level from center of

axle (inches): 850LA/855LA - 99.2

Bucket Rollback Angle (degrees):

850LA/855LA - 47

Bucket Dump Angle (degrees):

850LA - 55, 855LA - 56

T6 Series Tier 4B (SuperSteer)

Maximum Lift Height at pivot pin (feet):

857LA - 13.9

Dump Clearance (feet):

857LA - 10.7

Digging Depth (inches):

857LA - 4.7

Lift Capacity @ 800mm from bucket

pivot point (lbs.): 857LA - 4,365

Breakout Force @ 800mm from bucket

pivot point (lbs.): 857LA - 4,894

Reach @ Maximum Lift from grill guard

(inches): 857LA - 35.4

Reach @ Ground Level from center of

axle (inches): 857LA - 104.3

Bucket Rollback Angle (degrees):

857LA - 49

Bucket Dump Angle (degrees):

857LA - 53

*The Loader specifications provided are general specifications and may vary based on tractor model, hydraulic system, tire size, etc.

*See model compatibility chart for full tractor model compatibility.

NOTE: IMPORTANT ORDERING INFORMATION

- Tractors must be equipped with a mid mounted valve and joystick to operate the 850LA/855LA/857LA loader. The mid mounted valve and joystick is available as a Factory Installed Option or through CNHi Parts.

LOADER COMPONENTS:

T6 Tier 4B tractors ordered WITH Complete Loader Ready option, order the following to make up a complete Model 850LA/855LA/857LA Quick-Attach Loader:

- Required items:

(1) Base Loader:

Non Self-Leveling Package: Includes boom, 4-bar bucket linkage, bucket level indicator and parking stands.

Self-Leveling Package: Includes boom, MSL linkage, 4-bar bucket linkage, bucket level indicator and parking stands.

- Optional items:

(2) Bucket(s) and/or Attachments

(3) Additional Desired Equipment

**850LA, 855LA & 857LA
US PRICE LIST**

Standard Equipment

T6 Tier 4A tractors ordered WITH Loader Ready option (TPS sideframes), order the following to make up a complete Model 850LA/855LA/857LA Quick-Attach Loader:

- Required items:
 - (1) Base Loader:
 - Non Self-Leveling Package: Includes boom, 4-bar bucket linkage, bucket level indicator and parking stands.
 - Self-Leveling Package: Includes boom, MSL linkage, 4-bar bucket linkage, bucket level indicator and parking stands.
 - (2) Brackets: Vertical TPS Upright
 - (3) Hydraulic Kits: 2 Function Hose Kit
 - (3 Function Hose kit for T6 Tier 4A tractors ordered with 3 function mid mount valve and joystick)
- Optional items:
 - (4) 3rd Live Hose Kit for T6 Tier 4A tractors ordered with 3 function mid mount valve and joystick
 - (5) Bucket(s) and/or Attachments
 - (6) Additional Desired Equipment
- CNHi Parts items:
 - (7) Mid-Mount valve and joystick (if not installed on tractor)

Blue Power Loaders have black loader arms with silver decals, 3rd live hose kit and SoftRide.

All Blue Power Loader versions are build to order with a 12 week lead time.

T6 Tier 4A and Tier 4B tractors ordered WITHOUT Loader Ready or Complete Loader Ready options, order the following to make up a complete Model 850LA/855LA/857LA Quick-Attach Loader:

- Required items:
 - (1) Base Loader:
 - Non Self-Leveling Package: Includes boom, 4-bar bucket linkage, bucket level indicator and parking stands.
 - Self-Leveling Package: Includes boom, MSL linkage, 4-bar bucket linkage, bucket level indicator and parking stands.
 - (2) Brackets: Complete TPS Subframe
 - (3) Hydraulic Kits: 2 Function Hose Kit
 - (3 Function Hose kit for T6 Tier 4A or Tier 4B tractors ordered with 3 function mid mount valve and joystick)
- Optional items:
 - (4) 3rd Live Hose Kit for T6 Tier 4A or Tier 4B tractors ordered with 3 function mid mount valve and joystick
 - (5) Bucket(s) and Attachments
 - (6) Extra Equipment
- CNHi Parts items:
 - (7) Mid-Mount valve and joystick (if not installed on tractor)

WARRANTY

New Holland - 2 Year Warranty



850LA, 855LA & 857LA
US PRICE LIST

Models

COMMERCIAL MODEL	VERSION	SPECIALTY	LEVELING	Weight	Factory Data	List Price
850LA EURO	BASE	Euro Style	Non Self Leveling	3,060 LB		\$8,047.00
855LA EURO	BASE	Euro Style	Mechanical Self Leveling	3,060 LB		\$10,493.00
855LA EURO + SR + LIVE 3	3rd Live and Soft Ride	Euro Style	Mechanical Self Leveling	3,060 LB		\$12,311.00
855LA EURO BLUE POW	BLUE POWER	Euro Style	Mechanical Self Leveling	3,060 LB		\$13,120.00
857LA EURO SUPERSTEER	SuperSteer	Euro Style	Mechanical Self Leveling	3,060 LB		\$10,928.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

SD_LV LEVELING

	NSL	Non Self Leveling		No Charge
	MSL	Mechanical Self Leveling		No Charge

SD_SY SPECIALTY

	EURSTYL	Euro Style		No Charge
	SS	Skid Steer Style		No Charge

SD_VE VERSION

	BP	BLUE POWER Blue Power Special Loaders Black loader arms with silver decals Build to order with 12 week lead times		\$2,627.00
	BASE	BASE		No Charge
	3SFT	3rd Live and Soft Ride		\$1,818.00
	EXTN	SuperSteer		\$435.00

**850LA, 855LA & 857LA
US PRICE LIST**

BRACKETS

FRONT BRACKETS AND SUBFRAMES

SD_N5701 HITCH AND SUBFRAME

Complete Subframe or TPS

		713744	SUBFRAME APH T4B FIN T6.145, T6.155, T6.165, T6.175, T6.180 Tier 4B Complete Horizontal brackets and Vertical uprights with grill guard 713744006			\$3,257.00
--	--	--------	---	--	--	------------

GRILL GUARD

SD_39006 GRILL GUARDS

		713742	HD Grl Grd Insrt APH Heavy Duty Grill Guard Insert T7 SWB, T6 & T5 (Tier 4B 16x16) Series ONLY 713742006			\$348.00
--	--	--------	--	--	--	----------

HYDRAULIC KITS

TRACTOR SIDE LOADER HOSES

SD_20078 HOSE KIT

2 Function Hose Kit

		713754	APH T4B M/E MMV MC 2 2 Function Hose Kit T6 Series Tier 4B 713754006			\$853.00
		713664	2FUNC MULTI CPLR T4 2 Function Hose Kit T6 Series Tier 4A (4 & 6 cylinder) 713664006			\$837.00

**850LA, 855LA & 857LA
 US PRICE LIST**

3 Function Hose Kit					
		713756	APH T4B M/E MMV MC 3 3 Function Hose Kit T6 Series Tier 4B 713756006		\$1,044.00
		713666	3FUNC MULTI CPLR T4 3 Function Hose Kit T6 Series Tier 4A (4 & 6 cylinder) 713666006		\$1,017.00

3RD LIVE HOSE KITS

SD_20018 3 FUN LIVE HOSE KIT					
		713800	LV3RD MC2 713800 3rd Function Live Hose Kit with Multi Coupler Required to utilize live 3rd function Mid mount valve slice and operate grapples, etc For use with 850LA & 855LA on T6 Tractors. 713800006		\$828.00
		713801	LV3RD MC2 713801 3rd Function Live Hose Kit with Multi Coupler Required to utilize live 3rd function Mid mount valve slice and operate grapples, etc For use with 857LA on T6 Tractors. 713801006		\$828.00

DIVERTER VALVES/HANDLE KIT

SD_N6015 ELECT SWITCH SET					
		713626	Soft Ride electric switch set Soft Ride Switch Kit Only Required when base loader includes Soft Ride (855LA, 915LA & 935LA Euro + SR + Live 3 models which include soft ride) 713626006		\$43.00

**850LA, 855LA & 857LA
 US PRICE LIST**
SD_N6016 ELECT HANDLE KIT

	464063	<p>EXTD WRNG HARNS CCH</p> <p>Electrical Interface Kit for Electrical Controlled Loader Options (Diverter Valve, Soft Ride, Hydraulic Implement Lock, etc.)</p> <p>Required for Genesis T8 Series with PLM Intelligence.</p> <p>For tractors NOT ordered with Complete Loader Ready.</p> <p>Provides connection to 12V power and ground circuits and harness connectors for switches to activate loader options.</p> <p>Harness is installed at operator area and connects to loader connection point on right hand side of engine compartment.</p> <p>464063 (replaces 713807006 / 713807)</p>			\$185.00
	464148	<p>ELECTRIC HANDLE SET</p> <p>Joystick handle kit for Electricl Controlled Loader Options Diverter valve, Soft Ride and Hydraulic Implement Lock.</p> <p>For tractors NOT ordered with Complete Loader Ready with mechanical mid mount valve and joystick.</p> <p>Provides connection to 12V power and ground circuits and harness connectors for switches to activate loader options.</p> <p>Harness is installed at operator area and connects to loader connection point on right hand side of engine compartment.</p> <p>Replaces 713627 / 713627006</p> <p>464148006</p>			\$185.00

**850LA, 855LA & 857LA
 US PRICE LIST**
SD_N6017 Electrical Interface

		713761	INTERFACE KIT Electrical Interface Kit to operate Diverter Valve, Soft Ride electric shutoff or hydraulic implement attachment on Tier 4B T5, TS6, T6 or T7 tractors ordered with the complete loader ready option. Provides all necessary switches and connectors to utilize existing tractor harnesses that are included with the complete loader ready option. TS6 tractors with serial number prior to NT00546M also require harness part number 47839199 ordered through CNHi Parts. 713761006			\$142.00
--	--	--------	--	--	--	----------

OTHERS
SD_N6003 HYD FACEPLATE IMP LOCK EURO

		464525	EL-HYD IMP LK 464525 Hydraulic Implement Lock for 810LA, 815LA, 830LA, 835LA, 850LA, 855LA, 857LA, 910LA, 915LA & 917LA Euro Style quick attach only For all PowerStar 90-120, T5 Dual Command & T4 90-120 tractors 713807 or 713807006 Electrical Interface kit is REQUIRED For all T5 Electro Command, TS6, T6 & T7 tractors ordered WITHOUT Complete Loader Ready 713807 or 713807006 Electrical Interface kit is REQUIRED 464525006 (replaces 713770 / 713770006)			\$609.00
--	--	--------	--	--	--	----------

**850LA, 855LA & 857LA
 US PRICE LIST**

		713770	ELE IMP LOCK 713770 Hydraulic Implement Lock for 810LA, 815LA, 830LA, 835LA, 850LA, 855LA, 857LA, 910LA, 915LA & 917LA Euro Style quick attach only For all PowerStar 90-120, T5 Dual Command & T4 90-120 tractors 713807 or 713807006 Electrical Interface kit is REQUIRED For all T5 Electro Command, T5 AutoCommand, T5 Dynamic Command, TS6, T6 & T7 tractors ordered WITHOUT Complete Loader Ready 713807 or 713807006 Electrical Interface kit is REQUIRED 713770006			\$609.00
--	--	--------	---	--	--	----------

SD_N6011 QUICK CNCT FASTSNAP LDR COMP

		713771	QCK REL LDR 713771 Loader Half of fast snap at the front end of the loader arms to provide single lever quick connect for 3rd function implements (i.e. grapples) (Kit contains only the implement portion) Requires implement to be equipped with (713791 or 713791006) 713771006			\$555.00
--	--	--------	---	--	--	----------

SD_N6012 QUICK CNCT FASTSNAP IMP COMP

		713791	QCK RLSE IMP 713791 Implement Half of fast snap at the front end of the loader arms to provide single lever quick connect for 3rd function implements (i.e. grapples) (Kit contains only the implement portion) Requires base loader to be equipped with (713771 or 713771006) 713791006			\$315.00
--	--	--------	---	--	--	----------



850LA, 855LA & 857LA
US PRICE LIST

LOADER OPTIONS

SOFT RIDE

SD_N6014 SOFTRIDE OPTION

		713769	ELE SOFT RIDE 713769 Electronic Soft Ride Kit Soft ride is turned on/off via a rocker switch in the cab. For T6 & T7 Tractors ordered WITHOUT Complete Loader Ready 464063 or 464063006 Electrical Interface kit is REQUIRED 713769006			\$957.00
--	--	--------	---	--	--	----------

OTHERS

SD_29016 BALLAST BOX

		717506	Ballast Box - 2200 lbs.			\$1,057.00
--	--	--------	-------------------------	--	--	------------

SD_47022 FRENCH LANGUAGE

		715214	French Canadian manual French Canadian Operators Manual			No Charge
--	--	--------	---	--	--	-----------

LOADER BUCKETS AND ATTACHMENTS

MATERIAL BUCKETS

SD_N5202 102" HD BUCKET

		717426	102" HD Mat - Euro Bucket Euro Style - 102" 36 cu. ft. Heavy Duty Material Bucket 1.11 yd struck capacity, 1.35 yd heaped capacity 717426006			\$2,849.00
--	--	--------	--	--	--	------------

SD_N5252 83" MATERIAL BUCKET QA

		717419	83" Std Mat bucket Euro Styl Euro Style - 83" 24 cu. ft. Standard Material Bucket 0.72 yd struck capacity, 0.89 yd heaped capacity 717419006			\$1,360.00
--	--	--------	--	--	--	------------

850LA, 855LA & 857LA
US PRICE LIST

SD_N5253 83" HD MAT BUCKET EUROSTYLE

		717424	83" HD Mat bucket Euro Style Euro Style - 83" 29 cu. ft. Heavy Duty Material Bucket 0.90 yd struck capacity, 1.07 yd heaped capacity 717424006			\$1,696.00
--	--	--------	--	--	--	------------

SD_N5271 95" HD BUCKET

		717425	95" Heavy-duty Mat Euro Bucket CORE Euro Style - 95" 34 cu. ft. Heavy Duty Material Bucket 1.03 yd struck capacity, 1.24 yd heaped capacity 717425006			\$2,403.00
--	--	--------	---	--	--	------------

SD_N5272 95" STD MATERIAL BUCKET

		717421	95" Standard Mat bkt Euro Styl Euro Style - 95" 34 cu. ft. Standard Material Bucket 1.03 yd struck capacity, 1.24 yd heaped capacity 717421006			\$1,920.00
--	--	--------	--	--	--	------------

BALE HANDLING

SD_N5501 BALE SPEAR

		713806	BALE SPEAR 713806 Euro Style - Bale Spike (1 Long tine and one short tine maintains bale control) 713806006			\$1,125.00
--	--	--------	---	--	--	------------

GRAPPLE BUCKETS

SD_29005 BACK SCREEN F/ROUND BALE KING

		717509	Back Screen for Round Bale Euro Style - Back Screen for Heavy Duty Grapples (Round Bale King) 717509006			\$338.00
--	--	--------	---	--	--	----------

**850LA, 855LA & 857LA
 US PRICE LIST**
SD_29019 BOLT ON GRAPPLE KIT EURO STYLE

		717548	Weld-on HD/RBK grapple kit Bolt on Grapple Assembly Kit, 4 Grapple Claws -Directly compatible with 717497, 717498, 717497006 or 717498006 -Includes weld on brackets for compatibility with 717420, 717421, 717424, 717425, 730793, 730772, 717420006, 717421006, 717424006, 717425006, 730793006 or 730772006 83" and 95" Material Buckets 717548006			\$3,344.00
--	--	--------	--	--	--	------------

SD_N5261 83" HD BUCKET W/GRAPPLE

		717500	83" HD Bkt w/grapple Euro Styl Euro Style - 83" Heavy Duty Round Bale King Bucket with Grapple, 4 Grapple Claws 0.90 yd struck capacity, 1.07 yd heaped capacity 717500006			\$5,214.00
--	--	--------	--	--	--	------------

SD_N5274 95" HD BUCKET/GRAPPLE W/ TINES

		717495	95" HD Bkt w/ Grapple/ Tines Euro Style - 95" Heavy Duty Round Bale King Bucket with Grapple & Floor Tines (7), 4 Grapple Claws 1.03 yd struck capacity, 1.24 yd heaped capacity 717495006			\$5,704.00
--	--	--------	--	--	--	------------

SD_N5277 95" HD BUCKET/GRAPPLE

		717501	95" Heavy Duty Bkt w/ Grapple Euro Style - 95" Heavy Duty Round Bale King Bucket with Grapple & Extended Floor, 4 Grapple Claws 1.03 yd struck capacity, 1.24 yd heaped capacity 717501006			\$5,552.00
--	--	--------	--	--	--	------------



850LA, 855LA & 857LA
US PRICE LIST

Factory Supplied Attachments

Order Code		Description	Weight	Factory Data	List Price
	464811006	SOFT DRIVE (Q5) Q SERIES	18 LB		\$938.00

910LA, 915LA & 917LA US PRICE LIST

Standard Equipment

T7 SWB (T7.170-210) Tier 4B (4WD)
Maximum Lift Height at pivot pin (feet):
910LA/915LA - 13.8
Dump Clearance (feet):
910LA/915LA - 10.7
Digging Depth (inches):
910LA/915LA - 7.0
Lift Capacity @ 800mm from bucket
pivot point (lbs.): 910LA - 3,593
915LA - 5,577
Breakout Force @ 800mm from bucket
pivot point (lbs.): 910LA - 5,136
915LA - 6,415
Reach @ Maximum Lift from grill guard
(inches): 910LA/915LA - 37.0
Reach @ Ground Level from center of
axle (inches): 910LA/915LA - 107.4
Bucket Rollback Angle (degrees):
910LA/915LA - 48
Bucket Dump Angle (degrees):
910LA/915LA - 58

T7 SWB (T7.170-210) Tier 4B
(SuperSteer)
Maximum Lift Height at pivot pin (feet):
917LA - 14.8
Dump Clearance (feet):
917LA - 11.6
Digging Depth (inches):
917LA - 9.0
Lift Capacity @ 800mm from bucket
pivot point (lbs.): 917LA - 4,475
Breakout Force @ 800mm from bucket
pivot point (lbs.): 917LA - 5,269
Reach @ Maximum Lift from grill guard
(inches): 917LA - 37.4
Reach @ Ground Level from center of
axle (inches): 917LA - 111.8
Bucket Rollback Angle (degrees):
917LA - 55
Bucket Dump Angle (degrees):
917LA - 54

*The Loader specifications provided
are general specifications and
may vary based on tractor model,
hydraulic system, tire size, etc.

*See model compatibility chart for full
tractor model compatibility.

NOTE: IMPORTANT ORDERING INFORMATION

- Tractors must be equipped with a mid
mounted valve and joystick to operate
the 910LA/915LA/917LA loader. The
mid
mounted valve and joystick is available as
a Factory Installed Option or through
CNHi Parts.

LOADER COMPONENTS:

T7 SWB Tier 4B tractors ordered
WITH Complete Loader Ready option,
order the following to make up a
complete Model 910LA/915LA/917LA
Quick-Attach Loader:

- Required items:

(1) Base Loader:

Non Self-Leveling Package: Includes
boom, 4-bar bucket linkage, bucket
level indicator and parking stands.

Self-Leveling Package: Includes boom,
MSL linkage, 4-bar bucket linkage,
bucket level indicator and parking
stands.

- Optional items:

(2) 3rd Live Hose Kit for tractors
ordered with 3 function mid mount
valve and joystick
(not required if Base Loader
includes 3rd Live Hose)

(3) Bucket(s) and/or Attachments

(4) Additional Desired Equipment

**910LA, 915LA & 917LA
US PRICE LIST**

Standard Equipment

T7 SWB Tier 4A or Tier 4B tractors ordered WITH Loader Ready option (TPS sideframes or 333822 rear loader brackets), order the following to make up a complete Model

910LA/915LA/917LA Quick-Attach

Loader:

- Required items:

(1) Base Loader:

Non Self-Leveling Package: Includes boom, 4-bar bucket linkage, bucket level indicator and parking stands.

Self-Leveling Package: Includes boom, MSL linkage, 4-bar bucket linkage, bucket level indicator and parking stands.

(2) Brackets: Vertical TPS Upright
(Front mounting brackets for T7 Tier 4A tractors ordered with 333822 rear loader brackets)

(3) Hydraulic Kits: 2 Function Hose Kit
(3 Function Hose kit for tractors ordered with 3 function mid mount valve and joystick)

- Optional items:

(4) 3rd Live Hose Kit for tractors ordered with 3 function mid mount valve and joystick
(not required if Base Loader includes 3rd Live Hose)

(5) Bucket(s) and/or Attachments

(6) Additional Desired Equipment

- REQUIRED CNHi Parts items:

(7) Tubes to connect mid mount valve to the hose kit (See T7 SWB Price and Data Pages)

Blue Power Loaders have black loader arms with silver decals, 3rd live hose kit and SoftRide.

All Blue Power Loader versions are build to order with a 12 week lead time.

T7 SWB Tier 4A or Tier 4B tractors ordered WITHOUT Loader Ready or Complete Loader Ready options, order the following to make up a complete Model 910LA/915LA/917LA Quick-Attach

Loader:

- Required items:

(1) Base Loader:

Non Self-Leveling Package: Includes boom, 4-bar bucket linkage, bucket level indicator and parking stands.

Self-Leveling Package: Includes boom, MSL linkage, 4-bar bucket linkage, bucket level indicator and parking stands.

(2) Brackets: Complete TPS Subframe

(3) Hydraulic Kits: 2 Function Hose Kit
(3 Function Hose kit for tractors ordered with 3 function mid mount valve and joystick)

- Optional items:

(4) 3rd Live Hose Kit for tractors ordered with 3 function mid mount valve and joystick
(not required if Base Loader includes 3rd Live Hose)

(5) Bucket(s) and Attachments

(6) Extra Equipment

- REQUIRED CNHi Parts items:

(7) Tubes to connect mid mount valve to the hose kit (See T7 SWB Price and Data Pages)

(8) Mid-Mount valve and joystick
(if not installed on tractor)

WARRANTY

New Holland - 2 Year Warranty

T7 SWB MY 17 & Prior AND MY 18 units with serial numbers below EJE103874 require a new right hand A-post mounting bracket part number (51414102) available via CNHi Parts.



**910LA, 915LA & 917LA
US PRICE LIST**

Models

COMMERCIAL MODEL	VERSION	SPECIALTY	LEVELING	Weight	Factory Data	List Price
910LA EURO	BASE	Euro Style	Non Self Leveling	3,060 LB		\$8,916.00
915LA EURO	BASE	Euro Style	Mechanical Self Leveling	3,060 LB		\$11,418.00
915LA EURO + SR + LIVE 3	3rd Live and Soft Ride	Euro Style	Mechanical Self Leveling	3,060 LB		\$13,236.00
915LA EURO BLUE POW	BLUE POWER	Euro Style	Mechanical Self Leveling	3,060 LB		\$14,045.00
917LA EURO SUPERSTEER	SuperSteer	Euro Style	Mechanical Self Leveling	3,060 LB		\$11,853.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

SD_LV LEVELING

	NSL	Non Self Leveling			No Charge
	MSL	Mechanical Self Leveling			No Charge

SD_SY SPECIALTY

	EURSTYL	Euro Style			No Charge
	SS	Skid Steer Style			No Charge

SD_VE VERSION

	BP	BLUE POWER Blue Power Special Loaders Black loader arms with silver decals Build to order with 12 week lead times			\$2,627.00
	BASE	BASE			No Charge
	3SFT	3rd Live and Soft Ride			\$1,818.00
	EXTN	SuperSteer			\$435.00



910LA, 915LA & 917LA
US PRICE LIST

BRACKETS

FRONT BRACKETS AND SUBFRAMES

SD_N5701 HITCH AND SUBFRAME

Complete Subframe or TPS

		713781	CCM SWB WIDE T7 Series SWB Tier 4A & Tier 4B Horizontal TPS sideframe & Vertical TPS upright with grill guard Standard and SuperSteer Axles T7 SWB MY 17 & Prior AND MY 18 units with serial numbers below EJE103874 require a new right hand A-post mounting bracket part number (51414102) available via CNHi Parts. NOT COMPATIBLE WITH 805TL SERIES LOADERS. 713781006			\$3,588.00
--	--	--------	--	--	--	------------

GRILL GUARD

SD_39006 GRILL GUARDS

		713742	HD Grd Grd Insrt APH Heavy Duty Grill Guard Insert T7 SWB, T6 & T5 (Tier 4B 16x16) Series ONLY 713742006			\$348.00
--	--	--------	--	--	--	----------

**910LA, 915LA & 917LA
 US PRICE LIST**
HYDRAULIC KITS
TRACTOR SIDE LOADER HOSES

SD_20078 HOSE KIT

2 Function Hose Kit					
		713734	2FCN HOSE KIT 713734 2 Function Hose Kit T7 SWB Tier 4B REQUIRES Tubes to connect mid-mount valves to front implement tubes - quick attach ports For ordering information reference: Parts Division Supplied Accessories for T7 Series (SWB Models) section of the T7 SWB Price and Data pages. 713734006		\$588.00
		713612	2 Func MMV Hose Kit MC4 713612 2 Function Hose Kit T7 Series SWB & LWB Tier 4A 713612006		\$827.00
3 Function Hose Kit					
		713735	3FCN HOSE KIT 713735 3 Function Hose Kit T7 SWB Tier 4B REQUIRES Tubes to connect mid-mount valves to front implement tubes - quick attach ports For ordering information reference: Parts Division Supplied Accessories for T7 Series (SWB Models) section of the T7 SWB Price and Data pages. 713735006		\$642.00
		713613	3 Func MMV Hse KitMC4/2 713613 3 Function Hose Kit T7 Series Tier 4A 713613006		\$1,001.00

**910LA, 915LA & 917LA
 US PRICE LIST**
3RD LIVE HOSE KITS
SD_20018 3 FUN LIVE HOSE KIT

		713802	LV3RD MC2 713802 3rd Function Live Hose Kit with Multi Coupler Required to utilize live 3rd function Mid mount valve slice and operate grapples, etc For use with 910LA & 915LA on T7 SWB Tractors. 713802006			\$828.00
		713803	LV3RD MC2 713803 3rd Function Live Hose Kit with Multi Coupler Required to utilize live 3rd function Mid mount valve slice and operate grapples, etc For use with 917LA on T7 SWB Tractors & 935LA on T7 LWB Tractors 713803006			\$828.00

DIVERTER VALVES/HANDLE KIT
SD_N6015 ELECT SWITCH SET

		713626	Soft Ride electric switch set Soft Ride Switch Kit Only Required when base loader includes Soft Ride (855LA, 915LA & 935LA Euro + SR + Live 3 models which include soft ride) 713626006			\$43.00
--	--	--------	--	--	--	---------

**910LA, 915LA & 917LA
 US PRICE LIST**
SD_N6016 ELECT HANDLE KIT

	464063	<p>EXTD WRNG HARNS CCH</p> <p>Electrical Interface Kit for Electrical Controlled Loader Options (Diverter Valve, Soft Ride, Hydraulic Implement Lock, etc.)</p> <p>Required for Genesis T8 Series with PLM Intelligence.</p> <p>For tractors NOT ordered with Complete Loader Ready.</p> <p>Provides connection to 12V power and ground circuits and harness connectors for switches to activate loader options.</p> <p>Harness is installed at operator area and connects to loader connection point on right hand side of engine compartment.</p> <p>464063 (replaces 713807006 / 713807)</p>			\$185.00
	464148	<p>ELECTRIC HANDLE SET</p> <p>Joystick handle kit for Electricl Controlled Loader Options Diverter valve, Soft Ride and Hydraulic Implement Lock.</p> <p>For tractors NOT ordered with Complete Loader Ready with mechanical mid mount valve and joystick.</p> <p>Provides connection to 12V power and ground circuits and harness connectors for switches to activate loader options.</p> <p>Harness is installed at operator area and connects to loader connection point on right hand side of engine compartment.</p> <p>Replaces 713627 / 713627006</p> <p>464148006</p>			\$185.00

**910LA, 915LA & 917LA
 US PRICE LIST**
SD_N6017 Electrical Interface

		713761	INTERFACE KIT Electrical Interface Kit to operate Diverter Valve, Soft Ride electric shutoff or hydraulic implement attachment on Tier 4B T5, TS6, T6 or T7 tractors ordered with the complete loader ready option. Provides all necessary switches and connectors to utilize existing tractor harnesses that are included with the complete loader ready option. TS6 tractors with serial number prior to NT00546M also require harness part number 47839199 ordered through CNHi Parts. 713761006			\$142.00
--	--	--------	--	--	--	----------

OTHERS
SD_N6003 HYD FACEPLATE IMP LOCK EURO

		464525	EL-HYD IMP LK 464525 Hydraulic Implement Lock for 810LA, 815LA, 830LA, 835LA, 850LA, 855LA, 857LA, 910LA, 915LA & 917LA Euro Style quick attach only For all PowerStar 90-120, T5 Dual Command & T4 90-120 tractors 713807 or 713807006 Electrical Interface kit is REQUIRED For all T5 Electro Command, TS6, T6 & T7 tractors ordered WITHOUT Complete Loader Ready 713807 or 713807006 Electrical Interface kit is REQUIRED 464525006 (replaces 713770 / 713770006)			\$609.00
--	--	--------	--	--	--	----------

**910LA, 915LA & 917LA
 US PRICE LIST**

		713770	ELE IMP LOCK 713770 Hydraulic Implement Lock for 810LA, 815LA, 830LA, 835LA, 850LA, 855LA, 857LA, 910LA, 915LA & 917LA Euro Style quick attach only For all PowerStar 90-120, T5 Dual Command & T4 90-120 tractors 713807 or 713807006 Electrical Interface kit is REQUIRED For all T5 Electro Command, T5 AutoCommand, T5 Dynamic Command, TS6, T6 & T7 tractors ordered WITHOUT Complete Loader Ready 713807 or 713807006 Electrical Interface kit is REQUIRED 713770006			\$609.00
--	--	--------	---	--	--	----------

SD_N6011 QUICK CNCT FASTSNAP LDR COMP

		713771	QCK REL LDR 713771 Loader Half of fast snap at the front end of the loader arms to provide single lever quick connect for 3rd function implements (i.e. grapples) (Kit contains only the implement portion) Requires implement to be equipped with (713791 or 713791006) 713771006			\$555.00
--	--	--------	---	--	--	----------

SD_N6012 QUICK CNCT FASTSNAP IMP COMP

		713791	QCK RLSE IMP 713791 Implement Half of fast snap at the front end of the loader arms to provide single lever quick connect for 3rd function implements (i.e. grapples) (Kit contains only the implement portion) Requires base loader to be equipped with (713771 or 713771006) 713791006			\$315.00
--	--	--------	---	--	--	----------

**910LA, 915LA & 917LA
US PRICE LIST****LOADER OPTIONS**

SOFT RIDE

SD_N6014 SOFTRIDE OPTION

		713769	ELE SOFT RIDE 713769 Electronic Soft Ride Kit Soft ride is turned on/off via a rocker switch in the cab. For T6 & T7 Tractors ordered WITHOUT Complete Loader Ready 464063 or 464063006 Electrical Interface kit is REQUIRED 713769006			\$957.00
--	--	--------	---	--	--	----------

OTHERS

SD_29016 BALLAST BOX

		717506	Ballast Box - 2200 lbs.			\$1,057.00
--	--	--------	-------------------------	--	--	------------

SD_47022 FRENCH LANGUAGE

		715214	French Canadian manual French Canadian Operators Manual			No Charge
--	--	--------	---	--	--	-----------

LOADER BUCKETS AND ATTACHMENTS

MATERIAL BUCKETS

SD_N5202 102" HD BUCKET

		717426	102" HD Mat - Euro Bucket Euro Style - 102" 36 cu. ft. Heavy Duty Material Bucket 1.11 yd struck capacity, 1.35 yd heaped capacity 717426006			\$2,849.00
--	--	--------	--	--	--	------------

SD_N5271 95" HD BUCKET

		717425	95" Heavy-duty Mat Euro Bucket CORE Euro Style - 95" 34 cu. ft. Heavy Duty Material Bucket 1.03 yd struck capacity, 1.24 yd heaped capacity 717425006			\$2,403.00
--	--	--------	---	--	--	------------

**910LA, 915LA & 917LA
 US PRICE LIST**
SD_N5272 95" STD MATERIAL BUCKET

		717421	95" Standard Mat bkt Euro Styl Euro Style - 95" 34 cu. ft. Standard Material Bucket 1.03 yd struck capacity, 1.24 yd heaped capacity 717421006			\$1,920.00
--	--	--------	--	--	--	------------

BALE HANDLING
SD_N5501 BALE SPEAR

		713806	BALE SPEAR 713806 Euro Style - Bale Spike (1 Long tine and one short tine maintains bale control) 713806006			\$1,125.00
--	--	--------	---	--	--	------------

GRAPPLE BUCKETS
SD_29005 BACK SCREEN F/ROUND BALE KING

		717509	Back Screen for Round Bale Euro Style - Back Screen for Heavy Duty Grapples (Round Bale King) 717509006			\$338.00
--	--	--------	---	--	--	----------

SD_29019 BOLT ON GRAPPLE KIT EURO STYLE

		717548	Weld-on HD/RBK grapple kit Bolt on Grapple Assembly Kit, 4 Grapple Claws -Directly compatible with 717497, 717498, 717497006 or 717498006 -Includes weld on brackets for compatibility with 717420, 717421, 717424, 717425, 730793, 730772, 717420006, 717421006, 717424006, 717425006, 730793006 or 730772006 83" an 95" Material Buckets 717548006			\$3,344.00
--	--	--------	--	--	--	------------

SD_N5206 102" HD BUCKET GRAPPLE W/TINES

		717496	102" HD Euro Bkt/Grapple/Tines Euro Style - 102" Heavy Duty Round Bale King Bucket with Grapple & Floor Tines (8), 5 Grapple Claws 1.11 yd struck capacity, 1.35 yd heaped capacity 717496006			\$6,150.00
--	--	--------	---	--	--	------------



910LA, 915LA & 917LA
US PRICE LIST

SD_N5207 102" HD BUCKET/GRAPPLE

		717502	102" HD Bucket w/grapple Euro Style - 102" Heavy Duty Round Bale King Bucket with Grapple & Extended Floor, 5 Grapple Claws 1.11 yd struck capacity, 1.35 yd heaped capacity 717502006			\$5,882.00
--	--	--------	---	--	--	------------

SD_N5274 95" HD BUCKET/GRAPPLE W/ TINES

		717495	95" HD Bkt w/ Grapple/ Tines Euro Style - 95" Heavy Duty Round Bale King Bucket with Grapple & Floor Tines (7), 4 Grapple Claws 1.03 yd struck capacity, 1.24 yd heaped capacity 717495006			\$5,704.00
--	--	--------	---	--	--	------------

SD_N5277 95" HD BUCKET/GRAPPLE

		717501	95" Heavy Duty Bkt w/ Grapple Euro Style - 95" Heavy Duty Round Bale King Bucket with Grapple & Extended Floor, 4 Grapple Claws 1.03 yd struck capacity, 1.24 yd heaped capacity 717501006			\$5,552.00
--	--	--------	---	--	--	------------



910LA, 915LA & 917LA
US PRICE LIST

Factory Supplied Attachments

Order Code		Description	Weight	Factory Data	List Price
	464812006	Soft Drive (Q6-Q8) Q Series	22 LB		\$938.00

**935LA & 937LA
US PRICE LIST**

Standard Equipment

T7 (LWB) Series Tier 4B (4WD)
Maximum Lift Height at pivot pin (feet):
935LA - 15.0

Dump Clearance (feet):
935LA - 11.8

Digging Depth (inches):
935LA - 7.0

Lift Capacity @ 800mm from bucket
pivot point (lbs.): 935LA - 5,621

Breakout Force @ 800mm from bucket
pivot point (lbs.): 935LA - 6,768

Reach @ Maximum Lift from grill guard
(inches): 935LA - 29.1

Reach @ Ground Level from center of
axle (inches): 935LA - 114.5

Bucket Rollback Angle (degrees):
935LA - 50

Bucket Dump Angle (degrees):
935LA - 54

T7 (LWB) Series Tier 4B (SuperSteer)
Maximum Lift Height at pivot pin (feet):
937LA - 15.5

Dump Clearance (feet):
937LA - 12.3

Digging Depth (inches):
937LA - 7.4

Lift Capacity @ 800mm from bucket
pivot point (lbs.): 937LA - 4,519

Breakout Force @ 800mm from bucket
pivot point (lbs.): 937LA - 5,489

Reach @ Maximum Lift from grill guard
(inches): 937LA - 36.6

Reach @ Ground Level from center of
axle (inches): 937LA - 117.7

Bucket Rollback Angle (degrees):
937LA - 52

Bucket Dump Angle (degrees):
937LA - 53

*The Loader specifications provided
are general specifications and
may vary based on tractor model,
hydraulic system, tire size, etc.

*See model compatibilty chart for full
tractor model compatibility.

NOTE: IMPORTANT ORDERING INFORMATION

- Tractors must be equipped with a mid
mounted valve and joystick to operate
the 935LA/937LA loader. The mid
mounted valve and joystick is available as
a Factory Installed Option or through
CNHi Parts.

LOADER COMPONENTS:

T7 LWB Tier 4B tractors ordered
WITH Complete Loader Ready option,
order the following to make up a
complete Model 935LA/937LA Quick-
Attach

Loader:

- Required items:

(1) Base Loader:

Self-Leveling Package: Includes boom,
MSL linkage, 4-bar bucket linkage,
bucket level indicator and parking
stands.

- Optional items:

(2) 3rd Live Hose Kit for tractors
ordered with 3 function mid mount
valve and joystick
(not required if Base Loader
includes 3rd Live Hose)

(3) Bucket(s) and/or Attachments

(4) Additional Desired Equipment

**935LA & 937LA
US PRICE LIST**

Standard Equipment

T7 LWB Tier 4A or Tier 4B tractors
ordered WITH Loader Ready option
(TPS sideframes), order the following to
make up a complete Model
935LA/937LA

Quick-Attach Loader:

- Required items:
 - (1) Base Loader:
Self-Leveling Package: Includes boom,
MSL linkage, 4-bar bucket linkage,
bucket level indicator and parking
stands.
 - (2) Brackets: Complete TPS (replace)
 - (3) Hydraulic Kits: 2 Function Hose Kit
(3 Function Hose kit for tractors
ordered with 3 function mid
mount valve and joystick)
- Optional items:
 - (4) 3rd Live Hose Kit for tractors
ordered with 3 function mid mount
valve and joystick
(not required if Base Loader
includes 3rd Live Hose)
 - (5) Bucket(s) and/or Attachments
 - (6) Additional Desired Equipment
- REQUIRED CNHi Parts items:
 - (7) Tubes to connect mid mount valve
to the hose kit (See T7 LWB Price
and Data Pages)

T7 LWB Tier 4A or Tier 4B tractors
ordered WITHOUT Loader Ready or
Complete Loader Ready options, order
the following to make up a complete
Model 935LA/937LA Quick-Attach
Loader:

- Required items:
 - (1) Base Loader:
Self-Leveling Package: Includes boom,
MSL linkage, 4-bar bucket linkage,
bucket level indicator and parking
stands.
 - (2) Brackets: Complete TPS Subframe
 - (3) Hydraulic Kits: 2 Function Hose Kit
(3 Function Hose kit for tractors
ordered with 3 function mid
mount valve and joystick)
- Optional items:
 - (4) 3rd Live Hose Kit for tractors
ordered with 3 function mid mount
valve and joystick
(not required if Base Loader
includes 3rd Live Hose)
 - (5) Bucket(s) and Attachments
 - (6) Extra Equipment
- REQUIRED CNHi Parts items:
 - (7) Tubes to connect mid mount valve
to the hose kit (See T7 LWB Price
and Data Pages)
 - (8) Mid-Mount valve and joystick
(if not installed on tractor)

WARRANTY

New Holland - 2 Year Warranty

Blue Power Loaders have black loader
arms with silver decals, 3rd live hose kit
and SoftRide.

All Blue Power Loader versions are build
to order with a 12 week lead time.



**935LA & 937LA
US PRICE LIST**

Models

COMMERCIAL MODEL	VERSION	SPECIALTY	LEVELING	Weight	Factory Data	List Price
935LA EURO	BASE	Euro Style	Mechanical Self Leveling	3,060 LB		\$11,744.00
935LA EURO + SR + LIVE 3	3rd Live and Soft Ride	Euro Style	Mechanical Self Leveling	3,060 LB		\$13,562.00
935LA EURO BLUE POW	BLUE POWER	Euro Style	Mechanical Self Leveling	3,060 LB		\$14,371.00
937LA EURO SUPERSTEER	SuperSteer	Euro Style	Mechanical Self Leveling	3,060 LB		\$12,179.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

SD_LV LEVELING

	NSL	Non Self Leveling		No Charge
	MSL	Mechanical Self Leveling		No Charge

SD_SY SPECIALTY

	EURSTYL	Euro Style		No Charge
	SS	Skid Steer Style		No Charge

SD_VE VERSION

	BP	BLUE POWER Blue Power Special Loaders Black loader arms with silver decals Build to order with 12 week lead times		\$2,627.00
	BASE	BASE		No Charge
	3SFT	3rd Live and Soft Ride		\$1,818.00
	EXTN	SuperSteer		\$435.00



935LA & 937LA
US PRICE LIST

BRACKETS

FRONT BRACKETS AND SUBFRAMES

SD_N5701 HITCH AND SUBFRAME

Complete Subframe or TPS

		464053	MT KT TPS GG CCM LWB T7 Series LWB Tier 4A & Tier 4B Horizontal TPS sideframe & Verticle TPS upright with grill guard Standard and SuperSteer Axles T7 LWB MY 17 & Prior AND MY 18 units with serial numbers below EJE404014 require a new right hand A-post mounting bracket part number (51411353) available via CNHi Parts. NOT COMPATIBLE WITH 805TL SERIES LOADERS. 464053006 (replaces 713780 / 713780006)			\$3,588.00
--	--	--------	--	--	--	------------

GRILL GUARD

SD_39006 GRILL GUARDS

		713743	HD Grl Grd Insrt CCM Heavy Duty Grill Guard Insert T7 Series LWB 713743006			\$348.00
--	--	--------	--	--	--	----------

**935LA & 937LA
US PRICE LIST**
HYDRAULIC KITS
TRACTOR SIDE LOADER HOSES
SD_20078 HOSE KIT
2 Function Hose Kit

		713736	2FCN HOSE KIT 713736 2 Function Hose Kit with Multi Coupler T7 LWB Tier 4B REQUIRES Tubes to connect mid-mount valves to front implement tubes - quick attach ports For ordering information reference: Parts Division Supplied Accessories for T7 Series (LWB Models) section of the T7 LWB Price and Data pages. 713736006			\$588.00
--	--	--------	---	--	--	----------

3 Function Hose Kit

		713737	3FCN HOSE KIT 713737 3 Function Hose Kit with Multi Coupler T7 LWB Tier 4B REQUIRES Tubes to connect mid-mount valves to front implement tubes - quick attach ports For ordering information reference: Parts Division Supplied Accessories for T7 Series (LWB Models) section of the T7 LWB Price and Data pages. 713737006			\$642.00
--	--	--------	---	--	--	----------

3RD LIVE HOSE KITS
SD_20018 3 FUN LIVE HOSE KIT

		713803	LV3RD MC2 713803 3rd Function Live Hose Kit with Multi Coupler Required to utilize live 3rd function Mid mount valve slice and operate grapples, etc For use with 917LA on T7 SWB Tractors & 935LA on T7 LWB Tractors 713803006			\$828.00
--	--	--------	--	--	--	----------

**935LA & 937LA
US PRICE LIST**

		713804	LV3RD MC2 713804 3rd Function Live Hose Kit with Multi Coupler Required to utilize live 3rd function Mid mount valve slice and operate grapples, etc For use with 937LA on T7 LWB Tractors. 713804006			\$828.00
--	--	--------	---	--	--	----------

DIVERTER VALVES/HANDLE KIT
SD_N6015 ELECT SWITCH SET

		713626	Soft Ride electric switch set Soft Ride Switch Kit Only Required when base loader includes Soft Ride (855LA, 915LA & 935LA Euro + SR + Live 3 models which include soft ride) 713626006			\$43.00
--	--	--------	--	--	--	---------

SD_N6016 ELECT HANDLE KIT

		464063	EXTD WRNG HARNS CCH Electrical Interface Kit for Electrical Controlled Loader Options (Diverter Valve, Soft Ride, Hydraulic Implement Lock, etc.) Required for Genesis T8 Series with PLM Intelligence. For tractors NOT ordered with Complete Loader Ready. Provides connection to 12V power and ground circuits and harness connectors for switches to activate loader options. Harness is installed at operator area and connects to loader connection point on right hand side of engine compartment. 464063 (replaces 713807006 / 713807)			\$185.00
--	--	--------	--	--	--	----------

**935LA & 937LA
US PRICE LIST**

		464148	ELECTRIC HANDLE SET Joystick handle kit for Electricl Controlled Loader Options Diverter valve, Soft Ride and Hydraulic Implement Lock. For tractors NOT ordered with Complete Loader Ready with mechanical mid mount valve and joystick. Provides connection to 12V power and ground circuits and harness connectors for switches to activate loader options. Harness is installed at operator area and connects to loader connection point on right hand side of engine compartment. Replaces 713627 / 713627006 464148006			\$185.00
--	--	--------	---	--	--	----------

SD_N6017 Electrical Interface

		713761	INTERFACE KIT Electrical Interface Kit to operate Diverter Valve, Soft Ride electric shutoff or hydraulic implement attachment on Tier 4B T5, TS6, T6 or T7 tractors ordered with the complete loader ready option. Provides all necessary switches and connectors to utilize existing tractor harnesses that are included with the complete loader ready option. TS6 tractors with serial number prior to NT00546M also require harness part number 47839199 ordered through CNHi Parts. 713761006			\$142.00
--	--	--------	--	--	--	----------

OTHERS

SD_N6003 HYD FACEPLATE IMP LOCK EURO

		464526	EL-HYD IMP LK 464526 Hydraulic Attachment Disconnect/Lock for 935LA, 937LA, & 975LA Euro Style quick attach only For T6 & T7 Tractors ordered WITHOUT Complete Loader Ready 713807 or 713807006 Electrical Interface kit is REQUIRED 464526006 (Replaces 713790 / 713790006)			\$609.00
--	--	--------	---	--	--	----------

**935LA & 937LA
US PRICE LIST**
SD_N6011 QUICK CNCT FASTSNAP LDR COMP

		713771	QCK REL LDR 713771 Loader Half of fast snap at the front end of the loader arms to provide single lever quick connect for 3rd function implements (i.e. grapples) (Kit contains only the implement portion) Requires implement to be equipped with (713791 or 713791006) 713771006			\$555.00
--	--	--------	---	--	--	----------

SD_N6012 QUICK CNCT FASTSNAP IMP COMP

		713791	QCK RLSE IMP 713791 Implement Half of fast snap at the front end of the loader arms to provide single lever quick connect for 3rd function implements (i.e. grapples) (Kit contains only the implement portion) Requires base loader to be equipped with (713771 or 713771006) 713791006			\$315.00
--	--	--------	---	--	--	----------

LOADER OPTIONS
SOFT RIDE
SD_N6014 SOFTRIDE OPTION

		713769	ELE SOFT RIDE 713769 Electronic Soft Ride Kit Soft ride is turned on/off via a rocker switch in the cab. For T6 & T7 Tractors ordered WITHOUT Complete Loader Ready 464063 or 464063006 Electrical Interface kit is REQUIRED 713769006			\$957.00
--	--	--------	---	--	--	----------

OTHERS
SD_29016 BALLAST BOX

		717506	Ballast Box - 2200 lbs.			\$1,057.00
--	--	--------	-------------------------	--	--	------------

**935LA & 937LA
US PRICE LIST**

SD_47022 FRENCH LANGUAGE

		715214	French Canadian manual French Canadian Operators Manual			No Charge
--	--	--------	---	--	--	-----------

LOADER BUCKETS AND ATTACHMENTS

MATERIAL BUCKETS

SD_N5202 102" HD BUCKET

		717426	102" HD Mat - Euro Bucket Euro Style - 102" 36 cu. ft. Heavy Duty Material Bucket 1.11 yd struck capacity, 1.35 yd heaped capacity 717426006			\$2,849.00
--	--	--------	---	--	--	------------

SD_N5271 95" HD BUCKET

		717425	95" Heavy-duty Mat Euro Bucket CORE Euro Style - 95" 34 cu. ft. Heavy Duty Material Bucket 1.03 yd struck capacity, 1.24 yd heaped capacity 717425006			\$2,403.00
--	--	--------	--	--	--	------------

SD_N5272 95" STD MATERIAL BUCKET

		717421	95" Standard Mat bkt Euro Styl Euro Style - 95" 34 cu. ft. Standard Material Bucket 1.03 yd struck capacity, 1.24 yd heaped capacity 717421006			\$1,920.00
--	--	--------	---	--	--	------------

BALE HANDLING

SD_N5501 BALE SPEAR

		713806	BALE SPEAR 713806 Euro Style - Bale Spike (1 Long tine and one short tine maintains bale control) 713806006			\$1,125.00
--	--	--------	--	--	--	------------

GRAPPLE BUCKETS

SD_29005 BACK SCREEN F/ROUND BALE KING

		717509	Back Screen for Round Bale Euro Style - Back Screen for Heavy Duty Grapples (Round Bale King) 717509006			\$338.00
--	--	--------	--	--	--	----------

**935LA & 937LA
 US PRICE LIST**
SD_29019 BOLT ON GRAPPLE KIT EURO STYLE

		717548	Weld-on HD/RBK grapple kit Bolt on Grapple Assembly Kit, 4 Grapple Claws -Directly compatible with 717497, 717498, 717497006 or 717498006 -Includes weld on brackets for compatibility with 717420, 717421, 717424, 717425, 730793, 730772, 717420006, 717421006, 717424006, 717425006, 730793006 or 730772006 83" an 95" Material Buckets 717548006			\$3,344.00
--	--	--------	--	--	--	------------

SD_N5206 102" HD BUCKET GRAPPLE W/TINES

		717496	102" HD Euro Bkt/Grapple/Tines Euro Style - 102" Heavy Duty Round Bale King Bucket with Grapple & Floor Tines (8), 5 Grapple Claws 1.11 yd struck capacity, 1.35 yd heaped capacity 717496006			\$6,150.00
--	--	--------	---	--	--	------------

SD_N5207 102" HD BUCKET/GRAPPLE

		717502	102" HD Bucket w/grapple Euro Style - 102" Heavy Duty Round Bale King Bucket with Grapple & Extended Floor, 5 Grapple Claws 1.11 yd struck capacity, 1.35 yd heaped capacity 717502006			\$5,882.00
--	--	--------	--	--	--	------------

SD_N5274 95" HD BUCKET/GRAPPLE W/ TINES

		717495	95" HD Bkt w/ Grapple/ Tines Euro Style - 95" Heavy Duty Round Bale King Bucket with Grapple & Floor Tines (7), 4 Grapple Claws 1.03 yd struck capacity, 1.24 yd heaped capacity 717495006			\$5,704.00
--	--	--------	--	--	--	------------

SD_N5277 95" HD BUCKET/GRAPPLE

		717501	95" Heavy Duty Bkt w/ Grapple Euro Style - 95" Heavy Duty Round Bale King Bucket with Grapple & Extended Floor, 4 Grapple Claws 1.03 yd struck capacity, 1.24 yd heaped capacity 717501006			\$5,552.00
--	--	--------	--	--	--	------------



935LA & 937LA
US PRICE LIST

Factory Supplied Attachments

Order Code		Description	Weight	Factory Data	List Price
	464812006	Soft Drive (Q6-Q8) Q Series	22 LB		\$938.00

**975LA
US PRICE LIST**

Standard Equipment

T8 Series

Standard Axle

1400mm Standard Width

Maximum Lift Height at pivot pin (feet):

975LA - 16.3

Dump Clearance (feet):

975LA - 13.0

Digging Depth (inches):

975LA - 7.0

Lift Capacity @ 800mm from bucket

pivot point (lbs.): 975LA - 6,503

Breakout Force @ 800mm from bucket

pivot point (lbs.): 975LA - 8,553

Reach @ Maximum Lift (inches):

975LA - 41.7

Reach @ Ground Level (inches):

975LA - 115.7

Bucket Rollback Angle (degrees):

975LA - 42

Bucket Dump Angle (degrees):

975LA - 50

*The Loader specifications provided are general specifications and may vary based on tractor model, hydraulic system, tire size, etc.

*See model compatibility chart for full tractor model compatibility.

- CORE - Depot Stock

- NON CORE - Factory Order - 3 months

NOTE: IMPORTANT ORDERING INFORMATION

- T8 Series tractors must be equipped with rear remotes to operate the Model 975LA loader.

- The loader is operated by the optional factory Installed joystick programmed to operate the rear remotes or by the rear remote switches with the use of a rear hydraulic hose kit.

LOADER COMPONENTS:

Order the following to make up a complete Model 975LA Quick-Attach Loader:

- Required items:

(1) Base Loader:

Self-Leveling Package: Includes boom, MSL linkage, 4-bar bucket linkage, bucket level indicator and parking stands.

(2) Brackets: One Piece Subframe

(3) Hydraulic Kits: 2 or 3 Function Rear Hose Kit

- Optional items:

(4) 3rd Live Hose Kit if ordering

3 Function Rear Hose Kit

(5) Bucket(s) and Attachments

(6) Extra Equipment

WARRANTY

New Holland - 2 Year Warranty

NOT COMPATIBLE with T8 SmartTrax



975LA
US PRICE LIST

Models

COMMERCIAL MODEL	VERSION	SPECIALTY	LEVELING	Weight	Factory Data	List Price
975LA EURO	BASE	Euro Style	Mechanical Self Leveling	3,060 LB		\$16,638.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

SD_LV LEVELING

		NSL	Non Self Leveling			No Charge
		MSL	Mechanical Self Leveling			No Charge

SD_SY SPECIALTY

		EURSTYL	Euro Style			No Charge
		SS	Skid Steer Style			No Charge

SD_VE VERSION

		BASE	BASE			No Charge
--	--	------	------	--	--	-----------

BRACKETS

FRONT BRACKETS AND SUBFRAMES

SD_N5701 HITCH AND SUBFRAME

Complete Subframe or TPS

		464057	MT KT TPS HDGG T8 T4 T8 Series Tier 4A & Tier 4B One Piece Subframe with grill guard 464057006 (replaces 730785 / 730785006)			\$3,832.00
--	--	--------	--	--	--	------------

**975LA
US PRICE LIST**
HYDRAULIC KITS
TRACTOR SIDE LOADER HOSES
SD_20078 HOSE KIT
Rear Hose Kits

		464059	HS KT CCH T4 AB MC4 2 Function Rear Hose Kit T8 Series 464059006 (replaces 713614 / 713614006)			\$827.00
		464061	HS KT CCH T4 AB MC42 3 Function Rear Hose Kit T8 Series 464061006 (replaces 713615 / 713615006)			\$1,001.00

DIVERTER VALVES/HANDLE KIT
SD_N6016 ELECT HANDLE KIT

		464063	EXTD WRNG HARNS CCH Electrical Interface Kit for Electrical Controlled Loader Options (Diverter Valve, Soft Ride, Hydraulic Implement Lock, etc.) Required for Genesis T8 Series with PLM Intelligence. For tractors NOT ordered with Complete Loader Ready. Provides connection to 12V power and ground circuits and harness connectors for switches to activate loader options. Harness is installed at operator area and connects to loader connection point on right hand side of engine compartment. 464063 (replaces 713807006 / 713807)			\$185.00
--	--	--------	---	--	--	----------

**975LA
US PRICE LIST**

		464148	ELECTRIC HANDLE SET Joystick handle kit for Electricl Controlled Loader Options Diverter valve, Soft Ride and Hydraulic Implement Lock. For tractors NOT ordered with Complete Loader Ready with mechanical mid mount valve and joystick. Provides connection to 12V power and ground circuits and harness connectors for switches to activate loader options. Harness is installed at operator area and connects to loader connection point on right hand side of engine compartment. Replaces 713627 / 713627006 464148006			\$185.00
--	--	--------	---	--	--	----------

OTHERS
SD_N6003 HYD FACEPLATE IMP LOCK EURO

		464526	EL-HYD IMP LK 464526 Hydraulic Attachment Disconnect/Lock for 935LA, 937LA, & 975LA Euro Style quick attach only For T6 & T7 Tractors ordered WITHOUT Complete Loader Ready 713807 or 713807006 Electrical Interface kit is REQUIRED 464526006 (Replaces 713790 / 713790006)			\$609.00
--	--	--------	---	--	--	----------

SD_N6011 QUICK CNCT FASTSNAP LDR COMP

		713771	QCK REL LDR 713771 Loader Half of fast snap at the front end of the loader arms to provide single lever quick connect for 3rd function implements (i.e. grapples) (Kit contains only the implement portion) Requires implement to be equipped with (713791 or 713791006) 713771006			\$555.00
--	--	--------	---	--	--	----------

**975LA
US PRICE LIST**
SD_N6012 QUICK CNCT FASTSNAP IMP COMP

		713791	QCK RLSE IMP 713791 Implement Half of fast snap at the front end of the loader arms to provide single lever quick connect for 3rd function implements (i.e. grapples) (Kit contains only the implement portion) Requires base loader to be equipped with (713771 or 713771006) 713791006			\$315.00
--	--	--------	---	--	--	----------

LOADER OPTIONS
SOFT RIDE
SD_N6014 SOFTRIDE OPTION

		717520	Soft Ride Kit Electronic Soft Ride Kit Soft ride is turned on/off via a rocker switch in the cab. For all PowerStar 90-120, T5 Dual Command & T4 90-120 tractors and all T5 Electro Command & TS6 tractors ordered WITHOUT Complete Loader Ready: 713807 or 713807006 Electrical Interface kit is REQUIRED. 717520006			\$957.00
--	--	--------	--	--	--	----------

OTHERS
SD_47022 FRENCH LANGUAGE

		715214	French Canadian manual French Canadian Operators Manual			No Charge
--	--	--------	--	--	--	-----------



975LA
US PRICE LIST

LOADER BUCKETS AND ATTACHMENTS

MATERIAL BUCKETS

SD_N5209 102" HD MATERIAL BUCKET

		730772	102" 36 CuFt HD Mat'l Bucket Euro Style - 105" 36 cu. ft. Heavy Duty Material Bucket 1.35 yd heaped capacity 730772006			\$3,040.00
--	--	--------	---	--	--	------------

GRAPPLE BUCKETS

SD_29005 BACK SCREEN F/ROUND BALE KING

		717509	Back Screen for Round Bale Euro Style - Back Screen for Heavy Duty Grapples (Round Bale King) 717509006			\$338.00
--	--	--------	---	--	--	----------

SD_N5210 102 IN GRAP BKT W BACKSCREEN

		730797	102" Grapple Bkt w/Backscreen Euro Style - 102" Heavy Duty Round Bale King Bucket with Grapple & Floor Tines (8), 5 Grapple Claws Backscreen included 1.35 yd heaped capacity 730797006			\$6,720.00
--	--	--------	--	--	--	------------



**BUCKETS & ATTACHMENTS
US PRICE LIST**

BUCKETS & ATTACHMENTS
US PRICE LIST
Factory Supplied Attachments

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

Skid Steer Style Attachments

730403006	73" Wide 21 Cu Ft Std material bucket SSL Style - 73" 21 cu.ft. Standard Material Bucket 0.63 yd struck capacity, 0.78 heaped capacity	401 LB		\$1,283.00
730404006	83" Wide 24 Cu Ft standard material bkt SSL Style - 83" 24 cu.ft. Standard Material Bucket 0.72 yd struck capacity, 0.89 heaped capacity.	505 LB		\$1,455.00
713805006	BALE SPEAR 713805 SSL Style - Bale Spike (one long tine and one short tine maintains bale control)	150 LB		\$361.00
730842006	Bale Fork with Back Stop SSL Bale fork with 2 tines and a back stop for SSL QA	198 LB		\$375.00
716547056	Skid steer Q.A device SSL Quick Attach Adapter Allows use of skid-steer style attachments on loaders equipped with a Euro style quick attach	148 LB		\$538.00

Euro Style Material Buckets

717416006	63" Wide 23 Cu. Ft. std material bucket Euro Style - 63" 23 cu.ft. Standard Material Bucket 0.71 yd. struck capacity, 0.85 yd. heaped capacity	368 LB		\$538.00
717428006	63" Wide 23 Cu. Ft. HD material bucket Euro Style - 63" 23 cu.ft. Heavy Duty Material Bucket with Teeth 0.71 yd struck capacity, 0.85 yd heaped capacity	380 LB		\$695.00
717417006	73" wide 21 Cu. Ft. standard material Euro Style - 73" 21 cu.ft. Standard Material Bucket 0.63 yd struck capacity, 0.78 yd heaped capacity	401 LB		\$571.00
717418006	73" Wide 25 Cu. Ft. standard material Euro Style - 73" 25 cu.ft. Standard Material Bucket 0.79 yd struck capacity, 0.94 yd heaped capacity	452 LB		\$616.00
717423006	73" Wide 25 Cu. Ft. HD material bucket Euro Style - 73" 25 cu.ft. Heavy Duty Material Bucket 0.78 yd struck capacity, 0.94 yd heaped capacity	500 LB		\$729.00
717429006	73" 25 Cu. Ft. HD Mat Bckt w/Teeth Euro Style - 73" 25 cu.ft. Heavy Duty Material Bucket with Teeth 0.78 yd struck capacity, 0.94 yd heaped capacity	467 LB		\$767.00
717419006	83" Wide standard material bucket Euro Style - 83" 24 cu.ft. Standard Material Bucket 0.72 yd struck capacity, 0.89 yd heaped capacity	505 LB		\$649.00
717420006	83" Wide 24 Cu. Ft. standard material Euro Style - 83" 29 cu.ft. Standard Material Bucket 0.90 yd struck capacity, 1.07 yd heaped capacity	553 LB		\$693.00
717424006	83" Wide 29 Cu. Ft. hd material bucket Euro Style - 83" 29 cu.ft. Heavy Duty Material Bucket 0.90 yd struck capacity, 1.07 yd heaped capacity	697 LB		\$828.00

**BUCKETS & ATTACHMENTS
US PRICE LIST**

	717430006	83" Wide 29 Cu. Ft. HD material bucket Euro Style - 83" 29 cu.ft. Heavy Duty Material Bucket with Teeth 0.90 yd struck capacity, 1.07 yd heaped capacity	573 LB		\$879.00
	730794006	83IN HD MAT BKT T7 Euro Style - 83" 29 cu.ft. Heavy Duty Material Bucket with Teeth 1.07 yd heaped capacity For 975LA ONLY	575 LB		\$1,013.00
	717421006	95" Wide 34 Cu Ft std material bucket Euro Style - 95" 34 cu.ft. Standard Material Bucket 1.03 yd struck capacity, 1.24 yd heaped capacity	644 LB		\$935.00
	717425006	95" Wide 34 Cu. Ft. HD material bucket Euro Style - 95" 34 cu.ft. Heavy Duty Material Bucket 1.03 yd struck capacity, 1.24 yd heaped capacity	816 LB		\$1,146.00
	730793006	95" HD Material Bucket Euro Style - 95" 34 cu.ft. Heavy Duty Material Bucket 1.24 yd heaped capacity 975LA ONLY	750 LB		\$1,279.00
	717426006	102" Wide 36 Cu. Ft. HD material bucket Euro Style - 102" 36 cu.ft. Heavy Duty Material Bucket 1.11 yd struck capacity, 1.35 yd heaped capacity	875 LB		\$1,388.00
	730772006	105 IN 36 CF HD MATL BUCK Euro Style - 105" 36 cu.ft. Heavy Duty Material Bucket 1.35 yd heaped capacity	893 LB		\$1,521.00

Euro Style High Volume Buckets

	717546006	79IN LD HC 717546 Euro Style - 79" 40 cu.ft. Light Duty High Volume Bucket 1.24 yd struck capacity, 1.48 yd heaped capacity	545 LB		\$1,190.00
	424991006	83" Wide 60 Cu.Ft. HD High Cap Euro Style - 83" 53 cu. ft. Heavy Duty High Volume 1.96 yd heaped capacity	932 LB		\$1,174.00
	717431006	79" Wide 41 Cu. Ft. std high cap bucket Euro Style - 79" 41 cu.ft. Standard High Capacity Bucket 1.27 yd struck capacity, 1.53 yd heaped capacity	602 LB		\$780.00
	717432006	87" Wide 45 Cu. Ft. standard high cap Euro Style 87" 45 cu.ft. Standard High Capacity Bucket 1.39 yd struck capacity, 1.67 yd heaped capacity	650 LB		\$976.00
	717547006	87IN LD HC 717547 Euro Style - 87" 44 cu.ft. Light Duty High Volume Bucket 1.36 yd struck capacity, 1.63 yd heaped capacity	586 LB		\$1,300.00
	717435006	91" 71 Cu Ft High Tipping Bucket Euro Style - 91" 71 cu.ft. High Tipping Bucket 2.16 yd struck capacity, 2.62 yd heaped capacity	1,060 LB		\$3,159.00
	717433006	95" Wide 60 Cu. Ft. high cap lt matl bkt Euro Style - 95" 60 cu.ft. Heavy Duty High Volume Bucket 2.22 yd heaped capacity	913 LB		\$1,375.00
	717434006	102" Wide 65 Cu. Ft. high cap lt matl bk Euro Style - 102" 65 cu.ft. Heavy Duty High Volume Bucket 2.42 yd heaped capacity	979 LB		\$1,632.00

**BUCKETS & ATTACHMENTS
US PRICE LIST**

	730795006	102" 65 Cu.Ft. HD HC Material Bucket Euro Style - 102" 65 cu.ft. Heavy Duty High Volume Bucket 2.42 yd struck capacity 975LA ONLY	980 LB		\$1,766.00
--	-----------	--	--------	--	------------

Euro Style Forks

	713671006	48IN Fork 55IN Wide 3500 LB Cap EUR Euro Style - Pallet Forks 48" fork, 55" wide 3500 lb capacity	355 LB		\$513.00
	713672006	48IN Fork 55IN Wide 3500 LB Cap SSL SSL Style - Pallet Forks 48" fork, 55" wide 3500 lb capacity	355 LB		\$513.00
	730843006	Bale Fork with Back Stop Euro Bale fork with 2 tines and a back stop for Euro QA	181 LB		\$375.00
	717438006	59" 8 Tines manure Euro Style - 59" 8 Tine Manure Fork	295 LB		\$510.00
	717439006	67" 9 tines manure Euro Style - 67" 9 Tine Manure Fork	335 LB		\$621.00
	717440006	75" 10 tines manure Euro Style - 75" 10 Tine Manure Fork	364 LB		\$763.00
	717441006	90" 12 tines manure Euro Style - 90" 12 Tine Manure Fork	475 LB		\$808.00
	717444006	59" Rock Fork w 3" spacing Euro Style - 59" Rock Fork	475 LB		\$1,133.00
	717445006	79" (80mm) Rock Fork w 3" spacing Euro Style - 79" Rock Fork	653 LB		\$1,434.00
	717448006	48" Fork and 55" Wide Pallet 5500 Euro Style - Pallet Forks 48" fork, 55" wide 5500 lb capacity	375 LB		\$613.00
	717449006	Log grapple for all pallet forks Euro Style - Pallet Fork Log Grapple Attachment	183 LB		\$934.00
	717451006	Extended lift arm "Bag Lifter" for fert Euro Style - Pallet Fork Lift Arm Attachment Extended "Bag Lifter" for big bags (Fertilizer)	260 LB		\$636.00

Euro Style Bale Handling

	713806006	BALE SPEAR 713806 Euro Style - Bale Spike (one long tine and one short tine maintains bale control)	135 LB		\$361.00
	717487006	Vertical extended back for bale fork Vertical Extended Back for Big Bale Fork Compatible with (730405 or 730405006)	93 LB		\$169.00
	717488006	55" Wide 2 Tine square bale fork Euro Style - 55" Square Bale Fork with 2 Tines	293 LB		\$879.00
	717489006	75" Wide 5 Tine square bale fork Euro Style - 75" Square Bale Fork with 5 Tines	370 LB		\$1,297.00
	717490006	Extension set square bale Euro Style - Vertical Extended Back for Square Bale Fork (717488006 or 717489006)	44 LB		\$137.00
	717491006	Big bale lifter option Euro Style - Big Bale Lifter for Square Bale Fork (717488006 or 717489006)	70 LB		\$137.00
	717474006	Heavy-duty bale grip - 63" max bale size Euro Style - Heavy Duty Bale Grip 63" Max Bale size	578 LB		\$1,384.00

**BUCKETS & ATTACHMENTS
US PRICE LIST**

	717475006	Heavy-duty bale grip - 79" max bale size Euro Style - Heavy Duty Bale Grip 79" Max Bale size	690 LB		\$1,503.00
	717477006	Universal bale grip - 63" max bale size Euro Style - Universal Bale Grip 63" Max Bale size	529 LB		\$1,258.00
	717480006	HD RD or SQ plastic wrapped bale grip Euro Style - Heavy Duty Round or Square Bale Grip Ideal for 23"-80" Wrapped Bales	955 LB		\$2,295.00
	717478016	Max Bale Size 71" Combo Bale Euro Style - Combo Bale & Pallet Fork 71" Max Bale Size 2, 200 lb. Max Pallet Load	430 LB		\$1,310.00
	717479006	Bale Support Combo Bale/Pallet Fork Euro Style - Bale Support for Combo Bale and Pallet Fork Requires Combo Bale and Pallet Fork	100 LB		\$397.00
	717483006	Standard Bale Split Attachment Euro Style - Standard Duty Bale Split	190 LB		\$556.00
	717484006	Heavy-duty bale split attachment Euro Style - Heavy Duty Bale Split	245 LB		\$796.00
	717481006	Bale Handling Loader Extension Euro Style - Bale Handling Loader Extension Adds 45" extra height for stacking bales	445 LB		\$1,475.00

Euro Style Grapple Buckets

	717494006	83" HD Bkt, Grapple Assm w Bkt Tines Euro Style - 83" Heavy Duty Round Bale King Bucket with Grapple and Floor Tines (6), 4 Grapple Claws 0.90 yd struck capacity 1.07 yd heaped capacity	1,367 LB		\$2,842.00
	717495006	95" HD bucket, grapple assm & tines Euro Style - 95" Heavy Duty Round Bale King Bucket with Grapple and Floor Tines (7), 4 Grapple Claws 1.03 yd struck capacity 1.24 yd heaped capacity	1,444 LB		\$3,018.00
	717496006	102" HD bucket, grapple assm & tines Euro Style - 102" Heavy Duty Round Bale King Bucket with Grapple and Floor Tines (8), 5 Grapple Claws 1.11 yd struck capacity 1.35 yd heaped capacity	1,609 LB		\$3,257.00
	730797006	102" HD Bucket with Backscreen Euro Style - 102" Heavy Duty Round Bale King Bucket with Grapple & Floor Tines (8), 5 Grapple Claws Backscreen included. 1.35 yd heaped capacity 975LA ONLY	1,685 LB		\$3,556.00
	717500006	83" HD bucket and grapple assembly Euro Style - 83" Heavy Duty Round Bale King Bucket with Grapple and Extended Floor 4 Grapple Claws 0.90 yd struck capacity, 1.07 yd heaped capacity	1,257 LB		\$2,761.00
	717501006	95" Wide HD bucket and grapple assem Euro Style - 95" Heavy Duty Round Bale King Bucket with Grapple ad Extended Floor 4 Grapple Claws 1.03 yd struck capacity, 1.24 yd heaped capacity	1,323 LB		\$2,940.00
	717502006	102" HD BKT W/GRAPPLE EXT FLO Euro Style - 102" Heavy Duty Round Bale King Bucket with Grapple and Extended Floor 5 Grapple Claws 1.11 yd struck capacity, 1.35 yd heaped capacity	1,477 LB		\$3,114.00

**BUCKETS & ATTACHMENTS
US PRICE LIST**

	717497006	83" Wide HD Bucket Euro Style - 83" Heavy Duty Round Bale King Grapple Bucket (BUCKET ONLY with tine holders) 0.90 yd struck capacity, 1.07 yd heaped capacity	789 LB		\$1,259.00
	717498006	95" Wide HD Bucket Euro Style - 95" Heavy Duty Round Bale King Grapple Bucket (BUCKET ONLY with tine holders) 1.03 yd struck capacity, 1.24 heaped capacity	926 LB		\$1,533.00
	717499006	102" Wide HD Bucket Euro Style - 102" Heavy Duty Round Bale King Grapple Bucket (BUCKET ONLY with tine holders) 1.11 yd struck capacity, 1.35 yd heaped capacity	985 LB		\$1,685.00
	717503006	83" Wide HD "Round Bale King" bucket Euro Style - 83" Heavy Duty Round Bale King Grapple Bucket (BUCKET ONLY) 0.90 yd struck capacity, 1.07 yd heaped capacity	772 LB		\$1,211.00
	717504006	95" Wide HD "Round Bale King" Bucket Euro Style - 95" Heavy Duty Round Bale King Grapple Bucket (BUCKET ONLY) 1.03 yd struck capacity, 1.24 heaped capacity	904 LB		\$1,475.00
	717505006	102" Heavy-duty "Round Bale King" bucket Euro Style - 102" Heavy Duty Round Bale King Grapple Bucket (BUCKET ONLY) 1.11 yd struck capacity, 1.35 yd heaped capacity	968 LB		\$1,618.00

Grapple Bucket Attachments

	716983046	Bolt-on Grapple Bolt on Grapple Assembly Kit 3 Grapple Claws (Handles up to 5' diameter Round Bale) For use on: SSL Buckets - 730403, 730404, 730403006 or 730404016 Euro Buckets - 717417, 717419, 717417006 or 717419006	200 LB		\$1,670.00
	717548006	Grapple assembly kit for "Rd Bale King" Bolt on Grapple Assembly Kit, 4 Grapple Claws (bolt on) -Directly compatible with 717497, 717498, 717497006 or 717498006 -Includes weld on brackets for compatibility with 717420, 717421, 717424, 717425, 730793, 730772, 717420006, 717421006, 717424006, 717425006, 730793006 or 730772006 83" and 95" Material Buckets	551 LB		\$1,681.00
	730771016	BACK SCREEN KIT Back Screen Kit for bolt on Utility Grapple 716983046	14 LB		\$153.00
	717509016	BACK SCREEN F/MAXI GRAPPLE Back Screen for Heavy Duty Round Bale King Grapples	60 LB		\$168.00
	717510006	Replacement Grapple Claw - 1 only Euro Style - Grapple Claw Replacement grapple claw (only 1) for Round Bale King Grapple	71 LB		\$71.00

Euro Style Silage Buckets

	717453006	59" 27cu ft Silage Bucket and Grapple Euro Style - 59" 27 cu.ft. Heavy Duty Silage King Bucket with Multibenne Grapple	670 LB		\$1,715.00
--	-----------	---	--------	--	------------

**BUCKETS & ATTACHMENTS
 US PRICE LIST**

	717454006	67" 31cu ft Silage Bucket and Grapple Euro Style - 67" 31 cu.ft. Heavy Duty Silage King Bucket with Multibenne Grapple	795 LB		\$1,840.00
	717455006	75" 35cu ft Silage Bucket and Grapple Euro Style - 75" 35 cu.ft. Heavy Duty Silage King Bucket with Multibenne Grapple	850 LB		\$2,092.00
	717456006	83" 39cu ft Silage Bucket and Grapple Euro Style - 83" 39 cu.ft. Heavy Duty Silage King Bucket with Multibenne Grapple	930 LB		\$2,216.00
	717457006	91" 42cu ft Silage Bucket and Grapple Euro Style - 91" 42 cu.ft. Heavy Duty Silage King Bucket with Multibenne Grapple	985 LB		\$2,343.00
	717458006	98" 46cu ft Silage Bucket and Grapple Euro Style - 98" 45 cu.ft. Heavy Duty Silage King Bucket with Multibenne Grapple	1,050 LB		\$2,699.00
	717459006	63" Wide 31 Cu.Fthd Silage Ki Euro Style - 63" 31 cu.ft. Heavy Duty Silage King Bucket with Multigrab Grapple	1,279 LB		\$2,041.00
	717460006	71" Wide 35 Cu.Fthd Silage Ki Euro Style - 71" 35 cu.ft. Heavy Duty Silage King Bucket with Multigrab Grapple	1,345 LB		\$2,334.00
	717461006	HD "Silage King" Fork and Grapple - 79" Euro Style - 79" 40 cu.ft. Heavy Duty Silage King Bucket with Multigrab Grapple	1,444 LB		\$2,625.00
	717462006	51" Wide 25 Cu Ft "Silage King" Euro Style - 51" 25 cu.ft. Silage King Fork and Grapple 0.90 yd volume	555 LB		\$1,353.00
	717463006	59" Wide 28 Cu.Ft "Silage King" Euro Style - 59" 28 cu.ft. Silage King Fork and Grapple 1.03 yd volume	595 LB		\$1,407.00
	717464006	HD "Silage King" Fork and Grapple Euro Style - 67" 32 cu.ft. Silage King Fork and Grapple 1.18 yd volume	650 LB		\$1,757.00
	717465006	HD "Silage King" Fork and Grapple Euro Style - 75" 36 cu.ft. Silage King Fork and Grapple 1.32 yd volume	695 LB		\$2,010.00
	717466006	HD "Silage King" Fork and Grapple - 83" Euro Style - 83" 39 cu.ft. Silage King Fork and Grapple 1.45 yd volume	830 LB		\$2,199.00
	717467006	91" Wide 43 Cu. Ft. Silage King Euro Style - 91" 43 cu.ft. Silage King Fork and Grapple 1.60 yd volume	838 LB		\$2,388.00

**BUCKETS & ATTACHMENTS
US PRICE LIST**

	717468006	HD "Silage King" Fork and Grapple - 98" EuroStyle - 98" 47 cu.ft. Silage King Fork and Grapple 1.74 yd volume	870 LB		\$2,599.00
	717469016	HD "Silage King" Block Cutter - 47 in. Euro Style - 47" 25 cu.ft. Silage King Block Cutter			\$3,122.00
	717470016	59" 32 Cu Ft Closed Side Grapple Euro Style - 59" 32 cu.ft. Silage King Block Cutter	1,085 LB		\$3,421.00
	717472016	75" Wide 40 Cu.Ft. Closed Sided Euro Style - 75" 40 cu.ft.Silage King Block Cutter	1,380 LB		\$4,240.00
	717473016	Silage King 717473 Euro Style - 94" 48 cu.ft. Silage King Block Cutter	1,590 LB		\$4,365.00
	717730006	HD "Silage King" Bkt & PowerGrab Grapple Euro Style - 73" 35 cu.ft. Heavy Duty Silage King Bucket with Powergrab Grapple	1,190 LB		\$3,543.00
	717732006	HD "Silage King" Bkt & PowerGrab Grapple Euro Style - 95" 47 cu.ft. Heavy Duty Silage King Bucket with Powergrab Grapple	1,521 LB		\$4,065.00
	717733006	Powergrab 260 (102") Euro Style - 102" 49 cu.ft. Heavy Duty Silage King Bucket with Powergrab Grapple	1,720 LB		\$4,463.00
	730796006	102IN Power Grab T7 Euro Style - 102" Heavy Duty Silage King Bucket with Powergrab Grapple 975LA ONLY	1,720 LB		\$4,594.00

Euro Style Silage Buckets.

	717731006	HD "Silage King" Bkt & PowerGrab Grapple Euro Style - 83" 40 cu.ft. Heavy Duty Silage King Bucket with Powergrab Grapple			\$3,789.00
--	-----------	--	--	--	------------

Euro Style Other Buckets

	717436006	85" Wide 23 Cu. Ft. heavy duty grading Euro Style - 85" 23 cu.ft. Heavy Duty Grading Bucket 0.79 yd struck capacity, 0.85 yd heaped capacity	752 LB		\$820.00
--	-----------	---	--------	--	----------

Other Bucket Attachments

	717511006	Bucket tine - 1 tine for bkts w/tne hold Euro Style - Bucket Tine (only 1) for buckets equipped with tine holder.	20 LB		\$45.00
	717512006	Bucket tine set and weld-on holders Euro Style - Bucket Tine Set 1 bucket tine and 2 weld-on holders	20 LB		\$56.00
	717506006	Ballasting box for 3-pt hitch Cat II Ballasting Box for 3-point hitch Category II capacity of 1,924 lbs for total maximum weight of 2,200 lbs.	276 LB		\$514.00
	717507006	3-Point linkage Euro Style - 3-Point Linkage Connects front loader to old tractor 3-point.	175 LB		\$416.00



**BUCKETS & ATTACHMENTS
US PRICE LIST**

		717508006	Weld-on adapter brackets Weld on brackets to convert a NON Euro Style attachment to Euro Style.	65 LB		\$117.00
--	--	-----------	---	-------	--	----------



**DEALER INSTALLED ACCESSORIES (DIA KITS)
US PRICE LIST**

DEALER INSTALLED ACCESSORIES (DIA KITS)
US PRICE LIST
Factory Supplied Attachments

Order Code	Description	Weight	Factory Data	List Price
Complete TPS				
713729006	MOUNTING KIT - UTILITY MEDIUM PowerStar 90, 100, 110, 120 Tier 4B T5.90, T5.100, T5.110, T5.120 Dual Command (24x24) Tier 4B T4.90, 100, 110, 120 (12x12 & Dual Command 24x24) Tier 4B Complete Horizontal brackets and Vertical uprights with grill guard 713729	510 LB		\$1,142.00
713747006	SUBFRAME T4B W/GRILL GUARD 713747 T5.110, T5.120 Electro Command Tier 4B Complete Horizontal brackets and Vertical uprights with grill guard 713747	516 LB		\$1,142.00
464051006	MTG KIT TPS AND GG APL SH T5.130 & T5.140 Complete Horizontal brackets and Vertical uprights with grill guard 464051	520 LB		No Charge
713727006	APH T4B 4 CYL COMPLETE WITH GRILLE GUARD TS6.110, TS6.120, TS6.130, TS6.140 Tier 4B Complete Horizontal brackets and Vertical uprights with grill guard Mid Mount Valve and Hose kit to complete loader installation are ordered as a Dealer Installed Accessory kit available from CNHi Parts (see TS6 Price and Data pages) 713727006	634 LB		\$1,337.00
464055006	MTG KIT - TPS AND GG - APHE RPLCMNT TS6.110, TS6.120, TS6.130, TS6.140 Tier 4B Complete Horizontal brackets and Vertical uprights with grill guard Mid Mount Valve and Hose kit to complete loader installation are ordered as a Dealer Installed Accessory kit available from CNHi Parts (see TS6 Price and Data pages) Replaces (713727 / 713727006) 464055	593 LB		No Charge
713744006	APH T4B FINAL COMPLETE W/ GRILL GUARD T6.145, T6.155, T6.165, T6.175, T6.180 Tier 4B Complete Horizontal brackets and Vertical uprights with grill guard 713744	800 LB		\$1,337.00

**DEALER INSTALLED ACCESSORIES (DIA KITS)
 US PRICE LIST**

	713619006	Subframe, Utility Medium 85/95/105hp T4.85, T4.95, T4.105, T4.115 Tier 4A Ankara (12x12)/Jesi (24x24) Complete Horizontal brackets and Vertical uprights with grill guard For tractors with serial number ZxJT5xxxx 713619	416 LB		\$1,142.00
	713693006	Jesi Utility T4 Complete T4.85, T4.95, T4.105, T4.115 Tier 4A Jesi (12x12) Complete Horizontal brackets and Vertical uprights with grill guard For Tractors with serial number ZxJY5xxxx 713693	379 LB		\$2,913.00
	439608006	SubFrame with Grill Guard HD 2 Piece T5.105, T5.115 Electro Command Tier 4A Complete ONE PIECE SUBFRAME with grill guard Replaces 713703 / 713703006 439608	301 LB		\$2,916.00
	439607006	SubFrame with Grill Guard HD 1 Piece T5.95, T5.105, T5.115 Tier 4A 12x12 or Dual Command 24x24 Complete ONE PIECE SUBFRAME with grill guard Replaces 713684 / 713684006 & 713685 / 713685006 439607006	301 LB		\$2,916.00
	713646006	4CYL COMP T4TPS AND GG TS6.110, TS6.120 Tier 3 Complete Horizontal brackets and Vertical uprights with grill guard 713646	516 LB		\$2,554.00
	713648006	6CYL COMP T4TPS AND GG TS6.125, TS6.140 Tier 3 Complete Horizontal brackets and Vertical uprights with grill guard 713648	570 LB		\$2,554.00
	730781006	APH 4 Cyl STD T4 TPS and Grill Guard T6.140, T6.150, T6.160 Tier 4A (4 cylinder) Complete Horizontal brackets and Vertical uprights with grill guard Standard and SuperSteer Axles 730781	600 LB		\$1,337.00
	730782006	APH 6 Cylinder STD T4 TPS T6.155, T6.165, T6.175 Tier 4A (6 cylinder) Complete Horizontal brackets and Vertical uprights with grill guard Standard & Supersteer Axles 730782	800 LB		\$1,337.00

**DEALER INSTALLED ACCESSORIES (DIA KITS)
US PRICE LIST**

	464052006	MTG KIT TPS AND GG CCM SWB WIDE REPLACEMENT T7 Series SWB Tier 4A & Tier 4B Horizontal TPS sideframe & Vertical TPS upright with grill guard Standard and SuperSteer Axles T7 SWB MY 17 & Prior AND MY 18 units with serial numbers below EJE103874 require a new right hand A-post mounting bracket part number (51414102) available via CNHi Parts. NOT COMPATIBLE WITH 805TL SERIES LOADERS. 464052 (replaces 713781 / 713781006)	1,102 LB		\$3,518.00
	464053006	MTG KIT TPS AND GG CCM LWB WIDE REPLACEMENT T7 Series LWB Tier 4A & Tier 4B Horizontal TPS sideframe & Vertical TPS upright with grill guard Standard and SuperSteer Axles T7 LWB MY 17 & Prior AND MY 18 units with serial numbers below EJE404014 require a new right hand A-post mounting bracket part number (51411353) available via CNHi Parts. NOT COMPATIBLE WITH 805TL SERIES LOADERS. 464053 (replaces 713780 / 713780006)	1,460 LB		\$3,518.00
	464057006	MTG KIT - TPS AND HDGG - T8 - T4 A/B T8 Series Tier 4A & Tier 4B One Piece Subframe with grill guard 464057006 (replaces 730785 / 730785006)	1,125 LB		\$3,757.00

Vertical TPS Upright

	439622006	Subframe T4 TPS Vertical and Grill Guard T5.105, T5.115 Electro Command Tier 4A Vertical TPS Uprights with grill guard Replaces 713704 / 713704006 439622	301 LB		\$663.00
	713647006	TS6 CARGADORA FRON 4C FA TS6.110, TS6.120, TS6.125, TS6.140 Tier 3 (4 & 6 cylinder) Vertical TPS Uprights with grill guard 713647	301 LB		\$1,647.00
	730896006	APH 4CYL STD T4 TPS VRT A T6.140, T6.150, T6.160 Tier 4A (4 cylinder) Vertical TPS Uprights with grill guard Standard and SuperSteer Axles 730896	420 LB		\$878.00
	730898006	Aph 6Cyl Std T4 TPS VertBr & Grill Guard T6.155, T6.165, T6.175 Tier 4A (6 cylinder) Vertical TPS Uprights with grill guard Standard and SuperSteer Axles 730898	520 LB		\$881.00

DEALER INSTALLED ACCESSORIES (DIA KITS)
US PRICE LIST
Grill Guards

	715824136	Grill Guard Heavy Duty Grill Guard Insert PowerStar 90-120 Tier 4B, T5 Dual Command (24x24) Tier 4B, T4 (Tier 4A & Tier 4B), TS6 (Tier 3 & Tier 4B) & T5 (12x12, 24x24 & 16x16) Tier 4A Series Tractors 715824	25 LB		\$151.00
	713742006	HD GRILL GUARD INSERT APH Heavy Duty Grill Guard Insert T7 SWB, T6 & T5 (Tier 4B 16x16) Series ONLY 713742	45 LB		\$134.00
	713743006	HD GRILL GUARD INSERT CCM Heavy Duty Grill Guard Insert T7 Series LWB 713743	50 LB		\$151.00
	464058006	GRILL GUARD - HD INSERT - MRM Heavy Duty Grill Guard Insert Genesis T8 Series with PLM Intelligence 464058006	183 LB		No Charge

2 Function Hose Kit

	713758006	HOSE KIT 2FCN COUPLERS 2 Function Hose Kit PowerStar 90-120, T5 Dual Command (24x24) & T4 Series Tier 4B (Ankara 12x12, Jesi 24x24) 713623	26 LB		\$414.00
	713752006	APL MECHANICAL AND ELECTRONIC MMV MC4 FL 2 Function Hose Kit For ALL T5 Electro Command (16x16) Series Tier 4B tractors 713752 For ALL T5 Auto Command and Dynamic Command Tractors	23 LB		\$414.00
	713754006	APH T4B HOSE KIT M/E 2 FUNCTION MMV MSL 2 Function Hose Kit T6 Series Tier 4B 713754	23 LB		\$414.00
	713687006	HOSE KIT-4 HOSE 2 Function Hose Kit For ALL T5.95, T5.105 & T5.115 Tier 4A tractors - with mechanical mid mount valve (T5 12x12, T5 Dual Command 24x24 & T5 Electro Command 16x16) 713687	22 LB		\$414.00
	713706006	2 FUNCTION MM HOSE KIT W/MC4 2 Function Hose Kit For ALL T5.95, T5.105 & T5.115 Tier 4A tractors - with electronic mid mount valve (T5 12x12, T5 Dual Command 24x24 & T5 Electro Command 16x16) 713706	23 LB		\$396.00

**DEALER INSTALLED ACCESSORIES (DIA KITS)
US PRICE LIST**

	713664006	APH T4 2FUNC MMV MULTI CP 2 Function Hose Kit T6 Series Tier 4A (4 & 6 cylinder) 713664	23 LB		\$415.00
	713734006	CCM T4B SWB 2 FUNCTION HOSE KIT 713 2 Function Hose Kit T7 SWB Tier 4B REQUIRES Tubes to connect mid-mount valves to front implement tubes - quick attach ports For ordering information reference: Parts Division Supplied Accessories for T7 Series (SWB Models) section of the T7 SWB Price and Data pages. 713734	23 LB		\$414.00
	713736006	CCM T4B LWB 2 FUNCTION HOSE KIT 713 2 Function Hose Kit with Multi Coupler T7 LWB Tier 4B REQUIRES Tubes to connect mid-mount valves to front implement tubes - quick attach ports For ordering information reference: Parts Division Supplied Accessories for T7 Series (LWB Models) section of the T7 LWB Price and Data pages. 713736	23 LB		\$414.00
	713612006	2 Func MMV Hose Kit 713612 2 Function Hose Kit T7 Series SWB & LWB Tier 4A 713612	23 LB		\$414.00
	464059006	HOSE KIT TO VALVE - CCH T4 A/B MC4 2 Function Rear Hose Kit T8 Series 464059 (replaces 713614 / 713614006)	23 LB		\$811.00
	464060006	HOSE KIT TO VALVE - MRM CH26 T4B MC4 2 Function Rear Hose Kit Genesis T8 Series with PLM Intelligence 464060	23 LB		No Charge

3 Function Hose Kit

	713756006	APH T4B HOSE KIT M/E 3 FUNCTION MMV MSL 3 Function Hose Kit T6 Series Tier 4B 713756	23 LB		\$501.00
	713666006	APH T4 3FUNC MMV MULTI CP 3 Function Hose Kit T6 Series Tier 4A (4 & 6 cylinder) 713666	23 LB		\$501.00

**DEALER INSTALLED ACCESSORIES (DIA KITS)
 US PRICE LIST**

	713735006	CCM T4B SWB 3 FUNCTION HOSE KIT 713 3 Function Hose Kit T7 SWB Tier 4B REQUIRES Tubes to connect mid-mount valves to front implement tubes - quick attach ports For ordering information reference: Parts Division Supplied Accessories for T7 Series (SWB Models) section of the T7 SWB Price and Data pages. 713735	26 LB		\$501.00
	713737006	CCM T4B LWB 3 FUNCTION HOSE KIT 713 3 Function Hose Kit with Multi Coupler T7 LWB Tier 4B REQUIRES Tubes to connect mid-mount valves to front implement tubes - quick attach ports For ordering information reference: Parts Division Supplied Accessories for T7 Series (LWB Models) section of the T7 LWB Price and Data pages. 713737	26 LB		\$501.00
	713613006	3 Func MMV Hose Kit 713613 3 Function Hose Kit T7 Series Tier 4A 713613	26 LB		\$501.00

Rear Hose Kits

	464061006	HOSE KIT TO VALVE - CCH T4 A/B MC4 MC2 3 Function Rear Hose Kit T8 Series 464061 (replaces 713615 / 713615006)	30 LB		\$981.00
	464062006	HOSE KIT TO VALVE - MRM CH26 T4B MC4 MC2 3 Function Rear Hose Kit Genesis T8 Series with PLM Intelligence 464062006	26 LB		No Charge

Diverter Valve

	713772006	3RD FUNCTION DIVERTER KIT 713772 3rd function diverter valve - Solenoid valve controlled by joystick mounted button which diverts oil flow from the bucket circuit to front mounted implements. NOTE: Requires joystick handle kit (464148 or 464148006) for mechanical joysticks or wire harness (713707 or 713707006) for T5 Electro Command with electronic joystick. Not compatible with T6 series If tractor is NOT Complete Loader Ready, requires 464063 or 464063006 electrical interface kit 713772	7 LB		\$437.00
--	-----------	---	------	--	----------

**DEALER INSTALLED ACCESSORIES (DIA KITS)
US PRICE LIST**

Electrical Kits

	713707006	Wiring Harness for 3rd & 4th Function Wire Harness for T5 series with electronic valve for use of 3rd function diverter	10 LB		\$59.00
	713761006	SWITCH KIT FOR SOFT RIDE AND HYD IMPELE Electrical Interface Kit to operate Diverter Valve, Soft Ride electric shutoff or hydraulic implement attachment on Tier 4B T5, TS6, T6 or T7 tractors ordered with the complete loader ready option. Provides all necessary switches and connectors to utilize existing tractor harnesses that are included with the complete loader ready option. TS6 tractors with serial number prior to NT00546M also require harness part number 47839199 ordered through CNHi Parts.	1 LB		\$92.00
	464063006	EXTENDED WIRING HARNESS - CCH Electrical Interface Kit for Electrical Controlled Loader Options (Diverter Valve, Soft Ride, Hydraulic Implement Lock, etc.) Required for Genesis T8 Series with PLM Intelligence. For tractors NOT ordered with Complete Loader Ready. Provides connection to 12V power and ground circuits and harness connectors for switches to activate loader options. Harness is installed at operator area and connects to loader connection point on right hand side of engine compartment. 464063 (replaces 713807006 / 713807)	3 LB		\$181.00
	464148006	ELECTRIC HANDLE KIT Electrical Interface Kit for Electrical Controlled Loader Options (Soft Ride, Hydraulic Implement Lock) REQUIRED for AFS Connect Magnum (ONLY) Provides connection to 12V power and ground circuits and harness connectors for switches to activate loader options. Harness is installed at operator area and connects to loader connection point on right hand side of engine compartment.	4 LB		\$92.00
	713611006	Live 3rd Function Multi Coupler Multi Coupler 2 cap (for live 3rd function)	10 LB		\$442.00
	713618006	Multi-Coupler 4 7/8 in. Complete 2 fuction Multi Coupler Kit Includes: Multi-Coupler 4 base Multi-Coupler 4 cap	19 LB		\$375.00
	713620006	Basic 3 Function Multi-Coupler 2 Complete 3 fuction Multi Coupler Kit Includes: Multi Coupler 4 base Mulit Coupler 4 cap Multi Coupler 2 base (for live 3rd function) Multi Coupler 2 cap (for live 3rd function)	11 LB		\$514.00

**DEALER INSTALLED ACCESSORIES (DIA KITS)
US PRICE LIST**

	713621006	Multi-Coupler 1-1/16 in. Multi Coupler 4 cap	10 LB		\$270.00
	713623006	Hose Kit - Utility Medium/Bridge MC4 Mul 2 Function Hose Kit T4.85, T4.95, T4.105, T4.115 Tier 4A 713623	30 LB		\$414.00
	713674006	3rd Func Mechanical Interface	7 LB		\$137.00
	713675006	3rd Func Electronic Interface	7 LB		\$59.00
	713676006	MULTI COUPLER2 KIT Complete 1 Function Multi Coupler Kit (for 3rd function) Includes: Multi-Coupler 2 base Multi-Coupler 2 cap	15 LB		\$207.00
	713750006	LOADER END 3RD FUNCTION MULTI COUPLER 3 Funtion Multi Coupler Caps Includes: Multi Coupler 4 cap Multi Coupler 2 cap	11 LB		\$492.00

Soft Ride

	713768006	ELECTRIC SOFT RIDE KIT UTL APL Electronic Soft Ride Kit Soft ride is turned on/off via a rocker switch in the cab. For all PowerStar 90-120, T5 Dual Command & T4 90-120 tractors and all T5 Electro Command & TS6 tractors ordered WITHOUT Complete Loader Ready: 713807 or 713807006 Electrical Interface kit is REQUIRED. For all T5 Electro Command and TS6 tractors ordered WITH Complete Loader Ready 713761 or 713761006 Electrical Interface kit is REQUIRED 713768	11 LB		\$495.00
	713769006	ELECTRIC SOFT RIDE KIT APH CCM Electronic Soft Ride Kit Soft ride is turned on/off via a rocker switch in the cab. For T6 & T7 Tractors ordered WITHOUT Complete Loader Ready 713807 or 713807006 Electrical Interface kit is REQUIRED For T6 & T7 Tractors ordered WITH Complete Loader Ready 713761 or 713761006 Electrical Interface kit is REQUIRED 713769	12 LB		\$938.00

**DEALER INSTALLED ACCESSORIES (DIA KITS)
 US PRICE LIST**

	717520066	SOFT RIDE 717520 Electronic Soft Ride Kit Soft ride is turned on/off via a rocker switch in the cab. For all PowerStar 90-120, T5 Dual Command & T4 90-120 tractors and all T5 Electro Command & TS6 tractors ordered WITHOUT Complete Loader Ready: 713807 or 713807006 Electrical Interface kit is REQUIRED. 717520006	12 LB		\$479.00
--	-----------	--	-------	--	----------

3rd Function Quick Connect

	713771006	QUICK RELEASE LOADER HALF 713771 Loader Half of fast snap at the front end of the loader arms to provide single lever quick connect for 3rd function implements (i.e. grapples) (Kit contains only the implement portion) Requires implement to be equipped with (713791 or 713791006) 713771	11 LB		\$301.00
	713791006	QUICK RELEASE IMPLEMENT 713791 Implement Half of fast snap at the front end of the loader arms to provide single lever quick connect for 3rd function implements (i.e. grapples) (Kit contains only the implement portion) Requires base loader to be equipped with (713771 or 713771006) 713791006	3 LB		\$168.00



**905GBL BACKHOE FOR WM25S ONLY
US PRICE LIST**

Standard Equipment

BACKHOE MODEL: 905GBL

SEE COMPATIBILITY GUIDE FOR
IMPLEMENT COMPATIBILITY

TRACTOR APPLICATIONS:

Current New Holland Compact Models
- WORKMASTER™ 25S

NOTE: 905GBL is only compatible with
the WORKMASTER 25S Subcompact

Specifications:

Transport Height (in.): 74.7
Loading Height (in.): 59.6
Overall Width (in.): 45.3
Ground Clearance (in.): 12.8
Maximum Digging Depth (in.): 79.4
Reach from Centerline of Swing Pivot
(in.): 114.9
Swing Arc (deg.): 135
Bucket Rotating (deg.): 169.4
Stabilizer Spread (Down) (in.): 78.6
Stabilizer Spread (Up) (in.): 53.2
Bucket Digging Force per SAEJ49 (lbs.)
w/ Bucket Cylinder: 2,194
w/ Dipperstick Cylinder: 1332

Shipping Weight (lbs.): 707

905GBL backhoe package includes:

- Basic Packaged Backhoe
- Subframe
- Hydraulic Kit
- Swivel Seat Base (for WM25S)
- 9" Bucket

IMPORTANT INFORMATION

The tractor must be equipped with a
100LC front end loader when installing
a 905GBL Backhoe.

Note: Mid-mount mower is
compatible with backhoe installed.

WARRANTY

New Holland Standard Warranty Applies



**905GBL BACKHOE FOR WM25S ONLY
US PRICE LIST**

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
905GBL	877 LB		\$4,826.00



905GBL BACKHOE FOR WM25S ONLY
US PRICE LIST

Factory Supplied Attachments

Order Code		Description	Weight	Factory Data	List Price
	439598006	TRENCHING 9IN 3 TEETH BOLT ON	46 LB		\$123.00
	439599006	TRENCHING 12IN 3 TEETH BOLT ON	56 LB		\$134.00
	439600006	TRENCHING 16IN 3 TEETH BOLT ON	64 LB		\$152.00
	439601006	TRENCHING 18IN 3 TEETH BOLT ON	75 LB		\$167.00



**910GBL BACKHOE FOR WM25 ONLY
US PRICE LIST**

Standard Equipment

BACKHOE MODEL: 910GBL

SEE COMPATIBILITY GUIDE FOR
IMPLEMENT COMPATIBILITY

TRACTOR APPLICATIONS:

Current New Holland Compact Models
- WORKMASTER™ 25

NOTE: 910GBL is only compatible with
the WORKMASTER 25 compact

Specifications:

Transport Height (in.): 77.2
Loading Height (in.): 63.6
Overall Width (in.): 53.3
Ground Clearance (in.): 14.4
Maximum Digging Depth (in.): 76.4
Reach from Centerline of Swing Pivot
(in.): 113.2
Swing Arc (deg.): 180
Bucket Rotating (deg.): 180
Stabilizer Spread (Down) (in.): 68.7
Stabilizer Spread (Up) (in.): 46.5
Bucket Digging Force per SAEJ49 (lbs.)
w/Bucket Cylinder: 2817
w/Dipperstick Cylinder: 1748

Shipping Weight (lbs.): 1092

910GBL backhoe Package includes:

- Basic Packaged Backhoe
- Subframe
- Hydraulic Kit
- 12" Bucket

IMPORTANT INFORMATION

The tractor must be equipped with a
200LC front end loader when installing
a 910GBL Backhoe.

Note: Mid-mount mower is NOT
compatible with backhoe installed.

WARRANTY

New Holland Standard Warranty Applies



**910GBL BACHHOE FOR WM25 ONLY
US PRICE LIST**

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
910GBL	1,203 LB		\$7,893.00



910GBL BACHHOE FOR WM25 ONLY
US PRICE LIST

Factory Supplied Attachments

Order Code		Description	Weight	Factory Data	List Price
	439598006	TRENCHING 9IN 3 TEETH BOLT ON	46 LB		\$123.00
	439599006	TRENCHING 12IN 3 TEETH BOLT ON	56 LB		\$134.00
	439600006	TRENCHING 16IN 3 TEETH BOLT ON	64 LB		\$152.00
	439601006	TRENCHING 18IN 3 TEETH BOLT ON	75 LB		\$167.00



**915GBH BACKHOE
US PRICE LIST**

(Telford, TN)

Standard Equipment

BACKHOE MODEL: 915GBH

SEE COMPATIBILITY GUIDE FOR
IMPLEMENT COMPATIBILITY

TRACTOR APPLICATIONS:

Current New Holland Compact Models
- Boomer™ 24

Prior New Holland Compact Models
- Boomer™ 20 / 25

***SPECIFICATIONS:**

Digging Depth - 80.0 (in.)
Reach from Swing Pivot - 108 (in.)
Transport Height - 70 (in.)
Bucket Rotation - 178°
Stabilizer Spread:
 Transport - 44 (in.)
 Operating - 72 (in.)
Loading Height 66 (in.)
Swing Arc - 150°
Bucket Digging Forces - 2480 (lbs.)
Dipper Stick Digging Forces- 1750 (lbs.)
Operating Pressure - 2175 psi
Shipping Weight - 650 (lbs.)

*Specifications vary with tractor model,
hydraulic system, tire size, etc.

The following items are required to
make up a complete backhoe:

- Basic Packaged Backhoe
- Subframe (one required)
- Hydraulic Kit (one required)
- Bucket (one required)
- Optional Equipment

IMPORTANT INFORMATION

The tractor must be equipped with a
front end loader or front mount blade
when installing a 900 Series backhoe.

Note: Mid-mount mower is not
compatible with backhoe installed.

WARRANTY

New Holland Standard Warranty Applies



915GBH BACKHOE
US PRICE LIST

(Telford, TN)

Standard Equipment

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
915GBH	1,065 LB		\$7,933.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

BACKHOE OPTIONS

SUBFRAMES

SD_N5701 HITCH AND SUBFRAME

		439030	Subframe Cls 1 20/25 For Boomer 20/25 & 24 (439030016)			No Charge
--	--	--------	--	--	--	-----------

HYDRAULICS

SD_20102 HYDRAULIC KIT

		716964	Hyd Kit 716964 For Boomer 20/25 & 24 (716964016)			No Charge
--	--	--------	--	--	--	-----------

BUCKETS

SD_N5403 12 IN STD BUCKET

BUCKETS

		716399	12 In./305mm Standard Bucket (716399046 - 915GBH) (716399056 - 925GBH / 935GBH)			\$461.00
--	--	--------	---	--	--	----------

SD_N5405 16 IN STD BUCKET

		716400	16 In. Standard Bucket (716400036- 915GBH) (716400046 - 925GBH / 935GBH)			\$519.00
--	--	--------	--	--	--	----------



**915GBH BACKHOE
US PRICE LIST**

(Telford, TN)

SD_N5412 10 IN STD BUCKET

		439036	10 In. Standard Bucket (439036006 - 915GBH)			\$375.00
--	--	--------	---	--	--	----------

OTHER

SD_50092 RUBBER STREET PADS

		716410	Rubber Street Pads For 915GBH, 925GBH & 935GBH (716410056)			\$186.00
--	--	--------	--	--	--	----------

SD_N6413 MECH THUMB

		717916	Mechanical Thumb (717916026 - 915GBH) (717916036 - 925GBH)			\$548.00
--	--	--------	--	--	--	----------



**915GBH BACKHOE
US PRICE LIST**

(Telford, TN)

Factory Supplied Attachments

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

Factory Supplied Attachments

	439036006	10IN STD BCKT 2 TEETH	46 LB		\$208.00
	716399046	12IN STD BCKT 3 TEETH	75 LB		\$247.00
	716400036	16IN STD BCKT 3 TEETH	77 LB		\$297.00
	717916026	MECHANICAL THUMB 915GB	30 LB		\$207.00
	439030016	S-FRM CLS1 Subframe for Boomer 20/25 & 24	181 LB		\$362.00
	716964016	HYD KIT CLS1 LS J SER B-HOE Hydraulic kit for Boomer 20/25 & 24	8 LB		\$171.00

	716410056	Rubber Street Pads	4 LB		\$101.00
--	-----------	--------------------	------	--	----------



925GBH BACKHOE
US PRICE LIST

(Telford, TN)

Standard Equipment

BACKHOE MODEL: 925GBH

SEE COMPATIBILITY GUIDE FOR
IMPLEMENT COMPATIBILITY

TRACTOR APPLICATIONS:

- Current New Holland Compact Models
- Boomer 35/40/45/50/55 ROPS (T4B)
 - Boomer 40/45/50/55 Cab (T4B)
 - Boomer 46D/54D CVT
 - Boomer 45D/50D CVT (Canada Only)
 - WORKMASTER 35/40 (T4B)

Prior New Holland Compact Models

- Boomer 33/37/41/47 ROPS (T4B)
- Boomer 37/41/47 Cab (T4B)
- Boomer CVT 3040/3045/3050
- WORKMASTER 33/37 (T4B)
- WORKMASTER 35/40 (T3)
- Boomer 30/35/40/50 (T3)

*SPECIFICATIONS:

- Digging Depth - 92 (in.)
- Reach from Swing Pivot - 120 (in.)
- Transport Height - 77 (in.)
- Bucket Rotation - 174°
- Stabilizer Spread:
 - Transport - 49 (in.)
 - Operating - 100 (in.)
- Loading Height 70 (in.)
- Swing Arc - 175°
- Bucket Digging Forces - 3151 (lbs.)
- Dipper Stick Digging Forces- 2059 (lbs.)
- Operating Pressure - 2175 psi
- Shipping Weight - 722 (lbs.)

*Specifications may vary with tractor
model, hydraulic system, tire size, etc.

The following items are required to
make up a complete backhoe:

- Basic Packaged Backhoe
- Subframe (one required)
- Hydraulic Kit (one required)
- Bucket (one required)
- Optional Equipment

IMPORTANT INFORMATION

The tractor must be equipped with a
front end loader or front mount blade
when installing a 900 Series backhoe.

Note: Mid-mount mower is not
compatible with backhoe installed.

WARRANTY

New Holland Standard Warranty Applies



925GBH BACKHOE
US PRICE LIST

(Telford, TN)

Standard Equipment

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
925GBH	1,065 LB		\$8,640.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

FAST PICK CONFIGURATION

SD_T9981 CONFIGURATION

	XT9981X	Less Fast Pick Config			No Charge
	X0341XX	WM 35 Gear R1 Fast Pick FAST PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER Fast Pick 925GBH Backhoe Package for WORKMASTER 35 (T4B) Package Contains: - 439204 (Subframe) - 439138 (Hydraulic Kit) - 716434 (18" Bucket) - 717916 (Mechanical Thumb)			(\$196.00)
	X0337XX	WM 35 Gear R4 Fast Pick FAST PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER Fast Pick 925GBH Backhoe Package for WORKMASTER 35 (T4B) Package Contains: - 439204 (Subframe) - 439138 (Hydraulic Kit) - 716434 (18" Bucket) - 717916 (Mechanical Thumb)			(\$196.00)

**925GBH BACKHOE
US PRICE LIST**

(Telford, TN)

		X0338XX	<p>WM 40 HST R4 Fast Pick</p> <p>FAST PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER</p> <p>Fast Pick 925GBH Backhoe Package for WORKMASTER 40 (T4B)</p> <p>Package Contains:</p> <ul style="list-style-type: none"> - 439204 (Subframe) - 439138 (Hydraulic Kit) - 716434 (18" Bucket) - 717916 (Mechanical Thumb) 			(\$196.00)
		X0331XX	<p>BMR 40 Cab Fast Pick</p> <p>FAST PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER</p> <p>Fast Pick 925GBH Backhoe Package for Boomer 40 Cab (T4B)</p> <p>Package Contains:</p> <ul style="list-style-type: none"> - 439203 (Subframe) - 439143 (Hydraulic Kit) - 716434 (18" Bucket) - 717916 (Mechanical Thumb) 			(\$196.00)
		X0332XX	<p>BMR 50 ROPS Fast Pick</p> <p>FAST PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER</p> <p>Fast Pick 925GBH Backhoe Package for Boomer 50 ROPS (T4B)</p> <p>Package Contains:</p> <ul style="list-style-type: none"> - 439142 (Subframe) - 439144 (Hydraulic Kit) - 716434 (18" Bucket) - 717916 (Mechanical Thumb) 			(\$196.00)
		X0333XX	<p>BMR 50 Cab Fast Pick</p> <p>FAST PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER</p> <p>Fast Pick 925GBH Backhoe Package for Boomer 50 Cab T4B</p> <p>Package Contains:</p> <ul style="list-style-type: none"> - 439142 (Subframe) - 439144 (Hydraulic Kit) - 716434 (18" Bucket) - 717916 (Mechanical Thumb) 			(\$196.00)
		X0279XX	<p>WRKMSTR 33 Fast Pick</p> <p>FAST PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER</p> <p>Fast Pick 925GBH Backhoe Package for WORKMASTER 33</p> <p>Package Contains:</p> <ul style="list-style-type: none"> - 717972 (Subframe) - 439138 (Hydraulic Kit) - 716434 (18" Bucket) - 717916 (Mechanical Thumb) 			(\$196.00)

**925GBH BACKHOE
US PRICE LIST**

(Telford, TN)

		X0280XX	WRKMSTR 37 Fast Pick FAST PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER Fast Pick 925GBH Backhoe Package for WORKMASTER 37 Package Contains: - 717972 (Subframe) - 439138 (Hydraulic Kit) - 716434 (18" Bucket) - 717916 (Mechanical Thumb)			(\$196.00)
		X0275XX	BMR 37 Cab Fast Pick FAST PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER Fast Pick 925GBH Backhoe Package for Boomer 37 Cab Package Contains: - 439141 (Subframe) - 439143 (Hydraulic Kit) - 716434 (18" Bucket) - 717916 (Mechanical Thumb)			(\$196.00)
		X0282XX	BMR 47 Rops Fast Pick FAST PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER Fast Pick 925GBH Backhoe Package for Boomer 47 ROPs Package Contains: - 439142 (Subframe) - 439144 (Hydraulic Kit) - 716434 (18" Bucket) - 717916 (Mechanical Thumb)			(\$196.00)
		X0276XX	BMR 47 Cab Fast Pick FAST PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER Fast Pick 925GBH Backhoe Package for Boomer 47 Cab Package Contains: - 439142 (Subframe) - 439144 (Hydraulic Kit) - 716434 (18" Bucket) - 717916 (Mechanical Thumb)			(\$196.00)
		X0281XX	BMR 54D Fast Pick FAST PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER Fast Pick 925GBH Backhoe Package for Boomer 54D CVT Cab Package Contains: - 717751 (Subframe) - 439069 (Hydraulic Kit) - 716434 (18" Bucket) - 717916 (Mechanical Thumb)			(\$196.00)

**925GBH BACKHOE
US PRICE LIST**

(Telford, TN)

BACKHOE OPTIONS

SUBFRAMES

SD_N5701 HITCH AND SUBFRAME

		439141	S-FRM CL2 T4 ROP/CAB For Boomer COMPACT 33/37 ROPS & 37 CAB (T4B) (439141006)			No Charge
		439142	S-FRM CL3 T4 ROP/CAB For Boomer COMPACT (439142006) - 41/47 ROPS/CAB (T4B) - 45/50/55 ROPS/CAB (T4B)			No Charge
		439203	S-FRM CLS2 LS ENG T4 For Boomer Compact (439203006) - 35 and 40 ROPS (T4B) - 40 Cab (T4B)			No Charge
		439204	S-FRM CLS2 LS439204 For WORKMASTER COMPACT 35/40 (T4B) (439204006)			No Charge
		717972	Subframe CL2 For WORKMASTER COMPACT 33/37 (T4B) (717972016)			No Charge
		717751	Front Quick Hitch - Class 3 For Boomer CVT (Tier 3 & Tier 4) (717751026) Fits All Boomer 3000 Tractors (New Axle only), Boomer 46D/54D & Boomer 45D/50D (Canada Only)			No Charge
		439055	Subframe Economy For WORKMASTER COMPACT 35/40 (T3 ONLY) (439055026)			No Charge

HYDRAULICS

SD_20102 HYDRAULIC KIT

		439138	HYD KIT CL2 33/37 For WORKMASTER COMPACT (439138006) - 33/37 (T4B) - 35/40 (T4B)			No Charge
		439143	HYD CLS2 T4 ROPS/CAB For Boomer COMPACT (439143006) - 33/37 ROPS & 37 CAB (T4B) - 35/40 ROPS & 40 CAB (T4B)			No Charge
		439144	HYD CLS3 T4 ROPS/CAB For Boomer COMPACT (439144006) - 41/47 ROPS/CAB (T4B) - 45/50/55 ROPS/CAB (T4B)			No Charge
		439113	Hyd Kit Cls 3 ROPS For Boomer 41/47 & Boomer 40/50 (439113006) ROPS Only			No Charge

**925GBH BACKHOE
US PRICE LIST**

(Telford, TN)

		439069	Hyd Kit Cls 3 CVT For Boomer CVT 3040/3045/3050/45D/46D/50D/54D (439069016)			No Charge
		439056	Hyd Kit Economy For WORKMASTER COMPACT 35/40 (T3 ONLY) (439056016)			No Charge
		717974	HYD Kit CL2 30/35 HP For Boomer 30/35 (T3 ONLY) (717974016)			No Charge

BUCKETS

SD_N5403 12 IN STD BUCKET

		716399	12 In./305mm Standard Bucket (716399046 - 915GBH) (716399056 - 925GBH / 935GBH)			\$461.00
--	--	--------	---	--	--	----------

SD_N5405 16 IN STD BUCKET

		716400	16 In. Standard Bucket (716400036- 915GBH) (716400046 - 925GBH / 935GBH)			\$519.00
--	--	--------	--	--	--	----------

SD_N5407 18 IN STD BUCKET

		716434	18 In./457mm Standard Bucket (716434046 - 925GBH / 935GBH)			\$542.00
--	--	--------	--	--	--	----------

SD_N5409 24 IN STD BUCKET

		716401	24 In. Standard Bucket (716401016 - 925GBH & 935GBH)			\$575.00
--	--	--------	---	--	--	----------

OTHER

SD_50005 BIG FOOT DIRT PADS

		716525	Big Foot Dirt Pads For 925GBH / 935GBH ONLY (716525046)			\$273.00
--	--	--------	---	--	--	----------

SD_50092 RUBBER STREET PADS

		716410	Rubber Street Pads For 915GBH, 925GBH & 935GBH (716410056)			\$186.00
--	--	--------	--	--	--	----------

SD_N5702 FRONT BRACKETS

		439118	Fr Hanger Brkt Cls 2 Front Hanger Kit for Boomer 30 & 35 (T3) - Must be used with 717972016 (Boomer 33/37 subframe) to allow Tier 4 subframe to fit Tier 3 units. (439118006)			\$56.00
		439119	Fr Hanger Brkt Cls 3 Front Hanger Kit for Boomer 40 & 50 (T3) - Must be used with 717973016 (Boomer 41/47 subframe) to allow Tier 4 subframe to fit Tier 3 units. (439119006)			\$56.00



925GBH BACKHOE
US PRICE LIST

(Telford, TN)

SD_N6413 MECH THUMB

		717916	Mechanical Thumb (717916026 - 915GBH) (717916036 - 925GBH)			\$548.00
--	--	--------	--	--	--	----------



**925GBH BACKHOE
US PRICE LIST**

(Telford, TN)

Factory Supplied Attachments

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

Factory Supplied Attachments

716399056	12In 3 Teeth 1.02 Cu. Ft Heaped Std/1.16	86 LB		\$265.00
716400046	16In 4 Teeth 1.38 Cu. Ft Heaped Std/1.59	97 LB		\$296.00
716434046	18In 4 Teeth 1.57 Cu. Ft Heaped Std/1.79	107 LB		\$326.00
716401016	24In 4 Teeth 2.13 Cu. Ft Heaped Std/2.42	126 LB		\$347.00
716525046	Big Foot Dirt Pads	52 LB		\$268.00
717916036	Mechanical Thumb Class 2 7.5 Ft	90 LB		\$286.00

439055026	SUBFRAME CLS 2 35/40 HP ECONOMY For WORKMASTER COMPACT 35/40 (T3 ONLY)	95 LB		\$439.00
439056016	HYD KIT CLS 2 35/40 HP ECONOMY T3 For WORKMASTER COMPACT 35/40 (T3 ONLY)	15 LB		\$107.00
439069016	HYD KIT CLS 3 CVT MY14 For Boomer CVT 3040/3045/3050/45D/46D/50D/54D	15 LB		\$122.00
439113006	HYD KIT CLS 3 41/47 HP T4 For Boomer 41/47 & Boomer 40/50	15 LB		\$122.00
439138006	HYD KIT CLS2 33/37 HP T4 ECONOMY For WORKMASTER COMPACT - 33/37 (T4B) - 35/40 (T4B)	15 LB		\$107.00
439141006	Subframe CLS2 T4 ROPS/CAP For Boomer COMPACT 33/37 ROPS & 37 CAB (T4B)	95 LB		\$439.00
439142006	Subframe CLS3 T4 ROPS/CAB For Boomer COMPACT - 41/47 Rops & CAB (T4B) - 45/50/55 Rops & CAB (T4B)	95 LB		\$541.00
439143006	HYD Kit CLS2 T4 ROPS/CAB For Boomer COMPACT - 33/37 ROPS & 37 CAB (T4B) - 35/40 ROPS & 40 CAB (T4B)	15 LB		\$107.00
439144006	Hyd Kit CLS3 T4 ROPS/CAB For Boomer COMPACT - 41/47 ROPS & CAB (T4B) - 45/50/55 ROPS & CAB (T4B)	95 LB		\$122.00
439203006	SUBFRAME CLS2 LS ENG T4 ROPS/CAB For Boomer Compact - 35 and 40 ROPS (T4B) - 40 Cab (T4B)	95 LB		\$439.00
439204006	SUBFRAME CLS2 LS ENG T4 ECON For WORKMASTER COMPACT 35/40 (T4B)	95 LB		\$439.00
716410056	Rubber Street Pads	4 LB		\$101.00
717751026	SUBFRAME CLS 3 AT Subframe For Boomer CVT (Tier 3 & Tier 4) Fits All Boomer 3000 Tractors (New Axle only), Boomer 46D/54D & Boomer 45D/50D (Canada Only)	100 LB		\$541.00
717972016	SUBFRAME CLS 2 33/36 HP T4 For WORKMASTER COMPACT 33/37 (T4B)	95 LB		\$439.00



**925GBH BACKHOE
US PRICE LIST**

(Telford, TN)

	717973016	SUBFRAME CLS 3 40/46 HP T4 For Boomer 46D/54D	95 LB		\$541.00
	717974016	HYD KIT CLS2 30/35 HP T3 For Boomer COMPACT 30/35 (T3 ONLY)	15 LB		\$107.00



**935GBH BACKHOE
US PRICE LIST**

(Telford, TN)

Standard Equipment

BACKHOE MODEL: 935GBH

SEE COMPATIBILITY GUIDE FOR
IMPLEMENT COMPATIBILITY

TRACTOR APPLICATION:

Current New Holland Compact Models

- Boomer 35/40/45/50/55 ROPS (T4B)
- Boomer 40/45/50/55 Cab (T4B)
- Boomer 46D/54D CVT
- Boomer 45D/50D CVT (Canada Only)
- WORKMASTER 35/40 (T4B)
- WORKMASTER 50/60/70 (T4B)

Prior New Holland Compact Models

- Boomer 33/37/41/47 ROPS (T4B)
- Boomer 37/41/47 Cab (T4B)
- Boomer CVT 3040/3045/3050
- WORKMASTER 33/37 (T4B)
- WORKMASTER 35/40 (T3)
- Boomer 30/35/40/50 (T3)

***SPECIFICATIONS:**

Digging Depth - 100 (in.)
Reach from Swing Pivot - 130 (in.)
Transport Height - 88 (in.)
Bucket Rotation - 180°
Stabilizer Spread:
 Transport - 56 (in.)
 Operating - 119 (in.)
Loading Height 76.0 (in.)
Swing Arc - 175°
Bucket Digging Forces - 4480 (lbs.)
Dipper Stick Digging Forces- 2533 (lbs.)
Operating Pressure - 2500 psi
Shipping Weight - 854 (lbs).

*Specifications vary with tractor model,
hydraulic system, tire size, etc.

The following items are required to
make up a complete backhoe:

- Basic Packaged Backhoe
- Subframe (one required)
- Hydraulic Kit (one required)
- Bucket (one required)
- Optional Equipment

IMPORTANT INFORMATION

The tractor must be equipped with a
front end loader or front mount blade
when installing a 900 Series backhoe.

Note: Mid-mount mower is not
compatible with backhoe installed.

WARRANTY

New Holland Standard Warranty Applies



935GBH BACKHOE
US PRICE LIST

(Telford, TN)

Standard Equipment

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
935GBH	1,065 LB		\$9,344.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

SUBFRAMES

SD_N5701 HITCH AND SUBFRAME

	439111	SUBFRAME 45/55 HP For WORKMASTER UTILITY 45/50/55/60/70 (439111006)			No Charge
	439141	S-FRM CL2 T4 ROP/CAB For Boomer COMPACT 33/37 ROPS & 37 CAB (T4B) (439141006)			No Charge
	439142	S-FRM CL3 T4 ROP/CAB For Boomer COMPACT (439142006) - 41/47 ROPS/CAB (T4B) - 45/50/55 ROPS/CAB (T4B)			No Charge
	439203	S-FRM CLS2 LS ENG T4 For Boomer Compact (439203006) - 35 and 40 ROPS (T4B) - 40 Cab (T4B)			No Charge
	439204	S-FRM CLS2 LS439204 For WORKMASTER COMPACT 35/40 (T4B) (439204006)			No Charge
	717972	Subframe CL2 For WORKMASTER COMPACT 33/37 (T4B) (717972016)			No Charge
	717751	Front Quick Hitch - Class 3 For Boomer CVT (Tier 3 & Tier 4) (717751026) Fits All Boomer 3000 Tractors (New Axle only), Boomer 46D/54D & Boomer 45D/50D (Canada Only)			No Charge
	439055	Subframe Economy For WORKMASTER COMPACT 35/40 (T3 ONLY) (439055026)			No Charge

**935GBH BACKHOE
US PRICE LIST**

(Telford, TN)

HYDRAULICS

SD_20102 HYDRAULIC KIT

		439138	HYD KIT CL2 33/37 For WORKMASTER COMPACT (439138006) - 33/37 (T4B) - 35/40 (T4B)			No Charge
		439143	HYD CLS2 T4 ROPS/CAB For Boomer COMPACT (439143006) - 33/37 ROPS & 37 CAB (T4B) - 35/40 ROPS & 40 CAB (T4B)			No Charge
		439144	HYD CLS3 T4 ROPS/CAB For Boomer COMPACT (439144006) - 41/47 ROPS/CAB (T4B) - 45/50/55 ROPS/CAB (T4B)			No Charge
		717914	Hyd Kit WM/FA For WORKMASTER 45/50/55/60/70 (717914016)			No Charge
		439113	Hyd Kit Cls 3 ROPS For Boomer 41/47 & Boomer 40/50 (439113006) ROPS Only			No Charge
		439069	Hyd Kit Cls 3 CVT For Boomer CVT 3040/3045/3050/45D/46D/50D/54D (439069016)			No Charge
		439056	Hyd Kit Economy For WORKMASTER COMPACT 35/40 (T3 ONLY) (439056016)			No Charge
		717974	HYD Kit CL2 30/35 HP For Boomer 30/35 (T3 ONLY) (717974016)			No Charge

BUCKETS

SD_N5403 12 IN STD BUCKET

		716399	12 In./305mm Standard Bucket (716399046 - 915GBH) (716399056 - 925GBH / 935GBH)			\$461.00
--	--	--------	---	--	--	----------

SD_N5405 16 IN STD BUCKET

		716400	16 In. Standard Bucket (716400036- 915GBH) (716400046 - 925GBH / 935GBH)			\$519.00
--	--	--------	--	--	--	----------

SD_N5407 18 IN STD BUCKET

		716434	18 In./457mm Standard Bucket (716434046 - 925GBH / 935GBH)			\$542.00
--	--	--------	--	--	--	----------



**935GBH BACKHOE
US PRICE LIST**

(Telford, TN)

SD_N5409 24 IN STD BUCKET

		716401	24 In. Standard Bucket (716401016 - 925GBH & 935GBH)			\$575.00
--	--	--------	---	--	--	----------

OTHER

SD_50005 BIG FOOT DIRT PADS

		716525	Big Foot Dirt Pads For 925GBH / 935GBH ONLY (716525046)			\$273.00
--	--	--------	---	--	--	----------

SD_50092 RUBBER STREET PADS

		716410	Rubber Street Pads For 915GBH, 925GBH & 935GBH (716410056)			\$186.00
--	--	--------	--	--	--	----------

SD_N5702 FRONT BRACKETS

		439118	Fr Hanger Brkt Cls 2 Front Hanger Kit for Boomer 30 & 35 (T3) - Must be used with 717972016 (Boomer 33/37 subframe) to allow Tier 4 subframe to fit Tier 3 units. (439118006)			\$56.00
		439119	Fr Hanger Brkt Cls 3 Front Hanger Kit for Boomer 40 & 50 (T3) - Must be used with 717973016 (Boomer 41/47 subframe) to allow Tier 4 subframe to fit Tier 3 units. (439119006)			\$56.00

SD_N6413 MECH THUMB

		439122	Mechanical Thumb Class 3 (439122006 - 935GBH)			\$548.00
--	--	--------	---	--	--	----------

**935GBH BACKHOE
US PRICE LIST**

(Telford, TN)

Factory Supplied Attachments

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

Factory Supplied Attachments

716399056	12In 3 Teeth 1.02 Cu. Ft Heaped Std/1.16	86 LB		\$265.00
716400046	16In 4 Teeth 1.38 Cu. Ft Heaped Std/1.59	97 LB		\$296.00
716434046	18In 4 Teeth 1.57 Cu. Ft Heaped Std/1.79	107 LB		\$326.00
716401016	24In 4 Teeth 2.13 Cu. Ft Heaped Std/2.42	126 LB		\$347.00
716525046	Big Foot Dirt Pads	52 LB		\$268.00

439122006	Mechanical Thumb Class 3 8.5 Ft	90 LB		\$301.00
439055026	SUBFRAME CLS 2 35/40 HP ECONOMY For WORKMASTER COMPACT 35/40 (T3 ONLY)	95 LB		\$439.00
439056016	HYD KIT CLS 2 35/40 HP ECONOMY T3 For WORKMASTER COMPACT 35/40 (T3 ONLY)	15 LB		\$107.00
439069016	HYD KIT CLS 3 CVT MY14 For Boomer CVT 3040/3045/3050/45D/46D/50D/54D	15 LB		\$122.00
439111006	SUBFRAME 45/55 HP For WORKMASTER UTILITY 45/50/55/60/70	95 LB		\$541.00
439113006	HYD KIT CLS 3 41/47 HP T4 For Boomer 41/47 & Boomer 40/50	15 LB		\$122.00
439138006	HYD KIT CLS2 33/37 HP T4 ECONOMY For WORKMASTER COMPACT - 33/37 (T4B) - 35/40 (T4B)	15 LB		\$107.00
439141006	Subframe CLS2 T4 ROPS/CAP For Boomer COMPACT 33/37 ROPS & 37 CAB (T4B)	95 LB		\$439.00
439142006	Subframe CLS3 T4 ROPS/CAB For Boomer COMPACT - 41/47 Rops & CAB (T4B) - 45/50/55 Rops & CAB (T4B)	95 LB		\$541.00
439143006	HYD Kit CLS2 T4 ROPS/CAB For Boomer COMPACT - 33/37 ROPS & 37 CAB (T4B) - 35/40 ROPS & 40 CAB (T4B)	15 LB		\$107.00
439144006	Hyd Kit CLS3 T4 ROPS/CAB For Boomer COMPACT - 41/47 ROPS & CAB (T4B) - 45/50/55 ROPS & CAB (T4B)	95 LB		\$122.00
439203006	SUBFRAME CLS2 LS ENG T4 ROPS/CAB For Boomer Compact - 35 and 40 ROPS (T4B) - 40 Cab (T4B)	95 LB		\$439.00
439204006	SUBFRAME CLS2 LS ENG T4 ECON For WORKMASTER COMPACT 35/40 (T4B)	95 LB		\$439.00
716410056	Rubber Street Pads	4 LB		\$101.00
717751026	SUBFRAME CLS 3 AT Subframe For Boomer CVT (Tier 3 & Tier 4) Fits All Boomer 3000 Tractors (New Axle only), Boomer 46D/54D & Boomer 45D/50D (Canada Only)	100 LB		\$541.00



**935GBH BACKHOE
US PRICE LIST**

(Telford, TN)

	717914016	HYD KIT F/WORKMASTER 45/55 HP For WORKMASTER UTILITY 45/50/55/60/70	15 LB		\$122.00
	717972016	SUBFRAME CLS 2 33/36 HP T4 For WORKMASTER COMPACT 33/37 (T4B)	95 LB		\$439.00
	717973016	SUBFRAME CLS 3 40/46 HP T4 For Boomer 46D/54D	95 LB		\$541.00
	717974016	HYD KIT CLS2 30/35 HP T3 For Boomer COMPACT 30/35 (T3 ONLY)	15 LB		\$107.00



**905GBL BACKHOE FOR WM25S ONLY
US PRICE LIST**

(Telford, TN)

Standard Equipment

BACKHOE MODEL: 905GBL

SEE COMPATIBILITY GUIDE FOR
IMPLEMENT COMPATIBILITY

TRACTOR APPLICATIONS:

Current New Holland Compact Models
- WORKMASTER™ 25S

NOTE: 905GBL is only compatible with
WORKMASTER 25S Subcompact

905GBL backhoe package includes:

- Basic Packaged Backhoe
- Subframe
- Hydraulic Kit
- Swivel Seat Base (for WM25S)
- 9" Bucket

Specifications:

Transport Height (in.): 74.6
Loading Height (in.): 59.6
Overall Width (in.): 45.3
Ground Clearance (in.): 12.8
Maximum Digging Depth (in.): 75.2
Reach from Centerline of Swing Pivot
(in.): 115
Swing Arc (deg.): 135
Bucket Rotating (deg.): 169.4
Stabilizer Spread (Down) (in.): 78.6
Stabilizer Spread (Up) (in.): 53.3
Bucket Digging Force per SAEJ49 (lbs.)
w/Bucket Cylinder: 2,194
w/Dipperstick Cylinder: 1332

Shipping Weight (lbs.): 707

IMPORTANT INFORMATION

The tractor must be equipped with a
LC100 front end loader when installing
a 905GBL Backhoe.

Note: Mid-mount mower is
compatible with backhoe installed.

WARRANTY

New Holland Standard Warranty Applies



**910GBL BACKHOE FOR WM25 ONLY
US PRICE LIST**

(Telford, TN)

Standard Equipment

BACKHOE MODEL: 910GBL

SEE COMPATIBILITY GUIDE FOR
IMPLEMENT COMPATIBILITY

TRACTOR APPLICATIONS:

Current New Holland Compact Models
- WORKMASTER™ 25

NOTE: 910GBL is only compatible with
WORKMASTER 25 Subcompact

Specifications:

Transport Height (in.): 77.2
Loading Height (in.): 63.6
Overall Width (in.): 53.3
Ground Clearance (in.): 14.4
Maximum Digging Depth (in.): 76.4
Reach from Centerline of Swing Pivot
(in.): 113.2
Swing Arc (deg.): 180
Bucket Rotating (deg.): 180
Stabilizer Spread (Down) (in.): 68.7
Stabilizer Spread (Up) (in.): 46.5
Bucket Digging Force per SAEJ49 (lbs.)
w/ Bucket Cylinder: 2817
w/ Dipperstick Cylinder: 1748

Shipping Weight (lbs.): 1092

910GBL backhoe Package includes:

- Basic Packaged Backhoe
- Subframe
- Hydraulic Kit
- Swivel Seat Base (for WM25)
- 12" Bucket

IMPORTANT INFORMATION

The tractor must be equipped with a
LC200 front end loader when installing
a 910GBL Backhoe.

Note: Mid-mount mower is NOT
compatible with backhoe installed.

WARRANTY

New Holland Standard Warranty Applies



**60RBH FRONT MOUNT BLADES (FOR WM25S)
US PRICE LIST**

**(Thetford Mines, Quebec)
Standard Equipment**

60RBHB Front Mount Blade - QA

SEE COMPATIBILITY GUIDE FOR
IMPLEMENT COMPATIBILITY

TRACTOR APPLICATIONS:

Current New Holland Compact Models
- WORKMASTER™ 25S (Subcompact)

SPECIFICATIONS:

Moldboard Width - 60 (in.)
Moldboard Height - 18 5/8 (in.)
Reversible Cutting Edge - Standard
Cutting Edge Thickness - 1/2 (in.)
Manual Angling - N/A
Hydraulic Angling - Standard
Angling Range - 0 to 30 degrees

The following items are required to
make up a complete front mount blade:

- Packaged Front Mount Blade
- Hitch and Subframe

NOTE: The WORKMASTER 25S comes
standard with a mid-mount valve.

Note: Only One

- Quick Hitch/Subframe
 - Mid PTO Drive kit
- per tractor needed for Blade, Broom,
and/or Blower head units

New Holland recommends the use of a
ballasting box when installing front
mounted implements.

WARRANTY

New Holland Standard Warranty Applies

SHIPPING POINT:

Thetford Mines, Quebec, Canada



60RBH FRONT MOUNT BLADES (FOR WM25S)
US PRICE LIST

(Thetford Mines, Quebec)

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
60RBHB	500 LB		\$1,341.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

ATTACHMENT SECTION

REQUIRED OPTIONS

SD_N5701 HITCH AND SUBFRAME

		439330	SUBFRAME LS For WORKMASTER 25S (439330006)			\$685.00
--	--	--------	---	--	--	----------



**60RBH FRONT MOUNT BLADES (FOR WM25S)
US PRICE LIST**

(Thetford Mines, Quebec)

Factory Supplied Attachments

Order Code		Description	Weight	Factory Data	List Price
	439330006	MOUNTING FRAME For WORKMASTER 25S (439330006)	80 LB		\$545.00



**60CBH FRONT MOUNT BLADES
US PRICE LIST**

**(Thetford Mines, Quebec)
Standard Equipment**

60CBHA Front Mount Blade - QA

SEE COMPATIBILITY GUIDE FOR
IMPLEMENT COMPATIBILITY

TRACTOR APPLICATIONS:

Current New Holland Compact Models
- Boomer™ 24

Prior New Holland Compact Models
- Boomer™ 20 / 25

SPECIFICATIONS:

Moldboard Width - 60 (in.)
Moldboard Height - 22 (in.)
Reversible Cutting Edge - Standard
Cutting Edge Thickness - 1/2 (in.)
Manual Angling - N/A
Hydraulic Angling - Standard
Angling Range - 0 to 30 degrees
Adjustable Skid Shoes - Standard

The following items are required to
make up a complete front mount blade:

- Packaged Front Mount Blade
- Hitch and Subframe
- Mid-Mount Valve for tractor
- Optional Equipment can be added
as desired.

NOTE: If tractor does not have a mid-
mount valve, see tractor DIA pages to
order mid-mount valve.

New Holland recommends the use of a
ballasting box when installing front
mounted implements.

WARRANTY

New Holland Standard Warranty Applies

SHIPPING POINT:

Thetford Mines, Quebec, Canada



**60CBH FRONT MOUNT BLADES
US PRICE LIST**

(Thetford Mines, Quebec)

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
60CBHA	311 LB		\$2,316.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
439030	Subframe Cls 1 20/25 For Boomer 24 & Boomer 20/25			\$1,743.00



60CBH FRONT MOUNT BLADES
US PRICE LIST

(Thetford Mines, Quebec)

Factory Supplied Attachments

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

Hitch and Subframe

	439030006	Hitch Subframe Boomer 20/25 For Boomer 24 & Boomer 20/25	218 LB		\$575.00
--	-----------	---	--------	--	----------

Ballast Box

	717746006	Ballast Box 500 Lb Max 0.5,0.7 500 LB Max (Class .5, .75, 1, & 2 compact tractors)	100 LB		\$161.00
--	-----------	--	--------	--	----------



**72CBH FRONT MOUNT BLADES
US PRICE LIST**

**(Thetford Mines, Quebec)
Standard Equipment**

72CBHA Front Mount Blade - QA

SEE COMPATIBILITY GUIDE FOR
IMPLEMENT COMPATIBILITY

TRACTOR APPLICATIONS:

- Current New Holland Compact Models
- Boomer 35/40/45/50/55 ROPS (T4B)
 - Boomer 40/45/50/55 Cab (T4B)
 - Boomer 46D/54D CVT
 - Boomer 45D/50D CVT (Canada Only)
 - WORKMASTER 25/35/40 (T4B)

Prior New Holland Compact Models

- Boomer 33/37/41/47 ROPS (T4B)
- Boomer 37/41/47 Cab (T4B)
- Boomer CVT 3040/3045/3050
- WORKMASTER 35/40 (T3)
- WORKMASTER 33/37 (T4B)
- Boomer 30/35/40/50 (T3)

SPECIFICATIONS:

Moldboard Width - 72 (in.)
Moldboard Height - 22 (in.)
Reversible Cutting Edge - Standard
Cutting Edge Thickness - 1/2 (in.)
Manual Angling - N/A
Hydraulic Angling - Standard
Angling Range - 0 to 30 degrees
Adjustable Skid Shoes - Standard

The following items are required to
make up a complete front mount blade:

- Packaged Front Mount Blade
- Quick Hitch and Subframe
- Mid-mount valve for tractor
- Optional Equipment can be added
as desired.

**Hydraulic Valve Kit Shipping Point
Service Parts**

Boomer 35/40/45/50/55 (T4B) and
33/37/41/47 (T4B)

NOTE: If tractor does not have
couplers (ordered without loader),
Coupler Kit # 47608158 must be
ordered

NOTE: A cross-over relief valve is
required to operate the 72CBHA front
blade on a Boomer 30, 35, 40, or 50
(T3) and WORKMASTER 35, 40 (T3)

(Order through Service Parts)
BERBER0076 - Cross-over relief valve kit

New Holland recommends the use of a
ballasting box when installing front
mounted implements.

WARRANTY

New Holland Standard Warranty Applies

SHIPPING POINT:

Thetford Mines, Quebec, Canada

72CBH FRONT MOUNT BLADES US PRICE LIST

(Thetford Mines, Quebec)

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
72CBHA	535 LB		\$3,071.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
439205	<p>S-FRM CLS2 LS439205 For COMPACT (439205006) Current Models - Boomer 35/40 ROPS (T4B) - Boomer 40 CAB (T4B) - Boomer 45/50/55 ROPS (T4B) - Boomer 45/50/55 CAB (T4B) - WORKMASTER 35/40 (T4B) Prior models - Boomer 33/37 ROPS (T4B) - Boomer 37 Cab (T4B) - *Boomer 41/47 ROPS (T4B) - *Boomer 41/47 CAB (T4B) - WORKMASTER 33/37 (T4B) * 439315 - Front mount completion hanger must also be ordered</p>			\$2,090.00
439447	<p>SUBFRAME, LS EC 25 For WORKMASTER 25 (439447006)</p>			\$2,090.00
717989	<p>Front Quick Hitch 30/35/40/50 For Boomer 30/35/40/50 (T3 ONLY) (717989006) (CURRENT INVENTORY ONLY) A cross-over relief valve is required to operate the 72CBH front blade on a Boomer 30/35/40/50 (T3 ONLY) BERBER0076 - Cross-over relief valve kit (Order through Service Parts) Does Not fit: Boomer 33/37/41/47</p>			\$2,090.00
717751	<p>Front Quick Hitch - Class 3 For Boomer™ EasyDrive™ CVT Models (717751006) Conventional Axle Only: Serial ZDMB11924 and below</p>			\$2,232.00
439068	<p>S-Frame CLS3AT MY14 For Boomer™ EasyDrive™ CVT Models (439068006) Conventional Axle Only: Serial ZDMB11925 and above & Tier IV</p>			\$2,232.00



**72CBH FRONT MOUNT BLADES
US PRICE LIST**

(Thetford Mines, Quebec)

		439055	Subframe Economy For WORKMASTER 35/40 Compact tractors (T3 ONLY) (439055006) A cross-over relief valve is required to operate the 72CBH front blade on a WORKMASTER 35/40 (T3) BERBER0076 - Cross-over relief valve kit (Order through Service Parts)			\$2,090.00
--	--	--------	---	--	--	------------

SD_N5702 FRONT BRACKETS

		439315	FR MNT HANGER BRCKT 439315 (006) Front mount completion hanger is required for Boomer 41/47 (T4B) ROPS and CAB applications			No Charge
--	--	--------	---	--	--	-----------

**72CBH FRONT MOUNT BLADES
US PRICE LIST**

(Thetford Mines, Quebec)

Factory Supplied Attachments

Order Code	Description	Weight	Factory Data	List Price
Hitch and Subframe				
717989006	SUBFRAME 30/35/40/50 HP For Boomer 30/35/40/50 (T3 ONLY) (CURRENT INVENTORY ONLY) A cross-over relief valve is required to operate the 72CBH front blade on a Boomer 30/35/40/50 (T3 ONLY) BERBER0076 - Cross-over relief valve kit (Order through Service Parts)	325 KG		\$663.00
717751006	SUBFRAME CLS 3 For Boomer™ EasyDrive™ CVT Models Conventional Axle Only: Serial ZDMB11924 and below	510 LB		\$2,188.00
439447006	SUBFRAME - LS ECONOMY WM25 MHI T4 For WORKMASTER 25 (439447006)	375 LB		\$1,107.00
439055006	Subframe 35/40 HP Economy For WORKMASTER 35/40 Compact tractors (T3 ONLY) (439055006) A cross-over relief valve is required to operate the 72CBH front blade on a WORKMASTER 35/40 (T3 ONLY) BERBER0076 - Cross-over relief valve kit (Order through Service Parts)	363 LB		\$882.00
439068006	Hitch and Sub Frame For Boomer™ EasyDrive™ CVT Models (439068006) Conventional Axle Only: Serial ZDMB11925 and above & Tier IV	510 KG		\$940.00
439205006	SUBFRAME CLS2 LS ENG T4 ECON PREM ROPS/C For COMPACT (439205006) Current Models - Boomer 35/40 ROPS (T4B) - Boomer 40 CAB (T4B) - Boomer 45/50/55 ROPS (T4B) - Boomer 45/50/55 CAB (T4B) - WORKMASTER 35/40 (T4B) Prior models - Boomer 33/37 ROPS (T4B) - Boomer 37 Cab (T4B) - *Boomer 41/47 ROPS (T4B) - *Boomer 41/47 CAB (T4B) - WORKMASTER 33/37 (T4B) * 439315 - Front mount completion hanger must also be ordered	360 LB		\$1,331.00



**72CBH FRONT MOUNT BLADES
US PRICE LIST**

(Thetford Mines, Quebec)

Ballast Box

		717747006	Ballast box 1000 Lb Max (Category I) 1000 LB MAX (Class III compact tractors)	169 LB		\$209.00
		439315006	FR MNT COMPLETION HANGER 439315 (006) Front mount completion hanger is required for Boomer 41/47 (T4B) ROPS and CAB applications	20 LB		\$36.00



**160GMS MID-MOUNT MOWER FOR WM25S
US PRICE LIST**

Standard Equipment

160GMS Side Discharge (717966306)

SEE COMPATIBILITY GUIDE FOR
IMPLEMENT COMPATIBILITY

TRACTOR APPLICATIONS:

Current New Holland Compact Models
- WORKMASTER™ 25S

160GMS is only compatible with the
WORKMASTER 25S

Specifications

Cutting Width (in.): 60
Overall Width (in.): 75.6
Cutting Height Range (in.): 1 to 4
Deck Shell Thickness (in.): 0.126
Spindle Speed at 3000 RPM: 2,640
Blade Tip Speed (ft./min.): 14,144
Number of Blades: 3
Blade Length (in.): 20.5
Blade Width (in.): 2.48
Blade Thickness (in.): 0.236
Weight of Base 60" Deck (lbs.): 285

WARRANTY:

New Holland Standard Warranty Applies



**160GMS MID-MOUNT MOWER FOR WM25S
US PRICE LIST**

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
160GMS	293 LB		\$2,108.00



**266WMM FOR WORKMASTER 25
US PRICE LIST**

Standard Equipment

266WMM Side Discharge (717966336)

SEE COMPATIBILITY GUIDE FOR
IMPLEMENT COMPATIBILITY

TRACTOR APPLICATIONS:

Current New Holland Compact Models
- WORKMASTER™ 25

SPECIFICATIONS:

"Drive-over" design for installation
Cutting Width (in.) - 66
Cutting Height (in.) - 1-4
Overall width (in.) - discharge chute
down 79
Number of Blades - 3
Blade Type - Standard

Blade Length/Width (in.)- 23 L x 2.5 W
Blade Tip Speed (in feet per minute) -
Less than 14255 (ANSI)
Drive - Mid PTO
Gauge Wheels (in.) - 3x6 (2) 2x6 (2)
Deck Spring suspension - Yes
Deck Shell Weldment - 10 gauge sides
& top, Belt Guard - 10 gauge

NOTE: the mower linkage supplied with
the 266WMM mower is designed to
work on WORKMASTER 25 compacts
equipped with 200LC Loaders. If a
200LC loader is not installed you must
order linkage completion kit 439054016
to complete mower installation.



**266WMM FOR WORKMASTER 25
US PRICE LIST**

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
266WMM FOR WM25	1,000 LB		\$3,823.00



266WMM FOR WORKMASTER 25
US PRICE LIST

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

SD_H5801 COMPLETING PACKAGES

Mid PTO Drive				
	439054	Linkage CLS 2 Econ 439054 MUST BE ORDERED IF THE WORKMASTER 25 THE 266WMM IS BEING INSTALLED ON DOES NOT HAVE A 200LC LOADER INSTALLED. IF THE UNIT DOES HAVE A LOADER INSTALLED 439054 IS NOT REQUIRED		No Charge



**266BMM FOR BOOMER 35/40 & WM 35/40
US PRICE LIST**

Standard Equipment

266BMM Side Discharge (717966356)

SEE COMPATIBILITY GUIDE FOR
IMPLEMENT COMPATIBILITY

TRACTOR APPLICATIONS:

- Current New Holland Compact Models
- WORKMASTER™ 35/40 T4B HST
- Boomer™ 35/40 ROPS (Gear & HST)

SPECIFICATIONS:

"Drive-over" design for installation
Cutting Width (in.) - 66
Cutting Height (in.) - 1-4
Overall width (in.) - discharge chute
down 79
Number of Blades - 3

Blade Type - Standard

Blade Length/Width (in.)- 23 L x 2.5 W

Blade Tip Speed (in feet per minute) -
Less than 14255 (ANSI)

Drive - Mid PTO

Gauge Wheels (in.) - 3x6 (2) 2x6 (2)

Deck Spring suspension - Yes

Deck Shell Weldment - 10 gauge sides
& top, Belt Guard - 10 gauge

NOTE: the mower linkage supplied with
the 266BMM mower allows it to be
used on WORKMASTER 35/40 T4B
models with HST transmission or Boomer
35/40 T4B ROPS models with Gear or
HST transmission.



**300 SERIES REAR-MOUNTED FINISH MOWERS
US PRICE LIST**

**(Shipment from Depots)
Standard Equipment**

The 300 series are 3-pt. mounted finishing mowers for use on tractors equipped with 540 rpm PTO. Prices include solid rubber gauge wheels.

Number of Blades
310GM - 3
320GM - 3
330GM - 5

MODEL:
310GM / 320GM / 330GM

Blade Speed (RPM)
310GM - 2,630
320GM - 2,230
330GM - 2,630

SIZE:
310GM - 60" (717676006)
320GM - 72" (717676026)
330GM - 90" (717676046)

Weight (lbs)
310GM - 435
320GM - 500
330GM - 683

SPECIFICATIONS:
Cutting Height Range 1 to 4"
3 Pt Mounted (floating hitch) Cat. 1
Rear Discharge
Discharge Safety Chain Standard
V Belt Drive Standard
Solid Rubber Gauge Wheels (fully rotating) 4
Standard PTO (RPM) 540

ACCESSORIES
(Order through Service Parts)

Mulching Kits:
SIT110283 72" Rear Discharge
SIT110284 60" Rear Discharge
SIT110285 90" Rear Discharge

PTO HP Rating up to:
310GM - 30
320GM - 40
330GM - 60

Anti-Scalp Kit (front adjustable roller):
SIT00364 60" & 72"
SIT00503 90"

Pneumatic Tire Kit:
SIT110318 60" Set of 4
SIT110319 72" Set of 4
SIT110320 90" Set of 4

Note: All Pneumatic Tire Kits Include
Wheels and Forks



**300 SERIES REAR-MOUNTED FINISH MOWERS
US PRICE LIST**

(Shipment from Depots)

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
310GM	435 LB		\$2,646.00
320GM	500 LB		\$2,874.00
330GM	683 LB		\$4,494.00



**MODEL 526GR FRONT MOUNT ROTARY BROOM
US PRICE LIST**

**(Thetford Mines, Quebec, Canada)
Standard Equipment**

526GR(B) FRONT MOUNT BROOM
(Reverse Drive Rotation)

SEE COMPATIBILITY GUIDE FOR
IMPLEMENT COMPATIBILITY

TRACTOR APPLICATIONS:

Current New Holland Compact Models
- Boomer™ 24

Prior New Holland Compact Models
- Boomer™ 20 / 25

Note: 526GR previously ordered for
T1110 / Boomer 1030 will not work
on the Boomer 20/25 & 24 because the
mid-PTO turns in the opposite direction.

SPECIFICATIONS:

Sweeping Width - 55 (in.)
Sweeping Width @ 25 ° - 49 (in.)
Broom Diameter - 18 (in.)
Bristle Material - Polypropylene
Brush Type - Wafer
Manual Angling - Standard
Angling Range - 0 to 25 °
Drive System - PTO/ Gearbox
#40 Chain
Storage Stand - Standard

The following items are required to
make up a complete front mount rotary
broom:

- Packaged Front Mount Rotary Broom
- Mid PTO Drive Kit
- Hitch and Subframe
- Hydraulic Valve Kit for tractor
(See Tractor Service Part pages)
- Optional Equipment can be added as
desired

Note: Only One

- Quick Hitch/Subframe
- Mid PTO Drive kit
- Hydraulic Valve Kit
per tractor needed for Blade, Broom,
and/or Blower head units

New Holland recommends the use of a
ballasting box when installing front
mounted implements.

SHIPPING POINT:

Thetford Mines, Quebec, Canada

WARRANTY:

New Holland Standard Warranty Applies



**MODEL 526GR FRONT MOUNT ROTARY BROOM
US PRICE LIST**

(Thetford Mines, Quebec, Canada)

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
526GR	425 LB		\$4,465.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

COMPLETING PACKAGES

ROTARY BROOM OPTIONS

SD_03007 MID PTO DRIVE KIT

		439031	Mid PTO CLS 1 20/25 For Boomer 24 & Boomer 20/25 (439031006)			\$906.00
--	--	--------	--	--	--	----------

SD_N5701 HITCH AND SUBFRAME

Hitch and Subframe

		439030	Subframe Cls 1 20/25 For Boomer 24 & Boomer 20/25 (439030006)			\$1,743.00
--	--	--------	---	--	--	------------

OPTIONAL EQUIPMENT

ROTARY BROOM OPTIONS

SD_20087 HYDRAULIC FRAME ANGLING KIT

		439044	HYD ANGLE CLS1 20/25 For Boomer 24 & Boomer 20/25 (439044006)			\$652.00
--	--	--------	---	--	--	----------

SD_29035 SIDE CASTER WHEEL KIT

		717231	Side Casterwheels Kit (717231006) - 526GR (717231016) - 72CO (717231016) - 60COBB	47 LB		\$350.00
--	--	--------	---	-------	--	----------



**MODEL 526GR FRONT MOUNT ROTARY BROOM
US PRICE LIST**

(Thetford Mines, Quebec, Canada)

Factory Supplied Attachments

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

Hitch and Subframe

	439030006	Hitch Subframe Boomer 20/25 For Boomer 24 & Boomer 20/25 (439030006)	218 LB		\$575.00
--	-----------	---	--------	--	----------

	439031006	MidPTO Drive Kit Boomer 20/25 For Boomer 24 & Boomer 20/25 (439031006)	18 LB		\$299.00
--	-----------	---	-------	--	----------

Optional Equipment

	717231006	2"X6" SIDE CASTER WHL KIT 6" X 3" on 526GR	30 LB		\$127.00
	439044006	Hydraulic Angling Kit Boomer 20/25 For Boomer 24 & Boomer 20/25. For 526GR	5 LB		\$223.00

Ballast Box

	717746006	Ballast Box 500 Lb Max 0.5,0.7 500 LB Max (Class .5, .75, 1, & 2 compact tractors)	100 LB		\$161.00
--	-----------	---	--------	--	----------



**60COBB FRONT MOUNT ROTARY BROOM (WM25S)
US PRICE LIST**

**(Thetford Mines, Quebec, Canada)
Standard Equipment**

60COBB FRONT MOUNT BROOM

SEE COMPATIBILITY GUIDE FOR
IMPLEMENT COMPATIBILITY

TRACTOR APPLICATIONS:

Current New Holland Compact Models
- WORKMASTER™ 25S (subcompact)

SPECIFICATIONS:

Sweeping Width - 57 (in.)
Sweeping Width @ 25 ° - 52 (in.)
Broom Diameter - 18 (in.)
Bristle Material - Nylon
Brush Type - Wafer
Hydraulic Angling - Optional
Angling Range - 0 to 25 °
Drive System - PTO/ Gearbox
#40 Chain
Storage Stand - Standard

The following items are required to
make up a complete front mount rotary
broom:

- Packaged Front Mount Rotary Broom
- Mid PTO Drive Kit
- Hitch and Subframe

NOTE: The WORKMASTER 25S comes
standard with a mid-mount valve.

Note: Only One

- Quick Hitch/Subframe
 - Mid PTO Drive kit
- per tractor needed for Blade, Broom,
and/or Blower head units

New Holland recommends the use of a
ballasting box when installing front
mounted implements.

SHIPPING POINT:

Thetford Mines, Quebec, Canada

WARRANTY:

New Holland Standard Warranty Applies

**60COBB FRONT MOUNT ROTARY BROOM (WM25S)
US PRICE LIST**

(Thetford Mines, Quebec, Canada)

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
60COBB	550 LB		\$2,375.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

COMPLETING PACKAGES

ROTARY BROOM OPTIONS

SD_03007 MID PTO DRIVE KIT

		439331	MID PTO DRIVE KIT LS For WORKMASTER 25S (439331006)			\$685.00
--	--	--------	---	--	--	----------

SD_N5701 HITCH AND SUBFRAME

		439330	SUBFRAME LS For WORKMASTER 25S (439330006)			\$685.00
--	--	--------	--	--	--	----------

OPTIONAL EQUIPMENT

ROTARY BROOM OPTIONS

SD_20087 HYDRAULIC FRAME ANGLING KIT

		715434	Hydraulic Angling Kit- for 526GR and 60COBB (715434026)	27 LB		\$652.00
--	--	--------	---	-------	--	----------

SD_29035 SIDE CASTER WHEEL KIT

		717231	Side Casterwheels Kit (717231006) - 526GR (717231016) - 72CO (717231016) - 60COBB	47 LB		\$617.00
--	--	--------	---	-------	--	----------

SD_N5702 FRONT BRACKETS

		XN5702X	No Front Brackets			No Charge
--	--	---------	-------------------	--	--	-----------



60COBB FRONT MOUNT ROTARY BROOM (WM25S)
US PRICE LIST

(Thetford Mines, Quebec, Canada)

Factory Supplied Attachments

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

Optional Equipment

	715434026	HYD ANGLING KIT for 526GR	27 LB		\$230.00
	717231016	2 X 6 side caster w/Wheel kit 6" x 2" on 72COBA, 72COBB	47 LB		\$219.00

	439330006	MOUNTING FRAME For WORKMASTER 25S (439330006)	80 LB		\$545.00
	439331006	PTO KIT For WORKMASTER 25S (439331006)	25 LB		\$356.00

**MODELS 72CO FRONT MOUNT ROTARY BROOM
US PRICE LIST**

(Thetford Mines, Quebec, Canada)

Standard Equipment

72COBA Front Mount Broom - QA
72COBB Front Mount Broom - QA

Drive System - PTO/ Gearbox
Storage Stand - Standard

SEE COMPATIBILITY GUIDE FOR
IMPLEMENT COMPATIBILITY

TRACTOR APPLICATIONS: 72COBA
Current New Holland Compact Models
- Boomer 46D/54D CVT
- Boomer 45D/50D CVT (Canada Only)
Requires Factory installed Mid PTO

Prior New Holland Compact Models
- Boomer CVT 3040/3045/3050
Requires Factory installed Mid PTO

TRACTOR APPLICATIONS: 72COBB
Current New Holland Compact Models
- Boomer 35/40/45/50/55 ROPS (T4B)
- Boomer 40/45/50/55 Cab (T4B)
- WORKMASTER 25/35/40 (T4B)

Prior New Holland Compact Models
- WORKMASTER 35/40 (T3)
- WORKMASTER 33/37 (T4B)
- Boomer 30/35/40/50 (T3)
- Boomer 33/37/41/47 (T4B)

SPECIFICATIONS:
Sweeping Width - 68 (in.)
Sweeping Width @ 25 ° - 61 (in.)
Broom Diameter - 22 (in.)
Bristle Material - Polypropylene
Brush Type - Wafer
Manual Angling - Standard
Angling Range - 0 to 25 °

The following items are required to
make up a complete front mount rotary
broom:

- Packaged Front Mount Rotary Broom
- Quick Hitch and Subframe
- Mid-PTO Drive Kit
- Hydraulic Valve Kit for tractor
- Optional Equipment can be added as
desired

Note: Only One
- Quick Hitch/Subframe
- Mid PTO Drive kit
- Hydraulic Valve Kit
per tractor needed for Blade, Broom,
and/or Blower head units

Boomer 35/40/45/50/55 (T4B)
33/37/41/47 (T4B)

NOTE: If tractor does not have couplers
(ordered without loader), Coupler Kit #
47608158 must be ordered

New Holland recommends the use of a
ballasting box when installing front
mounted implements.

SHIPPING POINT
Thetford Mines, Quebec, Canada

WARRANTY
New Holland Standard Warranty Applies



MODELS 72CO FRONT MOUNT ROTARY BROOM
US PRICE LIST

(Thetford Mines, Quebec, Canada)

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
72COBA	575 LB		\$5,632.00
72COBB	450 LB		\$5,632.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

COMPLETING PACKAGES

ROTARY BROOM OPTIONS

SD_03007 MID PTO DRIVE KIT

	439116	Mid PTO Tier 4 41/47 For Boomer (439116006) - 41/47 ROPS/Cab (T4B) - 45/50/55 ROPS/Cab (T4B)			\$1,100.00
	439124	Mid PTO 32/36 HP T3 For Boomer (439124006) - 33/37 ROPS, Boomer 37 CAB (T4B) For WORKMASTER - 33/37 ROPS (T4B)			\$1,100.00
	439238	MID PTO CLS2 439238 For Boomer (439124006) - 35/40 ROPS, Boomer 40 CAB (T4B) For WORKMASTER - 35/40 ROPS (T4B)			\$1,100.00
	439448	MID PTO LS EC 25 For WORKMASTER 25 (439448006)			\$1,100.00
	717990	Mid PTO 30/35/40/50 Mid PTO for Boomer 30/35/40/50 (T3 ONLY) (717990006)			\$1,100.00
	439057	Mid PTO Economy Mid PTO for WORKMASTER 35/40 (T3 ONLY) (439057006)			\$1,100.00
	717761	Mid PTO Drive Kit-III AT Mid PTO for Boomer EasyDrive CVT Models (717761006) Note: For Conventional Axle Only			\$901.00

**MODELS 72CO FRONT MOUNT ROTARY BROOM
US PRICE LIST**

(Thetford Mines, Quebec, Canada)

SD_N5701 HITCH AND SUBFRAME

		439068	S-Frame CLS3AT MY14 For Boomer EasyDrive CVT Models (439068006) New Axle Only: Serial ZDMB11925 and above & Tier IV			\$2,232.00
		439205	S-FRM CLS2 LS439205 For COMPACT (439205006) Current Models - Boomer 35/40 ROPS (T4B) - Boomer 40 CAB (T4B) - Boomer 45/50/55 ROPS (T4B) - Boomer 45/50/55 CAB (T4B) - WORKMASTER 35/40 (T4B) Prior models - Boomer 33/37 ROPS (T4B) - Boomer 37 Cab (T4B) - *Boomer 41/47 ROPS (T4B) - *Boomer 41/47 CAB (T4B) - WORKMASTER 33/37 (T4B) * 439315 - Front mount completion hanger must also be ordered			\$2,090.00
		439447	SUBFRAME, LS EC 25 For WORKMASTER 25 (439447006)			\$2,090.00
		717989	Front Quick Hitch 30/35/40/50 For Boomer 30/35/40/50 (T3 ONLY) (717989006)			\$2,090.00
		439055	Subframe Economy For WORKMASTER COMPACT 35/40 (T3 ONLY) (439055006)			\$2,090.00
		717751	Front Quick Hitch - Class 3 For Boomer 3040/3045/3050 (717751006) Conventional Axle Only: Serial ZDMB11924 and below			\$2,232.00

OPTIONAL EQUIPMENT

ROTARY BROOM OPTIONS

SD_20087 HYDRAULIC FRAME ANGLING KIT

		715677	Hydraulic Angling Kit For 72CO Broom (715677016)	26 LB		\$725.00
--	--	--------	--	-------	--	----------

SD_29035 SIDE CASTER WHEEL KIT

		717231	Side Casterwheels Kit (717231006) - 526GR (717231016) - 72CO (717231016) - 60COBB	47 LB		\$617.00
--	--	--------	---	-------	--	----------



**MODELS 72CO FRONT MOUNT ROTARY BROOM
US PRICE LIST**

(Thetford Mines, Quebec, Canada)

SD_N5702 FRONT BRACKETS

		439315	FR MNT HANGER BRCKT 439315 (006) Front mount completion hanger is required for Boomer 41/47 (T4B) ROPS and CAB applications			No Charge
--	--	--------	---	--	--	-----------

**MODELS 72CO FRONT MOUNT ROTARY BROOM
US PRICE LIST**

(Thetford Mines, Quebec, Canada)

Factory Supplied Attachments

Order Code	Description	Weight	Factory Data	List Price
Hitch and Subframe				
439447006	SUBFRAME - LS ECONOMY WM25 MHI T4 For WORKMASTER 25 (439447006)	375 LB		\$1,107.00
717989006	SUBFRAME 30/35/40/50 HP For Boomer COMPACT 30/35/40/50 (T3 ONLY)	325 KG		\$663.00
439055006	Subframe 35/40 HP Economy For WORKMASTER COMPACT 35/40 (T3 ONLY)	363 LB		\$882.00
717751006	SUBFRAME CLS 3 For Boomer EasyDrive CVT Models Conventional Axle Only: Serial ZDMB11924 and below	510 LB		\$2,188.00
439068006	Hitch and Sub Frame For Boomer EasyDrive CVT Models New Axle Only: Serial ZDMB11925 and above	510 KG		\$940.00
439205006	SUBFRAME CLS2 LS ENG T4 ECON PREM ROPS/C For COMPACT (439205006) Current Models - Boomer 35/40 ROPS (T4B) - Boomer 40 CAB (T4B) - Boomer 45/50/55 ROPS (T4B) - Boomer 45/50/55 CAB (T4B) - WORKMASTER 35/40 (T4B) Prior models - Boomer 33/37 ROPS (T4B) - Boomer 37 Cab (T4B) - *Boomer 41/47 ROPS (T4B) - *Boomer 41/47 CAB (T4B) - WORKMASTER 33/37 (T4B) * 439315 - Front mount completion hanger must also be ordered	360 LB		\$1,331.00
439238006	MID PTO CLS2 T4 LS ENG For Boomer (439124006) - 35/40 ROPS, Boomer 40 CAB (T4B) For WORKMASTER - 35/40 ROPS (T4B)	25 LB		\$405.00

Mid PTO Drive

439448006	MID PTO - LS ECONOMY WM25 For WORKMASTER 25 (439448006)	25 LB		\$423.00
717990006	MID PTO 30/35/40/50 HP Mid-PTO for Boomer COMPACT 30/35/40/50 (T3 ONLY)	25 LB		\$349.00
439057006	MID PTO 35/40 HP WORKMASTER, FARMALL A Mid-PTO for WORKMASTER COMPACT 35/40 (T3 ONLY)	25 LB		\$350.00
717761006	MID PTO Drive Kit Cls 3 AT Mid-PTO for Boomer EasyDrive CVT Models Note: Conventional FWD Axle Only	30 KG		\$356.00



**MODELS 72CO FRONT MOUNT ROTARY BROOM
US PRICE LIST**

(Thetford Mines, Quebec, Canada)

	439116006	Mid PTO drive kit for 41/47 hp -T4 For Boomer - 41/47 ROPS/Cab (T4B) - 45/50/55 ROPS/Cab (T4B)	25 LB		\$475.00
	439124006	MID PTO 32/36 HP T4 For Boomer - 33/37 ROPS, Boomer 37 CAB (T4B) For WORKMASTER - 33/37 ROPS (T4B)	25 LB		\$475.00

Optional Equipment

	715677016	HYD ANGLING 60&72"(2.0,3.0) Fits 72CO	10 KG		\$254.00
	717231016	2 X 6 side caster w/Wheel kit 6" x 2" on 72COBA, 72COBB	47 LB		\$219.00

Ballast Box

	717746006	Ballast Box 500 Lb Max 0.5,0.7 500 LB Max (Class .5, .75, 1, & 2 compact tractors)	100 LB		\$161.00
	717747006	Ballast box 1000 Lb Max (Category I) 1000 LB MAX (Class III compact tractors)	169 LB		\$209.00

	439315006	FR MNT COMPLETION HANGER 439315 (006) Front mount completion hanger is required for Boomer 41/47 (T4B) ROPS and CAB applications	20 LB		\$36.00
--	-----------	--	-------	--	---------



US PRICE LIST

(Thetford Mines, Quebec, Canada)

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
60COBA	300 LB		\$4,999.00



US PRICE LIST

(Thetford Mines, Quebec, Canada)

Factory Supplied Attachments

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

Ballast Box

	717746006	Ballast Box 500 Lb Max 0.5,0.7 500 LB Max (Class .5, .75, 1, & 2 compact tractors)	100 LB		\$161.00
--	-----------	---	--------	--	----------



**700 "VALUE" SERIES ROTARY CUTTERS
US PRICE LIST**

(Distribution Center)

Standard Equipment

"Value" Series

Designed to compliment Compact and
Utility tractors equipped with 3-point
hitch and 540 rpm PTO.

Models:

714 / 716 / 717

Size (inches):

714 - 48

716 - 60

717 - 72

SPECIFICATIONS

Tractor Horsepower (max.) - 48

Cutting Width (inches):

714 - 48

716 - 60

717 - 72

Overall Width (inches):

714 - 53

716 - 65

717 - 75

Overall Length (inches):

714 - 83

716 - 100

717 - 106

Hitch - 3-point

Driveline Category - Cat. I

Gearbox Rating (horsepower) - 48

Gearbox Warranty (years) - 5

Galvanized Warranty (years) - 12

Slip Protection - Shear Bolt

Deck Gauge (gauge):

714 - 10

716 & 717 - 7

Side Panel Depth - 8 in. x 7 gauge

Blade Carrier - Pan

Blade Size - 3/8 in. x 3 in. Updraft

Blade Tip Speed (540):

714 - 13,215 fpm

716 - 16,519 fpm

717 - 14,995 fpm

Minimum Cutting Height (inch) - 1

Tire & Wheel - Laminated

Safety Deflectors - Rear Rubber Belting

Weight (pounds):

714 - 538

716 - 728

717 - 882

VALUE SERIES ACCESSORIES

(Order through Service Parts)

MAG010D3590 4 ft. Front Chain Guards

MAG010D3591 4 ft. Rear Chain Guards

MAG010D6798 5 ft. Front Chain Guards

MAG010D6799 5 ft. Rear Chain Guards

MAG010D1598 6 ft. Front Chain Guards

MAG010D1599 6 ft. Rear Chain Guards

MAG125D801D01 Slip Clutch



**700 "VALUE" SERIES ROTARY CUTTERS
US PRICE LIST**

(Distribution Center)

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
714GCA ROTARY CUTTER	519 LB		\$1,826.00
716GCA ROTARY CUTTER	781 LB		\$2,115.00
717GCA ROTARY CUTTER	885 LB		\$2,582.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

OTHER EQUIPMENT

SD_N6428 FRONT SAFETY CHAINS

		717979	Front Safety Chains 714GCA - 48" (717979006) 716GCA - 60" (717979016) 717GCA - 72" (717979026)			\$225.00
		XN6428X	No Front Safety Chains			No Charge

SD_N6429 REAR SAFETY CHAINS

		717980	Rear Safety Chains 714GCA - 48" (717980006) 716GCA - 60" (717980016) 717GCA - 72" (717980026)			\$225.00
--	--	--------	---	--	--	----------

SD_N6430 SLIP CLUTCH

		717981	Slip Clutch			\$270.00
--	--	--------	-------------	--	--	----------



700 "VALUE" SERIES ROTARY CUTTERS
US PRICE LIST

(Distribution Center)

Factory Supplied Attachments

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

714GCA ONLY

	717979006	48" Front Safety Chains	27 LB		\$207.00
	717980006	48" Rear Safety Chains	42 LB		\$207.00

716GCA ONLY

	717979016	60" Front Safety Chains	29 LB		\$77.00
	717980016	60" Rear Safety Chains	44 LB		\$207.00

717GCA ONLY

	717979026	72" Front Safety Chains	33 LB		\$84.00
	717980026	72" Rear Safety Chains	48 LB		\$207.00

**700 "MEDIUM-DUTY" SERIES ROTARY CUTTERS
US PRICE LIST**

(Distribution Center)

Standard Equipment-----
Standard "Medium-Duty" Series

Designed to compliment Compact and Utility tractors equipped with 3-point hitch, 540 rpm PTO, and provide rugged performance to maintain larger acreages and estates.

Models:

736 / 737 / 738

Size (inches):

736 - 60

737 - 72

738 - 84

SPECIFICATIONS

Tractor Horsepower (max.):

736 - 60

737 - 65

738 - 65

Cutting Width (inches):

736 - 60

737 - 72

738 - 84

Overall Width (inches):

736 - 65

737 - 75

738 - 90

Overall Length (inches):

736 - 100

737 - 106

738 - 122

Hitch - 3-point

Driveline Category - Cat. I

Gearbox Rating (horsepower) - 65

Gearbox Warranty (years) - 5

Galvanized Warranty (years) - 12

Slip Protection - Slip Clutch

Deck Gauge (gauge) - 7

Side Panel Depth:

736 & 737 - 8 in. x 7 gauge

738 - 8 in. x 1/4 in.

Blade Carrier - Pan

Output Shaft Diameter (inches) - 2

Blade Size:

736 - 3/8 in. x 3 in. Updraft

737 & 738 - 1/2 in. x 4 in. Updraft

Blade Tip Speed (540):

736 - 16,519 fpm

737 - 14,995 fpm

738 - 17,300 fpm

Minimum Cutting Height (inch) - 2

Tire & Wheel - Laminated

Safety Deflectors - Rear Rubber Belting

Weight (pounds):

736 - 731

737 - 907

738 - 1,189

"MEDIUM" DUTY ACCESSORIES

(Order through Service Parts)

MAG010D6798 5 ft. Front Chain Guards

MAG010D6799 5 ft. Rear Chain Guards

MAG010D1598 6 ft. Front Chain Guards

MAG010D1599 6 ft. Rear Chain Guards

MAG010D3990 7 ft. Front Chain Guards

MAG010D3991 7 ft. Rear Chain Guards

MAG401DSKID8HWY Skid Shoes



700 "MEDIUM-DUTY" SERIES ROTARY CUTTERS
US PRICE LIST

(Distribution Center)

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
736GCA ROTARY CUTTER	985 LB		\$3,042.00
737GCA ROTARY CUTTER	1,005 LB		\$3,428.00
738GCA ROTARY CUTTER	1,305 LB		\$3,955.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
SD_N6431 DUAL TAIL WHEEL				
717982	Dual Tail Wheel			\$649.00



**700 "HEAVY-DUTY" SERIES ROTARY CUTTERS
US PRICE LIST**

**(Distribution Center)
Standard Equipment**

"Heavy-Duty" Series

Designed for Utility and Mid-Range tractors equipped with 3-point hitch, 540 rpm PTO, and provide rugged performance for maintenance of large farms or ranch operations.

Models:

757 / 758

Size (inches):

757 - 72

758 - 84

SPECIFICATIONS

Tractor Horsepower (max.):

757 & 758 - 95

Cutting Width (inches):

757 - 72

758 - 84

Overall Width (inches):

757 - 79

758 - 90

Overall Length (inches):

757 - 106

758 - 122

Hitch - 3-point

Driveline Category:

757 & 758 - Cat. I

Gearbox Rating (horsepower):

757 & 758 - 95

Gearbox Warranty (years) - 5

Galvanized Warranty (years) - 12

Slip Protection - Slip Clutch

Deck Gauge (gauge) - 7

Side Panel Depth - 8 in. x 1/4 in.

Blade Carrier - Pan

Output Shaft Diameter (inches) - 2

Blade Size - 1/2 in. x 4 in. Updraft

Blade Tip Speed (540):

757 - 14,995 fpm

758 - 17,495 fpm

Minimum Cutting Height (inch) - 2

Tail Wheel:

757, 758, & - Single Spindle

Tire & Wheel - Laminated

Safety Deflectors - Front/Rear Chains

Weight (pounds):

757 - 1,284

758 - 1,599

HEAVY DUTY ACCESSORIES

(Order through Service Parts)

MAG010d3992B 7 ft. (758GC) Dual

Spindle Tail Wheel



700 "HEAVY-DUTY" SERIES ROTARY CUTTERS
US PRICE LIST

(Distribution Center)

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
757GCA ROTARY CUTTER	1,153 LB		\$4,306.00
758GCA ROTARY CUTTER	1,604 LB		\$5,896.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
717982	Dual Tail Wheel			\$649.00

**700 "HEAVY-DUTY" PULL-TYPE ROTARY CUTTER
US PRICE LIST**

(Distribution Center)

Standard Equipment

"Heavy-Duty" Pull-Type Series

Designed for Mid-Range and High-Horsepower tractors providing rugged performance for maintenance of large farms or ranch operations.

Size:

780GCA - 15 ft. Triple Flex
780GCB - 15 ft. Triple Flex
780GCC - 15 ft. Triple Flex

SPECIFICATIONS

Tractor Horsepower (max.):

780GCA - 210
780GCB - 210
780GCC - 210

Cutting Width (inches):

780GCA - 180
780GCB - 180
780GCC - 18

Overall Width (inches):

780GCA - 187
780GCB - 187
780GCC - 187

Overall Length (inches):

780GCA - 180
780GCB - 180
780GCC - 180

Hitch - Pull-Type

Driveline Category - PT/CV Joint

Gearbox Rating (horsepower):

780GCA - 255/210
780GCB - 255/210
780GCC - 255/210

Gearbox Warranty (years) - 5

Galvanized Warranty (years) - 12

Slip Protection - Slip Clutch

Deck Gauge (gauge) - 7

Side Panel Depth:

780GCA - 10.5 in. x 1/4 in.
780GCB - 10.5 in. x 1/4 in.
780GCC - 10.5 in. x 1/4 in.

Blade Carrier - Pan

Output Shaft Diameter (inches):

780GCA - 2 or 2-3/8
780GCB - 2 or 2-3/8
780GCC - 2 or 2 3/8

Blade Size:

780GCA - 1/2 in. x 4 in. Updraft
780GCB - 1/2 in. x 4 in. Updraft
780GCC - 1/2 in. x 4 in. Updraft

Blade Tip Speed (center/out):

780GCA - 15,238/14,821
780GCB - 15,238/14,821
780GCC - 15,238/14,821

Minimum Cutting Height (inch) - 2

Tail Wheel:

780GCA - 3 Spindle
780GCB - 3 Spindle
780GCC - 3 Spindle

Tire & Wheel:

780GCA - Laminated
780GCB - 6 tires -25.75 x 6.75 x 14
(used Aircraft tires)
780GCC - 6 tires - 25.75 x 6.75 x14
(used Aircraft tires)

Hydraulic Level Lift:

780GCA - Optional
780GCB - Standard
780GCC - Standard

Safety Deflectors - Front/Rear Chains

Weight (pounds):

780GCA - 5,397
780GCB - 5,500
780GCC - 5,500

PTO Shaft:

780GCA - 540
780GCB - 1000 - 1 3/8 in. shaft
780GCC - 1000 - 1 3/4 in. shaft

PULL TYPE ACCESSORIES

(Order through Service Parts)

MAG415D0060 15 ft. Hydraulic Level
Lift



700 "HEAVY-DUTY" PULL-TYPE ROTARY CUTTER
US PRICE LIST

(Distribution Center)

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
780GCA ROTARY CUTTER	5,894 LB		\$23,000.00
780GCB ROTARY CUTTER	1,749 LB		\$26,349.00
780GCC ROTARY CUTTER	5,594 LB		\$26,349.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

SD_16049 EXTRA WHEELS, TIRES AND RIMS

780GCA ONLY				
	717985	Aircraft Tires (6) Set of 6 Used Aircraft Tires		\$1,600.00
	717986	Aircraft Tires (8) Set of 8 Used Aircraft Tires		\$2,142.00
780GCB & 780GCC ONLY				
	717984	Aircraft Tires (2) Additional set of 2 Used Aircraft tires for a total of 8 Used Aircraft Tires		\$534.00
780GCA, 780GCB, & 780GCC ONLY				
	717987	Foam Filled P Tire 6 Set of 6 Foam Filled Tires		\$2,142.00
	717988	Foam Filled P Tire 8 Set of 8 Foam Filled Tires		\$2,703.00

SD_N6431 DUAL TAIL WHEEL

	717982	Dual Tail Wheel		\$649.00
--	--------	-----------------	--	----------

SD_N6432 HYD LIFT

780GCA ONLY				
	717983	Hyd Lift Hydraulic Level Lift		\$1,568.00



**MODEL 105A ROTARY TILLER
US PRICE LIST**

**(Shipment from Depots)
Standard Equipment**

3-point hitch mounted, 540 rpm PTO
driven tiller, available in operating widths
of 60 in. and 72 in.

SPECIFICATIONS:

Approximate Working Width (inches) -

60 inch - 60 (in.)

72 inch - 72 (in.)

Tilling Depth Adjustment with

Guide Shoe - 0-4.5 (in.)

Maximum Tilling Depth without

Guide Shoes - 7.25 (in.)

Hitch - Cat. I

Offset Adjustment to Right - 11 (in.)

PTO hp Rating - 45

Rotor Drive Type - Chain

Drive Protection - Slip Clutch

Rotor Speed @ 540 rpm PTO -

60 inch & 72 inch - 236

No. of Blades

60 inch - 28

72 inch - 36

Blade Tip Speed (fpm) @ 540 rpm

60 inch & 72 inch - 1063

A complete rotary tiller includes the
following:

- Basic Tiller
- Category 1 Hitch
- PTO with Slip Clutch

WARRANTY

New Holland Standard Warranty Applies

Dealer pickup permitted



MODEL 105A ROTARY TILLER
US PRICE LIST

(Shipment from Depots)

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
105A	1,000 LB		\$3,070.00
Includes the following Equipment			
60 in. Rotary Tiller (715416)	\$525.00		

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

COMPLETING PACKAGES

ROTARY TILLER WORKING WIDTH

SD_01001 BASE UNIT

		715416	60 in. Rotary Tiller (715416006)			\$525.00
		716729	72 in. Hvy Duty Rotary Tiller (716729006) remove			\$1,386.00



**WORK EZ® EZ MATCH™
US PRICE LIST**

(Distribution Center)

Standard Equipment

The WORK EZ® EZ Match™ Quick Hitch is designed to make changing from one 3-point hitch attachment to another quick and EZ! The upper hook easily slips into position and simply lock the lower hooks with quick flip of two handles - many times from the comfort and convenience of the tractor seat.

Many other New Holland products are quick hitch compatible - rear blades, box blades, landscape rakes, 6 ft Disc and 90" rear finishing mower.

Designed for use on Category 1, 3-point hitch tractors and implements

Heavy-duty steel construction
Lower arms lock automatically
Fast, easy attachment and release
Designed to ASAE S278.7 Quick Hitch standards

MODEL: WORK EZ® EZ Match™
Width (inches) - 28 center to center
(Hooks are 1 " wide)
Height (inches) - 24
Weight (pounds) - 80
Maximum Horsepower - 60

WARRANTY
New Holland Standard Warranty Applies

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
WORK EZ EZ MATCH	400 LB		\$380.00



**WORK EZ® REAR BLADES - MD
US PRICE LIST**

(Distribution Center)

Standard Equipment

WORK EZ® Rear Blades are designed to compliment compact, utility and higher H.P. tractors equipped with 3-point hitch. The Medium Duty Rear Blades are also Work EZ® - EZ Match™ compatible.

WARRANTY

New Holland Standard Warranty Applies

MEDIUM DUTY

MODEL: EZ60SM

Application - Medium Duty
Moldboard Width - 60 (in.)
Tractor Horsepower (max.) - 40 HP
Hitch - Cat. I
Cutting Edge - 1/2" X 6" Rev. (in.)
Tilt Adjustment - 45 Degr./ E side
Offset Adjustment - 12 (in.)
Angle Adjustment - 5F/3R
Weight - 256 (lbs.)

MODEL: EZ72SM

Application - Medium Duty
Moldboard Width - 72 (in.)
Tractor Horsepower (max.) - 40 HP
Hitch - Cat. I
Cutting Edge - 1/2" X 6" Rev. (in.)
Tilt Adjustment - 45 Degr./ E side
Offset Adjustment - 12 (in.)
Angle Adjustment - 5F/3R
Weight - 278 (lbs.)

MODEL: EZ84SM

Application - Medium Duty
Moldboard Width - 84 (in.)
Tractor Horsepower (max.) - 40 HP
Hitch - Cat. I
Cutting Edge - 1/2" X 6" Rev. 9in.)
Tilt Adjustment - 45 Degr./ E side
Offset Adjustment - 12 (in.)
Angle Adjustment - 5F/3R
Weight - 297 (lbs.)



**WORK EZ® REAR BLADES - MD
US PRICE LIST**

(Distribution Center)

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
EZ60SM	256 LB		\$1,100.00
EZ72SM	328 LB		\$1,257.00
EZ84SM	297 LB		\$1,408.00



**WORK EZ® REAR BLADES - HD
US PRICE LIST**

(Distribution Center)

Standard Equipment

WORK EZ® Rear Blades are designed to compliment compact, utility and higher H.P. tractors equipped with 3- point hitch. These rear blades are offered as Heavy Duty, Heavy Duty Plus for the contractor or high horsepower owner/operator.

WARRANTY

New Holland Standard Warranty Applies

HEAVY DUTY

MODEL: 84SH

Application - Heavy Duty
Moldboard Width - 84 (in.)
Tractor Horsepower (max.) - 65 HP
Hitch - Cat. I/II
Cutting Edge - 1/2" X 6" Rev. (in.)
Tilt Adjustment - 30 Degr.
Offset Adjustment - 12 (in.)
Angle Adjustment - 5F/5R
Weight - 584 (lbs.)

MODEL: 96SH

Application - Heavy Duty
Moldboard Width - 96 (in.)
Tractor Horsepower (max.) - 65 HP
Hitch - Cat. I/II
Cutting Edge - 1/2" X 6" Rev. (in.)
Tilt Adjustment - 30 Degr.
Offset Adjustment - 12 (in.)
Angle Adjustment - 5F/5R
Weight - 679 (lbs.)



**WORK EZ® REAR BLADES - HD
US PRICE LIST**

(Distribution Center)

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
84SH	684 LB		\$1,585.00
96SH	679 LB		\$1,728.00



**LIGHT DUTY WORK EZ® BOX BLADES
US PRICE LIST**

**(Distribution Center)
Standard Equipment**

Work EZ® Box Blades are designed to compliment compact and utility tractors equipped with 3-point hitch. The Light Duty Box Blades are also Work EZ® - EZ Match™ compatible. These box blades are offered as Light Duty for the estate and homeowner.

WARRANTY

New Holland Standard Warranty Applies

MODEL: EZ48BL

Application - Light Duty
Working Width - 48 (in.)
Overall Height - 35-1/2 (in.)
Box Depth - 17 (in.)
Tractor Horsepower (Max.) - 30
Hitch - Cat. I
Endplate Thickness - 3/16 (in.)
Number of Shanks - 4
Cutting Edge - 1/2 x 6 Rev. (in.)
Number of Cutting Edges - 2
Shank Adjustment - Manual
Hydraulic Lift - n/a
Hinges Rear Flat w/ Cutting Edge - N/A
Weight - 313 (lbs.)

MODEL: EZ60BL

Application - Light Duty
Working Width - 60 (in.)
Overall Height - 35-1/2 (in.)
Box Depth- 17 (in.)
Tractor Horsepower (Max.) - 35
Hitch - Cat. I
Endplate Thickness - 3/16 (in.)
Number of Shanks - 5
Cutting Edge - 1/2 x 6 Rev. (in.)
Number of Cutting Edges - 2
Shank Adjustment - Manual
Hydraulic Lift - N/A
Hinges Rear Flat w/ Cutting Edge - N/A
Weight - 387 (lbs.)



**STANDARD DUTY WORK EZ® BOX BLADES
US PRICE LIST**

(Distribution Center)

Standard Equipment

WORK EZ™ Box Blades are designed to compliment compact and utility tractors equipped with 3-point hitch. These box blades are offered Standard Duty for the landscaper.

WARRANTY

New Holland Standard Warranty Applies

MODEL: 60BM

Application - Standard Duty
Working Width - 60 (in.)
Overall Height - 36 (in.)
Box Depth - 17 (in.)
Tractor Horsepower (Max.) - 50
Hitch - Cat. I
Endplate Thickness - 1/4 (in.)
Number of Shanks - 5
Cutting Edge - 1/2 x 6 Rev. (in.)
Number of Cutting Edges - 2
Shank Adjustment - Manual
Hydraulic Lift - N/A
Hinges Rear Flat w/ Cutting Edge - N/A
Weight - 484 (lbs.)

MODEL: 72BM

Application - Standard Duty
Working Width - 72 (in.)

Overall Height - 36 (in.)
Box Depth - 17 (in.)
Tractor Horsepower (Max.) - 50
Hitch - Cat. I
Endplate Thickness - 1/4 (in.)
Number of Shanks - 6
Cutting Edge - 1/2 x 6 Rev. (in.)
Number of Cutting Edges - 2
Shank Adjustment - Manual
Hydraulic Lift - N/A
Hinges Rear Flat w/ Cutting Edge - N/A
Weight - 543 (lbs.)

MODEL: 84BM

Application - Standard Duty
Working Width - 84 (in.)
Overall Height - 36 (in.)
Box Depth - 17 (in.)
Tractor Horsepower (Max.) - 60
Hitch - Cat. I
Endplate Thickness - 1/4 (in.)
Number of Shanks - 6
Cutting Edge - 1/2 x 6 Rev. (in.)
Number of Cutting Edges - 2
Shank Adjustment - Manual
Hydraulic Lift - N/A
Hinges Rear Flat w/Cutting Edge - N/A
Weight - 603 (lbs.)



**WORK EZ® LANDSCAPE RAKES
US PRICE LIST**

**(Distribution Center)
Standard Equipment**

WORK EZ® Landscape Rakes are designed to compliment compact and utility tractors equipped with 3-point hitch and are also Work EZ® - EZ Match™ compatible. These basic units offer a choice of angle selection and provide 1 inch tine spacing for precision soil preparation and leveling.

MODEL SPECIFICATIONS:

EZ72LR

Rake Width - 72 (in.)
Rake Height - 15 (in.)
Hitch - Cat. I
Tractor Horsepower (max.) - 50
Rake Pivot (degrees) - 360°
Angle - 5 Forward/3 Reverse
Pivot King Pin - 1-1/4 (in.)
Tine Spacing - 1 (in.)
Tine Size - 5/16 x 1 (in.)
Tine Material - High Carbon Spring Steel
Weight - 219 (lbs.)

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
EZ72LR	269 LB		\$1,202.00



**WORK EZ® BALE CARRIERS
US PRICE LIST**

Standard Equipment

WORK EZ® Bale Carriers and Spears are designed to compliment compact and utility tractors equipped with 3-point hitch for handling round and square hay bales. The WORK EZ® Bale Carriers and Spears are also Work EZ® - EZ Match™ compatible.

WARRANTY

New Holland Standard Warranty Applies

MODEL: Work EZ® Bale Carrier
Application - Standard duty
Weight - 155 lbs
Weight rating - 2000 lbs
Tractor Horsepower (max) - 60
Hitch - Cat. I
Hot dipped galvanized frame
NOTE: Fork tines go under bale

MODEL: Work EZ® Bale Spear
Application - Standard duty
Weight - 98 lbs
Weight rating - 2000 lbs
Tractor horsepower (max) - 60
Hitch - Cat. I
Hot dipped galvanized frame
Replaceable high carbon steel spear
Two welded bottom stabilizing spears

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
WORK EZ BALE CARRIER	88 LB		\$509.00
WORK EZ BALE SPEAR	155 LB		\$561.00



**WORK EZ® HAY SPEARS
US PRICE LIST**

Standard Equipment

WORK EZ® Hay Spears are designed to compliment most tractors and skid steers that are Universal Quick Hitch Compatible for handling round and square hay bales.

WARRANTY

New Holland Standard Warranty Applies

MODEL: Work EZ® Single Bale Quick Attach

Application - Standard duty

Weight - 153 lbs

Weight rating - 2000 lbs

Tractor Horsepower (max) - 80

Hitch - Universal Q/A

Hot dipped galvanized frame

Replaceable high carbon steel spear

Two welded bottom stabilizing spears

MODEL: Work EZ® Double Bale Quick Attach

Application - Standard duty

Weight - 168 lbs

Weight rating - 2000 lbs

Tractor Horsepower (max) - 80

Hitch - Universal Q/A

Hot dipped galvanized frame

Two replaceable high carbon steel spears

One welded top stabilizing spear

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
WORK EZ DBL BALE QA	153 LB		\$1,052.00
WORK EZ SNGL BALE QA	168 LB		\$915.00



**WORK EZ® DISK HARROW
US PRICE LIST**

(Distribution Center)

Standard Equipment

WORK EZ® Disk Harrow is designed to compliment compact and utility tractors equipped with 3-point hitch and is Work EZ® - EZ Match™ compatible. This disk harrow combines overall weight and notched blades (front and rear) to aggressively cut and turn the soil, regardless of residue conditions.

WARRANTY

New Holland Standard Warranty Applies

MODEL: EZ78DC

Size - 78 (in.)

SPECIFICATIONS:

Cutting Width - 70 (in.)

Tractor Horsepower (max.) - 70

Hitch - Cat. I

Overall Length - 60 (in.)

Overall Width - 79 (in.)

Maximum Cutting Depth - 6 (in.)

Number of Disk Blades - 20 Notched

Blade (front and rear)

Disk Blade Size - 18 (in.) diameter

Disk Blade Spacing -

5 1/2" F, 6 1/2", 7 1/2" R

Bearing Lubrication -Sealed Bearings

Weight - 679 (lbs.)

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
E278DC	678 LB		\$2,736.00