



Cosmo Pricebook

July 2018

panel frames and connectors	7
panel frame	8
panel frame for full acrylic panel	10
panel frame with countertop capability	12
panel frame with flip-up capability	14
stack-on panel frame	16
panel door	18
acrylic sliding door	19
lockable acrylic sliding door	20
end trim	21
wall-to-panel connector	22
90-degree filler	24
180-degree connection filler	25
t-connection filler	26
135-degree 2-way connector	27
120-degree 2-way connection filler	28
120-degree 3-way connection filler	30
90-degree 4-way connection filler	31
floor grippers	32
tiles	33
acoustic tackable fabric tile	34
monolithic fabric tile	36
acrylic tiles	38
laminate tile	42
monolithic laminate tile	44
perforated metal tile	46
whiteboard tile	48
magnetic whiteboard tile	49
pass-through tile	50
fabric flip-up belt-line tile	51
accessory tile	52


worksurfaces	53
straight worksurface	54
straight worksurface with power grommet	56
wave return with straight end	58
wave return with curved end	60
extended corner with curved front	62
angled worksurface with curved front	64
flexed worksurface with curved front	66
5-sided corner worksurface with straight front	68
5-sided corner worksurface with curved front	69
multi-functional corner worksurface	70
6-sided corner worksurface	71
panel-mounted d-table	72
panel-mounted p-table	74
panel-mounted j-table	76
panel-mounted y-table	77
c-table extension	78
u-table extension	79
bridge worksurface	80
radiused extended surface	82
tempered glass transaction top - straight	83
laminate countertop	84
workspace supports	87
cantilever arm	88
universal bracket	89
single post	90
horizontal surface support	91
laminate gable	92
intermediate gable	93
open metal gable	94
mounted storage	95
panel-mounted flipper cabinet	96
suspended flipper cabinet	98
wall mounted flipper cabinet	100
open metal shelf	102
overhead back bracket	103
double channel wall mount bracket kit	104
top mounted shared open shelf	106
cubby storage	108

freestanding storage	109
mobile pedestal	110
mobile pedestal with seat	111
freestanding pedestal	112
freestanding joined pedestal	113
freestanding lateral file	114
closed storage tower	116
open storage tower with wardrobe	117
closed storage tower with closet	118
file/file/file storage tower	119
single door storage cabinet	120
double door storage tower	121
combination cabinet	122
storage	123
end gable pedestal	124
underdesk pedestal	125
underdesk metal pedestal	126
underworksurface open shelf	128
underdesk joined pedestal	130
underdesk lateral file	131
underdesk storage cabinet	132
accessories	133
work organizers	134
accessory bar	135
pencil tray	136
coat hook	137
underdesk cpu holder	138
mobile cpu holder	139
name plate	140
monitor arm	141
adjustable keyboard tray	142
retractable keyboard tray	143
top trim mounted privacy screen	144
wall mounted tackboard	146
worksurface edge mounted screen	148
panel mounted privacy screen	150

electrics, communication, lighting	155
task light	156
base electrics power module	157
electric starter harness	158
communication kit	159
power pole	160
belt-line electrics power module	162
horizontal wire manager	163
connector harness	164
male/female extension harness	166

panel frames and connectors

panel frame	8
panel frame for full acrylic panel	10
panel frame with countertop capability	12
panel frame with flip-up capability	14
stack-on panel frame	16
panel door	18
acrylic sliding door	19
lockable acrylic sliding door	20
end trim	21
wall-to-panel connector	22
90-degree filler	24
180-degree connection filler	25
t-connection filler	26
135-degree 2-way connector	27
120-degree 2-way connection filler	28
120-degree 3-way connection filler	30
90-degree 4-way connection filler	31
floor grippers	32



What's Included:

Panel frame, metal base
raceway, metal to metal
connection hardware

How to Specify:

Specify panel trim finish.
The color of the raceway
defaults to the color of the
top trim when a metal color
is specified.

Notes:

Any Cosmo stack-on frame of the same width can
be stacked on top of this panel frame.

An 8 wire, 4 circuit electrical system is available for
the base-line or belt-line. 37-inch panel frames do
not accommodate a flip-up belt-line tile. Specify
the panel frame with flip-up capability [on page
14](#) when this function is required.

Power and communications may be run into
the panel frame using either a power pole
or an electrical harness. See the electrics,
communication, and lighting section for details.


The metal frame is only available in black.

Options:

height	37, 45, 53, 61, 69, 77, 85
width	18, 24, 30, 36, 42, 48, 54, 60
top cap finish	metal colors
raceway finish	metal colors
power	8 wire 4 circuit electrical system (to be specified separately)

Code	Price	H (in.)	W (in.)	Weight (lb.)	Volume (ft³)
C-PF00-3718	194	37	18	14.6	1.2
C-PF00-3724	215	37	24	16.5	1.7
C-PF00-3730	234	37	30	18.5	2.1
C-PF00-3736	254	37	36	20.5	2.4
C-PF00-3742	274	37	42	22.4	2.9
C-PF00-3748	291	37	48	24.4	3.3
C-PF00-3754	311	37	54	26.4	3.7
C-PF00-3760	331	37	60	28.3	4.1
C-PF00-4518	206	45	18	16.4	1.5
C-PF00-4524	226	45	24	18.3	2
C-PF00-4530	244	45	30	20.3	2.5
C-PF00-4536	264	45	36	22.3	3
C-PF00-4542	284	45	42	24.2	3.5
C-PF00-4548	302	45	48	26.2	4
C-PF00-4554	321	45	54	28.2	4.5
C-PF00-4560	341	45	60	30.1	5
C-PF00-5318	216	53	18	18.2	1.8
C-PF00-5324	237	53	24	20.1	2.3
C-PF00-5330	255	53	30	22.1	2.9
C-PF00-5336	275	53	36	24.1	3.5
C-PF00-5342	293	53	42	26	4.1
C-PF00-5348	313	53	48	28	4.7
C-PF00-5354	332	53	54	30	5.3
C-PF00-5360	353	53	60	31.9	5.19
C-PF00-6118	229	61	18	20	2
C-PF00-6124	250	61	24	21.9	2.7
C-PF00-6130	268	61	30	23.9	3.4
C-PF00-6136	288	61	36	25.9	4

Code	Price	H (in.)	W (in.)	Weight (lb.)	Volume (ft³)
C-PF00-6142	308	61	42	27.8	4.7
C-PF00-6148	327	61	48	29.8	5.4
C-PF00-6154	345	61	54	31.8	6
C-PF00-6160	364	61	60	33.7	6.7
C-PF00-6918	240	69	18	21.8	2.3
C-PF00-6924	260	69	24	23.7	3
C-PF00-6930	278	69	30	25.7	3.8
C-PF00-6936	297	69	36	27.7	4.5
C-PF00-6942	317	69	42	29.6	5.3
C-PF00-6948	336	69	48	31.6	6.1
C-PF00-6954	356	69	54	33.6	6.8
C-PF00-6960	375	69	60	35.5	7.6
C-PF00-7718	250	77	18	23.6	2.5
C-PF00-7724	270	77	24	25.5	3.4
C-PF00-7730	289	77	30	27.5	4.2
C-PF00-7736	309	77	36	29.5	5.1
C-PF00-7742	328	77	42	31.4	5.9
C-PF00-7748	346	77	48	33.4	6.7
C-PF00-7754	365	77	54	35.5	7.6
C-PF00-7760	386	77	60	37.3	8.4
C-PF00-8518	260	85	18	25.4	2.8
C-PF00-8524	280	85	24	27.3	3.7
C-PF00-8530	298	85	30	29.3	4.6
C-PF00-8536	318	85	36	31.3	5.6
C-PF00-8542	337	85	42	33.2	6.5
C-PF00-8548	357	85	48	35.2	7.4
C-PF00-8554	376	85	54	37.2	8.3
C-PF00-8560	396	85	60	39.1	9.3



What's Included:

Panel frame for acrylic panel, metal base raceway, metal to metal connection hardware.

How to Specify:

Specify panel trim finish.
The color of the raceway defaults to the color of the top trim when a metal color is specified.

Notes:


An 8 wire, 4 circuit electrical system is available at the base-line.
Power and communications may be run into the panel frame using either a power pole or an electrical harness. See the electrics, communication, and lighting section for details.
The metal frame is only available in black.

Options:


height	37, 45, 53, 61, 69, 77, 85
width	18, 24, 30, 36, 42, 48, 54, 60
top cap finish	metal colors
raceway finish	metal colors
power	8 wire 4 circuit electrical system (to be specified separately)

Code	Price	H (in.)	W (in.)	Weight (lb.)	Volume (ft³)
C-PFG0-3718	192	37	18	14.6	1.2
C-PFG0-3724	211	37	24	16.5	1.7
C-PFG0-3730	229	37	30	18.5	2.1
C-PFG0-3736	249	37	30	20.5	2.4
C-PFG0-3742	266	37	42	22.4	2.9
C-PFG0-3748	285	37	48	24.4	3.3
C-PFG0-3754	302	37	54	26.4	3.7
C-PFG0-3760	321	37	60	28.3	4.1
C-PFG0-4518	204	45	18	16.4	1.5
C-PFG0-4524	223	45	24	18.3	2
C-PFG0-4530	241	45	30	20.3	2.5
C-PFG0-4536	259	45	36	22.3	3
C-PFG0-4542	277	45	42	24.2	3.5
C-PFG0-4548	294	45	48	26.2	4
C-PFG0-4554	314	45	54	28.2	4.5
C-PFG0-4560	332	45	60	30.1	5
C-PFG0-5318	214	53	18	18.2	1.8
C-PFG0-5324	233	53	24	20.1	2.3
C-PFG0-5330	251	53	30	22.1	2.9
C-PFG0-5336	270	53	36	24.1	3.5
C-PFG0-5342	288	53	42	26	4.1
C-PFG0-5348	307	53	48	28	4.7
C-PFG0-5354	323	53	54	30	5.3
C-PFG0-5360	343	53	60	31.9	5.9
C-PFG0-6118	227	61	18	20	2
C-PFG0-6124	246	61	24	21.9	2.7
C-PFG0-6130	264	61	30	23.9	3.4
C-PFG0-6136	283	61	36	25.9	4


Code	Price	H (in.)	W (in.)	Weight (lb.)	Volume (ft³)
C-PFG0-6142	301	61	42	27.8	4.7
C-PFG0-6148	318	61	48	29.8	5.4
C-PFG0-6154	337	61	54	31.8	6
C-PFG0-6160	356	61	60	33.7	6.7
C-PFG0-6918	238	69	18	21.8	2.3
C-PFG0-6924	256	69	24	23.7	3
C-PFG0-6930	275	69	30	25.7	3.8
C-PFG0-6936	292	69	36	27.7	4.5
C-PFG0-6942	312	69	42	29.6	5.3
C-PFG0-6948	329	69	48	31.6	6.1
C-PFG0-6954	347	69	54	33.6	6.8
C-PFG0-6960	365	69	60	35.5	7.6
C-PFG0-7718	248	77	18	23.6	2.5
C-PFG0-7724	266	77	24	25.5	3.4
C-PFG0-7730	285	77	30	27.5	4.2
C-PFG0-7736	305	77	36	29.5	5.1
C-PFG0-7742	321	77	42	31.4	5.9
C-PFG0-7748	340	77	48	33.4	6.7
C-PFG0-7754	358	77	54	35.5	7.6
C-PFG0-7760	378	77	60	37.3	8.4
C-PFG0-8518	257	85	18	25.4	2.8
C-PFG0-8524	277	85	24	27.3	3.7
C-PFG0-8530	294	85	30	29.3	4.6
C-PFG0-8536	314	85	36	31.3	5.6
C-PFG0-8542	332	85	42	33.2	6.5
C-PFG0-8548	350	85	48	35.2	7.4
C-PFG0-8554	367	85	54	37.2	8.3
C-PFG0-8560	387	85	60	39.1	9.3



Capability:
single panel



Capability: 1 hole



Capability: 54-inch countertop

What's Included:

Panel frame with countertop capability, metal base raceway, metal to metal connection hardware.

How to Specify:

Specify panel trim finish.

Specify this item when a 37-inch high or 45-inch high panel with countertop capabilities is required, but an electrical access door is not needed.

When a 54-inch countertop is supported by a 30-inch wide panel and a 24-inch wide panel, the hole in the 30-inch panel will be located 6 inches away from the end of the panel. When two 30-inch wide panels are used to support a 54-inch wide countertop, the holes will be located 9 inches away from the end of the panel. A 60-inch panel has two holes located 9 inches away from the ends of the panel to accommodate 54-inch wide countertops.

The color of the raceway defaults to the color of the top trim when a metal color is specified.

Notes:

An 8 wire, 4 circuit electrical system is available at the base-line. For belt-line, specify the panel frame with flip-up capabilities on [on page 14](#).

Power and communications may be run into the panel frame using either a power pole or an electrical harness. See the electrics, communication, and lighting section for details.

2 holes are used when a single panel frame is supporting a countertop of the same width.

1 hole, 6 inches away from the end of the panel frame is used when two panels are supporting a countertop equal to the sum of their widths.


1 hole, 9 inches away from the end of the panel frame is used when two 30-inch wide panels are supporting a 54-inch countertop.

The metal frame is only available in black.


Options:

height	37, 45
width	18, 24, 30, 36, 42, 48, 54, 60
top cap finish	metal colors


Code	Price	H (in.)	W (in.)	Weight (lb.)	Volume (ft ³)
37-inches High With Countertop Capability					
C-PF00-3724-C	223	37	24	17.6	1.7
C-PF00-3730-C	242	37	30	19.9	2.1
C-PF00-3736-C	262	37	36	22.2	2.5
C-PF00-3742-C	282	37	42	24.4	2.9
C-PF00-3748-C	300	37	48	26.7	3.31
C-PF00-3754-C	319	37	54	29	3.7
C-PF00-3760-C	338	37	60	31.3	4.1
37-inches High With Countertop Capability, Side-By-Side Panels					
C-PF00-3718-1	204	37	18	15.4	1.2
C-PF00-3724-1	223	37	24	17.6	1.7
C-PF00-3730-1	242	37	30	19.9	2.1
37-inches High With 54-inch High Countertop Capability, Side-By-Side Panels					
C-PF00-3730-1-P	242	37	30	19.9	2.1
45-inches High With Countertop Capability					
C-PF00-4524-C	233	45	24	17.6	1.7
C-PF00-4530-C	252	45	30	19.9	2.1
C-PF00-4536-C	272	45	36	22.2	2.5
C-PF00-4542-C	291	45	42	24.4	2.9
C-PF00-4548-C	310	45	48	26.7	3.3
C-PF00-4554-C	329	45	54	29	3.7
C-PF00-4560-C	349	45	60	31.3	4.1
45-inches High With Countertop Capability, Side-By-Side Panels					
C-PF00-4518-1	212	45	18	15.37	1.5
C-PF00-4524-1	233	45	24	17.6	2
C-PF00-4530-1	252	45	30	19.9	2.1
45-inches With 54-inch Countertop Capability, Side-By-Side Panels					
C-PF00-4530-1-P	252	45	30	19.88	2.5




Capability:
without countertop



Capability:
single panel



Capability:
1 hole



Capability:
54-inch countertop

What's Included:

Panel frame with flip-up capability, metal base raceway, metal to metal connection hardware.

How to Specify:

Specify panel trim finish.

Specify this product when a 37-inch high panel frame with a flip-up belt line is required.

When a countertop is supported by a single panel (C), the holes will be located six inches away from the end of the panel.

When a 54-inch countertop is supported by a 30-inch wide panel and a 24-inch wide panel, the holes in the 30-inch panel will be located 6 inches away from the end of the panel. When two 30-inch wide panels are used to support a 54-inch wide countertop, the holes will be located 9 inches away from the end of the panel. A 60-inch panel has 2 holes located 9 inches away from the ends of the panel to accommodate 54-inch wide countertops.

The color of the raceway defaults to the color of the top trim when a metal color is specified.

Notes:

An 8 wire, 4 circuit electrical system is available for the base-line or belt-line.

Power and communications may be run into the panel frame using either a power pole or an electrical harness. See the electrics, communication, and lighting section [on page 155](#) for details.

2 holes are used when a single panel frame is supporting a countertop of the same width.

1 hole, 6 inches away from the end of the panel frame is used when two panels are supporting a countertop equal to the sum of their widths.


1 hole, 9 inches away from the end of the panel frame is used when two 30-inch wide panels are supporting a 54-inch countertop.

The metal frame is only available in black.

Options:

height	37	
width	18, 24, 30, 36, 42, 48, 54, 60	
countertop capability	without countertop	with countertop
top cap finish	metal colors	
raceway finish	metal colors	

Code	Price	H (in.)	W (in.)	Weight (lb.)	Volume (ft³)
37-inches High With Flip-Up					
C-PF0F-3718	204	37	18	14.6	1.2
C-PF0F-3724	223	37	24	16.5	1.7
C-PF0F-3730	242	37	30	18.5	2.1
C-PF0F-3736	262	37	36	20.5	2.4
C-PF0F-3742	282	37	42	22.4	2.9
C-PF0F-3748	300	37	48	24.4	3.3
C-PF0F-3754	319	37	54	26.4	3.7
C-PF0F-3760	338	37	60	28.3	4.1
37-inches High With Countertop Capability, Single Panel, Flip-Up					
C-PF0F-3724-C	223	37	24	17.6	1.7
C-PF0F-3730-C	242	37	30	19.9	2.1
C-PF0F-3736-C	262	37	36	22.2	2.5
C-PF0F-3742-C	282	37	42	24.4	2.9
C-PF0F-3748-C	300	37	48	26.7	3.3
C-PF0F-3754-C	319	37	54	29	3.7
C-PF0F-3760-C	338	37	60	31.3	4.1
37-inches High with Countertop Capability, Side-By-Side Panels, Flip-Up					
C-PF0F-3718-1	204	37	18	15.4	1.2
C-PF0F-3724-1	223	37	24	17.6	1.7
C-PF0F-3730-1	242	37	30	19.9	2.1
37-inches High With 54-inch Countertop Capability, Side-By-Side Panels, Flip-Up					
C-PF0F-3730-1-P	242	37	30	19.9	2.1



What's Included:

Stack-on panel frame, metal to metal connection hardware.

Notes:

Metal frame is only available in black.


Top trim is not included. Install the top trim from the panel below.

Regular stack-on panel frame may be installed on any panel frame of the same width. Door stack-on panel frame may be installed on a door of the same width between two other stackable frames or between a stackable panel frame and a panel filler.


Options:

frame type	0 regular frames	1 door frames
height	8, 16, 24	
width	18, 24, 30, 36, 42, 48, 54, 60	

Code	Price	H (in.)	W (in.)	Weight (lb.)	Volume (ft ³)
Regular Frame					
C-PS00-0818	69	8	18	4.4	0.3
C-PS00-0824	73	8	24	5	0.3
C-PS00-0830	77	8	30	5.7	0.4
C-PS00-0836	83	8	36	6.3	0.5
C-PS00-0842	87	8	42	6.9	0.6
C-PS00-0848	94	8	48	7.6	0.7
C-PS00-0854	98	8	54	8.2	0.8
C-PS00-0860	104	8	60	8.9	0.9
C-PS00-1618	79	16	18	6.2	0.5
C-PS00-1624	83	16	24	6.8	0.7
C-PS00-1630	87	16	30	7.5	0.9
C-PS00-1636	94	16	36	8.1	1
C-PS00-1642	98	16	42	8.7	1.2
C-PS00-1648	104	16	48	9.4	1.4
C-PS00-1654	108	16	54	10	1.5
C-PS00-1660	113	16	60	10.7	1.7
C-PS00-2418	86	24	18	8	0.8
C-PS00-2424	92	24	24	8.6	1
C-PS00-2430	96	24	30	9.3	1.3
C-PS00-2436	102	24	36	9.9	1.5
C-PS00-2442	106	24	42	10.5	1.8
C-PS00-2448	110	24	48	11.2	2.1
C-PS00-2454	115	24	54	11.8	2.3
C-PS00-2460	120	24	60	12.5	2.6
Door Frame					
C-PS01-0836	76	8	36	6.3	0.5
C-PS01-0842	81	8	42	6.9	0.6
C-PS01-1636	86	16	36	8.1	1
C-PS01-1642	93	16	42	8.7	1.2
C-PS01-2436	95	24	36	9.9	1.5
C-PS01-2442	99	24	42	10.5	1.8



right hand



left hand

What's Included:

Panel door, door frame, lever type handle, connection hardware.

How to Specify:

Specify panel trim finish.

The panel trim finish must be specified. The door and door frame are available in all paint colors and will match the color of the top trim.

Right or left hand must be specified.

Notes:

Door is powder painted MDF.

The door must be connected to 85-inch high panel frames or panel fillers.


Options:

width	36, 42
hand	R right L left
door & door frame finish	metal colors
top cap finish	metal colors


How to Order and Read your Code:

C	PD00	85	36	R or L
product line	item	height	width	hand

Code	Price	H (in.)	W (in.)	Weight (lb.)	Volume (ft³)
C-PD00-8536-L	2142	85	36	68	5.6
C-PD00-8542-L	2334	85	42	80	6.5
C-PD00-8536-R	2142	85	36	68	5.6
C-PD00-8542-R	2334	85	42	80	6.5



right hand



left hand

What's Included:

Acrylic sliding door, metal to metal connection hardware.

How to Specify:

Specify panel trim finish.

A metal color must be specified for the panel trim.

Right or left hand must be specified.

The acrylic option must be specified. When frosted or clear acrylic is specified, an upcharge is applicable.

Notes:

The sliding door height must be connected to a panel of equal height.

The acrylic sliding door provides visual privacy for individual stations.

Sliding doors must always be connected to a panel.

Options:

height 61, 69

width 30, 36, 42

hand **R** right **L** left

acrylic option Fluted Frosted* Clear*


frame finish metal colors

How to Order and Read your Code:


C **PDSG** **61** **30** **R or L**
product line item height width hand

Code	Price	H (in.)	W (in.)	Weight (lb.)	Volume (ft ³)
C-PDSG-6130-L	1404	61	30	53	4
C-PDSG-6136-L	1457	61	36	53	4
C-PDSG-6142-L	1509	61	42	53	4.6
C-PDSG-6930-L	1468	69	30	53	4
C-PDSG-6936-L	1523	69	36	53	4.5
C-PDSG-6942-L	1574	69	42	53	5.2
*clear & frosted acrylic upcharge	365				

Code	Price	H (in.)	W (in.)	Weight (lb.)	Volume (ft ³)
C-PDSG-6130-R	1404	61	30	53	4
C-PDSG-6136-R	1457	61	36	53	4
C-PDSG-6142-R	1509	61	42	53	4.6
C-PDSG-6930-R	1468	69	30	53	4
C-PDSG-6936-R	1523	69	36	53	4.5
C-PDSG-6942-R	1574	69	42	53	5.2
*clear & frosted acrylic upcharge	365				



right hand



left hand

What’s Included:

Acrylic sliding door, metal to metal connection hardware.

How to Specify:

- Specify panel trim finish.
- A metal color must be specified for the panel trim.
- Right or left hand must be specified.
- The acrylic option must be specified. When frosted or clear acrylic is specified, an upcharge is applicable.

Notes:

- The sliding door height must be connected to a panel of equal height.
- The lockable acrylic sliding door provides visual privacy for individual stations.
- Sliding doors must always be connected to a panel.

Options:

height	61, 69		
width	30, 36, 42		
lock	LK		
hand	R right L left		
acrylic option	Fluted	Frosted*	Clear*
frame finish	metal colors		

How to Order and Read your Code:

C	PDSG	61	30	LK	R or L
product line	item	height	width	lock	hand

Code	Price	H (in.)	W (in.)	Weight (lb.)	Volume (ft³)
C-PDSG-6130-LK-L	1619	61	30	53	4
C-PDSG-6136-LK-L	1672	61	36	53	4
C-PDSG-6142-LK-L	1724	61	42	53	4.6
C-PDSG-6930-LK-L	1685	69	30	53	4
C-PDSG-6936-LK-L	1737	69	36	53	4.5
C-PDSG-6942-LK-L	1789	69	42	53	5.2
* clear & frosted acrylic upcharge	365				

Code	Price	H (in.)	W (in.)	Weight (lb.)	Volume (ft³)
C-PDSG-6130-LK-R	1619	61	30	53	4
C-PDSG-6136-LK-R	1672	61	36	53	4
C-PDSG-6142-LK-R	1724	61	42	53	4.6
C-PDSG-6930-LK-R	1685	69	30	53	4
C-PDSG-6936-LK-R	1737	69	36	53	4.5
C-PDSG-6942-LK-R	1789	69	42	53	5.2
**clear & frosted acrylic upcharge	365				



full end trim



partial end trim

What's Included:

Full End Trim: full end trim, connection hardware.

Partial End Trim: partial end trim, connection hardware, bottom plastic connector trim.

How to Specify:

Specify panel trim finish.

A metal color must be specified.

Notes:

Use the full end trim to finish a panel at the end of a run.

Use the partial end trim to finish a panel where a change of height occurs

Options:

height 8, 16, 24, 32, 37, 40, 45, 48, 53, 56, 61, 64, 69, 72, 77, 85, 93, 101, 109

type **O** full end trim **P** partial end trim

end trim finish metal colors

Code	Price	H (in.)	Weight (lb)	Volume (ft ³)
Full End Trim				
C-HET0-37	52	37	2.2	0.1
C-HET0-45	60	45	2.4	0.1
C-HET0-53	67	53	2.6	0.1
C-HET0-61	73	61	2.8	0.1
C-HET0-69	80	69	3	0.1
C-HET0-77	86	77	3.2	0.1
C-HET0-85	94	85	3.4	0.1
C-HET0-93	100	93	3.6	0.1
C-HET0-101	107	101	3.8	0.1

Code	Price	H (in.)	Weight (lb)	Volume (ft ³)
Partial End Trim				
C-HETP-08	28	8	1.2	0.1
C-HETP-16	35	16	1.6	0.1
C-HETP-24	42	24	2	0.1
C-HETP-32	49	32	2.4	0.1
C-HETP-40	57	40	2.8	0.1
C-HETP-48	63	48	3.2	0.1
C-HETP-56	70	56	3.4	0.1
C-HETP-64	76	64	3.6	0.1



type 1



type 2



type 3

What's Included:

Wall-to-Panel Connector (Type 1, 2 or 3, as specified), top cap, connection hardware for drywall applications.

How to Specify:

- Specify panel trim finish.
- A metal color must be specified for the top cap finish.
- The wall-to-panel connector finish color defaults to match the top cap.

Notes:

- Wall-to-panel connectors fill in the gap between the wall and the panel.
- Type 1 connectors allow for an adjustment range of 2.25 to 3.25 inches
- Type 2 connectors allow for an adjustment range of 3 to 4.25 inches.
- Type 3 connectors allow for an adjustment range of 4 to 5.25 inches.
- The top cap is 6-inches and must be cut to the proper size on-site.

Options:

type	1 - type 1	2 - type 2	3 - type 3
height	37, 45, 53, 61, 69, 77, 85, 93, 101, 109		
top cap finish	metal colors		
raceway finish	metal colors		

Code	Price	H (in.)	Weight (lb.)	Volume (ft3)
Type 1 (2.25 to 3.25-inches)				
C-HWA1-37	174	37	1.1	0.2
C-HWA1-45	184	45	1.3	0.3
C-HWA1-53	196	53	1.5	0.3
C-HWA1-61	216	61	1.7	0.4
C-HWA1-69	227	69	1.9	0.4
C-HWA1-77	240	77	2.1	0.5
C-HWA1-85	253	85	2.3	0.5
C-HWA1-93	271	93	2.5	0.6
C-HWA1-101	283	101	2.7	0.6
Type 2 (3.00 to 4.25-inches)				
C-HWA2-37	177	37	1.1	0.4
C-HWA2-45	188	45	1.3	0.4
C-HWA2-53	202	53	1.5	0.5
C-HWA2-61	222	61	1.7	0.6
C-HWA2-69	234	69	1.9	0.7
C-HWA2-77	248	77	2.1	0.7
C-HWA2-85	262	85	2.3	0.8
C-HWA2-93	280	93	2.5	0.9
C-HWA2-101	292	101	2.7	1
Type 3 (4.00 to 5.25-inches)				
C-HWA3-37	180	37	1.1	0.4
C-HWA3-45	192	45	1.3	0.4
C-HWA3-53	206	53	1.5	0.5
C-HWA3-61	227	61	1.7	0.6
C-HWA3-69	241	69	1.9	0.7
C-HWA3-77	254	77	2.1	0.7
C-HWA3-85	270	85	2.3	0.8
C-HWA3-93	288	93	2.5	0.9
C-HWA3-101	301	101	2.7	1



full 90-degree filler



partial 90-degree filler

What's Included:

Full 90-degree filler: Full 90-degree filler, top cap, connection hardware.

Partial 90-degree filler: Partial 90-degree filler, top cap, bottom plastic connector trim, connection hardware.

How to Specify:

Specify panel trim finish.

A metal color must be specified for the panel trim finish.

Options:

height	8, 16, 24, 32, 37, 40, 45, 48, 53, 56, 61, 64, 69, 72, 77, 85, 93, 101, 109		
type	R full filler	P partial filler	
top cap finish	metal colors		
raceway finish	metal colors		

Notes:

Use the full 90-degree filler to connect two panel frames that are the same height.

Use the partial 90-degree filler to connect two panel frames where a change of height occurs.

Code	Price	H (in.)	Weight (lb)	Volume (ft3)
Full 90-degree Filler				
C-HFNR-37	93	37	1.1	0.2
C-HFNR-45	111	45	1.3	0.3
C-HFNR-53	121	53	1.5	0.3
C-HFNR-61	132	61	1.7	0.3
C-HFNR-69	141	69	1.9	0.4
C-HFNR-77	152	77	2.1	0.4
C-HFNR-85	172	85	2.3	0.5
C-HFNR-93	189	93	2.5	0.5
C-HFNR-101	201	101	2.7	0.6

Code	Price	H (in.)	Weight (lb)	Volume (ft3)
Partial 90-degree Filler				
C-HFNP-08	47	8	0.2	0.1
C-HFNP-16	58	16	0.5	0.1
C-HFNP-24	76	24	0.6	0.1
C-HFNP-32	85	32	0.9	0.2
C-HFNP-40	106	40	1.1	0.2
C-HFNP-48	114	48	1.2	0.3
C-HFNP-56	126	56	1.4	0.3
C-HFNP-64	135	64	1.6	0.4


full 180-degree
connection filler

partial 180-degree
connection filler

What's Included:

Two 180-degree connection filler covers (full or partial, as specified), top cap, connection hardware.

How to Specify:

Specify panel trim finish.

A metal color must be specified for the panel trim finish.

Notes:

Use the full 180-degree filler to connect two panels that are the same height.

Use the partial 180-degree filler to connect two panel frames where a change of height occurs

Options:

height 8, 16, 24, 32, 37, 40, 45, 48, 53, 56, 61, 64, 69, 72, 77, 85, 93, 101, 109

type **R** full filler **P** partial filler

top cap finish metal colors

raceway finish metal colors

Code	Price	H (in.)	Weight (lb)	Volume (ft3)
Full 180-degree FillerPartial 180-degree Filler				
C-HFSR-37	110	110	1.1	0.2
C-HFSR-45	133	133	1.3	0.3
C-HFSR-53	144	144	1.5	0.3
C-HFSR-61	156	156	1.7	0.3
C-HFSR-69	170	170	1.9	0.4
C-HFSR-77	180	180	2.1	0.4
C-HFSR-85	203	203	2.3	0.5
C-HFSR-93	225	225	2.5	0.5
C-HFSR-101	238	238	2.7	0.6

Code	Price	H (in.)	Weight (lb)	Volume (ft3)
Partial 180-degree Filler				
C-HFSP-08	57	57	0.2	0.1
C-HFSP-16	68	68	0.5	0.1
C-HFSP-24	90	90	0.6	0.1
C-HFSP-32	103	103	0.9	0.2
C-HFSP-40	126	126	1.1	0.2
C-HFSP-48	136	136	1.2	0.3
C-HFSP-56	149	149	1.4	0.3
C-HFSP-64	159	159	1.6	0.4



full T-connection
filler



partial T-connection
filler

What's Included:

Full Filler: full t-connection filler, top cap, connection hardware.

Partial Filler: partial t-connection filler, top cap, bottom plastic connector trim, connection hardware

How to Specify:

Specify panel trim finish.

A metal color must be specified for the top cap finish.

Notes:

Use the full t-connection filler to connect two panel frames that are the same height.

Use the partial t-connection filler to connect two panel frames where a change of height occurs

Options:

type	R full filler P partial filler
height	8, 16, 24, 32, 37, 40, 45, 48, 53, 56, 61, 64, 69, 72, 77, 85, 93, 101, 109
top cap finish	metal colors
raceway finish	metal colors

Code	Price	H (in.)	Weight (lb)	Volume (ft3)
Full T-Connection Filler				
C-HFTR-37	90	37	0.5	0.2
C-HFTR-45	110	45	0.6	0.3
C-HFTR-53	118	53	0.8	0.3
C-HFTR-61	126	61	0.9	0.3
C-HFTR-69	133	69	1	0.4
C-HFTR-77	140	77	1.1	0.4
C-HFTR-85	161	85	1.2	0.5
C-HFTR-93	182	93	1.4	0.5
C-HFTR-101	188	101	1.6	0.6

Code	Price	H (in.)	Weight (lb)	Volume (ft3)
Partial T-Connection Filler				
C-HFTP-08	48	8	0.2	0.1
C-HFTP-16	57	16	0.5	0.1
C-HFTP-24	76	24	0.6	0.1
C-HFTP-32	84	32	0.9	0.2
C-HFTP-40	105	40	1.1	0.2
C-HFTP-48	112	48	1.2	0.3
C-HFTP-56	120	56	1.4	0.3
C-HFTP-64	129	64	1.6	0.4

**What's Included:**

135-degree 2-way connector, top cap, connection hardware.

How to Specify:

Specify panel trim finish.

A metal color must be specified for the top cap finish.

Notes:

Use the 135-degree 2-way connector to connect two panel frames that are the same height.

Options:

height 37, 45, 53, 61, 69, 77, 85, 93, 101, 109

top cap finish metal colors

raceway finish metal colors

Code	Price	H (in.)	Weight (lb)	Volume (ft3)
C-HF1R-37	74	37	1.1	0.2
C-HF1R-45	90	45	1.3	0.3
C-HF1R-53	96	53	1.5	0.3
C-HF1R-61	103	61	1.7	0.3
C-HF1R-69	108	69	1.9	0.4
C-HF1R-77	113	77	2.1	0.4
C-HF1R-85	130	85	2.3	0.5
C-HF1R-93	145	93	2.5	0.5
C-HF1R-101	151	101	2.7	0.6



full 120-degree 2-way connection filler



partial 120-degree 2-way connection filler

What’s Included:

- Full Filler: full 120-degree 2-way connection filler, top cap, connection hardware.
- Partial Filler: partial 120-degree 2-way connection filler, top cap, bottom plastic connector trim, connection hardware.

How to Specify:

- Specify panel trim finish.
- A metal color must be specified for the top cap finish.

Notes:

- Use the full 120-degree 2-way connection filler to connect two panel frames that are the same height.
- Use the partial 120-degree 2-way connection filler to connect two panel frames where a change of height occurs.

Options:

height	8, 16, 24, 32, 37, 40, 45, 48, 53, 56, 61, 64, 69, 72, 77, 85, 93, 101, 109	
type	R full filler	P partial filler
top cap finish	metal colors	
raceway finish	metal colors	

Code	Price	H (in.)	Weight (lb)	Volume (ft3)
Full 120-degree 2-way Connection Filler				
C-HF2R-37	77	37	1.1	0.2
C-HF2R-45	95	45	1.3	0.3
C-HF2R-53	100	53	1.5	0.3
C-HF2R-61	107	61	1.7	0.3
C-HF2R-69	113	69	1.9	0.4
C-HF2R-77	120	77	2.1	0.4
C-HF2R-85	136	85	2.3	0.5
C-HF2R-93	153	93	2.5	0.5
C-HF2R-101	158	101	2.7	0.6
Partial 120-degree 2-way Connection Filler				
C-HF2P-08	44	8	0.2	0.1
C-HF2P-16	50	16	0.5	0.1
C-HF2P-24	67	24	0.6	0.1
C-HF2P-32	73	32	0.9	0.2
C-HF2P-40	90	40	1.1	0.2
C-HF2P-48	96	48	1.2	0.3
C-HF2P-56	103	56	1.4	0.3
C-HF2P-64	109	64	1.6	0.4



120-degree 3-way
connection filler

What's Included:

120-degree 3-way connection filler, top cap,
connection hardware

How to Specify:

Specify panel trim finish.
A metal color must be specified for the top
cap finish.

Notes:

Use the 120-degree 3-way connection
filler to connect three panel frames
that are the same height.

Options:

height 37, 45, 53, 61, 69, 77, 85, 93, 101, 109

top cap finish metal colors

Code	Price	H (in.)	Weight (lb)	Volume (ft3)
C-HF3R-37	54	37	1.1	0.2
C-HF3R-45	67	45	1.3	0.3
C-HF3R-53	70	53	1.5	0.3
C-HF3R-61	72	61	1.7	0.3
C-HF3R-69	74	69	1.9	0.4
C-HF3R-77	76	77	2.1	0.4
C-HF3R-85	88	85	2.3	0.5
C-HF3R-93	102	93	2.5	0.5
C-HF3R-101	105	101	2.7	0.6



What's Included:

90-degree 4-way connection filler, top cap, connection hardware

How to Specify:

Specify panel trim finish.

A metal color must be specified for the top cap finish.

Notes:

Use the 90-degree 4-way connection filler to connect four panel frames that are the same height.

Options:

height 37, 45, 53, 61, 69, 77, 85, 93, 101, 109

top cap finish metal colors

Code	Price	H (in.)	Weight (lb)	Volume (ft3)
C-HF4R-37	71	37	1.1	0.2
C-HF4R-45	90	45	1.3	0.3
C-HF4R-53	94	53	1.5	0.3
C-HF4R-61	97	61	1.7	0.3
C-HF4R-69	100	69	1.9	0.4
C-HF4R-77	103	77	2.1	0.4
C-HF4R-85	122	85	2.3	0.5
C-HF4R-93	141	93	2.5	0.5
C-HF4R-101	145	101	2.7	0.6



carpet floors



non-carpet floors

What’s Included:

Floor Gripper (for carpet floors or non-carpet floors, as specified)

How to Specify:

There are no color options for floor grippers.

Notes:


Floor grippers stabilize panels on either carpet floors or non-carpet floors.

Options:

type **C** carpeted floors **N** non-carpeted floors

Code	Price	Weight (lb)	Volume (ft3)
carpeted floors			
C-HGC0	3	0.1	0.01
non carpeted floors			
C-HGN0	3	0.1	0.01

acoustic tackable fabric tile	34
monolithic fabric tile	36
acrylic tiles	38
laminate tile	42
monolithic laminate tile	44
perforated metal tile	46
whiteboard tile	48
magnetic whiteboard tile	49
pass-through tile	50
fabric flip-up belt-line tile	51
accessory tile	52



What's Included:

Acoustic Tackable Fabric Tile,
installation hardware.

How to Specify:

Refer to the finish card for
a complete listing of metal
colors.

Notes:

Acoustic tackable fabric tiles provide
acoustical privacy and a tackable
vertical surface.


Options:

fabric grade	1 - grade 1	2 - grade 2	3 - grade 3
height	8, 16, 24		
width	18, 24, 30, 36, 42, 48, 54, 60		
finish	panel fabrics		


How to Order and Read your Code:

C	PTA	1	8	18
product line	item	fabric grade	height	width


Code	Grade 1	Grade 2	Grade 3	H (in.)	W (in.)	Weight (lb.)	Volume (ft³)
C-PTA_-0818	64	67	69	8	18	1.9	0.1
C-PTA_-0824	67	69	71	8	24	2.4	0.1
C-PTA_-0830	70	72	74	8	30	3.1	0.1
C-PTA_-0836	80	84	88	8	36	3.7	0.1
C-PTA_-0842	83	87	93	8	42	4.4	0.1
C-PTA_-0848	85	90	95	8	48	5	0.1
C-PTA_-0854	88	94	98	8	54	5.6	0.2
C-PTA_-0860	92	96	100	8	60	6.2	0.2
C-PTA_-1618	73	77	81	16	18	3.7	0.1
C-PTA_-1624	77	81	84	16	24	5	0.1
C-PTA_-1630	81	84	87	16	30	6.2	0.2
C-PTA_-1636	96	104	110	16	36	7.5	0.2
C-PTA_-1642	100	107	114	16	42	8.7	0.2
C-PTA_-1648	104	111	118	16	48	10	0.3
C-PTA_-1654	107	114	121	16	54	11.2	0.3
C-PTA_-1660	111	118	127	16	60	12.5	0.4
C-PTA_-2418	83	87	93	24	18	5.6	0.2
C-PTA_-2424	87	93	97	24	24	7.3	0.2
C-PTA_-2430	93	97	103	24	30	9.3	0.3
C-PTA_-2436	112	122	132	24	36	11.2	0.3
C-PTA_-2442	116	128	136	24	42	13.1	0.4
C-PTA_-2448	121	132	141	24	48	14.9	0.4
C-PTA_-2454	127	136	147	24	54	16.8	0.5
C-PTA_-2460	131	140	151	24	60	18.7	0.5




32-inch




40-inch



48-inch




56-inch



64-inch



72-inch



80-inch

What's Included:

Monolithic fabric tile, installation hardware.

How to Specify:

Refer to the finish card for a complete listing of metal colors.

Notes:

Monolithic fabric tiles are solid-faced, tackable and offer visual and acoustical privacy.

Monolithic tiles are five inches less than the complete height of the panel frame.


Options:

fabric grade	1 - grade 1	2 - grade 2	3 - grade 3
height	32, 40, 48, 56, 64, 72, 80		
width	18, 24, 30, 36, 42, 48		
finish	panel fabrics		


How to Order and Read your Code:

C	PMA	1	32	18
product line	item	fabric grade	height	width


Code	Grade 1	Grade 2	Grade 3	H (in.)	W (in.)	Weight (lb.)	Volume (ft ³)	Code	Grade 1	Grade 2	Grade 3	H (in.)	W (in.)	Weight (lb.)	Volume (ft ³)
C-PMA_-3218	93	99	105	32	18	7	0.3	C-PMA_-5630	141	152	162	56	30	12	1
C-PMA_-3224	98	105	110	32	24	8	0.4	C-PMA_-5636	183	204	224	56	36	13	1.2
C-PMA_-3230	104	110	115	32	30	9	0.6	C-PMA_-5642	192	212	233	56	42	14	1.4
C-PMA_-3236	129	141	154	32	36	10	0.7	C-PMA_-5648	202	222	242	56	48	15	1.6
C-PMA_-3242	134	148	158	32	42	11	0.8	C-PMA_-5654	210	230	251	56	54	16	1.8
C-PMA_-3248	139	153	164	32	48	12	0.9	C-PMA_-5660	219	241	260	56	60	17	2
C-PMA_-3254	145	158	171	32	54	13	1	C-PMA_-6418	133	145	155	64	18	11	0.7
C-PMA_-3260	151	163	176	32	60	14	1.1	C-PMA_-6424	142	154	165	64	24	12	0.9
C-PMA_-4018	103	110	116	40	18	8	0.4	C-PMA_-6430	153	164	176	64	30	13	1.1
C-PMA_-4024	108	115	124	40	24	9	0.6	C-PMA_-6436	200	223	245	64	36	14	1.3
C-PMA_-4030	114	122	130	40	30	10	0.7	C-PMA_-6442	209	233	255	64	42	15	1.6
C-PMA_-4036	145	161	176	40	36	11	0.8	C-PMA_-6448	219	243	264	64	48	16	1.8
C-PMA_-4042	152	167	181	40	42	12	1	C-PMA_-6454	228	252	275	64	54	17	2
C-PMA_-4048	157	174	187	40	48	13	1.1	C-PMA_-6460	239	262	285	64	60	18	2.2
C-PMA_-4054	164	180	194	40	54	14	1.2	C-PMA_-7218	145	158	172	72	18	12	0.8
C-PMA_-4060	172	186	201	40	60	15	1.3	C-PMA_-7224	156	171	182	72	24	13	1
C-PMA_-4818	111	120	130	48	18	9	0.5	C-PMA_-7230	167	181	193	72	30	14	1.3
C-PMA_-4824	119	129	136	48	24	10	0.7	C-PMA_-7236	220	248	271	72	36	15	1.5
C-PMA_-4830	127	135	144	48	30	11	0.8	C-PMA_-7242	233	259	284	72	42	16	1.8
C-PMA_-4836	162	180	198	48	36	12	1	C-PMA_-7248	244	270	294	72	48	17	2
C-PMA_-4842	170	186	204	48	42	13	1.2	C-PMA_-8018	154	170	182	80	18	13	0.8
C-PMA_-4848	177	194	211	48	48	14	1.3	C-PMA_-8024	166	181	194	80	24	14	1.1
C-PMA_-4854	183	202	218	48	54	15	1.4	C-PMA_-8030	179	193	207	80	30	15	1.4
C-PMA_-4860	189	209	226	48	60	16	1.5	C-PMA_-8036	238	265	292	80	36	16	1.7
C-PMA_-5618	124	134	144	56	18	10	0.6	C-PMA_-8042	250	279	307	80	42	17	1.9
C-PMA_-5624	133	142	153	56	24	11	0.8	C-PMA_-8048	262	291	318	80	48	18	2.2



8-inch



16-inch



24-inch

What's Included:

Acrylic tile, installation hardware.

How to Specify:

Refer to the finish card for a complete listing of metal colors.

Notes:

Acrylic tiles are priced by piece, not by pair.


Options:

acrylic options	C - clear	F - frosted	B - bronze	L - fluted
height	8, 16, 24			
width	18, 24, 30, 36, 42, 48, 54, 60			
tile frame finish	metal colors			


Code	Price	H (in.)	W (in.)	Weight (lb.)	Volume (ft³)
Clear Acrylic					
C-PTGC-0818	128	8	18	2.1	0.1
C-PTGC-0824	138	8	24	2.6	0.1
C-PTGC-0830	151	8	30	3	0.1
C-PTGC-0836	162	8	36	3.5	0.1
C-PTGC-0842	176	8	42	4	0.1
C-PTGC-0848	189	8	48	4.4	0.1
C-PTGC-0854	202	8	54	4.9	0.2
C-PTGC-0860	212	8	60	5.4	0.2
C-PTGC-1618	154	16	18	3.3	0.1
C-PTGC-1624	172	16	24	4	0.1
C-PTGC-1630	186	16	30	4.7	0.2
C-PTGC-1636	206	16	36	5.5	0.2
C-PTGC-1642	225	16	42	6.2	0.2
C-PTGC-1648	241	16	48	6.9	0.3
C-PTGC-1654	257	16	54	7.6	0.3
C-PTGC-1660	274	16	60	8.3	0.4
C-PTGC-2418	184	24	18	4.5	0.2
C-PTGC-2424	206	24	24	5.5	0.2
C-PTGC-2430	229	24	30	6.5	0.3
C-PTGC-2436	251	24	36	7.4	0.3
C-PTGC-2442	275	24	42	8.1	0.4
C-PTGC-2448	294	24	48	9.4	0.4
C-PTGC-2454	316	24	54	10.3	0.5
C-PTGC-2460	343	24	60	11.3	0.5

Code	Price	H (in.)	W (in)	Weight (lb)	Volume (ft³)	Code	Price	H (in.)	W (in)	Weight (lb)	Volume (ft³)
Frosted Acrylic						Bronze Acrylic					
C-PTGF-0818	135	8	18	2.1	0.1	C-PTGB-0818	128	8	18	2.1	0.1
C-PTGF-0824	150	8	24	2.6	0.1	C-PTGB-0824	138	8	24	2.6	0.1
C-PTGF-0830	163	8	30	3	0.1	C-PTGB-0830	150	8	30	3	0.1
C-PTGF-0836	178	8	36	3.5	0.1	C-PTGB-0836	161	8	36	3.5	0.1
C-PTGF-0842	194	8	42	4	0.1	C-PTGB-0842	176	8	42	4	0.1
C-PTGF-0848	211	8	48	4.4	0.1	C-PTGB-0848	188	8	48	4.4	0.1
C-PTGF-0854	226	8	54	4.9	0.2	C-PTGB-0854	202	8	54	4.9	0.2
C-PTGF-0860	240	8	60	5.4	0.2	C-PTGB-0860	212	8	60	5.4	0.2
C-PTGF-1618	172	16	18	3.3	0.1	C-PTGB-1618	154	16	18	3.3	0.1
C-PTGF-1624	193	16	24	4	0.1	C-PTGB-1624	171	16	24	4	0.1
C-PTGF-1630	215	16	30	4.7	0.2	C-PTGB-1630	186	16	30	4.7	0.2
C-PTGF-1636	240	16	36	5.5	0.2	C-PTGB-1636	205	16	36	5.5	0.2
C-PTGF-1642	264	16	42	6.2	0.2	C-PTGB-1642	224	16	42	6.2	0.2
C-PTGF-1648	286	16	48	6.9	0.3	C-PTGB-1648	240	16	48	6.9	0.3
C-PTGF-1654	309	16	54	7.6	0.3	C-PTGB-1654	256	16	54	7.6	0.3
C-PTGF-1660	331	16	60	8.3	0.4	C-PTGB-1660	272	16	60	8.3	0.4
C-PTGF-2418	209	24	18	4.5	0.2	C-PTGB-2418	183	24	18	4.5	0.2
C-PTGF-2424	240	24	24	5.5	0.2	C-PTGB-2424	205	24	24	5.5	0.2
C-PTGF-2430	272	24	30	6.5	0.3	C-PTGB-2430	228	24	30	6.5	0.3
C-PTGF-2436	301	24	36	7.4	0.3	C-PTGB-2436	249	24	36	7.4	0.3
C-PTGF-2442	334	24	42	8.5	0.4	C-PTGB-2442	272	24	42	8.1	0.4
C-PTGF-2448	363	24	48	9.4	0.4	C-PTGB-2448	292	24	48	9.4	0.4
C-PTGF-2454	394	24	54	10.3	0.5	C-PTGB-2454	314	24	54	10.3	0.5
C-PTGF-2460	428	24	60	11.3	0.5	C-PTGB-2460	340	24	60	11.3	0.5


Code	Price	H (in.)	W (in.)	Weight (lb.)	Volume (ft³)
Fluted Acrylic					
C-PTGL-0818	120	8	18	1.7	0.1
C-PTGL-0824	131	8	24	2	0.1
C-PTGL-0830	139	8	30	2.3	0.1
C-PTGL-0836	149	8	36	2.6	0.1
C-PTGL-0842	161	8	42	3	0.1
C-PTGL-0848	173	8	48	3.3	0.1
C-PTGL-0854	182	8	54	3.6	0.2
C-PTGL-0860	191	8	60	3.9	0.2
C-PTGL-1618	141	16	18	2.4	0.1
C-PTGL-1624	154	16	24	2.8	0.1
C-PTGL-1630	165	16	30	2.9	0.2
C-PTGL-1636	181	16	36	3.6	0.2
C-PTGL-1642	194	16	42	4	0.2
C-PTGL-1648	207	16	48	4.4	0.3
C-PTGL-1654	219	16	54	4.8	0.3
C-PTGL-1660	230	16	60	5.2	0.4
C-PTGL-2418	165	24	18	3.1	0.2
C-PTGL-2424	180	24	24	3.6	0.2
C-PTGL-2430	199	24	30	4.1	0.3
C-PTGL-2436	212	24	36	4.6	0.3
C-PTGL-2442	229	24	42	5.1	0.4
C-PTGL-2448	244	24	48	5.6	0.4
C-PTGL-2454	259	24	54	6.1	0.5
C-PTGL-2460	279	24	60	6.5	0.5



8-inch



16-inch



24-inch

What's Included:

Laminate tile, installation hardware.

How to Specify:

Refer to the laminate card for a complete listing of laminates.

Notes:

Laminate tiles provide an easy to clean hard surface.

Grain direction is vertical.

Options:

height	8, 16, 24
width	18, 24, 30, 36, 42, 48, 54, 60
finish	laminate colors

Code	Price	H (in.)	W (in.)	Weight (lb.)	Volume (ft³)
C-PTL0-0818	69	8	18	1.8	1.8
C-PTL0-0824	73	8	24	2.4	2.4
C-PTL0-0830	79	8	30	3.1	3.1
C-PTL0-0836	83	8	36	3.7	3.7
C-PTL0-0842	88	8	42	4.4	4.4
C-PTL0-0848	93	8	48	5	5
C-PTL0-0854	100	8	54	5.7	5.7
C-PTL0-0860	104	8	60	6.3	6.3
C-PTL0-1618	80	16	18	3.7	3.7
C-PTL0-1624	86	16	24	4.9	4.9
C-PTL0-1630	96	16	30	6.2	6.2
C-PTL0-1636	103	16	36	7.5	7.5
C-PTL0-1642	111	16	42	8.7	8.7
C-PTL0-1648	120	16	48	9.1	9.1
C-PTL0-1654	129	16	54	10.3	10.3
C-PTL0-1660	137	16	60	11.5	11.5
C-PTL0-2418	93	24	18	5.6	5.6
C-PTL0-2424	103	24	24	7.3	7.3
C-PTL0-2430	114	24	30	9.3	9.3
C-PTL0-2436	126	24	36	11.2	11.2
C-PTL0-2442	136	24	42	13.1	13.1
C-PTL0-2448	147	24	48	14.7	14.7
C-PTL0-2454	158	24	54	16.6	16.6
C-PTL0-2460	170	24	60	18.5	18.5



32-inch



40-inch



48-inch



56-inch



64-inch



72-inch



80-inch

What's Included:

Monolithic laminate tile, installation hardware.

How to Specify:

Refer to the laminate card for a complete listing of metal colors.

Options:

height	32, 40, 48, 56, 64, 72, 80
width	18, 24, 30, 36, 42, 48
finish	laminate colors


Notes:

Monolithic laminate tiles provide an easy to clean hard surface.

Monolithic laminate tiles are five inches less than the complete height of the panel frame.

Grain direction is vertical.

Code	Price	H (in.)	W (in)	Weight (lb)	Volume (ft³)	Code	Price	H (in.)	W (in)	Weight (lb)	Volume (ft³)
C-PTL0-3218	103	32	18	30	0.23	C-PTL0-5618	145	56	18	36	0.4
C-PTL0-3224	114	32	24	31	0.31	C-PTL0-5624	167	56	24	37	0.53
C-PTL0-3230	131	32	30	32	0.38	C-PTL0-5630	188	56	30	39	0.67
C-PTL0-3236	144	32	36	33	0.46	C-PTL0-5636	214	56	36	40	0.8
C-PTL0-3242	158	32	42	34	0.53	C-PTL0-5642	237	56	42	42	0.94
C-PTL0-3248	172	32	48	35	0.61	C-PTL0-5648	257	56	48	44	1.07
C-PTL0-3254	206	32	54	36	0.68	C-PTL0-6418	155	64	18	42	0.46
C-PTL0-3260	244	32	60	37	0.76	C-PTL0-6424	180	64	24	44	0.61
C-PTL0-4018	114	40	18	30	0.29	C-PTL0-6430	205	64	30	46	0.76
C-PTL0-4024	131	40	24	31	0.38	C-PTL0-6436	233	64	36	45	0.92
C-PTL0-4030	147	40	30	32	0.48	C-PTL0-6442	257	64	42	48	1.07
C-PTL0-4036	165	40	36	33	0.57	C-PTL0-6448	283	64	48	50	1.22
C-PTL0-4042	181	40	42	34	0.67	C-PTL0-7218	170	72	18	26	0.52
C-PTL0-4048	199	40	48	35	0.76	C-PTL0-7224	198	72	24	35	0.69
C-PTL0-4054	234	40	54	36	0.85	C-PTL0-7230	225	72	30	43	0.86
C-PTL0-4060	275	40	60	37	0.93	C-PTL0-7236	255	72	36	52	1.03
C-PTL0-4818	127	48	18	32	0.34	C-PTL0-7242	284	72	42	60	1.2
C-PTL0-4824	145	48	24	33	0.46	C-PTL0-7248	311	72	48	69	1.38
C-PTL0-4830	164	48	30	35	0.57	C-PTL0-8018	179	80	18	29	0.57
C-PTL0-4836	185	48	36	36	0.69	C-PTL0-8024	210	80	24	38	0.76
C-PTL0-4842	205	48	42	38	0.8	C-PTL0-8030	241	80	30	48	0.95
C-PTL0-4848	224	48	48	39	0.92	C-PTL0-8036	275	80	36	58	1.15
C-PTL0-4854	263	48	54	40	1.03	C-PTL0-8042	306	80	42	67	1.34
C-PTL0-4860	307	48	60	41	1.15	C-PTL0-8048	335	80	48	77	1.53



What’s Included:

Perforated metal tile, installation hardware.

How to Specify:

Refer to the metal card for a complete listing of metal colors.


Notes:

Perforated metal tiles provide a unique architectural element, while allowing for airflow.

Options:

height	8, 16, 24
width	18, 24, 30, 36, 42, 48, 54, 60
finish	metal colors

Code	Price	H (in.)	W (in)	Weight (lb)	Volume (ft ³)
C-PTM0-0818	67	8	18	1.5	0.1
C-PTM0-0824	72	8	24	2	0.1
C-PTM0-0830	76	8	30	2.5	0.1
C-PTM0-0836	81	8	36	3.1	0.1
C-PTM0-0842	86	8	42	3.6	0.1
C-PTM0-0848	93	8	48	4.1	0.1
C-PTM0-0854	99	8	54	4.6	0.2
C-PTM0-0860	104	8	60	5.1	0.2
C-PTM0-1618	84	16	18	3	0.1
C-PTM0-1624	92	16	24	4.1	0.1
C-PTM0-1630	98	16	30	5.1	0.2
C-PTM0-1636	105	16	36	6.1	0.2
C-PTM0-1642	112	16	42	7.1	0.2
C-PTM0-1648	121	16	48	8.1	0.3
C-PTM0-1654	130	16	54	9.1	0.3
C-PTM0-1660	138	16	60	10.2	0.4
C-PTM0-2418	105	24	18	4.6	0.2
C-PTM0-2424	116	24	24	6.1	0.2
C-PTM0-2430	129	24	30	7.6	0.3
C-PTM0-2436	140	24	36	9.2	0.3
C-PTM0-2442	153	24	42	10.7	0.4
C-PTM0-2448	166	24	48	12.2	0.4
C-PTM0-2454	179	24	54	13.7	0.5
C-PTM0-2460	189	24	60	15.2	0.5



What's Included:

Whiteboard Tile, installation hardware, eraser support.

How to Specify:

Refer to the metal card for a complete listing of metal colors.


Notes:

Only dry erase markers should be used on whiteboard tiles.

Options:

height	16, 24
width	18, 24, 30, 36, 42, 48, 54, 60
finish	metal colors

Code	Price	H (in.)	W (in)	Weight (lb)	Volume (ft ³)	Code	Price	H (in.)	W (in)	Weight (lb)	Volume (ft ³)
C-PTW0-1618	141	16	18	3.2	0.1	C-PTW0-2418	162	24	18	4.4	0.2
C-PTW0-1624	152	16	24	3.1	0.1	C-PTW0-2424	174	24	24	5.3	0.2
C-PTW0-1630	161	16	30	4.5	0.2	C-PTW0-2430	184	24	30	6.2	0.3
C-PTW0-1636	172	16	36	5.2	0.2	C-PTW0-2436	199	24	36	7	0.3
C-PTW0-1642	185	16	42	5.9	0.2	C-PTW0-2442	211	24	42	7.9	0.4
C-PTW0-1648	194	16	48	6.5	0.3	C-PTW0-2448	222	24	48	8.8	0.4
C-PTW0-1654	205	16	54	7.2	0.3	C-PTW0-2454	235	24	54	9.7	0.5
C-PTW0-1660	217	16	60	7.9	0.4	C-PTW0-2460	246	24	60	10.6	0.5

**What's Included:**

Magnetic whiteboard tile, installation hardware, eraser support.

How to Specify:

Refer to the metal card for a complete listing of metal colors.


Notes:

Only dry erase markers should be used on magnetic whiteboard tiles.


Options:

height	16, 24
width	18, 24, 30, 36, 42, 48, 54, 60
finish	metal colors


Code	Price	H (in.)	W (in)	Weight (lb)	Volume (ft ³)	Code	Price	H (in.)	W (in)	Weight (lb)	Volume (ft ³)
C-PTWM-1618	167	16	18	3.2	0.1	C-PTWM-2418	191	24	18	4.4	0.2
C-PTWM-1624	180	16	24	3.1	0.1	C-PTWM-2424	207	24	24	5.3	0.2
C-PTWM-1630	193	16	30	4.5	0.2	C-PTWM-2430	223	24	30	6.2	0.3
C-PTWM-1636	206	16	36	5.2	0.2	C-PTWM-2436	241	24	36	7	0.3
C-PTWM-1642	224	16	42	5.9	0.2	C-PTWM-2442	259	24	42	7.9	0.4
C-PTWM-1648	238	16	48	6.5	0.3	C-PTWM-2448	275	24	48	8.8	0.4
C-PTWM-1654	251	16	54	7.2	0.3	C-PTWM-2454	292	24	54	9.7	0.5
C-PTWM-1660	265	16	60	7.9	0.4	C-PTWM-2460	309	24	60	10.6	0.5



8-inch



16-inch



24-inch

What's Included:

Pass-Through Tile, installation hardware.

How to Specify:

Refer to the metal card for a complete listing of metal colors.


Notes:

The pass-through tile allows data and communication cables to be shared between workstations.

Options:

height	16, 24
width	18, 24, 30, 36, 42, 48, 54, 60
finish	metal colors

Code	Price	H (in.)	W (in)	Weight (lb)	Volume (ft ³)	Code	Price	H (in.)	W (in)	Weight (lb)	Volume (ft ³)
C-PT00-0818	103	8	18	1.5	0.1	C-PT00-1642	147	16	42	3	0.2
C-PT00-0824	110	8	24	1.7	0.1	C-PT00-1648	153	16	48	3.2	0.3
C-PT00-0830	116	8	30	2	0.1	C-PT00-1654	161	16	54	3.5	0.3
C-PT00-0836	124	8	36	2.2	0.1	C-PT00-1660	167	16	60	3.7	0.4
C-PT00-0842	133	8	42	2.5	0.1	C-PT00-2418	133	24	18	2.5	0.2
C-PT00-0848	139	8	48	2.7	0.1	C-PT00-2424	139	24	24	2.7	0.2
C-PT00-0854	148	8	54	3	0.2	C-PT00-2430	147	24	30	3	0.3
C-PT00-0860	154	8	60	3.2	0.2	C-PT00-2436	153	24	36	3.2	0.3
C-PT00-1618	115	16	18	2	0.1	C-PT00-2442	162	24	42	3.5	0.4
C-PT00-1624	124	16	24	2.2	0.1	C-PT00-2448	171	24	48	3.7	0.4
C-PT00-1630	131	16	30	2.5	0.2	C-PT00-2454	177	24	54	4	0.5
C-PT00-1636	137	16	36	2.7	0.2	C-PT00-2460	183	24	60	4.3	0.5



8-inch

What's Included:

Fabric Flip-Up Belt-Line Tile, installation hardware.

How to Specify:

Refer to the finish card for a complete listing of metal colors.

Notes:

The fabric flip-up belt-line tile can be used in place of an 8-inch high tile at desk height when access to power, data and communication is required at the belt-line.

The fabric flip-up belt-line tile is compatible with panel frames that have flip-up capability.

Options:

fabric grade	1 - grade 1	2 - grade 2	3 - grade 3
height	8		
width	18, 24, 30, 36, 42, 48, 54, 60		
finish	panel fabrics		

Code	Price	H (in.)	W (in)	Weight (lb)	Volume (ft³)	Code	Price	H (in.)	W (in)	Weight (lb)	Volume (ft³)
C-PTB0-0818	150	8	18	1.9	0.1	C-PTB0-0842	184	8	42	4.4	0.1
C-PTB0-0824	155	8	24	2.9	0.1	C-PTB0-0848	189	8	48	5	0.1
C-PTB0-0830	161	8	30	3.1	0.1	C-PTB0-0854	196	8	54	5.6	0.2
C-PTB0-0836	179	8	36	3.8	0.1	C-PTB0-0860	202	8	60	6.2	0.2



8-inch

What’s Include:

Accessory Tile, installation hardware.

How to Specify:

Refer to the metal/vinyl card for a complete listing of metal colors

Notes:

The accessory tile supports all personal organizers. Please refer to the accessories section [on page 133](#) of this price book for details.

Options:

fabric grade	1 - grade 1 2 - grade 2 3 - grade 3
height	8
width	18, 24, 30, 36, 42, 48, 54, 60
finish	panel fabrics

Code	Price	H (in.)	W (in)	Weight (lb)	Volume (ft³)	Code	Price	H (in.)	W (in)	Weight (lb)	Volume (ft³)
C-PTA0-0818	93	8	18	3	0.1	C-PTA0-0842	154	8	42	6.4	0.1
C-PTA0-0824	107	8	24	3.8	0.1	C-PTA0-0848	171	8	48	7.3	0.1
C-PTA0-0830	122	8	30	4.7	0.1	C-PTA0-0854	184	8	54	8.2	0.2
C-PTA0-0836	138	8	36	5.6	0.1	C-PTA0-0860	201	8	60	9.1	0.2

straight worksurface	54
straight worksurface with power grommet	56
wave return with straight end	58
wave return with curved end	60
extended corner with curved front	62
angled worksurface with curved front	64
flexed worksurface with curved front	66
5-sided corner worksurface with straight front	68
5-sided corner worksurface with curved front	69
multi-functional corner worksurface	70
6-sided corner worksurface	71
panel-mounted d-table	72
panel-mounted p-table	74
panel-mounted j-table	76
panel-mounted y-table	77
c-table extension	78
u-table extension	79
bridge worksurface	80
radiused extended surface	82
tempered glass transaction top - straight	83
laminated countertop	84



What’s Included:

Straight Worksurface, grommets
(24 to 48-inch worksurfaces include one grommet, 54 to 84-inch worksurfaces include two grommets, 90 to 96-inch worksurfaces include three grommets).

Notes:

If you need the laminate wood grain direction to run from front to back please see bridge worksurfaces [on page 80](#).

Keyboard trays can be mounted to this worksurface. Refer to the Accessories section [on page 133](#) for details.

How to Specify:

Specify laminate color.

The worksurface trim color will default to match the laminate color unless otherwise specified, see the laminate finish card for details.

Not all laminate colors are available on 1.5-inch thick worksurfaces, see the laminate finish card for details.

Edge profile must be specified for 1.5-inch thick worksurfaces. 1.5-inch thick worksurfaces are available in straight and gothic profiles.

Options:

thickness	C 1-inch	CT 1.5-inch
width	18, 24, 30, 36, 42, 48, 54, 60, 66, 72, 78, 84, 90, 96	
depth	18, 24, 30, 36	
surface finish	laminate colors	
edge profile (1.5-inch only)	straight	gothic

How to Order and Read your Code:

C or CT	WS0G	18	18
product line	item	width	depth

Code	1" Price	1.5" Price	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)	Code	1" Price	1.5" Price	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
C_-WS0G-1818	164	220	18	18	8.18	0.19	C_-WS0G-1830	185	248	18	30	13.73	0.31
C_-WS0G-2418	173	233	24	18	10.96	0.25	C_-WS0G-2430	198	268	24	30	18.36	0.42
C_-WS0G-3018	185	248	30	18	13.73	0.31	C_-WS0G-3030	233	314	30	30	22.99	0.52
C_-WS0G-3618	192	260	36	18	16.51	0.38	C_-WS0G-3630	246	334	36	30	27.62	0.63
C_-WS0G-4218	218	294	42	18	19.29	0.44	C_-WS0G-4230	268	360	42	30	32.25	0.73
C_-WS0G-4818	229	311	48	18	22.06	0.5	C_-WS0G-4830	290	390	48	30	36.88	0.83
C_-WS0G-5418	274	368	54	18	24.69	0.56	C_-WS0G-5430	323	437	54	30	41.35	0.94
C_-WS0G-6018	296	401	60	18	27.46	0.63	C_-WS0G-6030	342	463	60	30	45.98	1.04
C_-WS0G-6618	338	459	66	18	30.24	0.69	C_-WS0G-6630	390	527	66	30	50.61	1.15
C_-WS0G-7218	359	485	72	18	33.02	0.75	C_-WS0G-7230	400	540	72	30	55.24	1.25
C_-WS0G-7818	389	526	78	18	35.8	0.81	C_-WS0G-7830	436	590	78	30	59.86	1.35
C_-WS0G-8418	422	569	84	18	38.57	0.88	C_-WS0G-8430	470	636	84	30	64.49	1.46
C_-WS0G-9018	479	650	90	18	41.2	0.94	C_-WS0G-9030	536	723	90	30	68.97	1.56
C_-WS0G-9618	519	700	96	18	43.97	1	C_-WS0G-9630	578	783	96	30	73.6	1.67
C_-WS0G-1824	176	239	18	24	10.96	0.25	C_-WS0G-1836	192	260	18	36	13.73	0.38
C_-WS0G-2424	186	252	24	24	14.7	0.3	C_-WS0G-2436	225	302	24	36	14.73	0.5
C_-WS0G-3024	198	268	30	24	18.4	0.4	C_-WS0G-3036	246	334	30	36	15.73	0.63
C_-WS0G-3624	204	275	36	24	22.1	0.5	C_-WS0G-3636	257	346	36	36	16.73	0.75
C_-WS0G-4224	239	322	42	24	25.8	0.6	C_-WS0G-4236	278	376	42	36	17.73	0.88
C_-WS0G-4824	257	346	48	24	29.5	0.7	C_-WS0G-4836	302	407	48	36	18.73	1
C_-WS0G-5424	310	419	54	24	33	0.8	C_-WS0G-5436	337	454	54	36	19.73	1.13
C_-WS0G-6024	324	440	60	24	36.7	0.8	C_-WS0G-6036	358	483	60	36	20.73	1.25
C_-WS0G-6624	361	488	66	24	40.4	0.9	C_-WS0G-6636	407	551	66	36	21.73	1.38
C_-WS0G-7224	378	510	72	24	44.1	1	C_-WS0G-7236	419	566	72	36	22.73	1.5
C_-WS0G-7824	410	555	78	24	47.8	1.1	C_-WS0G-7836	454	615	78	36	23.73	1.63
C_-WS0G-8424	443	599	84	24	51.5	1.2	C_-WS0G-8436	493	665	84	36	24.73	1.75
C_-WS0G-9024	504	682	90	24	55.1	1.3	C_-WS0G-9036	561	756	90	36	25.73	1.88
C_-WS0G-9624	546	738	96	24	58.8	1.3	C_-WS0G-9636	603	814	96	36	26.73	2



What's Included:

Straight worksurface with a cable grommet and a power grommet.

Notes:

Key board trays can be mounted to this worksurface. Refer to the accessories section for detail


How to Specify:

- Specify laminate color.
- The worksurface trim color will default to match the laminate color. Unless otherwise specified, see the laminate finish card for details.
- Not all laminate colors are available in 1.5-inch thick worksurfaces, see the laminate finish card for details.
- Edge profile must be specified for 1.5-inch thick worksurfaces 1.5-inch thick worksurfaces are available in straight and gothic profiles.


Options:

thickness	C 1-inch CT 1.5-inch
width	36, 42, 48, 54, 60, 66, 72, 78, 84, 90, 96
depth	24, 30
surface finish	laminate colors
edge profile (1.5-inch only)	straight gothic


Code	1" Price	1.5" Price	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft ³)
C_-WSPG-3624	697	768	36	24	17.28	0.5
C_-WSPG-4224	732	815	42	24	20.16	0.58
C_-WSPG-4824	750	839	48	24	23.04	0.67
C_-WSPG-5424	803	912	54	24	25.92	0.75
C_-WSPG-6024	817	933	60	24	28.8	0.83
C_-WSPG-6624	854	981	66	24	31.68	0.92
C_-WSPG-7224	870	1003	72	24	34.56	1
C_-WSPG-7824	903	1048	78	24	37.44	1.08
C_-WSPG-8424	936	1092	84	24	40.32	1.17
C_-WSPG-9024	997	1175	90	24	43.2	1.25
C_-WSPG-9624	1039	1231	96	24	46.08	1.33
C_-WSPG-3630	739	827	36	30	21.6	0.63
C_-WSPG-4230	761	853	42	30	25.2	0.73
C_-WSPG-4830	783	883	48	30	28.8	0.83
C_-WSPG-5430	816	930	54	30	32.4	0.94
C_-WSPG-6030	835	956	60	30	36	1.04
C_-WSPG-6630	883	1020	66	30	39.6	1.15
C_-WSPG-7230	893	1033	72	30	43.2	1.25
C_-WSPG-7830	929	1083	78	30	46.8	1.35
C_-WSPG-8430	963	1129	84	30	50.4	1.46
C_-WSPG-9030	1029	1216	90	30	54	1.56
C_-WSPG-9630	1071	1276	96	30	57.6	1.67



straight end
right hand



straight end
left hand



What’s Included:

Wave Return, grommets
(24 to 48-inch worksurfaces include one grommet, 54 to 84-inch worksurfaces include two grommets, 90 to 96-inch worksurfaces include three grommets).

Notes:

Worksurfaces 54-inches and longer require a horizontal surface support (CH00), which must be specified separately.


How To Specify:

- Specify laminate color.
- The wave return worksurface must be specified as left or right.
- The worksurface trim color will default to match the laminate color unless otherwise specified, see the laminate finish card for details.
- Edge profile must be specified for 1.5-inch thick worksurfaces. 1.5-inch thick worksurfaces are available in straight and gothic profiles.


Options:

thickness	C 1-inch	CT 1.5-inch
end shape	straight end	curved end
hand	R right	L left
width	30, 36, 42, 48, 54, 60, 66, 72, 78, 84, 90, 96	
depth	24, 30, 36	
surface finish	laminate colors	
edge profile (1.5-inch only)	straight	gothic


Code	1" Price	1.5" Price	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)	Code	1" Price	1.5" Price	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
Right Hand							Left Hand						
C_-WW0G-3024-R	204	275	30	24	27.54	0.63	C_-WW0G-3024-L	204	275	30	24	27.54	0.63
C_-WW0G-3624-R	211	288	36	24	34.48	0.75	C_-WW0G-3624-L	211	288	36	24	34.48	0.75
C_-WW0G-4224-R	252	338	42	24	38.65	0.88	C_-WW0G-4224-L	252	338	42	24	38.65	0.88
C_-WW0G-4824-R	270	363	48	24	44.2	1	C_-WW0G-4824-L	270	363	48	24	44.2	1
C_-WW0G-5424-R	310	419	54	24	49.53	1.13	C_-WW0G-5424-L	310	419	54	24	49.53	1.13
C_-WW0G-6024-R	340	460	60	24	55.08	1.25	C_-WW0G-6024-L	340	460	60	24	55.08	1.25
C_-WW0G-6624-R	381	515	66	24	60.63	1.38	C_-WW0G-6624-L	381	515	66	24	60.63	1.38
C_-WW0G-7224-R	391	530	72	24	66.19	1.5	C_-WW0G-7224-L	391	530	72	24	66.19	1.5
C_-WW0G-7824-R	427	577	78	24	71.74	1.63	C_-WW0G-7824-L	427	577	78	24	71.74	1.63
C_-WW0G-8424-R	464	624	84	24	77.29	1.75	C_-WW0G-8424-L	464	624	84	24	77.29	1.75
C_-WW0G-9024-R	526	709	90	24	82.62	1.88	C_-WW0G-9024-L	526	709	90	24	82.62	1.88
C_-WW0G-9624-R	572	773	96	24	88.17	2	C_-WW0G-9624-L	572	773	96	24	88.17	2
C_-WW0G-3030-R	246	334	30	30	34.48	0.78	C_-WW0G-3030-L	246	334	30	30	34.48	0.78
C_-WW0G-3630-R	263	357	36	30	41.43	0.94	C_-WW0G-3630-L	263	357	36	30	41.43	0.94
C_-WW0G-4230-R	280	380	42	30	48.37	1.09	C_-WW0G-4230-L	280	380	42	30	48.37	1.09
C_-WW0G-4830-R	305	409	48	30	55.31	1.25	C_-WW0G-4830-L	305	409	48	30	55.31	1.25
C_-WW0G-5430-R	336	453	54	30	62.02	1.41	C_-WW0G-5430-L	336	453	54	30	62.02	1.41
C_-WW0G-6030-R	358	483	60	30	68.97	1.56	C_-WW0G-6030-L	358	483	60	30	68.97	1.56
C_-WW0G-6630-R	405	546	66	30	75.91	1.72	C_-WW0G-6630-L	405	546	66	30	75.91	1.72
C_-WW0G-7230-R	417	562	72	30	82.85	1.88	C_-WW0G-7230-L	417	562	72	30	82.85	1.88
C_-WW0G-7830-R	443	599	78	30	89.79	2.03	C_-WW0G-7830-L	443	599	78	30	89.79	2.03
C_-WW0G-8430-R	476	644	84	30	96.74	2.19	C_-WW0G-8430-L	476	644	84	30	96.74	2.19
C_-WW0G-9030-R	539	728	90	30	103.45	2.34	C_-WW0G-9030-L	539	728	90	30	103.45	2.34
C_-WW0G-9630-R	588	792	96	30	103.45	2.5	C_-WW0G-9630-L	588	792	96	30	103.45	2.5
C_-WW0G-3036-R	264	359	30	36	34.48	0.94	C_-WW0G-3036-L	264	359	30	36	34.48	0.94
C_-WW0G-3636-R	283	383	36	36	41.43	1.13	C_-WW0G-3636-L	283	383	36	36	41.43	1.13
C_-WW0G-4236-R	297	402	42	36	48.37	1.31	C_-WW0G-4236-L	297	402	42	36	48.37	1.31
C_-WW0G-4836-R	321	433	48	36	55.31	1.5	C_-WW0G-4836-L	321	433	48	36	55.31	1.5
C_-WW0G-5436-R	355	476	54	36	62.02	1.69	C_-WW0G-5436-L	355	476	54	36	62.02	1.69
C_-WW0G-6036-R	375	504	60	36	68.97	1.88	C_-WW0G-6036-L	375	504	60	36	68.97	1.88
C_-WW0G-6636-R	424	570	66	36	75.91	2.06	C_-WW0G-6636-L	424	570	66	36	75.91	2.06
C_-WW0G-7236-R	432	586	72	36	82.85	2.25	C_-WW0G-7236-L	432	586	72	36	82.85	2.25
C_-WW0G-7836-R	462	622	78	36	89.79	2.44	C_-WW0G-7836-L	462	622	78	36	89.79	2.44
C_-WW0G-8436-R	500	675	84	36	96.74	2.63	C_-WW0G-8436-L	500	675	84	36	96.74	2.63
C_-WW0G-9036-R	566	762	90	36	103.45	2.81	C_-WW0G-9036-L	566	762	90	36	103.45	2.81
C_-WW0G-9636-R	609	824	96	36	110.4	3	C_-WW0G-9636-L	609	824	96	36	110.4	3



curved end
right hand



curved end
left hand



What’s Included:

Wave Return, grommets
(24 to 48-inch worksurfaces include one grommet, 54 to 84-inch worksurfaces include two grommets, 90 to 96-inch worksurfaces include three grommets).

Notes:

Worksurfaces 54-inches and longer require a horizontal surface support (CH00), which must be specified separately.


How To Specify:

- Specify laminate color.
- The wave return worksurface must be specified as left or right.
- The worksurface trim color will default to match the laminate color unless otherwise specified, see the laminate finish card for details.
- Edge profile must be specified for 1.5-inch thick worksurfaces. 1.5-inch thick worksurfaces are available in straight and gothic profiles.


Options:

thickness	C 1-inch	CT 1.5-inch
end shape	straight end	curved end
hand	R right	L left
width	30, 36, 42, 48, 54, 60, 66, 72, 78, 84, 90, 96	
depth	24, 30, 36	
surface finish	laminate colors	
edge profile (1.5-inch only)	straight	gothic


Code	1" Price	1.5" Price	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)	Code	1" Price	1.5" Price	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
Right Hand							Left Hand						
C_-WW_G-3024-R	212	289	30	24	18.36	0.42	C_-WW_G-3024-L	212	289	30	24	18.36	0.42
C_-WW_G-3624-R	224	298	36	24	22.99	0.5	C_-WW_G-3624-L	224	298	36	24	22.99	0.5
C_-WW_G-4224-R	263	357	42	24	25.77	0.58	C_-WW_G-4224-L	263	357	42	24	25.77	0.58
C_-WW_G-4824-R	283	383	48	24	29.47	0.67	C_-WW_G-4824-L	283	383	48	24	29.47	0.67
C_-WW_G-5424-R	324	440	54	24	33.02	0.75	C_-WW_G-5424-L	324	440	54	24	33.02	0.75
C_-WW_G-6024-R	358	483	60	24	36.72	0.83	C_-WW_G-6024-L	358	483	60	24	36.72	0.83
C_-WW_G-6624-R	399	538	66	24	40.42	0.92	C_-WW_G-6624-L	399	538	66	24	40.42	0.92
C_-WW_G-7224-R	409	554	72	24	44.13	1	C_-WW_G-7224-L	409	554	72	24	44.13	1
C_-WW_G-7824-R	445	602	78	24	47.83	1.08	C_-WW_G-7824-L	445	602	78	24	47.83	1.08
C_-WW_G-8424-R	483	651	84	24	61.53	1.17	C_-WW_G-8424-L	483	651	84	24	61.53	1.17
C_-WW_G-9024-R	546	738	90	24	55.08	1.25	C_-WW_G-9024-L	546	738	90	24	55.08	1.25
C_-WW_G-3030-R	259	352	30	30	22.99	0.52	C_-WW_G-3030-L	259	352	30	30	22.99	0.52
C_-WW_G-3630-R	277	375	36	30	27.62	0.63	C_-WW_G-3630-L	277	375	36	30	27.62	0.63
C_-WW_G-4230-R	295	399	42	30	32.25	0.73	C_-WW_G-4230-L	295	399	42	30	32.25	0.73
C_-WW_G-4830-R	319	430	48	30	36.88	0.83	C_-WW_G-4830-L	319	430	48	30	36.88	0.83
C_-WW_G-5430-R	355	476	54	30	41.35	0.94	C_-WW_G-5430-L	355	476	54	30	41.35	0.94
C_-WW_G-6030-R	375	504	60	30	45.98	1.04	C_-WW_G-6030-L	375	504	60	30	45.98	1.04
C_-WW_G-6630-R	425	572	66	30	50.61	1.15	C_-WW_G-6630-L	425	572	66	30	50.61	1.15
C_-WW_G-7230-R	433	587	72	30	55.24	1.25	C_-WW_G-7230-L	433	587	72	30	55.24	1.25
C_-WW_G-7830-R	465	626	78	30	59.86	1.35	C_-WW_G-7830-L	465	626	78	30	59.86	1.35
C_-WW_G-8430-R	497	672	84	30	64.49	1.46	C_-WW_G-8430-L	497	672	84	30	64.49	1.46
C_-WW_G-9030-R	563	759	90	30	68.97	1.56	C_-WW_G-9030-L	563	759	90	30	68.97	1.56



straight end
right hand



straight end
left hand



What's Included:

Extended Corner with curved front, grommets (48-inch worksurfaces include one grommet, 54-inch worksurfaces and above include two grommets).

Notes:

Worksurfaces 54-inches and longer require a horizontal surface support (CH00), which must be specified separately.


How To Specify:

- Specify laminate color.
- The straight worksurface with curved end must be specified as left or right. When the straight end is specified, the handed end will be longer. When the curved end is specified, the handed end will be longer and curved.
- The worksurface trim color will default to match the laminate color unless otherwise specified, see the laminate finish card for details.
- Edge profile must be specified for 1.5-inch thick worksurfaces. 1.5-inch thick worksurfaces are available in straight and gothic profiles.
- Keyboard tray can be mounted to this worksurface. Refer to the Accessories section [on page 133](#) for details.


Options:

thickness	C 1-inch	CT 1.5-inch
hand	R right	L left
width	36, 42, 48	
depth	18, 24, 30	
length	48, 54, 60, 66, 72	
surface finish	laminate colors	
edge profile (1.5-inch only)	straight	gothic

Code	1" Price	1.5" Price	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
Straight End						
C_-W5E0-4218-__	444	601	42	18	29.09	0.8
C_-W5E0-4818-__	467	631	48	18	33.23	0.9
C_-W5E0-5418-__	496	671	54	18	37.38	1
C_-W5E0-6018-__	517	699	60	18	41.54	1.1
C_-W5E0-4824-__	490	659	48	24	38.77	1.2
C_-W5E0-5424-__	516	695	54	24	43.62	1.3
C_-W5E0-6024-__	544	735	60	24	48.46	1.5
C_-W5E0-5430-__	561	756	54	30	49.85	1.5
C_-W5E0-6030-__	607	823	60	30	55.38	1.7
C_-W5E0-6630-__	654	900	66	30	60.92	1.9
C_-W5E0-7230-__	698	964	72	30	66.46	2.1



straight ends



What’s Included:

Angled Worksurface with curved front (135-degree), grommet

Notes:

How To Specify:

Specify laminate color.

The worksurface trim color will default to match the laminate color unless otherwise specified, see the laminate finish card for details.


Edge profile must be specified for 1.5-inch thick worksurfaces. 1.5-inch thick worksurfaces are available in straight and gothic profiles.

Keyboard tray can be mounted to this worksurface. Refer to the Accessories section [on page 133](#) for details.


Options:

thickness	C 1-inch	CT 1.5-inch
end shape	straight	
width	24, 30, 36, 42, 48	
depth	18, 24, 30	
surface finish	laminate colors	
edge profile (1.5-inch only)	straight	gothic

Code	1" Price	1.5" Price	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft ³)
Straight End						
C_-WA00-2418	305	409	24	18	20	0.47
C_-WA00-3018	401	543	30	18	26	0.67
C_-WA00-3618	453	613	36	18	28	0.91
C_-WA00-4218	520	699	42	18	30	1.1
C_-WA00-4818	630	861	48	18	32	1.3
C_-WA00-2424	343	464	24	24	24	0.56
C_-WA00-3024	418	563	30	24	28	0.75
C_-WA00-3624	523	705	36	24	30	1.01
C_-WA00-4224	579	786	42	24	32	1.2
C_-WA00-4824	713	981	48	24	34	1.4
C_-WA00-3030	475	642	30	30	30	0.84
C_-WA00-3630	594	802	36	30	32	1.11
C_-WA00-4230	634	869	42	30	34	1.4
C_-WA00-4830	781	1083	48	30	36	1.6



straight ends



What’s Included:

Flexed Worksurface with curved front (120-degree), grommet

Notes:

How To Specify:

Specify laminate color.

The worksurface trim color will default to match the laminate color unless otherwise specified, see the laminate finish card for details.


Edge profile must be specified for 1.5-inch thick worksurfaces. 1.5-inch thick worksurfaces are available in straight and gothic profiles.

Keyboard tray can be mounted to this worksurface. Refer to the Accessories section [on page 133](#) for details.

Options:

thickness	C 1-inch	CT 1.5-inch
end shape	O straight	
width	24, 30, 36, 42, 48, 54	
depth	18, 24, 30	
surface finish	laminate colors	
edge profile (1.5-inch only)	straight	gothic

Code	1" Price	1.5" Price	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft ³)
Straight End						
C-WF00-2418	297	402	24	18	5.18	0.25
C-WF00-3018	363	492	30	18	6.48	0.31
C-WF00-3618	460	621	36	18	7.78	0.38
C-WF00-4218	520	700	42	18	28	0.44
C-WF00-4818	640	879	48	18	10.37	0.5
C-WF00-5418	746	1033	54	18	11.66	0.56
C-WF00-3024	420	567	30	24	8.64	0.42
C-WF00-3624	516	695	36	24	10.37	0.5
C-WF00-4224	569	773	42	24	12.1	0.58
C-WF00-4824	705	971	48	24	13.82	0.67
C-WF00-5424	813	1132	54	24	15.55	0.75
C-WF00-3630	523	705	36	30	12.96	0.63
C-WF00-4230	580	792	42	30	15.12	0.73
C-WF00-4830	719	997	48	30	17.28	0.83
C-WF00-5430	830	1162	54	30	19.44	0.94



straight ends

What’s Included:

5-Sided Corner Workspace with straight front, grommet

Notes:

How To Specify:

Specify laminate color.

The workspace trim color will default to match the laminate color unless otherwise specified, see the laminate finish card for details.


Edge profile must be specified for 1.5-inch thick workspaces. 1.5-inch thick workspaces are available in straight and gothic profiles.

Keyboard tray can be mounted to this workspace. Refer to the Accessories section [on page 133](#) for details.

Options:

thickness	C 1-inch	CT 1.5-inch
width	36, 42, 48	
depth	18, 24, 30	
surface finish	laminate colors	
edge profile (1.5-inch only)	straight	gothic

Code	1" Price	1.5" Price	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
C_-W5S0-3618	400	540	36	18	39.94	1.13
C_-W5S0-3624	400	540	36	24	40.5	1.13
C_-W5S0-4224	483	651	42	24	57.99	1.53
C_-W5S0-4824	504	682	48	24	71.18	2
C_-W5S0-4830	504	682	48	30	78.82	2

**What's Included:**

5-Sided Corner Workspace with curved front, grommet

Notes:**How To Specify:**

Specify laminate color.

The workspace trim color will default to match the laminate color unless otherwise specified, see the laminate finish card for details.


Edge profile must be specified for 1.5-inch thick workspaces. 1.5-inch thick workspaces are available in straight and gothic profiles.

Keyboard tray can be mounted to this workspace. Refer to the Accessories section [on page 133](#) for details.


Options:

thickness	C 1-inch	CT 1.5-inch
width	36, 42, 48	
depth	18, 24, 30	
surface finish	laminate colors	
edge profile (1.5-inch only)	straight	gothic

Code	1" Price	1.5" Price	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft ³)
C_-W5C0-3618	385	519	36	18	26.63	0.75
C_-W5C0-3624	385	519	36	24	27	0.75
C_-W5C0-4224	464	626	42	24	38.66	1.02
C_-W5C0-4824	485	656	48	24	47.45	1.33
C_-W5C0-4830	485	656	48	30	52.55	1.33



straight ends



What’s Included:

Multi-Functional Corner Workspace
with curved front, grommet

Notes:

How To Specify:

Specify laminate color.

The worksurface trim color will default to match the laminate color unless otherwise specified, see the laminate finish card for details.


Edge profile must be specified for 1.5-inch thick worksurfaces. 1.5-inch thick worksurfaces are available in straight and gothic profiles.

Keyboard tray can be mounted to this workspace. Refer to the Accessories section [on page 133](#) for details.


Options:

thickness	C 1-inch	CT 1.5-inch
end shape	O straight	
width	24/36, 48/42	
depth	18, 24, 30	
surface finish	laminate colors	
edge profile (1.5-inch only)	straight	gothic

Code	1" Price	1.5" Price	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
Straight End						
C_-W5M0-4236	444	601	42/36	18/24	45	0.88
C_-W5M0-4842	490	659	48/42	24/30	45	1.17



straight front

**What's Included:**

6-Sided Corner Workspace with grommet.

Notes:**How To Specify:**

Specify laminate color.

The workspace trim color will default to match the laminate color unless otherwise specified, see the laminate finish card for details.


Edge profile must be specified for 1.5-inch thick workspaces. 1.5-inch thick workspaces are available in straight and gothic profiles.

Keyboard tray can be mounted to this workspace. Refer to the Accessories section [on page 133](#) for details.


Options:

thickness	C 1-inch	CT 1.5-inch
end shape	O straight	
width	24	
depth	24, 30	
surface finish	laminate colors	
edge profile (1.5-inch only)	straight	gothic


Code	1" Price	1.5" Price	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft ³)
C_-W6SG-2424	490	659	24	24	27	0.75
C_-W6SG-3024	516	695	30	24	27	0.87



30-inches



36-inches



What’s Included:

Panel-Mounted D-Table, metal support post, laminate partial modesty panel.

Notes:

How To Specify:

Specify laminate color.

The worksurface trim color will default to match the laminate color unless otherwise specified, see the laminate finish card for details.

Edge profile must be specified for 1.5-inch thick worksurfaces. 1.5-inch thick worksurfaces are available in straight and gothic profiles.

The color of the modesty panel will default to match the worksurface.


Options:

thickness	C 1-inch	CT 1.5-inch
width	60, 66, 72, 78, 84	
depth	30, 36	
surface finish	laminate colors	
edge profile (1.5-inch only)	straight	gothic
support finish	metal colors	


How to Order and Read your Code:

C or CT	WD00	72	36
product line	item	width	depth


Code	1" Price	1.5" Price	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft ³)
Without Grommet						
C_-WD00-6030	490	587	60	30	63.27	1.04
C_-WD00-6630	577	693	66	30	69.75	1.15
C_-WD00-7230	623	747	72	30	76.22	1.25
C_-WD00-7830	721	863	78	30	82.7	1.35
C_-WD00-8430	758	908	84	30	89.18	1.46
C_-WD00-6036	537	644	60	36	78.14	1.25
C_-WD00-6636	634	761	66	36	85.54	1.38
C_-WD00-7236	684	823	72	36	92.94	1.5
C_-WD00-7836	790	950	78	36	100.34	1.63
C_-WD00-8436	831	998	84	36	107.74	1.75
With Grommet						
C_-WD0G-6030	503	604	60	30	63.27	1.04
C_-WD0G-6630	592	709	66	30	69.75	1.15
C_-WD0G-7230	638	765	72	30	76.22	1.25
C_-WD0G-7830	736	883	78	30	82.7	1.35
C_-WD0G-8430	772	927	84	30	89.18	1.46
C_-WD0G-6036	552	665	60	36	78.14	1.25
C_-WD0G-6636	651	779	66	36	85.54	1.38
C_-WD0G-7236	700	838	72	36	92.94	1.5
C_-WD0G-7836	806	966	78	36	100.34	1.63
C_-WD0G-8436	848	1016	84	36	107.74	1.75



Right hand



Left hand



What's Included:

Panel-Mounted P-Table, 2 metal support posts, laminate partial modesty panel.

Notes:

How To Specify:

Specify laminate color.

The panel-mounted P-table must be specified as left or right. The handed end has a bubble on the outside.

The worksurface trim color will default to match the laminate color unless otherwise specified, see the laminate finish card for details.


Edge profile must be specified for 1.5-inch thick worksurfaces. 1.5-inch thick worksurfaces are available in straight and gothic profiles.

The color of the modesty panel will default to match the worksurface.


Options:

thickness	C 1-inch	CT 1.5-inch
width	60, 66, 72, 78, 84	
depth	30, 36	
hand	R right	L left
surface finish	laminate colors	
edge profile (1.5-inch only)	straight	gothic
support finish	metal colors	


Code	1" Price	1.5" Price	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft ³)
Without Grommet						
C_-WP00-6030-__	535	642	60	30	73.13	1.04
C_-WP00-6630-__	606	727	66	30	79.59	1.15
C_-WP00-7230-__	646	775	72	30	86.07	1.25
C_-WP00-7830-__	758	908	78	30	92.55	1.35
C_-WP00-8430-__	815	980	84	30	99.02	1.46
C_-WP00-6036-__	595	716	60	36	77	1.25
C_-WP00-6636-__	668	801	66	36	83	1.38
C_-WP00-7236-__	706	849	72	36	90	1.5
C_-WP00-7836-__	817	981	78	36	96	1.63
C_-WP00-8436-__	892	1069	84	36	103	1.75
With Grommet						
C_-WP0G-6030-__	543	650	60	30	80	0.8
C_-WP0G-6630-__	615	737	66	30	83	0.9
C_-WP0G-7230-__	654	784	72	30	86	1
C_-WP0G-7830-__	766	918	78	30	89	1.1
C_-WP0G-8430-__	825	989	84	30	99.02	1.46
C_-WP0G-6036-__	604	724	60	36	80	1
C_-WP0G-6636-__	676	810	66	36	83	1.2
C_-WP0G-7236-__	716	857	72	36	86	1.3
C_-WP0G-7836-__	827	990	78	36	89	1.4
C_-WP0G-8436-__	901	1077	84	36	103	1.75



Right hand



Left hand



What's Included:

Panel-Mounted J-Table, grommet, metal support post, laminate partial modesty panel.

Notes:

How To Specify:

Specify laminate color.

Specify metal color for support posts.

The panel-mounted J-table must be specified as left or right. The handed end is the longer side of the J-tab

The worksurface trim color will default to match the laminate color unless otherwise specified, see the laminate finish card for details.

Edge profile must be specified for 1.5-inch thick worksurfaces. 1.5-inch thick worksurfaces are available in straight and gothic profiles.

The color of the modesty will default to match the worksurface.

Keyboard trays can be mounted to this worksurface. Refer to the accessories section for details.

Options:

thickness **C** 1-inch **CT** 1.5-inch

width 60, 66, 72, 78

depth 24, 30


hand **R** right **L** left

surface finish laminate colors


edge profile (1.5-inch only) straight gothic

support finish metal colors


Code	1" Price	1.5" Price	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
C_-WJ0G-6024-L	720	862	60	24	120	1.25
C_-WJ0G-6624-L	765	919	66	24	124.5	1.38
C_-WJ0G-7224-L	824	990	72	24	129	1.5
C_-WJ0G-7824-L	870	1043	78	24	133.5	1.63
C_-WJ0G-6030-L	771	926	60	30	120	1.56
C_-WJ0G-6630-L	829	995	66	30	124.5	1.72
C_-WJ0G-7230-L	874	1049	72	30	129	1.88
C_-WJ0G-7830-L	972	1167	78	30	133.5	2.03



Right hand



Left hand



What's Included:

Panel-Mounted Y-Table, metal support posts, laminate partial modesty panel.

Notes:

How To Specify:

Specify laminate color.

Specify metal color for support posts.

The panel-mounted Y-table must be specified as left or right. The handed end is rounded.

The worksurface trim color will default to match the laminate color unless otherwise specified, see the laminate finish card for details.

Edge profile must be specified for 1.5-inch thick worksurfaces. 1.5-inch thick worksurfaces are available in straight and gothic profiles.

The color of the modesty will default to match the worksurface.

Keyboard trays can be mounted to this worksurface. Refer to the accessories section for details.

Options:

thickness **C** 1-inch **CT** 1.5-inch

width 60, 66, 72, 78

depth 24, 30


hand **R** right **L** left

surface finish laminate colors

edge profile (1.5-inch only) straight gothic

support finish metal colors

Code	1" Price	1.5" Price	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft ³)
C_-WY0G-6024-_	943	1133	60	24	120	1.25
C_-WY0G-6624-_	1008	1210	66	24	123	1.38
C_-WY0G-7224-_	1081	1295	72	24	126	1.5
C_-WY0G-7824-_	1149	1379	78	24	129	1.63
C_-WY0G-6630-_	1141	1369	66	30	129	1.72
C_-WY0G-7230-_	1155	1389	72	30	132	1.88
C_-WY0G-7830-_	1185	1422	78	30	135	2.03
C_-WY0G-8430-_	1200	1440	84	30	141	2.19



What’s Included:

C-Table Extension, metal support post

Notes:



How To Specify:

- Specify laminate color.
- Specify metal color for support posts.
- The worksurface trim color will default to match the laminate color unless otherwise specified, see the laminate finish card for details.
- Edge trim style must be specified for 1.5-inch thick worksurfaces. 1.5-inch thick worksurfaces are available in straight and gothic profiles.

Options:

thickness	C 1-inch	CT 1.5-inch
width	51, 63	
depth	16, 21, 26	
trim style	R radiused	S straight
surface finish	laminate colors	
edge profile (1.5-inch only)	straight	gothic
support finish	metal colors	

Code	1" Price	1.5" Price	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
C_-WC00-5121	534	639	51	21	38.27	3.55
C_-WC00-6326	574	688	63	26	54.56	5.41

**What's Included:**

U-Table Extension, metal support post

Notes:**How To Specify:**

Specify laminate color.

Specify metal color for support posts.


The worksurface trim color will default to match the laminate color unless otherwise specified, see the laminate finish card for details.

Edge trim style must be specified for 1.5-inch thick worksurfaces. 1.5-inch thick worksurfaces are available in straight and gothic profiles.


Options:

thickness	C 1-inch	CT 1.5-inch
width	51, 63	
depth	18, 24, 28	
trim style	R radiused	S straight
surface finish	laminate colors	
edge profile (1.5-inch only)	straight	gothic
support finish	metal colors	


Code	1" Price	1.5" Price	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft ³)
C_-WU00-5124	563	675	51	24	17.14	0.81
C_-WU00-6328	648	778	63	28	21.17	1.02



Without grommet



With grommet



What's Included:

Bridge Surface

Notes:

How To Specify:



The worksurface trim color will default to match the laminate color unless otherwise specified, see the laminate finish card for details.

Edge profile must be specified for 1.5-inch thick worksurfaces. 1.5-inch thick worksurfaces are available in straight and gothic profiles.

Options:

thickness	C 1-inch	CT 1.5-inch
grommet	O without	G with grommet
width	24, 30, 36, 42, 48	
depth	18, 24, 30	
surface finish	laminate colors	
edge profile (1.5-inch only)	straight	gothic

Code	1" Price	1.5" Price	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft ³)
Without Grommet						
C_-BS00-2418	163	224	24	18	5.18	0.25
C_-BS00-3018	177	239	30	18	6.48	0.31
C_-BS00-3618	183	251	36	18	7.78	0.38
C_-BS00-4218	209	286	42	18	9.07	0.44
C_-BS00-4818	220	301	48	18	10.37	0.5
C_-BS00-2424	178	243	24	24	6.91	0.33
C_-BS00-3024	187	259	30	24	8.64	0.42
C_-BS00-3624	194	265	36	24	10.37	0.5
C_-BS00-4224	229	314	42	24	12.1	0.58
C_-BS00-4824	249	337	48	24	13.82	0.67
C_-BS00-2430	187	259	24	30	8.64	0.42
C_-BS00-3030	224	306	30	30	10.8	0.52
C_-BS00-3630	238	324	36	30	12.96	0.63
C_-BS00-4230	259	352	42	30	15.12	0.73
C_-BS00-4830	282	382	48	30	17.28	0.83
With Grommet						
C_-BS0G-2418	173	233	24	18	5.18	0.25
C_-BS0G-3018	185	248	30	18	6.48	0.31
C_-BS0G-3618	192	260	36	18	7.78	0.38
C_-BS0G-4218	218	294	42	18	9.07	0.44
C_-BS0G-4818	229	311	48	18	10.37	0.5
C_-BS0G-2424	186	252	24	24	6.91	0.33
C_-BS0G-3024	198	268	30	24	8.64	0.42
C_-BS0G-3624	204	275	36	24	10.37	0.5
C_-BS0G-4224	239	322	42	24	12.1	0.58
C_-BS0G-4824	257	346	48	24	13.82	0.67
C_-BS0G-2430	198	268	24	30	8.64	0.42
C_-BS0G-3030	233	314	30	30	10.8	0.52
C_-BS0G-3630	246	334	36	30	12.96	0.63
C_-BS0G-4230	268	360	42	30	15.12	0.73
C_-BS0G-4830	290	390	48	30	17.28	0.83



What’s Included:

Radiused Extended Surface

Notes:


How To Specify:

- Specify laminate color.
- Specify metal color for support posts.
- The worksurface trim color will default to match the laminate color unless otherwise specified, see the laminate finish card for details.
- Edge trim style must be specified for 1.5-inch thick worksurfaces. 1.5-inch thick worksurfaces are available in straight and gothic profiles.

Options:

thickness	C 1-inch	CT 1.5-inch
width	27, 33	
depth	27, 33	
surface finish	laminate colors	
edge profile (1.5-inch only)	straight	gothic

Code	1" Price	1.5" Price	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
C_-WC01-3333	264	359	33	33	14.3	0.49
C_-BS00-2418	163	224	24	18	5.18	0.25

**What's Included:**

Tempered Glass transaction top, installation hardware, two post legs.

Notes:

The tempered glass transaction top can be mounted on top of one or two 37-inch high panel frames to provide a transaction surface for a reception station or between two workstations in a team environment.

The tempered glass transaction top is not applicable on 90, 120, or 135-degree configurations.

How To Specify:

Specify metal finish.

When the tempered glass transaction top is to be mounted over a single panel frame, specify the transaction top to be the same width as the panel frame. When it is to be mounted over two panel frames, specify the transaction top to be the total width of the two panel frames.

Refer to for details on specifying panel frames.


Options:

width 24, 30, 36, 42, 48, 54,

depth 12

metal finish metal colors

Code	Price	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft ³)
C-WTGS-2412	582	24	12	5	0.2
C-WTGS-3012	627	30	12	6	0.2
C-WTGS-3612	667	36	12	7	0.3
C-WTGS-4212	705	42	12	8	0.3
C-WTGS-4812	745	48	12	9	0.3
C-WTGS-5412	784	54	12	10	0.3



What’s Included:

Laminate countertop, installation hardware, two post legs.

Notes:

How To Specify:

Specify laminate color.

Specify metal finish.

When the laminate countertop is to be mounted over a single panel frame, specify the countertop to be the same width as the panel frame. When it is to be mounted over two panel frames, specify the countertop to be the total width of the two panel frames.


Options:

width	24, 30, 36, 42, 48, 54, 60			
depth	15			
configuration	A 90-degree	B 120-degree	C 135-degree	O 180-degree
end shape	S - straight right 90-degree corner right 120-degree corner right 135-degree corner left 90-degree corner left 120-degree corner left 135-degree corner dual 90-degree corner dual 120-degree corner dual 135-degree corner			
surface finish	laminate colors			
metal finish	metal colors			

Code	1" Price	1.5" Price	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)	Code	1" Price	1.5" Price	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
180-degree countertop							120-degree corner (single)						
C_-WTL0-2415	320	352	24	15	4.32	0.21	C_-WTLB-2415-_	357	394	24	15	4.32	0.21
C_-WTL0-3015	344	385	30	15	5.4	0.26	C_-WTLB-3015-_	382	427	30	15	5.4	0.26
C_-WTL0-3615	363	412	36	15	6.48	0.31	C_-WTLB-3615-_	396	450	36	15	6.48	0.31
C_-WTL0-4215	371	423	42	15	7.56	0.36	C_-WTLB-4215-_	402	462	42	15	7.56	0.36
C_-WTL0-4815	404	466	48	15	8.64	0.42	C_-WTLB-4815-_	436	504	48	15	8.64	0.42
C_-WTL0-5415	419	489	54	15	9.72	0.47	C_-WTLB-5415-_	451	526	54	15	9.72	0.47
C_-WTL0-6015	433	512	60	15	10.8	0.52	C_-WTLB-6015-_	470	555	60	15	10.8	0.52
90-degree corner (single)							120-degree corner (dual)						
C_-WTLA-2415-_	365	409	24	15	4.32	0.21	C_-WTLB-2415	388	431	24	15	4.32	0.21
C_-WTLA-3015-_	390	442	30	15	4.32	0.26	C_-WTLB-3015	413	467	30	15	5.4	0.26
C_-WTLA-3615-_	406	457	36	15	6.48	0.31	C_-WTLB-3615	428	489	36	15	6.48	0.31
C_-WTLA-4215-_	422	466	42	15	7.56	0.36	C_-WTLB-4215	443	508	42	15	7.56	0.36
C_-WTLA-4815-_	445	492	48	15	8.64	0.42	C_-WTLB-4815	467	543	48	15	8.64	0.42
C_-WTLA-5415-_	465	511	54	15	9.72	0.47	C_-WTLB-5415	489	570	54	15	9.72	0.47
C_-WTLA-6015-_	486	531	60	15	10.8	0.52	C_-WTLB-6015	508	599	60	15	10.8	0.52
90-degree corner (dual)							135-degree corner (single)						
C_-WTLA-2415	409	463	24	15	4.32	0.21	C_-WTLA-2415-_	382	420	24	15	4.32	0.21
C_-WTLA-3015	442	504	30	15	5.4	0.26	C_-WTLA-3015-_	406	454	30	15	5.4	0.26
C_-WTLA-3615	457	527	36	15	6.48	0.31	C_-WTLA-3615-_	421	477	36	15	6.48	0.31
C_-WTLA-4215	466	539	42	15	7.56	0.36	C_-WTLA-4215-_	436	456	42	15	7.56	0.36
C_-WTLA-4815	492	577	48	15	8.64	0.42	C_-WTLA-4815-_	460	532	48	15	8.64	0.42
C_-WTLA-5415	511	604	54	15	9.72	0.47	C_-WTLA-5415-_	479	561	54	15	9.72	0.47
C_-WTLA-6015	531	632	60	15	10.8	0.52	C_-WTLA-6015-_	495	581	60	15	10.8	0.52
							135-degree corner (dual)						
							C_-WTLA-2415	382	420	24	15	4.32	0.21
							C_-WTLA-3015	406	454	30	15	5.4	0.26
							C_-WTLA-3615	421	477	36	15	6.48	0.31
							C_-WTLA-4215	436	456	42	15	7.56	0.36
							C_-WTLA-4815	460	532	48	15	8.64	0.42
							C_-WTLA-5415	479	561	54	15	9.72	0.47
							C_-WTLA-6015	495	581	60	15	10.8	0.52

worksurface supports

cantilever arm	88
universal bracket	89
single post	90
horizontal surface support	91
laminated gable	92
intermediate gable	93
open metal gable	94



What’s Included:

Cantilever Arm, installation hardware.

How to Specify:

Cantilever arms are available only in black.

Notes:

The cantilever arm mounts to the panel frame to support workspaces.

Workspaces 24 inches and greater require the 22-inch cantilever to be used.


Options:

size	16, 22		
position	R right	L left	C center


How to Order and Read your Code:

C	CCAB	16	L
product line	item	width	position

Code	Price	D 1 (in.)	Weight (lb)	Volume (ft³)
C-CCAB-16-__	66	16	2.2	0.01
C-CCAB-22-__	71	22	2.7	0.01



right hand



left hand

What's Included:

Universal Bracket, installation hardware.

How to Specify:

Specify right or left hand according to the position of the worksurface.

The universal bracket is available only in black.


Notes:

The universal bracket is primarily used for end or side corner support and must be used in conjunction with other primary supports, such as gables, cantilever arms, or single posts.

Options:

hand **R** right **L** left

Code	Price	Weight (lb)	Volume (ft ³)
C-CB01-__	6	1	0.01



What’s Included:

Single Post, leveler, installation hardware.

How to Specify:

Specify metal finish. See the metal finish card for details.

Options:


finish metal finish colors

Notes:

The single post is 28-inch in height and includes an integral leveler that provides a 3-inch levelling range.

This item should be used together with panel-mounted worksurface supports to support semi-suspended worksurfaces.

Code	Price	H (in.)	Weight (lb)	Volume (ft³)
C-CP1G-03	93	28	7	0.11

**What's Included:**

Horizontal Surface Support, installation hardware.

How to Specify:

The horizontal surface support is available only in black.

Notes:


The horizontal surface support is used to support worksurfaces 54-inches and longer.

This item is mounted to the underside of a worksurface.


Options:

width 54, 60, 66, 72, 78

Code	Price	W (in)	Weight (lb)	Volume (ft ³)
C-CH00-54	45	54	4	0.05
C-CH00-60	48	60	4.5	0.05
C-CH00-66	51	66	5	0.06
C-CH00-72	54	72	5.5	0.06
C-CH00-78	58	78	6	0.07



right



left

What’s Included:

Gable, installation hardware.

How to Specify:

Specify laminate color.

The vinyl trim color will default to match the laminate color unless otherwise specified. See the laminate finish card for details.

Notes:


Gables can be used for single or dual worksurface support in the left, right and center positions.

The left and right gables are designed to match the depth of standard worksurfaces. The center gable will be slightly shorter than the depth of the worksurface to allow for below worksurface leg room.

Options:

position	R right	L left	U - universal
depth	12, 18, 24, 30, 36		

Code	Price	H (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
C-CG_0-12	80	28	12	7.5	0.01
C-CG_0-18	95	28	18	11.47	0.01
C-CG_0-24	109	28	24	15.4	0.01
C-CG_0-30	127	28	30	19.32	0.01
C-CG_0-36	140	28	36	19.35	0.01



What's Included:

Gable, installation hardware.

How to Specify:

Specify laminate color.

The vinyl trim color will default to match the laminate color unless otherwise specified. See the laminate finish card for details.

Notes:


Gables can be used for single or dual worksurface support in the left, right and center positions.

The left and right gables are designed to match the depth of standard worksurfaces. The center gable will be slightly shorter than the depth of the worksurface to allow for below worksurface leg room.

Options:

position	R right	L right	U - universal
depth	12, 18		
finish	laminate colors		

Code	Price	H (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
C-CG_C-12	80	28	12	7.5	0.01
C-CG_C-18	95	28	18	11.47	0.01



right hand

left hand

What’s Included:

Open metal gable, installation hardware.

How to Specify:

Specify metal color.

Notes:

Open metal gables can be used to support worksurfaces in the left or right position.

The depth of the open metal gable should match the depth of the worksurface that it will support at the end of a run.

Use the 12 or 18-inch pen metal gable to support worksurface in the middle of a run.

Open metal gables cannot be used in freestanding applications


Options:

position	R right	L left
size	12, 18, 24, 30	
finish	metal colors	

Code	Price	H (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
Left Hand					
C-CGLM-12	306	28	12	6	0.58
C-CGLM-18	322	28	18	10	0.88
C-CGLM-24	345	28	24	14	1.17
C-CGLM-30	366	28	30	14	1.17
Right Hand					
C-CGRM-12	306	28	12	6	0.58
C-CGRM-18	322	28	18	10	0.88
C-CGRM-24	345	28	24	14	1.17
C-CGRM-30	366	28	30	14	1.17

mounted storage

panel-mounted flipper cabinet	96
suspended flipper cabinet	98
wall mounted flipper cabinet	100
open metal shelf	102
overhead back bracket	103
double channel wall mount bracket kit	104
top mounted shared open shelf	106
cubby storage	108



flipper cabinet

What’s Included:

Panel-Mounted Flipper Cabinet, installation hardware.

How to Specify:

- Specify metal color.
- Specify laminate color (for laminate faced flipper only).
- Specify option P for pneumatic slides.
- The vinyl trim color will default to match the laminate color unless otherwise specified. See the laminate finish card for details.

Notes:

- The panel-mounted flipper cabinet mounts on-module to panel frames of the same width.
- The optional pneumatic slide allows the flipper door to come down slowly and quietly.

Options:


depth	14		
width	30, 36, 42, 48, 54, 60		
door finish	L laminate colors	M metal colors	
enhancements	P pneumatic*		
case finish	metal colors		

* an upcharge is applicable when this option is specified

How to Order and Read your Code:

C	SOF	M	14	30	L	P
product line	item	door finish	depth	width	door finish	enhancements

Code	Standard	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
Standard Laminate						
C-SOFL-1430	490	16	30	14	32.1	2.92
C-SOFL-1436	526	16	36	14	34.7	3.5
C-SOFL-1442	555	16	42	14	38.6	4.08
C-SOFL-1448	578	16	48	14	42.5	4.67
C-SOFL-1454	590	16	54	14	45.7	5.25
C-SOFL-1460	631	16	60	14	49.1	5.83
Standard Metal						
C-SOFM-1430	537	16	30	14	32.1	2.92
C-SOFM-1436	578	16	36	14	34.7	3.5
C-SOFM-1442	612	16	42	14	38.6	4.08
C-SOFM-1448	636	16	48	14	42.5	4.67
C-SOFM-1454	648	16	54	14	45.7	5.25
C-SOFM-1460	694	16	60	14	49.1	5.83
Code	Pneumatic	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
Pneumatic Laminate						
C-SOFL-1430	683	16	30	14	32.1	2.92
C-SOFL-1436	718	16	36	14	34.7	3.5
C-SOFL-1442	745	16	42	14	38.6	4.08
C-SOFL-1448	768	16	48	14	42.5	4.67
C-SOFL-1454	779	16	54	14	45.7	5.25
C-SOFL-1460	819	16	60	14	49.1	5.83
Pneumatic Metal						
C-SOFM-1430	728	16	30	14	32.1	2.92
C-SOFM-1436	768	16	36	14	34.7	3.5
C-SOFM-1442	800	16	42	14	38.6	4.08
C-SOFM-1448	824	16	48	14	42.5	4.67
C-SOFM-1454	835	16	54	14	45.7	5.25
C-SOFM-1460	880	16	60	14	49.1	5.83



What's Included:

Suspended flipper cabinet, installation hardware.

How to Specify:

- Specify metal color.
- Specify laminate color (for laminate faced flipper only).
- Specify option P for pneumatic slides.
- The vinyl trim color will default to match the laminate color unless otherwise specified. See the laminate finish card for details.

Notes:


- The suspended flipper cabinet mounts on-module to panel frames of the same width.
- The optional pneumatic slide allows the flipper door to come down slowly and quietly.

Options:

depth	14	
width	30, 36, 42, 48, 54, 60	
door finish	L laminate colors	M metal colors
enhancements	P pneumatic*	
case finish	metal colors	

* an upcharge is applicable when this option is specified

Code	Standard	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft ³)
Standard Laminate						
C-SSFL-1430	603	26	30	14	32.1	2.1
C-SSFL-1436	640	26	36	14	34.7	3.5
C-SSFL-1442	668	26	42	14	38.6	4.1
C-SSFL-1448	687	26	48	14	42.5	4.7
C-SSFL-1454	695	26	54	14	45.7	5.3
C-SSFL-1460	737	26	60	14	49.1	5.8
Standard Metal						
C-SSFM-1430	645	26	30	14	32.1	2.92
C-SSFM-1436	684	26	36	14	34.7	3.5
C-SSFM-1442	720	26	42	14	38.6	4.08
C-SSFM-1448	743	26	48	14	42.5	4.67
C-SSFM-1454	772	26	54	14	45.7	5.25
C-SSFM-1460	797	26	60	14	49.1	5.83
Code	Pneumatic	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft ³)
Pneumatic Laminate						
C-SSFL-1430	802	26	30	14	32.1	2.1
C-SSFL-1436	836	26	36	14	34.7	3.5
C-SSFL-1442	863	26	42	14	38.6	4.1
C-SSFL-1448	882	26	48	14	42.5	4.7
C-SSFL-1454	890	26	54	14	45.7	5.3
C-SSFL-1460	930	26	60	14	49.1	5.8
Pneumatic Metal						
C-SSFM-1430	840	26	30	14	32.1	2.92
C-SSFM-1436	881	26	36	14	34.7	3.5
C-SSFM-1442	913	26	42	14	38.6	4.08
C-SSFM-1448	934	26	48	14	42.5	4.67
C-SSFM-1454	941	26	54	14	45.7	5.25
C-SSFM-1460	988	26	60	14	49.1	5.83



What's Included:

Wall mounted flipper cabinet, installation hardware.

How to Specify:

- Specify metal color.
- Specify laminate color (for laminate faced flipper only).
- Specify wall mounting hardware separately
- Specify option P for pneumatic slides.
- The vinyl trim color will default to match the

Notes:

The wall-mounted flipper cabinet mounts off-module to walls to provide overhead storage in a workstation.

The optional pneumatic slide allows the flipper door to come down slowly and quietly.


Options:

depth	14		
width	30, 36, 42, 48, 54, 60		
door finish	L laminate colors	M metal colors	
enhancements	P pneumatic*		
case finish	metal colors		

*an upcharge is applicable when this option is specified

Code	Standard	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft ³)
Standard Laminate						
C-SOFL-1430-W	490	16	30	14	32.1	2.92
C-SOFL-1436-W	526	16	36	14	34.7	3.5
C-SOFL-1442-W	555	16	42	14	38.6	4.08
C-SOFL-1448-W	578	16	48	14	42.5	4.67
C-SOFL-1454-W	590	16	54	14	45.7	5.25
C-SOFL-1460-W	631	16	60	14	49.1	5.83
Standard Metal						
C-SOFM-1430-W	537	16	30	14	32.1	2.92
C-SOFM-1436-W	578	16	36	14	34.7	3.5
C-SOFM-1442-W	612	16	42	14	38.6	4.08
C-SOFM-1448-W	636	16	48	14	42.5	4.67
C-SOFM-1454-W	648	16	54	14	45.7	5.25
C-SOFM-1460-W	694	16	60	14	49.1	5.83

Code	Pneumatic	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft ³)
Pneumatic Laminate						
C-SOFL-1430-W	663	16	30	14	32.1	2.92
C-SOFL-1436-W	697	16	36	14	34.7	3.5
C-SOFL-1442-W	723	16	42	14	38.6	4.08
C-SOFL-1448-W	746	16	48	14	42.5	4.67
C-SOFL-1454-W	756	16	54	14	45.7	5.25
C-SOFL-1460-W	795	16	60	14	49.1	5.83
Pneumatic Metal						
C-SOFM-1430-W	707	16	30	14	32.1	2.92
C-SOFM-1436-W	746	16	36	14	34.7	3.5
C-SOFM-1442-W	777	16	42	14	38.6	4.08
C-SOFM-1448-W	800	16	48	14	42.5	4.67
C-SOFM-1454-W	811	16	54	14	45.7	5.25
C-SOFM-1460-W	854	16	60	14	49.1	5.83



open metal shelf

What's Included:

Open Metal Shelf, installation hardware

How to Specify:

Specify metal color.


Notes:

The open metal shelf is panel-mounted on-module, and provides open storage within the workstation.

Options:

width	24, 30, 36, 42, 48, 54, 60
case finish	metal colors

Code	Price	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft ³)
C-SOOM-1224	137	24	12	13.03	1
C-SOOM-1230	142	30	12	13.03	1.25
C-SOOM-1236	152	36	12	14.75	1.5
C-SOOM-1242	158	42	12	16.48	1.75
C-SOOM-1248	163	48	12	18.2	2
C-SOOM-1254	171	54	12	19.93	2.25
C-SOOM-1260	177	60	12	21.65	2.5

**What's Included:**

Overhead Back Bracket, installation hardware

How to Specify:


Specify metal color.

Options:

width 24, 30, 36, 42, 48, 54, 60

case finish metal colors

Code	Price	W (in.)	Weight (lb)	Volume (ft ³)
C-SOBB-24	22	24	1	0.01
C-SOBB-30	24	30	1	0.02
C-SOBB-36	27	36	1.2	0.02
C-SOBB-42	29	42	1.4	0.02
C-SOBB-48	31	48	1.6	0.03
C-SOBB-54	34	54	1.8	0.03
C-SOBB-60	36	60	2	0.03



What's Included:

Double channel wall mount bracket kit


How to Specify:

The double channel wall mount bracket kit is only available in black.

Options:

width	24, 30, 36, 42, 48, 54, 60
case finish	metal colors

Code	Price	W (in.)	Weight (lb)	Volume (ft ³)
C-ADWB-24-KIT	73	23.5	2	0.03
C-ADWB-30-KIT	90	29.5	4	0.04
C-ADWB-36-KIT	110	35.5	6	0.05
C-ADWB-42-KIT	131	41.5	8	0.05
C-ADWB-48-KIT	149	47.5	10	0.06
C-ADWB-54-KIT	167	53.5	12	0.07
C-ADWB-60-KIT	186	59.5	14	0.08



What's Included:

Top mounted shared open shelf, installation hardware

How to Specify:

Specify laminate color.
Specify back option.

Notes:

The top mounted shared shelf mounts on top of a panel frame and provides open storage to two workstations.

The back of the top mounted shared shelf can be finished in acrylic or whiteboard.


The single unit can be used on top of one or two panel frames.

The double units is used over two or more panel frames where a 3-way or 4-way 90 degree connector is also present, as illustrated above

Options:

back finish	G acrylic	W whiteboard
width	24, 30, 36, 42, 48, 54, 60	
depth	16	
height	16	
hand	L left	R right
case finish	laminate colors	

Code	Acrylic	Whiteboard	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft ³)
Single Shared Shelves							
C-SSO_-30-_	586	526	16	30	16	35	2.5
C-SSO_-36-_	639	564	16	36	16	38	3
C-SSO_-42-_	693	601	16	42	16	41	3.5
C-SSO_-48-_	746	638	16	48	16	44	4
C-SSO_-54-_	800	676	16	54	16	47	4.5
C-SSO_-60-_	854	713	16	60	16	50	5
C-SSO_-72-_	959	787	16	72	16	56	6
C-SSO_-84-_	1065	862	16	84	16	62	7
Double Shared Shelves							
C-SSO_-51	878	735	16	51	16	46	4.5
C-SSO_-57	936	773	16	57	16	49	5
C-SSO_-63	995	810	16	63	16	52	5.5
C-SSO_-69	1055	848	16	69	16	55	5.5
C-SSO_-75	1114	884	16	75	16	58	6.5
C-SSO_-81	1172	922	16	81	16	61	6.5
C-SSO_-87	1232	960	16	87	16	64	7.5



cubby storage

What's Included:

Cubby storage, installation hardware.

Notes:

The panel-mounted cubby storage mounts on-module to panel frames of the same width.

How to Specify:

Specify laminate color.

Specify hardware finish.

The vinyl trim color will default to match the laminate color unless otherwise specified. See the laminate finish card for details


Options:

depth	11
width	24, 30, 36, 42, 48
height	8
finish	L laminate colors
hardware finish	M metal colors


Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
C-SCS-081124	198	8	24	11	24	1.3
C-SCS-081130	212	8	30	11	30	1.7
C-SCS-081136	227	8	36	11	36	2
C-SCS-081142	242	8	42	11	42	2.3
C-SCS-081148	276	8	48	11	48	2.7

freestanding storage

mobile pedestal	110
mobile pedestal with seat	111
freestanding pedestal	112
freestanding joined pedestal	113
freestanding lateral file	114
closed storage tower	116
open storage tower with wardrobe	117
closed storage tower with closet	118
file/file/file storage tower	119
single door storage cabinet	120
double door storage tower	121
combination cabinet	122



box file



box/box file

What's Included:

One mobile pedestal, lock and key, pencil tray.

How to Specify:

Refer to the laminate finish card for a complete listing of laminate colors.

The edge trim style will default to match the finish of the pedestal unless otherwise specified. Refer to the laminate finish card for details.

Notes:

The mobile pedestal is 21-inches deep and is equipped with castors for easy mobility.

The Manhattan handle style is offered on mobile pedestals.


Options:

height	28
width	16, 17
case and drawer finish	laminate colors

How to Order and Read your Code:

C	1000	28	16	L112
product line	item	height	width	case & drawer finish

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
box file						
C-1000-2317	755	28	17	23	75	4.75
box/box file						
C-FPBM-1621	674	28	16	21	60	5.64
file/file						
C-FPFM-1621	598	28	16	21	60	5.64



mobile pedestal with seat

What's Included:

One mobile pedestal with seat, lock and key, pencil tray.

How to Specify:

Refer to the laminate finish card for a complete listing of laminate colors.

The edge trim style will default to match the finish of the pedestal unless otherwise specified. Refer to the laminate finish card for details.

Notes:


The mobile pedestal with seat is 21-inches deep and is equipped with castors for easy mobility.

The Manhattan handle style is offered on mobile pedestals.


Options:

height	24
width	16
case and drawer finish	laminate colors
seating upholstery	seating fabrics

Code	Grade 1	Grade 2	Grade 3	Grade 6	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft ³)
C-1030-2317	786	776	796	856	24	16	18	60	



box/box/file



file/file

What's Included:

Freestanding Pedestal, lock and keys.

How to Specify:

Specify laminate color.

Specify handle style.

Handles default to Melbourne, unless otherwise specified.

The vinyl trim color will default to match the laminate color unless otherwise specified. See the laminate finish card for details.

Notes:


Pedestals are 21-inches deep.

The box/box/file freestanding pedestal includes a pencil tray.

Options:

type	B box/box/file		F file/file			
width	16					
depth	21					
case finish	laminate colors					
handle style	brooklyn	melbourne	clifton	humber	manhattan	rosedale

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
box/box/file						
C-FPBF-1621	666	29	16	21	67.2	5.64
file/file						
C-FPFF-1621	588	29	16	21	67.2	5.64

**What's Included:**

Freestanding Joined Pedestal, lock and keys.

How to Specify:

Specify laminate color.

Specify handle style.

Handles default to Melbourne, unless otherwise specified.

The vinyl trim color will default to match the laminate color unless otherwise specified. See the laminate finish card for details.

Notes:

Freestanding joined pedestals are 21-inches deep.

The freestanding joined pedestal includes a pencil tray.


Options:

width 36


depth 21

case finish laminate colors


Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft ³)
C-FPJF-3621	1155	29	36	21	130	12.69



2 drawer



3 drawer



4 drawer

What's Included:

Freestanding Lateral File, lock and keys.

How to Specify:

Specify laminate color.

Specify handle style.

Handles default to Melbourne, unless otherwise specified.

The vinyl trim color will default to match the laminate color unless otherwise specified. See the laminate finish card for details.

Notes:


Laterals are 21-inches deep.

Disclaimer: Please note that lateral file drawers are intended for filing letter and legal size paper front to back or side to side only. For details and weight restrictions please contact customer service.


Options:

type	2 two-drawer		3 three-drawer		4 four-drawer	
width	30, 36, 42					
depth	21					
case finish	laminate colors					
handle style	brooklyn	melbourne	clifton	humber	manhattan	rosedale

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft ³)
2 Drawer						
C-FL2F-3021	929	29	30	21	107	10.57
C-FL2F-3621	985	29	36	21	130	12.69
3 Drawer						
C-FL2F-4221	1034	29	42	21	150	14.8
C-FL3F-3021	1273	40.5	30	21	167	14.77
4 Drawer						
C-FL3F-3621	1348	40.5	36	21	180	17.72
C-FL4F-3021	1595	52.5	30	21	200	19.14



laminate file/file



laminate box/box file

What’s Included:

Closed Storage Tower, shelves, lock and keys, levelers.

How to Specify:

- Specify laminate color.
- Specify handle style.
- Handles default to Melbourne, unless otherwise specified.
- The vinyl trim color will default to match the laminate color unless otherwise specified. See the laminate finish card for details.


Notes:

Shelves are adjustable in 1-inch increments.


Options:

type	00 box/box/file		10 file/file			
height	66					
width	18					
depth	21					
hand	R right		L left			
case finish	laminate colors					
handle style	brooklyn	melbourne	clifton	humber	manhattan	rosedale

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
C-7010-6618-__	1185	66	18	21	180	13.64
C-7000-6618-__	1251	66	18	21	180	13.64



box/box file



file/file

What's Included:

Storage Tower with Wardrobe, shelves, lock and keys, levelers.

How to Specify:

Specify laminate color.

Specify handle style.

Handles default to Melbourne, unless otherwise specified.

The vinyl trim color will default to match the laminate color unless otherwise specified. See the laminate finish card for details.

Notes:


Shelves are adjustable in 1-inch increments.

Cabinets are 21-inches deep.


Options:

type	30 box/box/file	40 file/file
height	66	
width	24	
depth	21	
hand	R right L left	
case finish	laminate colors	
handle style	brooklyn melbourne clifton humber manhattan rosedale	

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft ³)
file/file						
C-8040-6624-__	1373	66	24	21	190	19.25
box/box/file						
C-8030-6624-__	1438	66	24	21	190	19.25



file/file



box/box file

What’s Included:

Closed Storage Tower with Closet, shelves, coat rod, lock and keys, levelers.

How to Specify:

- Specify laminate color.
- Specify handle style.
- Handles default to Melbourne, unless otherwise specified.
- The vinyl trim color will default to match the laminate color unless otherwise specified. See the laminate finish card for details.


Notes:

- Shelves are adjustable in 1-inch increments.
- Cabinets are 21-inches deep.

Options:

type	00 box/box/file		10 file/file			
height	66					
width	24					
depth	21					
hand	R right		L left			
case finish	laminate colors					
handle style	brooklyn	melbourne	clifton	humber	manhattan	rosedale

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
C-6010-6624-__	1533	66	24	21	195	19.25
C-6000-6624-__	1600	66	24	21	195	19.25

**What's Included:**

File/File/File Storage Tower, lock and keys.

How to Specify:

Specify laminate color.

Specify handle style.

Handles default to Melbourne, unless otherwise specified.

The vinyl trim color will default to match the laminate color unless otherwise specified. See the laminate finish card for details.


Notes:

Towers are 21-inches deep.


Options:

height	42					
width	18					
depth	21					
case finish	laminate colors					
handle style	brooklyn	melbourne	clifton	humber	manhattan	rosedale


Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft ³)
C-3000-4218	894	42	18	21	120	8.68



with coat bar
left hand



with shelves
left hand



with coat bar and shelves
left hand

What’s Included:

Single Door Storage Cabinet, shelves and/or coat bar, lock and keys, levelers

How to Specify:

- Specify laminate color.
- Specify handle style.
- Handles default to Melbourne, unless otherwise specified.
- The vinyl trim color will default to match the laminate color unless otherwise specified. See the laminate finish card for details.


Notes:

- One shelf is fixed at worksurface height, while the other shelves are adjustable in 1-inch increments.
- Cabinets are 21-inches deep.


Options:

height	66					
width	18, 24					
depth	21					
hand	R right L left					
case finish	laminate colors					
handle style	brooklyn	melbourne	clifton	humber	manhattan	rosedale

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
C-FSDB-1821-__	800	66	18	21	140	14.44
C-FSDS-1821-__	951	66	18	21	160	13.74
C-FSDC-2421-__	1135	66	24	21	150	19.25



double laminate
door



double laminate
door

What's Included:

Double Door Storage Cabinet, shelves or coat rod, lock and keys, levelers.

How to Specify:

Specify laminate color.

Specify handle style.

Handles default to Melbourne, unless otherwise specified.

The vinyl trim color will default to match the laminate color unless otherwise specified. See the laminate finish card for details.

Notes:


One shelf is fixed at worksurface height, while the other shelves are adjustable in 1-inch increments.

Cabinets are 21-inches deep.


Options:

height	66					
width	36					
depth	21					
case finish	laminate colors					
case finish	laminate colors					
handle style	brooklyn	melbourne	clifton	humber	manhattan	rosedale

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft ³)
C-FSDB-3621	1239	66	36	21	195	28.88
C-FSDS-3621	1376	66	36	21	195	29.09
Acrylic						
C-FSDB-3621-G	2312	66	36	21	195	29.09
C-FSDS-3621-G	2546	66	36	21	195	29.09



Laminate Combination Cabinet



Laminate Combination Cabinet with Acrylic Doors

What's Included:

Combination Cabinet, shelves, lock and keys, levelers.

How to Specify:

Specify laminate color.

Specify handle style.

Handles default to Melbourne, unless otherwise specified.

The vinyl trim color will default to match the laminate color unless otherwise specified. See the laminate finish card for details.

Notes:

Shelves are adjustable in 1-inch increments.

Cabinets are 21-inches deep.


Disclaimer: Please note that lateral file drawers are intended for filing letter and legal size paper front to back or side to side only. For details and weight restrictions please contact customer service.

Options:


configuration	L lateral file					
height	66					
width	30, 36					
depth	21					
case finish	laminate colors					
handle style	brooklyn	melbourne	clifton	humber	manhattan	rosedale

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
C-FCSL-3021	1706	66	30	21	220	24.24
C-FCSL-3621	1821	66	36	21	240	29.09
C-FCSL-3021-G	2474	66	30	21	220	24.24
C-FCSL-3621-G	2636	66	36	21	240	29.09

end gable pedestal	124
underdesk pedestal	125
underdesk metal pedestal	126
underworksurface open shelf	128
underdesk joined pedestal	130
underdesk lateral file	131
underdesk storage cabinet	132



box/box/file



file/file

What's Included:

End Gable Pedestal, lock and keys.

How to Specify:

Refer to the laminate finish card for a complete listing of laminate colors.

The edge trim style will default to match the finish of the pedestal unless otherwise specified. Refer to the laminate finish card for details.

Notes:

End gable pedestals are 24-inches or 30-inches deep, depending on the depth of the worksurface that they will be supporting.

The box/box/file end gable pedestal includes a pencil tray.

Options:

type	B box/box/file		F file/file			
width	16					
depth	24, 30					
hand	R right		L left			
handle style	brooklyn	melbourne	clifton	humber	manhattan	rosedale
case finish	laminate colors					

How to Order and Read your Code:

C	FPBU	16	24	R or L
product line	item	width	depth	hand

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
C-FPBU-1624-__	631	28	16	24	58	6.22
C-FPBU-1630-__	667	28	16	30	71	5.2
C-FPFU-1624-__	566	28	16	24	58	6.22
C-FPFU-1630-__	600	28	16	30	71	5.2



box/box/file

What's Included:

Freestanding Pedestal, lock and keys.

How to Specify:

Specify laminate color.

Specify handle style.

Handles default to Melbourne, unless otherwise specified.

The vinyl trim color will default to match the laminate color unless otherwise specified. See the laminate finish card for details.

Notes:


Pedestals are 18-inches deep.

The box/box/file freestanding pedestal includes a pencil tray.


Options:

height	28					
width	16					
case and drawer finish	laminate colors					
handle style	brooklyn	melbourne	clifton	humber	manhattan	rosedale

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft ³)
C-FPBU-1618	579	28	16	18	58	4.67
C-FPFU-1618	513	28	16	18	56.5	4.67



box/box/file



file/file

What’s Included:

Underdesk Metal Pedestal, bracket, lock and keys.

How to Specify:

Pedestals are finished in powder coated silver.

Pedestals are keyed randomly.

Brackets that secure metal pedestals to panels are handed.

Specify the metal pedestal and bracket ensemble to be the same depth as the worksurface under which it will be located.

Notes:

Metal Pedestals are 23 1/8-inches deep, 15-inches wide and 28-inches tall.

Each pedestal comes with four adjustable 1.5-inch leveling glides that provide up to 1-inch of height adjustment.

Pedestal drawers are available in either box/box/file or file/file configurations.


All drawers are lockable, and are equipped with full-extension slides. File drawers have front to back or side to side filing capabilities. Top box drawers include a pencil tray.

Pedestals are made with durable 20-gauge steel and drawers feature a double wall steel construction.



Options:

type	B box/box/file	F file/file
width	15	
depth	24, 30	
case finish	S silver	W white
hand	L left	R right
face finish	P112 Silver	P121 White

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
file/file						
C-FPFU-1524-S-L	407	28	15	24	92	8
C-FPFU-1524-S-R	407	28	15	24	92	8
C-FPFU-1530-S-L	430	28	15	24	92	8
C-FPFU-1530-S-R	430	28	15	24	92	8
box/box/file						
C-FPBU-1524-S-L	439	28	15	24	92	8
C-FPBU-1524-S-R	439	28	15	24	92	8
C-FPBU-1530-S-L	462	28	15	24	92	8
C-FPBU-1530-S-R	462	28	15	24	92	8



box/box/file



file/file

What’s Included:

Underworksurface open shelf, installation hardware.

How to Specify:

Specify laminate color.


Notes:

The underworksurface open shelf support worksurfaces and provides below worksurface storage.

Options:

width	24, 30, 36, 42, 48, 54, 60, 66, 72, 78, 84, 90, 96
depth	18
height	28
case finish	laminate colors

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft ³)
C-FSOU-2418	448	28	24	18	20	7.2
C-FSOU-3018	486	28	30	18	24	9
C-FSOU-3618	522	28	36	18	28	10.8
C-FSOU-4218	558	28	42	18	32	12.6
C-FSOU-4818	595	28	48	18	36	14.4
C-FSOU-5418	771	28	54	18	40	16.2
C-FSOU-6018	809	28	60	18	44	18
C-FSOU-6618	848	28	66	18	48	19.8
C-FSOU-7218	885	28	72	18	52	21.6
C-FSOU-7818	927	28	78	18	56	23.4
C-FSOU-8418	965	28	84	18	60	25.2
C-FSOU-9018	1004	28	90	18	64	27
C-FSOU-9618	1041	28	96	18	68	28.8



What’s Included:

Freestanding Joined Pedestal, lock and keys..

How to Specify:

Specify laminate color.

Specify handle style.

Handles default to Melbourne, unless otherwise specified.

The vinyl trim color will default to match the laminate color unless otherwise specified. See the laminate finish card for details.

Notes:


Freestanding joined pedestals are 21-inches deep.

The underdesk joined pedestal includes a pencil tray.

Options:

width	36					
depth	21					
case and drawer finish	laminate colors					
handle style	brooklyn	melbourne	clifton	humber	manhattan	rosedale

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
C-FPJU-3621	1133	28	36	21	130	12.69



2-Drawer

What's Included:

Underdesk Lateral File, lock and keys.

How to Specify:

Refer to the laminate finish card for a complete listing of laminate colors.

The edge trim style will default to match the finish of the pedestal unless otherwise specified. Refer to the laminate finish card for details.

Notes:


Laterals are 21-inches deep.

Disclaimer: Please note that lateral file drawers are intended for filing letter and legal size paper front to back or side to side only. For details and weight restrictions please contact customer service.

Options:

width	30, 36, 42					
depth	21					
case finish	laminate colors					
handle style	brooklyn	melbourne	clifton	humber	manhattan	rosedale

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft ³)
C-FL2U-3021	900	28	30	21	107	10.21
C-FL2U-3621	948	28	36	21	130	12.25
C-FL2U-4221	995	28	42	21	150	14.29



What's Included:

Underdesk Storage Cabinet, lock and keys.

How to Specify:

Refer to the laminate finish card for a complete listing of laminate colors.

The edge trim style will default to match the finish of the pedestal unless otherwise specified. Refer to the laminate finish card for details.

Notes:


Storage cabinets are 21-inches deep.

Options:


width	18, 30, 36	
depth	21	
hand (for single door cabinet only)	R right	L left
case finish	laminate colors	

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
C-FSU0-1821-__	519	28	18	21	80	6.13
C-FSU0-3021	713	28	30	21	107	10.21
C-FSU0-3621	759	28	36	21	130	12.25


work organizers	134
accessory bar	135
pencil tray	136
coat hook	137
underdesk cpu holder	138
mobile cpu holder	139
name plate	140
monitor arm	141
adjustable keyboard tray	142
retractable keyboard tray	143
top trim mounted privacy screen	144
wall mounted tackboard	146
workspace edge mounted screen	148
panel mounted privacy screen	150



pen holder



paper sorter



paper tray

What’s Included:

One work organizer, as specified.

How to Specify:

Work organizers are available in a variety of metal finish colors.

Refer to the metal accent and metal finish card for a complete listing of metal colors.

Notes:


Work organizers hang from accessory tile, accessory bar, and surface mounted work organizer support.

Paper trays are available in letter and legal sizes.

Options:

accessory type	S paper sorter H pen holder	P 9 paper tray (letter)	P 13 paper tray (legal)
finish	metal colors (except chrome)		

Code	Price	H (in.)	W (in.)	Weight (lb)	Volume (ft ³)
paper sorter					
C-AAS	118	11	10	3	3.2
paper tray (letter)					
C-AAP-9	59	2	15	9	3.2
paper tray (legal)					
C-AAP-13	67	2	12	9	3.2
pen holder					
C-AAH	52	4	4	2	1.13



What's Included:

Accessory Bar.

How to Specify:

Specify metal color.

Options:


width 18, 24, 30, 36, 42, 48, 54, 60

finish metal colors

Notes:

Accessory bars are installed over panel tiles in 1-inch increments.

Code	Price	H (in.)	W (in.)	Weight (lb)	Volume (ft ³)
C-AAB0-18	87	8	18	1.7	0.04
C-AAB0-24	103	8	24	1.7	0.06
C-AAB0-30	118	8	30	1.9	0.07
C-AAB0-36	134	8	36	2.3	0.08
C-AAB0-42	150	8	42	2.7	0.1
C-AAB0-48	165	8	48	2.9	0.11
C-AAB0-54	180	8	54	3.2	0.13
C-AAB0-60	196	8	60	3.5	0.14



What's Included:

Pencil Drawer, installation hardware, mounting slides.

How to Specify:

This product is available only in black.


Options:

There are no options for this product.

Notes:

Pencil drawers provide compartmentalized pencil and stationary storage below the worksurface.

Code	Price	W (in.)	Weight (lb)	Volume (ft³)
C-ADPP	55	21	2	0.62



What's Included:

One work organizer, as specified.

How to Specify:

Specify metal color.

Notes:


The coat hook can be attached to the hingeway between cosmopolitan panel frames.

Options:

finish

metal colors

Code	Price	Weight (lb)	Volume (ft³)
C-ACH0	51	0	0.01



What's Included:

Underdesk CPU Holder, installation hardware.

How to Specify:

This product is available only in black.


Notes:

The underdesk CPU holder vertically supports CPUs under the worksurface, keeping CPUs off the floor to avoid clutter.

Options:

There are no options for this product.

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft ³)
C-ACPU	220	18	8.5	11.5	8	1.01



What's Included:

Mobile CPU Holder.

How to Specify:

This product is available only in black.


Notes:

The mobile CPU holder is adjustable to accommodate a wide range of CPUs.

Options:

finish metal colors

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft³)
C-ACPU-M	188	4.3	15.5	9	8	0.34



What's Included:

Name Plate, as specified.

How to Specify:

Specify metal color.


Notes:

The hang-on name plate fits under the top cap of a cosmopolitan panel frame.


Options:

finish	metal colors
--------	--------------


Code	Price	Weight (lb)	Volume (ft³)
C-ANPS	97	1	0.01




clamp on type



grommet
hole type



dual arm
clamp on type



dual arm
grommet hole
type

What's Included:

Monitor Arm, installation hardware.

How to Specify:

Specify metal color.


Notes:

Monitor arms can be clamped onto a worksurface or can be fitted into a grommet hole.


Options:

type	C - clamp-on	G - grommet
configuration	1 single-arm	2 dual-arm
finish	silver	


Code	Price	H (in.)	W (in.)	Weight (lb)	Volume (ft ³)
single arm - clamp on					
C-AFMA-C	307	16	20	10	0.8
single arm - grommet					
C-AFMA-G	307	16	20	10	0.8
dual arm - clamp on					
C-AFMA-C-2	632	16	40	20	0.16
dual arm - grommet					
C-AFMA-G-2	632	16	40	20	0.16



25-inch



right hand
with mouse



left hand
with mouse

What’s Included:

Adjustable Keyboard Tray, installation hardware.

How to Specify:

Specify laminate color for adjustable keyboard. The vinyl trim color will default to match the laminate color unless otherwise specified. See the laminate finish card for details.

For adjustable keyboard with mouse, right or left hand must be specified.

This product is available only in black.


Notes:

Keyboard trays provide adjustable ergonomic support for individuals in multi-task environments.

Options:

finish	laminate colors (adjustable keyboard only)	
hand	R right	L Left (for adjustable keyboard with mouse only)

Code	Price	H (in.)	W (in.)	Weight (lb)	Volume (ft³)
adjustable keyboard tray					
C-KAS0-2510	298	25	10	15	0.94
with mouse					
C-KAS0-2011-L	330	20	11	3	0.83
C-KAS0-2011-R	330	20	11	3	0.83



What's Included:

Retractable Keyboard Tray, installation hardware.

How to Specify:

Specify laminate color.

Notes:


Keyboard trays provide ergonomic support for individuals in multi-task environments.

Options:


finish

laminate colors

Code	Price	H (in.)	W (in.)	Weight (lb)	Volume (ft³)
C-KRS0-2516	129	25	16	12	1.34



8-inch privacy screen



16-inch privacy screen

What’s Included:

Top trim mounted privacy screen, two clamps.

How to Specify:

Specify metal color.
Specify the width of the top trim mounted privacy screen to be the same width of less than the panel frame that it is to be mounted to.


Notes:

The top trim mounted privacy screen is off-module and can be specified the same width as the worksurface it is to be mounted to, or smaller.
The top trim mounted privacy screen does not provide acoustical privacy.
The top trim mounted privacy screen is not load bearing.
60-inch top trim mounted privacy screens come with 3 clamps.


Options:

height	8, 16		
width	18, 24, 30, 36, 42, 48, 54, 60		
top screen finish	F frosted	X spider	C clear
metal finish	metal colors		

Code	Price	H (in.)	W (in.)	Weight (lb)	Volume (ft³)	Code	Price	H (in.)	W (in.)	Weight (lb)	Volume (ft³)
Frosted Acrylic						Spider Acrylic continued					
C-VGGP-0818-F	199	8	18	2.2	1	C-VGGP-1618-X	288	16	18	4.4	1.6
C-VGGP-0824-F	210	8	24	2.4	1.2	C-VGGP-1624-X	336	16	24	4.8	1.8
C-VGGP-0830-F	224	8	30	2.6	1.4	C-VGGP-1630-X	384	16	30	5.2	2
C-VGGP-0836-F	237	8	36	2.8	1.6	C-VGGP-1636-X	432	16	36	5.6	2.2
C-VGGP-0842-F	248	8	42	3	1.8	C-VGGP-1642-X	477	16	42	6	2.4
C-VGGP-0848-F	261	8	48	3.2	2	C-VGGP-1648-X	526	16	48	6.4	2.6
C-VGGP-0854-F	274	8	54	3.4	2.2	C-VGGP-1654-X	575	16	54	6.8	2.8
C-VGGP-0860-F	365	8	60	3.6	2.4	C-VGGP-1660-X	702	16	60	7.2	3
C-VGGP-1618-F	237	16	18	4.4	1.6	Clear Acrylic					
C-VGGP-1624-F	264	16	24	4.8	1.8	C-VGGP-0818-C	188	8	18	2.2	1
C-VGGP-1630-F	290	16	30	5.2	2	C-VGGP-0824-C	201	8	24	2.4	1.2
C-VGGP-1636-F	318	16	36	5.6	2.2	C-VGGP-0830-C	214	8	30	2.6	1.4
C-VGGP-1642-F	344	16	42	6	2.4	C-VGGP-0836-C	225	8	36	2.8	1.6
C-VGGP-1648-F	372	16	48	6.4	2.6	C-VGGP-0842-C	237	8	42	3	1.8
C-VGGP-1654-F	400	16	54	6.8	2.8	C-VGGP-0848-C	249	8	48	3.2	2
C-VGGP-1660-F	508	16	60	7.2	3	C-VGGP-0854-C	260	8	54	3.4	2.2
Spider Acrylic						C-VGGP-0860-C	349	8	60	3.6	2.4
C-VGGP-0818-X	223	8	18	2.2	1	C-VGGP-1618-C	225	16	18	4.4	1.6
C-VGGP-0824-X	244	8	24	2.4	1.2	C-VGGP-1624-C	252	16	24	4.8	1.8
C-VGGP-0830-X	266	8	30	2.6	1.4	C-VGGP-1630-C	277	16	30	5.2	2
C-VGGP-0836-X	288	8	36	2.8	1.6	C-VGGP-1636-C	305	16	36	5.6	2.2
C-VGGP-0842-X	310	8	42	3	1.8	C-VGGP-1642-C	328	16	42	6	2.4
C-VGGP-0848-X	332	8	48	3.2	2	C-VGGP-1648-C	355	16	48	6.4	2.6
C-VGGP-0854-X	354	8	54	3.4	2.2	C-VGGP-1654-C	382	16	54	6.8	2.8
C-VGGP-0860-X	456	8	60	3.6	2.4	C-VGGP-1660-C	485	16	60	7.2	3



14-inch



24-inch

What’s Included:

Wall mounted tackboard, fasteners.

How to Specify:

Specify fabric.


Notes:

The wall mounted tackboard mounts to a wall in the workspace to provide a fabric wrapped tackable surface.

Options:

height	14, 24
width	24, 30, 36, 42, 48, 54, 60, 66, 72
screen finish	panel fabrics

Code	Price	H (in.)	W (in.)	Weight (lb)	Volume (ft ³)
C-ATW0-1424	74	14	24	1.91	0.76
C-ATW0-1430	79	14	30	2.13	0.85
C-ATW0-1436	99	14	36	2.55	1.02
C-ATW0-1442	104	14	42	2.98	1.19
C-ATW0-1448	108	14	48	3.4	1.36
C-ATW0-1454	114	14	54	3.83	1.53
C-ATW0-1460	119	14	60	4.25	1.7
C-ATW0-1466	150	14	66	4.68	1.87
C-ATW0-1472	162	14	72	5.1	2.04
C-ATW0-2424	95	24	24	2.56	1.02
C-ATW0-2430	100	24	30	3.2	1.28
C-ATW0-2436	131	24	36	3.84	1.54
C-ATW0-2442	136	24	42	4.48	1.79
C-ATW0-2448	140	24	48	5.12	2.05
C-ATW0-2454	149	24	54	5.76	2.3
C-ATW0-2460	154	24	60	6.4	2.56
C-ATW0-2466	171	24	66	7.04	2.82
C-ATW0-2472	182	24	72	7.68	3.07



edge mounted screen

What’s Included:

Worksurface edge mounted screen, two clamps.

How to Specify:

The worksurface edge mounted screen is off-module and can be specified the same width as the worksurface it is to be mounted to, or smaller.

The worksurface edge mounted screen does not provide acoustical privacy.

Notes:


The clamps on the worksurface edge mounted screens are finished in silver only.

Specify the width of the worksurface screen to be the same width or less than the worksurface or table that it is to be mounted to.

Options:

width	24, 30, 36, 42, 48, 54, 60, 66, 72, 78, 84, 90	
screen finish	F - frosted	X - spider
metal finish	P112 silver	

Code	Price	H (in.)	W (in.)	Weight (lb)	Volume (ft ³)
C-VGGW-24-__	219		312	18	5.78
C-VGGW-30-__	260		382	24	7.1
C-VGGW-36-__	300		452	30	8.43
C-VGGW-42-__	340		522	36	9.75
C-VGGW-48-__	381		594	42	11.08
C-VGGW-54-__	420		665	48	12.4
C-VGGW-60-__	462		735	54	13.73
C-VGGW-66-__	543		848	60	15.06
C-VGGW-72-__	582		917	66	16.4
C-VGGW-78-__	623		989	72	17.72
C-VGGW-84-__	662		1059	78	19.05
C-VGGW-90-__	704		1129	84	20.38



What’s Included:

Panel mounted acrylic screen, installation hardware. .

How to Specify:

Specify metal color.

Specify the width of the panel top mounted privacy screen to be the same width of the panel frame that it is to be mounted to.

Notes:

The panel top mounted privacy screen is on-module to panel frames of the same width.

The panel top mounted privacy screen does not provide acoustical privacy.

Options:

height	8, 16		
width	18, 24, 30, 36, 42, 48, 54, 60		
finish	F frosted acrylic X spider acrylic C clear acrylic C-G clear glass C-F frosted glass		
metal	metal colors		

Code	Price	H (in.)	W (in.)	Weight (lb)	Volume (ft ³)
Clear Acrylic					
C-VUCP-0818-C	217	8	18	2.2	0.17
C-VUCP-0824-C	246	8	24	2.4	0.22
C-VUCP-0830-C	276	8	30	2.6	0.28
C-VUCP-0836-C	306	8	36	2.8	0.33
C-VUCP-0842-C	337	8	42	3	0.39
C-VUCP-0848-C	367	8	48	3.2	0.44
C-VUCP-0854-C	397	8	54	3.4	0.5
C-VUCP-0860-C	419	8	60	3.6	0.56
C-VUCP-1618-C	270	16	18	4.4	0.33
C-VUCP-1624-C	334	16	24	4.8	0.44
C-VUCP-1630-C	390	16	30	5.2	0.56
C-VUCP-1636-C	437	16	36	5.6	0.67
C-VUCP-1642-C	484	16	42	6	0.78
C-VUCP-1648-C	530	16	48	6.4	0.89
C-VUCP-1654-C	576	16	54	6.8	1
C-VUCP-1660-C	623	16	60	7.2	1.11
Frosted Acrylic					
C-VUCP-0818-F	224	8	18	2.2	0.17
C-VUCP-0824-F	258	8	24	2.4	0.22
C-VUCP-0830-F	292	8	30	2.6	0.28
C-VUCP-0836-F	327	8	36	2.8	0.33
C-VUCP-0842-F	365	8	42	3	0.39
C-VUCP-0848-F	399	8	48	3.2	0.44
C-VUCP-0854-F	436	8	54	3.4	0.5
C-VUCP-0860-F	454	8	60	3.6	0.56
C-VUCP-1618-F	291	16	18	4.4	0.33
C-VUCP-1624-F	364	16	24	4.8	0.44
C-VUCP-1630-F	421	16	30	5.2	0.56
C-VUCP-1636-F	460	16	36	5.6	0.67
C-VUCP-1642-F	499	16	42	6	0.78
C-VUCP-1648-F	538	16	48	6.4	0.89
C-VUCP-1654-F	576	16	54	6.8	1
C-VUCP-1660-F	615	16	60	7.2	1.11


Code	Price	H (in.)	W (in.)	Weight (lb)	Volume (ft ³)
Spider Acrylic					
C-VUCP-0818-X	327	8	18	2.2	0.17
C-VUCP-0824-X	399	8	24	2.4	0.22
C-VUCP-0830-X	473	8	30	2.6	0.28
C-VUCP-0836-X	548	8	36	2.8	0.33
C-VUCP-0842-X	619	8	42	3	0.39
C-VUCP-0848-X	694	8	48	3.2	0.44
C-VUCP-0854-X	765	8	54	3.4	0.5
C-VUCP-0860-X	811	8	60	3.6	0.56
C-VUCP-1618-X	514	16	18	4.4	0.33
C-VUCP-1624-X	684	16	24	4.8	0.44
C-VUCP-1630-X	828	16	30	5.2	0.56
C-VUCP-1636-X	933	16	36	5.6	0.67
C-VUCP-1642-X	1025	16	42	6	0.78
C-VUCP-1648-X	1127	16	48	6.4	0.89
C-VUCP-1654-X	1221	16	54	6.8	1
C-VUCP-1660-X	1322	16	60	7.2	1.11

Code	Price	H (in.)	W (in.)	Weight (lb)	Volume (ft ³)
Clear Tempered Glass					
C-VUCP-0818-C-G	291	8	18	3.4	0.17
C-VUCP-0824-C-G	317	8	24	4.53	0.22
C-VUCP-0830-C-G	343	8	30	5.67	0.28
C-VUCP-0836-C-G	369	8	36	6.8	0.33
C-VUCP-0842-C-G	395	8	42	7.93	0.39
C-VUCP-0848-C-G	421	8	48	9.07	0.44
C-VUCP-0854-C-G	447	8	54	10.2	0.5
C-VUCP-0860-C-G	473	8	60	11.33	0.56
C-VUCP-1618-C-G	322	16	18	6.8	0.33
C-VUCP-1624-C-G	374	16	24	9.07	0.44
C-VUCP-1630-C-G	426	16	30	11.33	0.56
C-VUCP-1636-C-G	478	16	36	13.6	0.67
C-VUCP-1642-C-G	530	16	42	15.87	0.78
C-VUCP-1648-C-G	582	16	48	18.13	0.89
C-VUCP-1654-C-G	634	16	54	20.4	1
C-VUCP-1660-C-G	686	16	60	22.67	1.11

Code	Price	H (in.)	W (in.)	Weight (lb)	Volume (ft ³)
Frosted Tempered Glass					
C-VUCP-0818-F-G	374	8	18	3.4	0.17
C-VUCP-0824-F-G	400	8	24	4.53	0.22
C-VUCP-0830-F-G	426	8	30	5.67	0.28
C-VUCP-0836-F-G	452	8	36	6.8	0.33
C-VUCP-0842-F-G	478	8	42	7.93	0.39
C-VUCP-0848-F-G	504	8	48	9.07	0.44
C-VUCP-0854-F-G	530	8	54	10.2	0.5
C-VUCP-0860-F-G	556	8	60	11.33	0.56
C-VUCP-1618-F-G	406	16	18	6.8	0.33
C-VUCP-1624-F-G	458	16	24	9.07	0.44
C-VUCP-1630-F-G	510	16	30	11.33	0.56
C-VUCP-1636-F-G	562	16	36	13.6	0.67
C-VUCP-1642-F-G	614	16	42	15.87	0.78
C-VUCP-1648-F-G	666	16	48	18.13	0.89
C-VUCP-1654-F-G	718	16	54	20.4	1
C-VUCP-1660-F-G	770	16	60	22.67	1.11

electrics, communication, lighting

task light	156
base electrics power module	157
electric starter harness	158
communication kit	159
power pole	160
belt-line electrics power module	162
horizontal wire manager	163
connector harness	164
male/female extension harness	166



What's Included:

Task Light, installation hardware.

How to Specify:

This product is available only in silver.

Notes:


The task light can be mounted beneath an overhead cabinet or shelf to provide focused lighting within the workstation.

The task light cord is 9-feet long from the end of the task light.


Options:

width 24, 36, 48

Code	Price	H (in.)	W (in.)	D 1 (in.)	Weight (lb)	Volume (ft ³)
C-ELU-24	129	1.1	24.53	3.5	9.5	0.16
C-ELU-36	144	1.1	36.34	3.5	13.7	0.27
C-ELU-48	153	1.1	48.15	3.5	17.9	0.38



single sided



double sided

What's Included:

Base electrics power module as specified.

How to Specify:

This product is available only in black.

Notes:

8 wire 4 circuit electrical system.

The base electrics power module can be retrofitted into the base raceway of existing Cosmo panel frames.

Base electrics power modules can be single-sided or double-sided.

18-inch wide panel frame does not accommodate a base power module.

24-inch wide panel frames placed side-by-side only accommodates one base power module in one panel.

24-inch wide panel frame with base power module does not accommodate base data/communication kits.


Options:

type

S single-sided

D double-sided

Code	Price	Weight (lb)	Volume (ft ³)
Single sided			
C-EM84-S	141	1.7	0.2
Double sided			
C-EM84-D	224	2	0.2



What’s Included:

Electric Starter Harness, as specified.

How to Specify:

This product is available only in black.

Notes:


8 wire 4 circuit electrical system.

The starter harness is available in 72-inch and 168-inch lengths.


Options:

configuration	B14 4 outlets (14")	B20 8 outlets (20")
accessibility	S single-sided	D - double-sided


Code	Price	Weight (lb)	Volume (ft ³)
Base-line			
C-ES84-072-S	307	2.48	0.4
C-ES84-168-S	342	5.12	0.4
C-ES84-072-D	390	2.28	0.4
C-ES84-168-D	426	5.22	0.4
Belt-line			
C-ES84-072-B14	418	3.28	0.4
C-ES84-168-B14	453	4.48	0.4
C-ES84-072-B20	492	3.48	0.4
C-ES84-168-B20	527	5.22	0.4



ECK1



ECK2



ECK23

What's Included:

Communication kit, face plate, and jacks, as specified.

How to Specify:

This product is available only in black.

Specify configuration.

Notes:

Config 1: one communication outlet (RJ11), one data outlet (RJ45)

Config 2: two communication outlets (RJ11), one data outlet (RJ45)

Config 3: one communication outlet (RJ11), two data outlets (RJ45)

Options:

configuration **1** config 1


2 config 2

3 config 3


type base-line

B belt-line


Code	Price	Weight (lb)	Volume (ft ³)
Base-line			
C-ECK1	102	0.24	0.2
C-ECK2	124	0.34	0.2
C-ECK3	156	0.34	0.2
Belt-line			
C-ECK1-B	129	0.24	0.2
C-ECK2-B	151	0.34	0.2
C-ECK3-B	183	0.34	0.2




90-degree connection



t-connection



straight connection



4-way connection

What’s Included:

Power pole, top cap, ceiling grommet.

How to Specify:

Specify vinyl color.
Refer to the vinyl/metal finish card for details.


Notes:

8 wire 4 circuit electrical system.
The vinyl power pole attaches to cosmo panel connectors in 90-degree connections, T-connections, straight connections or 4-way connections.
144-inch power poles have the option of being divided.


Options:

type	D - divided	O - non-divided
height	72, 144	
connection	N 90-degree connection	T t-connection
	S straight connection	4 4-way connection
finish	vinyl colors	

Code	Price	Weight (lb)	Volume (ft ³)
90-degree connection			
C-EPVD-144-N	237	6	1.5
C-EPV0-072-N	140	3	1
C-EPV0-144-N	215	6	1.5
t-connection			
C-EPVD-144-T	237	6	1.5
C-EPV0-072-T	140	3	1
C-EPV0-144-T	215	6	1.5
straight connection			
C-EPVD-144-S	237	6	1.5
C-EPV0-072-S	140	3	1
C-EPV0-144-S	215	6	1.5
4-way connection			
C-EPVD-144-4	237	6	1.5
C-EPV0-072-4	140	3	1
C-EPV0-144-4	215	6	1.5



4 outlets



8 outlets

What's Included:

Belt-line electrics power module as specified.

How to Specify:

This product is available only in black.


Notes:

- 8 wire 4 circuit electrical system.
- Belt-line electrics power modules are available with four outlets or eight outlets.
- 18-inch and 24-inch wide panel frames do not accommodate a belt-line power module.
- 30-inch wide panel frame accommodates belt-line power module with 4 outlets only.
- 30-inch wide panel frames placed side-by-side can only accommodate one 4 outlet module in one of the panel frames.
- 30-inch wide panel frame with a belt-line power module does not accommodate belt-line data/communication kits.
- 36-inch wide panel frame with a belt-line power module (8 outlets) does not accommodate belt-line data/communication kits.

Options:

type	B14 4 outlets (14")	B20 8 outlets (20")
------	----------------------------	----------------------------

Code	Price	Weight (lb)	Volume (ft ³)
4 outlets			
C-EM84-B14	260	2	0.2
8 outlets			
C-EM84-B20	334	2.7	0.2

**What's Included:**

Wire Manager, installation hardware.

How to Specify:

Specify the length of the wire manager to be 6-inches less than the width of the workstation to which it will be mounted.


Notes:

The horizontal wire manager attaches to the underside of a worksurface.

Options:

width 12, 18, 24, 30, 36, 42, 48, 54, 60, 66, 72

Code	Price	W (in.)	Weight (lb)	Volume (ft ³)
C-EWHB-12	2	12	0.15	0.1
C-EWHB-18	3	18	0.25	0.15
C-EWHB-24	4	24	0.35	0.2
C-EWHB-30	5	30	0.45	0.25
C-EWHB-36	6	36	0.55	0.3
C-EWHB-42	7	42	0.65	0.35
C-EWHB-48	8	48	0.75	0.4
C-EWHB-54	9	54	0.85	0.45
C-EWHB-60	11	60	0.95	0.5
C-EWHB-66	14	66	1.05	0.55
C-EWHB-72	16	72	1.15	0.6



What's Included:

Connector Harness, as specified.

How to Specify:

This product is available only in black.

Notes:

8 wire 4 circuit electrical system.


The connector harness is equipped with two male ends.

Connector harnesses, 148-inches and longer are comprised of two pieces connected together.

Options:

length	22, 25, 28, 31, 34, 37, 40, 43, 46, 49, 52, 55, 58, 61, 64, 67, 70, 73, 76, 79, 82, 85, 88, 91, 94, 97, 100, 103, 106, 109, 112, 115, 118, 121, 124, 127, 130, 133, 136, 139, 142, 145, 148, 151, 154, 157, 160, 163, 166, 169, 172, 175, 178, 181
--------	--

Code	Price	L (in.)	Weight (lb)	Volume (ft³)	Code	Price	L (in.)	Weight (lb)	Volume (ft³)
one piece harness					C-EH84-103	207	103	2.7	0.2
C-EH84-22	106	22	0.6	0.2	C-EH84-106	211	106	2.86	0.2
C-EH84-25	109	25	0.7	0.2	C-EH84-109	215	109	2.86	0.2
C-EH84-28	112	28	0.8	0.2	C-EH84-112	218	112	3.03	0.2
C-EH84-31	116	31	0.8	0.2	C-EH84-115	223	115	3.03	0.2
C-EH84-34	120	34	0.9	0.2	C-EH84-118	227	118	3.19	0.2
C-EH84-37	124	37	1	0.2	C-EH84-121	230	121	3.36	0.2
C-EH84-40	129	40	1.1	0.2	C-EH84-124	234	124	3.36	0.2
C-EH84-43	132	43	1.2	0.2	C-EH84-127	239	127	3.52	0.2
C-EH84-46	135	46	1.3	0.2	C-EH84-130	242	130	3.52	0.2
C-EH84-49	139	49	1.5	0.2	C-EH84-133	245	133	3.39	0.2
C-EH84-52	142	52	1.5	0.2	C-EH84-136	250	136	3.69	0.2
C-EH84-55	148	55	1.6	0.2	C-EH84-139	253	139	3.85	0.2
C-EH84-58	151	58	1.7	0.2	C-EH84-142	256	142	3.85	0.2
C-EH84-61	154	61	1.8	0.2	C-EH84-145	261	145	3.85	0.2
C-EH84-64	158	64	1.9	0.2	two piece harnesses				
C-EH84-67	162	67	1.9	0.2	C-EH84-148	349	148	3.85	0.2
C-EH84-70	165	70	2	0.2	C-EH84-151	353	151	4.18	0.2
C-EH84-73	171	73	1.95	0.2	C-EH84-154	357	154	4.26	0.2
C-EH84-76	174	76	2.04	0.2	C-EH84-157	361	157	4.35	0.2
C-EH84-79	177	79	2.12	0.2	C-EH84-160	364	160	4.43	0.2
C-EH84-82	181	82	2.12	0.2	C-EH84-163	367	163	4.51	0.2
C-EH84-85	184	85	2.37	0.2	C-EH84-166	372	166	4.59	0.2
C-EH84-88	188	88	2.37	0.2	C-EH84-169	376	169	4.68	0.2
C-EH84-91	192	91	2.37	0.2	C-EH84-172	380	172	4.76	0.2
C-EH84-94	196	94	2.53	0.2	C-EH84-175	384	175	4.84	0.2
C-EH84-97	201	97	2.53	0.2	C-EH84-178	387	178	4.92	0.2
C-EH84-100	204	100	2.7	0.2	C-EH84-181	391	181	5.01	0.2



What’s Included:

Harness, as specified.

How to Specify:

This product is available only in black.

Notes:

8 wire 4 circuit electrical system.

The harness is equipped with one male end and one female end. The harness connects connector harnesses to electrical power modules.

Options:

length 44, 122

Code	Price	L (in.)	Weight (lb)	Volume (ft³)
C-E8FM-044	135	44	0.3	0.2
C-E8FM-122	234	122	0.6	0.2