


SADASR00781**C



Surface Type & Width (Left / Right)	
G (9'/10') 0 - 0.141	G 18' 0.141 - 1.557
Base Type (Left / Right)	
I 0 - 1.557	
Shoulder Type & Width (Left / Right)	
2 (2'/2) 0 - 2.345	
Through Lanes	
2 0 - 10.987	
Street Name	
SR 781 0 - 10.987	


Non-divided Highway	Bridge (on route)	Railroad (at grade)	Intersection
Divided Highway	Underpass	Railroad (underpass)	
Secondary Segment	Overpass	Railroad (overpass)	
Corporation			

Created on: 6/24/2025



transportation.ohio.gov
 Prepared by
 The Ohio Department of Transportation
 Office of Technical Services
 Roadway Information

SADASR00781**C



Surface Type & Width (Left / Right)

G 18'	G (9'/10')
0.141 - 1.557	1.557 - 2.345

Base Type (Left / Right)

I	L	I
0 - 1.557	1.557 - 1.678	1.678 - 10.987

Shoulder Type & Width (Left / Right)

2 (2'/2')	
0 - 2.345	

Through Lanes

2	
0 - 10.987	

Street Name

SR 781	
0 - 10.987	

- Non-divided Highway
- Divided Highway
- Secondary Segment
- Corporation
- Bridge (on route)
- Underpass
- Overpass
- Railroad (at grade)
- Railroad (underpass)
- Railroad (overpass)
- Intersection

Created on: 6/24/2025


transportation.ohio.gov

Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SADASR00781**C

State True Log

County True Log



Surface Type & Width (Left / Right)	
G (9'/10') 1.557 - 2.345	G 18' 2.345 - 6.558
Base Type (Left / Right)	
I 1.678 - 10.987	
Shoulder Type & Width (Left / Right)	
2 (2'/2') 0 - 2.345	2 (3'/3') 2.345 - 6.727
Through Lanes	
2 0 - 10.987	
Street Name	
SR 781 0 - 10.987	

Non-divided Highway	Bridge (on route)	Railroad (at grade)	Intersection
Divided Highway	Underpass	Railroad (underpass)	
Secondary Segment	Overpass	Railroad (overpass)	
Corporation			

Created on: 6/24/2025




transportation.ohio.gov
Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SADSR00781**C

State True Log

4

County True Log



Surface Type & Width (Left / Right)

	G 18'
	2.345 - 6.558

Base Type (Left / Right)

	I
	1.678 - 10.987

Shoulder Type & Width (Left / Right)

	2 (3/3)
	2.345 - 6.727

Through Lanes

	2
	0 - 10.987

Street Name

	SR 781
	0 - 10.987

Non-divided Highway	Bridge (on route)	Railroad (at grade)	Intersection
Divided Highway	Underpass	Railroad (underpass)	
Secondary Segment	Overpass	Railroad (overpass)	
Corporation			

Created on: 6/24/2025


transportation.ohio.gov

Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SADASR00781**C

State True Log

County True Log



Surface Type & Width (Left / Right)

G 18'
2.345 - 6.558

Base Type (Left / Right)

I
1.678 - 10.987

Shoulder Type & Width (Left / Right)

2 (3/3)
2.345 - 6.727

Through Lanes

2
0 - 10.987

Street Name

SR 781
0 - 10.987

- Non-divided Highway
- Divided Highway
- Secondary Segment
- Corporation
- Bridge (on route)
- Underpass
- Overpass
- Railroad (at grade)
- Railroad (underpass)
- Railroad (overpass)
- Intersection


Created on: 6/24/2025

transportation.ohio.gov
Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SADASR00781**C

State True Log

County True Log



5.85 JONES RD

Surface Type & Width (Left / Right)

G 18'
2.345 - 6.558

Base Type (Left / Right)

I
1.678 - 10.987

Shoulder Type & Width (Left / Right)

2 (3/3)
2.345 - 6.727

Through Lanes

2
0 - 10.987

Street Name


SR 781
0 - 10.987

- Non-divided Highway
- Divided Highway
- Secondary Segment
- Corporation
- Bridge (on route)
- Underpass
- Overpass
- Railroad (at grade)
- Railroad (underpass)
- Railroad (overpass)
- Intersection

Created on: 6/24/2025

transportation.ohio.gov
 Prepared by
 The Ohio Department of Transportation
 Office of Technical Services
 Roadway Information

SADASR00781**C



Surface Type & Width (Left / Right)

G 18' 2.345 - 6.558	G 24' 6.558 - 6.649	G 26' 6.649 - 6.727	G 18' 6.727 - 7.978
------------------------	------------------------	------------------------	------------------------

Base Type (Left / Right)

I 1.678 - 10.987	
---------------------	--

Shoulder Type & Width (Left / Right)

2 (3/3') 2.345 - 6.727	2 (2/2') 6.727 - 7.978
---------------------------	---------------------------

Through Lanes

2 0 - 10.987	
-----------------	--

Street Name

SR 781 0 - 10.987	
----------------------	--

- Non-divided Highway
- Divided Highway
- Secondary Segment
- Corporation
- Bridge (on route)
- Underpass
- Overpass
- Railroad (at grade)
- Railroad (underpass)
- Railroad (overpass)
- Intersection

Created on: 6/24/2025


transportation.ohio.gov

Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SADSR00781**C

State True Log

County True Log



Surface Type & Width (Left / Right)

G 18'	G 22'
6.727 - 7.978	7.978 - 8.084

Base Type (Left / Right)

I
1.678 - 10.987

Shoulder Type & Width (Left / Right)

2 (2/2')	2 (3/3')
6.727 - 7.978	7.978 - 8.084

Through Lanes

2
0 - 10.987

Street Name

SR 781
0 - 10.987

- Non-divided Highway
- Divided Highway
- Secondary Segment
- Corporation
- Bridge (on route)
- Underpass
- Overpass
- Railroad (at grade)
- Railroad (underpass)
- Railroad (overpass)
- Intersection

Created on: 6/24/2025




transportation.ohio.gov
 Prepared by
 The Ohio Department of Transportation
 Office of Technical Services
 Roadway Information

SADASR00781**C

State True Log

County True Log



Surface Type & Width (Left / Right)

G 22'	G 18'
7.978 - 8.084	8.084 - 10.987

Base Type (Left / Right)

I	I
1.678 - 10.987	1.678 - 10.987

Shoulder Type & Width (Left / Right)

2 (3/3')	2 (2/2')	2 (3/3')
7.978 - 8.084	8.084 - 8.142	8.142 - 10.987

Through Lanes

2	2
0 - 10.987	0 - 10.987

Street Name

SR 781	SR 781
0 - 10.987	0 - 10.987

- | | | | |
|--|---|---|---|
| <ul style="list-style-type: none"> Non-divided Highway Divided Highway Secondary Segment Corporation | <ul style="list-style-type: none"> Bridge (on route) Underpass Overpass | <ul style="list-style-type: none"> Railroad (at grade) Railroad (underpass) Railroad (overpass) | <ul style="list-style-type: none"> Intersection |
|--|---|---|---|

Created on: 6/24/2025


transportation.ohio.gov

Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SADASR00781**C

State True Log

County True Log



Surface Type & Width (Left / Right)

	G 18'
	8.084 - 10.987

Base Type (Left / Right)

	I
	1.678 - 10.987

Shoulder Type & Width (Left / Right)

	2 (3/3')
	8.142 - 10.987

Through Lanes

	2
	0 - 10.987

Street Name

	SR 781
	0 - 10.987

- | | | | |
|---------------------|-------------------|----------------------|--------------|
| Non-divided Highway | Bridge (on route) | Railroad (at grade) | Intersection |
| Divided Highway | Underpass | Railroad (underpass) | |
| Secondary Segment | Overpass | Railroad (overpass) | |
| Corporation | | | |

Created on: 6/24/2025

transportation.ohio.gov

Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SADSR00781**C

State True Log

10.987

County True Log


10.00

10.25

10.50

10.75

11.00



Surface Type & Width (Left / Right)

G 18'
8.084 - 10.987

Base Type (Left / Right)

I
1.678 - 10.987

Shoulder Type & Width (Left / Right)

2 (3'/3')
8.142 - 10.987

Through Lanes

2
0 - 10.987

Street Name

SR 781
0 - 10.987

- Non-divided Highway
- Divided Highway
- Secondary Segment
- Corporation
- Bridge (on route)
- Underpass
- Overpass
- Railroad (at grade)
- Railroad (underpass)
- Railroad (overpass)
- Intersection

Created on: 6/24/2025

transportation.ohio.gov

Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

Historical Project List for SADASR00781**C

Begin Measure	End Measure	Project ID Number	Construction Completion Date	Treatment Category	Treatment Type
0.000	2.112	25483	11-2006	Minor Rehabilitation	60-AC Overlay w/Rpr
2.082	10.987	91998	11-2019	Minor Rehabilitation	50-AC Overlay w/o Rpr
2.112	10.987	25483	11-2006	Minor Rehabilitation	60-AC Overlay w/Rpr

Roadway Codes

Access Control Journalized

- F - Full Access Control
- L - Limited Access Control
- N - No Access Control

Access Control Operational

- 1 - Full Access Control
- 2 - Partial Access Control
- 3 - No Access Control

Base Type

- F - Crack and Seat
- H - Rubblize and Roll
- I - Aggregate Base 304 or Traffic Compacted
- K - Water Bound Macadam
- L - Bituminous Concrete Mix or Penetration Macadam
- N - Plain Concrete
- P - Reinforced Concrete
- R - Brick (Flexible)
- T - Brick (Rigid)

Direction of Travel

- B - Both (Two-way)
- F - One-way Cardinal
- T - One-way Non-cardinal

Facility Type

- 1 - One-way Roadway
- 2 - Two-way Roadway
- 4 - Ramp
- 5 - Non-mainline
- 6 - Non-inventory Direction
- 7 - Planned / Unbuilt

Historical Federal Aid Indicator

- N - Not a FAP Route
- Y - FAP Route

Functional Classification

- 01 - Interstate
- 02 - Principal Arterial (Freeways)
- 03 - Principal Arterial (Other)
- 04 - Minor Arterial
- 05 - Major Collector
- 06 - Minor Collector
- 07 - Local

Leave / Reenter Indicator

- Y - Route leaves/reenters at this point
- N - Route does not leave/reenter at this point

Median Type

- 1 - None
- 2 - Unprotected
- 3 - Curbed
- 4 - Positive Barrier (Unspecified)
- 5 - Positive Barrier (Flexible)
- 6 - Positive Barrier (Semi-rigid)
- 7 - Positive Barrier (Rigid)

NHS

- N - National Highway System
- H - Congressional Corridor
- 2 - Major Airport
- 3 - Major Port Facility
- 4 - Major Amtrak Station
- 5 - Major Rail / Truck Terminal
- 6 - Major Intercity Bus Terminal
- 7 - Major Public Transit / Multi-modal Passenger Terminal
- 8 - Major Pipeline Terminal
- 9 - Major Ferry Terminal

Priority System

- G - General
- P - Priority System
- U - Urban

Scenic Byway Code

- A - All American Road
- N - National Scenic Byway
- S - State Scenic Byway

Shoulder Type

- 1 - None
- 2 - Surfaced shoulder exists (bituminous concrete {AC})
- 3 - Surfaced shoulder exists (Portland Cement Concrete {PCC})
- 4 - Stabilized shoulder exists (gravel or other granular material)
- 5 - Combination shoulder exists (two or more surface types)
- 6 - Earth shoulder exists
- 7 - Barrier curb exists; no shoulder in front of curb

Surface Type

- A - Combination
- B - Brick
- C - Continuous Reinforced Concrete
- D - Reinforced Concrete
- E - Plain Concrete
- G - Bituminous Concrete
- I - Chipseal on Granular
- K - Open Graded Bituminous
- L - Chipseal or Micro
- M - Gravel
- U - Unimproved
- X - Right of Way Only