


SBUTSR00748**C



Surface Type & Width (Left / Right)	G 20' 0 - 1.738
Base Type (Left / Right)	I 0 - 1.738
Shoulder Type & Width (Left / Right)	2 (1/1') 0 - 1.738
Resurface Year	2020 0 - 5.807
Through Lanes	2 0 - 5.807
Street Name	MILLVILLE SHANDON RD 0 - 5.807


- | | | | |
|--|---|---|---|
| <ul style="list-style-type: none"> Non-divided Highway Divided Highway Secondary Segment Corporation | <ul style="list-style-type: none"> Bridge (on route) Underpass Overpass | <ul style="list-style-type: none"> Railroad (at grade) Railroad (underpass) Railroad (overpass) | <ul style="list-style-type: none"> Intersection |
|--|---|---|---|

Created on: 6/24/2025

transportation.ohio.gov

Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SBUTSR00748**C



Surface Type & Width (Left / Right)

G 20'	G 24'
0 - 1.738	1.738 - 2.065

Base Type (Left / Right)

I	L
0 - 1.738	1.738 - 2.065

Shoulder Type & Width (Left / Right)

2 (1'1')	2 (4'4')
0 - 1.738	1.738 - 2.065

Resurface Year

2020

Through Lanes

2

Street Name

MILLVILLE SHANDON RD
0 - 5.807


- Non-divided Highway
- Divided Highway
- Secondary Segment
- Corporation
- Bridge (on route)
- Underpass
- Overpass
- Railroad (at grade)
- Railroad (underpass)
- Railroad (overpass)
- Intersection

Created on: 6/24/2025

transportation.ohio.gov

Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SBUTSR00748**C



Surface Type & Width (Left / Right)	
G 24'	G 20'
1.738 - 2.065	2.065 - 3.114
Base Type (Left / Right)	
L	I
1.738 - 2.065	2.065 - 3.114
Shoulder Type & Width (Left / Right)	
2 (4/4')	2 (1/1')
1.738 - 2.065	2.065 - 3.114
Resurface Year	
2020	
Through Lanes	
0 - 5.807	
Street Name	
MILLVILLE SHANDON RD 0 - 5.807	

Non-divided Highway	Bridge (on route)	Railroad (at grade)	Intersection
Divided Highway	Underpass	Railroad (underpass)	
Secondary Segment	Overpass	Railroad (overpass)	
Corporation			

Created on: 6/24/2025



transportation.ohio.gov


Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SBUTSR00748**C

State True Log

4

County True Log



Surface Type & Width (Left / Right)

G 20'	G 24'	G 30'	G 36'	G 30'	G 24'	G 20'
2.065 - 3.114	3.114 - 3.271	3.271 - 3.319	3.339 - 3.38	3.38 - 3.461		3.461 - 5.807

Base Type (Left / Right)

I	L	I
2.065 - 3.114	3.114 - 3.461	3.461 - 5.807

Shoulder Type & Width (Left / Right)

2 (1'1")	5 (2'2")	1 (2'2")	5 (2'2")	2 (1'1")
2.065 - 3.114	3.114 - 3.271	3.271 - 3.38	3.38 - 3.461	3.461 - 5.807

Median Type and Width

3 (12')
3.271 - 3.38

Resurface Year

	2020
--	------

0 - 5.807

Through Lanes

	2
--	---

0 - 5.807

Street Name

	MILLVILLE SHANDON RD
--	----------------------

0 - 5.807

- Non-divided Highway
- Divided Highway
- Secondary Segment
- Corporation
- Bridge (on route)
- Underpass
- Overpass
- Railroad (at grade)
- Railroad (underpass)
- Railroad (overpass)
- Intersection

Created on: 6/24/2025




Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SBUTSR00748**C

State True Log

County True Log



Surface Type & Width (Left / Right)

G 20'
3.461 - 5.807

Base Type (Left / Right)

I
3.461 - 5.807

Shoulder Type & Width (Left / Right)

2 (1/1')
3.461 - 5.807

Resurface Year











2020
0 - 5.807

Through Lanes

2
0 - 5.807

Street Name

MILLVILLE SHANDON RD
0 - 5.807

- | | | |
|---|---|--|
|  Non-divided Highway |  Bridge (on route) |  Intersection |
|  Divided Highway |  Underpass |  Railroad (underpass) |
|  Secondary Segment |  Overpass |  Railroad (overpass) |
|  Corporation | | |

Created on: 6/24/2025



transportation.ohio.gov
Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SBUTSR00748**C

State True Log

5.807

County True Log



5.67
DONNA MARIE DR

Surface Type & Width (Left / Right)

G 20'
3.461 - 5.807

Base Type (Left / Right)

I
3.461 - 5.807

Shoulder Type & Width (Left / Right)

2 (1'1")
3.461 - 5.807

Resurface Year

2020

Through Lanes

2

Street Name

MILLVILLE SHANDON RD
0 - 5.807

- | | | | |
|---------------------|-------------------|----------------------|--------------|
| Non-divided Highway | Bridge (on route) | Railroad (at grade) | Intersection |
| Divided Highway | Underpass | Railroad (underpass) | |
| Secondary Segment | Overpass | Railroad (overpass) | |
| Corporation | | | |

Created on: 6/24/2025

transportation.ohio.gov

Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

Historical Project List for SBUTSR00748**C

Begin Measure	End Measure	Project ID Number	Construction Completion Date	Treatment Category	Treatment Type
0.000	3.230	94202	11-2020	Minor Rehabilitation	60-AC Overlay w/Rpr
0.000	5.800	22849	7-2005	Minor Rehabilitation	60-AC Overlay w/Rpr
1.880	2.010	20651	9-2005	Minor Rehabilitation	60-AC Overlay w/Rpr
3.430	5.800	94202	11-2020	Minor Rehabilitation	60-AC Overlay w/Rpr

Roadway Codes

Access Control Journalized

- F - Full Access Control
- L - Limited Access Control
- N - No Access Control

Access Control Operational

- 1 - Full Access Control
- 2 - Partial Access Control
- 3 - No Access Control

Base Type

- F - Crack and Seat
- H - Rubblize and Roll
- I - Aggregate Base 304 or Traffic Compacted
- K - Water Bound Macadam
- L - Bituminous Concrete Mix or Penetration Macadam
- N - Plain Concrete
- P - Reinforced Concrete
- R - Brick (Flexible)
- T - Brick (Rigid)

Direction of Travel

- B - Both (Two-way)
- F - One-way Cardinal
- T - One-way Non-cardinal

Facility Type

- 1 - One-way Roadway
- 2 - Two-way Roadway
- 4 - Ramp
- 5 - Non-mainline
- 6 - Non-inventory Direction
- 7 - Planned / Unbuilt

Historical Federal Aid Indicator

- N - Not a FAP Route
- Y - FAP Route

Functional Classification

- 01 - Interstate
- 02 - Principal Arterial (Freeways)
- 03 - Principal Arterial (Other)
- 04 - Minor Arterial
- 05 - Major Collector
- 06 - Minor Collector
- 07 - Local

Leave / Reenter Indicator

- Y - Route leaves/reenters at this point
- N - Route does not leave/reenter at this point

Median Type

- 1 - None
- 2 - Unprotected
- 3 - Curbed
- 4 - Positive Barrier (Unspecified)
- 5 - Positive Barrier (Flexible)
- 6 - Positive Barrier (Semi-rigid)
- 7 - Positive Barrier (Rigid)

NHS

- N - National Highway System
- H - Congressional Corridor
- 2 - Major Airport
- 3 - Major Port Facility
- 4 - Major Amtrak Station
- 5 - Major Rail / Truck Terminal
- 6 - Major Intercity Bus Terminal
- 7 - Major Public Transit / Multi-modal Passenger Terminal
- 8 - Major Pipeline Terminal
- 9 - Major Ferry Terminal

Priority System

- G - General
- P - Priority System
- U - Urban

Scenic Byway Code

- A - All American Road
- N - National Scenic Byway
- S - State Scenic Byway

Shoulder Type

- 1 - None
- 2 - Surfaced shoulder exists (bituminous concrete {AC})
- 3 - Surfaced shoulder exists (Portland Cement Concrete {PCC})
- 4 - Stabilized shoulder exists (gravel or other granular material)
- 5 - Combination shoulder exists (two or more surface types)
- 6 - Earth shoulder exists
- 7 - Barrier curb exists; no shoulder in front of curb

Surface Type

- A - Combination
- B - Brick
- C - Continuous Reinforced Concrete
- D - Reinforced Concrete
- E - Plain Concrete
- G - Bituminous Concrete
- I - Chipseal on Granular
- K - Open Graded Bituminous
- L - Chipseal or Micro
- M - Gravel
- U - Unimproved
- X - Right of Way Only