

SCOSSR00083**C

State True Log 50.61

51.61

County True Log



Surface Type & Width (Left / Right)

G (20'4')
0 - 7.49

Base Type (Left / Right)

I / L
0 - 7.49

Shoulder Type & Width (Left / Right)

2 (4'4')
0 - 8.977

Resurface Year

2024
0 - 9.028

Through Lanes

2
0 - 9.028

Street Name

SR 83
0 - 9.028

- | | | | |
|---------------------|-------------------|----------------------|--------------|
| Non-divided Highway | Bridge (on route) | Railroad (at grade) | Intersection |
| Divided Highway | Underpass | Railroad (underpass) | |
| Secondary Segment | Overpass | Railroad (overpass) | |
| Corporation | | | |

Created on: 6/24/2025

transportation.ohio.gov

Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SCOSSR00083**C

State True Log

52.61

County True Log



Surface Type & Width (Left / Right)

	G (20'4')
	0 - 7.49

Base Type (Left / Right)

	I / L
	0 - 7.49

Shoulder Type & Width (Left / Right)

	2 (4'4')
	0 - 8.977

Resurface Year

	2024
	0 - 9.028

Through Lanes

	2
	0 - 9.028

Street Name

	SR 83
	0 - 9.028

- | | | | |
|--|---|---|---|
| <ul style="list-style-type: none"> Non-divided Highway Divided Highway Secondary Segment Corporation | <ul style="list-style-type: none"> Bridge (on route) Underpass Overpass | <ul style="list-style-type: none"> Railroad (at grade) Railroad (underpass) Railroad (overpass) | <ul style="list-style-type: none"> Intersection |
|--|---|---|---|

Created on: 6/24/2025

transportation.ohio.gov

Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SCOSSR00083**C

State True Log

53.61

County True Log



Surface Type & Width (Left / Right)

G (20'4')
0 - 7.49

Base Type (Left / Right)

I / L
0 - 7.49

Shoulder Type & Width (Left / Right)

2 (4'4")
0 - 8.977

Resurface Year

2024
0 - 9.028

Through Lanes

2
0 - 9.028

Street Name

SR 83
0 - 9.028

- | | | | |
|--|---|---|---|
| <ul style="list-style-type: none"> Non-divided Highway Divided Highway Secondary Segment Corporation | <ul style="list-style-type: none"> Bridge (on route) Underpass Overpass | <ul style="list-style-type: none"> Railroad (at grade) Railroad (underpass) Railroad (overpass) | <ul style="list-style-type: none"> Intersection |
|--|---|---|---|

Created on: 6/24/2025

transportation.ohio.gov


Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SCOSSR00083**C

State True Log

54.61

County True Log



Surface Type & Width (Left / Right)

G (20'4')
0 - 7.49

Base Type (Left / Right)

I / L
0 - 7.49

Shoulder Type & Width (Left / Right)

2 (4'4')
0 - 8.977

Resurface Year

2024
0 - 9.028

Through Lanes

2
0 - 9.028

Street Name

SR 83
0 - 9.028

- | | | | |
|---------------------|-------------------|----------------------|--------------|
| Non-divided Highway | Bridge (on route) | Railroad (at grade) | Intersection |
| Divided Highway | Underpass | Railroad (underpass) | |
| Secondary Segment | Overpass | Railroad (overpass) | |
| Corporation | | | |

Created on: 6/24/2025

transportation.ohio.gov


Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SCOSSR00083**C

State True Log

55.61

County True Log



Surface Type & Width (Left / Right)

G (20'4')
0 - 7.49

Base Type (Left / Right)

I / L
0 - 7.49

Shoulder Type & Width (Left / Right)

2 (4'4')
0 - 8.977

Resurface Year

2024
0 - 9.028

Through Lanes

2
0 - 9.028

Street Name

SR 83
0 - 9.028

- | | | | |
|---------------------|-------------------|----------------------|--------------|
| Non-divided Highway | Bridge (on route) | Railroad (at grade) | Intersection |
| Divided Highway | Underpass | Railroad (underpass) | |
| Secondary Segment | Overpass | Railroad (overpass) | |
| Corporation | | | |

Created on: 6/24/2025

transportation.ohio.gov


Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SCOSSR00083**C

State True Log

56.61

County True Log



Surface Type & Width (Left / Right)	G (20'4') 0 - 7.49
Base Type (Left / Right)	1 / L 0 - 7.49
Shoulder Type & Width (Left / Right)	2 (4'4') 0 - 8.977
Resurface Year	2024 0 - 9.028
Through Lanes	2 0 - 9.028
Street Name	SR 83 0 - 9.028

Created on: 6/24/2025


transportation.ohio.gov
Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SCOSSR00083**C

State True Log

57.61

County True Log



Surface Type & Width (Left / Right)

G (20'4')
0 - 7.49

Base Type (Left / Right)

I / L
0 - 7.49

Shoulder Type & Width (Left / Right)

2 (4'4')
0 - 8.977

Resurface Year

2024
0 - 9.028

Through Lanes

2
0 - 9.028

Street Name

SR 83
0 - 9.028

- | | | | |
|---------------------|-------------------|----------------------|--------------|
| Non-divided Highway | Bridge (on route) | Railroad (at grade) | Intersection |
| Divided Highway | Underpass | Railroad (underpass) | |
| Secondary Segment | Overpass | Railroad (overpass) | |
| Corporation | | | |

Created on: 6/24/2025

transportation.ohio.gov


Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SCOSSR00083**C

State True Log

58.61

County True Log



Surface Type & Width (Left / Right)

G (20'4") 0 - 7.49	G 24' 7.49 - 9.028
-----------------------	-----------------------

Base Type (Left / Right)

I / L 0 - 7.49	L 7.49 - 9.028
-------------------	-------------------

Shoulder Type & Width (Left / Right)

2 (4'4") 0 - 8.977	
-----------------------	--

Resurface Year

2024 0 - 9.028	
-------------------	--

Through Lanes

2 0 - 9.028	
----------------	--

Street Name

SR 83 0 - 9.028	
--------------------	--

- | | | | |
|---------------------|-------------------|----------------------|--------------|
| Non-divided Highway | Bridge (on route) | Railroad (at grade) | Intersection |
| Divided Highway | Underpass | Railroad (underpass) | |
| Secondary Segment | Overpass | Railroad (overpass) | |
| Corporation | | | |

Created on: 6/24/2025

transportation.ohio.gov


Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SCOSSR00083**C

State True Log

59.61

County True Log



Surface Type & Width (Left / Right)

G 24'
7.49 - 9.028

Base Type (Left / Right)

L
7.49 - 9.028

Shoulder Type & Width (Left / Right)

2 (4'4")
0 - 8.977

2 (6'6")
8.977 - 9.028

Resurface Year

2024
0 - 9.028

Through Lanes

2
0 - 9.028

Street Name

SR 83
0 - 9.028

- Non-divided Highway
- Divided Highway
- Secondary Segment
- Corporation
- Bridge (on route)
- Underpass
- Overpass
- Railroad (at grade)
- Railroad (underpass)
- Railroad (overpass)
- Intersection


Created on: 6/24/2025



transportation.ohio.gov

Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SCOSSR00083**C



Surface Type & Width (Left / Right)

G 24'

7.49 - 9.028

Base Type (Left / Right)

L

7.49 - 9.028

Shoulder Type & Width (Left / Right)

2 (6'6")

8.977 - 9.028

Resurface Year

2024

0 - 9.028

Through Lanes

2

0 - 9.028

Street Name

SR 83

0 - 9.028

Non-divided Highway	Bridge (on route)	Railroad (at grade)	Intersection
Divided Highway	Underpass	Railroad (underpass)	
Secondary Segment	Overpass	Railroad (overpass)	
Corporation			

Created on: 6/24/2025

transportation.ohio.gov

Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SCOSSR00083**C

State True
Log

61.61

County True
Log

10.00

10.25

10.50

10.75

11.00



- | | | | |
|---|---|---|---|
| <ul style="list-style-type: none"> Non-divided Highway Divided Highway Secondary Segment Corporation | <ul style="list-style-type: none"> Bridge (on route) Underpass Overpass | <ul style="list-style-type: none"> Railroad (at grade) Railroad (underpass) Railroad (overpass) | <ul style="list-style-type: none"> Intersection |
|---|---|---|---|

Created on: 6/24/2025

transportation.ohio.gov

Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SCOSSR00083**C

State True Log

62.61

County True Log

11:00

11:25

11:50

11:75

12:00



- Non-divided Highway
- Divided Highway
- Secondary Segment
- Corporation**
- Bridge (on route)
- Underpass
- Overpass
- Railroad (at grade)
- Railroad (underpass)
- Railroad (overpass)
- Intersection


Created on: 6/24/2025



transportation.ohio.gov
 Prepared by
 The Ohio Department of Transportation
 Office of Technical Services
 Roadway Information

SCOSSR00083**C

State True Log
County True Log



Begin overlap w/
SCOSUS00036**C
@ 19.127

12.708
CSFA

Surface Type & Width (Left / Right)

G (20'4")
12.708 - 15.663

Base Type (Left / Right)

P / L
12.708 - 15.663

Shoulder Type & Width (Left / Right)












2 (4'4")
12.708 - 15.663

Through Lanes

2
12.708 - 26.721

Street Name

SR 83
12.708 - 26.721


-  Non-divided Highway
-  Divided Highway
-  Secondary Segment
-  Corporation
-  Bridge (on route)
-  Underpass
-  Overpass
-  Railroad (at grade)
-  Railroad (underpass)
-  Railroad (overpass)
-  Intersection

Created on: 6/24/2025



transportation.ohio.gov
Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SCOSSR00083**C



Surface Type & Width (Left / Right)	G (20'4')
	12.708 - 15.663
Base Type (Left / Right)	P / L
	12.708 - 15.663
Shoulder Type & Width (Left / Right)	2 (4'4')
	12.708 - 15.663
Through Lanes	2
	12.708 - 26.721
Street Name	SR 83
	12.708 - 26.721


- Non-divided Highway
- Divided Highway
- Secondary Segment
- Corporation**
- Bridge (on route)
- Underpass
- Overpass
- Railroad (at grade)
- Railroad (underpass)
- Railroad (overpass)
- Intersection

Created on: 6/24/2025

transportation.ohio.gov

Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SCOSSR00083**C



Surface Type & Width (Left / Right)	G (20'4')
	12.708 - 15.663
Base Type (Left / Right)	P / L
	12.708 - 15.663
Shoulder Type & Width (Left / Right)	2 (4'4')
	12.708 - 15.663
Through Lanes	2
	12.708 - 26.721
Street Name	SR 83
	12.708 - 26.721


- Non-divided Highway
- Divided Highway
- Secondary Segment
- Corporation
- Bridge (on route)
- Underpass
- Overpass
- Railroad (at grade)
- Railroad (underpass)
- Railroad (overpass)
- Intersection

Created on: 6/24/2025

transportation.ohio.gov

Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SCOSSR00083**C



Surface Type & Width (Left / Right)

G (20'4')	G 24'	G (20'4')
12.708 - 15.663	15.663 - 15.841	15.841 - 18.316

Base Type (Left / Right)

P / L	I	P / L
12.708 - 15.663	15.663 - 15.841	15.841 - 18.316

Shoulder Type & Width (Left / Right)

2 (4'4')	2 (6'6')	2 (4'4')
12.708 - 15.663	15.663 - 15.841	15.841 - 16.496

Through Lanes

	2	
	12.708 - 26.721	

Street Name

	SR 83	
	12.708 - 26.721	


- Non-divided Highway
- Divided Highway
- Secondary Segment
- Corporation
- Bridge (on route)
- Underpass
- Overpass
- Railroad (at grade)
- Railroad (underpass)
- Railroad (overpass)
- Intersection

Created on: 6/24/2025

transportation.ohio.gov

Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SCOSSR00083**C



Surface Type & Width (Left / Right)

G (20'4')
15.841 - 18.316

Base Type (Left / Right)

P / L
15.841 - 18.316

Shoulder Type & Width (Left / Right)

2 (4'4') 15.841 - 16.496	5 (3'3') 16.496 - 17.467
-----------------------------	-----------------------------

Through Lanes

2
12.708 - 26.721

Street Name

SR 83
12.708 - 26.721


- | | | | |
|---------------------|-------------------|----------------------|--------------|
| Non-divided Highway | Bridge (on route) | Railroad (at grade) | Intersection |
| Divided Highway | Underpass | Railroad (underpass) | |
| Secondary Segment | Overpass | Railroad (overpass) | |
| Corporation | | | |

Created on: 6/24/2025

transportation.ohio.gov

Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SCOSSR00083**C



Surface Type & Width (Left / Right)

G (20'4')
15.841 - 18.316

Base Type (Left / Right)

P / L
15.841 - 18.316

Shoulder Type & Width (Left / Right)

5 (3'3') 16.496 - 17.467	2 (4'4') 17.467 - 18.316
-----------------------------	-----------------------------

Through Lanes

2
12.708 - 26.721

Street Name


SR 83
12.708 - 26.721

- | | | | |
|---------------------|-------------------|----------------------|--------------|
| Non-divided Highway | Bridge (on route) | Railroad (at grade) | Intersection |
| Divided Highway | Underpass | Railroad (underpass) | |
| Secondary Segment | Overpass | Railroad (overpass) | |
| Corporation | | | |

Created on: 6/24/2025

transportation.ohio.gov
 Prepared by
 The Ohio Department of Transportation
 Office of Technical Services
 Roadway Information

SCOSSR00083**C



Surface Type & Width (Left / Right)

G (20'4") 15.841 - 18.316	G 24' 18.316 - 18.498	G (20'4") 18.498 - 19.214
------------------------------	--------------------------	------------------------------

Base Type (Left / Right)

P / L 15.841 - 18.316	I 18.316 - 18.498	P / L 18.498 - 19.214
--------------------------	----------------------	--------------------------

Shoulder Type & Width (Left / Right)

2 (4'4") 17.467 - 18.316	2 (6'6") 18.316 - 18.498	5 (3'3") 18.498 - 19.214
-----------------------------	-----------------------------	-----------------------------

Through Lanes

2 12.708 - 26.721

Street Name

SR 83 12.708 - 26.721


Non-divided Highway	Bridge (on route)	Railroad (at grade)	Intersection
Divided Highway	Underpass	Railroad (underpass)	
Secondary Segment	Overpass	Railroad (overpass)	
Corporation			

Created on: 6/24/2025

transportation.ohio.gov

Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SCOSSR00083**C



Surface Type & Width (Left / Right)

G (20'4") 18.498 - 19.214	G (18'6") 19.214 - 26.721
------------------------------	------------------------------

Base Type (Left / Right)

P / L 18.498 - 19.214	P / K 19.214 - 26.721
--------------------------	--------------------------

Shoulder Type & Width (Left / Right)

5 (3'3") 18.498 - 19.214	2 (4'4") 19.214 - 26.721
-----------------------------	-----------------------------

Through Lanes

	2 12.708 - 26.721
--	----------------------

Street Name


	SR 83 12.708 - 26.721
--	--------------------------

- Non-divided Highway
- Divided Highway
- Secondary Segment
- Corporation
- Bridge (on route)
- Underpass
- Overpass
- Railroad (at grade)
- Railroad (underpass)
- Railroad (overpass)
- Intersection

Created on: 6/24/2025

transportation.ohio.gov
 Prepared by
 The Ohio Department of Transportation
 Office of Technical Services
 Roadway Information

SCOSSR00083**C



Surface Type & Width (Left / Right)	G (18/6')
	19.214 - 26.721
Base Type (Left / Right)	P / K
	19.214 - 26.721
Shoulder Type & Width (Left / Right)	2 (4/4')
	19.214 - 26.721
Through Lanes	2
	12.708 - 26.721
Street Name	SR 83
	12.708 - 26.721


- | | | | |
|---------------------|-------------------|----------------------|--------------|
| Non-divided Highway | Bridge (on route) | Railroad (at grade) | Intersection |
| Divided Highway | Underpass | Railroad (underpass) | |
| Secondary Segment | Overpass | Railroad (overpass) | |
| Corporation | | | |

Created on: 6/24/2025

transportation.ohio.gov

Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SCOSSR00083**C





Surface Type & Width (Left / Right)	G (18/6')
	19.214 - 26.721
Base Type (Left / Right)	P / K
	19.214 - 26.721
Shoulder Type & Width (Left / Right)	2 (4/4')
	19.214 - 26.721
Through Lanes	2
	12.708 - 26.721
Street Name	SR 83
	12.708 - 26.721

- Non-divided Highway
- Divided Highway
- Secondary Segment
- Corporation
- Bridge (on route)
- Underpass
- Overpass
- Railroad (at grade)
- Railroad (underpass)
- Railroad (overpass)
- Intersection

Created on: 6/24/2025

transportation.ohio.gov
 Prepared by
 The Ohio Department of Transportation
 Office of Technical Services
 Roadway Information

SCOSSR00083**C



Surface Type & Width (Left / Right)	G (18/6')
	19.214 - 26.721
Base Type (Left / Right)	P / K
	19.214 - 26.721
Shoulder Type & Width (Left / Right)	2 (4/4')
	19.214 - 26.721
Through Lanes	2
	12.708 - 26.721
Street Name	SR 83
	12.708 - 26.721


Non-divided Highway	Bridge (on route)	Railroad (at grade)	Intersection
Divided Highway	Underpass	Railroad (underpass)	
Secondary Segment	Overpass	Railroad (overpass)	
Corporation			

Created on: 6/24/2025

transportation.ohio.gov

Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SCOSSR00083**C



Surface Type & Width (Left / Right)	G (18/6')
	19.214 - 26.721
Base Type (Left / Right)	P / K
	19.214 - 26.721
Shoulder Type & Width (Left / Right)	2 (4/4')
	19.214 - 26.721
Through Lanes	2
	12.708 - 26.721
Street Name	SR 83
	12.708 - 26.721


- Non-divided Highway
- Divided Highway
- Secondary Segment
- Corporation
- Bridge (on route)
- Underpass
- Overpass
- Railroad (at grade)
- Railroad (underpass)
- Railroad (overpass)
- Intersection

Created on: 6/24/2025

transportation.ohio.gov

Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SCOSSR00083**C



Surface Type & Width (Left / Right)	G (18/6')
	19.214 - 26.721
Base Type (Left / Right)	P / K
	19.214 - 26.721
Shoulder Type & Width (Left / Right)	2 (4/4')
	19.214 - 26.721
Through Lanes	2
	12.708 - 26.721
Street Name	SR 83
	12.708 - 26.721

Non-divided Highway	Bridge (on route)	Railroad (at grade)	Intersection
Divided Highway	Underpass	Railroad (underpass)	
Secondary Segment	Overpass	Railroad (overpass)	
Corporation			

Created on: 6/24/2025



transportation.ohio.gov
 Prepared by
 The Ohio Department of Transportation
 Office of Technical Services
 Roadway Information

SCOSSR00083**C

State True Log

76.61

County True Log



Surface Type & Width (Left / Right)

G (18/6')
19.214 - 26.721

Base Type (Left / Right)

P / K
19.214 - 26.721

Shoulder Type & Width (Left / Right)

2 (4/4')
19.214 - 26.721

Through Lanes

2
12.708 - 26.721

Street Name

SR 83
12.708 - 26.721

- | | | | |
|---------------------|-------------------|----------------------|--------------|
| Non-divided Highway | Bridge (on route) | Railroad (at grade) | Intersection |
| Divided Highway | Underpass | Railroad (underpass) | |
| Secondary Segment | Overpass | Railroad (overpass) | |
| Corporation | | | |

Created on: 6/24/2025

transportation.ohio.gov


Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SCOSSR00083**C

State True
Log

77.331

County True
Log



Surface Type & Width (Left / Right)

G (18'/6')
19.214 - 26.721

Base Type (Left / Right)

P / K
19.214 - 26.721

Shoulder Type & Width (Left / Right)

2 (4'/4')
19.214 - 26.721

Through Lanes

2
12.708 - 26.721

Street Name

SR 83
12.708 - 26.721

- | | | | |
|---------------------|-------------------|----------------------|--------------|
| Non-divided Highway | Bridge (on route) | Railroad (at grade) | Intersection |
| Divided Highway | Underpass | Railroad (underpass) | |
| Secondary Segment | Overpass | Railroad (overpass) | |
| Corporation | | | |

Created on: 6/24/2025



transportation.ohio.gov
Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

Historical Project List for SCOSSR00083**C

Begin Measure	End Measure	Project ID Number	Construction Completion Date	Treatment Category	Treatment Type
0.000	7.510	25678	8-2007	Minor Rehabilitation	60-AC Overlay w/Rpr
7.510	9.020	25678	8-2007	Minor Rehabilitation	60-AC Overlay w/Rpr
12.670	26.680	25189	9-2013	Minor Rehabilitation	60-AC Overlay w/Rpr

Roadway Codes

Access Control Journalized

- F - Full Access Control
- L - Limited Access Control
- N - No Access Control

Access Control Operational

- 1 - Full Access Control
- 2 - Partial Access Control
- 3 - No Access Control

Base Type

- F - Crack and Seat
- H - Rubblize and Roll
- I - Aggregate Base 304 or Traffic Compacted
- K - Water Bound Macadam
- L - Bituminous Concrete Mix or Penetration Macadam
- N - Plain Concrete
- P - Reinforced Concrete
- R - Brick (Flexible)
- T - Brick (Rigid)

Direction of Travel

- B - Both (Two-way)
- F - One-way Cardinal
- T - One-way Non-cardinal

Facility Type

- 1 - One-way Roadway
- 2 - Two-way Roadway
- 4 - Ramp
- 5 - Non-mainline
- 6 - Non-inventory Direction
- 7 - Planned / Unbuilt

Historical Federal Aid Indicator

- N - Not a FAP Route
- Y - FAP Route

Functional Classification

- 01 - Interstate
- 02 - Principal Arterial (Freeways)
- 03 - Principal Arterial (Other)
- 04 - Minor Arterial
- 05 - Major Collector
- 06 - Minor Collector
- 07 - Local

Leave / Reenter Indicator

- Y - Route leaves/reenters at this point
- N - Route does not leave/reenter at this point

Median Type

- 1 - None
- 2 - Unprotected
- 3 - Curbed
- 4 - Positive Barrier (Unspecified)
- 5 - Positive Barrier (Flexible)
- 6 - Positive Barrier (Semi-rigid)
- 7 - Positive Barrier (Rigid)

NHS

- N - National Highway System
- H - Congressional Corridor
- 2 - Major Airport
- 3 - Major Port Facility
- 4 - Major Amtrak Station
- 5 - Major Rail / Truck Terminal
- 6 - Major Intercity Bus Terminal
- 7 - Major Public Transit / Multi-modal Passenger Terminal
- 8 - Major Pipeline Terminal
- 9 - Major Ferry Terminal

Priority System

- G - General
- P - Priority System
- U - Urban

Scenic Byway Code

- A - All American Road
- N - National Scenic Byway
- S - State Scenic Byway

Shoulder Type

- 1 - None
- 2 - Surfaced shoulder exists (bituminous concrete {AC})
- 3 - Surfaced shoulder exists (Portland Cement Concrete {PCC})
- 4 - Stabilized shoulder exists (gravel or other granular material)
- 5 - Combination shoulder exists (two or more surface types)
- 6 - Earth shoulder exists
- 7 - Barrier curb exists; no shoulder in front of curb

Surface Type

- A - Combination
- B - Brick
- C - Continuous Reinforced Concrete
- D - Reinforced Concrete
- E - Plain Concrete
- G - Bituminous Concrete
- I - Chipseal on Granular
- K - Open Graded Bituminous
- L - Chipseal or Micro
- M - Gravel
- U - Unimproved
- X - Right of Way Only