


SCRASR00098**C

State True Log 17.175

18.175

County True Log



Surface Type & Width (Left / Right)

	G 20'
	0 - 6.8

Base Type (Left / Right)

	K
	0 - 6.8

Shoulder Type & Width (Left / Right)

	2 (4/4')
	0 - 6.8

Through Lanes

	2
	0 - 6.803

Street Name

	SR 98
	0 - 6.8

- | | | | |
|--|---|---|---|
| <ul style="list-style-type: none"> Non-divided Highway Divided Highway Secondary Segment Corporation | <ul style="list-style-type: none"> Bridge (on route) Underpass Overpass | <ul style="list-style-type: none"> Railroad (at grade) Railroad (underpass) Railroad (overpass) | <ul style="list-style-type: none"> Intersection |
|--|---|---|---|

Created on: 6/24/2025

transportation.ohio.gov


Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SCRASR00098**C

State True Log

19.175

County True Log



Surface Type & Width (Left / Right)

G 20'
0 - 6.8

Base Type (Left / Right)

K
0 - 6.8

Shoulder Type & Width (Left / Right)

2 (4/4')
0 - 6.8

Through Lanes

2
0 - 6.803

Street Name

SR 98
0 - 6.8

- | | | | |
|---------------------|-------------------|----------------------|--------------|
| Non-divided Highway | Bridge (on route) | Railroad (at grade) | Intersection |
| Divided Highway | Underpass | Railroad (underpass) | |
| Secondary Segment | Overpass | Railroad (overpass) | |
| Corporation | | | |

Created on: 6/24/2025

transportation.ohio.gov


Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SCRASR00098**C

State True Log

20.175

County True Log



Surface Type & Width (Left / Right)

G 20'
0 - 6.8

Base Type (Left / Right)

K
0 - 6.8

Shoulder Type & Width (Left / Right)

2 (4/4')
0 - 6.8

Through Lanes

2
0 - 6.803

Street Name

SR 98
0 - 6.8

- Non-divided Highway
 Bridge (on route)
 Railroad (at grade)
 Intersection
- Divided Highway
 Underpass
 Railroad (underpass)
- Secondary Segment
 Overpass
 Railroad (overpass)
- Corporation**

Created on: 6/24/2025



transportation.ohio.gov


Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SCRASR00098**C

State True Log

21.175

County True Log



Surface Type & Width (Left / Right)

G 20'
0 - 6.8

Base Type (Left / Right)

K
0 - 6.8

Shoulder Type & Width (Left / Right)

2 (4/4')
0 - 6.8

Through Lanes

2
0 - 6.803

Street Name

SR 98
0 - 6.8

- | | | | |
|---------------------|-------------------|----------------------|--------------|
| Non-divided Highway | Bridge (on route) | Railroad (at grade) | Intersection |
| Divided Highway | Underpass | Railroad (underpass) | |
| Secondary Segment | Overpass | Railroad (overpass) | |
| Corporation | | | |

Created on: 6/24/2025

transportation.ohio.gov


Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SCRASR00098**C

State True Log

22.175

County True Log



Surface Type & Width (Left / Right)

	G 20'
	0 - 6.8

Base Type (Left / Right)

	K
	0 - 6.8

Shoulder Type & Width (Left / Right)

	2 (4/4')
	0 - 6.8

Through Lanes

	2
	0 - 6.803

Street Name

	SR 98
	0 - 6.8

- | | | | |
|---------------------|-------------------|----------------------|--------------|
| Non-divided Highway | Bridge (on route) | Railroad (at grade) | Intersection |
| Divided Highway | Underpass | Railroad (underpass) | |
| Secondary Segment | Overpass | Railroad (overpass) | |
| Corporation | | | |

Created on: 6/24/2025

transportation.ohio.gov


Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SCRASR00098**C

State True Log

23.175

County True Log



Surface Type & Width (Left / Right)

G 20'
0 - 6.8

Base Type (Left / Right)

K
0 - 6.8

Shoulder Type & Width (Left / Right)

2 (4/4')
0 - 6.8

Through Lanes

2
0 - 6.803

Street Name

SR 98
0 - 6.8

- Non-divided Highway
- Divided Highway
- Secondary Segment
- Corporation
- Bridge (on route)
- Underpass
- Overpass
- Railroad (at grade)
- Railroad (underpass)
- Railroad (overpass)
- Intersection

Created on: 6/24/2025




transportation.ohio.gov
 Prepared by
 The Ohio Department of Transportation
 Office of Technical Services
 Roadway Information

SCRASR00098**C


State True Log

24.175


County True Log




Surface Type & Width (Left / Right)




Base Type (Left / Right)




Shoulder Type & Width (Left / Right)



Through Lanes



Street Name



- Non-divided Highway
- Divided Highway
- Secondary Segment
- Corporation
- Bridge (on route)
- Underpass
- Overpass
- Railroad (at grade)
- Railroad (underpass)
- Railroad (overpass)
- Intersection

Created on: 6/24/2025

transportation.ohio.gov


Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SCRASR00098**C

State True Log

25.175

County True Log



Surface Type & Width (Left / Right)

G (12'/13')
7.87 - 8.575

Base Type (Left / Right)

T
7.87 - 9.155

Shoulder Type & Width (Left / Right)

1 (0'/0')
7.87 - 8.575

Through Lanes

2
7.87 - 9.155

Street Name

PLYMOUTH ST
7.87 - 8.575

- Non-divided Highway
- Divided Highway
- Secondary Segment
- Corporation
- Bridge (on route)
- Underpass
- Overpass
- Railroad (at grade)
- Railroad (underpass)
- Railroad (overpass)
- Intersection

Created on: 6/24/2025

transportation.ohio.gov


Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SCRASR00098**C

State True Log

26.175

County True Log



Surface Type & Width (Left / Right)

G (12'/13')	G 20'
7.87 - 8.575	8.575 - 9.155

Base Type (Left / Right)

T	
7.87 - 9.155	

Shoulder Type & Width (Left / Right)

1 (0'/0')	2 (4'/4')
7.87 - 8.575	8.575 - 9.155

Through Lanes

2	
7.87 - 9.155	

Street Name

PLYMOUTH ST	SR 98
7.87 - 8.575	8.575 - 14.487

- Non-divided Highway
- Divided Highway
- Secondary Segment
- Corporation
- Bridge (on route)
- Underpass
- Overpass
- Railroad (at grade)
- Railroad (underpass)
- Railroad (overpass)
- Intersection

Created on: 6/24/2025

transportation.ohio.gov


Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SCRASR00098**C

State True
Log

27.175

County True
Log



Surface Type & Width (Left / Right)

G 20' 8.575 - 9.155	G 48' 9.155 - 9.48	G 20' 9.48 - 14.224
------------------------	-----------------------	------------------------

Base Type (Left / Right)

T 7.87 - 9.155	L 9.155 - 9.48	T 9.48 - 9.816	K 9.816 - 14.224
-------------------	-------------------	-------------------	---------------------

Shoulder Type & Width (Left / Right)

2 (4'/4') 8.575 - 9.155	2 (10'/10') 9.155 - 9.48	2 (4'/4') 9.48 - 9.816	2 (5'/5') 9.816 - 14.224
----------------------------	-----------------------------	---------------------------	-----------------------------

Median Type and Width

3 (4') 9.155 - 9.48

Through Lanes

2 7.87 - 9.155	4 9.155 - 9.48	2 9.48 - 23.74
-------------------	-------------------	-------------------

Street Name


SR 98 8.575 - 14.487

- | | | | |
|--|---|---|---|
| <ul style="list-style-type: none"> Non-divided Highway Divided Highway Secondary Segment Corporation | <ul style="list-style-type: none"> Bridge (on route) Underpass Overpass | <ul style="list-style-type: none"> Railroad (at grade) Railroad (underpass) Railroad (overpass) | <ul style="list-style-type: none"> Intersection |
|--|---|---|---|

Created on: 6/24/2025

transportation.ohio.gov

Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information




INTERCHANGE
 US 30 & SR 98
 CRAWFORD COUNTY
 INTERCHANGE ID NUMBER = 013200

SCRASR00098**C

State True Log

28.175

County True Log



Surface Type & Width (Left / Right)

G 20'
9.48 - 14.224

Base Type (Left / Right)

K
9.816 - 14.224

Shoulder Type & Width (Left / Right)

2 (5/5)
9.816 - 14.224

Through Lanes

2
9.48 - 23.74

Street Name

SR 98
8.575 - 14.487


- Non-divided Highway
- Divided Highway
- Secondary Segment
- Corporation
- Bridge (on route)
- Underpass
- Overpass
- Railroad (at grade)
- Railroad (underpass)
- Railroad (overpass)
- Intersection

Created on: 6/24/2025

transportation.ohio.gov

Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SCRASR00098**C



Surface Type & Width (Left / Right)	G 20' 9.48 - 14.224
Base Type (Left / Right)	K 9.816 - 14.224
Shoulder Type & Width (Left / Right)	2 (5/5) 9.816 - 14.224
Through Lanes	2 9.48 - 23.74
Street Name	SR 98 8.575 - 14.487

<ul style="list-style-type: none"> Non-divided Highway Divided Highway Secondary Segment Corporation 	<ul style="list-style-type: none"> Bridge (on route) Underpass Overpass 	<ul style="list-style-type: none"> Railroad (at grade) Railroad (underpass) Railroad (overpass) 	<ul style="list-style-type: none"> Intersection
--	---	---	---

Created on: 6/24/2025

transportation.ohio.gov

Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SCRASR00098**C

State True Log

30.175

County True Log

12.00

12.25

12.50

12.75

13.00



Surface Type & Width (Left / Right)

G 20'
9.48 - 14.224

Base Type (Left / Right)

K
9.816 - 14.224

Shoulder Type & Width (Left / Right)

2 (5/5)
9.816 - 14.224

Through Lanes

2
9.48 - 23.74

Street Name

SR 98
8.575 - 14.487

- Non-divided Highway
- Divided Highway
- Secondary Segment
- Corporation
- Bridge (on route)
- Underpass
- Overpass
- Railroad (at grade)
- Railroad (underpass)
- Railroad (overpass)
- Intersection

Created on: 6/24/2025

transportation.ohio.gov
Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SCRASR00098**C

State True Log

31.175

County True Log



Surface Type & Width (Left / Right)

G 20'
9.48 - 14.224

Base Type (Left / Right)

K
9.816 - 14.224

Shoulder Type & Width (Left / Right)

2 (5/5)
9.816 - 14.224

Through Lanes

2
9.48 - 23.74

Street Name

SR 98
8.575 - 14.487

- | | | | |
|---------------------|-------------------|----------------------|--------------|
| Non-divided Highway | Bridge (on route) | Railroad (at grade) | Intersection |
| Divided Highway | Underpass | Railroad (underpass) | |
| Secondary Segment | Overpass | Railroad (overpass) | |
| Corporation | | | |

Created on: 6/24/2025




transportation.ohio.gov

Prepared by

The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SCRASR00098**C

State True Log
County True Log



Surface Type & Width (Left / Right)

G 20'	G (20'/10')	G 20'
9.48 - 14.224	14.224 - 14.487	14.487 - 19.196

Base Type (Left / Right)

K	K / I	K
9.816 - 14.224	14.224 - 14.487	14.487 - 17.029

Shoulder Type & Width (Left / Right)

2 (5'/5')	2 (6'/6')	2 (5'/5')
9.816 - 14.224	14.224 - 14.487	14.487 - 19.196

Through Lanes

2
9.48 - 23.74

Street Name

SR 98	PARIS ST	SR 98
8.575 - 14.487	14.487 - 14.711	14.711 - 23.74


- Non-divided Highway
- Divided Highway
- Secondary Segment
- Corporation
- Bridge (on route)
- Underpass
- Overpass
- Railroad (at grade)
- Railroad (underpass)
- Railroad (overpass)
- Intersection

Created on: 6/24/2025

transportation.ohio.gov

Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SCRASR00098**C



Surface Type & Width (Left / Right)	G 20'
	14.487 - 19.196
Base Type (Left / Right)	K
	14.487 - 17.029
Shoulder Type & Width (Left / Right)	2 (5/5)
	14.487 - 19.196
Through Lanes	2
	9.48 - 23.74
Street Name	SR 98
	14.711 - 23.74

- | | | | |
|---------------------|-------------------|----------------------|--------------|
| Non-divided Highway | Bridge (on route) | Railroad (at grade) | Intersection |
| Divided Highway | Underpass | Railroad (underpass) | |
| Secondary Segment | Overpass | Railroad (overpass) | |
| Corporation | | | |

Created on: 6/24/2025

transportation.ohio.gov

Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SCRASR00098**C

State True Log

34.175

County True Log


16.00

16.25

16.50

16.75

17.00



Surface Type & Width (Left / Right)

G 20'
14.487 - 19.196

Base Type (Left / Right)

K
14.487 - 17.029

Shoulder Type & Width (Left / Right)

2 (5/5)
14.487 - 19.196

Through Lanes

2
9.48 - 23.74

Street Name


SR 98
14.711 - 23.74

- Non-divided Highway
- Divided Highway
- Secondary Segment
- Corporation
- Bridge (on route)
- Underpass
- Overpass
- Railroad (at grade)
- Railroad (underpass)
- Railroad (overpass)
- Intersection

Created on: 6/24/2025

transportation.ohio.gov
Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SCRASR00098**C



Surface Type & Width (Left / Right)

G 20'
14.487 - 19.196

Base Type (Left / Right)

K	I	
14.487 - 17.029	17.029 - 19.196	

Shoulder Type & Width (Left / Right)

2 (5/5)
14.487 - 19.196

Through Lanes

2
9.48 - 23.74

Street Name


SR 98
14.711 - 23.74

- | | | | |
|---------------------|-------------------|----------------------|--------------|
| Non-divided Highway | Bridge (on route) | Railroad (at grade) | Intersection |
| Divided Highway | Underpass | Railroad (underpass) | |
| Secondary Segment | Overpass | Railroad (overpass) | |
| Corporation | | | |

Created on: 6/24/2025

transportation.ohio.gov
Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SCRASR00098**C



Surface Type & Width (Left / Right)	G 20'
	14.487 - 19.196
Base Type (Left / Right)	I
	17.029 - 19.196
Shoulder Type & Width (Left / Right)	2 (5/5)
	14.487 - 19.196
Through Lanes	2
	9.48 - 23.74
Street Name	SR 98
	14.711 - 23.74

Non-divided Highway	Bridge (on route)	Railroad (at grade)	Intersection
Divided Highway	Underpass	Railroad (underpass)	
Secondary Segment	Overpass	Railroad (overpass)	
Corporation			

Created on: 6/24/2025



transportation.ohio.gov


Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SCRASR00098**C

State True Log

37.175

County True Log



Surface Type & Width (Left / Right)

G 20' 14.487 - 19.196	G 18' 19.196 - 23.74
--------------------------	-------------------------

Base Type (Left / Right)

I 17.029 - 19.196	K 19.196 - 23.74
----------------------	---------------------

Shoulder Type & Width (Left / Right)

2 (5'5") 14.487 - 19.196	2 (6'6") 19.196 - 23.74
-----------------------------	----------------------------

Resurface Year

	2022 19.2 - 23.74
--	----------------------

Through Lanes

	2 9.48 - 23.74
--	-------------------

Street Name

	SR 98 14.711 - 23.74
--	-------------------------

- | | | | |
|--|---|---|---|
| <ul style="list-style-type: none"> Non-divided Highway Divided Highway Secondary Segment Corporation | <ul style="list-style-type: none"> Bridge (on route) Underpass Overpass | <ul style="list-style-type: none"> Railroad (at grade) Railroad (underpass) Railroad (overpass) | <ul style="list-style-type: none"> Intersection |
|--|---|---|---|

Created on: 6/24/2025

transportation.ohio.gov


Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SCRASR00098**C

State True Log

38.175

County True Log



Surface Type & Width (Left / Right)

G 18'
19.196 - 23.74

Base Type (Left / Right)

K
19.196 - 23.74

Shoulder Type & Width (Left / Right)

2 (6/6)
19.196 - 23.74

Resurface Year

2022
19.2 - 23.74

Through Lanes

2
9.48 - 23.74

Street Name

SR 98
14.711 - 23.74

- | | | | |
|---------------------|-------------------|----------------------|--------------|
| Non-divided Highway | Bridge (on route) | Railroad (at grade) | Intersection |
| Divided Highway | Underpass | Railroad (underpass) | |
| Secondary Segment | Overpass | Railroad (overpass) | |
| Corporation | | | |

Created on: 6/24/2025

transportation.ohio.gov

Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SCRASR00098**C

State True Log

39.175

County True Log



Surface Type & Width (Left / Right)

G 18'
19.196 - 23.74

Base Type (Left / Right)

K
19.196 - 23.74

Shoulder Type & Width (Left / Right)

2 (6/6)
19.196 - 23.74

Resurface Year

2022
19.2 - 23.74

Through Lanes

2
9.48 - 23.74

Street Name

SR 98
14.711 - 23.74

- | | | | |
|---------------------|-------------------|----------------------|--------------|
| Non-divided Highway | Bridge (on route) | Railroad (at grade) | Intersection |
| Divided Highway | Underpass | Railroad (underpass) | |
| Secondary Segment | Overpass | Railroad (overpass) | |
| Corporation | | | |

Created on: 6/24/2025



transportation.ohio.gov

Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SCRASR00098**C

State True Log

40.175

County True Log


22.00

22.25

22.50

22.75

23.00



Surface Type & Width (Left / Right)

G 18'
19.196 - 23.74

Base Type (Left / Right)

K
19.196 - 23.74

Shoulder Type & Width (Left / Right)

2 (6/6)
19.196 - 23.74

Resurface Year

2022
19.2 - 23.74

Through Lanes

2
9.48 - 23.74

Street Name

SR 98
14.711 - 23.74


- Non-divided Highway
- Divided Highway
- Secondary Segment
- Corporation
- Bridge (on route)
- Underpass
- Overpass
- Railroad (at grade)
- Railroad (underpass)
- Railroad (overpass)
- Intersection

Created on: 6/24/2025

transportation.ohio.gov

Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SCRASR00098**C



Surface Type & Width (Left / Right)	G 18'	19.196 - 23.74
Base Type (Left / Right)	K	19.196 - 23.74
Shoulder Type & Width (Left / Right)	2 (6'6')	19.196 - 23.74
Resurface Year	2022	19.2 - 23.74
Through Lanes	2	9.48 - 23.74
Street Name	SR 98	14.711 - 23.74

- Non-divided Highway
- Divided Highway
- Secondary Segment
- Corporation
- Bridge (on route)
- Underpass
- Overpass
- Railroad (at grade)
- Railroad (underpass)
- Railroad (overpass)
- Intersection

Created on: 6/24/2025



transportation.ohio.gov

Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

Historical Project List for SCRASR00098**C

Begin Measure	End Measure	Project ID Number	Construction Completion Date	Treatment Category	Treatment Type
0.000	6.793	94383	12-2015	Minor Rehabilitation	60-AC Overlay w/Rpr
0.000	5.674	25756	8-2008	Preventive Maintenance	31-DbI Appl Micro
7.870	8.570	94147	8-2020	Minor Rehabilitation	60-AC Overlay w/Rpr
8.570	9.220	94147	8-2020	Minor Rehabilitation	60-AC Overlay w/Rpr
9.230	9.830	77480	10-2020	Minor Rehabilitation	60-AC Overlay w/Rpr
9.230	19.220	83413	11-2012	Minor Rehabilitation	60-AC Overlay w/Rpr
9.830	19.200	104251	11-2018	Preventive Maintenance	25-Chip Seal
19.200	23.740	113680	9-2022	Preventive Maintenance	25-Chip Seal
19.200	23.740	93108	10-2015	Minor Rehabilitation	60-AC Overlay w/Rpr

Roadway Codes

Access Control Journalized

- F - Full Access Control
- L - Limited Access Control
- N - No Access Control

Access Control Operational

- 1 - Full Access Control
- 2 - Partial Access Control
- 3 - No Access Control

Base Type

- F - Crack and Seat
- H - Rubblize and Roll
- I - Aggregate Base 304 or Traffic Compacted
- K - Water Bound Macadam
- L - Bituminous Concrete Mix or Penetration Macadam
- N - Plain Concrete
- P - Reinforced Concrete
- R - Brick (Flexible)
- T - Brick (Rigid)

Direction of Travel

- B - Both (Two-way)
- F - One-way Cardinal
- T - One-way Non-cardinal

Facility Type

- 1 - One-way Roadway
- 2 - Two-way Roadway
- 4 - Ramp
- 5 - Non-mainline
- 6 - Non-inventory Direction
- 7 - Planned / Unbuilt

Historical Federal Aid Indicator

- N - Not a FAP Route
- Y - FAP Route

Functional Classification

- 01 - Interstate
- 02 - Principal Arterial (Freeways)
- 03 - Principal Arterial (Other)
- 04 - Minor Arterial
- 05 - Major Collector
- 06 - Minor Collector
- 07 - Local

Leave / Reenter Indicator

- Y - Route leaves/reenters at this point
- N - Route does not leave/reenter at this point

Median Type

- 1 - None
- 2 - Unprotected
- 3 - Curbed
- 4 - Positive Barrier (Unspecified)
- 5 - Positive Barrier (Flexible)
- 6 - Positive Barrier (Semi-rigid)
- 7 - Positive Barrier (Rigid)

NHS

- N - National Highway System
- H - Congressional Corridor
- 2 - Major Airport
- 3 - Major Port Facility
- 4 - Major Amtrak Station
- 5 - Major Rail / Truck Terminal
- 6 - Major Intercity Bus Terminal
- 7 - Major Public Transit / Multi-modal Passenger Terminal
- 8 - Major Pipeline Terminal
- 9 - Major Ferry Terminal

Priority System

- G - General
- P - Priority System
- U - Urban

Scenic Byway Code

- A - All American Road
- N - National Scenic Byway
- S - State Scenic Byway

Shoulder Type

- 1 - None
- 2 - Surfaced shoulder exists (bituminous concrete {AC})
- 3 - Surfaced shoulder exists (Portland Cement Concrete {PCC})
- 4 - Stabilized shoulder exists (gravel or other granular material)
- 5 - Combination shoulder exists (two or more surface types)
- 6 - Earth shoulder exists
- 7 - Barrier curb exists; no shoulder in front of curb

Surface Type

- A - Combination
- B - Brick
- C - Continuous Reinforced Concrete
- D - Reinforced Concrete
- E - Plain Concrete
- G - Bituminous Concrete
- I - Chipseal on Granular
- K - Open Graded Bituminous
- L - Chipseal or Micro
- M - Gravel
- U - Unimproved
- X - Right of Way Only