


SCUYSR00043**C

State True Log 102.737

103.737

County True Log



Surface Type & Width (Left / Right)

G 24'
0 - 1.813

Base Type (Left / Right)

P
0 - 4.104

Shoulder Type & Width (Left / Right)

2 (3/3)
0 - 1.813

Through Lanes

2
0 - 2.857

Street Name

AURORA RD
0 - 8.554

- | | | | |
|--|---|---|---|
| <ul style="list-style-type: none"> Non-divided Highway Divided Highway Secondary Segment Corporation | <ul style="list-style-type: none"> Bridge (on route) Underpass Overpass | <ul style="list-style-type: none"> Railroad (at grade) Railroad (underpass) Railroad (overpass) | <ul style="list-style-type: none"> Intersection |
|--|---|---|---|

Created on: 6/24/2025

transportation.ohio.gov


Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SCUYSR00043**C

State True Log

104.737

County True Log



Surface Type & Width (Left / Right)

G 24'	G 44'
0 - 1.813	1.813 - 2.857

Base Type (Left / Right)

P	
0 - 4.104	

Shoulder Type & Width (Left / Right)

2 (3/3')	1 (3/3')
0 - 1.813	1.813 - 2.857

Resurface Year

2024
1.813 - 2.857

Through Lanes

2	
0 - 2.857	

Street Name

AURORA RD	
0 - 8.554	

- Non-divided Highway
- Divided Highway
- Secondary Segment
- Corporation
- Bridge (on route)
- Underpass
- Overpass
- Railroad (at grade)
- Railroad (underpass)
- Railroad (overpass)
- Intersection

Created on: 6/24/2025

transportation.ohio.gov


Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SCUYSR00043**C

State True Log

105.737

County True Log



Surface Type & Width (Left / Right)

G 44'	G 62'
1.813 - 2.857	2.857 - 3.018

Base Type (Left / Right)

P
0 - 4.104

Shoulder Type & Width (Left / Right)

1 (3/3')	1 (0/0')
1.813 - 2.857	2.857 - 4.144

Resurface Year

2024
1.813 - 2.857

Through Lanes

2	4
0 - 2.857	2.857 - 4.104

Street Name

AURORA RD
0 - 8.554

- Non-divided Highway
- Divided Highway
- Secondary Segment
- Corporation
- Bridge (on route)
- Underpass
- Overpass
- Railroad (at grade)
- Railroad (underpass)
- Railroad (overpass)
- Intersection

Created on: 6/24/2025

transportation.ohio.gov


Prepared by
 The Ohio Department of Transportation
 Office of Technical Services
 Roadway Information

SCUYSR00043**C

State True Log

106.737

County True Log



Surface Type & Width (Left / Right)

G 62'	G 74'	G 52'	G 40'
	3.018 - 3.08	3.08 - 3.337	3.337 - 4.104

Base Type (Left / Right)

	P
	0 - 4.104

Shoulder Type & Width (Left / Right)

	1 (0'/0')
	2.857 - 4.144

Through Lanes

	4
	2.857 - 4.104

Street Name

	AURORA RD
	0 - 8.554

- Non-divided Highway
- Divided Highway
- Secondary Segment
- Corporation
- Bridge (on route)
- Underpass
- Overpass
- Railroad (at grade)
- Railroad (underpass)
- Railroad (overpass)
- Intersection

Created on: 6/24/2025

transportation.ohio.gov


Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SCUYSR00043**C

State True Log

107.737

County True Log



Surface Type & Width (Left / Right)

G 40' 3.337 - 4.104	G (30'4') 4.104 - 5.039
------------------------	----------------------------

Base Type (Left / Right)

P 0 - 4.104	P / L 4.104 - 5.804
----------------	------------------------

Shoulder Type & Width (Left / Right)

1 (0'0') 2.857 - 4.144	4 (0'0') 4.144 - 5.864
---------------------------	---------------------------

Through Lanes

4 2.857 - 4.104	2 4.104 - 5.804
--------------------	--------------------

Street Name

AURORA RD 0 - 8.554

- Non-divided Highway
- Divided Highway
- Secondary Segment
- Corporation
- Bridge (on route)
- Underpass
- Overpass
- Railroad (at grade)
- Railroad (underpass)
- Railroad (overpass)
- Intersection

Created on: 6/24/2025

transportation.ohio.gov


Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SCUYSR00043**C

State True Log

108.737

County True Log



Surface Type & Width (Left / Right)

G (30'4")	G (30'6")	G 40'
4.104 - 5.039	5.039 - 5.804	5.804 - 6.392

Base Type (Left / Right)

P / L	P
4.104 - 5.804	5.804 - 6.392

Shoulder Type & Width (Left / Right)

4 (0'0")	1 (0'0")
4.144 - 5.864	5.864 - 6.392

Resurface Year

2023

5.965 - 6.149

Through Lanes

2	4
4.104 - 5.804	5.804 - 6.392

Street Name

AURORA RD
0 - 8.554

- Non-divided Highway
- Divided Highway
- Secondary Segment
- Corporation
- Bridge (on route)
- Underpass
- Overpass
- Railroad (at grade)
- Railroad (underpass)
- Railroad (overpass)
- Intersection

Created on: 6/24/2025



transportation.ohio.gov


Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SCUYSR00043**C

State True Log

109.737

County True Log



Surface Type & Width (Left / Right)

G 40'	G (30'/6')	G 52'	G (30'/10')
5.804 - 6.392	6.392 - 6.613	6.613 - 6.873	6.873 - 7.835

Base Type (Left / Right)

P	P / L	P	P / L
5.804 - 6.392	6.392 - 6.613	6.613 - 6.873	6.873 - 7.835

Shoulder Type & Width (Left / Right)

1 (0'/0')	2 (5'/5')	1 (0'/0')	2 (3'/3')
5.864 - 6.392	6.392 - 6.613	6.613 - 6.873	6.873 - 7.835

Resurface Year

2023
5.965 - 6.149

Through Lanes

4	2
5.804 - 6.392	6.392 - 8.554

Street Name

AURORA RD
0 - 8.554

- Non-divided Highway
- Divided Highway
- Secondary Segment
- Corporation
- Bridge (on route)
- Underpass
- Overpass
- Railroad (at grade)
- Railroad (underpass)
- Railroad (overpass)
- Intersection

Created on: 6/24/2025




transportation.ohio.gov
 Prepared by
 The Ohio Department of Transportation
 Office of Technical Services
 Roadway Information

SCUYSR00043**C

State True Log

110.737

County True Log



Surface Type & Width (Left / Right)

G (30'/10')	G 30'
6.873 - 7.835	7.835 - 8.446

Base Type (Left / Right)

P / L	P
6.873 - 7.835	7.835 - 8.554

Shoulder Type & Width (Left / Right)

2 (3'/3')	2 (8'/8')
6.873 - 7.835	7.835 - 8.446

Through Lanes

2	
6.392 - 8.554	

Street Name

AURORA RD	
0 - 8.554	

- Non-divided Highway
- Divided Highway
- Secondary Segment
- Corporation
- Bridge (on route)
- Underpass
- Overpass
- Railroad (at grade)
- Railroad (underpass)
- Railroad (overpass)
- Intersection


Created on: 6/24/2025

transportation.ohio.gov

Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information



INTERCHANGE
IRs 271, 480, SR 43,
Columbus & Rockside Rds.
CUYAHOGA COUNTY
INTERCHANGE ID NUMBER = 018300



IR 271 SHEET 1 OF 4
IR 480 SHEET 6 OF 6
SR 43 SHEET 2 OF 5


REVISED Jan 2014

SCUYSR00043**C

State True Log

111.737

County True Log



Surface Type & Width (Left / Right)

G 30'	G 36'
7.835 - 8.446	8.446 - 8.554

Base Type (Left / Right)

P
7.835 - 8.554

Shoulder Type & Width (Left / Right)

2 (8'/8')	1 (0'/0')
7.835 - 8.446	8.446 - 8.554

Through Lanes

2
6.392 - 8.554

Street Name

AURORA RD
0 - 8.554

Surface Type & Width (Left / Right)

G (36'/31')	G (52'/15')
8.831 - 8.952	8.952 - 8.98

Base Type (Left / Right)

T / N	P / N
8.831 - 8.952	8.952 - 9.082

Shoulder Type & Width (Left / Right)

1 (0'/0')
8.831 - 14.187

Through Lanes

4
8.831 - 10.549



MILES RD
8.831 - 10.543

- Non-divided Highway
 Bridge (on route)
 Railroad (at grade)
 Intersection
- Divided Highway
 Underpass
 Railroad (underpass)
- Secondary Segment
 Overpass
 Railroad (overpass)
- Corporation**

Created on: 6/24/2025

transportation.ohio.gov

Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information



INTERCHANGES
IRs 480, 480-N &
Warrensville Rd.,
SRs 8, 17, 43 & 43-D
& Miles Rd.
CUYAHOGA COUNTY
INTERCHANGE ID NUMBER = 020600


IR 480 SHEET 5 OF 6
IR 480-N SHEET 1 OF 1
SR 8 SHEET 2 OF 5
SR 17 SHEET 7 OF 7
SR 43 SHEET 3 OF 5
SR 43-D SHEET 1 OF 1

SCUYSR00043**C

State True Log

112.737

County True Log



Surface Type & Width (Left / Right)

G (52'/27')	G 54'	G 52'	G 36'
8.98 - 9.082	9.082 - 9.24	9.24 - 9.553	9.553 - 10.964

Base Type (Left / Right)

P / N	N / P	P	T / I
8.952 - 9.082	9.082 - 9.24	9.24 - 9.553	9.553 - 10.549

Shoulder Type & Width (Left / Right)

1 (0'/0')
8.831 - 14.187

Median Type and Width

3 (2')	3 (10')
9.082 - 9.24	9.24 - 9.261

Through Lanes

4
8.831 - 10.549

Street Name


MILES RD
8.831 - 10.543

- Non-divided Highway
- Divided Highway
- Secondary Segment
- Corporation
- Bridge (on route)
- Underpass
- Overpass
- Railroad (at grade)
- Railroad (underpass)
- Railroad (overpass)
- Intersection

Created on: 6/24/2025



transportation.ohio.gov
 Prepared by
 The Ohio Department of Transportation
 Office of Technical Services
 Roadway Information



INTERCHANGE
SR 43 & Warrensville Center Rd.
CUYAHOGA COUNTY
INTERCHANGE ID NUMBER = 021900


SCUYSR00043**C

State True Log 113.737
 County True Log 11.00


10.00 10.25 10.50 10.75




Surface Type & Width (Left / Right)




Base Type (Left / Right)




Shoulder Type & Width (Left / Right)




Resurface Year



Through Lanes



Street Name



- Non-divided Highway
- Divided Highway
- Secondary Segment
- Corporation
- Bridge (on route)
- Underpass
- Overpass
- Railroad (at grade)
- Railroad (underpass)
- Railroad (overpass)
- Intersection


Created on: 6/24/2025



transportation.ohio.gov
 Prepared by
 The Ohio Department of Transportation
 Office of Technical Services
 Roadway Information

SCUYSR00043**C

State True Log
County True Log



Surface Type & Width (Left / Right)

D 36' G (18') / D (18')	G 36'	G 48'
10.964 - 11.122	11.142 - 11.62	11.62 - 14.187

Base Type (Left / Right)

T
11.142 - 14.187

Shoulder Type & Width (Left / Right)

1 (0'/0')
8.831 - 14.187

Resurface Year

2021
11.145 - 14.173

Through Lanes

2	4
10.549 - 11.62	11.62 - 14.187

Street Name

MILES AVE
10.543 - 14.187

- Non-divided Highway
- Divided Highway
- Secondary Segment
- Corporation
- Bridge (on route)
- Underpass
- Overpass
- Railroad (at grade)
- Railroad (underpass)
- Railroad (overpass)
- Intersection

Created on: 6/24/2025


transportation.ohio.gov

Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SCUYSR00043**C

State True Log

County True Log



Surface Type & Width (Left / Right)	G 48' 11.62 - 14.187
Base Type (Left / Right)	T 11.142 - 14.187
Shoulder Type & Width (Left / Right)	1 (0'/0') 8.831 - 14.187
Resurface Year	2021 11.145 - 14.173
Through Lanes	4 11.62 - 14.187
Street Name	MILES AVE 10.543 - 14.187

Non-divided Highway	Bridge (on route)	Railroad (at grade)	Intersection
Divided Highway	Underpass	Railroad (underpass)	
Secondary Segment	Overpass	Railroad (overpass)	
Corporation			


Created on: 6/24/2025



transportation.ohio.gov
Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SCUYSR00043**C

State True Log
County True Log



Surface Type & Width (Left / Right)

G 48'
11.62 - 14.187

Base Type (Left / Right)

T
11.142 - 14.187

Shoulder Type & Width (Left / Right)

1 (0/0')
8.831 - 14.187

Resurface Year

2021
11.145 - 14.173

Through Lanes

4
11.62 - 14.187

Street Name

MILES AVE
10.543 - 14.187

- | | | | |
|---------------------|-------------------|----------------------|--------------|
| Non-divided Highway | Bridge (on route) | Railroad (at grade) | Intersection |
| Divided Highway | Underpass | Railroad (underpass) | |
| Secondary Segment | Overpass | Railroad (overpass) | |
| Corporation | | | |

Created on: 6/24/2025



Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SCUYSR00043**C

State True
Log

118.737

County True
Log



- | | | | |
|---|---|---|---|
| <ul style="list-style-type: none"> Non-divided Highway Divided Highway Secondary Segment Corporation | <ul style="list-style-type: none"> Bridge (on route) Underpass Overpass | <ul style="list-style-type: none"> Railroad (at grade) Railroad (underpass) Railroad (overpass) | <ul style="list-style-type: none"> Intersection |
|---|---|---|---|

Created on: 6/24/2025

transportation.ohio.gov

Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SCUYSR00043**C

State True Log

119.737

County True Log

16.00

16.25

16.50

16.75

17.00



- Non-divided Highway
 Bridge (on route)
 Railroad (at grade)
 Intersection
- Divided Highway
 Underpass
 Railroad (underpass)
- Secondary Segment
 Overpass
 Railroad (overpass)
- Corporation**

Created on: 6/24/2025

transportation.ohio.gov
 Prepared by
 The Ohio Department of Transportation
 Office of Technical Services
 Roadway Information

SCUYSR00043**C

State True
Log

120.737

County True
Log

17.00

17.25

17.50

17.75

18.00



Non-divided Highway	Bridge (on route)	Railroad (at grade)	Intersection
Divided Highway	Underpass	Railroad (underpass)	
Secondary Segment	Overpass	Railroad (overpass)	
Corporation			

Created on: 6/24/2025

Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SCUYSR00043**C

State True
Log

121.737

County True
Log



Begin overlap w/
SCUYUS00422**C
@ 0..935

Begin overlap w/
SCUYUS00422**N
@ 0..719

- | | | | |
|---|---|---|---|
| <ul style="list-style-type: none"> Non-divided Highway Divided Highway Secondary Segment Corporation | <ul style="list-style-type: none"> Bridge (on route) Underpass Overpass | <ul style="list-style-type: none"> Railroad (at grade) Railroad (underpass) Railroad (overpass) | <ul style="list-style-type: none"> Intersection |
|---|---|---|---|

Created on: 6/24/2025

transportation.ohio.gov

Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SCUYSR00043**C

122.378

State True Log

County True Log



Begin overlap w/
SCUYUS00422**C
@ 0.327

Non-divided Highway	Bridge (on route)	Railroad (at grade)	Intersection
Divided Highway	Underpass	Railroad (underpass)	
Secondary Segment	Overpass	Railroad (overpass)	
Corporation			

Created on: 6/24/2025



transportation.ohio.gov
Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

Historical Project List for SCUYSR00043**C

Begin Measure	End Measure	Project ID Number	Construction Completion Date	Treatment Category	Treatment Type
3.695	6.162	19541	10-2009	Minor Rehabilitation	50-AC Overlay w/o Rpr
6.162	8.554	80252	10-2011	Minor Rehabilitation	60-AC Overlay w/Rpr
8.831	9.180	103303	9-2022	Minor Rehabilitation	38-Fine Poly AC Overlay
8.831	9.095	88251	5-2013	Minor Rehabilitation	60-AC Overlay w/Rpr
9.095	10.551	85073	8-2015	Minor Rehabilitation	60-AC Overlay w/Rpr
10.551	14.187	85360	11-2021	Minor Rehabilitation	60-AC Overlay w/Rpr

Roadway Codes

Access Control Journalized

- F - Full Access Control
- L - Limited Access Control
- N - No Access Control

Access Control Operational

- 1 - Full Access Control
- 2 - Partial Access Control
- 3 - No Access Control

Base Type

- F - Crack and Seat
- H - Rubblize and Roll
- I - Aggregate Base 304 or Traffic Compacted
- K - Water Bound Macadam
- L - Bituminous Concrete Mix or Penetration Macadam
- N - Plain Concrete
- P - Reinforced Concrete
- R - Brick (Flexible)
- T - Brick (Rigid)

Direction of Travel

- B - Both (Two-way)
- F - One-way Cardinal
- T - One-way Non-cardinal

Facility Type

- 1 - One-way Roadway
- 2 - Two-way Roadway
- 4 - Ramp
- 5 - Non-mainline
- 6 - Non-inventory Direction
- 7 - Planned / Unbuilt

Historical Federal Aid Indicator

- N - Not a FAP Route
- Y - FAP Route

Functional Classification

- 01 - Interstate
- 02 - Principal Arterial (Freeways)
- 03 - Principal Arterial (Other)
- 04 - Minor Arterial
- 05 - Major Collector
- 06 - Minor Collector
- 07 - Local

Leave / Reenter Indicator

- Y - Route leaves/reenters at this point
- N - Route does not leave/reenter at this point

Median Type

- 1 - None
- 2 - Unprotected
- 3 - Curbed
- 4 - Positive Barrier (Unspecified)
- 5 - Positive Barrier (Flexible)
- 6 - Positive Barrier (Semi-rigid)
- 7 - Positive Barrier (Rigid)

NHS

- N - National Highway System
- H - Congressional Corridor
- 2 - Major Airport
- 3 - Major Port Facility
- 4 - Major Amtrak Station
- 5 - Major Rail / Truck Terminal
- 6 - Major Intercity Bus Terminal
- 7 - Major Public Transit / Multi-modal Passenger Terminal
- 8 - Major Pipeline Terminal
- 9 - Major Ferry Terminal

Priority System

- G - General
- P - Priority System
- U - Urban

Scenic Byway Code

- A - All American Road
- N - National Scenic Byway
- S - State Scenic Byway

Shoulder Type

- 1 - None
- 2 - Surfaced shoulder exists (bituminous concrete {AC})
- 3 - Surfaced shoulder exists (Portland Cement Concrete {PCC})
- 4 - Stabilized shoulder exists (gravel or other granular material)
- 5 - Combination shoulder exists (two or more surface types)
- 6 - Earth shoulder exists
- 7 - Barrier curb exists; no shoulder in front of curb

Surface Type

- A - Combination
- B - Brick
- C - Continuous Reinforced Concrete
- D - Reinforced Concrete
- E - Plain Concrete
- G - Bituminous Concrete
- I - Chipseal on Granular
- K - Open Graded Bituminous
- L - Chipseal or Micro
- M - Gravel
- U - Unimproved
- X - Right of Way Only