


SCUYSR00237**C



Surface Type & Width (Left / Right)

D (8'/16')	G (8'/16')
0 - 0.07	0.07 - 2.241

Base Type (Left / Right)

	L / T
	0.07 - 2.241

Shoulder Type & Width (Left / Right)

	2 (3'/3')
	0 - 2.421

Through Lanes

	2
	0 - 3.581

Street Name

	PROSPECT RD
	0 - 3.857

- | | | | |
|---------------------|-------------------|----------------------|--------------|
| Non-divided Highway | Bridge (on route) | Railroad (at grade) | Intersection |
| Divided Highway | Underpass | Railroad (underpass) | |
| Secondary Segment | Overpass | Railroad (overpass) | |
| Corporation | | | |

Created on: 6/24/2025


transportation.ohio.gov

Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SCUYSR00237**C

State True Log

County True Log



Surface Type & Width (Left / Right)

G (8'/16')
0.07 - 2.241

Base Type (Left / Right)

L / T
0.07 - 2.241

Shoulder Type & Width (Left / Right)












2 (3'/3')
0 - 2.421

Through Lanes

2
0 - 3.581

Street Name

PROSPECT RD
0 - 3.857

- | | | | |
|---|---|--|--|
|  Non-divided Highway |  Bridge (on route) |  Railroad (at grade) |  Intersection |
|  Divided Highway |  Underpass |  Railroad (underpass) | |
|  Secondary Segment |  Overpass |  Railroad (overpass) | |
|  Corporation | | | |

Created on: 6/24/2025




transportation.ohio.gov
Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SCUYSR00237**C

State True Log

County True Log



Surface Type & Width (Left / Right)

G (8'/16')	G 24'
0.07 - 2.241	2.241 - 3.201

Base Type (Left / Right)

L / T	T
0.07 - 2.241	2.241 - 3.581

Shoulder Type & Width (Left / Right)

2 (3'/3')	1 (0'/0')
0 - 2.421	2.421 - 5.522

Through Lanes

	2
	0 - 3.581

Street Name

	PROSPECT RD
	0 - 3.857

- Non-divided Highway
- Divided Highway
- Secondary Segment
- Corporation**
- Bridge (on route)
- Underpass
- Overpass
- Railroad (at grade)
- Railroad (underpass)
- Railroad (overpass)
- Intersection

Created on: 6/24/2025

transportation.ohio.gov


Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SCUYSR00237**C

State True
Log

4

County True
Log



Surface Type & Width (Left / Right)

G 24'	G 30'	G (30'/18')	G 48'
2.241 - 3.201	3.201 - 3.581	3.581 - 3.861	3.861 - 4.031

Base Type (Left / Right)

T	T / N	P
2.241 - 3.581	3.581 - 3.861	3.861 - 4.031

Shoulder Type & Width (Left / Right)

1 (0'/0')
2.421 - 5.522

Resurface Year

2024

3.861 - 4.281

Through Lanes

2	4
0 - 3.581	3.581 - 4.55

Street Name

PROSPECT RD	HENRY ST
0 - 3.857	3.857 - 4.04

- Non-divided Highway
- Divided Highway
- Secondary Segment
- Corporation
- Bridge (on route)
- Underpass
- Overpass
- Railroad (at grade)
- Railroad (underpass)
- Railroad (overpass)
- Intersection


Created on: 6/24/2025

transportation.ohio.gov

Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SCUYSR00237**C

State True Log
County True Log



Surface Type & Width (Left / Right)

G 48'	D 48'	G 48'	G 52'	G 36'	D 46'
3.861 - 4.031	4.031 - 4.131	4.131 - 4.281	4.281 - 4.55	4.55 - 4.923	4.923 - 5.345

Base Type (Left / Right)

P	P
3.861 - 4.031	4.131 - 4.923

Shoulder Type & Width (Left / Right)

1 (0'/0')
2.421 - 5.522

Resurface Year

2024
3.861 - 4.281

Through Lanes

4	2
3.581 - 4.55	4.55 - 5.522

Street Name

HENRY ST	MULBERRY ST	W BAGLEY RD	FRONT ST
3.857 - 4.04	4.04 - 4.281	4.281 - 4.422	4.422 - 5.522

Non-divided Highway	Bridge (on route)	Railroad (at grade)	Intersection
Divided Highway	Underpass	Railroad (underpass)	
Secondary Segment	Overpass	Railroad (overpass)	
Corporation			

Created on: 6/24/2025

transportation.ohio.gov


Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SCUYSR00237**C

State True Log

6

County True Log



Surface Type & Width (Left / Right)

D 46'	G 46'	G 48'
4.923 - 5.345	5.345 - 5.522	5.522 - 6.103

Base Type (Left / Right)

N
5.345 - 8.049

Shoulder Type & Width (Left / Right)

1 (0'/0')	2 (10'/10')
2.421 - 5.522	5.522 - 7.738

Median Type and Width

4 (3')
5.522 - 6.144

Through Lanes

2	4
4.55 - 5.522	5.522 - 6.349

Street Name

FRONT ST	N ROCKY RIVER DR	BEREA FWY
4.422 - 5.522	5.522 - 5.607	5.607 - 7.654

- Non-divided Highway
- Divided Highway
- Secondary Segment
- Corporation
- Bridge (on route)
- Underpass
- Overpass
- Railroad (at grade)
- Railroad (underpass)
- Railroad (overpass)
- Intersection

Created on: 6/24/2025




transportation.ohio.gov
 Prepared by
 The Ohio Department of Transportation
 Office of Technical Services
 Roadway Information

SCUYSR00237**C

State True Log

7

County True Log



Surface Type & Width (Left / Right)

G 48'	G (36'/24')	G 72'
5.522 - 6.103	6.103 - 6.349	6.349 - 7.738

Base Type (Left / Right)

N	
5.345 - 8.049	

Shoulder Type & Width (Left / Right)

2 (10'/10')
5.522 - 7.738

Median Type and Width

4 (3')	2 (28')
5.522 - 6.144	6.144 - 7.718

Through Lanes

4	6
5.522 - 6.349	6.349 - 7.738

Street Name

BEREA FWY
5.607 - 7.654

- Non-divided Highway
- Divided Highway
- Secondary Segment
- Corporation
- Bridge (on route)
- Underpass
- Overpass
- Railroad (at grade)
- Railroad (underpass)
- Railroad (overpass)
- Intersection


Created on: 6/24/2025



transportation.ohio.gov
 Prepared by
 The Ohio Department of Transportation
 Office of Technical Services
 Roadway Information




INTERCHANGE
SR 237, Kolthoff Dr.
& I-X Center Dr.
CUYAHOGA COUNTY
INTERCHANGE ID NUMBER = 022200



SCUYSR00237**C

State True Log

County True Log



Surface Type & Width (Left / Right)

G 72'	G 32'
6.349 - 7.738	7.738 - 8.049

Base Type (Left / Right)

N	
5.345 - 8.049	

Shoulder Type & Width (Left / Right)

2 (10'/10')	2 (6'/6')
5.522 - 7.738	7.738 - 8.049

Median Type and Width

2 (28')	4 (28')	2 (9999')
6.144 - 7.718	7.718 - 7.738	7.738 - 8.049

Through Lanes

6	2
6.349 - 7.738	7.738 - 8.049

Street Name


BEREA FWY	SR 237
5.607 - 7.654	7.654 - 8.049

- Non-divided Highway
- Divided Highway
- Secondary Segment
- Corporation
- Bridge (on route)
- Underpass
- Overpass
- Railroad (at grade)
- Railroad (underpass)
- Railroad (overpass)
- Intersection

Created on: 6/24/2025

transportation.ohio.gov


Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information



INTERCHANGES
 SR 237, Five Points Rd.
 & Entrance Ramps to
 Hopkins Int'l Airport
 CUYAHOGA COUNTY
 INTERCHANGE ID NUMBER = 022300

SCUYSR00237**C

State True Log
County True Log



Surface Type & Width (Left / Right)	Surface Type & Width (Left / Right)
G 32' 7.738 - 8.049	G 54' D 54' 8.257 - 8.928 8.928 - 9.426
Base Type (Left / Right)	Base Type (Left / Right)
N 5.345 - 8.049	P 8.257 - 8.928
Shoulder Type & Width (Left / Right)	Shoulder Type & Width (Left / Right)
2 (6'6") 7.738 - 8.049	1 (0'0") 8.257 - 13.496
Median Type and Width	
2 (9999") 7.738 - 8.049	
Through Lanes	Through Lanes
2 7.738 - 8.049	4 8.257 - 10.574
SR 237 7.654 - 8.049	Street Name ROCKY RIVER DR 8.257 - 11.83

- Non-divided Highway
- Divided Highway
- Secondary Segment
- Corporation
- Bridge (on route)
- Underpass
- Overpass
- Railroad (at grade)
- Railroad (underpass)
- Railroad (overpass)
- Intersection

Created on: 6/24/2025




transportation.ohio.gov
Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information


SCUYSR00237**C

State True Log


County True Log




Surface Type & Width (Left / Right)



Shoulder Type & Width (Left / Right)



Through Lanes



Street Name



- Non-divided Highway
- Divided Highway
- Secondary Segment
- Corporation
- Bridge (on route)
- Underpass
- Overpass
- Railroad (at grade)
- Railroad (underpass)
- Railroad (overpass)
- Intersection

Created on: 6/24/2025




transportation.ohio.gov

Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information


SCUYSR00237**C

State True Log


County True Log




Surface Type & Width (Left / Right)




Shoulder Type & Width (Left / Right)



Through Lanes



Street Name



- Non-divided Highway
- Divided Highway
- Secondary Segment
- Corporation
- Bridge (on route)
- Underpass
- Overpass
- Railroad (at grade)
- Railroad (underpass)
- Railroad (overpass)
- Intersection


Created on: 6/24/2025



transportation.ohio.gov
 Prepared by
 The Ohio Department of Transportation
 Office of Technical Services
 Roadway Information

SCUYSR00237**C

State True Log
County True Log



Surface Type & Width (Left / Right)	D 38'
	10.574 - 12.699
Shoulder Type & Width (Left / Right)	1 (0'/0')
	8.257 - 13.496
Through Lanes	2
	10.574 - 13.089
Street Name	ROCKY RIVER DR 8.257 - 11.83
	RIVERSIDE DR 11.83 - 13.095

Non-divided Highway	Bridge (on route)	Railroad (at grade)	Intersection
Divided Highway	Underpass	Railroad (underpass)	
Secondary Segment	Overpass	Railroad (overpass)	
Corporation			


Created on: 6/24/2025



transportation.ohio.gov
Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SCUYSR00237**C

State True Log
County True Log



Surface Type & Width (Left / Right)	
D 38' 10.574 - 12.699	G 38' 12.699 - 13.089
Shoulder Type & Width (Left / Right)	
1 (0'/0') 8.257 - 13.496	
Through Lanes	
2 10.574 - 13.089	
Street Name	
RIVERSIDE DR 11.83 - 13.095	
Base Type (Left / Right)	
P 12.699 - 13.496	

Non-divided Highway	Bridge (on route)	Railroad (at grade)	Intersection
Divided Highway	Underpass	Railroad (underpass)	
Secondary Segment	Overpass	Railroad (overpass)	
Corporation			


Created on: 6/24/2025



transportation.ohio.gov
Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SCUYSR00237**C

State True Log
County True Log



Surface Type & Width (Left / Right)

G 38'	G (22'/23')
12.699 - 13.089	13.089 - 13.496

Base Type (Left / Right)

P
12.699 - 13.496

Shoulder Type & Width (Left / Right)

1 (0'/0')
8.257 - 13.496

Through Lanes

2	4
10.574 - 13.089	13.089 - 13.496

Street Name

RIVERSIDE DR	W CLIFTON BLVD
11.83 - 13.095	13.095 - 13.496

- Non-divided Highway
- Divided Highway
- Secondary Segment
- Corporation
- Bridge (on route)
- Underpass
- Overpass
- Railroad (at grade)
- Railroad (underpass)
- Railroad (overpass)
- Intersection

Created on: 6/24/2025



transportation.ohio.gov
Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

Historical Project List for SCUYSR00237**C

Begin Measure	End Measure	Project ID Number	Construction Completion Date	Treatment Category	Treatment Type
0.000	2.421	22900	10-2006	Minor Rehabilitation	50-AC Overlay w/o Rpr
2.421	4.291	81071	8-2009	Minor Rehabilitation	60-AC Overlay w/Rpr
4.550	4.923	21272	4-2011	Minor Rehabilitation	60-AC Overlay w/Rpr
7.597	8.049	88275	9-2011	Minor Rehabilitation	60-AC Overlay w/Rpr
8.257	9.416	17200	9-2001	Major Rehabilitation	110-New Rigid Pvmt
10.574	12.438	21142	5-2003	Major Rehabilitation	110-New Rigid Pvmt
12.700	13.091	104243	8-2019	Minor Rehabilitation	60-AC Overlay w/Rpr
13.091	13.496	21759	12-2004	Minor Rehabilitation	50-AC Overlay w/o Rpr

Roadway Codes

Access Control Journalized

- F - Full Access Control
- L - Limited Access Control
- N - No Access Control

Access Control Operational

- 1 - Full Access Control
- 2 - Partial Access Control
- 3 - No Access Control

Base Type

- F - Crack and Seat
- H - Rubblize and Roll
- I - Aggregate Base 304 or Traffic Compacted
- K - Water Bound Macadam
- L - Bituminous Concrete Mix or Penetration Macadam
- N - Plain Concrete
- P - Reinforced Concrete
- R - Brick (Flexible)
- T - Brick (Rigid)

Direction of Travel

- B - Both (Two-way)
- F - One-way Cardinal
- T - One-way Non-cardinal

Facility Type

- 1 - One-way Roadway
- 2 - Two-way Roadway
- 4 - Ramp
- 5 - Non-mainline
- 6 - Non-inventory Direction
- 7 - Planned / Unbuilt

Historical Federal Aid Indicator

- N - Not a FAP Route
- Y - FAP Route

Functional Classification

- 01 - Interstate
- 02 - Principal Arterial (Freeways)
- 03 - Principal Arterial (Other)
- 04 - Minor Arterial
- 05 - Major Collector
- 06 - Minor Collector
- 07 - Local

Leave / Reenter Indicator

- Y - Route leaves/reenters at this point
- N - Route does not leave/reenter at this point

Median Type

- 1 - None
- 2 - Unprotected
- 3 - Curbed
- 4 - Positive Barrier (Unspecified)
- 5 - Positive Barrier (Flexible)
- 6 - Positive Barrier (Semi-rigid)
- 7 - Positive Barrier (Rigid)

NHS

- N - National Highway System
- H - Congressional Corridor
- 2 - Major Airport
- 3 - Major Port Facility
- 4 - Major Amtrak Station
- 5 - Major Rail / Truck Terminal
- 6 - Major Intercity Bus Terminal
- 7 - Major Public Transit / Multi-modal Passenger Terminal
- 8 - Major Pipeline Terminal
- 9 - Major Ferry Terminal

Priority System

- G - General
- P - Priority System
- U - Urban

Scenic Byway Code

- A - All American Road
- N - National Scenic Byway
- S - State Scenic Byway

Shoulder Type

- 1 - None
- 2 - Surfaced shoulder exists (bituminous concrete {AC})
- 3 - Surfaced shoulder exists (Portland Cement Concrete {PCC})
- 4 - Stabilized shoulder exists (gravel or other granular material)
- 5 - Combination shoulder exists (two or more surface types)
- 6 - Earth shoulder exists
- 7 - Barrier curb exists; no shoulder in front of curb

Surface Type

- A - Combination
- B - Brick
- C - Continuous Reinforced Concrete
- D - Reinforced Concrete
- E - Plain Concrete
- G - Bituminous Concrete
- I - Chipseal on Granular
- K - Open Graded Bituminous
- L - Chipseal or Micro
- M - Gravel
- U - Unimproved
- X - Right of Way Only