

SCUYUS00006**C

State True Log 160.803

161.803

County True Log



Surface Type & Width (Left / Right)

G 30' 0 - 0.16	G (24'/6') 0.16 - 1.945
-------------------	----------------------------

Base Type (Left / Right)

P 0 - 0.16	T / L 0.16 - 1.945
---------------	-----------------------

Shoulder Type & Width (Left / Right)

	1 (0'/0') 0 - 2.523
--	------------------------

Through Lanes

	2 0 - 1.945
--	----------------

Street Name

	LAKE RD 0 - 7.557
--	----------------------

- Non-divided Highway
 Bridge (on route)
 Railroad (at grade)
 Intersection
- Divided Highway
 Underpass
 Railroad (underpass)
- Secondary Segment
 Overpass
 Railroad (overpass)
- Corporation**

Created on: 6/23/2025

transportation.ohio.gov

Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SCUYUS00006**C

State True Log

162.803

County True Log



Surface Type & Width (Left / Right)

	G (24'/6')	G 44'
	0.16 - 1.945	1.945 - 2.523

Base Type (Left / Right)

	T / L	T
	0.16 - 1.945	1.945 - 2.523

Shoulder Type & Width (Left / Right)

	1 (0'/0')	
	0 - 2.523	

Through Lanes

	2	4
	0 - 1.945	1.945 - 2.523

Street Name

	LAKE RD	
	0 - 7.557	

- Non-divided Highway
- Divided Highway
- Secondary Segment
- Corporation
- Bridge (on route)
- Underpass
- Overpass
- Railroad (at grade)
- Railroad (underpass)
- Railroad (overpass)
- Intersection

Created on: 6/23/2025

transportation.ohio.gov

Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SCUYUS00006**C

State True Log

163.803

County True Log



Surface Type & Width (Left / Right)

G 44'	G (18'6")	G (24'6")
1.945 - 2.523	2.523 - 2.703	2.703 - 5.134

Base Type (Left / Right)

T	T / P	T / L
1.945 - 2.523	2.523 - 2.703	2.703 - 3.843

Shoulder Type & Width (Left / Right)

1 (0'0")	2 (5'5")	1 (0'0")
0 - 2.523	2.523 - 2.703	2.703 - 10.999

Through Lanes

4	2
1.945 - 2.523	2.523 - 5.323

Street Name

LAKE RD
0 - 7.557

- Non-divided Highway
- Divided Highway
- Secondary Segment
- Corporation
- Bridge (on route)
- Underpass
- Overpass
- Railroad (at grade)
- Railroad (underpass)
- Railroad (overpass)
- Intersection

Created on: 6/23/2025

transportation.ohio.gov


Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SCUYUS00006**C

State True Log

164.803

County True Log



Surface Type & Width (Left / Right)

G (24'/6')
2.703 - 5.134

Base Type (Left / Right)

T / L	T / P
2.703 - 3.843	3.843 - 5.134

Shoulder Type & Width (Left / Right)

1 (0'/0')
2.703 - 10.999

Resurface Year

2022
3.82 - 5.323

Through Lanes

2
2.523 - 5.323

Street Name

LAKE RD
0 - 7.557

- Non-divided Highway
- Divided Highway
- Secondary Segment
- Corporation
- Bridge (on route)
- Underpass
- Overpass
- Railroad (at grade)
- Railroad (underpass)
- Railroad (overpass)
- Intersection

Created on: 6/23/2025

transportation.ohio.gov


Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SCUYUS00006**C

State True Log

165.803

County True Log



Surface Type & Width (Left / Right)

G (24'/6')
2.703 - 5.134

Base Type (Left / Right)

T / P
3.843 - 5.134

Shoulder Type & Width (Left / Right)

1 (0'/0')
2.703 - 10.999

Resurface Year

2022
3.82 - 5.323

Through Lanes

2
2.523 - 5.323

Street Name

LAKE RD
0 - 7.557

<p> Non-divided Highway</p> <p> Divided Highway</p> <p> Secondary Segment</p> <p> Corporation</p>	<p> Bridge (on route)</p> <p> Underpass</p> <p> Overpass</p>	<p> Railroad (at grade)</p> <p> Railroad (underpass)</p> <p> Railroad (overpass)</p>	<p> Intersection</p>
---	--	--	----------------------

Created on: 6/23/2025

transportation.ohio.gov


Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SCUYUS00006**C

State True Log

166.803

County True Log



Surface Type & Width (Left / Right)

G (24'/6')	G (24'/14')	G 40'
2.703 - 5.134	5.134 - 5.323	5.323 - 7.134

Base Type (Left / Right)

T / P	T / N	P
3.843 - 5.134	5.134 - 5.323	5.323 - 8.164

Shoulder Type & Width (Left / Right)

1 (0'/0')
2.703 - 10.999

Resurface Year

2022
3.82 - 5.323

Through Lanes

2	4
2.523 - 5.323	5.323 - 13.907

Street Name

LAKE RD
0 - 7.557

- Non-divided Highway
- Divided Highway
- Secondary Segment
- Corporation
- Bridge (on route)
- Underpass
- Overpass
- Railroad (at grade)
- Railroad (underpass)
- Railroad (overpass)
- Intersection

Created on: 6/23/2025

transportation.ohio.gov


Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SCUYUS00006**C

State True Log

167.803

County True Log



Surface Type & Width (Left / Right)

G 40'
5.323 - 7.134

Base Type (Left / Right)

P
5.323 - 8.164

Shoulder Type & Width (Left / Right)

1 (0'/0')
2.703 - 10.999

Through Lanes

4
5.323 - 13.907

Street Name

LAKE RD
0 - 7.557

- Non-divided Highway
- Divided Highway
- Secondary Segment
- Corporation
- Bridge (on route)
- Underpass
- Overpass
- Railroad (at grade)
- Railroad (underpass)
- Railroad (overpass)
- Intersection

Created on: 6/23/2025

transportation.ohio.gov


Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SCUYUS00006**C

State True Log

168.803

County True Log



Surface Type & Width (Left / Right)

G 40'	G 56'
5.323 - 7.134	7.134 - 8.164

Base Type (Left / Right)

	P
	5.323 - 8.164

Shoulder Type & Width (Left / Right)

	1 (0'/0')
	2.703 - 10.999

Median Type and Width

	3 (4')
	7.262 - 8.136

Through Lanes

	4
	5.323 - 13.907

Street Name

LAKE RD	CLIFTON BLVD
0 - 7.557	7.557 - 12.551

- Non-divided Highway
- Divided Highway
- Secondary Segment
- Corporation
- Bridge (on route)
- Underpass
- Overpass
- Railroad (at grade)
- Railroad (underpass)
- Railroad (overpass)
- Intersection

Created on: 6/23/2025


transportation.ohio.gov

Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

INTERCHANGES

USs 6, 6-A, 20, SRs 2,
113, 254, 254-D &
Beach Cliff Blvd.

CUYAHOGA COUNTY
INTERCHANGE ID NUMBER = 020900




US 6 SHEET 2 OF 6
US 6-A SHEET 1 OF 6
SR 2 SHEET 2 OF 6
SR 254-D SHEET 1 OF 1

SCUYUS00006**C

State True Log

169.803

County True Log



Surface Type & Width (Left / Right)

G 56'	G (14'/60')
7.134 - 8.164	8.164 - 10.999

Base Type (Left / Right)

P	L / P
5.323 - 8.164	8.164 - 10.999

Shoulder Type & Width (Left / Right)

1 (0'/0')
2.703 - 10.999

Median Type and Width

3 (4')
7.262 - 8.136

Through Lanes

4
5.323 - 13.907

Street Name

CLIFTON BLVD
7.557 - 12.551

- Non-divided Highway
- Divided Highway
- Secondary Segment
- Corporation
- Bridge (on route)
- Underpass
- Overpass
- Railroad (at grade)
- Railroad (underpass)
- Railroad (overpass)
- Intersection

Created on: 6/23/2025




transportation.ohio.gov
 Prepared by
 The Ohio Department of Transportation
 Office of Technical Services
 Roadway Information

SCUYUS00006**C

State True Log

170.803

County True Log



Surface Type & Width (Left / Right)

G (14'/60')
8.164 - 10.999

Base Type (Left / Right)

L / P
8.164 - 10.999

Shoulder Type & Width (Left / Right)

1 (0'/0')
2.703 - 10.999

Through Lanes

4
5.323 - 13.907

Street Name

CLIFTON BLVD
7.557 - 12.551

- Non-divided Highway
- Divided Highway
- Secondary Segment
- Corporation
- Bridge (on route)
- Underpass
- Overpass
- Railroad (at grade)
- Railroad (underpass)
- Railroad (overpass)
- Intersection

Created on: 6/23/2025

transportation.ohio.gov


Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SCUYUS00006**C

State True Log

171.803

County True Log



Surface Type & Width (Left / Right)

	G (14'/60')
	8.164 - 10.999

Base Type (Left / Right)

	L / P
	8.164 - 10.999

Shoulder Type & Width (Left / Right)

	1 (0'/0')
	2.703 - 10.999

Through Lanes

	4
	5.323 - 13.907

Street Name

	CLIFTON BLVD
	7.557 - 12.551

Non-divided Highway	Bridge (on route)	Railroad (at grade)	Intersection
Divided Highway	Underpass	Railroad (underpass)	
Secondary Segment	Overpass	Railroad (overpass)	
Corporation			

Created on: 6/23/2025



transportation.ohio.gov


Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SCUYUS00006**C

State True Log

172.803

County True Log



Surface Type & Width (Left / Right)

G (50'/24')
10.999 - 12.201

Base Type (Left / Right)

K / P
10.999 - 12.201

Shoulder Type & Width (Left / Right)

1 (6'/6')
10.999 - 12.055

Median Type and Width

4 (6')
10.999 - 12.055

Through Lanes

4
5.323 - 13.907

Street Name

CLIFTON BLVD
7.557 - 12.551

- | | | | |
|---------------------|-------------------|----------------------|--------------|
| Non-divided Highway | Bridge (on route) | Railroad (at grade) | Intersection |
| Divided Highway | Underpass | Railroad (underpass) | |
| Secondary Segment | Overpass | Railroad (overpass) | |
| Corporation | | | |

Created on: 6/23/2025

transportation.ohio.gov


Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SCUYUS00006**C

State True Log

173.803

County True Log



Surface Type & Width (Left / Right)

G (50'/24')	G 72'
10.999 - 12.201	12.201 - 13.907

Base Type (Left / Right)

K / P	P
10.999 - 12.201	12.201 - 14.148

Shoulder Type & Width (Left / Right)

1 (6'/6')	1 (0'/0')	2 (6'/6')
10.999 - 12.055	12.055 - 12.201	12.201 - 14.459

Median Type and Width

4 (6')	3 (8')
10.999 - 12.055	12.201 - 14.459

Through Lanes

	4
	5.323 - 13.907

Street Name

CLIFTON BLVD	CLEVELAND MEMORIAL SHOREWAY
7.557 - 12.551	12.551 - 14.144



- Non-divided Highway
- Divided Highway
- Secondary Segment
- Corporation
- Bridge (on route)
- Underpass
- Overpass
- Railroad (at grade)
- Railroad (underpass)
- Railroad (overpass)
- Intersection


Created on: 6/23/2025

transportation.ohio.gov

Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

INTERCHANGE
USs 6, 20, SR 2,
West Blvd. & Lake Ave.
CUYAHOGA COUNTY
INTERCHANGE ID NUMBER = 021000






INTERCHANGE
USs 6, 20, SR 2
& Edgewater Parkway
CUYAHOGA COUNTY
INTERSECTION ID NUMBER = 021100

US 6
US 20
SR 2

REVISED Dec 2023

SCUYUS00006**C

State True Log
County True Log



Surface Type & Width (Left / Right)

G 72'	G 96'
12.201 - 13.907	13.907 - 14.148

Base Type (Left / Right)

P
12.201 - 14.148

Shoulder Type & Width (Left / Right)

2 (6/6')
12.201 - 14.459

Median Type and Width

3 (8')
12.201 - 14.459

Through Lanes

4	8
5.323 - 13.907	13.907 - 14.228



Street Name

CLEVELAND MEMORIAL SHOREWAY
12.551 - 14.144

- Non-divided Highway
 Bridge (on route)
 Railroad (at grade)
 Intersection
- Divided Highway
 Underpass
 Railroad (underpass)
- Secondary Segment
 Overpass
 Railroad (overpass)
- Corporation**

transportation.ohio.gov


Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information



INTERCHANGE
USs 6, 20, SR 2,
Herman Ave., Tillman Ave.
& W. 45th St.
CUYAHOGA COUNTY
INTERCHANGE ID NUMBER = 021200

SCUYUS00006**C

State True Log
County True Log



Surface Type & Width (Left / Right)

G 96'	D 96'	D 44'	D 60'	G 60'
13.907 - 14.148	14.148 - 14.228	14.228 - 14.459		14.482 - 15.005

Base Type (Left / Right)

P
12.201 - 14.148

Base Type (Left / Right)

P
14.482 - 15.083

Shoulder Type & Width (Left / Right)

2 (6'/6')	1 (0'/0')
12.201 - 14.459	14.459 - 21.16

Median Type and Width

3 (8')
12.201 - 14.459

Through Lanes

8	4
13.907 - 14.228	14.228 - 15.005


Street Name

CLEVELAND MEMORIAL SHOREWAY	BUCKLEY BLVD	W 25TH ST	W SUPERIOR AVE
12.551 - 14.144	14.144 - 14.459	14.459 - 14.504	14.504 - 15.367

- Non-divided Highway
- Divided Highway
- Secondary Segment
- Corporation
- Bridge (on route)
- Underpass
- Overpass
- Railroad (at grade)
- Railroad (underpass)
- Railroad (overpass)
- Intersection

Created on: 6/23/2025

transportation.ohio.gov
Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information



Sta. 14.22 on US 6 & Sta. 14.34 on SR 2
 Sta. 14.33 on US 6
 Sta. 14.37 on US 6
 Sta. 14.41 on SR 2
 Sta. 14.49 on US 6 & Sta. 7.30 on US 6-A (Ends) & Sta. 17.94 on US 42
 Sta. 14.22 on US 6 & Sta. 14.34 on SR 2
 Sta. 14.49 on US 6 & Sta. 7.30 on US 6-A (Ends) & Sta. 17.94 on US 42


INTERCHANGE
 USs 6, 6-A, 20, 42, SR 2,
 W. 25th & W. 28th Sts.
 CUYAHOGA COUNTY
 INTERCHANGE ID NUMBER = 021300

SCUYUS00006**C


State True Log

176.803


County True Log




Surface Type & Width (Left / Right)




Base Type (Left / Right)




Base Type (Left / Right)




Shoulder Type & Width (Left / Right)




Median Type and Width




Median Type and Width



Through Lanes



Street Name



- Non-divided Highway
- Divided Highway
- Secondary Segment
- Corporation
- Bridge (on route)
- Underpass
- Overpass
- Railroad (at grade)
- Railroad (underpass)
- Railroad (overpass)
- Intersection

Created on: 6/23/2025



transportation.ohio.gov


Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SCUYUS00006**C

State True Log

177.803

County True Log



Surface Type & Width (Left / Right)

G 76'
15.99 - 18.026

Base Type (Left / Right)

T
15.99 - 18.026

Shoulder Type & Width (Left / Right)

1 (0/0)
14.459 - 21.16

Through Lanes

6
15.564 - 18.026

Street Name

SUPERIOR AVE
15.564 - 21.286


- | | | | | | | | |
|--|---------------------|--|-------------------|--|----------------------|--|--------------|
| | Non-divided Highway | | Bridge (on route) | | Railroad (at grade) | | Intersection |
| | Divided Highway | | Underpass | | Railroad (underpass) | | |
| | Secondary Segment | | Overpass | | Railroad (overpass) | | |
| | Corporation | | | | | | |

Created on: 6/23/2025




transportation.ohio.gov

Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information



INTERCHANGES
IR 90, USs 6, 20 & 322,
Prospect Ave., E. 24th St.,
E. 26th St. & E. 30th St.
CUYAHOGA COUNTY
INTERCHANGE ID NUMBER = 017100




IR 90
US 6
US 20
US 322
REVISED Sep 2023

SCUYUS00006**C

State True Log

178.803

County True Log



Surface Type & Width (Left / Right)

G 76'
15.99 - 18.026

Base Type (Left / Right)

T
15.99 - 18.026

Shoulder Type & Width (Left / Right)

1 (0/0)
14.459 - 21.16

Through Lanes

6
15.564 - 18.026

Street Name

SUPERIOR AVE
15.564 - 21.286

- | | | | |
|---------------------|-------------------|----------------------|--------------|
| Non-divided Highway | Bridge (on route) | Railroad (at grade) | Intersection |
| Divided Highway | Underpass | Railroad (underpass) | |
| Secondary Segment | Overpass | Railroad (overpass) | |
| Corporation | | | |

Created on: 6/23/2025



transportation.ohio.gov


Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SCUYUS00006**C

State True Log

179.803

County True Log



Surface Type & Width (Left / Right)

G 76'	G 50'
15.99 - 18.026	18.026 - 19.526

Base Type (Left / Right)

T	P
15.99 - 18.026	18.026 - 19.526

Shoulder Type & Width (Left / Right)

	1 (0'/0')
	14.459 - 21.16

Through Lanes

6	4
15.564 - 18.026	18.026 - 21.286

Street Name

	SUPERIOR AVE
	15.564 - 21.286

- Non-divided Highway
- Divided Highway
- Secondary Segment
- Corporation
- Bridge (on route)
- Underpass
- Overpass
- Railroad (at grade)
- Railroad (underpass)
- Railroad (overpass)
- Intersection


Created on: 6/23/2025

transportation.ohio.gov

Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SCUYUS00006**C

State True Log
County True Log



Surface Type & Width (Left / Right)	
G 50' 18.026 - 19.526	D 50' 19.526 - 19.646
Base Type (Left / Right)	
P 18.026 - 19.526	P 19.646 - 20.664
Shoulder Type & Width (Left / Right)	
1 (0'/0') 14.459 - 21.16	
Through Lanes	
4 18.026 - 21.286	
Street Name	
SUPERIOR AVE 15.564 - 21.286	

Non-divided Highway	Bridge (on route)	Railroad (at grade)	Intersection
Divided Highway	Underpass	Railroad (underpass)	
Secondary Segment	Overpass	Railroad (overpass)	
Corporation			

Created on: 6/23/2025




transportation.ohio.gov
Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SCUYUS00006**C

State True Log

181.803

County True Log



Surface Type & Width (Left / Right)

G 50'	G 40'	G 48'
19.646 - 20.664	20.664 - 20.844	20.844 - 21.16

Base Type (Left / Right)

P
19.646 - 21.776

Shoulder Type & Width (Left / Right)

1 (0'/0')
14.459 - 21.16

Resurface Year

2021
20.844 - 23.311

Through Lanes

4
18.026 - 21.286

Street Name

SUPERIOR AVE
15.564 - 21.286

- Non-divided Highway
- Divided Highway
- Secondary Segment
- Corporation
- Bridge (on route)
- Underpass
- Overpass
- Railroad (at grade)
- Railroad (underpass)
- Railroad (overpass)
- Intersection


Created on: 6/23/2025

transportation.ohio.gov

Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SCUYUS00006**C

State True Log
County True Log



Surface Type & Width (Left / Right)

G 48'	G 68'	G (51'/17')	G 68'
20.844 - 21.16	21.16 - 21.776	21.776 - 21.927	21.927 - 22.824

Base Type (Left / Right)

P	P / T	P
19.646 - 21.776	21.776 - 21.927	21.927 - 22.824

Shoulder Type & Width (Left / Right)

1 (0'/0')	1 (3'/3')
14.459 - 21.16	21.16 - 26.649

Median Type and Width

3 (4')
21.103 - 21.16

Resurface Year

2021
20.844 - 23.311

Through Lanes

4	6
18.026 - 21.286	21.286 - 24.547

Street Name

SUPERIOR AVE	EUCLID AVE
15.564 - 21.286	21.286 - 25.509

- Non-divided Highway
- Divided Highway
- Secondary Segment
- Corporation
- Bridge (on route)
- Underpass
- Overpass
- Railroad (at grade)
- Railroad (underpass)
- Railroad (overpass)
- Intersection

Created on: 6/23/2025




transportation.ohio.gov
Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SCUYUS00006**C

State True Log

183.803

County True Log



Surface Type & Width (Left / Right)

G 68'	G (51'/17')
21.927 - 22.824	22.824 - 23.305

Base Type (Left / Right)

P	P / T
21.927 - 22.824	22.824 - 23.305

Shoulder Type & Width (Left / Right)

1 (3/3)
21.16 - 26.649

Resurface Year

2021
20.844 - 23.311

Through Lanes

6
21.286 - 24.547

Street Name

EUCLID AVE
21.286 - 25.509

- Non-divided Highway
- Divided Highway
- Secondary Segment
- Corporation
- Bridge (on route)
- Underpass
- Overpass
- Railroad (at grade)
- Railroad (underpass)
- Railroad (overpass)
- Intersection

Created on: 6/23/2025


transportation.ohio.gov
Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SCUYUS00006**C

State True Log

184.803

County True Log



Surface Type & Width (Left / Right)

G (51'/17')	G (36'/38')
22.824 - 23.305	23.305 - 24.547

Base Type (Left / Right)

P / T	T / P
22.824 - 23.305	23.305 - 24.547

Shoulder Type & Width (Left / Right)

1 (3'/3')
21.16 - 26.649

Resurface Year

2021	2023
20.844 - 23.311	23.311 - 24.566

Through Lanes

6
21.286 - 24.547

Street Name

EUCLID AVE
21.286 - 25.509

- Non-divided Highway
- Divided Highway
- Secondary Segment
- Corporation
- Bridge (on route)
- Underpass
- Overpass
- Railroad (at grade)
- Railroad (underpass)
- Railroad (overpass)
- Intersection

Created on: 6/23/2025


transportation.ohio.gov
 Prepared by
 The Ohio Department of Transportation
 Office of Technical Services
 Roadway Information

SCUYUS00006**C

State True Log

185.803

County True Log



Surface Type & Width (Left / Right)

G (36'/38')	G 56'
23.305 - 24.547	24.547 - 25.509

Base Type (Left / Right)

T / P	T
23.305 - 24.547	24.547 - 25.509

Shoulder Type & Width (Left / Right)

1 (3'/3')	
21.16 - 26.649	

Resurface Year

2023	2022
23.311 - 24.566	24.566 - 25.509

Through Lanes

6	4
21.286 - 24.547	24.547 - 25.509

Street Name

	EUCLID AVE
	21.286 - 25.509

- Non-divided Highway
- Divided Highway
- Secondary Segment
- Corporation
- Bridge (on route)
- Underpass
- Overpass
- Railroad (at grade)
- Railroad (underpass)
- Railroad (overpass)
- Intersection


Created on: 6/23/2025

transportation.ohio.gov

Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SCUYUS00006**C

State True Log
County True Log



Surface Type & Width (Left / Right)

G 56'	G (5'/30')	G 30'
24.547 - 25.509	25.509 - 25.639	25.639 - 27.509

Base Type (Left / Right)

T	N / T	T	P
24.547 - 25.509	25.509 - 25.639	25.639 - 25.869	25.869 - 26.649

Shoulder Type & Width (Left / Right)

1 (3'/3')
21.16 - 26.649

Resurface Year

2022
24.566 - 25.509

Through Lanes

4	3	2
24.547 - 25.509	25.509 - 25.639	25.639 - 28.359

Street Name

EUCLID AVE	CHARDON RD
21.286 - 25.509	25.509 - 28.359

- Non-divided Highway
- Divided Highway
- Secondary Segment
- Corporation
- Bridge (on route)
- Underpass
- Overpass
- Railroad (at grade)
- Railroad (underpass)
- Railroad (overpass)
- Intersection

Created on: 6/23/2025

transportation.ohio.gov


Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SCUYUS00006**C

State True Log

187.803

County True Log



Surface Type & Width (Left / Right)

G 30'
25.639 - 27.509

Base Type (Left / Right)

P	L
25.869 - 26.649	26.649 - 28.359

Shoulder Type & Width (Left / Right)

1 (3/3')	1 (0/0')
21.16 - 26.649	26.649 - 27.509

Resurface Year

2024
26.649 - 28.359

Through Lanes

2
25.639 - 28.359

Street Name

CHARDON RD
25.509 - 28.359

- Non-divided Highway
- Divided Highway
- Secondary Segment
- Corporation**
- Bridge (on route)
- Underpass
- Overpass
- Railroad (at grade)
- Railroad (underpass)
- Railroad (overpass)
- Intersection

Created on: 6/23/2025




transportation.ohio.gov

Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SCUYUS00006**C

State True Log

County True Log



Surface Type & Width (Left / Right)

G 30'	G (18'/20')
25.639 - 27.509	27.509 - 28.359

Base Type (Left / Right)

L	
26.649 - 28.359	

Shoulder Type & Width (Left / Right)

1 (0'/0')	2 (3'/3')
26.649 - 27.509	27.509 - 28.359

Resurface Year

2024
26.649 - 28.359

Through Lanes

2
25.639 - 28.359

Street Name

CHARDON RD
25.509 - 28.359

- Non-divided Highway
- Divided Highway
- Secondary Segment
- Corporation
- Bridge (on route)
- Underpass
- Overpass
- Railroad (at grade)
- Railroad (underpass)
- Railroad (overpass)
- Intersection

Created on: 6/23/2025

transportation.ohio.gov

Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SCUYUS00006**C

State True Log

189.162

County True Log



28.308
CHESTNUT LN



Surface Type & Width (Left / Right)

G (18'/20')
27.509 - 28.359

Base Type (Left / Right)

L
26.649 - 28.359

Shoulder Type & Width (Left / Right)

2 (3'/3')
27.509 - 28.359

Resurface Year

2024
26.649 - 28.359

Through Lanes

2
25.639 - 28.359

Street Name

CHARDON RD
25.509 - 28.359

- | | | | |
|---------------------|-------------------|----------------------|--------------|
| Non-divided Highway | Bridge (on route) | Railroad (at grade) | Intersection |
| Divided Highway | Underpass | Railroad (underpass) | |
| Secondary Segment | Overpass | Railroad (overpass) | |
| Corporation | | | |

Created on: 6/23/2025



transportation.ohio.gov

Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

Historical Project List for SCUYUS00006**C

Begin Measure	End Measure	Project ID Number	Construction Completion Date	Treatment Category	Treatment Type
0.000	1.936	95505	5-2014	Minor Rehabilitation	60-AC Overlay w/Rpr
1.946	2.693	11360	11-2003	Minor Rehabilitation	60-AC Overlay w/Rpr
3.843	5.323	110611	5-2023	Minor Rehabilitation	60-AC Overlay w/Rpr
5.323	6.112	84963	10-2010	Minor Rehabilitation	60-AC Overlay w/Rpr
6.212	6.730	84963	10-2010	Minor Rehabilitation	60-AC Overlay w/Rpr
6.730	7.182	21766	11-2011	Minor Rehabilitation	60-AC Overlay w/Rpr
7.182	7.394	84963	10-2010	Minor Rehabilitation	60-AC Overlay w/Rpr
7.609	8.164	96460	1-2015	Minor Rehabilitation	60-AC Overlay w/Rpr
8.164	10.999	13994	5-2009	Minor Rehabilitation	50-AC Overlay w/o Rpr
10.999	12.201	89030	10-2014	Minor Rehabilitation	60-AC Overlay w/Rpr
12.201	14.225	86482	1-2021	Minor Rehabilitation	60-AC Overlay w/Rpr
12.201	14.504	19532	10-2004	Minor Rehabilitation	60-AC Overlay w/Rpr
16.924	20.840	21767	8-2013	Minor Rehabilitation	60-AC Overlay w/Rpr
20.840	23.300	105998	1-2022	Minor Rehabilitation	60-AC Overlay w/Rpr
23.300	24.547	110942	10-2023	Minor Rehabilitation	60-AC Overlay w/Rpr
24.547	25.509	105902	11-2023	Minor Rehabilitation	60-AC Overlay w/Rpr

Roadway Codes

Access Control Journalized

- F - Full Access Control
- L - Limited Access Control
- N - No Access Control

Access Control Operational

- 1 - Full Access Control
- 2 - Partial Access Control
- 3 - No Access Control

Base Type

- F - Crack and Seat
- H - Rubblize and Roll
- I - Aggregate Base 304 or Traffic Compacted
- K - Water Bound Macadam
- L - Bituminous Concrete Mix or Penetration Macadam
- N - Plain Concrete
- P - Reinforced Concrete
- R - Brick (Flexible)
- T - Brick (Rigid)

Direction of Travel

- B - Both (Two-way)
- F - One-way Cardinal
- T - One-way Non-cardinal

Facility Type

- 1 - One-way Roadway
- 2 - Two-way Roadway
- 4 - Ramp
- 5 - Non-mainline
- 6 - Non-inventory Direction
- 7 - Planned / Unbuilt

Historical Federal Aid Indicator

- N - Not a FAP Route
- Y - FAP Route

Functional Classification

- 01 - Interstate
- 02 - Principal Arterial (Freeways)
- 03 - Principal Arterial (Other)
- 04 - Minor Arterial
- 05 - Major Collector
- 06 - Minor Collector
- 07 - Local

Leave / Reenter Indicator

- Y - Route leaves/reenters at this point
- N - Route does not leave/reenter at this point

Median Type

- 1 - None
- 2 - Unprotected
- 3 - Curbed
- 4 - Positive Barrier (Unspecified)
- 5 - Positive Barrier (Flexible)
- 6 - Positive Barrier (Semi-rigid)
- 7 - Positive Barrier (Rigid)

NHS

- N - National Highway System
- H - Congressional Corridor
- 2 - Major Airport
- 3 - Major Port Facility
- 4 - Major Amtrak Station
- 5 - Major Rail / Truck Terminal
- 6 - Major Intercity Bus Terminal
- 7 - Major Public Transit / Multi-modal Passenger Terminal
- 8 - Major Pipeline Terminal
- 9 - Major Ferry Terminal

Priority System

- G - General
- P - Priority System
- U - Urban

Scenic Byway Code

- A - All American Road
- N - National Scenic Byway
- S - State Scenic Byway

Shoulder Type

- 1 - None
- 2 - Surfaced shoulder exists (bituminous concrete {AC})
- 3 - Surfaced shoulder exists (Portland Cement Concrete {PCC})
- 4 - Stabilized shoulder exists (gravel or other granular material)
- 5 - Combination shoulder exists (two or more surface types)
- 6 - Earth shoulder exists
- 7 - Barrier curb exists; no shoulder in front of curb

Surface Type

- A - Combination
- B - Brick
- C - Continuous Reinforced Concrete
- D - Reinforced Concrete
- E - Plain Concrete
- G - Bituminous Concrete
- I - Chipseal on Granular
- K - Open Graded Bituminous
- L - Chipseal or Micro
- M - Gravel
- U - Unimproved
- X - Right of Way Only