


SFAYSR00753**C

State True Log 20.981

21.981

County True Log



Surface Type & Width (Left / Right)

G (20'2')
0.151 - 1.091

Base Type (Left / Right)

T / L
0.151 - 1.091

Shoulder Type & Width (Left / Right)

5 (1'1')
0.151 - 4.426

Through Lanes

2
0.151 - 10.446

Street Name

SR 753
0.151 - 14.452

- Non-divided Highway
- Divided Highway
- Secondary Segment
- Corporation
- Bridge (on route)
- Underpass
- Overpass
- Railroad (at grade)
- Railroad (underpass)
- Railroad (overpass)
- Intersection

Created on: 6/27/2025



transportation.ohio.gov
 Prepared by
 The Ohio Department of Transportation
 Office of Technical Services
 Roadway Information

SFAYSR00753**C

State True Log

22.981

County True Log



Surface Type & Width (Left / Right)

G (20'/2')	G 22'	G (20'/2')
0.151 - 1.091	1.091 - 1.219	1.219 - 4.426

Base Type (Left / Right)

T / L	L	I / L
0.151 - 1.091	1.091 - 1.219	1.219 - 4.426

Shoulder Type & Width (Left / Right)

	5 (1'/1')
	0.151 - 4.426

Through Lanes

	2
	0.151 - 10.446

Street Name

	SR 753
	0.151 - 14.452

- Non-divided Highway
 Bridge (on route)
 Railroad (at grade)
 Intersection
- Divided Highway
 Underpass
 Railroad (underpass)
- Secondary Segment
 Overpass
 Railroad (overpass)
- Corporation**

Created on: 6/27/2025



Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SFAYSR00753**C

State True Log

23.981

County True Log



Surface Type & Width (Left / Right)

G (20'/2')
1.219 - 4.426

Base Type (Left / Right)

I / L
1.219 - 4.426

Shoulder Type & Width (Left / Right)

5 (1'/1')
0.151 - 4.426

Through Lanes

2
0.151 - 10.446

Street Name

SR 753
0.151 - 14.452

- Non-divided Highway
- Divided Highway
- Secondary Segment
- Corporation
- Bridge (on route)
- Underpass
- Overpass
- Railroad (at grade)
- Railroad (underpass)
- Railroad (overpass)
- Intersection

Created on: 6/27/2025

transportation.ohio.gov
 Prepared by
 The Ohio Department of Transportation
 Office of Technical Services
 Roadway Information

SFAYSR00753**C

State True
Log

24.981

County True
Log



Surface Type & Width (Left / Right)

	G (20/2')
	1.219 - 4.426

Base Type (Left / Right)

	I / L
	1.219 - 4.426

Shoulder Type & Width (Left / Right)

	5 (1/1')
	0.151 - 4.426

Through Lanes

	2
	0.151 - 10.446

Street Name

	SR 753
	0.151 - 14.452

- | | | | |
|---------------------|-------------------|----------------------|--------------|
| Non-divided Highway | Bridge (on route) | Railroad (at grade) | Intersection |
| Divided Highway | Underpass | Railroad (underpass) | |
| Secondary Segment | Overpass | Railroad (overpass) | |
| Corporation | | | |

Created on: 6/27/2025

transportation.ohio.gov


Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SFAYSR00753**C

State True Log

25.981

County True Log



Surface Type & Width (Left / Right)

G (20'2") 1.219 - 4.426	G 22' 4.426 - 10.446
----------------------------	-------------------------

Base Type (Left / Right)

I / L 1.219 - 4.426	L 4.426 - 4.564	I 4.564 - 5.576
------------------------	--------------------	--------------------

Shoulder Type & Width (Left / Right)

5 (1'1") 0.151 - 4.426	5 (4'4") 4.426 - 4.564	5 (1'1") 4.564 - 5.576
---------------------------	---------------------------	---------------------------

Through Lanes

2 0.151 - 10.446

Street Name

SR 753 0.151 - 14.452

- Non-divided Highway
- Divided Highway
- Secondary Segment
- Corporation
- Bridge (on route)
- Underpass
- Overpass
- Railroad (at grade)
- Railroad (underpass)
- Railroad (overpass)
- Intersection

Created on: 6/27/2025



transportation.ohio.gov

Prepared by


The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SFAYSR00753**C

State True Log

26.981

County True Log



Surface Type & Width (Left / Right)

G 22'	
4.426 - 10.446	

Base Type (Left / Right)

I	L	I
4.564 - 5.576	5.576 - 5.805	5.805 - 10.446

Shoulder Type & Width (Left / Right)

5 (1'1')	5 (4'4')	5 (2'2')
4.564 - 5.576	5.576 - 5.805	5.805 - 10.446

Through Lanes

2
0.151 - 10.446

Street Name

SR 753
0.151 - 14.452

- Non-divided Highway
- Divided Highway
- Secondary Segment
- Corporation
- Bridge (on route)
- Underpass
- Overpass
- Railroad (at grade)
- Railroad (underpass)
- Railroad (overpass)
- Intersection

Created on: 6/27/2025



transportation.ohio.gov
 Prepared by
 The Ohio Department of Transportation
 Office of Technical Services
 Roadway Information

SFAYSR00753**C

State True Log

27.981

County True Log



Surface Type & Width (Left / Right)

G 22'
4.426 - 10.446

Base Type (Left / Right)

I
5.805 - 10.446

Shoulder Type & Width (Left / Right)

5 (2/2')
5.805 - 10.446

Through Lanes

2
0.151 - 10.446

Street Name

SR 753
0.151 - 14.452

- Non-divided Highway
 Bridge (on route)
 Railroad (at grade)
 Intersection
- Divided Highway
 Underpass
 Railroad (underpass)
- Secondary Segment
 Overpass
 Railroad (overpass)
- Corporation**


Created on: 6/27/2025

SFAYSR00753**C

State True Log

28.981

County True Log



Surface Type & Width (Left / Right)

G 22'
4.426 - 10.446

Base Type (Left / Right)

I
5.805 - 10.446

Shoulder Type & Width (Left / Right)

5 (2/2)
5.805 - 10.446

Through Lanes

2
0.151 - 10.446

Street Name

SR 753
0.151 - 14.452

- Non-divided Highway
- Divided Highway
- Secondary Segment
- Corporation
- Bridge (on route)
- Underpass
- Overpass
- Railroad (at grade)
- Railroad (underpass)
- Railroad (overpass)
- Intersection

Created on: 6/27/2025

transportation.ohio.gov
Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SFAYSR00753**C

State True Log

29.981

County True Log



Surface Type & Width (Left / Right)

	G 22'	
	4.426 - 10.446	

Base Type (Left / Right)

	I	
	5.805 - 10.446	

Shoulder Type & Width (Left / Right)

	5 (2/2')	
	5.805 - 10.446	

Through Lanes

	2	
	0.151 - 10.446	

Street Name

	SR 753	
	0.151 - 14.452	

- Non-divided Highway
- Divided Highway
- Secondary Segment
- Corporation
- Bridge (on route)
- Underpass
- Overpass
- Railroad (at grade)
- Railroad (underpass)
- Railroad (overpass)
- Intersection

Created on: 6/27/2025

transportation.ohio.gov
Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SFAYSR00753**C

State True Log

30.981

County True Log



Surface Type & Width (Left / Right)

	G 22'
	4.426 - 10.446

Base Type (Left / Right)

	I
	5.805 - 10.446

Shoulder Type & Width (Left / Right)

	5 (2/2')
	5.805 - 10.446

Through Lanes

	2
	0.151 - 10.446

Street Name

	SR 753
	0.151 - 14.452


- | | | | |
|---------------------|-------------------|----------------------|--------------|
| Non-divided Highway | Bridge (on route) | Railroad (at grade) | Intersection |
| Divided Highway | Underpass | Railroad (underpass) | |
| Secondary Segment | Overpass | Railroad (overpass) | |
| Corporation | | | |

Created on: 6/27/2025

transportation.ohio.gov

Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SFAYSR00753**C




Surface Type & Width (Left / Right)	
G 22' 4.426 - 10.446	G 48' 10.446 - 11.075
Base Type (Left / Right)	
I 5.805 - 10.446	L 10.446 - 14.452
Shoulder Type & Width (Left / Right)	
5 (2'2") 5.805 - 10.446	5 (8'/8") 10.446 - 10.512
	5 (10'/10") 10.512 - 11.075
Median Type and Width	
	3 (16') 10.512 - 11.075
Resurface Year	
	2020 10.367 - 12.782
Through Lanes	
2 0.151 - 10.446	4 10.446 - 11.075
Street Name	
	SR 753 0.151 - 14.452

Non-divided Highway	Bridge (on route)	Railroad (at grade)	Intersection
Divided Highway	Underpass	Railroad (underpass)	
Secondary Segment	Overpass	Railroad (overpass)	
Corporation			

Created on: 6/27/2025




transportation.ohio.gov
Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information



INTERCHANGE
US 35 & SR 753
FAYETTE COUNTY
INTERCHANGE ID NUMBER = 025700

SFAYSR00753**C



Surface Type & Width (Left / Right)	
G 48'	G 24'
10.446 - 11.075	11.075 - 14.452
Base Type (Left / Right)	
L	
10.446 - 14.452	
Shoulder Type & Width (Left / Right)	
5 (10'/10')	5 (4'/4')
10.512 - 11.075	11.075 - 14.452
Median Type and Width	
3 (16')	
10.512 - 11.075	
Resurface Year	
2020	
10.367 - 12.782	
Through Lanes	
4	2
10.446 - 11.075	11.075 - 14.452
Street Name	
SR 753	
0.151 - 14.452	


Non-divided Highway	Bridge (on route)	Railroad (at grade)	Intersection
Divided Highway	Underpass	Railroad (underpass)	
Secondary Segment	Overpass	Railroad (overpass)	
Corporation			

Created on: 6/27/2025

transportation.ohio.gov

Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SFAYSR00753**C



Surface Type & Width (Left / Right)	G 24'
	11.075 - 14.452
Base Type (Left / Right)	L
	10.446 - 14.452
Shoulder Type & Width (Left / Right)	5 (4/4')
	11.075 - 14.452
Resurface Year	2020
	10.367 - 12.782
Through Lanes	2
	11.075 - 14.452
Street Name	SR 753
	0.151 - 14.452

- Non-divided Highway
- Divided Highway
- Secondary Segment
- Corporation
- Bridge (on route)
- Underpass
- Overpass
- Railroad (at grade)
- Railroad (underpass)
- Railroad (overpass)
- Intersection

Created on: 6/27/2025



transportation.ohio.gov
 Prepared by
 The Ohio Department of Transportation
 Office of Technical Services
 Roadway Information

SFAYSR00753**C

State True Log

34.981

County True Log

13.00

13.25

13.50

13.75

14.00



Surface Type & Width (Left / Right)

G 24'
11.075 - 14.452

Base Type (Left / Right)

L
10.446 - 14.452

Shoulder Type & Width (Left / Right)

5 (4/4')
11.075 - 14.452

Through Lanes

2
11.075 - 14.452

Street Name

SR 753
0.151 - 14.452

- Non-divided Highway
- Divided Highway
- Secondary Segment
- Corporation
- Bridge (on route)
- Underpass
- Overpass
- Railroad (at grade)
- Railroad (underpass)
- Railroad (overpass)
- Intersection

Created on: 6/27/2025

transportation.ohio.gov

Prepared by

The Ohio Department of Transportation

Office of Technical Services


Roadway Information

SFAYSR00753**C

35.433

State True Log

County True Log



Surface Type & Width (Left / Right)	G 24'	11.075 - 14.452
Base Type (Left / Right)	L	10.446 - 14.452
Shoulder Type & Width (Left / Right)	5 (4 1/4')	11.075 - 14.452

Through Lanes	2	11.075 - 14.452
---------------	---	-----------------

Street Name	SR 753	0.151 - 14.452
-------------	--------	----------------

- Non-divided Highway
- Divided Highway
- Secondary Segment
- Corporation
- Bridge (on route)
- Underpass
- Overpass
- Railroad (at grade)
- Railroad (underpass)
- Railroad (overpass)
- Intersection

Created on: 6/27/2025



transportation.ohio.gov
 Prepared by
 The Ohio Department of Transportation
 Office of Technical Services
 Roadway Information

Historical Project List for SFAYSR00753**C

Begin Measure	End Measure	Project ID Number	Construction Completion Date	Treatment Category	Treatment Type
0.151	5.238	101317	8-2017	Preventive Maintenance	25-Chip Seal
0.151	10.362	25887	8-2006	Minor Rehabilitation	38-Fine Poly AC Overlay
5.240	10.370	114795	6-2022	Preventive Maintenance	25-Chip Seal
10.362	12.782	24605	9-2004	Minor Rehabilitation	60-AC Overlay w/Rpr
10.372	12.782	91460	8-2020	Minor Rehabilitation	60-AC Overlay w/Rpr

Roadway Codes

Access Control Journalized

- F - Full Access Control
- L - Limited Access Control
- N - No Access Control

Access Control Operational

- 1 - Full Access Control
- 2 - Partial Access Control
- 3 - No Access Control

Base Type

- F - Crack and Seat
- H - Rubblize and Roll
- I - Aggregate Base 304 or Traffic Compacted
- K - Water Bound Macadam
- L - Bituminous Concrete Mix or Penetration Macadam
- N - Plain Concrete
- P - Reinforced Concrete
- R - Brick (Flexible)
- T - Brick (Rigid)

Direction of Travel

- B - Both (Two-way)
- F - One-way Cardinal
- T - One-way Non-cardinal

Facility Type

- 1 - One-way Roadway
- 2 - Two-way Roadway
- 4 - Ramp
- 5 - Non-mainline
- 6 - Non-inventory Direction
- 7 - Planned / Unbuilt

Historical Federal Aid Indicator

- N - Not a FAP Route
- Y - FAP Route

Functional Classification

- 01 - Interstate
- 02 - Principal Arterial (Freeways)
- 03 - Principal Arterial (Other)
- 04 - Minor Arterial
- 05 - Major Collector
- 06 - Minor Collector
- 07 - Local

Leave / Reenter Indicator

- Y - Route leaves/reenters at this point
- N - Route does not leave/reenter at this point

Median Type

- 1 - None
- 2 - Unprotected
- 3 - Curbed
- 4 - Positive Barrier (Unspecified)
- 5 - Positive Barrier (Flexible)
- 6 - Positive Barrier (Semi-rigid)
- 7 - Positive Barrier (Rigid)

NHS

- N - National Highway System
- H - Congressional Corridor
- 2 - Major Airport
- 3 - Major Port Facility
- 4 - Major Amtrak Station
- 5 - Major Rail / Truck Terminal
- 6 - Major Intercity Bus Terminal
- 7 - Major Public Transit / Multi-modal Passenger Terminal
- 8 - Major Pipeline Terminal
- 9 - Major Ferry Terminal

Priority System

- G - General
- P - Priority System
- U - Urban

Scenic Byway Code

- A - All American Road
- N - National Scenic Byway
- S - State Scenic Byway

Shoulder Type

- 1 - None
- 2 - Surfaced shoulder exists (bituminous concrete {AC})
- 3 - Surfaced shoulder exists (Portland Cement Concrete {PCC})
- 4 - Stabilized shoulder exists (gravel or other granular material)
- 5 - Combination shoulder exists (two or more surface types)
- 6 - Earth shoulder exists
- 7 - Barrier curb exists; no shoulder in front of curb

Surface Type

- A - Combination
- B - Brick
- C - Continuous Reinforced Concrete
- D - Reinforced Concrete
- E - Plain Concrete
- G - Bituminous Concrete
- I - Chipseal on Granular
- K - Open Graded Bituminous
- L - Chipseal or Micro
- M - Gravel
- U - Unimproved
- X - Right of Way Only