

SFAYUS00062**C

State True Log 58.118

59.118

County True Log



Surface Type & Width (Left / Right)

G (20/4')
0 - 9.313

Base Type (Left / Right)

K / L
0 - 8.658

Shoulder Type & Width (Left / Right)

2 (6/6)
0 - 8.658

Through Lanes

2
0 - 12.543

Street Name

US 62
0 - 12.025

- | | | | |
|---------------------|-------------------|----------------------|--------------|
| Non-divided Highway | Bridge (on route) | Railroad (at grade) | Intersection |
| Divided Highway | Underpass | Railroad (underpass) | |
| Secondary Segment | Overpass | Railroad (overpass) | |
| Corporation | | | |

Created on: 6/23/2025

transportation.ohio.gov


Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SFAYUS00062**C

State True Log

60.118

County True Log



Surface Type & Width (Left / Right)

G (20'/4')
0 - 9.313

Base Type (Left / Right)

K / L
0 - 8.658

Shoulder Type & Width (Left / Right)

2 (6'/6')
0 - 8.658

Through Lanes

2
0 - 12.543

Street Name

US 62
0 - 12.025

- Non-divided Highway
- Divided Highway
- Secondary Segment
- Corporation
- Bridge (on route)
- Underpass
- Overpass
- Railroad (at grade)
- Railroad (underpass)
- Railroad (overpass)
- Intersection

Created on: 6/23/2025

transportation.ohio.gov

Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SFAYUS00062**C

State True Log

61.118

County True Log



Surface Type & Width (Left / Right)

| | |
|--|------------|
| | G (20'/4') |
| | 0 - 9.313 |

Base Type (Left / Right)

| | |
|--|-----------|
| | K / L |
| | 0 - 8.658 |

Shoulder Type & Width (Left / Right)

| | |
|--|-----------|
| | 2 (6'/6') |
| | 0 - 8.658 |

Through Lanes

| | |
|--|------------|
| | 2 |
| | 0 - 12.543 |

Street Name

| | |
|--|------------|
| | US 62 |
| | 0 - 12.025 |

- | | | | |
|--|---|---|---|
| <ul style="list-style-type: none"> Non-divided Highway Divided Highway Secondary Segment Corporation | <ul style="list-style-type: none"> Bridge (on route) Underpass Overpass | <ul style="list-style-type: none"> Railroad (at grade) Railroad (underpass) Railroad (overpass) | <ul style="list-style-type: none"> Intersection |
|--|---|---|---|

Created on: 6/23/2025

transportation.ohio.gov

Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SFAYUS00062**C

State True Log

62.118

County True Log



Surface Type & Width (Left / Right)

G (20'/4')
0 - 9.313

Base Type (Left / Right)

K / L
0 - 8.658

Shoulder Type & Width (Left / Right)

2 (6'/6')
0 - 8.658

Through Lanes

2
0 - 12.543

Street Name

US 62
0 - 12.025

- | | | | |
|---------------------|-------------------|----------------------|--------------|
| Non-divided Highway | Bridge (on route) | Railroad (at grade) | Intersection |
| Divided Highway | Underpass | Railroad (underpass) | |
| Secondary Segment | Overpass | Railroad (overpass) | |
| Corporation | | | |

Created on: 6/23/2025

transportation.ohio.gov


Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SFAYUS00062**C

State True Log

63.118

County True Log



Surface Type & Width (Left / Right)

G (20'/4')
0 - 9.313

Base Type (Left / Right)

K / L
0 - 8.658

Shoulder Type & Width (Left / Right)

2 (6'/6')
0 - 8.658

Through Lanes

2
0 - 12.543

Street Name

US 62
0 - 12.025

- Non-divided Highway
- Divided Highway
- Secondary Segment
- Corporation
- Bridge (on route)
- Underpass
- Overpass
- Railroad (at grade)
- Railroad (underpass)
- Railroad (overpass)
- Intersection

Created on: 6/23/2025

transportation.ohio.gov

Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SFAYUS00062**C

State True Log

64.118

County True Log



Surface Type & Width (Left / Right)

G (20/4')
0 - 9.313

Base Type (Left / Right)

K / L
0 - 8.658

Shoulder Type & Width (Left / Right)

2 (6/6)
0 - 8.658

Through Lanes

2
0 - 12.543

Street Name

US 62
0 - 12.025

- Non-divided Highway
- Divided Highway
- Secondary Segment
- Corporation
- Bridge (on route)
- Underpass
- Overpass
- Railroad (at grade)
- Railroad (underpass)
- Railroad (overpass)
- Intersection

Created on: 6/23/2025




transportation.ohio.gov
Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SFAYUS00062**C

State True Log

65.118

County True Log



Surface Type & Width (Left / Right)

G (20'/4')
0 - 9.313

Base Type (Left / Right)

K / L
0 - 8.658

Shoulder Type & Width (Left / Right)

2 (6'/6')
0 - 8.658

Through Lanes

2
0 - 12.543

Street Name

US 62
0 - 12.025

- | | | | |
|---------------------|-------------------|----------------------|--------------|
| Non-divided Highway | Bridge (on route) | Railroad (at grade) | Intersection |
| Divided Highway | Underpass | Railroad (underpass) | |
| Secondary Segment | Overpass | Railroad (overpass) | |
| Corporation | | | |

Created on: 6/23/2025




transportation.ohio.gov
 Prepared by
 The Ohio Department of Transportation
 Office of Technical Services
 Roadway Information

SFAYUS00062**C

State True Log

66.118

County True Log



Surface Type & Width (Left / Right)

G (20'/4')
0 - 9.313

Base Type (Left / Right)

K / L
0 - 8.658

Shoulder Type & Width (Left / Right)

2 (6'/6')
0 - 8.658

Through Lanes

2
0 - 12.543

Street Name

US 62
0 - 12.025

- Non-divided Highway
- Divided Highway
- Secondary Segment
- Corporation
- Bridge (on route)
- Underpass
- Overpass
- Railroad (at grade)
- Railroad (underpass)
- Railroad (overpass)
- Intersection

Created on: 6/23/2025


transportation.ohio.gov
Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SFAYUS00062**C

State True Log

67.118

County True Log



Surface Type & Width (Left / Right)

| | |
|-----------|--|
| G (20'4') | |
| 0 - 9.313 | |

Base Type (Left / Right)

| | |
|-----------|---------------|
| K / L | I / L |
| 0 - 8.658 | 8.658 - 9.313 |

Shoulder Type & Width (Left / Right)

| | |
|-----------|---------------|
| 2 (6'6') | 2 (8'8') |
| 0 - 8.658 | 8.658 - 9.313 |

Through Lanes

| |
|------------|
| 2 |
| 0 - 12.543 |

Street Name

| |
|------------|
| US 62 |
| 0 - 12.025 |

- Non-divided Highway
- Divided Highway
- Secondary Segment
- Corporation
- Bridge (on route)
- Underpass
- Overpass
- Railroad (at grade)
- Railroad (underpass)
- Railroad (overpass)
- Intersection

Created on: 6/23/2025




transportation.ohio.gov
 Prepared by
 The Ohio Department of Transportation
 Office of Technical Services
 Roadway Information

SFAYUS00062**C

State True Log

68.118

County True Log



Surface Type & Width (Left / Right)

| | |
|------------------------|-----------------------------|
| G (20'4') 0 - 9.313 | G (6'18') 9.313 - 10.391 |
|------------------------|-----------------------------|

Base Type (Left / Right)

| | |
|------------------------|-------------------------|
| I / L 8.658 - 9.313 | K / L 9.313 - 10.391 |
|------------------------|-------------------------|

Shoulder Type & Width (Left / Right)

| | |
|---------------------------|----------------------------|
| 2 (8'8") 8.658 - 9.313 | 2 (4'4") 9.313 - 11.338 |
|---------------------------|----------------------------|

Through Lanes

| | |
|--|-----------------|
| | 2 0 - 12.543 |
|--|-----------------|

Street Name

| | |
|--|---------------------|
| | US 62 0 - 12.025 |
|--|---------------------|

- Non-divided Highway
 Bridge (on route)
 Railroad (at grade)
 Intersection
- Divided Highway
 Underpass
 Railroad (underpass)
- Secondary Segment
 Overpass
 Railroad (overpass)
- Corporation**

Created on: 6/23/2025


transportation.ohio.gov

Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SFAYUS00062**C

State True Log
County True Log

69.118



Surface Type & Width (Left / Right)

| | |
|----------------|-----------------|
| G (6'/18') | G (15'/9') |
| 9.313 - 10.391 | 10.391 - 11.338 |

Base Type (Left / Right)

| | |
|----------------|-----------------|
| K / L | R / I |
| 9.313 - 10.391 | 10.391 - 11.338 |

Shoulder Type & Width (Left / Right)

| |
|----------------|
| 2 (4'/4') |
| 9.313 - 11.338 |

Through Lanes

| |
|------------|
| 2 |
| 0 - 12.543 |

Street Name

| |
|------------|
| US 62 |
| 0 - 12.025 |

- Non-divided Highway
- Divided Highway
- Secondary Segment
- Corporation
- Bridge (on route)
- Underpass
- Overpass
- Railroad (at grade)
- Railroad (underpass)
- Railroad (overpass)
- Intersection


Created on: 6/23/2025



transportation.ohio.gov
Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SFAYUS00062**C

State True Log
County True Log



Surface Type & Width (Left / Right)

| | | | |
|-----------------|-----------------|-----------------|-----------------|
| G (15'9") | G 24' | G (15'5") | G 32' |
| 10.391 - 11.338 | 11.338 - 11.727 | 11.727 - 11.943 | 11.943 - 12.025 |

Base Type (Left / Right)

| | | | |
|-----------------|-----------------|-----------------|-----------------|
| R / I | L | R / I | I |
| 10.391 - 11.338 | 11.338 - 11.727 | 11.727 - 11.943 | 11.943 - 12.543 |

Shoulder Type & Width (Left / Right)

| | | | |
|----------------|-----------------|-----------------|-----------------|
| 2 (4'4") | 2 (10'10") | 2 (5'5") | 1 (0'0") |
| 9.313 - 11.338 | 11.338 - 11.727 | 11.727 - 11.943 | 11.943 - 12.543 |

Through Lanes

| |
|------------|
| 2 |
| 0 - 12.543 |

Street Name


| |
|------------|
| US 62 |
| 0 - 12.025 |

- Non-divided Highway
- Divided Highway
- Secondary Segment
- Corporation
- Bridge (on route)
- Underpass
- Overpass
- Railroad (at grade)
- Railroad (underpass)
- Railroad (overpass)
- Intersection

Created on: 6/23/2025



transportation.ohio.gov
Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information




INTERCHANGE
 US 22,35,62 & SR 3
 FAYETTE COUNTY
 INTERCHANGE ID NUMBER = 025400

US 22 SHEET 2 OF 4
 US 35 SHEET 3 OF 5
 US 62 SHEET 3 OF 6


REVISED Jan 2010

SFAYUS00062**C


State True Log
County True Log




Surface Type & Width (Left / Right)




Base Type (Left / Right)




Shoulder Type & Width (Left / Right)



Through Lanes



Street Name




- Non-divided Highway
- Divided Highway
- Secondary Segment
- Corporation
- Bridge (on route)
- Underpass
- Overpass
- Railroad (at grade)
- Railroad (underpass)
- Railroad (overpass)
- Intersection

Created on: 6/23/2025

transportation.ohio.gov
Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SFAYUS00062**C

State True Log
County True Log



Surface Type & Width (Left / Right)

| | | |
|-----------------|-----------------|-----------------|
| G 32' | G (32'/8') | G 60' |
| 13.174 - 13.418 | 13.418 - 13.652 | 13.652 - 14.549 |

Base Type (Left / Right)

| | | |
|-----------------|-----------------|-----------------|
| N | N / K | L |
| 13.174 - 13.418 | 13.418 - 13.652 | 13.652 - 14.549 |

Shoulder Type & Width (Left / Right)

| |
|-----------------|
| 1 (0'/0') |
| 13.174 - 14.549 |

Through Lanes

| | |
|-----------------|-----------------|
| 2 | 4 |
| 13.174 - 13.418 | 13.418 - 14.549 |

Street Name

| |
|-----------------|
| COLUMBUS AVE |
| 13.174 - 14.133 |

- Non-divided Highway
- Divided Highway
- Secondary Segment
- Corporation
- Bridge (on route)
- Underpass
- Overpass
- Railroad (at grade)
- Railroad (underpass)
- Railroad (overpass)
- Intersection

Created on: 6/23/2025




transportation.ohio.gov
Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SFAYUS00062**C

State True Log

73.118

County True Log



Surface Type & Width (Left / Right)

| | |
|-----------------|-----------------|
| G 60' | G (20'4') |
| 13.652 - 14.549 | 14.549 - 17.445 |

Base Type (Left / Right)

| | |
|-----------------|-----------------|
| L | P / L |
| 13.652 - 14.549 | 14.549 - 17.529 |

Shoulder Type & Width (Left / Right)

| | |
|-----------------|-----------------|
| 1 (0'0") | 2 (2'2") |
| 13.174 - 14.549 | 14.549 - 15.488 |

Resurface Year

| |
|---------------|
| 2023 |
| 14.6 - 26.742 |

Through Lanes

| | |
|-----------------|-----------------|
| 4 | 2 |
| 13.418 - 14.549 | 14.549 - 26.742 |

Street Name

| | |
|-----------------|-----------------|
| COLUMBUS AVE | US 62 |
| 13.174 - 14.133 | 14.133 - 26.742 |


- Non-divided Highway
- Divided Highway
- Secondary Segment
- Corporation
- Bridge (on route)
- Underpass
- Overpass
- Railroad (at grade)
- Railroad (underpass)
- Railroad (overpass)
- Intersection

Created on: 6/23/2025

transportation.ohio.gov
 Prepared by
 The Ohio Department of Transportation
 Office of Technical Services
 Roadway Information

SFAYUS00062**C

State True Log 74.118
 County True Log 15.00 15.25 15.50 15.75 16.00



| | |
|--------------------------------------|-----------------------------------|
| Surface Type & Width (Left / Right) | G (20'4') |
| | 14.549 - 17.445 |
| Base Type (Left / Right) | P / L |
| | 14.549 - 17.529 |
| Shoulder Type & Width (Left / Right) | 2 (2'2') 2 (6'6') |
| | 14.549 - 15.488 15.488 - 17.445 |
| Resurface Year | 2023 |
| | 14.6 - 26.742 |
| Through Lanes | 2 |
| | 14.549 - 26.742 |
| Street Name | US 62 |
| | 14.133 - 26.742 |

| | | | |
|---------------------|-------------------|----------------------|--------------|
| Non-divided Highway | Bridge (on route) | Railroad (at grade) | Intersection |
| Divided Highway | Underpass | Railroad (underpass) | |
| Secondary Segment | Overpass | Railroad (overpass) | |
| Corporation | | | |

Created on: 6/23/2025



transportation.ohio.gov
 Prepared by
 The Ohio Department of Transportation
 Office of Technical Services
 Roadway Information

SFAYUS00062**C

State True
Log

75.118

County True
Log

16.00

16.25

16.50

16.75

17.00



Surface Type & Width (Left / Right)

G (20'/4')
14.549 - 17.445

Base Type (Left / Right)

P / L
14.549 - 17.529

Shoulder Type & Width (Left / Right)

2 (6'/6')
15.488 - 17.445

Resurface Year

2023
14.6 - 26.742

Through Lanes

2
14.549 - 26.742

Street Name

US 62
14.133 - 26.742


- | | | | |
|--|---|---|---|
| <ul style="list-style-type: none"> Non-divided Highway Divided Highway Secondary Segment Corporation | <ul style="list-style-type: none"> Bridge (on route) Underpass Overpass | <ul style="list-style-type: none"> Railroad (at grade) Railroad (underpass) Railroad (overpass) | <ul style="list-style-type: none"> Intersection |
|--|---|---|---|

Created on: 6/23/2025

transportation.ohio.gov

Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SFAYUS00062**C



Surface Type & Width (Left / Right)

| | | |
|------------------------------|--------------------------|------------------------------|
| G (20'4") 14.549 - 17.445 | G 36' 17.445 - 17.848 | G (20'4") 17.848 - 22.494 |
|------------------------------|--------------------------|------------------------------|

Base Type (Left / Right)

| | | |
|--------------------------|--------------------|------------------------|
| P / L 14.549 - 17.529 | L 17.529 - 17.8 | P / L 17.8 - 22.494 |
|--------------------------|--------------------|------------------------|

Shoulder Type & Width (Left / Right)

| | | |
|-----------------------------|-----------------------------|-----------------------------|
| 2 (6'6") 15.488 - 17.445 | 2 (8'8") 17.445 - 17.848 | 2 (6'6") 17.848 - 22.494 |
|-----------------------------|-----------------------------|-----------------------------|

Resurface Year

| |
|------|
| 2023 |
|------|

Through Lanes

| |
|----------------------|
| 2 14.549 - 26.742 |
|----------------------|

Street Name


| |
|--------------------------|
| US 62 14.133 - 26.742 |
|--------------------------|

- Non-divided Highway
- Divided Highway
- Secondary Segment
- Corporation
- Bridge (on route)
- Underpass
- Overpass
- Railroad (at grade)
- Railroad (underpass)
- Railroad (overpass)
- Intersection

Created on: 6/23/2025

transportation.ohio.gov
Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SFAYUS00062**C



| | |
|--------------------------------------|-----------------|
| Surface Type & Width (Left / Right) | G (20'/4') |
| | 17.848 - 22.494 |
| Base Type (Left / Right) | P / L |
| | 17.8 - 22.494 |
| Shoulder Type & Width (Left / Right) | 2 (6'/6') |
| | 17.848 - 22.494 |
| Resurface Year | 2023 |
| Through Lanes | 2 |
| | 14.549 - 26.742 |
| Street Name | US 62 |
| | 14.133 - 26.742 |


- | | | | |
|---------------------|-------------------|----------------------|--------------|
| Non-divided Highway | Bridge (on route) | Railroad (at grade) | Intersection |
| Divided Highway | Underpass | Railroad (underpass) | |
| Secondary Segment | Overpass | Railroad (overpass) | |
| Corporation | | | |

Created on: 6/23/2025

transportation.ohio.gov

Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SFAYUS00062**C



| | |
|--------------------------------------|-----------------|
| Surface Type & Width (Left / Right) | G (20/4') |
| | 17.848 - 22.494 |
| Base Type (Left / Right) | P / L |
| | 17.8 - 22.494 |
| Shoulder Type & Width (Left / Right) | 2 (6/6') |
| | 17.848 - 22.494 |
| Resurface Year | 2023 |
| Through Lanes | 2 |
| | 14.549 - 26.742 |
| Street Name | US 62 |
| | 14.133 - 26.742 |

- Non-divided Highway
- Divided Highway
- Secondary Segment
- Corporation
- Bridge (on route)
- Underpass
- Overpass
- Railroad (at grade)
- Railroad (underpass)
- Railroad (overpass)
- Intersection


Created on: 6/23/2025



transportation.ohio.gov

Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SFAYUS00062**C



| | |
|--------------------------------------|-----------------|
| Surface Type & Width (Left / Right) | G (20'4') |
| | 17.848 - 22.494 |
| Base Type (Left / Right) | P / L |
| | 17.8 - 22.494 |
| Shoulder Type & Width (Left / Right) | 2 (6'6') |
| | 17.848 - 22.494 |
| Resurface Year | 2023 |
| Through Lanes | 2 |
| | 14.549 - 26.742 |
| Street Name | US 62 |
| | 14.133 - 26.742 |

- Non-divided Highway
- Divided Highway
- Secondary Segment
- Corporation
- Bridge (on route)
- Underpass
- Overpass
- Railroad (at grade)
- Railroad (underpass)
- Railroad (overpass)
- Intersection

Created on: 6/23/2025



transportation.ohio.gov

Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SFAYUS00062**C

State True Log

80.118

County True Log



Surface Type & Width (Left / Right)

G (20'/4')
17.848 - 22.494

Base Type (Left / Right)

P / L
17.8 - 22.494

Shoulder Type & Width (Left / Right)

2 (6'/6')
17.848 - 22.494

Resurface Year

2023
14.6 - 26.742

Through Lanes

2
14.549 - 26.742

Street Name

US 62
14.133 - 26.742

- | | | | |
|---------------------|-------------------|----------------------|--------------|
| Non-divided Highway | Bridge (on route) | Railroad (at grade) | Intersection |
| Divided Highway | Underpass | Railroad (underpass) | |
| Secondary Segment | Overpass | Railroad (overpass) | |
| Corporation | | | |

Created on: 6/23/2025

transportation.ohio.gov


Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SFAYUS00062**C

State True Log

81.118

County True Log



Surface Type & Width (Left / Right)

| | | |
|-----------------|-----------------|-----------------|
| G (20'4") | G 24' | G (20'4") |
| 17.848 - 22.494 | 22.494 - 22.944 | 22.944 - 24.788 |

Base Type (Left / Right)

| | | |
|---------------|-----------------|-----------------|
| P / L | L | P / L |
| 17.8 - 22.494 | 22.494 - 22.944 | 22.944 - 24.788 |

Shoulder Type & Width (Left / Right)

| | | |
|-----------------|-----------------|-----------------|
| 2 (6'6") | 2 (8'8") | 2 (6'6") |
| 17.848 - 22.494 | 22.494 - 22.944 | 22.944 - 24.788 |

Resurface Year

| |
|------|
| 2023 |
|------|

Through Lanes

| |
|---|
| 2 |
|---|

Street Name

| |
|-------|
| US 62 |
|-------|

14.6 - 26.742

14.549 - 26.742

14.133 - 26.742

- Non-divided Highway
- Divided Highway
- Secondary Segment
- Corporation
- Bridge (on route)
- Underpass
- Overpass
- Railroad (at grade)
- Railroad (underpass)
- Railroad (overpass)
- Intersection

Created on: 6/23/2025

transportation.ohio.gov


Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SFAYUS00062**C

State True Log

82.118

County True Log



Surface Type & Width (Left / Right)

G (20'4')
22.944 - 24.788

Base Type (Left / Right)

P / L
22.944 - 24.788

Shoulder Type & Width (Left / Right)

2 (6'6')
22.944 - 24.788

Resurface Year

2023

Through Lanes

2
14.549 - 26.742

Street Name

US 62
14.133 - 26.742

- | | | | |
|---------------------|-------------------|----------------------|--------------|
| Non-divided Highway | Bridge (on route) | Railroad (at grade) | Intersection |
| Divided Highway | Underpass | Railroad (underpass) | |
| Secondary Segment | Overpass | Railroad (overpass) | |
| Corporation | | | |


Created on: 6/23/2025

transportation.ohio.gov

Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SFAYUS00062**C

State True Log
County True Log



Surface Type & Width (Left / Right)

| | |
|-----------------|-----------------|
| G (20'4') | G 24' |
| 22.944 - 24.788 | 24.788 - 25.406 |

Base Type (Left / Right)

| | |
|-----------------|-----------------|
| P / L | L |
| 22.944 - 24.788 | 24.788 - 25.406 |

Shoulder Type & Width (Left / Right)

| | |
|-----------------|-----------------|
| 2 (6'6') | 2 (8'8') |
| 22.944 - 24.788 | 24.788 - 25.406 |

Resurface Year

| | |
|---------------|--|
| 2023 | |
| 14.6 - 26.742 | |

Through Lanes

| | |
|-----------------|--|
| 2 | |
| 14.549 - 26.742 | |

Street Name

| | |
|-----------------|--|
| US 62 | |
| 14.133 - 26.742 | |

- Non-divided Highway
- Divided Highway
- Secondary Segment
- Corporation
- Bridge (on route)
- Underpass
- Overpass
- Railroad (at grade)
- Railroad (underpass)
- Railroad (overpass)
- Intersection

Created on: 6/23/2025

transportation.ohio.gov


Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SFAYUS00062**C

State True Log

84.118

County True Log



Surface Type & Width (Left / Right)

| | |
|-----------------|-----------------|
| G 24' | G (20'4') |
| 24.788 - 25.406 | 25.406 - 26.742 |

Base Type (Left / Right)

| | |
|-----------------|-----------------|
| L | P / L |
| 24.788 - 25.406 | 25.406 - 26.742 |

Shoulder Type & Width (Left / Right)

| | |
|-----------------|-----------------|
| 2 (8'8') | 2 (6'6') |
| 24.788 - 25.406 | 25.406 - 26.742 |

Resurface Year

| |
|------|
| 2023 |
|------|

Through Lanes

| |
|-----------------|
| 2 |
| 14.549 - 26.742 |

Street Name

| |
|-----------------|
| US 62 |
| 14.133 - 26.742 |

- Non-divided Highway
 Bridge (on route)
 Railroad (at grade)
 Intersection
- Divided Highway
 Underpass
 Railroad (underpass)
- Secondary Segment
 Overpass
 Railroad (overpass)
- Corporation**

Created on: 6/23/2025

transportation.ohio.gov


Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SFAYUS00062**C

State True Log

84.86

County True Log



Surface Type & Width (Left / Right)

| |
|-----------------|
| G (20'/4') |
| 25.406 - 26.742 |

Base Type (Left / Right)

| |
|-----------------|
| P / L |
| 25.406 - 26.742 |

Shoulder Type & Width (Left / Right)

| |
|-----------------|
| 2 (6'/6') |
| 25.406 - 26.742 |

Resurface Year

| |
|------|
| 2023 |
|------|

Through Lanes

| |
|-----------------|
| 2 |
| 14.549 - 26.742 |

Street Name

| |
|-----------------|
| US 62 |
| 14.133 - 26.742 |

- | | | | |
|--|---|---|---|
| <ul style="list-style-type: none"> Non-divided Highway Divided Highway Secondary Segment Corporation | <ul style="list-style-type: none"> Bridge (on route) Underpass Overpass | <ul style="list-style-type: none"> Railroad (at grade) Railroad (underpass) Railroad (overpass) | <ul style="list-style-type: none"> Intersection |
|--|---|---|---|

Created on: 6/23/2025

transportation.ohio.gov

Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

Historical Project List for SFAYUS00062**C

| Begin Measure | End Measure | Project ID Number | Construction Completion Date | Treatment Category | Treatment Type |
|---------------|-------------|-------------------|------------------------------|------------------------|-------------------------|
| 0.000 | 11.883 | 101198 | 11-2016 | Minor Rehabilitation | 38-Fine Poly AC Overlay |
| 11.443 | 11.553 | 25887 | 8-2006 | Minor Rehabilitation | 60-AC Overlay w/Rpr |
| 11.873 | 12.543 | 83195 | 5-2014 | Major Rehabilitation | 120 New Comp Pvmt |
| 11.873 | 12.523 | 24605 | 9-2004 | Minor Rehabilitation | 60-AC Overlay w/Rpr |
| 13.174 | 14.424 | 106240 | 8-2023 | Minor Rehabilitation | 50-AC Overlay w/o Rpr |
| 13.174 | 13.663 | 23269 | 6-2003 | Minor Rehabilitation | 52-AC Inlay |
| 14.424 | 14.613 | 106240 | 8-2023 | Minor Rehabilitation | 60-AC Overlay w/Rpr |
| 14.592 | 26.742 | 83732 | 10-2010 | Preventive Maintenance | 31-DbI Appl Micro |
| 14.613 | 26.742 | 112796 | 11-2023 | Minor Rehabilitation | 60-AC Overlay w/Rpr |

Roadway Codes

Access Control Journalized

- F - Full Access Control
- L - Limited Access Control
- N - No Access Control

Access Control Operational

- 1 - Full Access Control
- 2 - Partial Access Control
- 3 - No Access Control

Base Type

- F - Crack and Seat
- H - Rubblize and Roll
- I - Aggregate Base 304 or Traffic Compacted
- K - Water Bound Macadam
- L - Bituminous Concrete Mix or Penetration Macadam
- N - Plain Concrete
- P - Reinforced Concrete
- R - Brick (Flexible)
- T - Brick (Rigid)

Direction of Travel

- B - Both (Two-way)
- F - One-way Cardinal
- T - One-way Non-cardinal

Facility Type

- 1 - One-way Roadway
- 2 - Two-way Roadway
- 4 - Ramp
- 5 - Non-mainline
- 6 - Non-inventory Direction
- 7 - Planned / Unbuilt

Historical Federal Aid Indicator

- N - Not a FAP Route
- Y - FAP Route

Functional Classification

- 01 - Interstate
- 02 - Principal Arterial (Freeways)
- 03 - Principal Arterial (Other)
- 04 - Minor Arterial
- 05 - Major Collector
- 06 - Minor Collector
- 07 - Local

Leave / Reenter Indicator

- Y - Route leaves/reenters at this point
- N - Route does not leave/reenter at this point

Median Type

- 1 - None
- 2 - Unprotected
- 3 - Curbed
- 4 - Positive Barrier (Unspecified)
- 5 - Positive Barrier (Flexible)
- 6 - Positive Barrier (Semi-rigid)
- 7 - Positive Barrier (Rigid)

NHS

- N - National Highway System
- H - Congressional Corridor
- 2 - Major Airport
- 3 - Major Port Facility
- 4 - Major Amtrak Station
- 5 - Major Rail / Truck Terminal
- 6 - Major Intercity Bus Terminal
- 7 - Major Public Transit / Multi-modal Passenger Terminal
- 8 - Major Pipeline Terminal
- 9 - Major Ferry Terminal

Priority System

- G - General
- P - Priority System
- U - Urban

Scenic Byway Code

- A - All American Road
- N - National Scenic Byway
- S - State Scenic Byway

Shoulder Type

- 1 - None
- 2 - Surfaced shoulder exists (bituminous concrete {AC})
- 3 - Surfaced shoulder exists (Portland Cement Concrete {PCC})
- 4 - Stabilized shoulder exists (gravel or other granular material)
- 5 - Combination shoulder exists (two or more surface types)
- 6 - Earth shoulder exists
- 7 - Barrier curb exists; no shoulder in front of curb

Surface Type

- A - Combination
- B - Brick
- C - Continuous Reinforced Concrete
- D - Reinforced Concrete
- E - Plain Concrete
- G - Bituminous Concrete
- I - Chipseal on Granular
- K - Open Graded Bituminous
- L - Chipseal or Micro
- M - Gravel
- U - Unimproved
- X - Right of Way Only