


SHAMUS00127**C



- | | | | |
|---------------------|-------------------|----------------------|--------------|
| Non-divided Highway | Bridge (on route) | Railroad (at grade) | Intersection |
| Divided Highway | Underpass | Railroad (underpass) | |
| Secondary Segment | Overpass | Railroad (overpass) | |
| Corporation | | | |

Created on: 6/23/2025



transportation.ohio.gov
 Prepared by
 The Ohio Department of Transportation
 Office of Technical Services
 Roadway Information

SHAMUS00127**C

State True
Log

2

County True
Log

1:00












1:25

1:50

1:75

2:00



- | | | | |
|---|---|--|--|
|  Non-divided Highway |  Bridge (on route) |  Railroad (at grade) |  Intersection |
|  Divided Highway |  Underpass |  Railroad (underpass) | |
|  Secondary Segment |  Overpass |  Railroad (overpass) | |
|  Corporation | | | |

Created on: 6/23/2025



transportation.ohio.gov
 Prepared by
 The Ohio Department of Transportation
 Office of Technical Services
 Roadway Information

SHAMUS00127**C

State True
Log

3

County True
Log

2:00

2:25

2:50

2:75

3:00



- | | | | |
|---------------------|-------------------|----------------------|--------------|
| Non-divided Highway | Bridge (on route) | Railroad (at grade) | Intersection |
| Divided Highway | Underpass | Railroad (underpass) | |
| Secondary Segment | Overpass | Railroad (overpass) | |
| Corporation | | | |

Created on: 6/23/2025


transportation.ohio.gov

Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SHAMUS00127**C

State True Log

County True Log



Surface Type & Width (Left / Right)

G 50'	G (30'/31')	G (38'/12')
3.797 - 3.867	3.867 - 3.978	3.978 - 4.58

Base Type (Left / Right)

N	N/P
3.797 - 3.978	3.978 - 4.58

Shoulder Type & Width (Left / Right)

1 (0'/0')
3.797 - 11.638

Through Lanes

4
3.797 - 10.497

Street Name


CENTRAL PKWY
3.797 - 5.051

- Non-divided Highway
- Divided Highway
- Secondary Segment
- Corporation
- Bridge (on route)
- Underpass
- Overpass
- Railroad (at grade)
- Railroad (underpass)
- Railroad (overpass)
- Intersection

Created on: 6/23/2025



transportation.ohio.gov
 Prepared by
 The Ohio Department of Transportation
 Office of Technical Services
 Roadway Information




INTERCHANGE
 IR 75, USs 27, 52,
 127 & Hopple St.
 HAMILTON COUNTY
 INTERCHANGE ID NUMBER = 041100

IR75 SHEET 4 OF 9
 US27 SHEET 2 OF 5
 US27 SHEET 3 OF 5
 US52 SHEET 3 OF 7

SHAMUS00127**C

State True Log

County True Log



Surface Type & Width (Left / Right)

G (38'/12')	G 50'
3.978 - 4.58	4.58 - 5.136

Base Type (Left / Right)

N / P	N
3.978 - 4.58	4.58 - 5.136

Shoulder Type & Width (Left / Right)

1 (0'/0')
3.797 - 11.638

Through Lanes

4
3.797 - 10.497

Street Name

CENTRAL PKWY
3.797 - 5.051

<ul style="list-style-type: none"> Non-divided Highway Divided Highway Secondary Segment Corporation 	<ul style="list-style-type: none"> Bridge (on route) Underpass Overpass 	<ul style="list-style-type: none"> Railroad (at grade) Railroad (underpass) Railroad (overpass) 	<ul style="list-style-type: none"> Intersection
--	---	---	---

Created on: 6/23/2025


transportation.ohio.gov

Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information


SHAMUS00127**C

State True Log


County True Log




Surface Type & Width (Left / Right)




Base Type (Left / Right)




Base Type (Left / Right)




Shoulder Type & Width (Left / Right)



Through Lanes



Street Name




- Non-divided Highway
- Divided Highway
- Secondary Segment
- Corporation
- Bridge (on route)
- Underpass
- Overpass
- Railroad (at grade)
- Railroad (underpass)
- Railroad (overpass)
- Intersection


Created on: 6/23/2025

transportation.ohio.gov

Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information



INTERCHANGE
 IRs 74, 75, USs 27,
 52 & 127
 HAMILTON COUNTY
 INTERCHANGE ID NUMBER = 040800




IR 74
 IR 75
 US 27
 US 127

REVISED Jan 2024

SHAMUS00127**C

State True Log

County True Log



Surface Type & Width (Left / Right)

G 40'	G (40'/2')
5.452 - 6.889	6.889 - 7.036

Base Type (Left / Right)

T	T / N
5.452 - 6.889	6.889 - 7.529

Shoulder Type & Width (Left / Right)

1 (0'/0')	
3.797 - 11.638	

Through Lanes

4	
3.797 - 10.497	

Street Name

HAMILTON AVE	
5.475 - 16.225	


- Non-divided Highway
- Divided Highway
- Secondary Segment
- Corporation
- Bridge (on route)
- Underpass
- Overpass
- Railroad (at grade)
- Railroad (underpass)
- Railroad (overpass)
- Intersection

Created on: 6/23/2025

transportation.ohio.gov

Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SHAMUS00127**C



Surface Type & Width (Left / Right)

G (40'/2')	G (38'/14')	G (40'/2')	G (38'/14')	G 38'	G 40'
6.889 - 7.036	7.036 - 7.157	7.157 - 7.429	7.429 - 7.529	7.529 - 7.811	7.811 - 8.703

Base Type (Left / Right)

T / N	T
6.889 - 7.529	7.529 - 8.703

Shoulder Type & Width (Left / Right)

1 (0'/0')
3.797 - 11.638

Through Lanes

4
3.797 - 10.497

Street Name

HAMILTON AVE
5.475 - 16.225

Non-divided Highway	Bridge (on route)	Railroad (at grade)	Intersection
Divided Highway	Underpass	Railroad (underpass)	
Secondary Segment	Overpass	Railroad (overpass)	
Corporation			

Created on: 6/23/2025




transportation.ohio.gov
Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SHAMUS00127**C

State True Log

County True Log



Surface Type & Width (Left / Right)

G 40'	G (21' / 22')
7.811 - 8.703	8.703 - 10.181

Base Type (Left / Right)

T	P
7.529 - 8.703	8.703 - 10.181

Shoulder Type & Width (Left / Right)

1 (0' / 0')	
3.797 - 11.638	

Through Lanes

4	
3.797 - 10.497	

Street Name

HAMILTON AVE	
5.475 - 16.225	

- Non-divided Highway
- Divided Highway
- Secondary Segment
- Corporation
- Bridge (on route)
- Underpass
- Overpass
- Railroad (at grade)
- Railroad (underpass)
- Railroad (overpass)
- Intersection

Created on: 6/23/2025


transportation.ohio.gov

Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SHAMUS00127**C

State True Log

County True Log



Surface Type & Width (Left / Right)	G (21' / 22')
	8.703 - 10.181
Base Type (Left / Right)	P
	8.703 - 10.181
Shoulder Type & Width (Left / Right)	1 (0' / 0')
	3.797 - 11.638
Resurface Year	2023
	9.129 - 10.283
Through Lanes	4
	3.797 - 10.497
Street Name	HAMILTON AVE
	5.475 - 16.225

- Non-divided Highway
- Divided Highway
- Secondary Segment
- Corporation
- Bridge (on route)
- Underpass
- Overpass
- Railroad (at grade)
- Railroad (underpass)
- Railroad (overpass)
- Intersection


Created on: 6/23/2025

transportation.ohio.gov

Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SHAMUS00127**C

State True Log
County True Log



Surface Type & Width (Left / Right)

G (21'/22')	G 54'	G (21'/22')	G 46'
8.703 - 10.181	10.181 - 10.442	10.442 - 10.497	10.497 - 11.115

Base Type (Left / Right)

P	L	P	
8.703 - 10.181	10.181 - 10.442	10.442 - 11.638	

Shoulder Type & Width (Left / Right)

		1 (0'/0')	
		3.797 - 11.638	

Resurface Year

2023			
	9.129 - 10.283		

Through Lanes

	4		2
	3.797 - 10.497		10.497 - 14.079

Street Name

	HAMILTON AVE		
	5.475 - 16.225		


- Non-divided Highway
- Divided Highway
- Secondary Segment
- Corporation
- Bridge (on route)
- Underpass
- Overpass
- Railroad (at grade)
- Railroad (underpass)
- Railroad (overpass)
- Intersection

Created on: 6/23/2025

transportation.ohio.gov


Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

INTERCHANGE
US 127 & SR 126
(Ronald Reagan Cross
County Highway)
HAMILTON COUNTY
INTERCHANGE ID NUMBER = 045100



SHAMUS00127**C

State True Log
County True Log



Surface Type & Width (Left / Right)

G 46'	G 44'	G (16'/17')	G 36'
10.497 - 11.115	11.115 - 11.445	11.445 - 11.638	11.638 - 12.231

Base Type (Left / Right)

P	L
10.442 - 11.638	11.638 - 13.356

Shoulder Type & Width (Left / Right)

1 (0'/0')	2 (6'/6')
3.797 - 11.638	11.638 - 12.231

Through Lanes

	2
	10.497 - 14.079

Street Name

	HAMILTON AVE
	5.475 - 16.225

- Non-divided Highway
- Divided Highway
- Secondary Segment
- Corporation
- Bridge (on route)
- Underpass
- Overpass
- Railroad (at grade)
- Railroad (underpass)
- Railroad (overpass)
- Intersection


Created on: 6/23/2025

transportation.ohio.gov

Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SHAMUS00127**C

State True Log
County True Log



Surface Type & Width (Left / Right)

G 36'	G (12'/13')	G 32'
11.638 - 12.231	12.231 - 12.72	12.72 - 13.15

Base Type (Left / Right)

L
11.638 - 13.356

Shoulder Type & Width (Left / Right)

2 (6'/6')	2 (4'/4')
11.638 - 12.231	12.231 - 14.13

Through Lanes

2
10.497 - 14.079

Street Name

HAMILTON AVE
5.475 - 16.225

- Non-divided Highway
- Divided Highway
- Secondary Segment
- Corporation
- Bridge (on route)
- Underpass
- Overpass
- Railroad (at grade)
- Railroad (underpass)
- Railroad (overpass)
- Intersection


Created on: 6/23/2025

transportation.ohio.gov

Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SHAMUS00127**C

State True Log
County True Log



Surface Type & Width (Left / Right)

G 32'	G (12'/13')	G (20'/4')	G (20'/14')
12.72 - 13.15	13.15 - 13.356	13.356 - 13.708	13.708 - 14.079

Base Type (Left / Right)

L	P / L
11.638 - 13.356	13.356 - 14.513

Shoulder Type & Width (Left / Right)

	2 (4'/4')
	12.231 - 14.13

Through Lanes

	2
	10.497 - 14.079

Street Name

	HAMILTON AVE
	5.475 - 16.225

- Non-divided Highway
- Divided Highway
- Secondary Segment
- Corporation
- Bridge (on route)
- Underpass
- Overpass
- Railroad (at grade)
- Railroad (underpass)
- Railroad (overpass)
- Intersection


Created on: 6/23/2025

transportation.ohio.gov

Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SHAMUS00127**C

State True Log
County True Log



Surface Type & Width (Left / Right)

G (20'/14')	G (20'/29')	G (20'/64')	G (20'/88')	G (52'/8')	G 50'	G 60'
13.708 - 14.079	14.079 - 14.13	14.13 - 14.244	14.244 - 14.429	14.429 - 14.513	14.513 - 14.841	14.841 - 15.111

Base Type (Left / Right)

P / L	P	L
13.356 - 14.513	14.513 - 14.841	14.841 - 15.111

Shoulder Type & Width (Left / Right)

2 (4'/4')	1 (0'/0')	2 (10'/10')	2 (4'/4')	2 (10'/10')
12.231 - 14.13	14.13 - 14.429	14.429 - 14.513	14.513 - 14.841	14.841 - 15.199

Through Lanes

2	4	6	4
10.497 - 14.079	14.079 - 14.13	14.13 - 14.244	14.244 - 15.199

Street Name

HAMILTON AVE
5.475 - 16.225



- Non-divided Highway
- Divided Highway
- Secondary Segment
- Corporation
- Bridge (on route)
- Underpass
- Overpass
- Railroad (at grade)
- Railroad (underpass)
- Railroad (overpass)
- Intersection

Created on: 6/23/2025



transportation.ohio.gov

Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information




INTERCHANGE
IR 275 & US 127
HAMILTON COUNTY
INTERCHANGE ID NUMBER = 042600

IR 275
US 127
REVISED Jan 2023

SHAMUS00127**C

State True Log
County True Log



Surface Type & Width (Left / Right)

G 60'	G (20'/28')	G (20'/18')	G (20'/16')	G (20'/4')	G (20'/18')	G (20'/16')	G (20'/4')
14.841 - 15.111	15.111 - 15.199	15.248 - 15.387	15.387 - 15.518	15.518 - 15.578	15.578 - 15.759	15.759 - 16.225	

Base Type (Left / Right)

L	P / L
14.841 - 15.111	15.111 - 16.225

Shoulder Type & Width (Left / Right)

2 (10'/10')	2 (4'/4')	2 (8'/11')	5 (2'/2')	2 (4'/4')	1 (4'/4')	2 (4'/4')
14.841 - 15.199	15.199 - 15.248	15.248 - 15.387	15.387 - 15.518	15.518 - 15.578	15.578 - 15.759	15.759 - 16.225

Through Lanes

4	2	3	2
14.244 - 15.199	15.199 - 15.248	15.248 - 15.387	15.387 - 16.225

Street Name

HAMILTON AVE	
5.475 - 16.225	


- Non-divided Highway
- Divided Highway
- Secondary Segment
- Corporation
- Bridge (on route)
- Underpass
- Overpass
- Railroad (at grade)
- Railroad (underpass)
- Railroad (overpass)
- Intersection

Created on: 6/23/2025

transportation.ohio.gov

Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SHAMUS00127**C



Surface Type & Width (Left / Right)
 G (20'4')
 15.759 - 16.225

Base Type (Left / Right)
 P / L
 15.111 - 16.225

Shoulder Type & Width (Left / Right)
 2 (4'4')
 15.759 - 16.225

Through Lanes
 2
 15.387 - 16.225

Street Name
 HAMILTON AVE
 5.475 - 16.225

- | | | | |
|---------------------|-------------------|----------------------|--------------|
| Non-divided Highway | Bridge (on route) | Railroad (at grade) | Intersection |
| Divided Highway | Underpass | Railroad (underpass) | |
| Secondary Segment | Overpass | Railroad (overpass) | |
| Corporation | | | |

Created on: 6/23/2025



transportation.ohio.gov
 Prepared by
 The Ohio Department of Transportation
 Office of Technical Services
 Roadway Information

Historical Project List for SHAMUS00127**C

Begin Measure	End Measure	Project ID Number	Construction Completion Date	Treatment Category	Treatment Type
3.982	5.239	77735	11-2008	Minor Rehabilitation	60-AC Overlay w/Rpr
5.816	7.622	22832	9-2005	Minor Rehabilitation	60-AC Overlay w/Rpr
8.090	9.169	24473	10-2006	Minor Rehabilitation	60-AC Overlay w/Rpr
9.169	10.299	77745	9-2008	Minor Rehabilitation	60-AC Overlay w/Rpr
11.445	14.953	84481	11-2019	Minor Rehabilitation	60-AC Overlay w/Rpr
11.638	13.356	21828	7-2003	Minor Rehabilitation	38-Fine Poly AC Overlay
14.234	14.609	8347	10-2010	Minor Rehabilitation	60-AC Overlay w/Rpr
14.841	15.228	77205	5-2010	New Construction	200-New Pavement
15.248	16.225	84481	11-2019	Minor Rehabilitation	60-AC Overlay w/Rpr

Roadway Codes

Access Control Journalized

- F - Full Access Control
- L - Limited Access Control
- N - No Access Control

Access Control Operational

- 1 - Full Access Control
- 2 - Partial Access Control
- 3 - No Access Control

Base Type

- F - Crack and Seat
- H - Rubblize and Roll
- I - Aggregate Base 304 or Traffic Compacted
- K - Water Bound Macadam
- L - Bituminous Concrete Mix or Penetration Macadam
- N - Plain Concrete
- P - Reinforced Concrete
- R - Brick (Flexible)
- T - Brick (Rigid)

Direction of Travel

- B - Both (Two-way)
- F - One-way Cardinal
- T - One-way Non-cardinal

Facility Type

- 1 - One-way Roadway
- 2 - Two-way Roadway
- 4 - Ramp
- 5 - Non-mainline
- 6 - Non-inventory Direction
- 7 - Planned / Unbuilt

Historical Federal Aid Indicator

- N - Not a FAP Route
- Y - FAP Route

Functional Classification

- 01 - Interstate
- 02 - Principal Arterial (Freeways)
- 03 - Principal Arterial (Other)
- 04 - Minor Arterial
- 05 - Major Collector
- 06 - Minor Collector
- 07 - Local

Leave / Reenter Indicator

- Y - Route leaves/reenters at this point
- N - Route does not leave/reenter at this point

Median Type

- 1 - None
- 2 - Unprotected
- 3 - Curbed
- 4 - Positive Barrier (Unspecified)
- 5 - Positive Barrier (Flexible)
- 6 - Positive Barrier (Semi-rigid)
- 7 - Positive Barrier (Rigid)

NHS

- N - National Highway System
- H - Congressional Corridor
- 2 - Major Airport
- 3 - Major Port Facility
- 4 - Major Amtrak Station
- 5 - Major Rail / Truck Terminal
- 6 - Major Intercity Bus Terminal
- 7 - Major Public Transit / Multi-modal Passenger Terminal
- 8 - Major Pipeline Terminal
- 9 - Major Ferry Terminal

Priority System

- G - General
- P - Priority System
- U - Urban

Scenic Byway Code

- A - All American Road
- N - National Scenic Byway
- S - State Scenic Byway

Shoulder Type

- 1 - None
- 2 - Surfaced shoulder exists (bituminous concrete {AC})
- 3 - Surfaced shoulder exists (Portland Cement Concrete {PCC})
- 4 - Stabilized shoulder exists (gravel or other granular material)
- 5 - Combination shoulder exists (two or more surface types)
- 6 - Earth shoulder exists
- 7 - Barrier curb exists; no shoulder in front of curb

Surface Type

- A - Combination
- B - Brick
- C - Continuous Reinforced Concrete
- D - Reinforced Concrete
- E - Plain Concrete
- G - Bituminous Concrete
- I - Chipseal on Granular
- K - Open Graded Bituminous
- L - Chipseal or Micro
- M - Gravel
- U - Unimproved
- X - Right of Way Only