


SHANSR00568**C



Surface Type & Width (Left / Right)

G 40'	G 36'	G 32'	G (20'/2')
0.144 - 0.323	0.323 - 0.792	0.792 - 0.942	0.942 - 2.567

Base Type (Left / Right)

T	K / I
0.144 - 0.942	0.942 - 2.567

Shoulder Type & Width (Left / Right)

1 (0'/0')	2 (5'/5')
0.144 - 0.942	0.942 - 1.958

Through Lanes

4	2
0.144 - 0.323	0.323 - 11.257

Street Name

E SANDUSKY ST
0.144 - 2.058

- Non-divided Highway
- Divided Highway
- Secondary Segment
- Corporation
- Bridge (on route)
- Underpass
- Overpass
- Railroad (at grade)
- Railroad (underpass)
- Railroad (overpass)
- Intersection

Created on: 6/30/2025


transportation.ohio.gov

Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SHANSR00568**C

State True Log

County True Log



Surface Type & Width (Left / Right)

G (20'12") 0.942 - 2.567	G 24' 2.567 - 2.946	G (20'12") 2.946 - 11.257
-----------------------------	------------------------	------------------------------

Base Type (Left / Right)

K / I 0.942 - 2.567	I 2.567 - 2.946	K / I 2.946 - 11.257
------------------------	--------------------	-------------------------

Shoulder Type & Width (Left / Right)

2 (4'4") 1.958 - 2.567	2 (10'10") 2.567 - 2.946	2 (8'8") 2.946 - 11.257
---------------------------	-----------------------------	----------------------------

Through Lanes

	2 0.323 - 11.257	
--	---------------------	--

Street Name

E SANDUSKY ST 0.144 - 2.058	SR 568 2.058 - 11.257	
--------------------------------	--------------------------	--

- Non-divided Highway
- Divided Highway
- Secondary Segment
- Corporation**
- Bridge (on route)
- Underpass
- Overpass
- Railroad (at grade)
- Railroad (underpass)
- Railroad (overpass)
- Intersection

Created on: 6/30/2025

transportation.ohio.gov


Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SHANSR00568**C

State True Log

4

County True Log



Surface Type & Width (Left / Right)

G (20'/2')
2.946 - 11.257

Base Type (Left / Right)

K / I
2.946 - 11.257

Shoulder Type & Width (Left / Right)

2 (8'/8')
2.946 - 11.257

Through Lanes

2
0.323 - 11.257

Street Name

SR 568
2.058 - 11.257

- Non-divided Highway
- Divided Highway
- Secondary Segment
- Corporation
- Bridge (on route)
- Underpass
- Overpass
- Railroad (at grade)
- Railroad (underpass)
- Railroad (overpass)
- Intersection

Created on: 6/30/2025


transportation.ohio.gov

Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SHANSR00568**C

State True Log

County True Log



Surface Type & Width (Left / Right)

G (20'/2')
2.946 - 11.257

Base Type (Left / Right)

K / I
2.946 - 11.257

Shoulder Type & Width (Left / Right)

2 (8'/8')
2.946 - 11.257

Through Lanes

2
0.323 - 11.257

Street Name

SR 568
2.058 - 11.257

- | | | | |
|--|---|---|---|
| <ul style="list-style-type: none"> Non-divided Highway Divided Highway Secondary Segment Corporation | <ul style="list-style-type: none"> Bridge (on route) Underpass Overpass | <ul style="list-style-type: none"> Railroad (at grade) Railroad (underpass) Railroad (overpass) | <ul style="list-style-type: none"> Intersection |
|--|---|---|---|

Created on: 6/30/2025


transportation.ohio.gov

Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SHANSR00568**C

State True Log

County True Log



Surface Type & Width (Left / Right)

G (20'/2')
2.946 - 11.257

Base Type (Left / Right)

K / I
2.946 - 11.257

Shoulder Type & Width (Left / Right)

2 (8'/8')
2.946 - 11.257

Resurface Year

2020

5.542 - 5.599

Through Lanes

2
0.323 - 11.257

Street Name

SR 568
2.058 - 11.257

- | | | | |
|--|---|---|---|
| <ul style="list-style-type: none"> Non-divided Highway Divided Highway Secondary Segment Corporation | <ul style="list-style-type: none"> Bridge (on route) Underpass Overpass | <ul style="list-style-type: none"> Railroad (at grade) Railroad (underpass) Railroad (overpass) | <ul style="list-style-type: none"> Intersection |
|--|---|---|---|

Created on: 6/30/2025

transportation.ohio.gov

Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SHANSR00568**C

State True Log

7

County True Log

6.00

6.25

6.50

6.75

7.00



Surface Type & Width (Left / Right)

G (20'/2')
2.946 - 11.257

Base Type (Left / Right)

K / I
2.946 - 11.257

Shoulder Type & Width (Left / Right)

2 (8'/8')
2.946 - 11.257

Through Lanes

2
0.323 - 11.257

Street Name

SR 568
2.058 - 11.257

- | | | | |
|--|---|---|---|
| <ul style="list-style-type: none"> Non-divided Highway Divided Highway Secondary Segment Corporation | <ul style="list-style-type: none"> Bridge (on route) Underpass Overpass | <ul style="list-style-type: none"> Railroad (at grade) Railroad (underpass) Railroad (overpass) | <ul style="list-style-type: none"> Intersection |
|--|---|---|---|

Created on: 6/30/2025


transportation.ohio.gov

Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SHANSR00568**C

State True Log

County True Log



Surface Type & Width (Left / Right)

G (20'/2')
2.946 - 11.257

Base Type (Left / Right)

K / I
2.946 - 11.257

Shoulder Type & Width (Left / Right)

2 (8'/8')
2.946 - 11.257

Through Lanes

2
0.323 - 11.257

Street Name

SR 568
2.058 - 11.257

- | | | | |
|---------------------|-------------------|----------------------|--------------|
| Non-divided Highway | Bridge (on route) | Railroad (at grade) | Intersection |
| Divided Highway | Underpass | Railroad (underpass) | |
| Secondary Segment | Overpass | Railroad (overpass) | |
| Corporation | | | |

Created on: 6/30/2025




transportation.ohio.gov
Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SHANSR00568**C

State True Log

County True Log



Surface Type & Width (Left / Right)

G (20'/2')
2.946 - 11.257

Base Type (Left / Right)

K / I
2.946 - 11.257

Shoulder Type & Width (Left / Right)

2 (8'/8')
2.946 - 11.257

Through Lanes

2
0.323 - 11.257

Street Name

SR 568
2.058 - 11.257


- | | | | |
|---------------------|-------------------|----------------------|--------------|
| Non-divided Highway | Bridge (on route) | Railroad (at grade) | Intersection |
| Divided Highway | Underpass | Railroad (underpass) | |
| Secondary Segment | Overpass | Railroad (overpass) | |
| Corporation | | | |

Created on: 6/30/2025

SHANSR00568**C

State True Log

County True Log



Surface Type & Width (Left / Right)

G (20'/2')
2.946 - 11.257

Base Type (Left / Right)

K / I
2.946 - 11.257

Shoulder Type & Width (Left / Right)

2 (8'/8')
2.946 - 11.257

Through Lanes

2
0.323 - 11.257

Street Name

SR 568
2.058 - 11.257

- Non-divided Highway
 Bridge (on route)
 Railroad (at grade)
 Intersection
- Divided Highway
 Underpass
 Railroad (underpass)
- Secondary Segment
 Overpass
 Railroad (overpass)
- Corporation**

Created on: 6/30/2025



transportation.ohio.gov

Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SHANSR00568**C

State True Log

11

County True Log

10.00

10.25

10.50

10.75

11.00



Surface Type & Width (Left / Right)

G (20'/2')
2.946 - 11.257

Base Type (Left / Right)

K / I
2.946 - 11.257

Shoulder Type & Width (Left / Right)

2 (8'/8')
2.946 - 11.257

Through Lanes

2
0.323 - 11.257

Street Name

SR 568
2.058 - 11.257

- | | | | |
|---------------------|-------------------|----------------------|--------------|
| Non-divided Highway | Bridge (on route) | Railroad (at grade) | Intersection |
| Divided Highway | Underpass | Railroad (underpass) | |
| Secondary Segment | Overpass | Railroad (overpass) | |
| Corporation | | | |

Created on: 6/30/2025



transportation.ohio.gov
Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SHANSR00568**C

State True Log
County True Log



Surface Type & Width (Left / Right)

G (20'2')
2.946 - 11.257

Base Type (Left / Right)

K / I
2.946 - 11.257

Shoulder Type & Width (Left / Right)

2 (8'8')
2.946 - 11.257

Through Lanes

2
0.323 - 11.257

Street Name

SR 568
2.058 - 11.257

- | | | | |
|---------------------|-------------------|----------------------|--------------|
| Non-divided Highway | Bridge (on route) | Railroad (at grade) | Intersection |
| Divided Highway | Underpass | Railroad (underpass) | |
| Secondary Segment | Overpass | Railroad (overpass) | |
| Corporation | | | |

Created on: 6/30/2025

Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

Historical Project List for SHANSR00568**C

Begin Measure	End Measure	Project ID Number	Construction Completion Date	Treatment Category	Treatment Type
0.144	0.234	93651	11-2017	Minor Rehabilitation	50-AC Overlay w/o Rpr
2.105	11.257	93678	10-2018	Minor Rehabilitation	50-AC Overlay w/o Rpr

Roadway Codes

Access Control Journalized

- F - Full Access Control
- L - Limited Access Control
- N - No Access Control

Access Control Operational

- 1 - Full Access Control
- 2 - Partial Access Control
- 3 - No Access Control

Base Type

- F - Crack and Seat
- H - Rubblize and Roll
- I - Aggregate Base 304 or Traffic Compacted
- K - Water Bound Macadam
- L - Bituminous Concrete Mix or Penetration Macadam
- N - Plain Concrete
- P - Reinforced Concrete
- R - Brick (Flexible)
- T - Brick (Rigid)

Direction of Travel

- B - Both (Two-way)
- F - One-way Cardinal
- T - One-way Non-cardinal

Facility Type

- 1 - One-way Roadway
- 2 - Two-way Roadway
- 4 - Ramp
- 5 - Non-mainline
- 6 - Non-inventory Direction
- 7 - Planned / Unbuilt

Historical Federal Aid Indicator

- N - Not a FAP Route
- Y - FAP Route

Functional Classification

- 01 - Interstate
- 02 - Principal Arterial (Freeways)
- 03 - Principal Arterial (Other)
- 04 - Minor Arterial
- 05 - Major Collector
- 06 - Minor Collector
- 07 - Local

Leave / Reenter Indicator

- Y - Route leaves/reenters at this point
- N - Route does not leave/reenter at this point

Median Type

- 1 - None
- 2 - Unprotected
- 3 - Curbed
- 4 - Positive Barrier (Unspecified)
- 5 - Positive Barrier (Flexible)
- 6 - Positive Barrier (Semi-rigid)
- 7 - Positive Barrier (Rigid)

NHS

- N - National Highway System
- H - Congressional Corridor
- 2 - Major Airport
- 3 - Major Port Facility
- 4 - Major Amtrak Station
- 5 - Major Rail / Truck Terminal
- 6 - Major Intercity Bus Terminal
- 7 - Major Public Transit / Multi-modal Passenger Terminal
- 8 - Major Pipeline Terminal
- 9 - Major Ferry Terminal

Priority System

- G - General
- P - Priority System
- U - Urban

Scenic Byway Code

- A - All American Road
- N - National Scenic Byway
- S - State Scenic Byway

Shoulder Type

- 1 - None
- 2 - Surfaced shoulder exists (bituminous concrete {AC})
- 3 - Surfaced shoulder exists (Portland Cement Concrete {PCC})
- 4 - Stabilized shoulder exists (gravel or other granular material)
- 5 - Combination shoulder exists (two or more surface types)
- 6 - Earth shoulder exists
- 7 - Barrier curb exists; no shoulder in front of curb

Surface Type

- A - Combination
- B - Brick
- C - Continuous Reinforced Concrete
- D - Reinforced Concrete
- E - Plain Concrete
- G - Bituminous Concrete
- I - Chipseal on Granular
- K - Open Graded Bituminous
- L - Chipseal or Micro
- M - Gravel
- U - Unimproved
- X - Right of Way Only