


# SHOCSR00180\*\*C

State True Log 13.05

14.05

County True Log



**Surface Type & Width (Left / Right)**

G 44'	G 20'
0.056 - 0.182	0.182 - 2.326

**Base Type (Left / Right)**

I
0.056 - 14.356

**Shoulder Type & Width (Left / Right)**

1 (0'/0')	2 (7'/8')	2 (3'/3')
0.056 - 0.182	0.182 - 0.386	0.386 - 7.323

**Resurface Year**

2020	2022
0.056 - 0.403	0.403 - 7.323

**Through Lanes**

4	2
0.056 - 0.182	0.182 - 16.548

**Street Name**

MAIN ST	SR 180
0.056 - 0.374	0.374 - 16.548

- Non-divided Highway
- Divided Highway
- Secondary Segment
- Corporation
- Bridge (on route)
- Underpass
- Overpass
- Railroad (at grade)
- Railroad (underpass)
- Railroad (overpass)
- Intersection

Created on: 7/1/2025

transportation.ohio.gov


Prepared by  
The Ohio Department of Transportation  
Office of Technical Services  
Roadway Information

# SHOCSR00180\*\*C

State True Log

15.05

County True Log



Surface Type & Width (Left / Right)

G 20'  
0.182 - 2.326

Base Type (Left / Right)

I  
0.056 - 14.356

Shoulder Type & Width (Left / Right)

2 (3/3)  
0.386 - 7.323

Resurface Year

2022  
0.403 - 7.323

Through Lanes

2  
0.182 - 16.548

Street Name

SR 180  
0.374 - 16.548

- |                     |                   |                      |              |
|---------------------|-------------------|----------------------|--------------|
| Non-divided Highway | Bridge (on route) | Railroad (at grade)  | Intersection |
| Divided Highway     | Underpass         | Railroad (underpass) |              |
| Secondary Segment   | Overpass          | Railroad (overpass)  |              |
| Corporation         |                   |                      |              |

Created on: 7/1/2025

transportation.ohio.gov


Prepared by  
The Ohio Department of Transportation  
Office of Technical Services  
Roadway Information

# SHOCSR00180\*\*C

State True Log

16.05

County True Log



**Surface Type & Width (Left / Right)**

G 20'	G 18'
0.182 - 2.326	2.326 - 7.323

**Base Type (Left / Right)**

I	
0.056 - 14.356	

**Shoulder Type & Width (Left / Right)**

2 (3/3')	
0.386 - 7.323	

**Resurface Year**

2022	
0.403 - 7.323	

**Through Lanes**

2	
0.182 - 16.548	

**Street Name**

SR 180	
0.374 - 16.548	

- |  |   |   |   |
|--|---|---|---|
| <ul style="list-style-type: none"> <li> Non-divided Highway</li> <li> Divided Highway</li> <li> Secondary Segment</li> <li> Corporation</li> </ul> | <ul style="list-style-type: none"> <li> Bridge (on route)</li> <li> Underpass</li> <li> Overpass</li> </ul> | <ul style="list-style-type: none"> <li> Railroad (at grade)</li> <li> Railroad (underpass)</li> <li> Railroad (overpass)</li> </ul> | <ul style="list-style-type: none"> <li> Intersection</li> </ul> |
|--|---|---|---|

Created on: 7/1/2025

transportation.ohio.gov


Prepared by  
The Ohio Department of Transportation  
Office of Technical Services  
Roadway Information

# SHOCSR00180\*\*C

State True Log

17.05

County True Log



Surface Type & Width (Left / Right)

	G 18'
	2.326 - 7.323

Base Type (Left / Right)

	I
	0.056 - 14.356

Shoulder Type & Width (Left / Right)

	2 (3/3')
	0.386 - 7.323

Resurface Year

	2022
	0.403 - 7.323

Through Lanes

	2
	0.182 - 16.548

Street Name

	SR 180
	0.374 - 16.548

- |                     |                   |                      |              |
|---------------------|-------------------|----------------------|--------------|
| Non-divided Highway | Bridge (on route) | Railroad (at grade)  | Intersection |
| Divided Highway     | Underpass         | Railroad (underpass) |              |
| Secondary Segment   | Overpass          | Railroad (overpass)  |              |
| Corporation         |                   |                      |              |

Created on: 7/1/2025

transportation.ohio.gov


Prepared by  
The Ohio Department of Transportation  
Office of Technical Services  
Roadway Information

# SHOCSR00180\*\*C

State True Log

18.05

County True Log



Surface Type & Width (Left / Right)

G 18'  
2.326 - 7.323

Base Type (Left / Right)

I  
0.056 - 14.356

Shoulder Type & Width (Left / Right)

2 (3/3)  
0.386 - 7.323

Resurface Year

2022  
0.403 - 7.323

Through Lanes

2  
0.182 - 16.548

Street Name

SR 180  
0.374 - 16.548

- Non-divided Highway
- Divided Highway
- Secondary Segment
- Corporation
- Bridge (on route)
- Underpass
- Overpass
- Railroad (at grade)
- Railroad (underpass)
- Railroad (overpass)
- Intersection

Created on: 7/1/2025

transportation.ohio.gov

Prepared by  
The Ohio Department of Transportation  
Office of Technical Services  
Roadway Information

# SHOCSR00180\*\*C

State True Log

19.05

County True Log



Surface Type & Width (Left / Right)

	G 18'
	2.326 - 7.323

Base Type (Left / Right)

	I
	0.056 - 14.356

Shoulder Type & Width (Left / Right)

	2 (3/3')
	0.386 - 7.323

Resurface Year

	2022
	0.403 - 7.323

Through Lanes

	2
	0.182 - 16.548

Street Name

	SR 180
	0.374 - 16.548

- |                     |                   |                      |              |
|---------------------|-------------------|----------------------|--------------|
| Non-divided Highway | Bridge (on route) | Railroad (at grade)  | Intersection |
| Divided Highway     | Underpass         | Railroad (underpass) |              |
| Secondary Segment   | Overpass          | Railroad (overpass)  |              |
| Corporation         |                   |                      |              |

Created on: 7/1/2025

transportation.ohio.gov

Prepared by  
The Ohio Department of Transportation  
Office of Technical Services  
Roadway Information

# SHOCSR00180\*\*C

State True Log

20.05

County True Log



6.279  
NOTESTONE RD

6.707  
LOG HOME RD

Surface Type & Width (Left / Right)

G 18'  
2.326 - 7.323

Base Type (Left / Right)

I  
0.056 - 14.356

Shoulder Type & Width (Left / Right)

2 (3/3)  
0.386 - 7.323

Resurface Year

2022  
0.403 - 7.323

Through Lanes

2  
0.182 - 16.548

Street Name

SR 180  
0.374 - 16.548

- |                     |                   |                      |              |
|---------------------|-------------------|----------------------|--------------|
| Non-divided Highway | Bridge (on route) | Railroad (at grade)  | Intersection |
| Divided Highway     | Underpass         | Railroad (underpass) |              |
| Secondary Segment   | Overpass          | Railroad (overpass)  |              |
| Corporation         |                   |                      |              |

Created on: 7/1/2025

transportation.ohio.gov


Prepared by  
The Ohio Department of Transportation  
Office of Technical Services  
Roadway Information

# SHOCSR00180\*\*C


State True Log

21.05


County True Log




**Surface Type & Width (Left / Right)**




**Base Type (Left / Right)**




**Shoulder Type & Width (Left / Right)**




**Resurface Year**



**Through Lanes**



**Street Name**



- |                     |                   |                      |              |
|---------------------|-------------------|----------------------|--------------|
| Non-divided Highway | Bridge (on route) | Railroad (at grade)  | Intersection |
| Divided Highway     | Underpass         | Railroad (underpass) |              |
| Secondary Segment   | Overpass          | Railroad (overpass)  |              |
| Corporation         |                   |                      |              |

Created on: 7/1/2025




Prepared by  
The Ohio Department of Transportation  
Office of Technical Services  
Roadway Information

# SHOCSR00180\*\*C

State True Log

22.05

County True Log



Surface Type & Width (Left / Right)

G 20'  
7.323 - 16.03

Base Type (Left / Right)

I  
0.056 - 14.356

Shoulder Type & Width (Left / Right)

2 (5/5)  
7.323 - 14.356

Through Lanes

2  
0.182 - 16.548

Street Name

SR 180  
0.374 - 16.548

- |                     |                   |                      |              |
|---------------------|-------------------|----------------------|--------------|
| Non-divided Highway | Bridge (on route) | Railroad (at grade)  | Intersection |
| Divided Highway     | Underpass         | Railroad (underpass) |              |
| Secondary Segment   | Overpass          | Railroad (overpass)  |              |
| Corporation         |                   |                      |              |

Created on: 7/1/2025




Prepared by  
The Ohio Department of Transportation  
Office of Technical Services  
Roadway Information

# SHOCSR00180\*\*C

State True Log

23.05

County True Log



Surface Type & Width (Left / Right)

	G 20'
	7.323 - 16.03

Base Type (Left / Right)

	I
	0.056 - 14.356

Shoulder Type & Width (Left / Right)

	2 (5/5)
	7.323 - 14.356

Through Lanes

	2
	0.182 - 16.548

Street Name

	SR 180
	0.374 - 16.548

- Non-divided Highway
- Divided Highway
- Secondary Segment
- Corporation**
- Bridge (on route)
- Underpass
- Overpass
- Railroad (at grade)
- Railroad (underpass)
- Railroad (overpass)
- Intersection

Created on: 7/1/2025

transportation.ohio.gov

Prepared by  
The Ohio Department of Transportation  
Office of Technical Services  
Roadway Information

# SHOCSR00180\*\*C



Surface Type & Width (Left / Right)	G 20'
	7.323 - 16.03
Base Type (Left / Right)	I
	0.056 - 14.356
Shoulder Type & Width (Left / Right)	2 (5/5')
	7.323 - 14.356

Through Lanes	2
	0.182 - 16.548
Street Name	SR 180
	0.374 - 16.548

Non-divided Highway	Bridge (on route)	Railroad (at grade)	Intersection
Divided Highway	Underpass	Railroad (underpass)	
Secondary Segment	Overpass	Railroad (overpass)	
Corporation			


Created on: 7/1/2025



transportation.ohio.gov

Prepared by  
The Ohio Department of Transportation  
Office of Technical Services  
Roadway Information

# SHOCSR00180\*\*C



Surface Type & Width (Left / Right)	G 20'
	7.323 - 16.03
Base Type (Left / Right)	I
	0.056 - 14.356
Shoulder Type & Width (Left / Right)	2 (5/5')
	7.323 - 14.356
Through Lanes	2
	0.182 - 16.548
Street Name	SR 180
	0.374 - 16.548

<ul style="list-style-type: none"> <li> Non-divided Highway</li> <li> Divided Highway</li> <li> Secondary Segment</li> <li> Corporation</li> </ul>	<ul style="list-style-type: none"> <li> Bridge (on route)</li> <li> Underpass</li> <li> Overpass</li> </ul>	<ul style="list-style-type: none"> <li> Railroad (at grade)</li> <li> Railroad (underpass)</li> <li> Railroad (overpass)</li> </ul>	<ul style="list-style-type: none"> <li> Intersection</li> </ul>
--	---	---	---

Created on: 7/1/2025

transportation.ohio.gov

Prepared by  
The Ohio Department of Transportation  
Office of Technical Services  
Roadway Information

# SHOCSR00180\*\*C

State True Log

26.05

County True Log

12.00

12.25

12.50

12.75

13.00



Surface Type & Width (Left / Right)

G 20'  
7.323 - 16.03

Base Type (Left / Right)

I  
0.056 - 14.356

Shoulder Type & Width (Left / Right)

2 (5/5)  
7.323 - 14.356

Through Lanes

2  
0.182 - 16.548

Street Name

SR 180  
0.374 - 16.548


- |                     |                   |                      |              |
|---------------------|-------------------|----------------------|--------------|
| Non-divided Highway | Bridge (on route) | Railroad (at grade)  | Intersection |
| Divided Highway     | Underpass         | Railroad (underpass) |              |
| Secondary Segment   | Overpass          | Railroad (overpass)  |              |
| Corporation         |                   |                      |              |

Created on: 7/1/2025

transportation.ohio.gov

Prepared by  
The Ohio Department of Transportation  
Office of Technical Services  
Roadway Information

# SHOCSR00180\*\*C



Surface Type & Width (Left / Right)

G 20'  
7.323 - 16.03

Base Type (Left / Right)

I  
0.056 - 14.356

Shoulder Type & Width (Left / Right)

2 (5/5)  
7.323 - 14.356

Through Lanes

2  
0.182 - 16.548

Street Name

SR 180  
0.374 - 16.548

- Non-divided Highway
  Bridge (on route)
  Railroad (at grade)
  Intersection
- Divided Highway
  Underpass
  Railroad (underpass)
- Secondary Segment
  Overpass
  Railroad (overpass)
- Corporation**

Created on: 7/1/2025



transportation.ohio.gov  
 Prepared by  
 The Ohio Department of Transportation  
 Office of Technical Services  
 Roadway Information

# SHOCSR00180\*\*C

State True Log

28.05

County True Log

14.00

14.25

14.50

14.75

15.00



Surface Type & Width (Left / Right)

G 20'	7.323 - 16.03
-------	---------------

Base Type (Left / Right)

I	K
0.056 - 14.356	14.356 - 16.03

Shoulder Type & Width (Left / Right)

2 (5/5')	2 (8/8')
7.323 - 14.356	14.356 - 16.03

Through Lanes

2	0.182 - 16.548
---	----------------

Street Name

SR 180	0.374 - 16.548
--------	----------------


- |  |   |   |   |
|--|---|---|---|
| <ul style="list-style-type: none"> <li> Non-divided Highway</li> <li> Divided Highway</li> <li> Secondary Segment</li> <li> Corporation</li> </ul> | <ul style="list-style-type: none"> <li> Bridge (on route)</li> <li> Underpass</li> <li> Overpass</li> </ul> | <ul style="list-style-type: none"> <li> Railroad (at grade)</li> <li> Railroad (underpass)</li> <li> Railroad (overpass)</li> </ul> | <ul style="list-style-type: none"> <li> Intersection</li> </ul> |
|--|---|---|---|

Created on: 7/1/2025

transportation.ohio.gov

Prepared by  
The Ohio Department of Transportation  
Office of Technical Services  
Roadway Information

# SHOCSR00180\*\*C



Surface Type & Width (Left / Right)	G 20'
	7.323 - 16.03
Base Type (Left / Right)	K
	14.356 - 16.03
Shoulder Type & Width (Left / Right)	2 (8/8')
	14.356 - 16.03
Through Lanes	2
	0.182 - 16.548
Street Name	SR 180
	0.374 - 16.548

	Non-divided Highway		Bridge (on route)		Railroad (at grade)		Intersection
	Divided Highway		Underpass		Railroad (underpass)		
	Secondary Segment		Overpass		Railroad (overpass)		
	<b>Corporation</b>						

Created on: 7/1/2025

transportation.ohio.gov


Prepared by  
The Ohio Department of Transportation  
Office of Technical Services  
Roadway Information

# SHOCSR00180\*\*C

State True  
Log

29.598

County True  
Log



**Surface Type & Width (Left / Right)**

G 20'	G 24'	G 32'
7.323 - 16.03	16.03 - 16.237	16.237 - 16.548

**Base Type (Left / Right)**

K	L
14.356 - 16.03	16.03 - 16.548

**Shoulder Type & Width (Left / Right)**

2 (8/8')	2 (4/4')	2 (8/12')
14.356 - 16.03	16.03 - 16.237	16.237 - 16.548

**Median Type and Width**

2 ( 9999' )
16.237 - 16.548

**Through Lanes**

2
0.182 - 16.548

**Street Name**


SR 180
0.374 - 16.548

- |  |   |   |   |
|--|---|---|---|
| <ul style="list-style-type: none"> <li> Non-divided Highway</li> <li> Divided Highway</li> <li> Secondary Segment</li> <li> Corporation</li> </ul> | <ul style="list-style-type: none"> <li> Bridge (on route)</li> <li> Underpass</li> <li> Overpass</li> </ul> | <ul style="list-style-type: none"> <li> Railroad (at grade)</li> <li> Railroad (underpass)</li> <li> Railroad (overpass)</li> </ul> | <ul style="list-style-type: none"> <li> Intersection</li> </ul> |
|--|---|---|---|

Created on: 7/1/2025

transportation.ohio.gov

Prepared by  
The Ohio Department of Transportation  
Office of Technical Services  
Roadway Information



INTERCHANGE  
 US 33 & SR 180  
 HOCKING COUNTY  
 INTERCHANGE ID NUMBER = 047800

## Historical Project List for SHOCSR00180\*\*C

Begin Measure	End Measure	Project ID Number	Construction Completion Date	Treatment Category	Treatment Type
0.056	0.386	110795	5-2021	Minor Rehabilitation	60-AC Overlay w/Rpr
0.056	0.386	76154	9-2007	Minor Rehabilitation	50-AC Overlay w/o Rpr
0.386	7.323	102693	8-2022	Preventive Maintenance	25-Chip Seal
0.386	7.323	81350	5-2007	Preventive Maintenance	30-Microsurfacing
0.483	7.323	83709	11-2013	Minor Rehabilitation	50-AC Overlay w/o Rpr
7.323	16.442	96642	5-2019	Minor Rehabilitation	38-Fine Poly AC Overlay
7.323	16.442	79077	6-2010	Minor Rehabilitation	50-AC Overlay w/o Rpr
16.030	16.442	81431	7-2008	Minor Rehabilitation	50-AC Overlay w/o Rpr

# Roadway Codes

## Access Control Journalized

- F - Full Access Control
- L - Limited Access Control
- N - No Access Control

## Access Control Operational

- 1 - Full Access Control
- 2 - Partial Access Control
- 3 - No Access Control

## Base Type

- F - Crack and Seat
- H - Rubblize and Roll
- I - Aggregate Base 304 or Traffic Compacted
- K - Water Bound Macadam
- L - Bituminous Concrete Mix or Penetration Macadam
- N - Plain Concrete
- P - Reinforced Concrete
- R - Brick (Flexible)
- T - Brick (Rigid)

## Direction of Travel

- B - Both (Two-way)
- F - One-way Cardinal
- T - One-way Non-cardinal

## Facility Type

- 1 - One-way Roadway
- 2 - Two-way Roadway
- 4 - Ramp
- 5 - Non-mainline
- 6 - Non-inventory Direction
- 7 - Planned / Unbuilt

## Historical Federal Aid Indicator

- N - Not a FAP Route
- Y - FAP Route

## Functional Classification

- 01 - Interstate
- 02 - Principal Arterial (Freeways)
- 03 - Principal Arterial (Other)
- 04 - Minor Arterial
- 05 - Major Collector
- 06 - Minor Collector
- 07 - Local

## Leave / Reenter Indicator

- Y - Route leaves/reenters at this point
- N - Route does not leave/reenter at this point

## Median Type

- 1 - None
- 2 - Unprotected
- 3 - Curbed
- 4 - Positive Barrier (Unspecified)
- 5 - Positive Barrier (Flexible)
- 6 - Positive Barrier (Semi-rigid)
- 7 - Positive Barrier (Rigid)

## NHS

- N - National Highway System
- H - Congressional Corridor
- 2 - Major Airport
- 3 - Major Port Facility
- 4 - Major Amtrak Station
- 5 - Major Rail / Truck Terminal
- 6 - Major Intercity Bus Terminal
- 7 - Major Public Transit / Multi-modal Passenger Terminal
- 8 - Major Pipeline Terminal
- 9 - Major Ferry Terminal

## Priority System

- G - General
- P - Priority System
- U - Urban

## Scenic Byway Code

- A - All American Road
- N - National Scenic Byway
- S - State Scenic Byway

## Shoulder Type

- 1 - None
- 2 - Surfaced shoulder exists (bituminous concrete {AC})
- 3 - Surfaced shoulder exists (Portland Cement Concrete {PCC})
- 4 - Stabilized shoulder exists (gravel or other granular material)
- 5 - Combination shoulder exists (two or more surface types)
- 6 - Earth shoulder exists
- 7 - Barrier curb exists; no shoulder in front of curb

## Surface Type

- A - Combination
- B - Brick
- C - Continuous Reinforced Concrete
- D - Reinforced Concrete
- E - Plain Concrete
- G - Bituminous Concrete
- I - Chipseal on Granular
- K - Open Graded Bituminous
- L - Chipseal or Micro
- M - Gravel
- U - Unimproved
- X - Right of Way Only