


SJACSR00327**C



Surface Type & Width (Left / Right)		
G 24' 0 - 0.114	G 20' 0.114 - 1.059	
Base Type (Left / Right)		
I 0 - 0.114	K 0.114 - 0.331	I 0.331 - 6.747
Shoulder Type & Width (Left / Right)		
5 (3/3') 0 - 0.114	5 (2/2') 0.114 - 1.059	
Through Lanes		
2 0 - 6.747		
Street Name		
SR 327 0 - 6.747		

- Non-divided Highway
- Divided Highway
- Secondary Segment
- Corporation
- Bridge (on route)
- Underpass
- Overpass
- Railroad (at grade)
- Railroad (underpass)
- Railroad (overpass)
- Intersection


Created on: 7/1/2025

transportation.ohio.gov


Prepared by
 The Ohio Department of Transportation
 Office of Technical Services
 Roadway Information



INTERCHANGE
US 35 & SR 327
JACKSON COUNTY
INTERCHANGE ID NUMBER = 049100



SJACSR00327**C



Surface Type & Width (Left / Right)		
G 20'	G 22'	G 20'
0.114 - 1.059	1.059 - 1.52	1.52 - 6.747
Base Type (Left / Right)		
I		
0.331 - 6.747		
Shoulder Type & Width (Left / Right)		
5 (2 1/2')	5 (1 1/1')	5 (2 1/2')
0.114 - 1.059	1.059 - 1.52	1.52 - 6.699
Through Lanes		
2		
0 - 6.747		
Street Name		
SR 327		
0 - 6.747		

Non-divided Highway	Bridge (on route)	Railroad (at grade)	Intersection
Divided Highway	Underpass	Railroad (underpass)	
Secondary Segment	Overpass	Railroad (overpass)	
Corporation			

Created on: 7/1/2025




transportation.ohio.gov

Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SJACSR00327**C

State True Log

County True Log



Surface Type & Width (Left / Right)	G 20' 1.52 - 6.747
Base Type (Left / Right)	I 0.331 - 6.747
Shoulder Type & Width (Left / Right)	5 (2/2) 1.52 - 6.699
Through Lanes	2 0 - 6.747
Street Name	SR 327 0 - 6.747

<ul style="list-style-type: none"> Non-divided Highway Divided Highway Secondary Segment Corporation 	<ul style="list-style-type: none"> Bridge (on route) Underpass Overpass 	<ul style="list-style-type: none"> Railroad (at grade) Railroad (underpass) Railroad (overpass) 	<ul style="list-style-type: none"> Intersection
--	---	---	---

Created on: 7/1/2025

transportation.ohio.gov

Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SJACSR00327**C

State True Log

4

County True Log


3.00

3.25

3.50

3.75

4.00



Surface Type & Width (Left / Right)

G 20'
1.52 - 6.747

Base Type (Left / Right)

I
0.331 - 6.747

Shoulder Type & Width (Left / Right)

5 (2/2)
1.52 - 6.699

Through Lanes

2
0 - 6.747

Street Name


SR 327
0 - 6.747

- | | | | |
|---------------------|-------------------|----------------------|--------------|
| Non-divided Highway | Bridge (on route) | Railroad (at grade) | Intersection |
| Divided Highway | Underpass | Railroad (underpass) | |
| Secondary Segment | Overpass | Railroad (overpass) | |
| Corporation | | | |

Created on: 7/1/2025

Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SJACSR00327**C



Surface Type & Width (Left / Right)	G 20'
	1.52 - 6.747
Base Type (Left / Right)	I
	0.331 - 6.747
Shoulder Type & Width (Left / Right)	5 (2/2')
	1.52 - 6.699
Through Lanes	2
	0 - 6.747
Street Name	SR 327
	0 - 6.747


- | | | | |
|---------------------|-------------------|----------------------|--------------|
| Non-divided Highway | Bridge (on route) | Railroad (at grade) | Intersection |
| Divided Highway | Underpass | Railroad (underpass) | |
| Secondary Segment | Overpass | Railroad (overpass) | |
| Corporation | | | |

Created on: 7/1/2025

transportation.ohio.gov

Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SJACSR00327**C



Surface Type & Width (Left / Right)	G 20'
	1.52 - 6.747
Base Type (Left / Right)	I
	0.331 - 6.747
Shoulder Type & Width (Left / Right)	5 (2'/2')
	1.52 - 6.699
Through Lanes	2
	0 - 6.747
Street Name	SR 327
	0 - 6.747

Non-divided Highway	Bridge (on route)	Railroad (at grade)	Intersection
Divided Highway	Underpass	Railroad (underpass)	
Secondary Segment	Overpass	Railroad (overpass)	
Corporation			


Created on: 7/1/2025



transportation.ohio.gov

Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SJACSR00327**C



Surface Type & Width (Left / Right)	G 20'
	1.52 - 6.747
Base Type (Left / Right)	I
	0.331 - 6.747
Shoulder Type & Width (Left / Right)	5 (2' ¹ / ₂ ') 2 (3' ¹ / ₃)
	1.52 - 6.699 6.699 - 6.747
Through Lanes	2
	0 - 6.747
Street Name	SR 327
	0 - 6.747


Non-divided Highway	Bridge (on route)	Railroad (at grade)	Intersection
Divided Highway	Underpass	Railroad (underpass)	
Secondary Segment	Overpass	Railroad (overpass)	
Corporation			

Created on: 7/1/2025

transportation.ohio.gov

Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SJACSR00327**C




Surface Type & Width (Left / Right)	
G 36' 7.202 - 7.474	G (24'/10') 7.474 - 8.057
Base Type (Left / Right)	
L 7.202 - 7.474	I / L 7.474 - 8.057
Shoulder Type & Width (Left / Right)	
5 (11'/11') 7.202 - 7.474	5 (1'/1') 7.474 - 8.057
Through Lanes	
2 7.202 - 8.911	
Street Name	
SR 327 7.202 - 7.617	S PENNSYLVANIA AVE 7.617 - 8.911

- Non-divided Highway
- Divided Highway
- Secondary Segment
- Corporation
- Bridge (on route)
- Underpass
- Overpass
- Railroad (at grade)
- Railroad (underpass)
- Railroad (overpass)
- Intersection

Created on: 7/1/2025



transportation.ohio.gov
Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information



INTERCHANGE
SRs 32, 124 & 327
JACKSON COUNTY
INTERCHANGE ID NUMBER = 049250


SR 32 SHEET 4 OF 5
SR 124 SHEET 2 OF 3
SR 327 SHEET 2 OF 5

REVISED Jan 2015

SJACSR00327**C

State True Log

County True Log



Surface Type & Width (Left / Right)

G (24'/10')	G 24'	
7.474 - 8.057	8.057 - 8.911	

Base Type (Left / Right)

I / L	I	R
7.474 - 8.057	8.057 - 8.666	8.666 - 8.911

Shoulder Type & Width (Left / Right)

5 (1'/1')	5 (4'/4')	1 (0'/0')
7.474 - 8.057	8.057 - 8.666	8.666 - 8.911

Through Lanes

	2	
	7.202 - 8.911	

Street Name

	S PENNSYLVANIA AVE	
	7.617 - 8.911	


- Non-divided Highway
- Divided Highway
- Secondary Segment
- Corporation
- Bridge (on route)
- Underpass
- Overpass
- Railroad (at grade)
- Railroad (underpass)
- Railroad (overpass)
- Intersection

Created on: 7/1/2025



transportation.ohio.gov
Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SJACSR00327**C



Surface Type & Width (Left / Right)	
G 52'	G 24'
9.758 - 9.891	9.891 - 10.227
Base Type (Left / Right)	
R	
9.758 - 10.227	
Shoulder Type & Width (Left / Right)	
1 (0'0')	
9.758 - 10.227	
Median Type and Width	
3 (20')	
9.758 - 9.884	
Through Lanes	
2	
9.758 - 21.189	
Street Name	
E BROADWAY ST	W BROADWAY ST
9.758 - 9.884	9.884 - 10.227

- Non-divided Highway
- Divided Highway
- Secondary Segment
- Corporation
- Bridge (on route)
- Underpass
- Overpass
- Railroad (at grade)
- Railroad (underpass)
- Railroad (overpass)
- Intersection

Created on: 7/1/2025




transportation.ohio.gov
 Prepared by
 The Ohio Department of Transportation
 Office of Technical Services
 Roadway Information

SJACSR00327**C

State True Log

County True Log



Surface Type & Width (Left / Right)

G 24'	G 20'	G 28'	G 20'
9.891 - 10.227	10.227 - 10.418	10.418 - 10.478	10.478 - 11.913

Base Type (Left / Right)

R	K	I
9.758 - 10.227	10.227 - 10.949	10.949 - 21.189

Shoulder Type & Width (Left / Right)

1 (0'/0')	2 (1'/1')	1 (0'/0')	5 (1'/1')
9.758 - 10.227	10.227 - 10.418	10.418 - 10.478	10.478 - 21.189

Through Lanes

2
9.758 - 21.189

Street Name

W BROADWAY ST	N MINNESOTA AVE
9.884 - 10.227	10.227 - 11.596


- Non-divided Highway
- Divided Highway
- Secondary Segment
- Corporation
- Bridge (on route)
- Underpass
- Overpass
- Railroad (at grade)
- Railroad (underpass)
- Railroad (overpass)
- Intersection

Created on: 7/1/2025

transportation.ohio.gov

Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SJACSR00327**C



Surface Type & Width (Left / Right)

G 20' 10.478 - 11.913	G 18' 11.913 - 21.189
--------------------------	--------------------------

Base Type (Left / Right)

I 10.949 - 21.189	
----------------------	--

Shoulder Type & Width (Left / Right)

5 (1/1') 10.478 - 21.189	
-----------------------------	--

Through Lanes

2 9.758 - 21.189	
---------------------	--

Street Name

N MINNESOTA AVE 10.227 - 11.596	SR 327 11.596 - 21.189
------------------------------------	---------------------------


- Non-divided Highway
- Divided Highway
- Secondary Segment
- Corporation**
- Bridge (on route)
- Underpass
- Overpass
- Railroad (at grade)
- Railroad (underpass)
- Railroad (overpass)
- Intersection

Created on: 7/1/2025

transportation.ohio.gov

Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SJACSR00327**C



Surface Type & Width (Left / Right)	G 18'	11.913 - 21.189
Base Type (Left / Right)	I	10.949 - 21.189
Shoulder Type & Width (Left / Right)	5 (1/1')	10.478 - 21.189
Through Lanes	2	9.758 - 21.189
Street Name	SR 327	11.596 - 21.189

Non-divided Highway	Bridge (on route)	Railroad (at grade)	Intersection
Divided Highway	Underpass	Railroad (underpass)	
Secondary Segment	Overpass	Railroad (overpass)	
Corporation			


Created on: 7/1/2025



transportation.ohio.gov

Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SJACSR00327**C



Surface Type & Width (Left / Right)	G 18'	11.913 - 21.189
Base Type (Left / Right)	I	10.949 - 21.189
Shoulder Type & Width (Left / Right)	5 (1/1')	10.478 - 21.189
Through Lanes	2	9.758 - 21.189
Street Name	SR 327	11.596 - 21.189


Non-divided Highway	Bridge (on route)	Railroad (at grade)	Intersection
Divided Highway	Underpass	Railroad (underpass)	
Secondary Segment	Overpass	Railroad (overpass)	
Corporation			

Created on: 7/1/2025



transportation.ohio.gov
 Prepared by
 The Ohio Department of Transportation
 Office of Technical Services
 Roadway Information

SJACSR00327**C



Surface Type & Width (Left / Right)	G 18'
	11.913 - 21.189
Base Type (Left / Right)	I
	10.949 - 21.189
Shoulder Type & Width (Left / Right)	5 (1/1')
	10.478 - 21.189
Through Lanes	2
	9.758 - 21.189
Street Name	SR 327
	11.596 - 21.189

Non-divided Highway	Bridge (on route)	Railroad (at grade)	Intersection
Divided Highway	Underpass	Railroad (underpass)	
Secondary Segment	Overpass	Railroad (overpass)	
Corporation			


Created on: 7/1/2025

transportation.ohio.gov

Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SJACSR00327**C

State True Log
County True Log



Surface Type & Width (Left / Right)

	G 18'
	11.913 - 21.189

Base Type (Left / Right)

	I
	10.949 - 21.189

Shoulder Type & Width (Left / Right)

	5 (1/1')
	10.478 - 21.189

Through Lanes

	2
	9.758 - 21.189

Street Name

	SR 327
	11.596 - 21.189

- | | | | |
|---------------------|-------------------|----------------------|--------------|
| Non-divided Highway | Bridge (on route) | Railroad (at grade) | Intersection |
| Divided Highway | Underpass | Railroad (underpass) | |
| Secondary Segment | Overpass | Railroad (overpass) | |
| Corporation | | | |

Created on: 7/1/2025


transportation.ohio.gov

Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SJACSR00327**C

State True Log

County True Log



Surface Type & Width (Left / Right)

G 18'
11.913 - 21.189

Base Type (Left / Right)

I
10.949 - 21.189

Shoulder Type & Width (Left / Right)

5 (1/1')
10.478 - 21.189

Through Lanes

2
9.758 - 21.189

Street Name

SR 327
11.596 - 21.189

- Non-divided Highway
 Bridge (on route)
 Railroad (at grade)
 Intersection
- Divided Highway
 Underpass
 Railroad (underpass)
- Secondary Segment
 Overpass
 Railroad (overpass)
- Corporation**

Created on: 7/1/2025




transportation.ohio.gov

Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SJACSR00327**C

State True Log
County True Log



Surface Type & Width (Left / Right)

G 18'
11.913 - 21.189

Base Type (Left / Right)

I
10.949 - 21.189

Shoulder Type & Width (Left / Right)

5 (1/1')
10.478 - 21.189

Through Lanes

2
9.758 - 21.189

Street Name

SR 327
11.596 - 21.189

- | | | | | | | | |
|--|---------------------|--|-------------------|--|----------------------|--|--------------|
| | Non-divided Highway | | Bridge (on route) | | Railroad (at grade) | | Intersection |
| | Divided Highway | | Underpass | | Railroad (underpass) | | |
| | Secondary Segment | | Overpass | | Railroad (overpass) | | |
| | Corporation | | | | | | |


Created on: 7/1/2025



transportation.ohio.gov
Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SJACSR00327**C

State True Log
County True Log



Surface Type & Width (Left / Right)	G 18'
	11.913 - 21.189
Base Type (Left / Right)	I
	10.949 - 21.189
Shoulder Type & Width (Left / Right)	5 (1/1')
	10.478 - 21.189
Through Lanes	2
	9.758 - 21.189
Street Name	SR 327
	11.596 - 21.189

- | | | | |
|---------------------|-------------------|----------------------|--------------|
| Non-divided Highway | Bridge (on route) | Railroad (at grade) | Intersection |
| Divided Highway | Underpass | Railroad (underpass) | |
| Secondary Segment | Overpass | Railroad (overpass) | |
| Corporation | | | |


Created on: 7/1/2025

transportation.ohio.gov

Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SJACSR00327**C

State True Log
County True Log



Surface Type & Width (Left / Right)

G 18'
11.913 - 21.189

Base Type (Left / Right)

I
10.949 - 21.189

Shoulder Type & Width (Left / Right)

5 (1/1')
10.478 - 21.189

Through Lanes

2
9.758 - 21.189

Street Name

SR 327
11.596 - 21.189


- | | | | |
|---------------------|-------------------|----------------------|--------------|
| Non-divided Highway | Bridge (on route) | Railroad (at grade) | Intersection |
| Divided Highway | Underpass | Railroad (underpass) | |
| Secondary Segment | Overpass | Railroad (overpass) | |
| Corporation | | | |

Created on: 7/1/2025



transportation.ohio.gov
 Prepared by
 The Ohio Department of Transportation
 Office of Technical Services
 Roadway Information

SJACSR00327**C



Surface Type & Width (Left / Right)	G 18'
	11.913 - 21.189
Base Type (Left / Right)	I
	10.949 - 21.189
Shoulder Type & Width (Left / Right)	5 (1/1')
	10.478 - 21.189
Through Lanes	2
	9.758 - 21.189
Street Name	SR 327
	11.596 - 21.189

- | | | | |
|---------------------|-------------------|----------------------|--------------|
| Non-divided Highway | Bridge (on route) | Railroad (at grade) | Intersection |
| Divided Highway | Underpass | Railroad (underpass) | |
| Secondary Segment | Overpass | Railroad (overpass) | |
| Corporation | | | |

Created on: 7/1/2025

transportation.ohio.gov


Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SJACSR00327**C

State True Log

21.189

County True Log



Surface Type & Width (Left / Right)

G 18'

11.913 - 21.189

Base Type (Left / Right)

I

10.949 - 21.189

Shoulder Type & Width (Left / Right)

5 (1/1')

10.478 - 21.189

Through Lanes

2

9.758 - 21.189

Street Name

SR 327

11.596 - 21.189

- | | | | |
|--|---|---|---|
| <ul style="list-style-type: none"> Non-divided Highway Divided Highway Secondary Segment Corporation | <ul style="list-style-type: none"> Bridge (on route) Underpass Overpass | <ul style="list-style-type: none"> Railroad (at grade) Railroad (underpass) Railroad (overpass) | <ul style="list-style-type: none"> Intersection |
|--|---|---|---|

Created on: 7/1/2025

transportation.ohio.gov

Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

Historical Project List for SJACSR00327**C

Begin Measure	End Measure	Project ID Number	Construction Completion Date	Treatment Category	Treatment Type
0.000	6.080	99480	12-2016	Minor Rehabilitation	50-AC Overlay w/o Rpr
0.000	6.020	79969	8-2011	Preventive Maintenance	25-Chip Seal
1.020	1.520	83786	7-2010	Minor Rehabilitation	60-AC Overlay w/Rpr
5.590	6.760	19249	10-2005	Minor Rehabilitation	60-AC Overlay w/Rpr
6.080	6.760	98152	6-2019	Minor Rehabilitation	50-AC Overlay w/o Rpr
7.220	8.930	98152	6-2019	Minor Rehabilitation	50-AC Overlay w/o Rpr
9.790	11.620	98152	6-2019	Minor Rehabilitation	50-AC Overlay w/o Rpr
10.240	11.580	25386	5-2006	Minor Rehabilitation	60-AC Overlay w/Rpr
11.580	21.240	25386	5-2006	Minor Rehabilitation	60-AC Overlay w/Rpr
11.620	21.240	98153	12-2018	Minor Rehabilitation	60-AC Overlay w/Rpr

Roadway Codes

Access Control Journalized

- F - Full Access Control
- L - Limited Access Control
- N - No Access Control

Access Control Operational

- 1 - Full Access Control
- 2 - Partial Access Control
- 3 - No Access Control

Base Type

- F - Crack and Seat
- H - Rubblize and Roll
- I - Aggregate Base 304 or Traffic Compacted
- K - Water Bound Macadam
- L - Bituminous Concrete Mix or Penetration Macadam
- N - Plain Concrete
- P - Reinforced Concrete
- R - Brick (Flexible)
- T - Brick (Rigid)

Direction of Travel

- B - Both (Two-way)
- F - One-way Cardinal
- T - One-way Non-cardinal

Facility Type

- 1 - One-way Roadway
- 2 - Two-way Roadway
- 4 - Ramp
- 5 - Non-mainline
- 6 - Non-inventory Direction
- 7 - Planned / Unbuilt

Historical Federal Aid Indicator

- N - Not a FAP Route
- Y - FAP Route

Functional Classification

- 01 - Interstate
- 02 - Principal Arterial (Freeways)
- 03 - Principal Arterial (Other)
- 04 - Minor Arterial
- 05 - Major Collector
- 06 - Minor Collector
- 07 - Local

Leave / Reenter Indicator

- Y - Route leaves/reenters at this point
- N - Route does not leave/reenter at this point

Median Type

- 1 - None
- 2 - Unprotected
- 3 - Curbed
- 4 - Positive Barrier (Unspecified)
- 5 - Positive Barrier (Flexible)
- 6 - Positive Barrier (Semi-rigid)
- 7 - Positive Barrier (Rigid)

NHS

- N - National Highway System
- H - Congressional Corridor
- 2 - Major Airport
- 3 - Major Port Facility
- 4 - Major Amtrak Station
- 5 - Major Rail / Truck Terminal
- 6 - Major Intercity Bus Terminal
- 7 - Major Public Transit / Multi-modal Passenger Terminal
- 8 - Major Pipeline Terminal
- 9 - Major Ferry Terminal

Priority System

- G - General
- P - Priority System
- U - Urban

Scenic Byway Code

- A - All American Road
- N - National Scenic Byway
- S - State Scenic Byway

Shoulder Type

- 1 - None
- 2 - Surfaced shoulder exists (bituminous concrete {AC})
- 3 - Surfaced shoulder exists (Portland Cement Concrete {PCC})
- 4 - Stabilized shoulder exists (gravel or other granular material)
- 5 - Combination shoulder exists (two or more surface types)
- 6 - Earth shoulder exists
- 7 - Barrier curb exists; no shoulder in front of curb

Surface Type

- A - Combination
- B - Brick
- C - Continuous Reinforced Concrete
- D - Reinforced Concrete
- E - Plain Concrete
- G - Bituminous Concrete
- I - Chipseal on Granular
- K - Open Graded Bituminous
- L - Chipseal or Micro
- M - Gravel
- U - Unimproved
- X - Right of Way Only