


SLAWSR00217**C



Surface Type & Width (Left / Right)	G 18' 0 - 2.896
Base Type (Left / Right)	I 0 - 2.896
Shoulder Type & Width (Left / Right)	4 (0'/0') 0 - 2.896
Through Lanes	2 0 - 17.411
Street Name	SR 217 0 - 17.411

- Non-divided Highway
- Divided Highway
- Secondary Segment
- Corporation
- Bridge (on route)
- Underpass
- Overpass
- Railroad (at grade)
- Railroad (underpass)
- Railroad (overpass)
- Intersection

Created on: 7/1/2025

transportation.ohio.gov
 Prepared by
 The Ohio Department of Transportation
 Office of Technical Services
 Roadway Information

SLAWSR00217**C

State True Log

2

County True Log



1.043
TWP RD 201 N

Surface Type & Width (Left / Right)

G 18'
0 - 2.896

Base Type (Left / Right)

I
0 - 2.896

Shoulder Type & Width (Left / Right)

4 (0/0)
0 - 2.896

Through Lanes

2
0 - 17.411

Street Name

SR 217
0 - 17.411

- Non-divided Highway
 Bridge (on route)
 Railroad (at grade)
 Intersection
- Divided Highway
 Underpass
 Railroad (underpass)
- Secondary Segment
 Overpass
 Railroad (overpass)
- Corporation**

Created on: 7/1/2025




transportation.ohio.gov

Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SLAWSR00217**C

State True Log

County True Log



Surface Type & Width (Left / Right)

	G 18'	G 22'
	0 - 2.896	2.896 - 3.109

Base Type (Left / Right)

	I	L
	0 - 2.896	2.896 - 3.109

Shoulder Type & Width (Left / Right)

	4 (0'/0')	2 (4'/4')
	0 - 2.896	2.896 - 3.109

Through Lanes

	2
	0 - 17.411

Street Name

	SR 217
	0 - 17.411

- | | | | |
|--|---|---|---|
| <ul style="list-style-type: none"> Non-divided Highway Divided Highway Secondary Segment Corporation | <ul style="list-style-type: none"> Bridge (on route) Underpass Overpass | <ul style="list-style-type: none"> Railroad (at grade) Railroad (underpass) Railroad (overpass) | <ul style="list-style-type: none"> Intersection |
|--|---|---|---|

Created on: 7/1/2025

transportation.ohio.gov

Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SLAWSR00217**C

State True Log

4

County True Log



Surface Type & Width (Left / Right)

G 22' 2.896 - 3.109	G 18' 3.109 - 8.593
------------------------	------------------------

Base Type (Left / Right)

L 2.896 - 3.109	I 3.109 - 17.411
--------------------	---------------------

Shoulder Type & Width (Left / Right)

2 (4/4') 2.896 - 3.109	4 (0/0') 3.109 - 17.411
---------------------------	----------------------------

Through Lanes

	2 0 - 17.411
--	-----------------

Street Name

	SR 217 0 - 17.411
--	----------------------

- Non-divided Highway
 Bridge (on route)
 Railroad (at grade)
 Intersection
- Divided Highway
 Underpass
 Railroad (underpass)
- Secondary Segment
 Overpass
 Railroad (overpass)
- Corporation**

Created on: 7/1/2025

transportation.ohio.gov

Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SLAWSR00217**C

State True Log

5

County True Log

4.00

4.25

4.50

4.75

5.00



Surface Type & Width (Left / Right)

	G 18'
	3.109 - 8.593

Base Type (Left / Right)

	I
	3.109 - 17.411

Shoulder Type & Width (Left / Right)

	4 (0'/0')
	3.109 - 17.411

Through Lanes

	2
	0 - 17.411

Street Name

	SR 217
	0 - 17.411


- | | | | |
|---------------------|-------------------|----------------------|--------------|
| Non-divided Highway | Bridge (on route) | Railroad (at grade) | Intersection |
| Divided Highway | Underpass | Railroad (underpass) | |
| Secondary Segment | Overpass | Railroad (overpass) | |
| Corporation | | | |

Created on: 7/1/2025

transportation.ohio.gov

Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SLAWSR00217**C



Surface Type & Width (Left / Right)	G 18'
	3.109 - 8.593
Base Type (Left / Right)	I
	3.109 - 17.411
Shoulder Type & Width (Left / Right)	4 (0'/0')
	3.109 - 17.411
Through Lanes	2
	0 - 17.411
Street Name	SR 217
	0 - 17.411

Non-divided Highway	Bridge (on route)	Railroad (at grade)	Intersection
Divided Highway	Underpass	Railroad (underpass)	
Secondary Segment	Overpass	Railroad (overpass)	
Corporation			


Created on: 7/1/2025



transportation.ohio.gov

Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SLAWSR00217**C



Surface Type & Width (Left / Right)	G 18'
	3.109 - 8.593
Base Type (Left / Right)	I
	3.109 - 17.411
Shoulder Type & Width (Left / Right)	4 (0/0')
	3.109 - 17.411
Through Lanes	2
	0 - 17.411
Street Name	SR 217
	0 - 17.411

- Non-divided Highway
- Divided Highway
- Secondary Segment
- Corporation
- Bridge (on route)
- Underpass
- Overpass
- Railroad (at grade)
- Railroad (underpass)
- Railroad (overpass)
- Intersection

Created on: 7/1/2025



transportation.ohio.gov

Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SLAWSR00217**C

State True Log

8

County True Log

7.00

7.25

7.50

7.75

8.00

7.517
TWP RD 7653
TWP RD 79

Surface Type & Width (Left / Right)

G 18'
3.109 - 8.593

Base Type (Left / Right)

I
3.109 - 17.411

Shoulder Type & Width (Left / Right)












4 (0/0)
3.109 - 17.411

Through Lanes

2
0 - 17.411

Street Name

SR 217
0 - 17.411

- | | | | |
|---|---|--|--|
|  Non-divided Highway |  Bridge (on route) |  Railroad (at grade) |  Intersection |
|  Divided Highway |  Underpass |  Railroad (underpass) | |
|  Secondary Segment |  Overpass |  Railroad (overpass) | |
|  Corporation | | | |

Created on: 7/1/2025




transportation.ohio.gov

Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SLAWSR00217**C

State True Log

County True Log



Surface Type & Width (Left / Right)

G 18'	G 24'	G 18'
3.109 - 8.593	8.593 - 8.793	8.793 - 13.528

Base Type (Left / Right)

I		
3.109 - 17.411		

Shoulder Type & Width (Left / Right)

4 (0/0')		
3.109 - 17.411		

Through Lanes

2		
0 - 17.411		

Street Name

SR 217		
0 - 17.411		

- | | | | |
|---------------------|-------------------|----------------------|--------------|
| Non-divided Highway | Bridge (on route) | Railroad (at grade) | Intersection |
| Divided Highway | Underpass | Railroad (underpass) | |
| Secondary Segment | Overpass | Railroad (overpass) | |
| Corporation | | | |

Created on: 7/1/2025


transportation.ohio.gov

Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SLAWSR00217**C

State True Log

County True Log



Surface Type & Width (Left / Right)

G 18'
8.793 - 13.528

Base Type (Left / Right)

I
3.109 - 17.411

Shoulder Type & Width (Left / Right)

4 (0/0)
3.109 - 17.411

Through Lanes

2
0 - 17.411

Street Name

SR 217
0 - 17.411


- | | | | |
|---------------------|-------------------|----------------------|--------------|
| Non-divided Highway | Bridge (on route) | Railroad (at grade) | Intersection |
| Divided Highway | Underpass | Railroad (underpass) | |
| Secondary Segment | Overpass | Railroad (overpass) | |
| Corporation | | | |

Created on: 7/1/2025


 transportation.ohio.gov
 Prepared by
 The Ohio Department of Transportation
 Office of Technical Services
 Roadway Information

SLAWSR00217**C

State True Log
County True Log



Surface Type & Width (Left / Right)

G 18'
8.793 - 13.528

Base Type (Left / Right)

I
3.109 - 17.411

Shoulder Type & Width (Left / Right)

4 (0/0)
3.109 - 17.411

Resurface Year

2023
10.667 - 10.957

Through Lanes

2
0 - 17.411

Street Name

SR 217
0 - 17.411

- Non-divided Highway
 Bridge (on route)
 Railroad (at grade)
 Intersection
- Divided Highway
 Underpass
 Railroad (underpass)
- Secondary Segment
 Overpass
 Railroad (overpass)
- Corporation**

Created on: 7/1/2025




transportation.ohio.gov

Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SLAWSR00217**C

State True Log
County True Log



Surface Type & Width (Left / Right)

G 18'
8.793 - 13.528

Base Type (Left / Right)

I
3.109 - 17.411

Shoulder Type & Width (Left / Right)

4 (0/0)
3.109 - 17.411

Through Lanes

2
0 - 17.411

Street Name

SR 217
0 - 17.411

- | | | | |
|---------------------|-------------------|----------------------|--------------|
| Non-divided Highway | Bridge (on route) | Railroad (at grade) | Intersection |
| Divided Highway | Underpass | Railroad (underpass) | |
| Secondary Segment | Overpass | Railroad (overpass) | |
| Corporation | | | |


Created on: 7/1/2025



transportation.ohio.gov
Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SLAWSR00217**C

State True Log
County True Log



Surface Type & Width (Left / Right)

G 18'
8.793 - 13.528

Base Type (Left / Right)

I
3.109 - 17.411

Shoulder Type & Width (Left / Right)

4 (0/0)
3.109 - 17.411

Through Lanes

2
0 - 17.411

Street Name

SR 217
0 - 17.411

- | | | | |
|---------------------|-------------------|----------------------|--------------|
| Non-divided Highway | Bridge (on route) | Railroad (at grade) | Intersection |
| Divided Highway | Underpass | Railroad (underpass) | |
| Secondary Segment | Overpass | Railroad (overpass) | |
| Corporation | | | |


Created on: 7/1/2025



transportation.ohio.gov
 Prepared by
 The Ohio Department of Transportation
 Office of Technical Services
 Roadway Information

SLAWSR00217**C

State True Log
County True Log



Surface Type & Width (Left / Right)

G 18' 8.793 - 13.528	G 20' 13.528 - 13.707	G 18' 13.707 - 17.411
-------------------------	--------------------------	--------------------------

Base Type (Left / Right)

I 3.109 - 17.411

Shoulder Type & Width (Left / Right)

4 (0'/0') 3.109 - 17.411

Resurface Year

2020 13.548 - 17.381

Through Lanes

2 0 - 17.411

Street Name

SR 217 0 - 17.411

- Non-divided Highway
- Divided Highway
- Secondary Segment
- Corporation
- Bridge (on route)
- Underpass
- Overpass
- Railroad (at grade)
- Railroad (underpass)
- Railroad (overpass)
- Intersection


Created on: 7/1/2025

transportation.ohio.gov

Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SLAWSR00217**C

State True Log
County True Log



Surface Type & Width (Left / Right)	G 18' 13.707 - 17.411
Base Type (Left / Right)	I 3.109 - 17.411
Shoulder Type & Width (Left / Right)	4 (0/0) 3.109 - 17.411
Resurface Year	2020 13.548 - 17.381
Through Lanes	2 0 - 17.411
Street Name	SR 217 0 - 17.411


- Non-divided Highway
- Divided Highway
- Secondary Segment
- Corporation
- Bridge (on route)
- Underpass
- Overpass
- Railroad (at grade)
- Railroad (underpass)
- Railroad (overpass)
- Intersection

Created on: 7/1/2025

transportation.ohio.gov
Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SLAWSR00217**C

State True Log
County True Log



Surface Type & Width (Left / Right)

G 18'
13.707 - 17.411

Base Type (Left / Right)

I
3.109 - 17.411

Shoulder Type & Width (Left / Right)

4 (0/0)
3.109 - 17.411

Resurface Year

2020
13.548 - 17.381

Through Lanes

2
0 - 17.411

Street Name

SR 217
0 - 17.411

- Non-divided Highway
- Divided Highway
- Secondary Segment
- Corporation
- Bridge (on route)
- Underpass
- Overpass
- Railroad (at grade)
- Railroad (underpass)
- Railroad (overpass)
- Intersection

Created on: 7/1/2025

transportation.ohio.gov
Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SLAWSR00217**C

State True Log

17

County True Log

16.00

16.25

16.50

16.75

17.00



Surface Type & Width (Left / Right)

G 18'
13.707 - 17.411

Base Type (Left / Right)

I
3.109 - 17.411

Shoulder Type & Width (Left / Right)

4 (0/0)
3.109 - 17.411

Resurface Year

2020

Through Lanes

2
13.548 - 17.381

Street Name

SR 217
0 - 17.411

- | | | | |
|---------------------|-------------------|----------------------|--------------|
| Non-divided Highway | Bridge (on route) | Railroad (at grade) | Intersection |
| Divided Highway | Underpass | Railroad (underpass) | |
| Secondary Segment | Overpass | Railroad (overpass) | |
| Corporation | | | |

Created on: 7/1/2025




transportation.ohio.gov
Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SLAWSR00217**C

17.411

State True Log

County True Log



Surface Type & Width (Left / Right)

G 18'
13.707 - 17.411

Base Type (Left / Right)

I
3.109 - 17.411

Shoulder Type & Width (Left / Right)

4 (0'/0')
3.109 - 17.411

Resurface Year

2020
13.548 - 17.381

Through Lanes

2
0 - 17.411

Street Name

SR 217
0 - 17.411

- Non-divided Highway
- Divided Highway
- Secondary Segment
- Corporation
- Bridge (on route)
- Underpass
- Overpass
- Railroad (at grade)
- Railroad (underpass)
- Railroad (overpass)
- Intersection

Created on: 7/1/2025



transportation.ohio.gov

Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

Historical Project List for SLAWSR00217**C

Begin Measure	End Measure	Project ID Number	Construction Completion Date	Treatment Category	Treatment Type
0.000	8.703	87258	7-2014	Minor Rehabilitation	50-AC Overlay w/o Rpr
8.593	13.528	81735	8-2012	Preventive Maintenance	25-Chip Seal
8.613	10.708	19253	8-2003	Minor Rehabilitation	60-AC Overlay w/Rpr
10.700	10.980	114524	12-2023	Minor Rehabilitation	50-AC Overlay w/o Rpr
13.518	17.411	79993	6-2009	Minor Rehabilitation	60-AC Overlay w/Rpr
13.548	17.411	100849	9-2020	Minor Rehabilitation	50-AC Overlay w/o Rpr

Roadway Codes

Access Control Journalized

- F - Full Access Control
- L - Limited Access Control
- N - No Access Control

Access Control Operational

- 1 - Full Access Control
- 2 - Partial Access Control
- 3 - No Access Control

Base Type

- F - Crack and Seat
- H - Rubblize and Roll
- I - Aggregate Base 304 or Traffic Compacted
- K - Water Bound Macadam
- L - Bituminous Concrete Mix or Penetration Macadam
- N - Plain Concrete
- P - Reinforced Concrete
- R - Brick (Flexible)
- T - Brick (Rigid)

Direction of Travel

- B - Both (Two-way)
- F - One-way Cardinal
- T - One-way Non-cardinal

Facility Type

- 1 - One-way Roadway
- 2 - Two-way Roadway
- 4 - Ramp
- 5 - Non-mainline
- 6 - Non-inventory Direction
- 7 - Planned / Unbuilt

Historical Federal Aid Indicator

- N - Not a FAP Route
- Y - FAP Route

Functional Classification

- 01 - Interstate
- 02 - Principal Arterial (Freeways)
- 03 - Principal Arterial (Other)
- 04 - Minor Arterial
- 05 - Major Collector
- 06 - Minor Collector
- 07 - Local

Leave / Reenter Indicator

- Y - Route leaves/reenters at this point
- N - Route does not leave/reenter at this point

Median Type

- 1 - None
- 2 - Unprotected
- 3 - Curbed
- 4 - Positive Barrier (Unspecified)
- 5 - Positive Barrier (Flexible)
- 6 - Positive Barrier (Semi-rigid)
- 7 - Positive Barrier (Rigid)

NHS

- N - National Highway System
- H - Congressional Corridor
- 2 - Major Airport
- 3 - Major Port Facility
- 4 - Major Amtrak Station
- 5 - Major Rail / Truck Terminal
- 6 - Major Intercity Bus Terminal
- 7 - Major Public Transit / Multi-modal Passenger Terminal
- 8 - Major Pipeline Terminal
- 9 - Major Ferry Terminal

Priority System

- G - General
- P - Priority System
- U - Urban

Scenic Byway Code

- A - All American Road
- N - National Scenic Byway
- S - State Scenic Byway

Shoulder Type

- 1 - None
- 2 - Surfaced shoulder exists (bituminous concrete {AC})
- 3 - Surfaced shoulder exists (Portland Cement Concrete {PCC})
- 4 - Stabilized shoulder exists (gravel or other granular material)
- 5 - Combination shoulder exists (two or more surface types)
- 6 - Earth shoulder exists
- 7 - Barrier curb exists; no shoulder in front of curb

Surface Type

- A - Combination
- B - Brick
- C - Continuous Reinforced Concrete
- D - Reinforced Concrete
- E - Plain Concrete
- G - Bituminous Concrete
- I - Chipseal on Granular
- K - Open Graded Bituminous
- L - Chipseal or Micro
- M - Gravel
- U - Unimproved
- X - Right of Way Only