


SMARSR00529**C



Surface Type & Width (Left / Right)	
G 24'	G 20' G 30' G 20'
0 - 0.462	0.462 - 0.743 0.743 - 0.762 0.762 - 2.966
Base Type (Left / Right)	
K	L K
0 - 0.743	0.743 - 0.981 0.981 - 2.966
Shoulder Type & Width (Left / Right)	
2 (4'/4')	2 (2'/2') 1 (0'/0') 2 (2'/2')
0 - 0.462	0.462 - 0.762 0.762 - 0.981 0.981 - 2.59
Resurface Year	
2021	
Through Lanes	
2	
Street Name	
RICHLAND RD	
0 - 2.59	

Non-divided Highway	Bridge (on route)	Railroad (at grade)	Intersection
Divided Highway	Underpass	Railroad (underpass)	
Secondary Segment	Overpass	Railroad (overpass)	
Corporation			

Created on: 7/2/2025


transportation.ohio.gov

Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SMARSR00529**C

State True Log

County True Log



Surface Type & Width (Left / Right)

G 20'
0.762 - 2.966

Base Type (Left / Right)

K
0.981 - 2.966

Shoulder Type & Width (Left / Right)

2 (2 1/2')
0.981 - 2.59

Resurface Year

2021
0 - 2.59

Through Lanes

2
0 - 9.292

Street Name


RICHLAND RD
0 - 2.59

- Non-divided Highway
- Divided Highway
- Secondary Segment
- Corporation
- Bridge (on route)
- Underpass
- Overpass
- Railroad (at grade)
- Railroad (underpass)
- Railroad (overpass)
- Intersection

Created on: 7/2/2025

transportation.ohio.gov
Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SMARSR00529**C



Surface Type & Width (Left / Right)	G 20'	G (12/8')	
	0.762 - 2.966	2.966 - 4.416	
Base Type (Left / Right)	K	K / I	
	0.981 - 2.966	2.966 - 4.416	
Shoulder Type & Width (Left / Right)	2 (2'/2')	2 (6'/6')	2 (4'/4')
	0.981 - 2.59	2.59 - 2.966	2.966 - 4.416
Resurface Year	2021	2023	
	0 - 2.59	2.59 - 9.29	
Through Lanes	2		
	0 - 9.292		
Street Name	RICHLAND RD	MARION-CARDINGTON RD	
	0 - 2.59	2.59 - 9.292	

- Non-divided Highway
- Divided Highway
- Secondary Segment
- Corporation
- Bridge (on route)
- Underpass
- Overpass
- Railroad (at grade)
- Railroad (underpass)
- Railroad (overpass)
- Intersection


Created on: 7/2/2025



transportation.ohio.gov

Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SMARSR00529**C



Surface Type & Width (Left / Right)	G (12'/8') 2.966 - 4.416
Base Type (Left / Right)	K / I 2.966 - 4.416
Shoulder Type & Width (Left / Right)	2 (4'/4') 2.966 - 4.416
Resurface Year	2023 2.59 - 9.29
Through Lanes	2 0 - 9.292
Street Name	MARION-CARDINGTON RD 2.59 - 9.292

Median Type and Width
3 (18')
 3.95 - 4.078


Non-divided Highway	Bridge (on route)	Railroad (at grade)	Intersection
Divided Highway	Underpass	Railroad (underpass)	
Secondary Segment	Overpass	Railroad (overpass)	
Corporation			

Created on: 7/2/2025

transportation.ohio.gov

Prepared by
 The Ohio Department of Transportation
 Office of Technical Services
 Roadway Information

SMARSR00529**C



Surface Type & Width (Left / Right)	
G (12'8") 2.966 - 4.416	G 20' 4.416 - 4.966
G (12'6") 4.966 - 5.67	
Base Type (Left / Right)	
K / I 2.966 - 4.416	K 4.416 - 4.966
K / I 4.966 - 5.67	
Shoulder Type & Width (Left / Right)	
2 (4'4") 2.966 - 4.416	2 (6'6") 4.416 - 9.292
Median Type and Width	
3 (18') 3 (8'7") 3 (18')	
3.95 - 4.078 4.078 - 4.092 4.092 - 4.165	
Resurface Year	
2023	
2.59 - 9.29	
Through Lanes	
2	
0 - 9.292	
Street Name	
MARION-CARDINGTON RD	
2.59 - 9.292	

- Non-divided Highway
- Divided Highway
- Secondary Segment
- Corporation
- Bridge (on route)
- Underpass
- Overpass
- Railroad (at grade)
- Railroad (underpass)
- Railroad (overpass)
- Intersection


Created on: 7/2/2025



transportation.ohio.gov

Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SMARSR00529**C



Surface Type & Width (Left / Right)		
G (12'/6')	G 20'	G (12'/6')
4.966 - 5.67	5.67 - 5.949	5.949 - 9.292
Base Type (Left / Right)		
K / I	I	K / I
4.966 - 5.67	5.67 - 5.949	5.949 - 9.292
Shoulder Type & Width (Left / Right)		
2 (6'/6')		
4.416 - 9.292		
Resurface Year		
2023		
2.59 - 9.29		
Through Lanes		
2		
0 - 9.292		
Street Name		
MARION-CARDINGTON RD		
2.59 - 9.292		

- Non-divided Highway
- Divided Highway
- Secondary Segment
- Corporation
- Bridge (on route)
- Underpass
- Overpass
- Railroad (at grade)
- Railroad (underpass)
- Railroad (overpass)
- Intersection

Created on: 7/2/2025

transportation.ohio.gov

Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SMARSR00529**C

State True Log

7

County True Log

6.00

6.25

6.50

6.75

7.00



Surface Type & Width (Left / Right)

G (12'/6')
5.949 - 9.292

Base Type (Left / Right)

K / I
5.949 - 9.292

Shoulder Type & Width (Left / Right)

2 (6'/6')
4.416 - 9.292

Resurface Year












2023
2.59 - 9.29

Through Lanes

2
0 - 9.292

Street Name

MARION-CARDINGTON RD
2.59 - 9.292


- | | | | |
|---|---|--|--|
|  Non-divided Highway |  Bridge (on route) |  Railroad (at grade) |  Intersection |
|  Divided Highway |  Underpass |  Railroad (underpass) | |
|  Secondary Segment |  Overpass |  Railroad (overpass) | |
|  Corporation | | | |

Created on: 7/2/2025



transportation.ohio.gov
 Prepared by
 The Ohio Department of Transportation
 Office of Technical Services
 Roadway Information

SMARSR00529**C



Surface Type & Width (Left / Right)	G (12'/6')
	5.949 - 9.292
Base Type (Left / Right)	K / I
	5.949 - 9.292
Shoulder Type & Width (Left / Right)	2 (6'/6')
	4.416 - 9.292
Resurface Year	2023
	2.59 - 9.29
Through Lanes	2
	0 - 9.292
Street Name	MARION-CARDINGTON RD
	2.59 - 9.292

- Non-divided Highway
- Divided Highway
- Secondary Segment
- Corporation
- Bridge (on route)
- Underpass
- Overpass
- Railroad (at grade)
- Railroad (underpass)
- Railroad (overpass)
- Intersection

Created on: 7/2/2025




transportation.ohio.gov

Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SMARSR00529**C

State True Log

County True Log



Surface Type & Width (Left / Right)

G (12'/6')
5.949 - 9.292

Base Type (Left / Right)

K / I
5.949 - 9.292

Shoulder Type & Width (Left / Right)

2 (6'/6')
4.416 - 9.292

Resurface Year

2023
2.59 - 9.29

Through Lanes

2
0 - 9.292

Street Name

MARION-CARDINGTON RD
2.59 - 9.292

- | | | | |
|---------------------|-------------------|----------------------|--------------|
| Non-divided Highway | Bridge (on route) | Railroad (at grade) | Intersection |
| Divided Highway | Underpass | Railroad (underpass) | |
| Secondary Segment | Overpass | Railroad (overpass) | |
| Corporation | | | |

Created on: 7/2/2025




transportation.ohio.gov
 Prepared by
 The Ohio Department of Transportation
 Office of Technical Services
 Roadway Information

SMARSR00529**C

State True Log

9.292

County True Log



Surface Type & Width (Left / Right)

G (12'/6')
5.949 - 9.292

Base Type (Left / Right)

K / I
5.949 - 9.292

Shoulder Type & Width (Left / Right)

2 (6'/6')
4.416 - 9.292

Resurface Year

2023
2.59 - 9.29

Through Lanes

2
0 - 9.292

Street Name

MARION-CARDINGTON RD
2.59 - 9.292

- | | | | |
|---------------------|-------------------|----------------------|--------------|
| Non-divided Highway | Bridge (on route) | Railroad (at grade) | Intersection |
| Divided Highway | Underpass | Railroad (underpass) | |
| Secondary Segment | Overpass | Railroad (overpass) | |
| Corporation | | | |

Created on: 7/2/2025



transportation.ohio.gov
 Prepared by
 The Ohio Department of Transportation
 Office of Technical Services
 Roadway Information

Historical Project List for SMARSR00529**C

Begin Measure	End Measure	Project ID Number	Construction Completion Date	Treatment Category	Treatment Type
0.000	0.460	106102	11-2021	Minor Rehabilitation	50-AC Overlay w/o Rpr
0.460	2.589	106102	11-2021	Minor Rehabilitation	60-AC Overlay w/Rpr
2.589	3.947	112818	10-2023	Major Rehabilitation	150-Full Depth Reclamation
3.947	4.168	109550	4-2023	New Construction	200-New Pavement
4.168	9.292	112818	10-2023	Major Rehabilitation	150-Full Depth Reclamation

Roadway Codes

Access Control Journalized

- F - Full Access Control
- L - Limited Access Control
- N - No Access Control

Access Control Operational

- 1 - Full Access Control
- 2 - Partial Access Control
- 3 - No Access Control

Base Type

- F - Crack and Seat
- H - Rubblize and Roll
- I - Aggregate Base 304 or Traffic Compacted
- K - Water Bound Macadam
- L - Bituminous Concrete Mix or Penetration Macadam
- N - Plain Concrete
- P - Reinforced Concrete
- R - Brick (Flexible)
- T - Brick (Rigid)

Direction of Travel

- B - Both (Two-way)
- F - One-way Cardinal
- T - One-way Non-cardinal

Facility Type

- 1 - One-way Roadway
- 2 - Two-way Roadway
- 4 - Ramp
- 5 - Non-mainline
- 6 - Non-inventory Direction
- 7 - Planned / Unbuilt

Historical Federal Aid Indicator

- N - Not a FAP Route
- Y - FAP Route

Functional Classification

- 01 - Interstate
- 02 - Principal Arterial (Freeways)
- 03 - Principal Arterial (Other)
- 04 - Minor Arterial
- 05 - Major Collector
- 06 - Minor Collector
- 07 - Local

Leave / Reenter Indicator

- Y - Route leaves/reenters at this point
- N - Route does not leave/reenter at this point

Median Type

- 1 - None
- 2 - Unprotected
- 3 - Curbed
- 4 - Positive Barrier (Unspecified)
- 5 - Positive Barrier (Flexible)
- 6 - Positive Barrier (Semi-rigid)
- 7 - Positive Barrier (Rigid)

NHS

- N - National Highway System
- H - Congressional Corridor
- 2 - Major Airport
- 3 - Major Port Facility
- 4 - Major Amtrak Station
- 5 - Major Rail / Truck Terminal
- 6 - Major Intercity Bus Terminal
- 7 - Major Public Transit / Multi-modal Passenger Terminal
- 8 - Major Pipeline Terminal
- 9 - Major Ferry Terminal

Priority System

- G - General
- P - Priority System
- U - Urban

Scenic Byway Code

- A - All American Road
- N - National Scenic Byway
- S - State Scenic Byway

Shoulder Type

- 1 - None
- 2 - Surfaced shoulder exists (bituminous concrete {AC})
- 3 - Surfaced shoulder exists (Portland Cement Concrete {PCC})
- 4 - Stabilized shoulder exists (gravel or other granular material)
- 5 - Combination shoulder exists (two or more surface types)
- 6 - Earth shoulder exists
- 7 - Barrier curb exists; no shoulder in front of curb

Surface Type

- A - Combination
- B - Brick
- C - Continuous Reinforced Concrete
- D - Reinforced Concrete
- E - Plain Concrete
- G - Bituminous Concrete
- I - Chipseal on Granular
- K - Open Graded Bituminous
- L - Chipseal or Micro
- M - Gravel
- U - Unimproved
- X - Right of Way Only