


SPUTSR00065**C



Surface Type & Width (Left / Right)	G 24'
	0 - 7.991
Base Type (Left / Right)	P
	0 - 8.067
Shoulder Type & Width (Left / Right)	
5 (3'/3')	5 (6'/6')
0 - 0.65	0.65 - 7.991
Through Lanes	2
	0 - 7.991
Street Name	
SR 65	VETERANS DR
0 - 0.58	0.58 - 1.446

<ul style="list-style-type: none"> Non-divided Highway Divided Highway Secondary Segment Corporation 	<ul style="list-style-type: none"> Bridge (on route) Underpass Overpass 	<ul style="list-style-type: none"> Railroad (at grade) Railroad (underpass) Railroad (overpass) 	<ul style="list-style-type: none"> Intersection
--	---	---	---

Created on: 7/8/2025

transportation.ohio.gov


Prepared by
 The Ohio Department of Transportation
 Office of Technical Services
 Roadway Information

SPUTSR00065**C

State True Log

43.6

County True Log



Surface Type & Width (Left / Right)

G 24'
0 - 7.991

Base Type (Left / Right)

P
0 - 8.067

Shoulder Type & Width (Left / Right)

5 (6/6)
0.65 - 7.991

Resurface Year

2024
1.08 - 1.4

Through Lanes

2
0 - 7.991

Street Name

VETERANS DR 0.58 - 1.446	SR 65 1.446 - 7.52
-----------------------------	-----------------------

- | | | | |
|---------------------|-------------------|----------------------|--------------|
| Non-divided Highway | Bridge (on route) | Railroad (at grade) | Intersection |
| Divided Highway | Underpass | Railroad (underpass) | |
| Secondary Segment | Overpass | Railroad (overpass) | |
| Corporation | | | |

Created on: 7/8/2025

transportation.ohio.gov

Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SPUTSR00065**C

State True Log

44.6

County True Log



Surface Type & Width (Left / Right)

	G 24'
	0 - 7.991

Base Type (Left / Right)

	P
	0 - 8.067

Shoulder Type & Width (Left / Right)

	5 (6/6)
	0.65 - 7.991

Through Lanes

	2
	0 - 7.991

Street Name

	SR 65
	1.446 - 7.52

- | | | | |
|--|---|---|---|
| <ul style="list-style-type: none"> Non-divided Highway Divided Highway Secondary Segment Corporation | <ul style="list-style-type: none"> Bridge (on route) Underpass Overpass | <ul style="list-style-type: none"> Railroad (at grade) Railroad (underpass) Railroad (overpass) | <ul style="list-style-type: none"> Intersection |
|--|---|---|---|

Created on: 7/8/2025

transportation.ohio.gov


Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SPUTSR00065**C

State True Log

45.6

County True Log



Surface Type & Width (Left / Right)

G 24'
0 - 7.991

Base Type (Left / Right)

P
0 - 8.067

Shoulder Type & Width (Left / Right)

5 (6/6)
0.65 - 7.991

Through Lanes

2
0 - 7.991

Street Name

SR 65
1.446 - 7.52

- | | | | |
|---------------------|-------------------|----------------------|--------------|
| Non-divided Highway | Bridge (on route) | Railroad (at grade) | Intersection |
| Divided Highway | Underpass | Railroad (underpass) | |
| Secondary Segment | Overpass | Railroad (overpass) | |
| Corporation | | | |

Created on: 7/8/2025

transportation.ohio.gov


Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SPUTSR00065**C

State True Log

46.6

County True Log



Surface Type & Width (Left / Right)

G 24'
0 - 7.991

Base Type (Left / Right)

P
0 - 8.067

Shoulder Type & Width (Left / Right)

5 (6/6)
0.65 - 7.991

Through Lanes

2
0 - 7.991

Street Name

SR 65
1.446 - 7.52

- | | | | |
|---------------------|-------------------|----------------------|--------------|
| Non-divided Highway | Bridge (on route) | Railroad (at grade) | Intersection |
| Divided Highway | Underpass | Railroad (underpass) | |
| Secondary Segment | Overpass | Railroad (overpass) | |
| Corporation | | | |

Created on: 7/8/2025

transportation.ohio.gov

Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SPUTSR00065**C

State True Log

47.6

County True Log



Surface Type & Width (Left / Right)

G 24'
0 - 7.991

Base Type (Left / Right)

P
0 - 8.067

Shoulder Type & Width (Left / Right)

5 (6/6)
0.65 - 7.991

Through Lanes

2
0 - 7.991

Street Name

SR 65
1.446 - 7.52

- | | | | |
|---------------------|-------------------|----------------------|--------------|
| Non-divided Highway | Bridge (on route) | Railroad (at grade) | Intersection |
| Divided Highway | Underpass | Railroad (underpass) | |
| Secondary Segment | Overpass | Railroad (overpass) | |
| Corporation | | | |

Created on: 7/8/2025

transportation.ohio.gov


Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SPUTSR00065**C

State True Log

48.6

County True Log



Surface Type & Width (Left / Right)

G 24'
0 - 7.991

Base Type (Left / Right)

P
0 - 8.067

Shoulder Type & Width (Left / Right)

5 (6/6)
0.65 - 7.991

Through Lanes

2
0 - 7.991

Street Name

SR 65
1.446 - 7.52

- Non-divided Highway
 Bridge (on route)
 Railroad (at grade)
 Intersection
- Divided Highway
 Underpass
 Railroad (underpass)
- Secondary Segment
 Overpass
 Railroad (overpass)
- Corporation**


Created on: 7/8/2025




transportation.ohio.gov

Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information


SPUTSR00065**C




Surface Type & Width (Left / Right)




Base Type (Left / Right)




Shoulder Type & Width (Left / Right)



Through Lanes



Street Name



- Non-divided Highway
- Divided Highway
- Secondary Segment
- Corporation
- Bridge (on route)
- Underpass
- Overpass
- Railroad (at grade)
- Railroad (underpass)
- Railroad (overpass)
- Intersection

Created on: 7/8/2025




transportation.ohio.gov
Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SPUTSR00065**C

State True Log

50.6

County True Log



Surface Type & Width (Left / Right)

G 44'
7.991 - 8.067

Base Type (Left / Right)

P
0 - 8.067

Shoulder Type & Width (Left / Right)

1 (0'/0')
7.991 - 8.067

Through Lanes

4
7.991 - 8.067

ELM ST
7.52 - 8.067

Surface Type & Width (Left / Right)

G 44'	G (16'/4')
8.542 - 8.824	8.824 - 10.83

Base Type (Left / Right)

P	K / I
8.542 - 8.824	8.824 - 15.58

Shoulder Type & Width (Left / Right)

1 (0'/0')	5 (3'/3')
8.542 - 8.824	8.824 - 15.58

Through Lanes

4	2
8.542 - 8.824	8.824 - 22.895

Street Name

ELM ST
8.542 - 9.58

- | | | | |
|--|---|---|---|
| <ul style="list-style-type: none"> Non-divided Highway Divided Highway Secondary Segment Corporation | <ul style="list-style-type: none"> Bridge (on route) Underpass Overpass | <ul style="list-style-type: none"> Railroad (at grade) Railroad (underpass) Railroad (overpass) | <ul style="list-style-type: none"> Intersection |
|--|---|---|---|

Created on: 7/8/2025

transportation.ohio.gov


Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SPUTSR00065**C

State True Log

51.6

County True Log



Surface Type & Width (Left / Right)

G (16'4')
8.824 - 10.83

Base Type (Left / Right)

K / I
8.824 - 15.58

Shoulder Type & Width (Left / Right)

5 (3'3')
8.824 - 15.58

Through Lanes

2
8.824 - 22.895

Street Name

ELM ST 8.542 - 9.58	SR 65 9.58 - 15.58
------------------------	-----------------------


- | | | | |
|---------------------|-------------------|----------------------|--------------|
| Non-divided Highway | Bridge (on route) | Railroad (at grade) | Intersection |
| Divided Highway | Underpass | Railroad (underpass) | |
| Secondary Segment | Overpass | Railroad (overpass) | |
| Corporation | | | |

Created on: 7/8/2025

transportation.ohio.gov

Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SPUTSR00065**C



Surface Type & Width (Left / Right)	G (16'4") 8.824 - 10.83	G (18'2") 10.83 - 12.07
Base Type (Left / Right)	K / I 8.824 - 15.58	
Shoulder Type & Width (Left / Right)	5 (3'3") 8.824 - 15.58	
Through Lanes	2 8.824 - 22.895	
Street Name	SR 65 9.58 - 15.58	

- Non-divided Highway
- Divided Highway
- Secondary Segment
- Corporation
- Bridge (on route)
- Underpass
- Overpass
- Railroad (at grade)
- Railroad (underpass)
- Railroad (overpass)
- Intersection

Created on: 7/8/2025

transportation.ohio.gov


Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SPUTSR00065**C

State True Log

53.6

County True Log



Surface Type & Width (Left / Right)

	G (18/2')
	10.83 - 12.07

Base Type (Left / Right)

	K / I
	8.824 - 15.58

Shoulder Type & Width (Left / Right)

	5 (3/3')
	8.824 - 15.58

Through Lanes

	2
	8.824 - 22.895

Street Name

	SR 65
	9.58 - 15.58


- | | | | |
|---------------------|-------------------|----------------------|--------------|
| Non-divided Highway | Bridge (on route) | Railroad (at grade) | Intersection |
| Divided Highway | Underpass | Railroad (underpass) | |
| Secondary Segment | Overpass | Railroad (overpass) | |
| Corporation | | | |

Created on: 7/8/2025

transportation.ohio.gov

Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SPUTSR00065**C



Surface Type & Width (Left / Right)	
G (18'2") 10.83 - 12.07	G (17'3") 12.07 - 15.58
Base Type (Left / Right)	
	K / I 8.824 - 15.58
Shoulder Type & Width (Left / Right)	
	5 (3'3") 8.824 - 15.58
Through Lanes	
	2 8.824 - 22.895
Street Name	
	SR 65 9.58 - 15.58

Non-divided Highway	Bridge (on route)	Railroad (at grade)	Intersection
Divided Highway	Underpass	Railroad (underpass)	
Secondary Segment	Overpass	Railroad (overpass)	
Corporation			


Created on: 7/8/2025



transportation.ohio.gov

Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SPUTSR00065**C



Surface Type & Width (Left / Right)	G (17/3')
	12.07 - 15.58
Base Type (Left / Right)	K / I
	8.824 - 15.58
Shoulder Type & Width (Left / Right)	5 (3/3')
	8.824 - 15.58
Through Lanes	2
	8.824 - 22.895
Street Name	SR 65
	9.58 - 15.58

- Non-divided Highway
- Divided Highway
- Secondary Segment
- Corporation
- Bridge (on route)
- Underpass
- Overpass
- Railroad (at grade)
- Railroad (underpass)
- Railroad (overpass)
- Intersection

Created on: 7/8/2025



transportation.ohio.gov

Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SPUTSR00065**C

State True
Log

56.6

County True
Log

14.00

14.25

14.50

14.75

15.00



Surface Type & Width (Left / Right)

	G (17/3')
	12.07 - 15.58

Base Type (Left / Right)

	K / I
	8.824 - 15.58

Shoulder Type & Width (Left / Right)

	5 (3/3')
	8.824 - 15.58

Through Lanes

	2
	8.824 - 22.895

Street Name


	SR 65
	9.58 - 15.58

- | | | | |
|---------------------|-------------------|----------------------|--------------|
| Non-divided Highway | Bridge (on route) | Railroad (at grade) | Intersection |
| Divided Highway | Underpass | Railroad (underpass) | |
| Secondary Segment | Overpass | Railroad (overpass) | |
| Corporation | | | |

Created on: 7/8/2025

SPUTSR00065**C

State True Log
County True Log



Surface Type & Width (Left / Right)

G (17'3")	G 24'	G 30'	G (12'13")
12.07 - 15.58	15.58 - 15.7	15.7 - 15.887	15.887 - 16.35

Base Type (Left / Right)

K / I	R	K
8.824 - 15.58	15.58 - 15.887	15.887 - 16.35

Shoulder Type & Width (Left / Right)

5 (3'3")	1 (0'0")
8.824 - 15.58	15.58 - 16.35

Through Lanes

2
8.824 - 22.895

Street Name

SR 65	BELMORE ST
9.58 - 15.58	15.58 - 16.88

- Non-divided Highway
- Divided Highway
- Secondary Segment
- Corporation
- Bridge (on route)
- Underpass
- Overpass
- Railroad (at grade)
- Railroad (underpass)
- Railroad (overpass)
- Intersection


Created on: 7/8/2025



transportation.ohio.gov
Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SPUTSR00065**C

State True Log
County True Log



Surface Type & Width (Left / Right)

G (12'/13')	G (18'/2')	G (9'/10')
15.887 - 16.35	16.35 - 16.82	16.82 - 17.887

Base Type (Left / Right)

K	K / I	K
15.887 - 16.35	16.35 - 16.82	16.82 - 17.887

Shoulder Type & Width (Left / Right)

1 (0'/0')	5 (3'/3')
15.58 - 16.35	16.35 - 22.895

Through Lanes

2
8.824 - 22.895

Street Name

BELMORE ST	SR 65
15.58 - 16.88	16.88 - 21.66


- Non-divided Highway
- Divided Highway
- Secondary Segment
- Corporation
- Bridge (on route)
- Underpass
- Overpass
- Railroad (at grade)
- Railroad (underpass)
- Railroad (overpass)
- Intersection

Created on: 7/8/2025

transportation.ohio.gov

Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SPUTSR00065**C



Surface Type & Width (Left / Right)	G (9'/10') 16.82 - 17.887	G 18' 17.887 - 22.895
Base Type (Left / Right)	K 16.82 - 17.887	I 17.887 - 22.895
Shoulder Type & Width (Left / Right)	5 (3'/3') 16.35 - 22.895	
Through Lanes	2 8.824 - 22.895	
Street Name	SR 65 16.88 - 21.66	


Non-divided Highway	Bridge (on route)	Railroad (at grade)	Intersection
Divided Highway	Underpass	Railroad (underpass)	
Secondary Segment	Overpass	Railroad (overpass)	
Corporation			

Created on: 7/8/2025



transportation.ohio.gov
Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SPUTSR00065**C



Surface Type & Width (Left / Right)	G 18'
	17.887 - 22.895
Base Type (Left / Right)	I
	17.887 - 22.895
Shoulder Type & Width (Left / Right)	5 (3/3')
	16.35 - 22.895
Through Lanes	2
	8.824 - 22.895
Street Name	SR 65
	16.88 - 21.66

Non-divided Highway	Bridge (on route)	Railroad (at grade)	Intersection
Divided Highway	Underpass	Railroad (underpass)	
Secondary Segment	Overpass	Railroad (overpass)	
Corporation			

Created on: 7/8/2025




transportation.ohio.gov
 Prepared by
 The Ohio Department of Transportation
 Office of Technical Services
 Roadway Information

SPUTSR00065**C

State True Log

61.6

County True Log



19.895 LEIPSIC
19.895

Surface Type & Width (Left / Right)

G 18'
17.887 - 22.895

Base Type (Left / Right)

I
17.887 - 22.895

Shoulder Type & Width (Left / Right)

5 (3/3)
16.35 - 22.895

Through Lanes

2
8.824 - 22.895

Street Name

SR 65
16.88 - 21.66


- | | | | |
|---------------------|-------------------|----------------------|--------------|
| Non-divided Highway | Bridge (on route) | Railroad (at grade) | Intersection |
| Divided Highway | Underpass | Railroad (underpass) | |
| Secondary Segment | Overpass | Railroad (overpass) | |
| Corporation | | | |

Created on: 7/8/2025

transportation.ohio.gov

Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SPUTSR00065**C



Surface Type & Width (Left / Right)	G 18'
	17.887 - 22.895
Base Type (Left / Right)	I
	17.887 - 22.895
Shoulder Type & Width (Left / Right)	5 (3/3')
	16.35 - 22.895
Through Lanes	2
	8.824 - 22.895
Street Name	SR 65
	16.88 - 21.66

Non-divided Highway	Bridge (on route)	Railroad (at grade)	Intersection
Divided Highway	Underpass	Railroad (underpass)	
Secondary Segment	Overpass	Railroad (overpass)	
Corporation			


Created on: 7/8/2025



transportation.ohio.gov
 Prepared by
 The Ohio Department of Transportation
 Office of Technical Services
 Roadway Information

SPUTSR00065**C

State True Log
County True Log



Surface Type & Width (Left / Right)	G 18'
	17.887 - 22.895
Base Type (Left / Right)	I
	17.887 - 22.895
Shoulder Type & Width (Left / Right)	5 (3/3')
	16.35 - 22.895
Through Lanes	2
	8.824 - 22.895
Street Name	SR 65 16.88 - 21.66
	RIDGE ST 21.66 - 22.41

- | | | | |
|---------------------|-------------------|----------------------|--------------|
| Non-divided Highway | Bridge (on route) | Railroad (at grade) | Intersection |
| Divided Highway | Underpass | Railroad (underpass) | |
| Secondary Segment | Overpass | Railroad (overpass) | |
| Corporation | | | |

Created on: 7/8/2025

transportation.ohio.gov


Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

SPUTSR00065**C

State True Log

64.495

County True Log



Surface Type & Width (Left / Right)

G 18'
17.887 - 22.895

Base Type (Left / Right)

I
17.887 - 22.895

Shoulder Type & Width (Left / Right)

5 (3/3')
16.35 - 22.895

Through Lanes

2
8.824 - 22.895

Street Name

RIDGE ST	SR 65
21.66 - 22.41	22.41 - 22.895

- | | | | |
|---|---|---|---|
| <ul style="list-style-type: none"> Non-divided Highway Divided Highway Secondary Segment Corporation | <ul style="list-style-type: none"> Bridge (on route) Underpass Overpass | <ul style="list-style-type: none"> Railroad (at grade) Railroad (underpass) Railroad (overpass) | <ul style="list-style-type: none"> Intersection |
|---|---|---|---|

Created on: 7/8/2025

transportation.ohio.gov

Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

Historical Project List for SPUTSR00065**C

Begin Measure	End Measure	Project ID Number	Construction Completion Date	Treatment Category	Treatment Type
0.000	0.580	91916	11-2012	Minor Rehabilitation	60-AC Overlay w/Rpr
0.580	1.449	91916	11-2012	Minor Rehabilitation	60-AC Overlay w/Rpr
1.449	7.527	24515	6-2005	Minor Rehabilitation	50-AC Overlay w/o Rpr
7.517	8.067	83752	8-2012	Minor Rehabilitation	60-AC Overlay w/Rpr
7.860	8.067	107682	9-2022	Minor Rehabilitation	50-AC Overlay w/o Rpr
7.907	8.067	24515	6-2005	Minor Rehabilitation	52-AC Inlay
8.542	9.584	107682	9-2022	Minor Rehabilitation	50-AC Overlay w/o Rpr
8.542	9.584	83752	8-2012	Minor Rehabilitation	60-AC Overlay w/Rpr
8.542	8.874	24515	6-2005	Minor Rehabilitation	52-AC Inlay
9.584	15.580	91942	9-2016	Minor Rehabilitation	50-AC Overlay w/o Rpr
10.173	16.899	24515	6-2005	Minor Rehabilitation	50-AC Overlay w/o Rpr
15.580	22.895	93645	11-2018	Minor Rehabilitation	50-AC Overlay w/o Rpr
15.580	16.379	83752	8-2012	Minor Rehabilitation	60-AC Overlay w/Rpr
16.379	22.895	80497	6-2009	Minor Rehabilitation	50-AC Overlay w/o Rpr

Roadway Codes

Access Control Journalized

- F - Full Access Control
- L - Limited Access Control
- N - No Access Control

Access Control Operational

- 1 - Full Access Control
- 2 - Partial Access Control
- 3 - No Access Control

Base Type

- F - Crack and Seat
- H - Rubblize and Roll
- I - Aggregate Base 304 or Traffic Compacted
- K - Water Bound Macadam
- L - Bituminous Concrete Mix or Penetration Macadam
- N - Plain Concrete
- P - Reinforced Concrete
- R - Brick (Flexible)
- T - Brick (Rigid)

Direction of Travel

- B - Both (Two-way)
- F - One-way Cardinal
- T - One-way Non-cardinal

Facility Type

- 1 - One-way Roadway
- 2 - Two-way Roadway
- 4 - Ramp
- 5 - Non-mainline
- 6 - Non-inventory Direction
- 7 - Planned / Unbuilt

Historical Federal Aid Indicator

- N - Not a FAP Route
- Y - FAP Route

Functional Classification

- 01 - Interstate
- 02 - Principal Arterial (Freeways)
- 03 - Principal Arterial (Other)
- 04 - Minor Arterial
- 05 - Major Collector
- 06 - Minor Collector
- 07 - Local

Leave / Reenter Indicator

- Y - Route leaves/reenters at this point
- N - Route does not leave/reenter at this point

Median Type

- 1 - None
- 2 - Unprotected
- 3 - Curbed
- 4 - Positive Barrier (Unspecified)
- 5 - Positive Barrier (Flexible)
- 6 - Positive Barrier (Semi-rigid)
- 7 - Positive Barrier (Rigid)

NHS

- N - National Highway System
- H - Congressional Corridor
- 2 - Major Airport
- 3 - Major Port Facility
- 4 - Major Amtrak Station
- 5 - Major Rail / Truck Terminal
- 6 - Major Intercity Bus Terminal
- 7 - Major Public Transit / Multi-modal Passenger Terminal
- 8 - Major Pipeline Terminal
- 9 - Major Ferry Terminal

Priority System

- G - General
- P - Priority System
- U - Urban

Scenic Byway Code

- A - All American Road
- N - National Scenic Byway
- S - State Scenic Byway

Shoulder Type

- 1 - None
- 2 - Surfaced shoulder exists (bituminous concrete {AC})
- 3 - Surfaced shoulder exists (Portland Cement Concrete {PCC})
- 4 - Stabilized shoulder exists (gravel or other granular material)
- 5 - Combination shoulder exists (two or more surface types)
- 6 - Earth shoulder exists
- 7 - Barrier curb exists; no shoulder in front of curb

Surface Type

- A - Combination
- B - Brick
- C - Continuous Reinforced Concrete
- D - Reinforced Concrete
- E - Plain Concrete
- G - Bituminous Concrete
- I - Chipseal on Granular
- K - Open Graded Bituminous
- L - Chipseal or Micro
- M - Gravel
- U - Unimproved
- X - Right of Way Only