


# SSENSR00101\*\*C



- |   |   |   |   |
|---|---|---|---|
| <ul style="list-style-type: none"> <li> Non-divided Highway</li> <li> Divided Highway</li> <li> Secondary Segment</li> <li> <b>Corporation</b></li> </ul> | <ul style="list-style-type: none"> <li> Bridge (on route)</li> <li> Underpass</li> <li> Overpass</li> </ul> | <ul style="list-style-type: none"> <li> Railroad (at grade)</li> <li> Railroad (underpass)</li> <li> Railroad (overpass)</li> </ul> | <ul style="list-style-type: none"> <li> Intersection</li> </ul> |
|---|---|---|---|

Created on: 7/8/2025


transportation.ohio.gov

Prepared by  
The Ohio Department of Transportation  
Office of Technical Services  
Roadway Information

# SSENSR00101\*\*C

State True Log

County True Log



**Surface Type & Width (Left / Right)**

G 32'	K 18'	G (9'/10')
1.007 - 1.572	1.572 - 1.634	1.634 - 4.976

**Base Type (Left / Right)**

R	K
1.007 - 1.572	1.572 - 4.976

**Shoulder Type & Width (Left / Right)**

1 (0'/0')	2 (6'/6')
1.007 - 1.572	1.572 - 4.976

**Through Lanes**

2
1.007 - 14.822

**Street Name**

E MARKET ST	SR 101
1.007 - 1.634	1.634 - 14.822

- Non-divided Highway
- Divided Highway
- Secondary Segment
- Corporation
- Bridge (on route)
- Underpass
- Overpass
- Railroad (at grade)
- Railroad (underpass)
- Railroad (overpass)
- Intersection

Created on: 7/8/2025


transportation.ohio.gov

Prepared by  
The Ohio Department of Transportation  
Office of Technical Services  
Roadway Information

# SSENSOR00101\*\*C

State True Log

County True Log



Surface Type & Width (Left / Right)	G (9/10')
	1.634 - 4.976
Base Type (Left / Right)	K
	1.572 - 4.976
Shoulder Type & Width (Left / Right)	2 (6/6')
	1.572 - 4.976
Through Lanes	2
	1.007 - 14.822
Street Name	SR 101
	1.634 - 14.822

Non-divided Highway	Bridge (on route)	Railroad (at grade)	Intersection
Divided Highway	Underpass	Railroad (underpass)	
Secondary Segment	Overpass	Railroad (overpass)	
Corporation			

Created on: 7/8/2025




transportation.ohio.gov  
 Prepared by  
 The Ohio Department of Transportation  
 Office of Technical Services  
 Roadway Information

# SSENSR00101\*\*C

State True Log

County True Log



Surface Type & Width (Left / Right)	G (9'/10')
	1.634 - 4.976
Base Type (Left / Right)	K
	1.572 - 4.976
Shoulder Type & Width (Left / Right)	2 (6'/6')
	1.572 - 4.976
Through Lanes	2
	1.007 - 14.822
Street Name	SR 101
	1.634 - 14.822

- Non-divided Highway
- Divided Highway
- Secondary Segment
- Corporation
- Bridge (on route)
- Underpass
- Overpass
- Railroad (at grade)
- Railroad (underpass)
- Railroad (overpass)
- Intersection


Created on: 7/8/2025

Prepared by  
 The Ohio Department of Transportation  
 Office of Technical Services  
 Roadway Information

# SSENSOR00101\*\*C

State True Log

County True Log



Surface Type & Width (Left / Right)

	G (9'/10')	G 24'
	1.634 - 4.976	4.976 - 5.618

Base Type (Left / Right)

	K	L
	1.572 - 4.976	4.976 - 5.618

Shoulder Type & Width (Left / Right)

	2 (6'/6')	2 (10'/10')
	1.572 - 4.976	4.976 - 5.618

Through Lanes

	2	
	1.007 - 14.822	

Street Name

	SR 101	
	1.634 - 14.822	

- |  |   |   |   |
|--|---|---|---|
| <ul style="list-style-type: none"> <li> Non-divided Highway</li> <li> Divided Highway</li> <li> Secondary Segment</li> <li> Corporation</li> </ul> | <ul style="list-style-type: none"> <li> Bridge (on route)</li> <li> Underpass</li> <li> Overpass</li> </ul> | <ul style="list-style-type: none"> <li> Railroad (at grade)</li> <li> Railroad (underpass)</li> <li> Railroad (overpass)</li> </ul> | <ul style="list-style-type: none"> <li> Intersection</li> </ul> |
|--|---|---|---|

Created on: 7/8/2025

transportation.ohio.gov


Prepared by  
The Ohio Department of Transportation  
Office of Technical Services  
Roadway Information

# SSENSOR00101\*\*C

State True Log

6

County True Log



**Surface Type & Width (Left / Right)**

G 24'	G (18'/2')
4.976 - 5.618	5.618 - 7.478

**Base Type (Left / Right)**

L	K / I
4.976 - 5.618	5.618 - 7.478

**Shoulder Type & Width (Left / Right)**

2 (10'/10')	2 (4'/4')
4.976 - 5.618	5.618 - 7.478

**Through Lanes**

2	1.007 - 14.822
---	----------------

**Street Name**

SR 101	1.634 - 14.822
--------	----------------

<ul style="list-style-type: none"> <li> Non-divided Highway</li> <li> Divided Highway</li> <li> Secondary Segment</li> <li> Corporation</li> </ul>	<ul style="list-style-type: none"> <li> Bridge (on route)</li> <li> Underpass</li> <li> Overpass</li> </ul>	<ul style="list-style-type: none"> <li> Railroad (at grade)</li> <li> Railroad (underpass)</li> <li> Railroad (overpass)</li> </ul>	<ul style="list-style-type: none"> <li> Intersection</li> </ul>
--	---	---	---

Created on: 7/8/2025


transportation.ohio.gov

Prepared by  
The Ohio Department of Transportation  
Office of Technical Services  
Roadway Information

# SSENSOR00101\*\*C

State True Log

County True Log



Surface Type & Width (Left / Right)

G (18/2')  
5.618 - 7.478

Base Type (Left / Right)

K / I  
5.618 - 7.478

Shoulder Type & Width (Left / Right)

2 (4/4')  
5.618 - 7.478

Through Lanes

2  
1.007 - 14.822

Street Name

SR 101  
1.634 - 14.822

- Non-divided Highway
  Bridge (on route)
  Railroad (at grade)
  Intersection
- Divided Highway
  Underpass
  Railroad (underpass)
- Secondary Segment
  Overpass
  Railroad (overpass)
- Corporation**

Created on: 7/8/2025




transportation.ohio.gov

Prepared by  
The Ohio Department of Transportation  
Office of Technical Services  
Roadway Information

# SSENSR00101\*\*C

State True Log

County True Log



**Surface Type & Width (Left / Right)**

G (18'2") 5.618 - 7.478	G 20' 7.478 - 14.822
----------------------------	-------------------------

**Base Type (Left / Right)**

K / I 5.618 - 7.478	K 7.478 - 7.731	N 7.731 - 8.177
------------------------	--------------------	--------------------

**Shoulder Type & Width (Left / Right)**

2 (4'4") 5.618 - 7.478	2 (3'4") 7.478 - 7.731	2 (4'4") 7.731 - 8.177
---------------------------	---------------------------	---------------------------

**Through Lanes**

2 1.007 - 14.822
---------------------

**Street Name**

SR 101 1.634 - 14.822
--------------------------

- Non-divided Highway
- Divided Highway
- Secondary Segment
- Corporation
- Bridge (on route)
- Underpass
- Overpass
- Railroad (at grade)
- Railroad (underpass)
- Railroad (overpass)
- Intersection

Created on: 7/8/2025


transportation.ohio.gov

Prepared by  
The Ohio Department of Transportation  
Office of Technical Services  
Roadway Information

# SSENSOR00101\*\*C

State True Log

County True Log



**Surface Type & Width (Left / Right)**

	G 20'
7.478 - 14.822	

**Base Type (Left / Right)**

N	K
7.731 - 8.177	8.177 - 14.822

**Shoulder Type & Width (Left / Right)**

2 (4'4')	2 (3'4')
7.731 - 8.177	8.177 - 14.822

**Through Lanes**

	2
1.007 - 14.822	

**Street Name**

	SR 101
1.634 - 14.822	

- |                     |                   |                      |              |
|---------------------|-------------------|----------------------|--------------|
| Non-divided Highway | Bridge (on route) | Railroad (at grade)  | Intersection |
| Divided Highway     | Underpass         | Railroad (underpass) |              |
| Secondary Segment   | Overpass          | Railroad (overpass)  |              |
| Corporation         |                   |                      |              |

Created on: 7/8/2025


transportation.ohio.gov

Prepared by  
The Ohio Department of Transportation  
Office of Technical Services  
Roadway Information

# SSENSR00101\*\*C

State True Log

County True Log



Surface Type & Width (Left / Right)

G 20'  
7.478 - 14.822

Base Type (Left / Right)

K  
8.177 - 14.822

Shoulder Type & Width (Left / Right)

2 (3/4')  
8.177 - 14.822

Through Lanes

2  
1.007 - 14.822

Street Name

SR 101  
1.634 - 14.822


- |                     |                   |                      |              |
|---------------------|-------------------|----------------------|--------------|
| Non-divided Highway | Bridge (on route) | Railroad (at grade)  | Intersection |
| Divided Highway     | Underpass         | Railroad (underpass) |              |
| Secondary Segment   | Overpass          | Railroad (overpass)  |              |
| Corporation         |                   |                      |              |

Created on: 7/8/2025

Prepared by  
The Ohio Department of Transportation  
Office of Technical Services  
Roadway Information

# SSENSOR00101\*\*C

State True Log  
County True Log



Surface Type & Width (Left / Right)	G 20' 7.478 - 14.822
Base Type (Left / Right)	K 8.177 - 14.822
Shoulder Type & Width (Left / Right)	2 (3/4') 8.177 - 14.822
Through Lanes	2 1.007 - 14.822
Street Name	SR 101 1.634 - 14.822


- Non-divided Highway
- Divided Highway
- Secondary Segment
- Corporation
- Bridge (on route)
- Underpass
- Overpass
- Railroad (at grade)
- Railroad (underpass)
- Railroad (overpass)
- Intersection

Created on: 7/8/2025

# SSENSOR00101\*\*C

State True Log

County True Log



Surface Type & Width (Left / Right)

	G 20'
	7.478 - 14.822

Base Type (Left / Right)

	K
	8.177 - 14.822

Shoulder Type & Width (Left / Right)

	2 (3/4')
	8.177 - 14.822

Through Lanes

	2
	1.007 - 14.822

Street Name

	SR 101
	1.634 - 14.822

- |  |   |   |   |
|--|---|---|---|
| <ul style="list-style-type: none"> <li> Non-divided Highway</li> <li> Divided Highway</li> <li> Secondary Segment</li> <li> Corporation</li> </ul> | <ul style="list-style-type: none"> <li> Bridge (on route)</li> <li> Underpass</li> <li> Overpass</li> </ul> | <ul style="list-style-type: none"> <li> Railroad (at grade)</li> <li> Railroad (underpass)</li> <li> Railroad (overpass)</li> </ul> | <ul style="list-style-type: none"> <li> Intersection</li> </ul> |
|--|---|---|---|


Created on: 7/8/2025

transportation.ohio.gov

Prepared by  
The Ohio Department of Transportation  
Office of Technical Services  
Roadway Information

# SSENSR00101\*\*C

State True Log  
County True Log



Surface Type & Width (Left / Right)

G 20'  
7.478 - 14.822

Base Type (Left / Right)

K  
8.177 - 14.822

Shoulder Type & Width (Left / Right)

2 (3/4')  
8.177 - 14.822

Through Lanes

2  
1.007 - 14.822

Street Name

SR 101  
1.634 - 14.822

- |                     |                   |                      |              |
|---------------------|-------------------|----------------------|--------------|
| Non-divided Highway | Bridge (on route) | Railroad (at grade)  | Intersection |
| Divided Highway     | Underpass         | Railroad (underpass) |              |
| Secondary Segment   | Overpass          | Railroad (overpass)  |              |
| Corporation         |                   |                      |              |

Created on: 7/8/2025




transportation.ohio.gov  
 Prepared by  
 The Ohio Department of Transportation  
 Office of Technical Services  
 Roadway Information

# SSENSOR00101\*\*C

State True Log

County True Log



Surface Type & Width (Left / Right)

G 20'  
7.478 - 14.822

Base Type (Left / Right)

K  
8.177 - 14.822

Shoulder Type & Width (Left / Right)

2 (3/4')  
8.177 - 14.822

Through Lanes

2  
1.007 - 14.822

Street Name

SR 101  
1.634 - 14.822

- |                     |                   |                      |              |
|---------------------|-------------------|----------------------|--------------|
| Non-divided Highway | Bridge (on route) | Railroad (at grade)  | Intersection |
| Divided Highway     | Underpass         | Railroad (underpass) |              |
| Secondary Segment   | Overpass          | Railroad (overpass)  |              |
| Corporation         |                   |                      |              |

Created on: 7/8/2025



transportation.ohio.gov  
Prepared by  
The Ohio Department of Transportation  
Office of Technical Services  
Roadway Information

# SSENSOR00101\*\*C

State True Log

14.822

County True Log



Surface Type & Width (Left / Right)

G 20'  
7.478 - 14.822

Base Type (Left / Right)

K  
8.177 - 14.822

Shoulder Type & Width (Left / Right)

2 (3/4')  
8.177 - 14.822

Through Lanes

2  
1.007 - 14.822

Street Name

SR 101  
1.634 - 14.822

- |  |   |   |   |
|--|---|---|---|
| <ul style="list-style-type: none"> <li> Non-divided Highway</li> <li> Divided Highway</li> <li> Secondary Segment</li> <li> Corporation</li> </ul> | <ul style="list-style-type: none"> <li> Bridge (on route)</li> <li> Underpass</li> <li> Overpass</li> </ul> | <ul style="list-style-type: none"> <li> Railroad (at grade)</li> <li> Railroad (underpass)</li> <li> Railroad (overpass)</li> </ul> | <ul style="list-style-type: none"> <li> Intersection</li> </ul> |
|--|---|---|---|

Created on: 7/8/2025

transportation.ohio.gov

Prepared by  
The Ohio Department of Transportation  
Office of Technical Services  
Roadway Information

## Historical Project List for SSENSOR00101\*\*C

Begin Measure	End Measure	Project ID Number	Construction Completion Date	Treatment Category	Treatment Type
1.297	1.637	98722	11-2017	Minor Rehabilitation	60-AC Overlay w/Rpr
1.637	2.328	102817	9-2018	Minor Rehabilitation	38-Fine Poly AC Overlay
2.328	5.620	102817	9-2018	Minor Rehabilitation	38-Fine Poly AC Overlay
5.620	14.822	100787	7-2017	Preventive Maintenance	25-Chip Seal
5.670	7.742	25447	10-2009	Minor Rehabilitation	60-AC Overlay w/Rpr
7.742	8.092	25447	10-2009	Minor Rehabilitation	60-AC Overlay w/Rpr
8.092	14.822	25447	10-2009	Preventive Maintenance	55-Double Chip Seal

# Roadway Codes

## Access Control Journalized

- F - Full Access Control
- L - Limited Access Control
- N - No Access Control

## Access Control Operational

- 1 - Full Access Control
- 2 - Partial Access Control
- 3 - No Access Control

## Base Type

- F - Crack and Seat
- H - Rubblize and Roll
- I - Aggregate Base 304 or Traffic Compacted
- K - Water Bound Macadam
- L - Bituminous Concrete Mix or Penetration Macadam
- N - Plain Concrete
- P - Reinforced Concrete
- R - Brick (Flexible)
- T - Brick (Rigid)

## Direction of Travel

- B - Both (Two-way)
- F - One-way Cardinal
- T - One-way Non-cardinal

## Facility Type

- 1 - One-way Roadway
- 2 - Two-way Roadway
- 4 - Ramp
- 5 - Non-mainline
- 6 - Non-inventory Direction
- 7 - Planned / Unbuilt

## Historical Federal Aid Indicator

- N - Not a FAP Route
- Y - FAP Route

## Functional Classification

- 01 - Interstate
- 02 - Principal Arterial (Freeways)
- 03 - Principal Arterial (Other)
- 04 - Minor Arterial
- 05 - Major Collector
- 06 - Minor Collector
- 07 - Local

## Leave / Reenter Indicator

- Y - Route leaves/reenters at this point
- N - Route does not leave/reenter at this point

## Median Type

- 1 - None
- 2 - Unprotected
- 3 - Curbed
- 4 - Positive Barrier (Unspecified)
- 5 - Positive Barrier (Flexible)
- 6 - Positive Barrier (Semi-rigid)
- 7 - Positive Barrier (Rigid)

## NHS

- N - National Highway System
- H - Congressional Corridor
- 2 - Major Airport
- 3 - Major Port Facility
- 4 - Major Amtrak Station
- 5 - Major Rail / Truck Terminal
- 6 - Major Intercity Bus Terminal
- 7 - Major Public Transit / Multi-modal Passenger Terminal
- 8 - Major Pipeline Terminal
- 9 - Major Ferry Terminal

## Priority System

- G - General
- P - Priority System
- U - Urban

## Scenic Byway Code

- A - All American Road
- N - National Scenic Byway
- S - State Scenic Byway

## Shoulder Type

- 1 - None
- 2 - Surfaced shoulder exists (bituminous concrete {AC})
- 3 - Surfaced shoulder exists (Portland Cement Concrete {PCC})
- 4 - Stabilized shoulder exists (gravel or other granular material)
- 5 - Combination shoulder exists (two or more surface types)
- 6 - Earth shoulder exists
- 7 - Barrier curb exists; no shoulder in front of curb

## Surface Type

- A - Combination
- B - Brick
- C - Continuous Reinforced Concrete
- D - Reinforced Concrete
- E - Plain Concrete
- G - Bituminous Concrete
- I - Chipseal on Granular
- K - Open Graded Bituminous
- L - Chipseal or Micro
- M - Gravel
- U - Unimproved
- X - Right of Way Only