


STRUSR00088**C

State True Log 22.81

23.81

County True Log



Surface Type & Width (Left / Right)

G (18'/4')
0 - 2.033

Base Type (Left / Right)

K / L
0 - 2.745

Shoulder Type & Width (Left / Right)

2 (4'/4')
0 - 2.033

Through Lanes

2
0 - 13.946

Street Name

SR 88
0 - 1.059

- | | | | |
|---------------------|-------------------|----------------------|--------------|
| Non-divided Highway | Bridge (on route) | Railroad (at grade) | Intersection |
| Divided Highway | Underpass | Railroad (underpass) | |
| Secondary Segment | Overpass | Railroad (overpass) | |
| Corporation | | | |

Created on: 7/8/2025

transportation.ohio.gov


Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

STRUSR00088**C

State True Log

24.81

County True Log



Surface Type & Width (Left / Right)

G (18'4')
0 - 2.033

Base Type (Left / Right)

K / L
0 - 2.745

Shoulder Type & Width (Left / Right)

2 (4'4')
0 - 2.033

Through Lanes

2
0 - 13.946

Street Name

SR 88	W MAIN ST
0 - 1.059	1.059 - 2.033

- | | | | |
|--|---|---|---|
| <ul style="list-style-type: none"> Non-divided Highway Divided Highway Secondary Segment Corporation | <ul style="list-style-type: none"> Bridge (on route) Underpass Overpass | <ul style="list-style-type: none"> Railroad (at grade) Railroad (underpass) Railroad (overpass) | <ul style="list-style-type: none"> Intersection |
|--|---|---|---|

Created on: 7/8/2025

transportation.ohio.gov


Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

STRUSR00088**C

State True Log

25.81

County True Log



Surface Type & Width (Left / Right)

G (18'4')	G (16'8')	G (20'4')	G (16'8')
0 - 2.033	2.033 - 2.745	2.745 - 2.986	

Base Type (Left / Right)

	K / L	I / L	K / L
	0 - 2.745	2.745 - 2.986	2.986 - 3.557

Shoulder Type & Width (Left / Right)

2 (4'4')	2 (10'10')
0 - 2.033	2.033 - 7.029

Through Lanes

	2
	0 - 13.946

Street Name

W MAIN ST	SR 88
1.059 - 2.033	2.033 - 13.946

- Non-divided Highway
- Divided Highway
- Secondary Segment
- Corporation
- Bridge (on route)
- Underpass
- Overpass
- Railroad (at grade)
- Railroad (underpass)
- Railroad (overpass)
- Intersection

Created on: 7/8/2025




transportation.ohio.gov
Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

STRUSR00088**C

State True Log

26.81

County True Log



Surface Type & Width (Left / Right)

G (16'/8')	G 24'	G (16'/8')
2.986 - 3.557	3.557 - 3.846	3.846 - 5.438

Base Type (Left / Right)

K / L	L	K / L
2.986 - 3.557	3.557 - 3.846	3.846 - 5.438

Shoulder Type & Width (Left / Right)

2 (10'/10')
2.033 - 7.029

Through Lanes

2
0 - 13.946

Street Name

SR 88
2.033 - 13.946

- Non-divided Highway
- Divided Highway
- Secondary Segment
- Corporation**
- Bridge (on route)
- Underpass
- Overpass
- Railroad (at grade)
- Railroad (underpass)
- Railroad (overpass)
- Intersection

Created on: 7/8/2025

transportation.ohio.gov


Prepared by
 The Ohio Department of Transportation
 Office of Technical Services
 Roadway Information

STRUSR00088**C

State True Log

27.81

County True Log



Surface Type & Width (Left / Right)

G (16/8')
3.846 - 5.438

Base Type (Left / Right)

K / L
3.846 - 5.438

Shoulder Type & Width (Left / Right)

2 (10/10')
2.033 - 7.029

Through Lanes

2
0 - 13.946

Street Name

SR 88
2.033 - 13.946

- | | | | |
|---------------------|-------------------|----------------------|--------------|
| Non-divided Highway | Bridge (on route) | Railroad (at grade) | Intersection |
| Divided Highway | Underpass | Railroad (underpass) | |
| Secondary Segment | Overpass | Railroad (overpass) | |
| Corporation | | | |

Created on: 7/8/2025



transportation.ohio.gov


Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

STRUSR00088**C

State True Log

28.81

County True Log



Surface Type & Width (Left / Right)

G (16'8") 3.846 - 5.438	G 24' 5.438 - 6.055
----------------------------	------------------------

Base Type (Left / Right)

K / L 3.846 - 5.438	L 5.438 - 6.055
------------------------	--------------------

Shoulder Type & Width (Left / Right)

2 (10'10") 2.033 - 7.029

Through Lanes

2 0 - 13.946

Street Name

SR 88 2.033 - 13.946

- Non-divided Highway
- Divided Highway
- Secondary Segment
- Corporation
- Bridge (on route)
- Underpass
- Overpass
- Railroad (at grade)
- Railroad (underpass)
- Railroad (overpass)
- Intersection

Created on: 7/8/2025

transportation.ohio.gov

Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

STRUSR00088**C

State True Log

29.81

County True Log



Surface Type & Width (Left / Right)

G 24'	G (16'/8')	G 24'
5.438 - 6.055	6.055 - 6.728	6.728 - 12.304

Base Type (Left / Right)

L	K / L	L
5.438 - 6.055	6.055 - 6.728	6.728 - 12.304

Shoulder Type & Width (Left / Right)

	2 (10'/10')
	2.033 - 7.029

Through Lanes

	2
	0 - 13.946

Street Name

	SR 88
	2.033 - 13.946

<p> Non-divided Highway</p> <p> Divided Highway</p> <p> Secondary Segment</p> <p> Corporation</p>	<p> Bridge (on route)</p> <p> Underpass</p> <p> Overpass</p>	<p> Railroad (at grade)</p> <p> Railroad (underpass)</p> <p> Railroad (overpass)</p>	<p> Intersection</p>
---	--	--	----------------------

Created on: 7/8/2025

transportation.ohio.gov

Prepared by

The Ohio Department of Transportation

Office of Technical Services


Roadway Information

STRUSR00088**C

State True Log

30.81

County True Log



Surface Type & Width (Left / Right)

	G 24'
	6.728 - 12.304

Base Type (Left / Right)

	L
	6.728 - 12.304

Shoulder Type & Width (Left / Right)

2 (10'/10')	2 (8'/8')	
2.033 - 7.029	7.029 - 12.304	

Resurface Year

	2022
	7.029 - 11.893

Through Lanes

	2
	0 - 13.946

Street Name

	SR 88
	2.033 - 13.946

- | | | | |
|---------------------|-------------------|----------------------|--------------|
| Non-divided Highway | Bridge (on route) | Railroad (at grade) | Intersection |
| Divided Highway | Underpass | Railroad (underpass) | |
| Secondary Segment | Overpass | Railroad (overpass) | |
| Corporation | | | |

Created on: 7/8/2025

transportation.ohio.gov


Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

STRUSR00088**C

State True Log

31.81

County True Log



Surface Type & Width (Left / Right)

G 24'
6.728 - 12.304

Base Type (Left / Right)

L
6.728 - 12.304

Shoulder Type & Width (Left / Right)

2 (8/8)
7.029 - 12.304

Resurface Year

2022
7.029 - 11.893

Through Lanes

2
0 - 13.946

Street Name

SR 88
2.033 - 13.946

- | | | | |
|---------------------|-------------------|----------------------|--------------|
| Non-divided Highway | Bridge (on route) | Railroad (at grade) | Intersection |
| Divided Highway | Underpass | Railroad (underpass) | |
| Secondary Segment | Overpass | Railroad (overpass) | |
| Corporation | | | |

Created on: 7/8/2025

transportation.ohio.gov

Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

STRUSR00088**C

State True Log

32.81

County True Log



Surface Type & Width (Left / Right)

G 24'
6.728 - 12.304

Base Type (Left / Right)

L
6.728 - 12.304

Shoulder Type & Width (Left / Right)

2 (8/8)
7.029 - 12.304

Resurface Year

2022

Through Lanes

2
0 - 13.946

Street Name

SR 88
2.033 - 13.946


- | | | | |
|---------------------|-------------------|----------------------|--------------|
| Non-divided Highway | Bridge (on route) | Railroad (at grade) | Intersection |
| Divided Highway | Underpass | Railroad (underpass) | |
| Secondary Segment | Overpass | Railroad (overpass) | |
| Corporation | | | |

Created on: 7/8/2025

transportation.ohio.gov

Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

STRUSR00088**C



Surface Type & Width (Left / Right)	G 24' 6.728 - 12.304
Base Type (Left / Right)	L 6.728 - 12.304
Shoulder Type & Width (Left / Right)	2 (8/8) 7.029 - 12.304
Resurface Year	2022 7.029 - 11.893
Through Lanes	2 0 - 13.946
Street Name	SR 88 2.033 - 13.946


Non-divided Highway	Bridge (on route)	Railroad (at grade)	Intersection
Divided Highway	Underpass	Railroad (underpass)	
Secondary Segment	Overpass	Railroad (overpass)	
Corporation			

Created on: 7/8/2025

transportation.ohio.gov

Prepared by
 The Ohio Department of Transportation
 Office of Technical Services
 Roadway Information

STRUSR00088**C



Surface Type & Width (Left / Right)	G 24'
	6.728 - 12.304
Base Type (Left / Right)	L
	6.728 - 12.304
Shoulder Type & Width (Left / Right)	2 (8/8')
	7.029 - 12.304
Resurface Year	2022
	7.029 - 11.893
Through Lanes	2
	0 - 13.946
Street Name	SR 88
	2.033 - 13.946

Non-divided Highway	Bridge (on route)	Railroad (at grade)	Intersection
Divided Highway	Underpass	Railroad (underpass)	
Secondary Segment	Overpass	Railroad (overpass)	
Corporation			

Created on: 7/8/2025



transportation.ohio.gov
 Prepared by
 The Ohio Department of Transportation
 Office of Technical Services
 Roadway Information

STRUSR00088**C

State True
Log

35.81

County True
Log

12.00

12.25

12.50

12.75

13.00



Surface Type & Width (Left / Right)

G 24'	G (22'/2')
6.728 - 12.304	12.304 - 13.946

Base Type (Left / Right)

L	K / L
6.728 - 12.304	12.304 - 13.946

Shoulder Type & Width (Left / Right)

2 (8'/8')	2 (3'/3')
7.029 - 12.304	12.304 - 13.946

Through Lanes

	2
	0 - 13.946

Street Name

	SR 88
	2.033 - 13.946

- | | | | |
|---------------------|-------------------|----------------------|--------------|
| Non-divided Highway | Bridge (on route) | Railroad (at grade) | Intersection |
| Divided Highway | Underpass | Railroad (underpass) | |
| Secondary Segment | Overpass | Railroad (overpass) | |
| Corporation | | | |


Created on: 7/8/2025

transportation.ohio.gov

Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

STRUSR00088**C

State True Log
County True Log



Surface Type & Width (Left / Right)

G (22'2")
12.304 - 13.946

Base Type (Left / Right)

K / L
12.304 - 13.946

Shoulder Type & Width (Left / Right)

2 (3'3")
12.304 - 13.946

Through Lanes

2
0 - 13.946

Street Name

SR 88
2.033 - 13.946


- | | | | |
|---------------------|-------------------|----------------------|--------------|
| Non-divided Highway | Bridge (on route) | Railroad (at grade) | Intersection |
| Divided Highway | Underpass | Railroad (underpass) | |
| Secondary Segment | Overpass | Railroad (overpass) | |
| Corporation | | | |

Created on: 7/8/2025



transportation.ohio.gov
Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

STRUSR00088**C



Surface Type & Width (Left / Right)

G 18'	G (18'/2')
14.007 - 14.037	14.037 - 15.361

Base Type (Left / Right)

K	K / L
14.007 - 14.037	14.037 - 15.361

Shoulder Type & Width (Left / Right)

2 (4'/4')	5 (2'/2')
14.007 - 14.037	14.037 - 15.361

Resurface Year

2020
14.01 - 17.45

Through Lanes

2
14.007 - 17.45

Street Name


SR 88
14.007 - 17.45

- Non-divided Highway
- Divided Highway
- Secondary Segment
- Corporation
- Bridge (on route)
- Underpass
- Overpass
- Railroad (at grade)
- Railroad (underpass)
- Railroad (overpass)
- Intersection

Created on: 7/8/2025

transportation.ohio.gov
Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

STRUSR00088**C



Surface Type & Width (Left / Right)

G (18'2") 14.037 - 15.361	G 24' 15.361 - 15.764	G (18'2") 15.764 - 17.45
------------------------------	--------------------------	-----------------------------

Base Type (Left / Right)

K / L 14.037 - 15.361	L 15.361 - 15.764	K / L 15.764 - 17.45
--------------------------	----------------------	-------------------------

Shoulder Type & Width (Left / Right)

5 (2'2") 14.037 - 15.361	2 (10'/10") 15.361 - 15.764	5 (2'2") 15.764 - 17.391
-----------------------------	--------------------------------	-----------------------------

Resurface Year

2020 14.01 - 17.45

Through Lanes

2 14.007 - 17.45

Street Name


SR 88 14.007 - 17.45

- Non-divided Highway
- Divided Highway
- Secondary Segment
- Corporation
- Bridge (on route)
- Underpass
- Overpass
- Railroad (at grade)
- Railroad (underpass)
- Railroad (overpass)
- Intersection

Created on: 7/8/2025

transportation.ohio.gov
Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

STRUSR00088**C



Surface Type & Width (Left / Right)	G (18/2')
	15.764 - 17.45
Base Type (Left / Right)	K / L
	15.764 - 17.45
Shoulder Type & Width (Left / Right)	5 (2/2')
	15.764 - 17.391
Resurface Year	2020
Through Lanes	2
	14.007 - 17.45
Street Name	SR 88
	14.007 - 17.45



Non-divided Highway	Bridge (on route)	Railroad (at grade)	Intersection
Divided Highway	Underpass	Railroad (underpass)	
Secondary Segment	Overpass	Railroad (overpass)	
Corporation			

Created on: 7/8/2025



transportation.ohio.gov
 Prepared by
 The Ohio Department of Transportation
 Office of Technical Services
 Roadway Information

STRUSR00088**C



Surface Type & Width (Left / Right)	
G (18'2')	15.764 - 17.45
Base Type (Left / Right)	
K / L	15.764 - 17.45
Shoulder Type & Width (Left / Right)	
5 (2'2')	15.764 - 17.391
5 (5'5')	17.391 - 17.45
Resurface Year	
2020	14.01 - 17.45
Through Lanes	
2	14.007 - 17.45
Street Name	
SR 88	14.007 - 17.45

Non-divided Highway	Bridge (on route)	Railroad (at grade)	Intersection
Divided Highway	Underpass	Railroad (underpass)	
Secondary Segment	Overpass	Railroad (overpass)	
Corporation			

Created on: 7/8/2025



transportation.ohio.gov
 Prepared by
 The Ohio Department of Transportation
 Office of Technical Services
 Roadway Information

STRUSR00088**C

State True
Log

41.81

County True
Log

18.00












18.25

18.50

18.75

19.00



 Non-divided Highway	 Bridge (on route)	 Railroad (at grade)	 Intersection
 Divided Highway	 Underpass	 Railroad (underpass)	
 Secondary Segment	 Overpass	 Railroad (overpass)	
 Corporation			


Created on: 7/8/2025



transportation.ohio.gov

Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

STRUSR00088**C



Surface Type & Width (Left / Right)	G 18' 19.11 - 20.302
Base Type (Left / Right)	K 19.11 - 20.302
Shoulder Type & Width (Left / Right)	2 (3'/3') 19.11 - 20.302
Through Lanes	2 19.11 - 25.481
Street Name	SR 88 19.11 - 20.165

- Non-divided Highway
- Divided Highway
- Secondary Segment
- Corporation
- Bridge (on route)
- Underpass
- Overpass
- Railroad (at grade)
- Railroad (underpass)
- Railroad (overpass)
- Intersection

Created on: 7/8/2025


Prepared by
 The Ohio Department of Transportation
 Office of Technical Services
 Roadway Information

STRUSR00088**C

State True Log

43.81

County True Log



Surface Type & Width (Left / Right)

G 18'	G 20'	G 18'
19.11 - 20.302	20.302 - 20.46	20.46 - 22.764

Base Type (Left / Right)

K	I	K
19.11 - 20.302	20.302 - 20.46	20.46 - 22.764

Shoulder Type & Width (Left / Right)

2 (3'/3')	2 (10'/10')	2 (3'/3')
19.11 - 20.302	20.302 - 20.46	20.46 - 22.764

Through Lanes

2
19.11 - 25.481

Street Name

SR 88
19.11 - 20.165 20.165 - 25.481

- Non-divided Highway
- Divided Highway
- Secondary Segment
- Corporation
- Bridge (on route)
- Underpass
- Overpass
- Railroad (at grade)
- Railroad (underpass)
- Railroad (overpass)
- Intersection

Created on: 7/8/2025




transportation.ohio.gov

Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

STRUSR00088**C

State True Log
County True Log



Surface Type & Width (Left / Right)

G 18'
20.46 - 22.764

Base Type (Left / Right)

K
20.46 - 22.764

Shoulder Type & Width (Left / Right)

2 (3/3)
20.46 - 22.764

Through Lanes

2
19.11 - 25.481

Street Name

SR 88
20.165 - 25.481


- Non-divided Highway
- Divided Highway
- Secondary Segment
- Corporation
- Bridge (on route)
- Underpass
- Overpass
- Railroad (at grade)
- Railroad (underpass)
- Railroad (overpass)
- Intersection

Created on: 7/8/2025



transportation.ohio.gov
Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

STRUSR00088**C



Surface Type & Width (Left / Right)	
G 18'	G 24'
20.46 - 22.764	22.764 - 23.719
Base Type (Left / Right)	
K	L
20.46 - 22.764	22.764 - 23.719
Shoulder Type & Width (Left / Right)	
2 (3'/3')	2 (10'/10')
20.46 - 22.764	22.764 - 23.719
Through Lanes	
2	
19.11 - 25.481	
Street Name	
SR 88	
20.165 - 25.481	

<ul style="list-style-type: none"> Non-divided Highway Divided Highway Secondary Segment Corporation 	<ul style="list-style-type: none"> Bridge (on route) Underpass Overpass 	<ul style="list-style-type: none"> Railroad (at grade) Railroad (underpass) Railroad (overpass) 	<ul style="list-style-type: none"> Intersection
--	---	---	---

Created on: 7/8/2025

transportation.ohio.gov


Prepared by
 The Ohio Department of Transportation
 Office of Technical Services
 Roadway Information

STRUSR00088**C

State True Log

46.81

County True Log



Surface Type & Width (Left / Right)

G 24'	G 20'
22.764 - 23.719	23.719 - 25.481

Base Type (Left / Right)

L	P
22.764 - 23.719	23.719 - 25.481

Shoulder Type & Width (Left / Right)

2 (10'/10')	2 (4'/4')
22.764 - 23.719	23.719 - 25.481

Through Lanes

2	19.11 - 25.481
---	----------------

Street Name

SR 88	20.165 - 25.481
-------	-----------------

- Non-divided Highway
- Divided Highway
- Secondary Segment
- Corporation
- Bridge (on route)
- Underpass
- Overpass
- Railroad (at grade)
- Railroad (underpass)
- Railroad (overpass)
- Intersection

Created on: 7/8/2025

transportation.ohio.gov

Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

STRUSR00088**C

State True
Log

47.81

County True
Log

24.00

24.25

24.50

24.75

25.00

24.056
ORANGEVILLE-KINSMAN RD

Surface Type & Width (Left / Right)

G 20'
23.719 - 25.481

Base Type (Left / Right)

P
23.719 - 25.481

Shoulder Type & Width (Left / Right)

2 (4/4')
23.719 - 25.481

Through Lanes

2
19.11 - 25.481

Street Name

SR 88
20.165 - 25.481

- | | | | |
|---------------------|-------------------|----------------------|--------------|
| Non-divided Highway | Bridge (on route) | Railroad (at grade) | Intersection |
| Divided Highway | Underpass | Railroad (underpass) | |
| Secondary Segment | Overpass | Railroad (overpass) | |
| Corporation | | | |

Created on: 7/8/2025

transportation.ohio.gov

Prepared by
The Ohio Department of Transportation
Office of Technical Services
Roadway Information

STRUSR00088**C

48.291

State True
Log

County True
Log

25.00

25.25

25.50

25.75

26.00



Surface Type & Width (Left / Right)

G 20'
23.719 - 25.481

Base Type (Left / Right)

P
23.719 - 25.481

Shoulder Type & Width (Left / Right)

2 (4/4')
23.719 - 25.481

Through Lanes

2
19.11 - 25.481

Street Name

SR 88
20.165 - 25.481

- | | | | |
|---------------------|-------------------|----------------------|--------------|
| Non-divided Highway | Bridge (on route) | Railroad (at grade) | Intersection |
| Divided Highway | Underpass | Railroad (underpass) | |
| Secondary Segment | Overpass | Railroad (overpass) | |
| Corporation | | | |

Created on: 7/8/2025



transportation.ohio.gov
 Prepared by
 The Ohio Department of Transportation
 Office of Technical Services
 Roadway Information

Historical Project List for STRUSR00088**C

Begin Measure	End Measure	Project ID Number	Construction Completion Date	Treatment Category	Treatment Type
0.000	2.989	100935	8-2019	Preventive Maintenance	30-Microsurfacing
0.000	7.028	82921	11-2011	Minor Rehabilitation	60-AC Overlay w/Rpr
0.000	1.060	22793	9-2002	Minor Rehabilitation	60-AC Overlay w/Rpr
1.060	2.029	22793	9-2002	Minor Rehabilitation	60-AC Overlay w/Rpr
2.029	7.028	22793	9-2002	Minor Rehabilitation	60-AC Overlay w/Rpr
2.989	7.028	100954	10-2019	Minor Rehabilitation	38-Fine Poly AC Overlay
7.028	12.316	109580	9-2022	Preventive Maintenance	25-Chip Seal
7.028	13.946	88914	11-2016	Minor Rehabilitation	60-AC Overlay w/Rpr
7.028	13.946	24672	8-2004	Preventive Maintenance	30-Microsurfacing
14.007	17.450	101952	11-2020	Minor Rehabilitation	60-AC Overlay w/Rpr
14.007	17.450	76354	8-2009	Minor Rehabilitation	60-AC Overlay w/Rpr
19.110	22.761	100793	8-2019	Preventive Maintenance	25-Chip Seal
19.110	25.481	77865	10-2010	Minor Rehabilitation	60-AC Overlay w/Rpr
22.761	23.731	100970	9-2021	Preventive Maintenance	25-Chip Seal

Roadway Codes

Access Control Journalized

- F - Full Access Control
- L - Limited Access Control
- N - No Access Control

Access Control Operational

- 1 - Full Access Control
- 2 - Partial Access Control
- 3 - No Access Control

Base Type

- F - Crack and Seat
- H - Rubblize and Roll
- I - Aggregate Base 304 or Traffic Compacted
- K - Water Bound Macadam
- L - Bituminous Concrete Mix or Penetration Macadam
- N - Plain Concrete
- P - Reinforced Concrete
- R - Brick (Flexible)
- T - Brick (Rigid)

Direction of Travel

- B - Both (Two-way)
- F - One-way Cardinal
- T - One-way Non-cardinal

Facility Type

- 1 - One-way Roadway
- 2 - Two-way Roadway
- 4 - Ramp
- 5 - Non-mainline
- 6 - Non-inventory Direction
- 7 - Planned / Unbuilt

Historical Federal Aid Indicator

- N - Not a FAP Route
- Y - FAP Route

Functional Classification

- 01 - Interstate
- 02 - Principal Arterial (Freeways)
- 03 - Principal Arterial (Other)
- 04 - Minor Arterial
- 05 - Major Collector
- 06 - Minor Collector
- 07 - Local

Leave / Reenter Indicator

- Y - Route leaves/reenters at this point
- N - Route does not leave/reenter at this point

Median Type

- 1 - None
- 2 - Unprotected
- 3 - Curbed
- 4 - Positive Barrier (Unspecified)
- 5 - Positive Barrier (Flexible)
- 6 - Positive Barrier (Semi-rigid)
- 7 - Positive Barrier (Rigid)

NHS

- N - National Highway System
- H - Congressional Corridor
- 2 - Major Airport
- 3 - Major Port Facility
- 4 - Major Amtrak Station
- 5 - Major Rail / Truck Terminal
- 6 - Major Intercity Bus Terminal
- 7 - Major Public Transit / Multi-modal Passenger Terminal
- 8 - Major Pipeline Terminal
- 9 - Major Ferry Terminal

Priority System

- G - General
- P - Priority System
- U - Urban

Scenic Byway Code

- A - All American Road
- N - National Scenic Byway
- S - State Scenic Byway

Shoulder Type

- 1 - None
- 2 - Surfaced shoulder exists (bituminous concrete {AC})
- 3 - Surfaced shoulder exists (Portland Cement Concrete {PCC})
- 4 - Stabilized shoulder exists (gravel or other granular material)
- 5 - Combination shoulder exists (two or more surface types)
- 6 - Earth shoulder exists
- 7 - Barrier curb exists; no shoulder in front of curb

Surface Type

- A - Combination
- B - Brick
- C - Continuous Reinforced Concrete
- D - Reinforced Concrete
- E - Plain Concrete
- G - Bituminous Concrete
- I - Chipseal on Granular
- K - Open Graded Bituminous
- L - Chipseal or Micro
- M - Gravel
- U - Unimproved
- X - Right of Way Only