


# Community Health Needs Assessment

2022



## Table of Contents

|                                                                                    |            |
|------------------------------------------------------------------------------------|------------|
| <b>Executive Summary .....</b>                                                     | <b>3</b>   |
| Caring for the Community.....                                                      | 4          |
| Community Definition .....                                                         | 5          |
| Secondary Data Summary .....                                                       | 6          |
| Primary Data Summary .....                                                         | 7          |
| Prioritized Health Needs .....                                                     | 7          |
| <b>Demographics of the Marymount Hospital Community .....</b>                      | <b>11</b>  |
| Geography and Data Sources .....                                                   | 11         |
| <b>Highlighted Demographics: Social &amp; Economic Determinants of Health.....</b> | <b>16</b>  |
| Geography and Data Sources .....                                                   | 16         |
| <b>Highlighted Demographics: Disparities and Health Equity .....</b>               | <b>26</b>  |
| Health Equity.....                                                                 | 26         |
| Race, Ethnicity, Age & Gender Disparities .....                                    | 26         |
| Geographic Disparities.....                                                        | 28         |
| <b>Highlighted Demographics: COVID-19 Impacts Snapshot.....</b>                    | <b>32</b>  |
| <b>Synthesis and Prioritization.....</b>                                           | <b>34</b>  |
| Prioritized Health Topic #1: Access to Healthcare .....                            | 35         |
| Prioritized Health Topic #2: Behavioral Health .....                               | 38         |
| Prioritized Health Topic #3: Chronic Disease Prevention and Management .....       | 41         |
| Prioritized Health Topic #4: Maternal and Child Health.....                        | 45         |
| Prioritized Health Topic #5: Socioeconomic Issues .....                            | 47         |
| <b>2022 Marymount Hospital CHNA Alignment.....</b>                                 | <b>51</b>  |
| <b>Appendices Summary .....</b>                                                    | <b>52</b>  |
| <b>Appendix A: Methodology .....</b>                                               | <b>53</b>  |
| Overview.....                                                                      | 53         |
| Secondary Data Sources & Analysis .....                                            | 53         |
| Secondary Data Scoring .....                                                       | 54         |
| Primary Data Collection & Analysis .....                                           | 63         |
| <b>Appendix B: Impact Evaluation .....</b>                                         | <b>66</b>  |
| <b>Appendix C: Secondary Data Scoring Tables.....</b>                              | <b>72</b>  |
| <b>Appendix D: Community Input Assessment Tools .....</b>                          | <b>173</b> |
| <b>Appendix E: Community Partners and Resources.....</b>                           | <b>175</b> |
| <b>Appendix F: Acknowledgements .....</b>                                          | <b>177</b> |
| <b>Marymount Hospital 2022 Implementation Strategy Report .....</b>                | <b>178</b> |

## Executive Summary

This Community Health Needs Assessment (CHNA) was conducted by Cleveland Clinic Marymount Hospital (the Marymount Hospital or “the hospital”) to identify significant community health needs and to inform development of an Implementation Strategy to address current needs in accordance with the Affordable Care Act<sup>1</sup>.

Founded in 1949 by the Sisters of St. Joseph of the Third Order of St. Francis, Marymount has been blending compassionate patient care with exceptional medical expertise and advanced technology. Marymount is a 263 staffed beds<sup>2</sup> acute care hospital, serving communities in southern and southeastern Cuyahoga County. The 26-acre hospital campus includes a medical office building, a behavioral health center, the Critical Care Tower and a state-of-the-art Surgery Center. Marymount has also broadened its geographic footprint with their off-site facilities, including a Medical Center in Broadview Heights and an Ambulatory Surgery Center in Garfield Heights. Additional information on the hospital and its services is available at:

<https://my.clevelandclinic.org/locations/marymount-hospital>.

The hospital is part of the Cleveland Clinic health system, which includes an academic medical center near downtown Cleveland, fourteen regional hospitals in northeast Ohio, a children’s hospital, a children’s rehabilitation hospital, five southeast Florida hospitals, and several other facilities and services across Ohio, Florida, and Nevada.

Cleveland Clinic is a global leader and model of healthcare for the future. We work as a team with the patient at the center of care. As a truly integrated healthcare delivery system, we take on the most complex cases and provide collaborative, multidisciplinary care supported with cutting-edge research and technology. We treat patients and fellow caregivers as family and Cleveland Clinic as our home. Our vision is to become the best place to receive healthcare anywhere, and the best place to work in healthcare. Our goals for achieving that are bold, but reachable: To serve more patients, create more value and improve the well-being of all caregivers. As we grow and double the number of patients served by 2024, everything we do and every place we are located will bear the unmistakable stamp of One Cleveland Clinic –with the same quality, experience and Care Priorities at every location.

Cleveland Clinic’s ability to provide world-class patient care and best-in-class clinicians is the product of our commitment to research and education, which has also contributed significant advancements toward the diagnosis and treatment of complex medical challenges. Figure 1 shows Our Care Priorities, which are to:<sup>3</sup>

- Care for Patients as if they are our own family
- Treat fellow caregivers as if they are our own family

---

<sup>1</sup> Internal Revenue Service, Community Health Needs Assessment for Charitable Hospital Organizations – Section 501 (c) (3), <https://www.irs.gov/charities-non-profits/charitable-organizations/requirements-for-501c3-hospitals-under-the-affordable-care-act-section-501r>

<sup>2</sup> For the purpose of this report and consistent methodology, the Cleveland Clinic MD&A (Q4-2022) interim financial statement is referenced for official bed count. We acknowledge that staffed bed count may fluctuate and may differ from registered or licensed bed counts reflected in other descriptions.

<sup>3</sup> The Cleveland Clinic Mission, Vision and Values <https://my.clevelandclinic.org/about/overview/who-we-are/mission-vision-values>

- Be committed to the communities we serve
- Treat the organization as our home

**Figure 1: The Cleveland Clinic Care Priorities**



## Caring for the Community

Caring for the community is a long-standing priority at Cleveland Clinic. As an anchor institution –a major employer and provider of services in the community –our goal is to create the healthiest community for everyone. We do this through actions and programs to heal, hire and invest for the future.

Cleveland Clinic is much more than a healthcare organization. We are part of the social fabric of the community, creating opportunities for those around us and making the communities we serve healthier. We are listening to our neighbors to understand their needs, now and in the future. The health of every individual affects the broader community.

According to the National Academy of Medicine, only 20% of a person’s health is related to the medical care they receive. There are other factors that have a lifelong impact, accounting for 80% of a person’s overall health.<sup>4</sup> These social determinants of health are conditions in which people grow, work and live –including employment, education, food security, housing and several others.<sup>5</sup>

In order to address health disparities, we lead efforts in clinical and non-clinical programming, advocacy, partnerships, sponsorship and community investment. We are

<sup>4</sup> Magnan, S. Social Determinants of Health 101 for Healthcare: Five Plus Five, National Academy of Medicine. <https://nam.edu/social-determinants-of-health-101-for-health-care-five-plus-five/>

<sup>5</sup> Social Determinants of Health, World Health Organization. [https://www.who.int/health-topics/social-determinants-of-health#tab=tab\\_1](https://www.who.int/health-topics/social-determinants-of-health#tab=tab_1)

actively partnering with leaders to help strengthen community resources and mitigate the impact of disparities in social determinants of health. By engaging with partners who share our commitment, we can make a difference in creating a better, healthier community for everyone.<sup>6</sup>

Additional information about Cleveland Clinic is available at:  
<https://my.clevelandclinic.org/>.

Each Cleveland Clinic hospital also is dedicated to the communities it serves. Each Cleveland Clinic hospital conducts a CHNA to understand and plan for the current and future health needs of residents and patients in the communities it serves. The CHNAs inform the development of strategies designed to improve community health, including initiatives designed to address social determinants of health.

These assessments are conducted using widely accepted methodologies to identify the significant health needs of a specific community. The assessments also are conducted to comply with federal and state laws and regulations including IRS requirements for 501(c)(3) Hospitals under the Affordable Care Act<sup>7</sup>.

## Community Definition


The community definition describes the zip codes where approximately 75% of Marymount Hospital patients reside. Figure 2 shows the service area for the Marymount Hospital Community. A table with zip codes and the associated postal names that comprise the community definition is located in Appendix C.

---

<sup>6</sup> Cleveland Clinic, Community Commitment, <https://my.clevelandclinic.org/about/community#:~:text=Caring%20for%20the%20community%20is,and%20invest%20for%20the%20future>.

<sup>7</sup> Internal Revenue Service, Requirements for 501 (c) (3) Hospitals Under the Affordable Care Act – Section 501 (r), <https://www.irs.gov/charities-non-profits/charitable-organizations/requirements-for-501c3-hospitals-under-the-affordable-care-act-section-501r>

Figure 2: Marymount Hospital Community Definition



## Secondary Data Summary

Secondary data used for this assessment were collected and analyzed from Conduent Healthy Communities Institute's (HCI) community indicator database. The database, maintained by researchers and analysts at HCI, includes 300 community indicators covering at least 28 topics in the areas of health, social determinants of health, and quality of life. The data are primarily derived from state and national public secondary data sources. The value for each of these indicators is compared to other communities, nationally set targets and to previous time periods.

Due to variability in which public health data sets are available, data within this report may be presented at various geographic levels:

- The Marymount Hospital Community Definition—an aggregate of the 27 zip codes described in the Community Definition.
- Cuyahoga, Summit and Portage Counties—the three counties comprising the Marymount Hospital Community Definition

## Primary Data Summary

Qualitative data collected from community members through key stakeholder interviews and a community engagement session comprised the primary data component of the CHNA and helped to inform selection of the significant health needs.

Conduent Healthy Communities Institute interviewed 20 key stakeholders from a diverse spectrum of community-based organizations and public health departments. To provide additional support and corroboration of vital community input, The Cleveland Clinic Foundation and Conduent Healthy Communities Institute facilitated a community engagement session featuring the Marymount Hospital Community Advisory Council (CAC) members. During the session, CAC members offered perspectives on the most important health problems in the community, barriers and challenges to improving health, identified the most underserved populations, discussed potential solutions to health challenges faced and offered success stories from existing program implementation.

## Prioritized Health Needs

Following a comprehensive review of the significant community health needs throughout the Cleveland Clinic Health System, analysis of local county and state needs assessments and emerging trends, the following priority health needs were identified:

- Access to Healthcare
- Behavioral Health
- Chronic Disease Prevention and Management
- Maternal and Child Health
- Socioeconomic Issues



### *Access to Healthcare*

Access to Healthcare secondary data analysis results describe community needs related to consumer expenditures for insurance, medical expenses, medicines and other supplies. With more expansive parameters, primary data describes limitations to accessing healthcare described in terms of transportation challenges, resource limitations and availability of primary care and other prevention services in local neighborhoods.



## ***Behavioral Health***

Behavioral Health encompasses two subtopics—Mental Health and Substance Use Disorder—into a single health need. Mental health secondary data indicators define suicide, Alzheimer’s disease, depression and self-reported poor mental health rates. Similarly, Substance Use Disorder data outline rates related to alcohol and drug use including mortality rates due to drug overdoses. Primary data links the two together as community members and key stakeholders describe mental health challenges in the community, exacerbated by COVID-19 related stressors, resulting in increased alcohol and drug use starting in adolescence as a means of coping.



## ***Chronic Disease Prevention and Management***

This health topic encompasses several subtopics where information is available including Older Adult Health; Nutrition and Healthy Eating; Cancer; Chronic Diseases; Diabetes; Heart Disease and Stroke; and COVID-19. By addressing these issues in concert, The Cleveland Clinic Foundation hopes to impact chronic disease rates including those described in the Synthesis and Prioritization section of this report (page 35).



## ***Maternal and Child Health***

Maternal and Child Health has been a continuing health need in the community with a focus on Children’s Health, Women’s Health and Maternal, Fetal and Infant health. Secondary data indicators include a range of children’s health needs from babies with low birth weight to consumer expenditures on childcare. Primary data describes disparities among low-income and ethnic minority and refugee populations and link access to healthcare with pre-natal care.



## ***Socioeconomic Issues***

Socioeconomic Issues for this report are defined as a subset of social determinants of health (SDOH). Prevention & Safety, Affordable Housing, Violence, Falls and Environmental Issues were the prioritized health needs described by primary and secondary data.

## ***Additional Community Health Themes***

In addition to the Prioritized Health Needs, other themes were prevalent in considering community health. These themes are intertwined in all community health components and impact multiple areas of community health strategies and delivery.



## *Health Equity*

Health Equity issues in our communities were illuminated by COVID-19. They focus on the fair distribution of health determinants, outcomes and resources across communities.<sup>8</sup> Health Equity and reduction of health disparities are indicated as overarching themes in all our prioritized needs. It is described in detail and specifically as it relates to the Marymount Hospital Community in both the Disparities and Health Equity section (page 26) of the report as well as in the Synthesis and Prioritization section (page 35). Special consideration will be given to addressing prioritized health needs through a health equity lens in the Marymount Hospital implementation strategy report.



## *Social Determinants of Health*

Social determinants of health (SDOH) are the conditions in the environment where people are born, live, learn, work, play, worship and age that affect a wide range of health, functioning and quality of life outcomes and risks. Social determinants of health (SDOH) are major drivers of behaviors that impact individual and community health outcomes. For a full description of social determinants of health (SDOH) see the highlighted demographic section entitled Social & Economic Determinants of Health.



## *Medical Research and Health Professions Education*

Cleveland Clinic has a tripartite mission to care for the sick and to improve patient care through research and education. Through research we discover cures and treatment of diseases affecting our communities. This cross-cutting issue was evident in addressing the emergent pandemic of COVID 19. Our education programs train qualified healthcare providers to support the needs of our patients and communities, reducing healthcare access issues. This has been of historical importance to the work, care and mission of Cleveland Clinic and will continue to be incorporated as Marymount Hospital moves toward development of the implementation strategy report.

---

<sup>8</sup> Klein R, Huang D. Defining and measuring disparities, inequities, and inequalities in the Healthy People initiative. National Center for Health Statistics. Center for Disease Control and Prevention. [https://www.cdc.gov/nchs/ppt/nchs2010/41\\_klein.pdf](https://www.cdc.gov/nchs/ppt/nchs2010/41_klein.pdf)

# COMMUNITY HEALTH NEEDS ASSESSMENT

## Marymount Hospital

### Prioritized Health Needs



Access to  
Healthcare



Behavioral Health



Chronic Disease  
Prevention &  
Management



Maternal and  
Child Health



Socioeconomic  
Issues

### Process



### Additional Community Health Themes

#### Health Equity

Health Equity focuses on the fair and just distribution of health determinants, outcomes, and resources across communities.



Systemic racism  
Poverty  
Gender discrimination



Poorer health outcomes for groups such as Black persons, Hispanic or Latino persons, Indigenous communities, people experiencing poverty and LGBTQ+ communities.

#### Social Determinants of Health

Social determinants of health (SDOH) are the conditions in the environments where people are born, live, learn, work, play, worship, and age that affect a wide range of health, functioning, and quality-of-life outcomes and risks.



Source: Healthy People 2030, U.S. Department of Health and Human Services, Office of Disease Prevention and Health Promotion

#### Medical Research and Health Professions Education

Cleveland Clinic has a tripartite mission to care for the sick and to improve patient care through research and education.



Through research we discover cures and treatment of diseases affecting our communities.



Our education programs train qualified healthcare providers to support the needs of our patients and communities, reducing healthcare access issues.

## Demographics of the Marymount Hospital Community

The demographics of a community significantly impact its health profile.<sup>9</sup> Different racial, ethnic, age, and socioeconomic groups may have unique needs and require varied approaches to health improvement efforts. The following section explores the demographic profile of the community residing in the Marymount Hospital Community Definition.

## Geography and Data Sources

Data are presented in this section at the geographic level of the Marymount Hospital Community Definition. Comparisons to the county, state, and national value are also provided when available. All demographic estimates are sourced from Claritas Pop-Facts® (2022 population estimates) and American Community Survey<sup>10</sup> one-year (2019) or five-year (2015-2019) estimates unless otherwise indicated.

## Population


According to the 2022 Claritas Pop-Facts® population estimates, the Marymount Hospital community has an estimated population of 745,492 persons. Figure 3 shows the population size by each zip code, with the darkest blue representing the zip codes with the largest population. Appendix C provides the actual population estimates for each zip code. The most populated zip code area within the Marymount Hospital Community is zip code 44130 (Cuyahoga) with a population of 48,243.

---

<sup>9</sup> National Academies Press (US); 2002. 2, Understanding Population Health and Its Determinants. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK221225/>

<sup>10</sup> American Community Survey. <https://www.census.gov/programs-surveys/acs>

Figure 3: Population by Zip Code




County values- Claritas Pop-Facts® (2022 population estimates)

## Age

Children (0-17) comprised 21.0% of the population in the Marymount Hospital Community which is slightly less when compared to the state of Ohio (21.8%). The Marymount Hospital Community has a higher proportion of residents aged 65+ (19.9%) when compared with the state of Ohio at 18.6%. Figure 4 shows further breakdown of age categories.


**Figure 4: Population by Age: Hospital and State Comparisons**



## Sex

Figure 5 shows the population of the Marymount Hospital Community by sex. Males comprise 47.6% of the population in the Marymount Hospital Community, which is less than both the Ohio (49.0%) and U.S. (49.2%) values. Whereas females comprise 52.4% of the population in the Marymount Hospital Community which is greater than Ohio (51.0%) and the U.S. (50.8%) values.

**Figure 5: Population by Sex: Hospital, State, and U.S. Comparisons**



County and state values- Claritas Pop-Facts® (2022 population estimates) U.S. values taken from American Community Survey five-year (2015-2019) estimates


## Race and Ethnicity

Race and ethnicity contribute to the opportunities individuals and communities have to be healthy. The racial and ethnic composition of a population is also important in planning for future community needs, particularly for schools, businesses, community centers, healthcare, and childcare.

The racial makeup of Marymount Hospital area shows 61.1% of the population identifying as White, as indicated in Figure 6. The proportion of Black/African American community

members is the second largest of all races in the Marymount Hospital Community at 29.1%.


**Figure 6: Population by Race: The Marymount Hospital Community**



County values- Claritas Pop-Facts® (2022 population estimates)

Those community members identifying as White represent a smaller proportion of the population in the Marymount Hospital Community (61.1%) when compared to Ohio (79.7%) and the U.S. (72.5%), while Black/African American community members represent a higher proportion of population in the Marymount Hospital Community (29.1%) when compared to Ohio (13.0%) and the U.S. (12.7%). Cuyahoga County has the largest percentage of community members identifying as Black/African American (30.2%) compared to the other counties included in the Marymount Hospital Community Definition. (Figure 7)


**Figure 7: Population by Race: Hospital, County, State, and U.S. Comparisons**



County and state values- Claritas Pop-Facts® (2022 population estimates), U.S. values taken from American Community Survey five-year (2015-2019) estimates

As shown in Figure 8, 7.3% of the population in the Marymount Hospital Community identify as Hispanic/Latino. This is a larger proportion of the population when compared to Ohio (4.4%) but smaller when compared to the U.S. (18.0%). Cuyahoga County has the largest percentage of community members who identify as Hispanic/Latino (6.8%).

**Figure 8: Population by Ethnicity: Hospital, County, State, and U.S. Comparisons**




County and state values- Claritas Pop-Facts® (2022 population estimates), U.S. values taken from American Community Survey five-year (2015-2019) estimates

## Language and Immigration

Understanding countries of origin and language spoken at home can help inform the cultural and linguistic context for the health and public health system.

In the Marymount Hospital Community, 87.0% of the population age five and older speak only English at home, which is lower than the state value of 92.7% but higher than the national value of 78.4% (Figure 9). This data indicates that 5.0% of the population in the Marymount Hospital Community speak Spanish, 1.6% speak an Asian/Pacific Islander language, 4.8% speak an Indo-European Language, and 1.5% speak Other Languages at home.

**Figure 9: Population 5+ by Language Spoken at Home: Hospital, State, and U.S. Comparisons**



County and state values- Claritas Pop-Facts® (2022 population estimates), U.S. values taken from American Community Survey five-year (2015-2019) estimates

## Highlighted Demographics: Social & Economic Determinants of Health

This section explores the economic, environmental, and social determinants of health impacting the Marymount Hospital Community. The social determinants of health are the non-medical factors that influence health outcomes. They are the conditions in which people are born, grow, work, live, and age, and the wider set of forces and systems shaping the conditions of daily life. These forces and systems include economic policies and systems, development agendas, social norms, social policies, and political systems<sup>11</sup>. The Social Determinants of Health (SDOH) can be grouped into five domains. Figure 10 shows the Healthy People 2030 Social Determinants of Health domains<sup>12</sup>.

Figure 10: Healthy People 2030 Social Determinants of Health Domains



## Geography and Data Sources

Data in this section are presented at various geographic levels (zip code and/or county) depending on data availability. When available, comparisons to county, state, and/or national values are provided. It should be noted that county level data can sometimes mask what could be going on at the zip code level in many communities. While indicators may be strong when examined at a higher level, zip code level analysis can reveal disparities.

<sup>11</sup> World Health Organization. Social Determinants of Health. [https://www.who.int/health-topics/social-determinants-of-health#tab=tab\\_1](https://www.who.int/health-topics/social-determinants-of-health#tab=tab_1)

<sup>12</sup> Healthy People 2030, 2022. Social Determinants of Health Domains. <https://health.gov/healthypeople/priority-areas/social-determinants-health>


All demographic estimates are sourced from Claritas Pop-Facts® (2022 population estimates) and American Community Survey one-year (2019) or five-year (2015-2019) estimates unless otherwise indicated.

## Income

Income has been shown to be strongly associated with morbidity and mortality, influencing health through various clinical, behavioral, social, and environmental factors. Those with greater wealth are more likely to have higher life expectancy and reduced risk of a range of health conditions including heart disease, diabetes, obesity, and stroke. Poor health can also contribute to reduced income by limiting one's ability to work.<sup>13</sup>

Figure 11 provides a breakdown of households by income in the Marymount Hospital Community Definition. A household income of \$50,000 - \$74,999 is shared by the largest proportion of households in the Marymount Hospital Community (17.0%). Households with an income of less than \$15,000 make up 11.2% of households in the Marymount Hospital Community.


**Figure 11: Households by Income: The Marymount Hospital Community**



The median household income for the Marymount Hospital Community is \$64,493, which is lower than the state value of \$65,070 and higher than the national value of \$62,843 (Figure 12).

<sup>13</sup> Robert Wood Johnson Foundation. Health, Income, and Poverty. <https://www.rwjf.org/en/library/research/2018/10/health-income-and-poverty-where-we-are-and-what-could-help.html>


**Figure 12: Household Income by: Hospital, County, State, and U.S. Comparisons**



County and state values- Claritas Pop-Facts® (2022 population estimates), U.S. values taken from American Community Survey five-year (2015-2019) estimates

Figure 13 shows the median household income by race and ethnicity. Three racial/ethnic groups – White, Asian, and Non-Hispanic/Latino– have median household incomes above the overall median value. All other races have incomes below the overall value, with the Some Other Race population having the lowest median household income at \$37,983.

**Figure 13: Median Household Income by Race/Ethnicity: The Marymount Hospital Community**



County values- Claritas Pop-Facts® (2022 population estimates)

## Poverty


Federal poverty thresholds are set every year by the Census Bureau and vary by size of family and ages of family members. People living in poverty are less likely to have access to healthcare, healthy food, stable housing, and opportunities for physical activity. These disparities mean people living in poverty are more likely to experience poorer health outcomes and premature death from preventable diseases.<sup>14</sup>

Figure 14 shows the percentage of families living below the poverty level by zip code. The darker blue colors represent a higher percentage of families living below the poverty level, with zip codes 44104 (Cleveland) and 44127 (Cleveland) having the highest percentages at 47.4% and 40.8%, respectively. Overall, 11.1% of families in the Marymount Hospital Community live below the poverty level, which is higher than both the state value of 9.6% and the national value of 9.5%. The percentage of families living below poverty for each zip code in the Marymount Hospital Community is provided in Appendix C.

---

<sup>14</sup> U.S. Department of Health and Human Services, Healthy People 2030.  
<https://health.gov/healthypeople/objectives-and-data/browse-objectives/economic-stability/reduce-proportion-people-living-poverty-sdoh-01>

Figure 14: Families Living Below Poverty



## Employment

A community's employment rate is a key indicator of the local economy. An individual's type and level of employment impacts access to healthcare, work environment, health behaviors, and health outcomes. Stable employment can help provide benefits and conditions for maintaining good health. In contrast, poor or unstable work and working conditions are linked to poor physical and mental health outcomes.<sup>15</sup>


<sup>15</sup> U.S. Department of Health and Human Services, Healthy People 2030.  
<https://health.gov/healthypeople/objectives-and-data/social-determinants-health/literature-summaries/employment>

Unemployment and underemployment can limit access to health insurance coverage and preventive care services. Underemployment is described as involuntary part-time employment, poverty-wage employment, and insecure employment.<sup>15</sup>

Type of employment and working conditions can also have significant impacts on health. Work-related stress, injury, and exposure to harmful chemicals are examples of ways employment can lead to poorer health.<sup>15</sup>

Figure 15 shows the population aged 16 and over who are unemployed. The unemployment rate for the Marymount Hospital Community is 6.5%, which is higher than the state value of 4.7% and national value of 5.3%.

**Figure 15: Population 16+ Unemployed: Hospital, County, State, and U.S. Comparisons**



County and state values- Claritas Pop-Facts® (2022 population estimates), U.S. values taken from American Community Survey five-year (2015-2019) estimates


## Education

Education is an important indicator for health and wellbeing. Education can lead to improved health by increasing health knowledge, providing better job opportunities and higher income, and improving social and psychological factors linked to health. People with higher levels of education are likely to live longer, to experience better health outcomes, and practice health-promoting behaviors.<sup>16</sup>

Figure 16 shows the percentage of the population 25 years or older by educational attainment.

<sup>16</sup> Robert Wood Johnson Foundation, Education and Health.  
<https://www.rwjf.org/en/library/research/2011/05/education-matters-for-health.html>


**Figure 16: Population 25+ by Education Attainment: The Marymount Hospital Community**



Another indicator related to education is on-time high school graduation. A high school diploma is a requirement for many employment opportunities and for higher education. Not graduating high school is linked to a variety of negative health impacts, including limited employment prospects, low wages, and poverty.<sup>17</sup>

Figure 17 shows that the Marymount Hospital Community has a similar percentage of residents with a high school degree or higher (90.3%) when compared to the state of Ohio value (90.7%) but has a higher value when compared to the U.S. value (88.0%). The Marymount Hospital Community has a higher percentage of residents with a bachelor's degree or higher (32.6%) when compared to the state of Ohio value (29.0%) and the U.S. value (32.1%) respectively.

**Figure 17: Population 25+ by Education Attainment: Hospital, County, State, and U.S. Comparisons**



County and state values- Claritas Pop-Facts® (2022 population estimates), U.S. values taken from American Community Survey five-year (2015-2019) estimates

<sup>17</sup> U.S. Department of Health and Human Services, Healthy People 2030.


<https://health.gov/healthypeople/objectives-and-data/social-determinants-health/literature-summaries/high-school-graduation>

## Housing

Safe, stable, and affordable housing provides a critical foundation for health and wellbeing. Exposure to health hazards and toxins in the home can cause significant damage to an individual or family's health.<sup>18</sup>

Figure 18 shows the percentage of houses with severe housing problems. This indicator measures the percentage of households with at least one of the following problems: overcrowding, high housing costs, lack of kitchen, or lack of plumbing facilities. Cuyahoga County has the highest percentage of houses with severe housing problems.

**Figure 18: Severe Housing Problems: County, State, And U.S. Comparisons**




When families must spend a large portion of their income on housing, they may not have enough money to pay for things like healthy foods or healthcare. This is linked to increased stress, mental health problems, and an increased risk of disease.<sup>19</sup>

Figure 19 shows the percentage of renters who are spending 30% or more of their household income on rent.

<sup>18</sup> County Health Rankings, Housing and Transit. <https://www.countyhealthrankings.org/explore-health-rankings/measures-data-sources/county-health-rankings-model/health-factors/physical-environment/housing-and-transit>

<sup>19</sup> U.S. Department of Health and Human Services, Healthy People 2030. <https://health.gov/healthypeople/objectives-and-data/browse-objectives/housing-and-homes/reduce-proportion-families-spend-more-30-percent-income-housing-sdoh-04>

Figure 19: Renters Spending 30% Or More Of Household Income on Rent



## Neighborhood and Built Environment


Internet access is essential for basic healthcare access, including making appointments with providers, getting test results, and accessing medical records. Access to the internet is also increasingly essential for obtaining home-based telemedicine services.<sup>20</sup>

Internet access may also help individuals seek employment opportunities, conduct remote work, and participate in online educational activities.<sup>20</sup>

<sup>20</sup> U.S. Department of Health and Human Services, Healthy People 2030.  
<https://health.gov/healthypeople/objectives-and-data/browse-objectives/neighborhood-and-built-environment/increase-proportion-adults-broadband-internet-hchit-05>

Figure 20 shows the percentage of households that have an internet subscription. 44104 (Cleveland) has the least percentage of households with internet connection, represented by lightest shade of blue on the map.

**Figure 20: Households with an Internet Subscription**



County values: American Community Survey five-year (2015-2019) estimates

## Highlighted Demographics: Disparities and Health Equity

Identifying disparities by population groups and geography helps to inform and focus priorities and strategies. Understanding disparities also helps us better understand root causes that impact health in a community and inform action towards health equity.

### Health Equity

Health equity focuses on the fair distribution of health determinants, outcomes, and resources across communities.<sup>21</sup> National trends have shown that systemic racism, poverty, and gender discrimination have led to poorer health outcomes for groups such as Black/African American, Hispanic/Latino, Indigenous, communities with incomes below the federal poverty level, and LGBTQ+ communities.<sup>22</sup>

### Race, Ethnicity, Age & Gender Disparities

Primary and secondary data revealed significant community health disparities by race, ethnicity, gender, and age. It is important to note that the data is presented to show differences and distinctions by population groups. And a data variation within each population group may be as great as that between different groups. For instance, Asian or Asian and Pacific Islander persons encompasses individuals from over 40 different countries with very different languages, cultures, and histories in the U.S. Information and themes captured through key informant interviews and community engagement session discussions have been shared to provide a more comprehensive and nuanced understanding of each community's experiences.

### Secondary Data

Community health disparities were assessed in the secondary data using the Index of Disparity<sup>23</sup> analysis, which identifies disparities based on how far each subgroup (by race, ethnicity, or gender) is from the overall county value. For more detailed methodology related to the Index of Disparity, see Appendix A.

Table 1 below identifies secondary data indicators with a statistically significant race or ethnic disparity for the Marymount Hospital Community, based on the Index of Disparity.

---

<sup>21</sup> Klein R, Huang D. Defining and measuring disparities, inequities, and inequalities in the Healthy People initiative. National Center for Health Statistics. Center for Disease Control and Prevention. [https://www.cdc.gov/nchs/ppt/nchs2010/41\\_klein.pdf](https://www.cdc.gov/nchs/ppt/nchs2010/41_klein.pdf)

<sup>22</sup> Baciu A, Negussie Y, Geller A, et al (2017). Communities in Action: Pathways to Health Equity. Washington (DC): National Academies Press (US); The State of Health Disparities in the United States. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK425844/>

<sup>23</sup> Percy, J. & Keppel, K. (2002). A Summary Measure of Health Disparity. Public Health Reports, 117, 273-280.

**Table 1: Indictors with Significant Race or Ethnic Disparities**

| <b>Health Indicator</b>                               | <b>Group(s) Negatively Impacted</b>                                                                          |
|-------------------------------------------------------|--------------------------------------------------------------------------------------------------------------|
| <b>Age-Adjusted Death Rate due to Diabetes</b>        | Black/African American                                                                                       |
| <b>Age-Adjusted Death Rate due to Kidney Disease</b>  | Black/African American                                                                                       |
| <b>Age-Adjusted Death Rate due to Prostate Cancer</b> | Black/African American                                                                                       |
| <b>Babies with Very Low Birth Weight</b>              | Black/African American                                                                                       |
| <b>Children Living Below Poverty Level</b>            | Black/African American, Hispanic/Latino, Other Race, Two or More Races                                       |
| <b>Families Living Below Poverty Level</b>            | American Indian/Alaska Native, Black/African American, Hispanic/Latino, Other Race                           |
| <b>HIV/AIDS Prevalence Rate</b>                       | Black/African American, Hispanic/Latino                                                                      |
| <b>People 65+ Living Below Poverty Level</b>          | American Indian/Alaska Native, Black/African American, Hispanic/Latino                                       |
| <b>People Living Below Poverty Level</b>              | American Indian/Alaska Native, Asian, Black/African American, Hispanic/Latino, Other Race, Two or More Races |
| <b>Persons without Health Insurance</b>               | Hispanic/Latino, Other Race                                                                                  |
| <b>Workers Commuting by Public Transportation</b>     | American Indian/Alaska Native, White (Non-Hispanic)                                                          |
| <b>Workers who Walk to Work</b>                       | Two or More Races                                                                                            |
| <b>Young Children Living Below Poverty Level</b>      | Black/African American, Hispanic/Latino, Native Hawaiian/Pacific Islander, Other                             |

The Index of Disparity analysis for Cuyahoga, Portage, and Summit counties reveals that the Black/African American, Hispanic/Latino, American Indian/Alaskan Native, Two or More Races, and Other Race group populations are disproportionately impacted by various measures of poverty, which is often associated with poorer health outcomes. These indicators include Families Living Below Poverty Level, Children Living Below Poverty Level, People 65+ Living Below Poverty Level, Young Children Living Below Poverty Level, and People Living Below Poverty Level. Furthermore, Black/African American, and Hispanic/Latino populations are disproportionately impacted in HIV/AIDS Prevalence Rate and Babies with Very Low Birth Weight. Additionally, Black/African American populations experience a heavier burden related to chronic diseases, such as diabetes, kidney disease, and prostate cancer. Hispanic/Latino and Other Race groups also have the highest rates of Persons without Health Insurance, compared to other races/ethnicities in the region.

Finally, White (Non-Hispanic), Two or More Race groups, and American Indian/Alaska Native populations are disproportionately impacted across measures of public transportation (Table 1).


## **Geographic Disparities**

In addition to disparities by race, ethnicity, gender, and age, this assessment also identified specific zip codes/municipalities with differences in outcomes related to health and social determinants of health. Geographic disparities were identified using the Health Equity Index, Food Insecurity Index, and Mental Health Index. These indices have been developed by Conduent Healthy Communities Institute to easily identify areas of high socioeconomic need, food insecurity and poor mental health. For all indices, counties, zip codes, and census tracts with a population over 300 are assigned index values ranging from 0 to 100, with higher values indicating greater need. Understanding where there are communities with higher need is critical to targeting prevention and outreach activities.

## **Health Equity Index**

Conduent's Health Equity Index (HEI) estimates areas of high socioeconomic need, which are correlated with poor health outcomes. Zip codes are ranked based on their index value to identify relative levels of need, as illustrated by the map in Figure 21. The following zip codes in the Marymount Hospital Community had the highest level of socioeconomic need (as indicated by the darkest shades of blue): 44102, 44104, 44105, 44109, 44127, and 44128 in Cuyahoga County. Appendix A provides the index values for each zip code.


Figure 21: Health Equity Index



## Food Insecurity Index

Conduent's Food Insecurity Index (FII) estimates areas of low food accessibility correlated with social and economic hardship. Zip codes are ranked based on their index value to identify relative levels of need, as illustrated by the map in Figure 22. The following zip codes had the highest level of food insecurity (as indicated by the darkest shades of green): 44102, 44104, 44105, 44109, 44127, and 44128. These high needs zip codes are all within Cuyahoga County. Appendix A provides the index values for each zip code.


Figure 22: Food Insecurity Index



## Mental Health Index

Conduent's Mental Health Index (MHI) is a measure of socioeconomic and health factors correlated with self-reported poor mental health. Zip codes were ranked based on their index value to identify the relative levels of need, as illustrated by the map in Figure 23. The following zip codes are estimated to have the highest need (as indicated by the darkest shades of purple): 44102, 44104, 44105, 44120, 44127, and 44128 in Cuyahoga County. Appendix A provides the index values for all zip codes within the Marymount Hospital Community.

Figure 23: Mental Health Index



## Highlighted Demographics: COVID-19 Impacts Snapshot

On March 13, 2020, a U.S. national emergency was declared over the novel coronavirus outbreak first reported in the Wuhan Province of China in December 2019. Officially named COVID-19 by the World Health Organization (WHO) in February, WHO declared COVID-19 a pandemic on March 11, 2020. Later that month, stay-at-home orders were placed by the Ohio Governor and unemployment rates soared as companies were impacted and mass layoffs began.

At the time that the Marymount Hospital Community began its collaborative CHNA process, the community and the state of Ohio were in a period of the pandemic that was hoped to be in its final phases. Primary data was collected virtually to ensure the health and safety of those participating.

### COVID-19 Pandemic

#### Community Input

Key stakeholder interviews and the Marymount Hospital Community Engagement Session served to assess the impact of the COVID-19 pandemic by asking respondents to describe how the pandemic has impacted community health outputs. Top responses focused on mental health challenges that spanned all age groups. Young adults experienced grief from the loss of loved ones to COVID-19, mental health challenges and financial hardships.



Our [college] students are experiencing an increase in mental health issues due to losing jobs, losing homes, being on a waiting list with the state for help with housing not having any money and also losing family members to COVID-19 and just not being able to cope because they don't have the support at home. So we do have resources at the school that we offer them.




- Community Engagement Session Participant

Older adult health suffered both because of isolation borne of the fear of exposure to the COVID-19 virus, followed by sense of well-being, security, or hope, and social support/connection.

#### The COVID-19 Daily Average Case Incidence Rate by County

Figure 24 shows the daily average COVID-19 case incidence rate for Cuyahoga, Portage, and Summit counties from January 2022 through early July 2022. As shown, the incidence rate has declined since the beginning of 2022, although some small spikes in incidence rates have occurred.

Figure 24: Daily Average COVID-19 Case Incidence Rate by County




## Vaccination Rates

As of June 2022, at least 57% of the population residing in counties within the Marymount Hospital Community Definition are fully vaccinated against COVID-19. Cuyahoga County has the highest vaccination rates (65.5%), followed by Summit County (64.0%) and Portage (57.8%).

## Unemployment Rates

Unemployment rates rose between March and April 2020 for Cuyahoga, Portage, and Summit counties when stay-at-home orders were first announced. Illustrated in Figure 25 below, as counties began slowly reopening some businesses in late-2020, the unemployment rate gradually began to go down. As of late 2021, unemployment rates have stabilized but still exceed pre-pandemic rates. When unemployment rates rise, there is a potential impact on health insurance coverage and healthcare access if jobs lost include employer-sponsored healthcare.

Figure 25: Unemployment Rate After the Start of the COVID-19 Pandemic




## Synthesis and Prioritization

All forms of data may present strengths and limitations. Each data source used in this CHNA process was evaluated based on strengths and limitations and should be kept in mind when reviewing this report. Each health topic presented a varying scope and depth of quantitative data indicators and qualitative findings. For both quantitative and qualitative data, immense efforts were made to include as wide a range of secondary data indicators, community engagement session participants, and key stakeholders as possible. A full list of contributors can be found in the Primary Data Collection and Analysis description in [Appendix A](#).

To gain a comprehensive understanding of the significant health needs for the Marymount Hospital Community, the findings from all three data sets were compared and studied simultaneously. The secondary data scores, community engagement session themes, and key stakeholder responses were considered equally important in understanding the health issues of the community. The top health needs identified from each of these data sources were analyzed for areas of overlap. Six health issues were identified as significant health needs across all three data sources and were used for further prioritization. To ensure alignment with state and local health department objectives, a working group analyzed these significant health needs alongside the [Ohio State Health Improvement Plan \(SHIP\)](#) as well as the [Cuyahoga, Summit and Portage County Community Health Improvement Plans \(CHIP\)](#) most recent findings. The prioritization process distilled the significant needs into five categories.

The five prioritized health needs are summarized in Figure 26. Each prioritized health topic includes the key findings from secondary data, the community engagement session discussions and key stakeholder interviews.

**Figure 26: 2022 Prioritized Health Needs**



# Prioritized Health Topic #1: Access to Healthcare

## Access to Healthcare

Secondary  
Data Score: **1.29**



### Key Themes from Community Input



- Lack of financial investment in public health prevention as hospitals are focused on revenue which comes from specialty care, surgical care, etc.
- Non-English speakers, people living in poverty, and those underinsured face barriers to accessing health care
- Racial disparities coupled with disparities based on income level dictate the quality of care received
- COVID-19 delayed preventative care and increased virtual visits putting care quality at risk and alienating populations without technical knowledge or access
- Expanded Medicaid access exposed gaps in knowledge or services navigation for low income and older adult populations
- Lack of knowledge of healthy behaviors and health resources in the community
- Transportation often a barrier to accessing health services centralized in hospitals and clinics

### Warning Indicators



- Consumer Expenditures: Health Insurance
- Consumer Expenditures: Medical Services
- Consumer Expenditures: Medical Supplies
- Consumer Expenditures: Prescription and Non-Prescription Drugs

## Primary Data: Key Stakeholder Interviews and Community Engagement Session

Access to Health Care was described as a top health need by the Marymount Hospital Community Advisory Council members participating in the Community Engagement Session. Community members designated the affordability of healthcare as among the most important health problems in the community with some community members going to extremes—using emergency services in lieu of primary care—to access health services when needed. Access, and access-related topics including transportation, lack of ability to navigate to appropriate health resources and services were described as among the top barriers to improving health. Older adults, students, youth and Latinx populations were highlighted as most struggling to navigate the healthcare system to access care.



-----

This year we had resource nights and mental health services for our Spanish speaking population in the district. We had approximately 90 families that were Spanish speaking only. So we started to do some more research and branch out to Spanish speaking communities to see what kind of resources they have regarding mental health checkups. We had a few resource nights and got more and more participation just because they started to feel more comfortable. A lot of the feedback that we get were would be that they didn't know something existed for them.



- Community Engagement Session Participant

-----

Key stakeholders conveyed that the COVID-19 pandemic delayed community members from seeking preventative care and increased virtual visits, thus putting care quality at risk and alienating populations without technical knowledge or access. Further, expanded Medicaid access has exposed gaps in knowledge and services navigation for low income and older adult populations while transportation was shown to often be a barrier to accessing health services centralized in hospitals and clinics



-----

Certainly the people who are living with Long COVID have very direct health care issues that they're dealing with. The pandemic has definitely led to significant delays in care early on, so a lot of that preventative stuff got pushed off and I don't think we've caught up with all that.



- Key Stakeholder

-----

## Secondary Data

From the secondary data scoring results, Health Care Access & Quality ranked as the 16<sup>th</sup> highest scoring health need, with a score of 1.29. Further analysis was done to identify specific indicators of concern. Those indicators with high data scores (scoring at or above the threshold of 1.50) were categorized as indicators of concern and can be found in Appendix C and are discussed below. In addition, the appendices also contain a description of methodology (Appendix A) and a full list of indicators with data scoring categorized within this topic area (Appendix C).

Consumer Expenditures: Medical Services is one of the worst performing indicators in all three counties in the Marymount hospital community. This indicator is defined as the average dollar amount per consumer unit spent on medical services (such as eye care,


dental care, physician, and non-physician care). A consumer unit is defined as a household or any person living in a college dormitory.

The average dollar amount per consumer unit spent on medical services in Summit County is \$1,153.1 which is higher than the average dollar amount spent on medical services in the state of Ohio, where that amount is \$1098.6 dollars per consumer unit. For this indicator, each county in the Marymount Hospital Community in the worst 25% of all counties in the nation.

Additionally, in Cuyahoga County, 89.8% of adults have health insurance, compared to 90.6% in the United States. Medical costs in the United States are high. Therefore, people without health insurance may not be able to afford medical treatment or prescription drugs. They are also less likely to get routine checkups and screenings, so if they do become ill, they will not seek treatment until the condition is more advanced and therefore more difficult and costly to treat. <sup>24</sup>Many small businesses are unable to offer health insurance to employees due to rising health insurance premiums.<sup>25</sup>

The rising costs of medical care and lack of insurance affects all races and ethnicities. However, in Cuyahoga County, people identifying as Hispanic/Latino and Some Other Race are disproportionately affected (as seen in red in Figure 27).

**Figure 27. Persons without Health Insurance by Race/Ethnicity in Cuyahoga County**



Source: American Community Survey, 2019

<sup>24</sup> Kaiser Family Foundation, 2020 and 2015

<sup>25</sup> The Commonwealth Fund, 2019

## Prioritized Health Topic #2: Behavioral Health

### Behavioral Health: Mental Health

Secondary  
Data Score: **1.52**



#### Key Themes from Community Input



- Closely linked with substance use as self-medication
- Lack of meaningful investment in true community health programming
- Lack of providers to meet the increasing mental health/behavioral health needs
- Loss of green spaces in metro areas contributes to reduction in overall physical and mental health
- Need to expand provider network as the justice system works to divert folks with low-level violations to treatment and mental health care
- Reported as increasing in both teachers and school-aged children as a result of COVID-19 isolation
- Second leading cause of death in kids 10-14 is suicide

#### Warning Indicators



- Adults Ever Diagnosed with Depression
- Depression: Medicare Population
- Poor Mental Health: 14+ Days
- Poor Mental Health: Average Number of Days

### Primary Data: Key Stakeholder Interviews and Community Engagement Sessions (Mental Health)

Members of the Marymount Hospital Community Advisory Council, representing a range of organizations within the community, who attended the Community Engagement session ranked Mental Health the most important health problem in the community. Participants reported an increase in mental health concerns in both young adults and children due to isolation resulting from remote learning during the COVID-19 pandemic. Further, they described stigmatization surrounding the need to ask for help particularly for older adults and youth as a key barrier to improving mental health in the community.



One thing that we noticed this year is a stigma in receiving additional help regarding mental health and we have been focusing on trying to decrease that stigma and accepting the help that they may need and trying to normalize the conversations regarding mental health and trying to receive services. Not only from a student's perspective, but also a family support and wrap around service.



- Community Engagement Session Participant

Key stakeholders focused on the COVID-19 exacerbated mental health and mental disorders in nearly every population including older adults, children, LGBTQIA+, low income, refugees and minority populations. Additionally, a static supply and increased demand for mental health services leaves many community members resorting to other coping mechanisms like increasing violent behaviors and substance use.


## Secondary Data: Mental Health

From the secondary data scoring results, Mental Health & Mental Disorders had the sixth highest data score of all topic areas, with a score of 1.52. Further analysis was done to identify specific indicators of concern. Those indicators with high data scores (scoring at or above the threshold of 1.50) were categorized as indicators of concern and can be found in Appendix C and are discussed below. In addition, the appendices also contain a description of methodology (Appendix A) and a full list of indicators with data scoring categorized within this topic area (Appendix C).

According to the secondary data, depression, and Alzheimer's, specifically within the Medicare population, are areas of great concern. 21.8% and 21.4% of Medicare beneficiaries in Summit and Portage counties, respectively, have been treated for depression.

Additionally, 11.4% of Medicare beneficiaries in Cuyahoga County have been treated for Alzheimer's Disease or Dementia and 18.5% have been treated for depression.


Disparities within the mental health topic area were also found for Marymount Hospital Community counties. As seen in red in Figure 28, in Cuyahoga County, the Age-Adjusted Death Rate due to Suicide for males is 23.1 deaths per 100,000 population. This rate is 5.9 deaths per 100,000 for females (see green).



Source: Centers for Disease Control and Prevention, 2017-2019

Summit County has a similar trend where there are 27.2 deaths due to suicide per 100,000 males (see red below), and 5.9 deaths per 100,000 females (see green below). This is shown in Figure 29.

**Figure 29. Age-Adjusted Death Rate due to Suicide by Gender in Summit County**



Source: Centers for Disease Control and Prevention, 2017-2019

## Prioritized Health Topic #3: Chronic Disease Prevention and Management

Chronic Disease Prevention and Management is a health topic that is analyzed from four secondary data topics – Nutrition and Healthy Eating, Chronic Diseases, Older Adult Health and Cancer. An overview snapshot of each of these subtopics is provided below.

### Primary Data: Key Stakeholder Interviews and Community Engagement Session

#### NUTRITION & HEALTHY EATING

## Nutrition & Healthy Eating

Secondary Data Score: **1.45**



### Key Themes from Community Input



- Access to healthy food limited by transportation, minimal grocery stores nearby, built environment
- Conditions such as hypertension asthma, diabetes, COPD, coronary heart disease, all related to the quality of food one has access to
- Effects of redlining are still seen—these are the neighborhoods that do not always have grocery stores in a close mile radius
- Heart disease, diabetes, obesity, cancer—all inherently tied to healthy food accessibility, built environment/walkability, safety, access to care

### Warning Indicators



- Consumer Expenditures: Fast Food Restaurants
- Consumer Expenditures: Fruits and Vegetables
- Consumer Expenditures: High Sugar Foods

Participants in the Marymount Hospital Community Engagement Session agreed that food insecurity, second only to mental health challenges, was the most important health problem in the community. Mobile pantries and food banks ran out of fresh produce more quickly as inflation drove food prices higher. The mixture of rising prices of other essential goods along with unemployment and underemployment impacted community member's ability to meet basic needs. Participants further noted that maximizing nutritional content to prepare healthy food on a limited budget was a skill most community members don't possess intimating that without that skill, food insecure community members are at higher risk for poor diet associated illnesses.

Key stakeholders revealed that access to healthy food was often limited by a lack of either public or private transportation. There are only a few grocery stores in the community and few community members can access those by walking. Conditions such as hypertension,

asthma, diabetes, chronic obstructive pulmonary disease (COPD) and coronary heart disease are all related to the quality of food community members have access to<sup>26</sup>.



To this day, the effects of redlining are still seen—these are the neighborhoods that do not always have grocery stores in a close mile radius. These are the neighborhoods where you're going to see lots of dollar stores around, where people are being forced to get their fruits and veggies because there hasn't been a historical investment in them.



- Key Stakeholder

## OLDER ADULT HEALTH

### Older Adult Health

Secondary  
Data Score: **1.56**



#### Key Themes from Community Input



- Affordable assisted living facilities in familiar neighborhoods are scarce
- Aging at home brings increased care requirements and isolation
- COVID-19 was a disruptor of programs for older adults leading to more social isolation
  - Increased reports of depression, anxiety, suicide attempt, death by suicide
  - Some people with dementia progressed to Alzheimer's
- Difficulties navigating health care system due to lack of broadband access/computer knowledge
- Lower income older adults disproportionately affected by chronic conditions, access to healthy food, poor housing conditions
- Mass vaccination sites were difficult for non-English speaking older adults to navigate (language barriers) and those not technologically savvy
- Older adults ranked #2 most underserved population (tied with children and refugees)
- Seniors are running out of money, living longer, on waiting lists for home delivered meals
- Social cohesion & connectedness:
  - Isolation in LGBTQ+ elderly patients because they come from a generation where they may have been rejected by family members, may have lost loved ones
  - Wasn't common for LGBT folks to have families, so they're really alone
  - Isolation is an independent risk factor for adverse outcomes

#### Warning Indicators



- Adults with Arthritis
- Age-Adjusted Death Rate due to Alzheimer's Disease
- Alzheimer's Disease or Dementia: Medicare Population
- Asthma: Medicare Population
- Atrial Fibrillation: Medicare Population
- Cancer: Medicare Population
- Chronic Kidney Disease: Medicare Population
- Colon Cancer Screening
- Depression: Medicare Population
- Hyperlipidemia: Medicare Population
- Osteoporosis: Medicare Population
- People 65+ Living Alone
- People 65+ with Low Access to a Grocery Store
- Rheumatoid Arthritis or Osteoarthritis: Medicare Population

<sup>26</sup> Centers for Disease Control and Prevention. National Center for Chronic Disease Prevention and Health Promotion. <https://www.cdc.gov/chronicdisease/resources/publications/factsheets/nutrition.htm>

Community Engagement Session conversations described older adults as the most underserved population in the community. Older adults have the most difficult time accessing healthcare, particularly when required to navigate technology-based platforms. Access challenges are further exacerbated by older adult's general aversion to asking for help as concerns their mental or physical health. To tackle some of these challenges, Community Advisory Council members recommended hosting frequent health fairs to promote health screenings and create more frequent and easier access points to care.



We see in the elderly population a desire to do for themselves and not not ask for assistance.



- Community Engagement Session Participant

Key stakeholders focused on lower income older adults who are disproportionately affected by chronic conditions, access to healthy food and poor housing conditions—supporting the conclusions drawn and assertions made during the Marymount Hospital Community Engagement Session. Furthermore, difficulties navigating telehealth services as well as arranging in-person visits are attributed to lack of broadband access or lack of comfort with technologies required to access services like smart phones, computers and tablet devices in the older adult population.



I think one of the challenges on the healthcare side of the equation is that it is not about the quality of the care that's available, it is about a population that for many people has had no experience being a healthcare consumer. And so at least one of the challenges for folks is they have no history of accessing the system. If they get a prescription written, do they know how to get it filled? Do they know how to navigate the system to get to the pharmacy again?



- Key Stakeholder

## Secondary Data

Nutrition & Healthy Eating had the 12th highest data score of all topic areas with a score of 1.46. The Older Adults topic area has the fifth highest score at 1.56. Those indicators with high data scores (scoring at or above the threshold of 1.50) were categorized as indicators of concern and can be found in Appendix C and are discussed below. In addition, the appendices also contain a description of methodology (Appendix A) and a full list of indicators with data scoring categorized within this topic area (Appendix C).

Consumer Expenditures: Fruits and Vegetables ranked highly in all three counties in the Marymount hospital community. In Summit County, the average dollar amount per


consumer unit spent on fruits and vegetables is \$885.9, which is higher than the Ohio state value of \$864.6 and lower than the United States value of \$1,002.1.

In Summit County, consumer expenditures related to high sugar foods was also identified as an area of concern where the average dollar spent per consumer unit on high sugar foods (cookies, ice cream, candy, gum, jams/jelly, etc.) is \$531.5. This is higher than the Ohio value (\$519) and U.S. value (\$530.2).

The worst performing indicator in Summit and Portage counties is Depression: Medicare Population, which shows the number of Medicare beneficiaries that were treated for depression. In Summit County, 21.8% of Medicare beneficiaries were treated for depression and in Portage County, 21.4% were treated for depression. Both counties' rates are higher than the Ohio value (20.4%) and U.S. value (18.4%).

Disparities exist within the Marymount hospital community when looking at chronic diseases. Black/African American residents in Cuyahoga County experience worse rates of Age-Adjusted Death Rate due to Kidney Disease than their white peers. Figure 30 shows Black/African Americans in Cuyahoga County have a death rate due to kidney disease of 26.2 deaths per 100,000 population compared to the overall rate of 15.2.

**Figure 30. Age-Adjusted Death Rate due to Kidney Disease by Race/Ethnicity in Cuyahoga County**



# Prioritized Health Topic #4: Maternal and Child Health

## Maternal & Child Health

1.51 (Children's Health)  
Secondary Data Scores: 1.50 (Maternal, Fetal & Infant Health)



### Key Themes from Community Input



- Top issues: lead poisoning, mental/behavioral health, infant mortality, food insecurity, delays in preventative care, learning loss
- All issues are disproportionately impacting poor children
- Many AAPI (Asian American and Pacific Islander) families made the decision that their kids were safer at home, not necessarily from COVID-19, but from physical, anti-Asian hostilities. So, they kept their kids at home and that's devastating because engagement in learning is extremely difficult in that remote setting
- The mental health of children of minorities is a huge problem in the neighborhoods on the West Side

### Warning Indicators



- Babies with Low Birth Weight
- Babies with Very Low Birth Weight
- Consumer Expenditures: Childcare
- Infant Mortality Rate
- Preterm Births

## Primary Data: Key Stakeholder Interviews and Community Engagement Session

Maternal and Child Health has dominated community discussions for multiple assessment cycles. High maternal and infant mortality rates across communities served by enterprise hospitals have been of particular concern. Implementation strategies precipitated investments in community health focused on reducing maternal and infant mortality.

Key stakeholder interviews acknowledged the persistence of high infant mortality rates as well as the continuance of lead poisoning as a contributor to poor children's health outcomes. During the COVID-19 pandemic, long periods time spent indoors increased exposures and worsened lead related incidents and outcomes. Children across the service area suffered some learning loss during the pandemic as classrooms went remote and parents were often unable to provide time away from work to attend to their child's educational needs. Parents identifying as Asian American and Pacific Islander (AAPI) reportedly opted to continue with remote options even after in-person learning resumed for fear of anti-Asian sentiment being expressed to their children by classmates. Related to learning loss and pandemic associated isolation, mental and behavioral health, including substance abuse has challenged children at increasingly younger ages. Isolation also kept parents from seeking primary care services for their children, including immunizations and well visits. Stakeholders considered nutrition for low-income families a key concern with risks to childhood obesity and juvenile diabetes as early life precursors to chronic diseases top of mind. Finally, key stakeholders expressed disparities among low-income children that exacerbated nearly all health outcomes discussed.


## Secondary Data

Among all health topics, Maternal, Fetal and Infant Health ranked ninth with a score of 1.50. Further analysis was done to identify specific indicators of concern. Those indicators with high data scores (scoring at or above the threshold of 1.50) were categorized as indicators of concern and can be found in Appendix C and are discussed below. In addition, the appendices also contain a description of methodology (Appendix A) and a full list of indicators with data scoring categorized within this topic area (Appendix C).

Babies with Low Birth Weight and Babies with Very Low Birth Weight are the worst performing indicators in both Cuyahoga and Summit counties. In Summit County, 9.4% of newborns weighed less than 2,500 grams (5 pounds, 8 ounces) and 1.7% of newborns weighed less than 1,500 grams (3 pounds, 5 ounces). In Cuyahoga County, 10.8% of newborns weighed less than 2,500 grams (5 pounds, 8 ounces) and 1.7% of newborns weighed less than 1,500 grams (3 pounds, 5 ounces). In both counties and instances, the county rates are higher than the state of Ohio where 8.5% of babies are categorized as having a low birth weight and 1.4% have a very low birth weight (1,500 grams or less).

Additionally, Black/African American residents in Cuyahoga County see a higher rate of Babies with Very Low Birth Weight, as shown in Figure 31 where 3.10% of babies weigh less than 1,500 grams.

**Figure 31. Babies with Very Low Birth Weight by Race/Ethnicity in Cuyahoga County**



Source: Ohio Department of Health, Vital Statistics, 2020

## Prioritized Health Topic #5: Socioeconomic Issues

### Prevention and Safety

Secondary  
Data Score:

1.50



#### Key Themes from Community Input



- Food insecurity increased with unemployment during the pandemic
- Generational poverty, poor housing and lack of resources available to create healthy conditions for people to live, work, and play in
- Gun violence was a top community concern
- People without safe and affordable housing are an underserved population

#### Warning Indicators



- Adults with Current Asthma
- Age-Adjusted Death Rate due to Unintentional Poisonings
- Annual Ozone Air Quality
- Asthma: Medicare Population
- Children with Low Access to a Grocery Store
- Death Rate due to Drug Poisoning
- Farmers Market Density
- Fast Food Restaurant Density
- Grocery Store Density
- Houses Built Prior to 1950
- Low-Income and Low Access to a Grocery Store
- People 65+ with Low Access to a Grocery Store
- Physical Environment Ranking
- SNAP Certified Stores
- WIC Certified Stores

### Primary Data: Key Stakeholder Interviews and Community Engagement Session

During the Marymount Hospital Community Engagement Session participants described safe and affordable housing as a top health problem in the community. The housing challenges mount for families living in poverty and are exacerbated by COVID-19 driven employment fluctuations. Stigmatization of needing help in the form of housing or food support drives community members to hide from social programs designed to help during such times. Community Advisory Council members recommended broad marketing in the community for support programs aimed at housing and food security to encourage assistance seeking and reduce stigmatization. They further recommended education on the benefits of such programs and transportation to resources for assistance seekers.

Key stakeholders couched discussions around specific health needs in the context of generational poverty, poor housing and historical red lining. Generally, there is a lack of resources individually and as a community to create healthy conditions for people to live, work and play.



The biggest disparities that we are working on right now are infant mortality, lead poisoning, community violence and behavioral health. There is inequity imbedded into our economic and educational system that so greatly impact health outcomes.



- Key Stakeholder

## Secondary Data


Prevention & Safety ranked eighth among all health topics with a score of 1.50. Further analysis was done to identify specific indicators of concern. Those indicators with high data scores (scoring at or above the threshold of 1.50) were categorized as indicators of concern and can be found in Appendix C and are discussed below. In addition, the appendices also contain a description of methodology (Appendix A) and a full list of indicators with data scoring categorized within this topic area (Appendix C).

Death Rate due to Drug Poisoning ranked highest in this topic area for Cuyahoga County with a death rate of 42.6 deaths per 100,000 population, compared to Ohio's rate of 38.1 and the U.S. rate of 21. This indicator is also increasing significantly in Cuyahoga County.

Additionally, disparities were identified in this topic area for both Cuyahoga and Summit counties and are shown below.


In Cuyahoga County, disparities exist for males in the following indicators: Age-Adjusted Death Rate due to Falls, Age-Adjusted Death Rate due to Unintentional Poisonings, and Age-Adjusted Death Rate due to Unintentional Injuries as seen in Figures 32-34.

**Figure 32. Age-Adjusted Death Rate due to Falls by Gender in Cuyahoga County**




Source: Centers for Disease Control and Prevention, 2017-2019

**Figure 33. Age-Adjusted Death Rate due to Unintentional Poisonings by Gender in Cuyahoga County**



Source: Centers for Disease Control and Prevention, 2017-2019


**Figure 34. Age-Adjusted Death Rate due to Unintentional Injuries by Gender in Cuyahoga County**



Source: Centers for Disease Control and Prevention, 2017-2019


Similarly, males in Summit County also have higher values of age-adjusted death rates due to unintentional poisonings and injuries as seen in Figures 35 and 36.

**Figure 35. Adjusted Death Rate due to Unintentional Poisonings by Gender in Summit County**



Source: Centers for Disease Control and Prevention, 2017-2019

**Figure 36. Age-Adjusted Death Rate due to Unintentional Injuries by Gender in Summit County**



Source: Centers for Disease Control and Prevention, 2017-2019

## 2022 Marymount Hospital CHNA Alignment

The final prioritized health needs from this 2022 Marymount Hospital CHNA are in alignment with some of the top priorities and factors influencing health outcomes from the 2019 Ohio State Health Assessment/State Health Improvement Plan. They are also in alignment with the 2019 CHNA priority areas. The check mark icon in Figure 37 indicates areas of alignment.

Figure 37. 2022 Marymount Hospital CHNA Alignment

| 2019 Ohio SHA/SHIP                                                                                                                                                                                                                                                                                                                                                                   | 2019 Marymount Hospital CHNA                                                                                                                                                                                                                                                                                                                       | 2022 Marymount Hospital CHNA                                                                                                                                                                                                                                                                                          |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>Top Health Priorities:</p> <ul style="list-style-type: none"> <li>☑ • Mental Health &amp; Addiction</li> <li>☑ • Chronic Disease</li> <li>☑ • Maternal and Infant Health</li> </ul> <p>Top Priority Factors Influencing Health Outcomes:</p> <ul style="list-style-type: none"> <li>☑ • Community Conditions</li> <li>☑ • Health Behaviors</li> <li>☑ • Access to Care</li> </ul> | <p>Priority Health Areas:</p> <ul style="list-style-type: none"> <li>☑ • Access to Affordable Healthcare</li> <li>☑ • Addiction and Mental Health</li> <li>☑ • Chronic Disease Prevention and Management</li> <li>☑ • Infant Mortality</li> <li>☑ • Socioeconomic Concerns</li> <li>• Medical Research and Health Professions Education</li> </ul> | <p>Prioritized Health Needs:</p> <ul style="list-style-type: none"> <li>☑ • Access to Healthcare</li> <li>☑ • Behavioral health (Mental health and Substance Use Disorder)</li> <li>☑ • Chronic disease prevention and management</li> <li>☑ • Maternal and child health</li> <li>☑ • Socioeconomic issues</li> </ul> |

## Appendices Summary

### A. Methodology

An overview of methods used to collect and analyze data from both secondary and primary sources.

### B. Impact Evaluation

A detailed overview of progress made on the 2019 Implementation Strategy planning, development and roll-out as well as email and web contacts for more information on the 2022 CHNA.

### C. Secondary Data Methodology and Scoring Tables

A detailed overview of the Conduent HCI data scoring methodology and indicator scoring results from the secondary data analysis.

### D. Community Input Assessment Tools

Quantitative and qualitative community feedback data collection tools, stakeholders and organizations that were vital in capturing community feedback during this collaborative CHNA:

- Community Engagement Session Questions
- Key Stakeholder Interview Questions
- Key Stakeholder and Community Organizations

### E. Community Partners and Resources

The tables in this section acknowledge community partners and organizations who supported the CHNA process.

### F. Acknowledgements

## Appendix A: Methodology

### Overview

Primary and secondary data were collected and analyzed to inform the 2022 CHNA. Primary data consisted of community engagement session discussions and key stakeholder interviews. The secondary data included indicators of health outcomes, health behaviors and social determinants of health. The methods used to analyze each type of data are outlined below. This analysis was conducted at the county-level and included data for Cuyahoga, Portage, and Summit counties. The findings from each data source were then synthesized and organized by health topic to present a comprehensive overview of health needs in the Marymount Hospital Community.

### Secondary Data Sources & Analysis

The main source for the secondary data, or data that have been previously collected, is the community indicator database maintained by Conduent Healthy Communities Institute. The following is a list of both local and national sources used in the Marymount Hospital Community Health Needs Assessment:

- American Community Survey
- American Lung Association
- Annie E. Casey Foundation
- CDC - PLACES
- Centers for Disease Control and Prevention
- Centers for Medicare & Medicaid Services
- Claritas Consumer Buying Power
- Claritas Consumer Profiles
- County Health Rankings
- Feeding America
- Healthy Communities Institute
- National Cancer Institute
- National Center for Education Statistics
- National Environmental Public Health Tracking Network
- Ohio Department of Education
- Ohio Department of Health, Infectious Diseases


- Ohio Department of Health, Vital Statistics
- Ohio Department of Public Safety, Office of Criminal Justice Services
- Ohio Public Health Information Warehouse
- Ohio Secretary of State
- U.S. Bureau of Labor Statistics
- U.S. Census - County Business Patterns
- U.S. Department of Agriculture - Food Environment Atlas
- U.S. Environmental Protection Agency
- United For ALICE

Secondary data used for this assessment were collected and analyzed from HCI's community indicator database. This database, maintained by researchers and analysts at HCI, includes 300 community indicators from at least 25 state and national data sources. HCI carefully evaluates sources based on the following three criteria: the source has a validated methodology for data collection and analysis; the source has scheduled, regular publication of findings; and the source has data values for small geographic areas or populations.

## Secondary Data Scoring


HCI's Data Scoring Tool (Figure 38) was used to systematically summarize multiple comparisons in order to rank indicators based on highest need. This analysis was completed at the county level. For each indicator, the community value was compared to a distribution of Ohio and US counties, state and national values, Healthy People 2030, and significant trends were noted. These comparison scores range from 0-3, where 0 indicates the best outcome and 3 the worst. Availability of each type of comparison varies by indicator and is dependent upon the data source, comparability with data collected for other communities and changes in methodology over time. The comparison scores were summarized for each indicator, and indicators were then grouped into topic areas for a systematic ranking of community health needs.

Figure 38: Summary of Topic Scoring Analysis



## Secondary Data Scoring

Data scoring is done in three stages:



Each indicator available is assigned a score based on its comparison to other communities, whether health targets have been met, and the trend of the indicator value over time. These comparison scores range from 0-3, where 0 indicates the best outcome and 3 the worst. Availability of each type of comparison varies by indicator and is dependent upon the data source, comparability with data collected for other communities and changes in methodology over time. Indicators are categorized into topic areas and each topic area receives a score. Indicators may be categorized in more than one topic area. Topic scores are determined by the comparisons of all indicators within the topic. This process was completed separately for the three counties within the Marymount Hospital Community: Cuyahoga, Portage, and Summit counties. To calculate the overall highest needs topic area scores, an average was taken for each topic area across the three counties. Each county's values were weighted the same. More details about topics scores and the average score for the Marymount Hospital Community, see Appendix C.

### **Comparison to a Distribution of County Values: Within State and Nation**

For ease of interpretation and analysis, indicator data on the Community Dashboard is visually represented as a green-yellow-red gauge showing how the community is faring against a distribution of counties in the state or the United States. A distribution is created by taking all county values within the state or nation, ordering them from low to high, and dividing them into three groups (green, yellow, red) based on their order. Indicators with the poorest comparisons (“in the red”) scored high, whereas indicators with good comparisons (“in the green”) scored low.

### **Comparison to Values: State, National, and Targets**

Each county is compared to the state value, the national value, and target values. Target values include the nation-wide Healthy People 2030 (HP2030) goals. Healthy People 2030 goals are national objectives for improving the health of the nation set by the Department of Health and Human Services’ Healthy People Initiative. For all value comparisons, the scoring depends on whether the county value is better or worse than the comparison value, as well as how close the county value is to the target value.

### **Trend over Time**

The Mann-Kendall statistical test for trend was used to assess whether the county value is increasing over time or decreasing over time, and whether the trend is statistically significant. The trend comparison uses the four most recent comparable values for the county, and statistical significance is determined at the 90% confidence level. For each indicator with values available for four time periods, scoring was determined by direction of the trend and statistical significance.

### **Missing Values**

Indicator scores are calculated using the comparison scores, availability of which depends on the data source. If the comparison type is possible for an adequate proportion of indicators on the community dashboard, it will be included in the indicator score. After exclusion of comparison types with inadequate availability, all missing comparisons are substituted with

a neutral score for the purposes of calculating the indicator's weighted average. When information is unknown due to lack of comparable data, the neutral value assumes that the missing comparison score is neither good nor bad.

### Indicator Scoring

Indicator scores are calculated as a weighted average of all included comparison scores. If none of the included comparison types are possible for an indicator, no score is calculated, and the indicator is excluded from the data scoring results. A full list of indicators and their scores can be seen in Appendix C.

### Topic Scoring

Indicator scores are averaged by topic area to calculate topic scores. Each indicator may be included in up to three topic areas if appropriate. Resulting scores range from 0-3, where a higher score indicates a greater level of need as evidenced by the data. A topic score is only calculated if it includes at least three indicators.

Examples of the health and quality of life topic areas available through this analysis are described as follows:

| Quality of Life      | Health                             |                                 |
|----------------------|------------------------------------|---------------------------------|
| Community            | Adolescent Health                  | Older Adults                    |
| Economy              | Alcohol & Drug Use                 | Oral Health                     |
| Education            | Cancer                             | Other Conditions                |
| Environmental Health | Children's Health                  | Prevention & Safety             |
|                      | Diabetes                           | Physical Activity               |
|                      | Health Care Access and Quality     | Respiratory Diseases            |
|                      | Heart Disease & Stroke             | Sexually Transmitted Infections |
|                      | Immunization & Infectious Diseases | Tobacco Use                     |
|                      | Maternal, Fetal & Infant Health    | Women's Health                  |
|                      | Medications & Prescriptions        | Wellness & Lifestyle            |
|                      | Mental Health & Mental Disorders   | Weight Status                   |
|                      | Nutrition & Healthy Eating         |                                 |

Table 2 shows the health and quality of life topic scoring results for the Marymount Hospital Community, ranked in order of highest need. Medications & Prescriptions scored as the poorest performing topic area with a score of 1.87, followed by Other Conditions with a score of 1.68. Topics that received a score of 1.50 or higher were considered a significant health need. Nine topics scored at or above the threshold. Topic areas with fewer than three indicators were considered a data gap.

Table 2: Top Secondary Data Health Needs

| Top Secondary Data Health Needs  |
|----------------------------------|
| Medications & Prescriptions      |
| Other Conditions                 |
| Alcohol & Drug Use               |
| Cancer                           |
| Older Adults                     |
| Mental Health & Mental Disorders |
| Children's Health                |
| Prevention & Safety              |
| Maternal, Fetal & Infant Health  |

### Index of Disparity

An important part of the CHNA process is to identify health disparities, the needs of vulnerable populations and unmet health needs or gaps in services. There were several ways in which subpopulation disparities were examined by county. For secondary data health indicators, the Index of Disparity tool was utilized to see if there were large, negative, and concerning differences in indicator values between each subgroup data value and the overall county value. The Index of Disparity was run for each county, and the indicators with the highest race or ethnicity index value were found.

## **Health Equity Index**

Every community can be described by various social and economic factors that can contribute to disparities in health outcomes. Conduent HCI's Health Equity Index (formerly SocioNeeds Index) considers validated indicators related to income, employment, education, and household environment to identify areas at highest risk for experiencing health inequities.

### **How is the index value calculated?**

The national index value (ranging from 0 to 100) is calculated for each zip code, census tract, and county in the U.S. Communities with the highest index values are estimated to have the highest socioeconomic needs correlated with preventable hospitalizations and premature death.

### **What do the ranks and colors mean?**

Ranks and colors help to identify the relative level of need within a community or service area. The national index value for each location is compared to all other similar locations within the community area to assign a relative rank (from 1 to 5) locally. These ranks are used to color the map and chart for the Health Equity Index, with darker coloring associated with higher relative need.

## **Food Insecurity Index**

Every community can be described by various health, social, and economic factors that can contribute to disparities in outcomes and opportunities to thrive. Conduent HCI's Food Insecurity Index considers validated indicators related to income, household environment and well-being to identify areas at highest risk for experiencing food insecurity.

### **How is the index value calculated?**

The national index value (ranging from 0 to 100) is calculated for each zip code, census tract, and county in the U.S. Communities with the highest index values are estimated to have the highest food insecurity, which is correlated with household and community measures of food-related financial stress such as Medicaid and SNAP enrollment.

### **What do the ranks and colors mean?**

Ranks and colors help to identify the relative level of need within a community or service area. The national index value for each location is compared to all other similar locations within the community area to assign a relative rank (from 1 to 5) locally. These ranks are used to color the map and chart for the Food Insecurity Index, with darker coloring associated with higher relative need.

## **Mental Health Index**

Every community can be described by various health, social, and economic factors that can contribute to disparities in mental health outcomes. Conduent HCI's Mental Health Index considers validated indicators related to access to care, physical health

status, transportation, employment and household environment to identify areas at highest risk for experiencing poor mental health.

#### How is the index value calculated?

The national index value (ranging from 0 to 100) is calculated for each zip code, census tract, and county in the U.S. Communities with the highest index values are estimated to have the highest socioeconomic and health needs correlated with self-reported poor mental health.

#### What do the ranks and colors mean?

Ranks and colors help to identify the relative level of need within a community or service area. The national index value for each location is compared to all other similar locations within the community area to assign a relative rank (from 1 to 5) locally. These ranks are used to color the map and chart for the Mental Health Index, with darker coloring associated with higher relative need.

Table 3 below lists each zip code within the Marymount Hospital Community and their respective HEI, FII, and MHI values.

**Table 3: HEI, FII and MHI Values for Zip Codes within the Marymount Hospital Community**

| <b>Zip Code</b> | <b>HEI Value</b> | <b>FII Value</b> | <b>MHI Value</b> |
|-----------------|------------------|------------------|------------------|
| 44056           | 7.7              | 6.3              | 20.2             |
| 44067           | 11.4             | 10.7             | 53.9             |
| 44087           | 12.7             | 19.8             | 60.7             |
| 44102           | 96.7             | 96.6             | 98.3             |
| 44104           | 99.9             | 99.8             | 100              |
| 44105           | 98.1             | 98.2             | 99.8             |
| 44109           | 95.6             | 95.7             | 97.4             |
| 44111           | 85.6             | 88.1             | 95.6             |
| 44118           | 19.8             | 41.4             | 80.5             |
| 44120           | 84               | 88.4             | 99.2             |
| 44122           | 7.8              | 24.1             | 87.9             |
| 44124           | 13               | 18.5             | 80.3             |
| 44125           | 70.2             | 81.3             | 94.5             |
| 44127           | 99.8             | 99.2             | 99.5             |
| 44128           | 92.8             | 96.1             | 99.7             |
| 44129           | 42.8             | 72.2             | 77.4             |
| 44130           | 36.6             | 45.8             | 81.6             |
| 44131           | 10.8             | 4.9              | 52.3             |

|       |      |      |      |
|-------|------|------|------|
| 44133 | 14.5 | 20.6 | 49.9 |
| 44134 | 45.6 | 57.3 | 81.7 |
| 44137 | 82.8 | 86.2 | 97.7 |
| 44139 | 4.3  | 8.6  | 25.9 |
| 44141 | 6.5  | 3    | 45.4 |
| 44146 | 53.9 | 71.2 | 96.4 |
| 44147 | 5.8  | 10.5 | 25.8 |
| 44202 | 6.5  | 5.9  | 39.9 |
| 44241 | 30.1 | 35.8 | 56.4 |

### Data Considerations

Several limitations of data should be considered when reviewing the findings presented in this report. Although the topics by which data are organized cover a wide range of health and health-related areas, data availability varies by health topic. Some topics contain a robust set of secondary data indicators, while others may have a limited number of indicators or limited subpopulations covered by those specific indicators.

Data scores represent the relative community health need according to the secondary data for each topic and should not be considered a comprehensive result on their own. In addition, these scores reflect the secondary data results for the population as a whole and do not represent the health or socioeconomic need that is much greater for some subpopulations. Moreover, many of the secondary data indicators included in the findings are collected by survey, and though specific methods are used to best represent the population at large, these measures are subject to instability, especially for smaller populations. The Index of Disparity is also limited by data availability, where indicator data varies based on the population groups and service areas being analyzed.

### Race or Ethnic and Special Population Groupings

The secondary data presented in this report derive from multiple sources, which may present race and ethnicity data using dissimilar nomenclature. For consistency with data sources throughout the report, subpopulation data may use different terms to describe the same or similar groups of community members.

### Zip Codes and Zip Code Tabulation Areas

This report presents both Zip Code and Zip Code Tabulation Area (ZCTA) data. Zip Codes, which were created by the U.S. Postal Service to improve mail delivery service, are not reported in this assessment as they may change, include P.O. boxes or cover large unpopulated areas. This assessment cover ZCTAs or Zip Code Tabulation Areas which were created by the U.S. Census Bureau and are generalized representations of Zip Codes that have been assigned to census blocks.

Demographics for this report are sourced from the United States Census Bureau, which presents ZCTA estimates. Tables and figures in the Demographics section of this report reference Zip Codes in title (for purposes of familiarity) but show values of ZCTAs. Data from other sources are labeled as such.

## **Primary Data Collection & Analysis**

Primary data used in this assessment consisted of a community engagement session and key stakeholder interviews. These findings expanded upon the information gathered from the secondary data analysis.

## **Community Engagement Session Methodology and Results**

Marymount Hospital invited members of the hospital Community Advisory Council (CAC) to participate in a community engagement session. The session was held virtually on June 15, 2022. Participants answered four questions including:

1. What are the most important health problems in the community?
2. What barriers or challenges to improving health exist in your community?
3. What community groups, populations, or neighborhoods are underserved?
4. What can be done to improve the health in your community?

At the end of the session, participants were also asked to describe interventions or programs they are aware of that have been successful in improving health in the community.

The project team captured detailed records of the discussion through transcripts and a polling tool (Poll Everywhere®). Figure 39 shows the results from analysis of inputs collected from these tools.

Figure 39: Community Engagement Session Findings

| Top health issues                                                                                                                               | Barriers/Social Determinants of Health                                                                                                                         | Populations most impacted                                                                                                                                                     |
|-------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <ul style="list-style-type: none"> <li>• Mental Health</li> <li>• Food Insecurity</li> <li>• Access to Healthcare</li> <li>• Housing</li> </ul> | <ul style="list-style-type: none"> <li>• COVID-19</li> <li>• Income</li> <li>• Communications</li> <li>• Health Education</li> <li>• Transportation</li> </ul> | <ul style="list-style-type: none"> <li>• Older Adults</li> <li>• Low income</li> <li>• LGBTQ</li> <li>• Youth</li> <li>• Latino/Latinx</li> <li>• African American</li> </ul> |

## Key Stakeholder Interviews Methodology and Results

The project team also captured detailed transcripts of the key stakeholder interviews. Table 4 describes the key stakeholder organizations contributing to the primary data collection process.

Table 4: Marymount Hospital Key Stakeholder Organizations

| Key Stakeholder and Community Organizations                                                                                                                                                                                                  |                                                                                                                                                                                                                                                                                                                                |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <ul style="list-style-type: none"> <li>• City of Cleveland Department of Public Health</li> <li>• Cuyahoga County Board of Health</li> <li>• Summit County Public Health</li> <li>• Marymount Hospital Community Advisory Council</li> </ul> | <ul style="list-style-type: none"> <li>• Neighborhood Family Practice</li> <li>• Birthing Beautiful Communities</li> <li>• Lead Safe Cleveland Coalition</li> <li>• Better Health Partnerships</li> <li>• NAMI Greater Cleveland</li> <li>• Asian Services in Action (ASIA)</li> <li>• Cleveland Clinic LGBTQ+ Care</li> </ul> |

|  |                                                                                                                                                                                                                                                                                     |
|--|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | <ul style="list-style-type: none"> <li>• Benjamin Rose Institute on Aging</li> <li>• Greater Cleveland Food Bank</li> <li>• The Gathering Place</li> <li>• Cuyahoga Metropolitan Housing Authority</li> <li>• Esperanza</li> <li>• The Centers for Families and Children</li> </ul> |
|--|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

The transcripts were analyzed using the qualitative analysis program Dedoose 2®. Text was coded using a pre-designed codebook-organized by themes and analyzed for significant observations. Figure 40 shows key findings from community stakeholder interviews specific to the Marymount Hospital Community.

**Figure 40: Key Stakeholder Findings**



Findings from both the community engagement session and key stakeholder interview analyses were combined with findings from secondary data and incorporated into the Data Synthesis and Prioritized Health Needs.

## Appendix B: Impact Evaluation

The CHNA process should be viewed as a three-year cycle to evaluate the impact of actions taken to address priority areas. This step affirms organizations focus and target efforts during the next CHNA cycle. The top health priorities for the Marymount Hospital Community from the 2019 CHNA were:

- Access to Affordable Healthcare
- Addiction and Mental Health
- Chronic Disease Prevention and Management
- Infant Mortality
- Socioeconomic Concerns
- Medical Research and Health Professions Education

Implementation strategies for these health topics shifted in response to the COVID-19 pandemic. Innovative strategies were adopted to continue building capacity for addressing the community health needs.

### Actions Taken Since Previous CHNA

Marymount Hospital's previous Implementation Strategy Report (ISR) outlined a plan for addressing the following priorities identified in the 2019 CHNA: Addiction and Mental Health, Chronic Disease Prevention and Management, Infant Mortality, Socioeconomic Concerns, Access to Affordable Health Care, Medical Research and Health Professions Education.

The ISR was conducted before the onset of COVID 19, and therefore, does not reflect the pandemic's impact which dramatically affected community and hospital services. Many of our hospital services were paused or deferred as we navigated the emergent COVID 19 landscape. Caring for our community is essential, and part of that is sharing accurate, up-to-date information on health-related topics with our community. We provided COVID 19 education, vaccine distribution and collaborative services with government, health departments and community based organizations to keep our communities safe. As we continue to serve our communities we are committed to addressing the needs identified in the previous ISR.

Cleveland Clinic uses evidence-based approaches in the delivery of healthcare services and educational outreach with the aim of achieving healthy outcomes for the community it serves. It undertakes periodic monitoring of its programs to measure and determine their effectiveness and ensure that best practices continue to be applied. Given that the process for evaluating the impact of various services and programs on population health is longitudinal by nature, significant changes in health outcomes may not manifest for several community health needs assessment cycles. We continue to evaluate the cumulative impact.

The narrative below describes the strategies, modifications made to the action plans, and highlighted impacts for each health priority area.

## Addiction and Mental Health

### Actions and Highlighted Impacts:

- a. In addition to direct patient care, Cleveland Clinic's Opioid Awareness Center provides intervention and treatment for substance abuse disorders to Cleveland Clinic caregivers and their family members.
  - Opioid misuse continues to be a public health emergency, contributing to over 50,000 U.S. deaths a year. About 40% of those deaths involve prescription opioids. Our comprehensive efforts to improve opioid prescribing have yielded reductions in these prescriptions by our providers for two years running, including a large improvement in 2021.
- b. Through the Opioid Awareness Center, participated in the Northeast Ohio Hospital Opioid Consortium and Cuyahoga County Opiate Task Force, and community-based classes and presentations. Cleveland Clinic will continue to provide preventative education and share evidence-based practices.
- c. Distributed Detera pouches for medication deactivation and disposal.
  - Marymount Hospital donated 200 Detera Pouches to Valley View Fire Department, for distribution to their residents. Pouches were also distributed during an event at the Maple Heights Senior Center
- d. Provided education, assistance, and resources to Cleveland Clinic caregivers, patients, and their families to prevent violence and help individuals heal from trauma.
- e. Cleveland Clinic developed suicide and self-harm policies procedures and screening tools for patients in a variety of care settings

## Chronic Disease Prevention and Management

### Actions and Highlighted Impacts:

- a. Improve management of chronic conditions through Chronic Care Clinics employing a specialized model of care and providing disease education, medication review, and nutrition counseling.
  - COVID 19 created a delay in treatment for many community members. We launched an effort to connect patients with care, proactively contacting over 300,000 patients and scheduling 57,000 appointments. This outreach is prompting more patients to complete recommended screening tests, allowing earlier detection of cancers and other diseases when they are most treatable. For example, 1,700 precancerous lesions of the colon have been detected earlier as a result — a key part of preventing colon cancer.

- Many in-person community programs were paused by COVID 19. When COVID-19 vaccines became available, we co-lead a nationwide campaign to encourage adults to get vaccinated. The coalition of 60 top hospitals and healthcare institutions communicated the vaccines' safety and effectiveness through diverse digital and traditional media. Throughout the years, our health experts explained and advocated the benefits of vaccination at every opportunity, from patient visits to national media appearances. In late 2021, when cases of the omicron variant surged and hospitals filled with unvaccinated patients, we joined with five other Northeast Ohio hospital systems in an advertising campaign urging the public to get vaccinated and take other precautions.
- b. In partnership with local schools, provided education to teens on tobacco cessation, nutrition, fitness, and mental health. The 216 Teens Program, educating young people about sexuality and reproductive health in partnership with Cuyahoga County Board of Health and Garfield Heights Schools was paused due to the pandemic
- c. Through the Healthy Communities Initiative (HCI), partnered to fund programs designed to improve health outcomes in four core areas: physical activity, nutrition, smoking, and lifestyle management.
  - Prior to COVID 19, Langston Hughes provided health education, physical activity and health screenings to Fairfax neighborhood with a 7635 total participation and attendance of over 700 residents, Services are reopening in 2022.
- d. Provided tobacco cessation programs.
  - Piloted smoking cessation class, and provided a community based smoking cessation education at the Maple Heights Senior Center, and provided a Vaping Education talk to 9<sup>th</sup> graders at Brecksville/Broadview Heights High School.

## Infant Mortality

### Actions and Highlighted Impacts:

- a. Provided expanded evidence-based health education to expecting mothers and families.
  - Cleveland Clinic provided community education in efforts to support pregnant persons with resources and best practices to reduce infant and maternal health and have a successful pregnancy.
- b. Participated in First Year Cleveland, the Cuyahoga County Infant Mortality Task Force to gather data, align programs, and coordinate a systemic approach to improving infant mortality.
  - In 2020 and 2021 Cleveland Clinic physicians provided clinical and administrative expertise on the Executive Board of First Year Cleveland.

- c. Outreach events like Community Baby Showers provided health information to families in specific high-risk geographical areas and encourage enrollment in supportive evidence-based programs. Community health education continued through virtual education and Centering programs.

## Socioeconomic Concerns

### Actions and Highlighted Impacts:

- a. Implemented a system-wide social determinants screening tool for adult patients to identify needs such as alcohol abuse, depression, financial strain, food insecurity, intimate partner violence, and stress.
- b. We implemented a common community referral data platform to coordinate services and ensure optimal communication.
  - Cleveland Clinic collaborated with Unite Ohio to build a coordinated care network of health and social service providers. Cleveland Clinic went live on the platform on July 2021 and has sent nearly 2,000 referrals with a gap closure of 44%.
- c. Cleveland Clinic piloted patient navigation programming within a partnership pathway HUB model using community health workers and/or the co-location of community organizations with hospital facilities.
- d. Participated in the Robert Wood Johnson Foundation (RWJF) Cross-Sector Innovation Initiative Project in Cuyahoga County which aims to impact structural racism across various sectors.
  - Cleveland Clinic is an inclusive organization that values diversity and equity. Our caregivers and leaders continue to become more diverse. Among newly hired or promoted leaders in 2021, 21% identify as an underrepresented minority. We will continue to make our caregiver family increasingly inclusive to better serve all our communities.
  - Marymount Hospital hosted community speaker events with the intent of providing education and learning opportunities that promote thought, facilitate necessary dialogue, model civility, and build respectful organizational and community relations.
- e. Sponsored and participated in *Say Yes to Education Cleveland*, a consortium focused on increasing education levels, fostering population growth, improving college access and spurring economic growth.
- f. Marymount Hospital developed a partnership with Boys Hope Girls Hope to support youth career development and provide health education
- g. Provided workforce development and training opportunities for youth K-12 in clinical and non-clinical areas, empowering Northeast Ohio's next generation of leaders.

- Marymount hosted career workshops at local libraries to promote entry-level opportunities.
  - Cleveland Clinic created initiatives to develop a skilled community youth workforce in vulnerable communities aligning with Health Anchor Network (HAN) and Placed-based Initiatives. Examples include:
    - Connected Career Rounds provided 4,233 middle and high school students from 76 schools across 7 states including Ohio.
    - Louis Stokes Summer Internships provided high school interns a paid experience with exposure to clinical and non-clinical healthcare roles.
    - Students Pathways, in partnership with Tri-C Eastern Campus, provided a program for graduating high school seniors to gain exposure to in-demand clinical and non-clinical roles. Marymount caregivers provided a filmed day in the life of career roles available in the surgical field. Students were able to see from patients' point of view, and different roles that exist in and around the operating room and surgical services area.
  - In 2021, Cleveland Clinic, an anchor institution in the Cleveland Innovation District, collaborated with the state of Ohio to launch in 2021 an initiative to advance healthcare and digital technology, attract and create new businesses, and train the workforce of the future. The state of Ohio and Cleveland Clinic pledged to contribute a combined \$565 million for the district — the largest research investment in our history.
- h. Provided transportation on a space-available basis to 1) patients within 5 miles of the Stephanie Tubbs Jones Health Center and Marymount, Euclid, Lutheran, and South Pointe Hospitals and 2) radiation oncology patients within 25 miles of Cleveland Clinic Main Campus, Hillcrest, and Fairview Hospitals

## **Access to Affordable Health Care**

### Actions and Highlighted Impacts:

- a. Patient Financial Advocates assisted patients in evaluating eligibility for financial assistance or public health insurance programs.
  - Cleveland Clinic provided medically necessary services to all patients regardless of race, color, creed, gender, country of national origin, or ability to pay. The hospital has a financial assistance policy that is among the most generous in the region that covers both hospital services and physician services provided by physicians employed by the Cleveland Clinic. In 2021, Cleveland Clinic health system provided over \$178 million in financial assistance to its communities in Ohio, Florida, and Nevada.
- b. Provided walk-in care at Express Care Clinics and offer evening and weekend hours

- c. Utilizing medically secure online and mobile platforms, connected patients with Cleveland Clinic providers for telehealth and virtual visits.
  - In 2021, Cleveland Clinic provided 841,000 virtual visits.

## Medical Research and Health Professions Education

### Actions and Highlighted Impacts:

- a. Through medical research, advanced clinical techniques, devices and treatment protocols in the areas of cancer, heart disease, diabetes, and others.
  - Research into diseases and potential cures is an investment in people's long-term health.
  - In 2020, COVID-19 highlighted the significance of research in community health. Cleveland Clinic research findings increased knowledge about the virus and how best to respond to it. Our researchers developed the world's first COVID-19 risk-prediction model, enabling healthcare providers to calculate an individual patient's likelihood of testing positive for infection as well as their probable outcome from the disease.
  - For 2021, Cleveland Clinic's community benefit in support of research was \$101 million.
- b. Through the Center for Populations Health Research, informed clinical interventions, healthcare policy, and community partnerships.
- c. Sponsored high-quality medical education training programs for nurses and allied health professionals Partner with Trinity High School to expose students to healthcare career options.
  - Cleveland Clinic provided a wide range of high-quality medical education that includes accredited training programs for residents, physicians, nurses and allied health professionals. By educating medical professionals, we ensure that the public receives the highest level of medical care and will have access to highly trained health professionals in the future. For 2021, Cleveland Clinic's community benefit in support of education was \$322 million.

## Community Feedback

Community Health Needs Assessment reports from 2019 were published on the Marymount Hospital website. No community feedback has been received as of the drafting of this report. For more information regarding Cleveland Clinic Community Health Needs Assessments and Implementation Strategy reports, please visit [www.clevelandclinic.org/CHNAreports](http://www.clevelandclinic.org/CHNAreports) or contact [CHNA@ccf.org](mailto:CHNA@ccf.org).

## Appendix C: Secondary Data Scoring Tables

Table 5: Marymount Hospital Community Definition

| Zip code | Postal Name    |
|----------|----------------|
| 44056    | Macedonia      |
| 44067    | Northfield     |
| 44087    | Twinsburg      |
| 44102    | Cleveland      |
| 44104    | Cleveland      |
| 44105    | Cleveland      |
| 44109    | Cleveland      |
| 44111    | Cleveland      |
| 44118    | Cleveland      |
| 44120    | Cleveland      |
| 44122    | Beachwood      |
| 44124    | Cleveland      |
| 44125    | Cleveland      |
| 44127    | Cleveland      |
| 44128    | Cleveland      |
| 44129    | Strongsville   |
| 44130    | Olmsted Falls  |
| 44131    | Independence   |
| 44133    | North Royalton |
| 44134    | Cleveland      |
| 44137    | Maple Heights  |
| 44139    | Solon          |
| 44141    | Brecksville    |
| 44146    | Bedford        |
| 44147    | Broadview      |
| 44202    | Aurora         |
| 44241    | Streetsboro    |

**Table 6: Population Estimates for Each Zip Code**

| <b>Zip code</b> | <b>City</b>    | <b>Population</b> |
|-----------------|----------------|-------------------|
| 44056           | Macedonia      | 12,677            |
| 44067           | Northfield     | 20,941            |
| 44087           | Twinsburg      | 22,289            |
| 44102           | Cleveland      | 41,976            |
| 44104           | Cleveland      | 21,988            |
| 44105           | Cleveland      | 35,422            |
| 44109           | Cleveland      | 37,153            |
| 44111           | Cleveland      | 37,302            |
| 44118           | Cleveland      | 38,730            |
| 44120           | Cleveland      | 34,405            |
| 44122           | Beachwood      | 34,095            |
| 44124           | Cleveland      | 37,673            |
| 44125           | Cleveland      | 26,717            |
| 44127           | Cleveland      | 5,016             |
| 44128           | Cleveland      | 27,367            |
| 44129           | Strongsville   | 27,621            |
| 44130           | Olmsted Falls  | 48,243            |
| 44131           | Independence   | 19,872            |
| 44133           | North Royalton | 31,201            |
| 44134           | Cleveland      | 37,062            |
| 44137           | Maple Heights  | 21,557            |
| 44139           | Solon          | 24,579            |
| 44141           | Brecksville    | 14,032            |
| 44146           | Bedford        | 28,999            |
| 44147           | Broadview      | 20,276            |
| 44202           | Aurora         | 20,774            |
| 44241           | Streetsboro    | 17,525            |

**Table 7: Percentage of Families Living Below Poverty Level for Each Zip Code**

| <b>Zip Code</b> | <b>City</b>    | <b>Families Below Poverty Level (%)</b> |
|-----------------|----------------|-----------------------------------------|
| 44056           | Macedonia      | 1.9%                                    |
| 44067           | Northfield     | 2.2%                                    |
| 44087           | Twinsburg      | 6.1%                                    |
| 44102           | Cleveland      | 27.3%                                   |
| 44104           | Cleveland      | 47.5%                                   |
| 44105           | Cleveland      | 26.6%                                   |
| 44109           | Cleveland      | 20.7%                                   |
| 44111           | Cleveland      | 15.9%                                   |
| 44118           | Cleveland      | 7.8%                                    |
| 44120           | Cleveland      | 16.4%                                   |
| 44122           | Beachwood      | 4.8%                                    |
| 44124           | Cleveland      | 3.9%                                    |
| 44125           | Cleveland      | 10.3%                                   |
| 44127           | Cleveland      | 40.8%                                   |
| 44128           | Cleveland      | 19.5%                                   |
| 44129           | Strongsville   | 6.8%                                    |
| 44130           | Olmsted Falls  | 6.4%                                    |
| 44131           | Independence   | 2.6%                                    |
| 44133           | North Royalton | 3.1%                                    |
| 44134           | Cleveland      | 5.9%                                    |
| 44137           | Maple Heights  | 15.4%                                   |
| 44139           | Solon          | 3.9%                                    |
| 44141           | Brecksville    | 2.6%                                    |
| 44146           | Bedford        | 8.1%                                    |

**Table 8: Secondary Data Results by Health Topic—Cuyahoga, Summit, and Portage Counties**

| HEALTH TOPICS                       | CUYAHOGA     | SUMMIT | PORTAGE | AVG  |
|-------------------------------------|--------------|--------|---------|------|
| Alcohol & Drug Use                  | 1.73         | 1.51   | 1.51    | 1.58 |
| Cancer                              | 1.71         | 1.51   | 1.52    | 1.58 |
| Children's Health                   | 1.72         | 1.41   | 1.41    | 1.51 |
| Diabetes                            | 1.17         | 1.29   | 1.13    | 1.19 |
| Health Care Access & Quality        | 1.21         | 1.26   | 1.41    | 1.29 |
| Heart Disease & Stroke              | 1.35         | 1.28   | 1.45    | 1.36 |
| Immunizations & Infectious Diseases | 1.20         | 1.27   | 0.86    | 1.11 |
| Maternal, Fetal & Infant Health     | 1.56         | 1.63   | 1.32    | 1.50 |
| Medications & Prescriptions         | 1.72         | 2.22   | 1.66    | 1.87 |
| Mental Health & Mental Disorders    | 1.39         | 1.66   | 1.52    | 1.52 |
| Nutrition & Healthy Eating          | 1.31         | 1.67   | 1.39    | 1.45 |
| Older Adults                        | 1.65         | 1.63   | 1.41    | 1.56 |
| Oral Health                         | 1.14         | 0.86   | 1.38    | 1.12 |
| Other Conditions                    | 1.83         | 1.83   | 1.38    | 1.68 |
| Physical Activity                   | 1.39         | 1.47   | 1.54    | 1.47 |
| Prevention & Safety                 | 2.21         | 1.24   | 1.07    | 1.50 |
| Respiratory Diseases                | 1.23         | 1.38   | 1.19    | 1.27 |
| Tobacco Use                         | 1.19         | 1.36   | 1.56    | 1.37 |
| Wellness & Lifestyle                | 1.49         | 1.33   | 1.33    | 1.38 |
| Women's Health                      | 1.46         | 1.58   | 1.34    | 1.46 |
| <b>QUALITY OF LIFE TOPIC</b>        | <b>SCORE</b> |        |         |      |
| Community                           | 1.66         | 1.30   | 1.17    | 1.38 |
| Economy                             | 1.68         | 1.28   | 1.10    | 1.36 |
| Education                           | 1.55         | 1.54   | 1.29    | 1.46 |
| Environmental Health                | 1.53         | 1.43   | 1.41    | 1.46 |

## Secondary Data Scoring Indicators of Concern

From the secondary data scoring results, Health Care Access & Quality ranked as the 16<sup>th</sup> highest scoring health need with a score of 1.29. Further analysis was done to identify specific indicators of concern. Those indicators with high data scores (scoring at or above the threshold of 1.50) were categorized as indicators of concern and are listed in Table 9 below. For each indicator, there is an indicator score, county value, state value, and national value (where available). Additionally, there are state and national county distributions for comparison along with indicator trend information. The legend (Figure 41) on the right shows how to interpret the distribution gauges and trend icons used in the data scoring results for each health topic by county (Table 8).

Figure 41: Prioritized Health Needs

|                                                                                      |                                                                                                                           |
|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------|
|   | If the needle is in the red, the county value is in the worst 25% (or worst quartile) of counties in the state or nation. |
|   | If the needle is in the green, the county value is in the best 50% of counties in the state or nation.                    |
|   | The indicator is trending down, significantly, and this is not the ideal direction.                                       |
|   | The indicator is trending down and this is not the ideal direction.                                                       |
|   | The indicator is trending up, significantly, and this is not the ideal direction.                                         |
|   | The indicator is trending up and this is not the ideal direction.                                                         |
|   | The indicator is trending down, significantly, and this is the ideal direction.                                           |
|   | The indicator is trending down and this is the ideal direction.                                                           |
|   | The indicator is trending up, significantly, and this is the ideal direction.                                             |
|  | The indicator is trending up and this is the ideal direction.                                                             |

**Table 9. Data Scoring Results for Healthcare Access & Quality for the Marymount Hospital Community  
Cuyahoga County**

| SCORE | HEALTH CARE ACCESS & QUALITY                                   | Cuyahoga County | HP2030 | Ohio   | U.S.   | Ohio Counties                                                                         | U.S. Counties                                                                         | Trend |
|-------|----------------------------------------------------------------|-----------------|--------|--------|--------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|-------|
| 1.83  | Adults with Health Insurance: 18+                              | 89.8            |        | 90.2   | 90.6   |    |    | ...   |
| 1.83  | Consumer Expenditures: Medical Services                        | 1057.6          |        | 1098.6 | 1047.4 |    |    | ...   |
| 1.83  | Consumer Expenditures: Medical Supplies                        | 199.2           |        | 204.8  | 194.9  |    |    | ...   |
| 1.50  | Adults who Visited a Dentist                                   | 51.3            |        | 51.6   | 52.9   |    |    | ...   |
| 1.50  | Consumer Expenditures: Prescription and Non-Prescription Drugs | 627.2           |        | 638.9  | 609.6  |  |  | ...   |

HP2030 - Healthy People provides science-based, 10-year national objectives for improving the health of all Americans. HP2030 represents a Healthy People target to be met by 2030.

Summit County

| SCORE | HEALTH CARE ACCESS & QUALITY                                   | Summit County | HP2030 | Ohio   | U.S.   | Ohio Counties                                                                       | U.S. Counties                                                                       | Trend |
|-------|----------------------------------------------------------------|---------------|--------|--------|--------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------|
| 2.33  | Consumer Expenditures: Medical Services                        | 1153.1        |        | 1098.6 | 1047.4 |  |  | ...   |
| 2.17  | Consumer Expenditures: Health Insurance                        | 4543.8        |        | 4371.7 | 4321.1 |  |  | ...   |
| 2.17  | Consumer Expenditures: Medical Supplies                        | 213.4         |        | 204.8  | 194.9  |  |  | ...   |
| 2.17  | Consumer Expenditures: Prescription and Non-Prescription Drugs | 664.9         |        | 638.9  | 609.6  |  |  | ...   |
| 1.56  | Persons without Health Insurance                               | 6.5           |        | 6.6    |        | ...                                                                                 | ...                                                                                 | ...   |
| 1.50  | Adults with Health Insurance                                   | 90            |        | 90.9   | 87.1   | ...                                                                                 | ...                                                                                 | ...   |

HP2030 - Healthy People provides science-based, 10-year national objectives for improving the health of all Americans. HP2030 represents a Healthy People target to be met by 2030.

Portage County

| SCORE | HEALTH CARE ACCESS & QUALITY             | Portage County | HP2030 | Ohio   | U.S.   | Ohio Counties                                                                       | U.S. Counties                                                                       | Trend                                                                               |
|-------|------------------------------------------|----------------|--------|--------|--------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| 2.06  | Primary Care Provider Rate               | 39.9           |        | 76.7   |        |  |  |  |
| 1.83  | Consumer Expenditures: Medical Services  | 1061.7         |        | 1098.6 | 1047.4 |  |  | ...                                                                                 |
| 1.83  | Consumer Expenditures: Medical Supplies  | 198.2          |        | 204.8  | 194.9  |  |  | ...                                                                                 |
| 1.83  | Non-Physician Primary Care Provider Rate | 36.9           |        | 108.9  |        |  |  |  |

HP2030 - Healthy People provides science-based, 10-year national objectives for improving the health of all Americans. HP2030 represents a Healthy People target to be met by 2030.

**Table 10: Secondary Data Scoring Indicators of Concern: Prioritized Health Topic #2: Behavioral Health (Mental Health)**

From the secondary data scoring results, Mental Health & Mental Disorders had the sixth highest data score of all topic areas, with a score of 1.52. Further analysis was done to identify specific indicators of concern. Those indicators with high data scores (scoring at or above the threshold of 1.50) were categorized as indicators of concern and are listed in Table 10 below.

**Cuyahoga County**

| SCORE       | MENTAL HEALTH & MENTAL DISORDERS                     | Cuyahoga County | HP2030 | Ohio | U.S. | Ohio Counties                                                                         | U.S. Counties                                                                         | Trend                                                                                 |
|-------------|------------------------------------------------------|-----------------|--------|------|------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| <b>2.17</b> | Alzheimer's Disease or Dementia: Medicare Population | 11.4            |        | 10.4 | 10.8 |    |    |    |
| <b>1.83</b> | Poor Mental Health: Average Number of Days           | 5               |        | 4.8  | 4.1  |    |    | ...                                                                                   |
| <b>1.75</b> | Depression: Medicare Population                      | 18.5            |        | 20.4 | 18.4 |    |    |    |
| <b>1.75</b> | Poor Mental Health: 14+ Days                         | 16              |        |      | 13.6 |  |  | ...                                                                                   |
| <b>1.61</b> | Age-Adjusted Death Rate due to Suicide               | 14              | 12.8   | 15.1 | 14.1 |  |  |  |

HP2030 - Healthy People provides science-based, 10-year national objectives for improving the health of all Americans. HP2030 represents a Healthy People target to be met by 2030.

# Summit County

| SCORE | MENTAL HEALTH & MENTAL DISORDERS                     | Summit County | HP2030 | Ohio | U.S. | Ohio Counties                                                                         | U.S. Counties                                                                         | Trend                                                                               |
|-------|------------------------------------------------------|---------------|--------|------|------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| 2.75  | Depression: Medicare Population                      | 21.8          |        | 20.4 | 18.4 |    |    |  |
| 2.58  | Age-Adjusted Death Rate due to Alzheimer's Disease   | 41            |        | 34   | 30.5 |    |    |  |
| 2.17  | Alzheimer's Disease or Dementia: Medicare Population | 11.3          |        | 10.4 | 10.8 |    |    |  |
| 1.83  | Poor Mental Health: Average Number of Days           | 4.8           |        | 4.8  | 4.1  |    |    | ...                                                                                 |
| 1.61  | Age-Adjusted Death Rate due to Suicide               | 16.2          | 12.8   | 15.1 | 14.1 |    |    |  |
| 1.58  | Poor Mental Health: 14+ Days                         | 15.4          |        |      | 13.6 |  |  | ...                                                                                 |

HP2030 - Healthy People provides science-based, 10-year national objectives for improving the health of all Americans. HP2030 represents a Healthy People target to be met by 2030.

Portage County

| SCORE | MENTAL HEALTH & MENTAL DISORDERS           | Portage County | HP2030 | Ohio | U.S. | Ohio Counties                                                                       | U.S. Counties                                                                       | Trend                                                                               |
|-------|--------------------------------------------|----------------|--------|------|------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| 2.58  | Depression: Medicare Population            | 21.4           |        | 20.4 | 18.4 |  |  |  |
| 1.92  | Poor Mental Health: 14+ Days               | 16.8           |        |      | 13.6 |  |  | ...                                                                                 |
| 1.92  | Adults Ever Diagnosed with Depression      | 22.3           |        |      | 18.8 |  |  | ...                                                                                 |
| 1.50  | Poor Mental Health: Average Number of Days | 4.8            |        | 4.8  | 4.1  |  |  | ...                                                                                 |

HP2030 - Healthy People provides science-based, 10-year national objectives for improving the health of all Americans. HP2030 represents a Healthy People target to be met by 2030.

**Table 11: Secondary Data Scoring Indicators of Concern: Prioritized Health Topic #3: Chronic Disease Prevention & Management**

Nutrition & Healthy Eating had the 12<sup>th</sup> highest data score of all topic areas with a score of 1.45. The Older Adult Health topic area had the fifth highest score at 1.56. All topic areas in this group demonstrate need per as they each scored above 1.5. Further analysis was done to identify specific indicators of concern which include indicators with high data scores (scoring at or above the threshold of 1.50) and seen in Table 11.

**Cuyahoga County**

| SCORE | NUTRITION & HEALTHY EATING                   | Cuyahoga County | HP2030 | Ohio  | U.S.   | Ohio Counties                                                                       | U.S. Counties                                                                       | Trend |
|-------|----------------------------------------------|-----------------|--------|-------|--------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------|
| 1.67  | Consumer Expenditures: Fruits and Vegetables | 838.8           |        | 864.6 | 1002.1 |  |  | ...   |
| 1.50  | Consumer Expenditures: High Sugar Foods      | 502.1           |        | 519   | 530.2  |  |  | ...   |

HP2030 - Healthy People provides science-based, 10-year national objectives for improving the health of all Americans. HP2030 represents a Healthy People target to be met by 2030.

**Summit County**

| SCORE | NUTRITION & HEALTHY EATING                   | Summit County | HP2030 | Ohio | U.S.   | Ohio Counties                                                                         | U.S. Counties                                                                         | Trend |
|-------|----------------------------------------------|---------------|--------|------|--------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|-------|
| 2.17  | Consumer Expenditures: High Sugar Foods      | 531.5         |        | 519  | 530.2  |  |  | ...   |
| 2.00  | Consumer Expenditures: Fast Food Restaurants | 1508.4        |        | 1461 | 1638.9 |  |  | ...   |

|             |                                                                    |       |  |       |        |                                                                                     |                                                                                     |     |
|-------------|--------------------------------------------------------------------|-------|--|-------|--------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-----|
| <b>1.83</b> | Consumer Expenditures: High Sugar Beverages                        | 324   |  | 319.7 | 357    |  |  | ... |
| <b>1.50</b> | Adults Who Frequently Used Quick Service Restaurants: Past 30 Days | 41.2  |  | 41.5  | 41.2   |  |  | ... |
| <b>1.50</b> | Consumer Expenditures: Fruits and Vegetables                       | 885.9 |  | 864.6 | 1002.1 |  |  | ... |

HP2030 - Healthy People provides science-based, 10-year national objectives for improving the health of all Americans. HP2030 represents a Healthy People target to be met by 2030.

#### Portage County

| SCORE       | NUTRITION & HEALTHY EATING                                         | Portage County | HP2030 | Ohio  | U.S.   | Ohio Counties                                                                         | U.S. Counties                                                                         | Trend |
|-------------|--------------------------------------------------------------------|----------------|--------|-------|--------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|-------|
| <b>1.67</b> | Consumer Expenditures: Fruits and Vegetables                       | 825.5          |        | 864.6 | 1002.1 |    |    | ...   |
| <b>1.50</b> | Adult Sugar-Sweetened Beverage Consumption: Past 7 Days            | 81.5           |        | 80.9  | 80.4   |  |  | ...   |
| <b>1.50</b> | Adults Who Frequently Used Quick Service Restaurants: Past 30 Days | 41.3           |        | 41.5  | 41.2   |  |  | ...   |

HP2030 - Healthy People provides science-based, 10-year national objectives for improving the health of all Americans. HP2030 represents a Healthy People target to be met by 2030.

Cuyahoga County

| SCORE | OLDER ADULTS                                         | Cuyahoga County | HP2030 | Ohio | U.S. | Ohio Counties                                                                         | U.S. Counties                                                                         | Trend                                                                                 |
|-------|------------------------------------------------------|-----------------|--------|------|------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| 2.64  | People 65+ Living Alone                              | 34.8            |        | 28.8 | 26.1 |    |    |    |
| 2.47  | People 65+ Living Below Poverty Level                | 10.9            |        | 8.1  | 9.3  |    |    |    |
| 2.31  | Age-Adjusted Death Rate due to Falls                 | 11.6            |        | 10.5 | 9.5  |    |    |    |
| 2.31  | Cancer: Medicare Population                          | 9               |        | 8.4  | 8.4  |    |    |    |
| 2.17  | Alzheimer's Disease or Dementia: Medicare Population | 11.4            |        | 10.4 | 10.8 |    |    |    |
| 2.14  | Atrial Fibrillation: Medicare Population             | 9               |        | 9    | 8.4  |  |  |  |
| 2.08  | Osteoporosis: Medicare Population                    | 6.3             |        | 6.2  | 6.6  |  |  | ...                                                                                   |
| 2.03  | Asthma: Medicare Population                          | 5.2             |        | 4.8  | 5    |  |  |  |

|             |                                                                  |      |      |      |      |                                                                                       |                                                                                       |                                                                                     |
|-------------|------------------------------------------------------------------|------|------|------|------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| <b>1.92</b> | Chronic Kidney Disease: Medicare Population                      | 25.2 |      | 25.3 | 24.5 |    |    |  |
| <b>1.92</b> | Rheumatoid Arthritis or Osteoarthritis: Medicare Population      | 35.4 |      | 36.1 | 33.5 |    |    |  |
| <b>1.75</b> | Adults 65+ who Received Recommended Preventive Services: Females | 28.6 |      |      | 28.4 |    |    | ...                                                                                 |
| <b>1.75</b> | Depression: Medicare Population                                  | 18.5 |      | 20.4 | 18.4 |    |    |  |
| <b>1.69</b> | Heart Failure: Medicare Population                               | 15.3 |      | 14.7 | 14   |    |    |  |
| <b>1.67</b> | Colon Cancer Screening                                           | 63.7 | 74.4 |      | 66.4 |    |    | ...                                                                                 |
| <b>1.67</b> | People 65+ with Low Access to a Grocery Store                    | 3.4  |      |      |      |  |  | ...                                                                                 |
| <b>1.58</b> | Adults 65+ with Total Tooth Loss                                 | 15.5 |      |      | 13.5 |  |  | ...                                                                                 |

HP2030 · Healthy People provides science-based, 10-year national objectives for improving the health of all Americans. HP2030 represents a Healthy People target to be met by 2030.

Summit County

| SCORE | OLDER ADULTS                                                | Summit County | HP2030 | Ohio | U.S. | Ohio Counties                                                                         | U.S. Counties                                                                         | Trend                                                                                 |
|-------|-------------------------------------------------------------|---------------|--------|------|------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| 2.75  | Depression: Medicare Population                             | 21.8          |        | 20.4 | 18.4 |    |    |    |
| 2.75  | Rheumatoid Arthritis or Osteoarthritis: Medicare Population | 37.7          |        | 36.1 | 33.5 |    |    |    |
| 2.58  | Age-Adjusted Death Rate due to Alzheimer's Disease          | 41            |        | 34   | 30.5 |    |    |    |
| 2.42  | Cancer: Medicare Population                                 | 8.5           |        | 8.4  | 8.4  |    |    |    |
| 2.36  | Asthma: Medicare Population                                 | 5.8           |        | 4.8  | 5    |    |    |    |
| 2.19  | People 65+ Living Alone                                     | 30.1          |        | 28.8 | 26.1 |  |  |  |
| 2.17  | Alzheimer's Disease or Dementia: Medicare Population        | 11.3          |        | 10.4 | 10.8 |  |  |  |
| 2.14  | Osteoporosis: Medicare Population                           | 6.6           |        | 6.2  | 6.6  |  |  |  |

|      |                                               |      |      |      |      |                                                                                     |                                                                                     |                                                                                     |
|------|-----------------------------------------------|------|------|------|------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| 1.92 | Chronic Kidney Disease: Medicare Population   | 24.7 |      | 25.3 | 24.5 |  |  |  |
| 1.83 | Colon Cancer Screening                        | 62.2 | 74.4 |      | 66.4 |  |  | ...                                                                                 |
| 1.83 | People 65+ with Low Access to a Grocery Store | 4.3  |      |      |      |  |  | ...                                                                                 |
| 1.81 | Atrial Fibrillation: Medicare Population      | 8.9  |      | 9    | 8.4  |  |  |  |
| 1.81 | Hyperlipidemia: Medicare Population           | 49.9 |      | 49.4 | 47.7 |  |  |  |
| 1.58 | Adults with Arthritis                         | 29.8 |      |      | 25.1 |  |  | ...                                                                                 |

HP2030 - Healthy People provides science-based, 10-year national objectives for improving the health of all Americans. HP2030 represents a Healthy People target to be met by 2030.

#### Portage County

| SCORE | OLDER ADULTS                             | Portage County | HP2030 | Ohio | U.S. | Ohio Counties                                                                         | U.S. Counties                                                                         | Trend                                                                                 |
|-------|------------------------------------------|----------------|--------|------|------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| 2.58  | Depression: Medicare Population          | 21.4           |        | 20.4 | 18.4 |  |  |  |
| 2.47  | Atrial Fibrillation: Medicare Population | 9.6            |        | 9    | 8.4  |  |  |  |

|             |                                                             |      |  |      |      |                                                                                     |                                                                                     |                                                                                     |
|-------------|-------------------------------------------------------------|------|--|------|------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| <b>2.31</b> | Hyperlipidemia: Medicare Population                         | 52.4 |  | 49.4 | 47.7 |  |  |  |
| <b>2.25</b> | Rheumatoid Arthritis or Osteoarthritis: Medicare Population | 36.3 |  | 36.1 | 33.5 |  |  |  |
| <b>1.92</b> | Osteoporosis: Medicare Population                           | 6.2  |  | 6.2  | 6.6  |  |  |  |
| <b>1.67</b> | People 65+ with Low Access to a Grocery Store               | 3.6  |  |      |      |  |  | ...                                                                                 |
| <b>1.64</b> | Cancer: Medicare Population                                 | 8.3  |  | 8.4  | 8.4  |  |  |  |

HP2030 - Healthy People provides science-based, 10-year national objectives for improving the health of all Americans. HP2030 represents a Healthy People target to be met by 2030.

**Table 12: Secondary Data Scoring Indicators of Concern: Prioritized Health Topic #4: Maternal and Child Health**

Maternal, Fetal and Infant Health ranked ninth with a score of 1.50. Further analysis was done to identify specific indicators of concern. Those indicators with high data scores (scoring at or above the threshold of 1.50) were categorized as indicators of concern and are listed in Table 12 below. See Appendix C for the full list of indicators categorized within this topic.

| Cuyahoga County |                                   |                 |        |      |      |                                                                                       |               |                                                                                       |
|-----------------|-----------------------------------|-----------------|--------|------|------|---------------------------------------------------------------------------------------|---------------|---------------------------------------------------------------------------------------|
| SCORE           | MATERNAL, FETAL & INFANT HEALTH   | Cuyahoga County | HP2030 | Ohio | U.S. | Ohio Counties                                                                         | U.S. Counties | Trend                                                                                 |
| 2.11            | Babies with Low Birth Weight      | 10.8            |        | 8.5  | 8.2  |    | ...           |    |
| 2.11            | Babies with Very Low Birth Weight | 1.7             |        | 1.4  | 1.3  |    | ...           |    |
| 1.78            | Infant Mortality Rate             | 8.6             | 5      | 6.9  |      | ...                                                                                   | ...           |    |
| 1.67            | Preterm Births                    | 11.4            | 9.4    | 10.3 |      |   | ...           |   |
| 1.58            | Teen Pregnancy Rate               | 23.9            |        | 19.5 |      |  | ...           |  |
| 1.53            | Teen Birth Rate: 15-17            | 7.2             |        | 6.8  |      |  | ...           |  |

HP2030 - Healthy People provides science-based, 10-year national objectives for improving the health of all Americans. HP2030 represents a Healthy People target to be met by 2030.

Summit County

| SCORE | MATERNAL, FETAL & INFANT HEALTH   | Summit County | HP2030 | Ohio  | U.S.  | Ohio Counties                                                                       | U.S. Counties                                                                       | Trend                                                                               |
|-------|-----------------------------------|---------------|--------|-------|-------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| 2.67  | Babies with Low Birth Weight      | 9.4           |        | 8.5   | 8.2   |  | ...                                                                                 | ...                                                                                 |
| 2.39  | Babies with Very Low Birth Weight | 1.7           |        | 1.4   | 1.3   |  | ...                                                                                 | ...                                                                                 |
| 1.97  | Teen Birth Rate: 15-17            | 8             |        | 6.8   |       |  | ...                                                                                 |  |
| 1.83  | Consumer Expenditures: Childcare  | 307           |        | 301.6 | 368.2 |  |  | ...                                                                                 |
| 1.50  | Preterm Births                    | 9.9           | 9.4    | 10.3  |       |  | ...                                                                                 |  |

HP2030 - Healthy People provides science-based, 10-year national objectives for improving the health of all Americans. HP2030 represents a Healthy People target to be met by 2030.

Portage County

| SCORE | MATERNAL, FETAL & INFANT HEALTH     | Portage County | HP2030 | Ohio  | U.S.  | Ohio Counties                                                                       | U.S. Counties                                                                       | Trend                                                                               |
|-------|-------------------------------------|----------------|--------|-------|-------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| 2.22  | Infant Mortality Rate               | 9.7            | 5      | 6.9   |       | ...                                                                                 | ...                                                                                 |  |
| 1.86  | Mothers who Smoked During Pregnancy | 13.4           | 4.3    | 11.5  | 5.5   |  | ...                                                                                 |  |
| 1.83  | Consumer Expenditures: Childcare    | 308.1          |        | 301.6 | 368.2 |  |  | ...                                                                                 |
| 1.50  | Preterm Births                      | 9.8            | 9.4    | 10.3  |       |  | ...                                                                                 |  |

HP2030 - Healthy People provides science-based, 10-year national objectives for improving the health of all Americans. HP2030 represents a Healthy People target to be met by 2030.

**Table 13: Secondary Data Scoring Indicators of Concern: Prioritized Health Topic #5: Socioeconomic Issues**

Prevention & Safety ranked eighth among all health topics with a score of 1.50. Further analysis was done to identify specific indicators of concern. Those indicators with high data scores (scoring at or above the threshold of 1.50) were categorized as indicators of concern and are listed in Table 13 below. Portage County did not have any indicators of concern. See Appendix C for the full list of indicators categorized within this topic.

**Cuyahoga County**

| SCORE       | PREVENTION & SAFETY                                     | Cuyahoga County | HP2030 | Ohio | U.S. | Ohio Counties                                                                         | U.S. Counties                                                                         | Trend                                                                                 |
|-------------|---------------------------------------------------------|-----------------|--------|------|------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| <b>2.31</b> | Age-Adjusted Death Rate due to Falls                    | 11.6            |        | 10.5 | 9.5  |    |    |    |
| <b>2.00</b> | Age-Adjusted Death Rate due to Motor Vehicle Collisions | 3.6             |        | 2.8  | 2.5  | ...                                                                                   | ...                                                                                   | ...                                                                                   |
| <b>2.22</b> | Age-Adjusted Death Rate due to Unintentional Injuries   | 69.7            | 43.2   | 68.8 | 48.9 |    |    |    |
| <b>2.31</b> | Age-Adjusted Death Rate due to Unintentional Poisonings | 42              |        | 40.2 | 21.4 |  |  |  |
| <b>2.64</b> | Death Rate due to Drug Poisoning                        | 42.6            |        | 38.1 | 21   |  |  |  |
| <b>1.75</b> | Severe Housing Problems                                 | 17.1            |        | 13.7 | 18   |  |  |  |

HP2030 - Healthy People provides science-based, 10-year national objectives for improving the health of all Americans. HP2030 represents a Healthy People target to be met by 2030.

Summit County

| SCORE | PREVENTION & SAFETY                                     | Summit County | HP2030 | Ohio | U.S. | Ohio Counties                                                                       | U.S. Counties                                                                       | Trend                                                                               |
|-------|---------------------------------------------------------|---------------|--------|------|------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| 2.00  | Age-Adjusted Death Rate due to Unintentional Poisonings | 38.7          |        | 40.2 | 21.4 |  |  |  |
| 1.86  | Death Rate due to Drug Poisoning                        | 36.7          |        | 38.1 | 21   |  |  |  |

HP2030 - Healthy People provides science-based, 10-year national objectives for improving the health of all Americans. HP2030 represents a Healthy People target to be met by 2030.

**Table 14: Secondary Data Scoring Results by Health Topic for The Marymount Hospital Community in Rank Order by Topic Score**

| <b>HEALTH TOPICS</b>                | <b>AVG</b>   |
|-------------------------------------|--------------|
| Medications & Prescriptions         | 1.87         |
| Other Conditions                    | 1.68         |
| Alcohol & Drug Use                  | 1.58         |
| Cancer                              | 1.58         |
| Older Adults                        | 1.56         |
| Mental Health & Mental Disorders    | 1.52         |
| Children's Health                   | 1.51         |
| Prevention & Safety                 | 1.50         |
| Maternal, Fetal & Infant Health     | 1.50         |
| Physical Activity                   | 1.47         |
| Women's Health                      | 1.46         |
| Nutrition & Healthy Eating          | 1.45         |
| Wellness & Lifestyle                | 1.38         |
| Tobacco Use                         | 1.37         |
| Heart Disease & Stroke              | 1.36         |
| Health Care Access & Quality        | 1.29         |
| Respiratory Diseases                | 1.27         |
| Diabetes                            | 1.19         |
| Oral Health                         | 1.12         |
| Immunizations & Infectious Diseases | 1.11         |
| <b>QUALITY OF LIFE TOPIC</b>        | <b>SCORE</b> |
| Education                           | 1.46         |
| Environmental Health                | 1.46         |
| Community                           | 1.38         |
| Economy                             | 1.36         |

| SCORE | ALCOHOL & DRUG USE                                        | UNITS                                                     | CUYAHOGA COUNTY | HP2030 | Ohio  | U.S.  | MEASUREMENT PERIOD | Source |
|-------|-----------------------------------------------------------|-----------------------------------------------------------|-----------------|--------|-------|-------|--------------------|--------|
| 2.64  | Death Rate due to Drug Poisoning                          | <i>deaths/ 100,000 population</i>                         | 42.6            |        | 38.1  | 21    | 2017-2019          | 9      |
| 2.44  | Alcohol-Impaired Driving Deaths                           | <i>percent of driving deaths with alcohol involvement</i> | 41.4            | 28.3   | 32.2  | 27    | 2015-2019          | 9      |
| 2.00  | Adults who Drink Excessively                              | <i>percent</i>                                            | 19.6            |        | 18.5  | 19    | 2018               | 9      |
| 1.92  | Age-Adjusted Drug and Opioid-Involved Overdose Death Rate | <i>Deaths per 100,000 population</i>                      | 43.8            |        | 42    | 22.8  | 2017-2019          | 5      |
| 1.67  | Consumer Expenditures: Alcoholic Beverages                | <i>average dollar amount per consumer unit</i>            | 637.1           |        | 651.5 | 701.9 | 2021               | 7      |
| 1.42  | Health Behaviors Ranking                                  | <i>ranking</i>                                            | 31              |        |       |       | 2021               | 9      |
| 1.31  | Liquor Store Density                                      | <i>stores/ 100,000 population</i>                         | 6.4             |        | 5.6   | 10.5  | 2019               | 22     |
| 1.25  | Adults who Binge Drink                                    | <i>percent</i>                                            | 16              |        |       | 16.7  | 2019               | 4      |
| 0.92  | Mothers who Smoked During Pregnancy                       | <i>percent</i>                                            | 6.1             | 4.3    | 11.5  | 5.5   | 2020               | 17     |
|       |                                                           |                                                           |                 |        |       |       |                    |        |
| SCORE | CANCER                                                    | UNITS                                                     | CUYAHOGA COUNTY | HP2030 | Ohio  | U.S.  | MEASUREMENT PERIOD | Source |

|             |                                                  |                                   |       |       |       |       |           |    |
|-------------|--------------------------------------------------|-----------------------------------|-------|-------|-------|-------|-----------|----|
| <b>2.72</b> | Age-Adjusted Death Rate due to Prostate Cancer   | <i>deaths/ 100,000 males</i>      | 23.8  | 16.9  | 19.4  | 18.9  | 2015-2019 | 12 |
| <b>2.58</b> | Breast Cancer Incidence Rate                     | <i>cases/ 100,000 females</i>     | 134.8 |       | 129.6 | 126.8 | 2014-2018 | 12 |
| <b>2.36</b> | Prostate Cancer Incidence Rate                   | <i>cases/ 100,000 males</i>       | 128   |       | 107.2 | 106.2 | 2014-2018 | 12 |
| <b>2.31</b> | Cancer: Medicare Population                      | <i>percent</i>                    | 9     |       | 8.4   | 8.4   | 2018      | 6  |
| <b>2.28</b> | Age-Adjusted Death Rate due to Breast Cancer     | <i>deaths/ 100,000 females</i>    | 23.6  | 15.3  | 21.6  | 19.9  | 2015-2019 | 12 |
| <b>2.25</b> | All Cancer Incidence Rate                        | <i>cases/ 100,000 population</i>  | 479.7 |       | 467.5 | 448.6 | 2014-2018 | 12 |
| <b>2.14</b> | Colorectal Cancer Incidence Rate                 | <i>cases/ 100,000 population</i>  | 44.2  |       | 41.3  | 38    | 2014-2018 | 12 |
| <b>1.78</b> | Age-Adjusted Death Rate due to Cancer            | <i>deaths/ 100,000 population</i> | 171   | 122.7 | 169.4 | 152.4 | 2015-2019 | 12 |
| <b>1.67</b> | Colon Cancer Screening                           | <i>percent</i>                    | 63.7  | 74.4  |       | 66.4  | 2018      | 4  |
| <b>1.44</b> | Age-Adjusted Death Rate due to Lung Cancer       | <i>deaths/ 100,000 population</i> | 42.9  | 25.1  | 45    | 36.7  | 2015-2019 | 12 |
| <b>1.36</b> | Lung and Bronchus Cancer Incidence Rate          | <i>cases/ 100,000 population</i>  | 63.7  |       | 67.3  | 57.3  | 2014-2018 | 12 |
| <b>1.28</b> | Age-Adjusted Death Rate due to Colorectal Cancer | <i>deaths/ 100,000 population</i> | 14.5  | 8.9   | 14.8  | 13.4  | 2015-2019 | 12 |

|              |                                                               |                                  |                        |               |             |             |                           |               |
|--------------|---------------------------------------------------------------|----------------------------------|------------------------|---------------|-------------|-------------|---------------------------|---------------|
| <b>1.25</b>  | Adults with Cancer                                            | <i>percent</i>                   | 7.5                    |               |             | 7.1         | 2019                      | 4             |
| <b>1.14</b>  | Oral Cavity and Pharynx Cancer Incidence Rate                 | <i>cases/ 100,000 population</i> | 11.5                   |               | 12.2        | 11.9        | 2014-2018                 | 12            |
| <b>0.94</b>  | Mammogram in Past 2 Years: 50-74                              | <i>percent</i>                   | 75.2                   | 77.1          |             | 74.8        | 2018                      | 4             |
| <b>0.89</b>  | Cervical Cancer Screening: 21-65                              | <i>Percent</i>                   | 85.3                   | 84.3          |             | 84.7        | 2018                      | 4             |
| <b>0.61</b>  | Cervical Cancer Incidence Rate                                | <i>cases/ 100,000 females</i>    | 6.4                    |               | 7.9         | 7.7         | 2014-2018                 | 12            |
|              |                                                               |                                  |                        |               |             |             |                           |               |
| <b>SCORE</b> | <b>CHILDREN'S HEALTH</b>                                      | <b>UNITS</b>                     | <b>CUYAHOGA COUNTY</b> | <b>HP2030</b> | <b>Ohio</b> | <b>U.S.</b> | <b>MEASUREMENT PERIOD</b> | <b>Source</b> |
| <b>2.17</b>  | Child Food Insecurity Rate                                    | <i>percent</i>                   | 20.7                   |               | 17.4        | 14.6        | 2019                      | 10            |
| <b>2.08</b>  | Projected Child Food Insecurity Rate                          | <i>percent</i>                   | 23.4                   |               | 18.5        |             | 2021                      | 10            |
| <b>1.94</b>  | Substantiated Child Abuse Rate                                | <i>cases/ 1,000 children</i>     | 10                     | 8.7           | 6.8         |             | 2020                      | 3             |
| <b>1.86</b>  | Blood Lead Levels in Children (>=10 micrograms per deciliter) | <i>percent</i>                   | 1.7                    |               | 0.5         |             | 2020                      | 19            |
| <b>1.58</b>  | Blood Lead Levels in Children (>=5 micrograms per deciliter)  | <i>percent</i>                   | 5.8                    |               | 1.9         |             | 2020                      | 19            |

|       |                                             |                                                    |                 |        |       |       |                    |        |
|-------|---------------------------------------------|----------------------------------------------------|-----------------|--------|-------|-------|--------------------|--------|
| 1.50  | Children with Low Access to a Grocery Store | percent                                            | 4.3             |        |       |       | 2015               | 23     |
| 1.33  | Children with Health Insurance              | percent                                            | 97.1            |        | 95.2  | 94.3  | 2019               | 1      |
| 1.33  | Consumer Expenditures: Childcare            | average dollar amount per consumer unit            | 272.1           |        | 301.6 | 368.2 | 2021               | 7      |
|       |                                             |                                                    |                 |        |       |       |                    |        |
| SCORE | COMMUNITY                                   | UNITS                                              | CUYAHOGA COUNTY | HP2030 | Ohio  | U.S.  | MEASUREMENT PERIOD | Source |
| 2.64  | People 65+ Living Alone                     | percent                                            | 34.8            |        | 28.8  | 26.1  | 2015-2019          | 1      |
| 2.50  | Single-Parent Households                    | percent                                            | 37.6            |        | 27.1  | 25.5  | 2015-2019          | 1      |
| 2.47  | Homeownership                               | percent                                            | 50.9            |        | 59.4  | 56.2  | 2015-2019          | 1      |
| 2.44  | Alcohol-Impaired Driving Deaths             | percent of driving deaths with alcohol involvement | 41.4            | 28.3   | 32.2  | 27    | 2015-2019          | 9      |
| 2.39  | Violent Crime Rate                          | crimes/ 100,000 population                         | 637             |        | 303.5 | 394   | 2017               | 18     |
| 2.31  | Social Associations                         | membership associations/ 10,000 population         | 9.2             |        | 11    | 9.3   | 2018               | 9      |
| 2.14  | Linguistic Isolation                        | percent                                            | 2.9             |        | 1.4   | 4.4   | 2015-2019          | 1      |
| 2.08  | Households without a Vehicle                | percent                                            | 12.8            |        | 7.9   | 8.6   | 2015-2019          | 1      |

|             |                                                         |                                                |       |     |       |       |           |    |
|-------------|---------------------------------------------------------|------------------------------------------------|-------|-----|-------|-------|-----------|----|
| <b>2.00</b> | Age-Adjusted Death Rate due to Motor Vehicle Collisions | <i>deaths/ 100,000 population</i>              | 3.6   |     | 2.8   | 2.5   | 2015-2019 | 5  |
| <b>2.00</b> | People Living Below Poverty Level                       | <i>percent</i>                                 | 17.5  | 8   | 14    | 13.4  | 2015-2019 | 1  |
| <b>1.94</b> | Substantiated Child Abuse Rate                          | <i>cases/ 1,000 children</i>                   | 10    | 8.7 | 6.8   |       | 2020      | 3  |
| <b>1.92</b> | Children Living Below Poverty Level                     | <i>percent</i>                                 | 25.5  |     | 19.9  | 18.5  | 2015-2019 | 1  |
| <b>1.75</b> | Median Household Income                                 | <i>dollars</i>                                 | 50366 |     | 56602 | 62843 | 2015-2019 | 1  |
| <b>1.75</b> | Social and Economic Factors Ranking                     | <i>ranking</i>                                 | 72    |     |       |       | 2021      | 9  |
| <b>1.75</b> | Young Children Living Below Poverty Level               | <i>percent</i>                                 | 27.3  |     | 23    | 20.3  | 2015-2019 | 1  |
| <b>1.75</b> | Youth not in School or Working                          | <i>percent</i>                                 | 2.3   |     | 1.8   | 1.9   | 2015-2019 | 1  |
| <b>1.69</b> | Voter Turnout: Presidential Election                    | <i>percent</i>                                 | 71    |     | 74    |       | 2020      | 20 |
| <b>1.67</b> | Consumer Expenditures: Local Public Transportation      | <i>average dollar amount per consumer unit</i> | 122.3 |     | 121.7 | 148.8 | 2021      | 7  |
| <b>1.67</b> | Households with an Internet Subscription                | <i>percent</i>                                 | 79.1  |     | 82.4  | 83    | 2015-2019 | 1  |

|             |                                                          |                |      |     |      |      |           |    |
|-------------|----------------------------------------------------------|----------------|------|-----|------|------|-----------|----|
| <b>1.67</b> | Households with One or More Types of Computing Devices   | <i>percent</i> | 87.4 |     | 89.1 | 90.3 | 2015-2019 | 1  |
| <b>1.53</b> | Mean Travel Time to Work                                 | <i>minutes</i> | 24.3 |     | 23.7 | 26.9 | 2015-2019 | 1  |
| <b>1.50</b> | Adults with Internet Access                              | <i>percent</i> | 94.3 |     | 94.5 | 95   | 2021      | 8  |
| <b>1.50</b> | Households with a Computer                               | <i>percent</i> | 84.2 |     | 85.2 | 86.3 | 2021      | 8  |
| <b>1.50</b> | Persons with an Internet Subscription                    | <i>percent</i> | 84   |     | 86.2 | 86.2 | 2015-2019 | 1  |
| <b>1.36</b> | Solo Drivers with a Long Commute                         | <i>percent</i> | 32.3 |     | 31.1 | 37   | 2015-2019 | 9  |
| <b>1.33</b> | Households with a Smartphone                             | <i>percent</i> | 80.3 |     | 80.5 | 81.9 | 2021      | 8  |
| <b>1.06</b> | Workers Commuting by Public Transportation               | <i>percent</i> | 4.6  | 5.3 | 1.6  | 5    | 2015-2019 | 1  |
| <b>1.03</b> | Workers who Drive Alone to Work                          | <i>percent</i> | 79.3 |     | 82.9 | 76.3 | 2015-2019 | 1  |
| <b>1.00</b> | Households with No Car and Low Access to a Grocery Store | <i>percent</i> | 1.3  |     |      |      | 2015      | 23 |
| <b>0.83</b> | Households with Wireless Phone Service                   | <i>percent</i> | 97.2 |     | 96.8 | 97   | 2020      | 8  |

|       |                                                    |                            |                 |        |       |       |                    |        |
|-------|----------------------------------------------------|----------------------------|-----------------|--------|-------|-------|--------------------|--------|
| 0.69  | Workers who Walk to Work                           | percent                    | 2.7             |        | 2.2   | 2.7   | 2015-2019          | 1      |
| 0.58  | Per Capita Income                                  | dollars                    | 33114           |        | 31552 | 34103 | 2015-2019          | 1      |
| 0.25  | People 25+ with a Bachelor's Degree or Higher      | percent                    | 32.5            |        | 28.3  | 32.1  | 2015-2019          | 1      |
|       |                                                    |                            |                 |        |       |       |                    |        |
| SCORE | DIABETES                                           | UNITS                      | CUYAHOGA COUNTY | HP2030 | Ohio  | U.S.  | MEASUREMENT PERIOD | Source |
| 1.50  | Adults 20+ with Diabetes                           | percent                    | 9               |        |       |       | 2019               | 5      |
| 1.14  | Diabetes: Medicare Population                      | percent                    | 25.3            |        | 27.2  | 27    | 2018               | 6      |
| 0.86  | Age-Adjusted Death Rate due to Diabetes            | deaths/ 100,000 population | 22.4            |        | 25.3  | 21.5  | 2017-2019          | 5      |
|       |                                                    |                            |                 |        |       |       |                    |        |
| SCORE | ECONOMY                                            | UNITS                      | CUYAHOGA COUNTY | HP2030 | Ohio  | U.S.  | MEASUREMENT PERIOD | Source |
| 2.47  | Homeownership                                      | percent                    | 50.9            |        | 59.4  | 56.2  | 2015-2019          | 1      |
| 2.47  | People 65+ Living Below Poverty Level              | percent                    | 10.9            |        | 8.1   | 9.3   | 2015-2019          | 1      |
| 2.17  | Child Food Insecurity Rate                         | percent                    | 20.7            |        | 17.4  | 14.6  | 2019               | 10     |
| 2.17  | Income Inequality                                  |                            | 0.5             |        | 0.5   | 0.5   | 2015-2019          | 1      |
| 2.08  | Persons with Disability Living in Poverty (5-year) | percent                    | 33.9            |        | 29.5  | 26.1  | 2015-2019          | 1      |

|             |                                                          |                |       |   |       |       |           |    |
|-------------|----------------------------------------------------------|----------------|-------|---|-------|-------|-----------|----|
| <b>2.08</b> | Projected Child Food Insecurity Rate                     | <i>percent</i> | 23.4  |   | 18.5  |       | 2021      | 10 |
| <b>2.00</b> | Adults who Feel Overwhelmed by Financial Burdens         | <i>percent</i> | 15.1  |   | 14.6  | 14.4  | 2021      | 8  |
| <b>2.00</b> | Food Insecurity Rate                                     | <i>percent</i> | 13.9  |   | 13.2  | 10.9  | 2019      | 10 |
| <b>2.00</b> | Households that are Below the Federal Poverty Level      | <i>percent</i> | 17.7  |   | 13.8  |       | 2018      | 25 |
| <b>2.00</b> | People Living Below Poverty Level                        | <i>percent</i> | 17.5  | 8 | 14    | 13.4  | 2015-2019 | 1  |
| <b>1.92</b> | Children Living Below Poverty Level                      | <i>percent</i> | 25.5  |   | 19.9  | 18.5  | 2015-2019 | 1  |
| <b>1.92</b> | Families Living Below Poverty Level                      | <i>percent</i> | 13    |   | 9.9   | 9.5   | 2015-2019 | 1  |
| <b>1.92</b> | Projected Food Insecurity Rate                           | <i>percent</i> | 15.6  |   | 14.1  |       | 2021      | 10 |
| <b>1.83</b> | Renters Spending 30% or More of Household Income on Rent | <i>percent</i> | 48.4  |   | 44.9  | 49.6  | 2015-2019 | 1  |
| <b>1.75</b> | Households with Cash Public Assistance Income            | <i>percent</i> | 3.1   |   | 2.9   | 2.4   | 2015-2019 | 1  |
| <b>1.75</b> | Median Household Income                                  | <i>dollars</i> | 50366 |   | 56602 | 62843 | 2015-2019 | 1  |

|             |                                                                                             |                                                |        |  |      |        |           |    |
|-------------|---------------------------------------------------------------------------------------------|------------------------------------------------|--------|--|------|--------|-----------|----|
| <b>1.75</b> | Severe Housing Problems                                                                     | <i>percent</i>                                 | 17.1   |  | 13.7 | 18     | 2013-2017 | 9  |
| <b>1.75</b> | Social and Economic Factors Ranking                                                         | <i>ranking</i>                                 | 72     |  |      |        | 2021      | 9  |
| <b>1.75</b> | Young Children Living Below Poverty Level                                                   | <i>percent</i>                                 | 27.3   |  | 23   | 20.3   | 2015-2019 | 1  |
| <b>1.75</b> | Youth not in School or Working                                                              | <i>percent</i>                                 | 2.3    |  | 1.8  | 1.9    | 2015-2019 | 1  |
| <b>1.67</b> | Households that are Above the Asset Limited, Income Constrained, Employed (ALICE) Threshold | <i>percent</i>                                 | 58.8   |  | 61.6 |        | 2018      | 25 |
| <b>1.64</b> | Size of Labor Force                                                                         | <i>persons</i>                                 | 582791 |  |      |        | Sep-21    | 21 |
| <b>1.64</b> | SNAP Certified Stores                                                                       | <i>stores/ 1,000 population</i>                | 0.9    |  |      |        | 2017      | 23 |
| <b>1.50</b> | Households with a Savings Account                                                           | <i>percent</i>                                 | 67.7   |  | 68.8 | 70.2   | 2021      | 8  |
| <b>1.50</b> | WIC Certified Stores                                                                        | <i>stores/ 1,000 population</i>                | 0.1    |  |      |        | 2016      | 23 |
| <b>1.42</b> | People Living 200% Above Poverty Level                                                      | <i>percent</i>                                 | 64.7   |  | 68.8 | 69.1   | 2015-2019 | 1  |
| <b>1.33</b> | Consumer Expenditures: Homeowner Expenses                                                   | <i>average dollar amount per consumer unit</i> | 7600   |  | 7828 | 8900.1 | 2021      | 7  |

|       |                                                                         |                                                |                 |        |        |        |                    |        |
|-------|-------------------------------------------------------------------------|------------------------------------------------|-----------------|--------|--------|--------|--------------------|--------|
| 1.33  | Households that are Asset Limited, Income Constrained, Employed (ALICE) | <i>percent</i>                                 | 23.5            |        | 24.5   |        | 2018               | 25     |
| 1.33  | Low-Income and Low Access to a Grocery Store                            | <i>percent</i>                                 | 4.3             |        |        |        | 2015               | 23     |
| 1.31  | Overcrowded Households                                                  | <i>percent of households</i>                   | 1.2             |        | 1.4    |        | 2015-2019          | 1      |
| 1.25  | Unemployed Workers in Civilian Labor Force                              | <i>percent</i>                                 | 4.6             |        | 4.3    | 4.6    | Sep-21             | 21     |
| 1.17  | Consumer Expenditures: Home Rental Expenses                             | <i>average dollar amount per consumer unit</i> | 3928.7          |        | 3798.7 | 5460.2 | 2021               | 7      |
| 1.00  | Mortgaged Owners Spending 30% or More of Household Income on Housing    | <i>percent</i>                                 | 22.7            |        | 19.7   | 26.5   | 2019               | 1      |
| 0.58  | Per Capita Income                                                       | <i>dollars</i>                                 | 33114           |        | 31552  | 34103  | 2015-2019          | 1      |
| 0.58  | Students Eligible for the Free Lunch Program                            | <i>percent</i>                                 | 12.9            |        |        |        | 2019-2020          | 13     |
|       |                                                                         |                                                |                 |        |        |        |                    |        |
| SCORE | EDUCATION                                                               | UNITS                                          | CUYAHOGA COUNTY | HP2030 | Ohio   | U.S.   | MEASUREMENT PERIOD | Source |

|       |                                                        |                                         |                 |        |        |        |                    |        |
|-------|--------------------------------------------------------|-----------------------------------------|-----------------|--------|--------|--------|--------------------|--------|
| 1.86  | 4th Grade Students Proficient in English/Language Arts | percent                                 | 46.6            |        | 63.3   |        | 2018-2019          | 15     |
| 1.86  | 4th Grade Students Proficient in Math                  | percent                                 | 52.5            |        | 74.3   |        | 2018-2019          | 15     |
| 1.86  | 8th Grade Students Proficient in English/Language Arts | percent                                 | 43.1            |        | 58.3   |        | 2018-2019          | 15     |
| 1.86  | 8th Grade Students Proficient in Math                  | percent                                 | 39.5            |        | 57.3   |        | 2018-2019          | 15     |
| 1.33  | Consumer Expenditures: Childcare                       | average dollar amount per consumer unit | 272.1           |        | 301.6  | 368.2  | 2021               | 7      |
| 1.67  | Consumer Expenditures: Education                       | average dollar amount per consumer unit | 1196.7          |        | 1200.4 | 1492.4 | 2021               | 7      |
| 1.44  | High School Graduation                                 | percent                                 | 89.5            | 90.7   | 92     |        | 2019-2020          | 15     |
| 0.25  | People 25+ with a Bachelor's Degree or Higher          | percent                                 | 32.5            |        | 28.3   | 32.1   | 2015-2019          | 1      |
| 1.81  | Student-to-Teacher Ratio                               | students/ teacher                       | 16.5            |        |        |        | 2019-2020          | 13     |
|       |                                                        |                                         |                 |        |        |        |                    |        |
| SCORE | ENVIRONMENTAL HEALTH                                   | UNITS                                   | CUYAHOGA COUNTY | HP2030 | Ohio   | U.S.   | MEASUREMENT PERIOD | Source |

|             |                                                               |                                      |      |  |      |      |           |    |
|-------------|---------------------------------------------------------------|--------------------------------------|------|--|------|------|-----------|----|
| <b>2.25</b> | Adults with Current Asthma                                    | <i>percent</i>                       | 11   |  |      | 8.9  | 2019      | 4  |
| <b>2.14</b> | Fast Food Restaurant Density                                  | <i>restaurants/ 1,000 population</i> | 0.9  |  |      |      | 2016      | 23 |
| <b>2.08</b> | Houses Built Prior to 1950                                    | <i>percent</i>                       | 39.2 |  | 26.2 | 17.5 | 2015-2019 | 1  |
| <b>2.03</b> | Asthma: Medicare Population                                   | <i>percent</i>                       | 5.2  |  | 4.8  | 5    | 2018      | 6  |
| <b>1.86</b> | Blood Lead Levels in Children (>=10 micrograms per deciliter) | <i>percent</i>                       | 1.7  |  | 0.5  |      | 2020      | 19 |
| <b>1.75</b> | Annual Ozone Air Quality                                      |                                      | F    |  |      |      | 2017-2019 | 2  |
| <b>1.75</b> | Physical Environment Ranking                                  | <i>ranking</i>                       | 88   |  |      |      | 2021      | 9  |
| <b>1.75</b> | Severe Housing Problems                                       | <i>percent</i>                       | 17.1 |  | 13.7 | 18   | 2013-2017 | 9  |
| <b>1.67</b> | Farmers Market Density                                        | <i>markets/ 1,000 population</i>     | 0    |  |      |      | 2018      | 23 |
| <b>1.67</b> | People 65+ with Low Access to a Grocery Store                 | <i>percent</i>                       | 3.4  |  |      |      | 2015      | 23 |
| <b>1.64</b> | Number of Extreme Precipitation Days                          | <i>days</i>                          | 34   |  |      |      | 2019      | 14 |
| <b>1.64</b> | SNAP Certified Stores                                         | <i>stores/ 1,000 population</i>      | 0.9  |  |      |      | 2017      | 23 |

|             |                                                                    |                                   |          |  |     |      |           |    |
|-------------|--------------------------------------------------------------------|-----------------------------------|----------|--|-----|------|-----------|----|
| <b>1.58</b> | Blood Lead Levels in Children ( $\geq 5$ micrograms per deciliter) | <i>percent</i>                    | 5.8      |  | 1.9 |      | 2020      | 19 |
| <b>1.53</b> | Food Environment Index                                             | <i>index</i>                      | 7.3      |  | 6.8 | 7.8  | 2021      | 9  |
| <b>1.50</b> | Children with Low Access to a Grocery Store                        | <i>percent</i>                    | 4.3      |  |     |      | 2015      | 23 |
| <b>1.50</b> | WIC Certified Stores                                               | <i>stores/ 1,000 population</i>   | 0.1      |  |     |      | 2016      | 23 |
| <b>1.44</b> | Annual Particle Pollution                                          |                                   | B        |  |     |      | 2017-2019 | 2  |
| <b>1.36</b> | Number of Extreme Heat Days                                        | <i>days</i>                       | 12       |  |     |      | 2019      | 14 |
| <b>1.36</b> | Number of Extreme Heat Events                                      | <i>events</i>                     | 6        |  |     |      | 2019      | 14 |
| <b>1.36</b> | Weeks of Moderate Drought or Worse                                 | <i>weeks per year</i>             | 0        |  |     |      | 2020      | 14 |
| <b>1.33</b> | Low-Income and Low Access to a Grocery Store                       | <i>percent</i>                    | 4.3      |  |     |      | 2015      | 23 |
| <b>1.31</b> | Grocery Store Density                                              | <i>stores/ 1,000 population</i>   | 0.2      |  |     |      | 2016      | 23 |
| <b>1.31</b> | Liquor Store Density                                               | <i>stores/ 100,000 population</i> | 6.4      |  | 5.6 | 10.5 | 2019      | 22 |
| <b>1.31</b> | Overcrowded Households                                             | <i>percent of households</i>      | 1.2      |  | 1.4 |      | 2015-2019 | 1  |
| <b>1.08</b> | PBT Released                                                       | <i>pounds</i>                     | 234591.7 |  |     |      | 2020      | 24 |

|       |                                                                |                                                |                 |        |        |        |                    |        |
|-------|----------------------------------------------------------------|------------------------------------------------|-----------------|--------|--------|--------|--------------------|--------|
| 1.00  | Households with No Car and Low Access to a Grocery Store       | <i>percent</i>                                 | 1.3             |        |        |        | 2015               | 23     |
| 1.00  | Recreation and Fitness Facilities                              | <i>facilities/ 1,000 population</i>            | 0.1             |        |        |        | 2016               | 23     |
| 0.50  | Access to Exercise Opportunities                               | <i>percent</i>                                 | 97.5            |        | 83.9   | 84     | 2020               | 9      |
|       |                                                                |                                                |                 |        |        |        |                    |        |
| SCORE | HEALTH CARE ACCESS & QUALITY                                   | UNITS                                          | CUYAHOGA COUNTY | HP2030 | Ohio   | U.S.   | MEASUREMENT PERIOD | Source |
| 1.83  | Adults with Health Insurance: 18+                              | <i>percent</i>                                 | 89.8            |        | 90.2   | 90.6   | 2021               | 8      |
| 1.83  | Consumer Expenditures: Medical Services                        | <i>average dollar amount per consumer unit</i> | 1057.6          |        | 1098.6 | 1047.4 | 2021               | 7      |
| 1.83  | Consumer Expenditures: Medical Supplies                        | <i>average dollar amount per consumer unit</i> | 199.2           |        | 204.8  | 194.9  | 2021               | 7      |
| 1.50  | Adults who Visited a Dentist                                   | <i>percent</i>                                 | 51.3            |        | 51.6   | 52.9   | 2021               | 8      |
| 1.50  | Consumer Expenditures: Prescription and Non-Prescription Drugs | <i>average dollar amount per consumer unit</i> | 627.2           |        | 638.9  | 609.6  | 2021               | 7      |
| 1.42  | Adults without Health Insurance                                | <i>percent</i>                                 | 13              |        |        | 13     | 2019               | 4      |
| 1.39  | Persons without Health Insurance                               | <i>percent</i>                                 | 5.3             |        | 6.6    |        | 2019               | 1      |

|       |                                          |                                                |                 |        |        |        |                    |        |
|-------|------------------------------------------|------------------------------------------------|-----------------|--------|--------|--------|--------------------|--------|
| 1.33  | Adults with Health Insurance             | <i>percent</i>                                 | 92.2            |        | 90.9   | 87.1   | 2019               | 1      |
| 1.33  | Children with Health Insurance           | <i>percent</i>                                 | 97.1            |        | 95.2   | 94.3   | 2019               | 1      |
| 1.33  | Consumer Expenditures: Health Insurance  | <i>average dollar amount per consumer unit</i> | 4238.3          |        | 4371.7 | 4321.1 | 2021               | 7      |
| 1.25  | Adults who have had a Routine Checkup    | <i>percent</i>                                 | 78.2            |        |        | 76.6   | 2019               | 4      |
| 1.25  | Clinical Care Ranking                    |                                                | 10              |        |        |        | 2021               | 9      |
| 0.61  | Primary Care Provider Rate               | <i>providers/ 100,000 population</i>           | 112.7           |        | 76.7   |        | 2018               | 9      |
| 0.33  | Dentist Rate                             | <i>dentists/ 100,000 population</i>            | 109.6           |        | 64.2   |        | 2019               | 9      |
| 0.33  | Mental Health Provider Rate              | <i>providers/ 100,000 population</i>           | 401.4           |        | 261.3  |        | 2020               | 9      |
| 0.33  | Non-Physician Primary Care Provider Rate | <i>providers/ 100,000 population</i>           | 180.6           |        | 108.9  |        | 2020               | 9      |
|       |                                          |                                                |                 |        |        |        |                    |        |
| SCORE | HEART DISEASE & STROKE                   | UNITS                                          | CUYAHOGA COUNTY | HP2030 | Ohio   | U.S.   | MEASUREMENT PERIOD | Source |
| 2.14  | Atrial Fibrillation: Medicare Population | <i>percent</i>                                 | 9               |        | 9      | 8.4    | 2018               | 6      |

|             |                                                                 |                                   |       |      |       |      |           |   |
|-------------|-----------------------------------------------------------------|-----------------------------------|-------|------|-------|------|-----------|---|
| <b>1.92</b> | Adults who Experienced a Stroke                                 | <i>percent</i>                    | 4.2   |      |       | 3.4  | 2019      | 4 |
| <b>1.69</b> | Heart Failure: Medicare Population                              | <i>percent</i>                    | 15.3  |      | 14.7  | 14   | 2018      | 6 |
| <b>1.50</b> | Age-Adjusted Death Rate due to Coronary Heart Disease           | <i>deaths/ 100,000 population</i> | 107.8 | 71.1 | 101.4 | 90.5 | 2017-2019 | 5 |
| <b>1.50</b> | High Blood Pressure Prevalence                                  | <i>percent</i>                    | 35.4  | 27.7 |       | 32.6 | 2019      | 4 |
| <b>1.44</b> | Age-Adjusted Death Rate due to Cerebrovascular Disease (Stroke) | <i>deaths/ 100,000 population</i> | 36.6  | 33.4 | 42.5  | 37.2 | 2017-2019 | 5 |
| <b>1.42</b> | Adults who Experienced Coronary Heart Disease                   | <i>percent</i>                    | 7.4   |      |       | 6.2  | 2019      | 4 |
| <b>1.36</b> | Stroke: Medicare Population                                     | <i>percent</i>                    | 3.8   |      | 3.8   | 3.8  | 2018      | 6 |
| <b>1.31</b> | Hypertension: Medicare Population                               | <i>percent</i>                    | 57.2  |      | 59.5  | 57.2 | 2018      | 6 |
| <b>1.25</b> | Adults who Have Taken Medications for High Blood Pressure       | <i>percent</i>                    | 78.7  |      |       | 76.2 | 2019      | 4 |

|       |                                             |                                      |                 |        |       |       |                    |        |
|-------|---------------------------------------------|--------------------------------------|-----------------|--------|-------|-------|--------------------|--------|
| 1.25  | Cholesterol Test History                    | percent                              | 86.3            |        |       | 87.6  | 2019               | 4      |
| 1.00  | Hyperlipidemia: Medicare Population         | percent                              | 45.2            |        | 49.4  | 47.7  | 2018               | 6      |
| 1.00  | Ischemic Heart Disease: Medicare Population | percent                              | 25.8            |        | 27.5  | 26.8  | 2018               | 6      |
| 0.92  | High Cholesterol Prevalence: Adults 18+     | percent                              | 32.2            |        |       | 33.6  | 2019               | 4      |
| 0.58  | Age-Adjusted Death Rate due to Heart Attack | deaths/ 100,000 population 35+ years | 42.3            |        | 55.4  |       | 2019               | 14     |
|       |                                             |                                      |                 |        |       |       |                    |        |
| SCORE | IMMUNIZATIONS & INFECTIOUS DISEASES         | UNITS                                | CUYAHOGA COUNTY | HP2030 | Ohio  | U.S.  | MEASUREMENT PERIOD | Source |
| 2.39  | Chlamydia Incidence Rate                    | cases/ 100,000 population            | 949.5           |        | 561.9 | 551   | 2019               | 16     |
| 2.39  | Gonorrhea Incidence Rate                    | cases/ 100,000 population            | 432.9           |        | 224   | 187.8 | 2019               | 16     |
| 1.61  | Tuberculosis Incidence Rate                 | cases/ 100,000 population            | 1.2             | 1.4    | 1.1   |       | 2020               | 16     |
| 1.53  | COVID-19 Daily Average Case-Fatality Rate   | deaths per 100 cases                 | 0               |        | 0     | 0.5   | 28-Jan-22          | 11     |
| 1.31  | Overcrowded Households                      | percent of households                | 1.2             |        | 1.4   |       | 2015-2019          | 1      |

|       |                                                           |                                                |                 |        |       |       |                    |        |
|-------|-----------------------------------------------------------|------------------------------------------------|-----------------|--------|-------|-------|--------------------|--------|
| 1.17  | Adults who Agree Vaccine Benefits Outweigh Possible Risks | Percent                                        | 48.6            |        | 48.6  | 49.4  | 2021               | 8      |
| 0.83  | Salmonella Infection Incidence Rate                       | <i>cases/ 100,000 population</i>               | 10              | 11.1   | 12.9  |       | 2018               | 16     |
| 0.58  | Persons Fully Vaccinated Against COVID-19                 | percent                                        | 62.8            |        |       |       | 28-Jan-22          | 5      |
| 0.08  | Age-Adjusted Death Rate due to Influenza and Pneumonia    | <i>deaths/ 100,000 population</i>              | 11.1            |        | 14.4  | 13.8  | 2017-2019          | 5      |
| 0.08  | COVID-19 Daily Average Incidence Rate                     | <i>cases per 100,000 population</i>            | 30.6            |        | 128.4 | 177.3 | 28-Jan-22          | 11     |
|       |                                                           |                                                |                 |        |       |       |                    |        |
| SCORE | MATERNAL, FETAL & INFANT HEALTH                           | UNITS                                          | CUYAHOGA COUNTY | HP2030 | Ohio  | U.S.  | MEASUREMENT PERIOD | Source |
| 2.11  | Babies with Low Birth Weight                              | percent                                        | 10.8            |        | 8.5   | 8.2   | 2020               | 17     |
| 2.11  | Babies with Very Low Birth Weight                         | percent                                        | 1.7             |        | 1.4   | 1.3   | 2020               | 17     |
| 1.33  | Consumer Expenditures: Childcare                          | <i>average dollar amount per consumer unit</i> | 272.1           |        | 301.6 | 368.2 | 2021               | 7      |
| 1.78  | Infant Mortality Rate                                     | <i>deaths/ 1,000 live births</i>               | 8.6             | 5      | 6.9   |       | 2019               | 17     |

|       |                                                                |                                                |                 |        |        |        |                    |        |
|-------|----------------------------------------------------------------|------------------------------------------------|-----------------|--------|--------|--------|--------------------|--------|
| 1.00  | Mothers who Received Early Prenatal Care                       | <i>percent</i>                                 | 72.4            |        | 68.9   | 76.1   | 2020               | 17     |
| 0.92  | Mothers who Smoked During Pregnancy                            | <i>percent</i>                                 | 6.1             | 4.3    | 11.5   | 5.5    | 2020               | 17     |
| 1.67  | Preterm Births                                                 | <i>percent</i>                                 | 11.4            | 9.4    | 10.3   |        | 2020               | 17     |
| 1.53  | Teen Birth Rate: 15-17                                         | <i>live births/ 1,000 females aged 15-17</i>   | 7.2             |        | 6.8    |        | 2020               | 17     |
| 1.58  | Teen Pregnancy Rate                                            | <i>pregnancies/ 1,000 females aged 15-17</i>   | 23.9            |        | 19.5   |        | 2016               | 17     |
|       |                                                                |                                                |                 |        |        |        |                    |        |
| SCORE | MEDICATIONS & PRESCRIPTIONS                                    | UNITS                                          | CUYAHOGA COUNTY | HP2030 | Ohio   | U.S.   | MEASUREMENT PERIOD | Source |
| 1.83  | Consumer Expenditures: Medical Services                        | <i>average dollar amount per consumer unit</i> | 1057.6          |        | 1098.6 | 1047.4 | 2021               | 7      |
| 1.83  | Consumer Expenditures: Medical Supplies                        | <i>average dollar amount per consumer unit</i> | 199.2           |        | 204.8  | 194.9  | 2021               | 7      |
| 1.50  | Consumer Expenditures: Prescription and Non-Prescription Drugs | <i>average dollar amount per consumer unit</i> | 627.2           |        | 638.9  | 609.6  | 2021               | 7      |
|       |                                                                |                                                |                 |        |        |        |                    |        |
| SCORE | MENTAL HEALTH & MENTAL DISORDERS                               | UNITS                                          | CUYAHOGA COUNTY | HP2030 | Ohio   | U.S.   | MEASUREMENT PERIOD | Source |

|       |                                                         |                                      |                 |        |       |      |                    |        |
|-------|---------------------------------------------------------|--------------------------------------|-----------------|--------|-------|------|--------------------|--------|
| 1.42  | Adults Ever Diagnosed with Depression                   | <i>percent</i>                       | 20.9            |        |       | 18.8 | 2019               | 4      |
| 0.64  | Age-Adjusted Death Rate due to Alzheimer's Disease      | <i>deaths/ 100,000 population</i>    | 21              |        | 34    | 30.5 | 2017-2019          | 5      |
| 1.61  | Age-Adjusted Death Rate due to Suicide                  | <i>deaths/ 100,000 population</i>    | 14              | 12.8   | 15.1  | 14.1 | 2017-2019          | 5      |
| 2.17  | Alzheimer's Disease or Dementia: Medicare Population    | <i>percent</i>                       | 11.4            |        | 10.4  | 10.8 | 2018               | 6      |
| 1.75  | Depression: Medicare Population                         | <i>percent</i>                       | 18.5            |        | 20.4  | 18.4 | 2018               | 6      |
| 0.33  | Mental Health Provider Rate                             | <i>providers/ 100,000 population</i> | 401.4           |        | 261.3 |      | 2020               | 9      |
| 1.75  | Poor Mental Health: 14+ Days                            | <i>percent</i>                       | 16              |        |       | 13.6 | 2019               | 4      |
| 1.83  | Poor Mental Health: Average Number of Days              | <i>days</i>                          | 5               |        | 4.8   | 4.1  | 2018               | 9      |
| 1.00  | Self-Reported General Health Assessment: Good or Better | <i>percent</i>                       | 85.8            |        | 85.6  | 86.5 | 2021               | 8      |
|       |                                                         |                                      |                 |        |       |      |                    |        |
| SCORE | NUTRITION & HEALTHY EATING                              | UNITS                                | CUYAHOGA COUNTY | HP2030 | Ohio  | U.S. | MEASUREMENT PERIOD | Source |

|       |                                                                    |                                         |                 |        |       |        |                    |        |
|-------|--------------------------------------------------------------------|-----------------------------------------|-----------------|--------|-------|--------|--------------------|--------|
| 1.67  | Consumer Expenditures: Fruits and Vegetables                       | average dollar amount per consumer unit | 838.8           |        | 864.6 | 1002.1 | 2021               | 7      |
| 1.50  | Consumer Expenditures: High Sugar Foods                            | average dollar amount per consumer unit | 502.1           |        | 519   | 530.2  | 2021               | 7      |
| 1.33  | Adults Who Frequently Used Quick Service Restaurants: Past 30 Days | Percent                                 | 41.1            |        | 41.5  | 41.2   | 2021               | 8      |
| 1.33  | Consumer Expenditures: Fast Food Restaurants                       | average dollar amount per consumer unit | 1415.1          |        | 1461  | 1638.9 | 2021               | 7      |
| 1.17  | Consumer Expenditures: High Sugar Beverages                        | average dollar amount per consumer unit | 310.6           |        | 319.7 | 357    | 2021               | 7      |
| 0.83  | Adult Sugar-Sweetened Beverage Consumption: Past 7 Days            | percent                                 | 79.6            |        | 80.9  | 80.4   | 2021               | 8      |
|       |                                                                    |                                         |                 |        |       |        |                    |        |
| SCORE | OLDER ADULT HEALTH                                                 | UNITS                                   | CUYAHOGA COUNTY | HP2030 | Ohio  | U.S.   | MEASUREMENT PERIOD | Source |
| 2.64  | People 65+ Living Alone                                            | percent                                 | 34.8            |        | 28.8  | 26.1   | 2015-2019          | 1      |
| 2.47  | People 65+ Living Below Poverty Level                              | percent                                 | 10.9            |        | 8.1   | 9.3    | 2015-2019          | 1      |

|             |                                                                  |                                   |      |  |      |      |           |   |
|-------------|------------------------------------------------------------------|-----------------------------------|------|--|------|------|-----------|---|
| <b>2.31</b> | Age-Adjusted Death Rate due to Falls                             | <i>deaths/ 100,000 population</i> | 11.6 |  | 10.5 | 9.5  | 2017-2019 | 5 |
| <b>2.31</b> | Cancer: Medicare Population                                      | <i>percent</i>                    | 9    |  | 8.4  | 8.4  | 2018      | 6 |
| <b>2.17</b> | Alzheimer's Disease or Dementia: Medicare Population             | <i>percent</i>                    | 11.4 |  | 10.4 | 10.8 | 2018      | 6 |
| <b>2.14</b> | Atrial Fibrillation: Medicare Population                         | <i>percent</i>                    | 9    |  | 9    | 8.4  | 2018      | 6 |
| <b>2.08</b> | Osteoporosis: Medicare Population                                | <i>percent</i>                    | 6.3  |  | 6.2  | 6.6  | 2018      | 6 |
| <b>2.03</b> | Asthma: Medicare Population                                      | <i>percent</i>                    | 5.2  |  | 4.8  | 5    | 2018      | 6 |
| <b>1.92</b> | Chronic Kidney Disease: Medicare Population                      | <i>percent</i>                    | 25.2 |  | 25.3 | 24.5 | 2018      | 6 |
| <b>1.92</b> | Rheumatoid Arthritis or Osteoarthritis: Medicare Population      | <i>percent</i>                    | 35.4 |  | 36.1 | 33.5 | 2018      | 6 |
| <b>1.75</b> | Adults 65+ who Received Recommended Preventive Services: Females | <i>percent</i>                    | 28.6 |  |      | 28.4 | 2018      | 4 |

|             |                                                     |                                                        |      |      |      |      |      |    |
|-------------|-----------------------------------------------------|--------------------------------------------------------|------|------|------|------|------|----|
| <b>1.75</b> | Depression:<br>Medicare Population                  | <i>percent</i>                                         | 18.5 |      | 20.4 | 18.4 | 2018 | 6  |
| <b>1.69</b> | Heart Failure:<br>Medicare Population               | <i>percent</i>                                         | 15.3 |      | 14.7 | 14   | 2018 | 6  |
| <b>1.67</b> | Colon Cancer<br>Screening                           | <i>percent</i>                                         | 63.7 | 74.4 |      | 66.4 | 2018 | 4  |
| <b>1.67</b> | People 65+ with Low<br>Access to a Grocery<br>Store | <i>percent</i>                                         | 3.4  |      |      |      | 2015 | 23 |
| <b>1.58</b> | Adults 65+ with<br>Total Tooth Loss                 | <i>percent</i>                                         | 15.5 |      |      | 13.5 | 2018 | 4  |
| <b>1.42</b> | Adults with Arthritis                               | <i>percent</i>                                         | 29.3 |      |      | 25.1 | 2019 | 4  |
| <b>1.36</b> | Stroke: Medicare<br>Population                      | <i>percent</i>                                         | 3.8  |      | 3.8  | 3.8  | 2018 | 6  |
| <b>1.31</b> | Hypertension:<br>Medicare Population                | <i>percent</i>                                         | 57.2 |      | 59.5 | 57.2 | 2018 | 6  |
| <b>1.14</b> | Diabetes: Medicare<br>Population                    | <i>percent</i>                                         | 25.3 |      | 27.2 | 27   | 2018 | 6  |
| <b>1.00</b> | Consumer<br>Expenditures:<br>Eldercare              | <i>average dollar<br/>amount per<br/>consumer unit</i> | 20.8 |      | 20.5 | 34.3 | 2021 | 7  |
| <b>1.00</b> | Hyperlipidemia:<br>Medicare Population              | <i>percent</i>                                         | 45.2 |      | 49.4 | 47.7 | 2018 | 6  |

|              |                                                                |                                     |                        |               |             |             |                           |               |
|--------------|----------------------------------------------------------------|-------------------------------------|------------------------|---------------|-------------|-------------|---------------------------|---------------|
| <b>1.00</b>  | Ischemic Heart Disease: Medicare Population                    | <i>percent</i>                      | 25.8                   |               | 27.5        | 26.8        | 2018                      | 6             |
| <b>0.97</b>  | COPD: Medicare Population                                      | <i>percent</i>                      | 11.2                   |               | 13.2        | 11.5        | 2018                      | 6             |
| <b>0.92</b>  | Adults 65+ who Received Recommended Preventive Services: Males | <i>percent</i>                      | 34.5                   |               |             | 32.4        | 2018                      | 4             |
| <b>0.64</b>  | Age-Adjusted Death Rate due to Alzheimer's Disease             | <i>deaths/ 100,000 population</i>   | 21                     |               | 34          | 30.5        | 2017-2019                 | 5             |
|              |                                                                |                                     |                        |               |             |             |                           |               |
| <b>SCORE</b> | <b>ORAL HEALTH</b>                                             | <b>UNITS</b>                        | <b>CUYAHOGA COUNTY</b> | <b>HP2030</b> | <b>Ohio</b> | <b>U.S.</b> | <b>MEASUREMENT PERIOD</b> | <b>Source</b> |
| <b>1.58</b>  | Adults 65+ with Total Tooth Loss                               | <i>percent</i>                      | 15.5                   |               |             | 13.5        | 2018                      | 4             |
| <b>1.50</b>  | Adults who Visited a Dentist                                   | <i>percent</i>                      | 51.3                   |               | 51.6        | 52.9        | 2021                      | 8             |
| <b>1.14</b>  | Oral Cavity and Pharynx Cancer Incidence Rate                  | <i>cases/ 100,000 population</i>    | 11.5                   |               | 12.2        | 11.9        | 2014-2018                 | 12            |
| <b>0.33</b>  | Dentist Rate                                                   | <i>dentists/ 100,000 population</i> | 109.6                  |               | 64.2        |             | 2019                      | 9             |
|              |                                                                |                                     |                        |               |             |             |                           |               |
| <b>SCORE</b> | <b>OTHER CONDITIONS</b>                                        | <b>UNITS</b>                        | <b>CUYAHOGA COUNTY</b> | <b>HP2030</b> | <b>Ohio</b> | <b>U.S.</b> | <b>MEASUREMENT PERIOD</b> | <b>Source</b> |

|       |                                                                   |                                          |                    |        |      |      |                       |        |
|-------|-------------------------------------------------------------------|------------------------------------------|--------------------|--------|------|------|-----------------------|--------|
| 2.08  | Osteoporosis:<br>Medicare Population                              | <i>percent</i>                           | 6.3                |        | 6.2  | 6.6  | 2018                  | 6      |
| 1.92  | Adults with Kidney<br>Disease                                     | <i>Percent of adults</i>                 | 3.6                |        |      | 3.1  | 2019                  | 4      |
| 1.92  | Chronic Kidney<br>Disease: Medicare<br>Population                 | <i>percent</i>                           | 25.2               |        | 25.3 | 24.5 | 2018                  | 6      |
| 1.92  | Rheumatoid Arthritis<br>or Osteoarthritis:<br>Medicare Population | <i>percent</i>                           | 35.4               |        | 36.1 | 33.5 | 2018                  | 6      |
| 1.69  | Age-Adjusted Death<br>Rate due to Kidney<br>Disease               | <i>deaths/ 100,000<br/>population</i>    | 15.2               |        | 14.5 | 12.9 | 2017-2019             | 5      |
| 1.42  | Adults with Arthritis                                             | <i>percent</i>                           | 29.3               |        |      | 25.1 | 2019                  | 4      |
|       |                                                                   |                                          |                    |        |      |      |                       |        |
| SCORE | PHYSICAL ACTIVITY                                                 | UNITS                                    | CUYAHOGA<br>COUNTY | HP2030 | Ohio | U.S. | MEASUREMENT<br>PERIOD | Source |
| 2.22  | Adults 20+ who are<br>Obese                                       | <i>percent</i>                           | 34.2               | 36     |      |      | 2019                  | 5      |
| 2.14  | Fast Food<br>Restaurant Density                                   | <i>restaurants/ 1,000<br/>population</i> | 0.9                |        |      |      | 2016                  | 23     |
| 1.67  | Farmers Market<br>Density                                         | <i>markets/ 1,000<br/>population</i>     | 0                  |        |      |      | 2018                  | 23     |
| 1.67  | People 65+ with Low<br>Access to a Grocery<br>Store               | <i>percent</i>                           | 3.4                |        |      |      | 2015                  | 23     |

|             |                                                          |                                     |      |  |      |      |      |    |
|-------------|----------------------------------------------------------|-------------------------------------|------|--|------|------|------|----|
| <b>1.64</b> | Adults 20+ who are Sedentary                             | <i>percent</i>                      | 25.1 |  |      |      | 2019 | 5  |
| <b>1.64</b> | SNAP Certified Stores                                    | <i>stores/ 1,000 population</i>     | 0.9  |  |      |      | 2017 | 23 |
| <b>1.53</b> | Food Environment Index                                   | <i>index</i>                        | 7.3  |  | 6.8  | 7.8  | 2021 | 9  |
| <b>1.50</b> | Children with Low Access to a Grocery Store              | <i>percent</i>                      | 4.3  |  |      |      | 2015 | 23 |
| <b>1.50</b> | WIC Certified Stores                                     | <i>stores/ 1,000 population</i>     | 0.1  |  |      |      | 2016 | 23 |
| <b>1.42</b> | Health Behaviors Ranking                                 | <i>ranking</i>                      | 31   |  |      |      | 2021 | 9  |
| <b>1.33</b> | Low-Income and Low Access to a Grocery Store             | <i>percent</i>                      | 4.3  |  |      |      | 2015 | 23 |
| <b>1.31</b> | Grocery Store Density                                    | <i>stores/ 1,000 population</i>     | 0.2  |  |      |      | 2016 | 23 |
| <b>1.00</b> | Households with No Car and Low Access to a Grocery Store | <i>percent</i>                      | 1.3  |  |      |      | 2015 | 23 |
| <b>1.00</b> | Recreation and Fitness Facilities                        | <i>facilities/ 1,000 population</i> | 0.1  |  |      |      | 2016 | 23 |
| <b>0.83</b> | Adult Sugar-Sweetened Beverage Consumption: Past 7 Days  | <i>percent</i>                      | 79.6 |  | 80.9 | 80.4 | 2021 | 8  |

|       |                                                         |                            |                 |        |      |      |                    |        |
|-------|---------------------------------------------------------|----------------------------|-----------------|--------|------|------|--------------------|--------|
| 0.69  | Workers who Walk to Work                                | percent                    | 2.7             |        | 2.2  | 2.7  | 2015-2019          | 1      |
| 0.50  | Access to Exercise Opportunities                        | percent                    | 97.5            |        | 83.9 | 84   | 2020               | 9      |
|       |                                                         |                            |                 |        |      |      |                    |        |
| SCORE | PREVENTION & SAFETY                                     | UNITS                      | CUYAHOGA COUNTY | HP2030 | Ohio | U.S. | MEASUREMENT PERIOD | Source |
| 2.31  | Age-Adjusted Death Rate due to Falls                    | deaths/ 100,000 population | 11.6            |        | 10.5 | 9.5  | 2017-2019          | 5      |
| 2.00  | Age-Adjusted Death Rate due to Motor Vehicle Collisions | deaths/ 100,000 population | 3.6             |        | 2.8  | 2.5  | 2015-2019          | 5      |
| 2.22  | Age-Adjusted Death Rate due to Unintentional Injuries   | deaths/ 100,000 population | 69.7            | 43.2   | 68.8 | 48.9 | 2017-2019          | 5      |
| 2.31  | Age-Adjusted Death Rate due to Unintentional Poisonings | deaths/ 100,000 population | 42              |        | 40.2 | 21.4 | 2017-2019          | 5      |
| 2.64  | Death Rate due to Drug Poisoning                        | deaths/ 100,000 population | 42.6            |        | 38.1 | 21   | 2017-2019          | 9      |
| 1.75  | Severe Housing Problems                                 | percent                    | 17.1            |        | 13.7 | 18   | 2013-2017          | 9      |
|       |                                                         |                            |                 |        |      |      |                    |        |
| SCORE | RESPIRATORY DISEASES                                    | UNITS                      | CUYAHOGA COUNTY | HP2030 | Ohio | U.S. | MEASUREMENT PERIOD | Source |
| 2.25  | Adults with Current Asthma                              | percent                    | 11              |        |      | 8.9  | 2019               | 4      |

|             |                                                                   |                                                |       |      |       |       |           |    |
|-------------|-------------------------------------------------------------------|------------------------------------------------|-------|------|-------|-------|-----------|----|
| <b>2.03</b> | Asthma: Medicare Population                                       | <i>percent</i>                                 | 5.2   |      | 4.8   | 5     | 2018      | 6  |
| <b>2.00</b> | Consumer Expenditures: Tobacco and Legal Marijuana                | <i>average dollar amount per consumer unit</i> | 485.5 |      | 487.9 | 422.4 | 2021      | 7  |
| <b>1.61</b> | Tuberculosis Incidence Rate                                       | <i>cases/ 100,000 population</i>               | 1.2   | 1.4  | 1.1   |       | 2020      | 16 |
| <b>1.58</b> | Adults with COPD                                                  | <i>Percent of adults</i>                       | 8.6   |      |       | 6.6   | 2019      | 4  |
| <b>1.53</b> | COVID-19 Daily Average Case-Fatality Rate                         | <i>deaths per 100 cases</i>                    | 0     |      | 0     | 0.5   | 28-Jan-22 | 11 |
| <b>1.44</b> | Age-Adjusted Death Rate due to Lung Cancer                        | <i>deaths/ 100,000 population</i>              | 42.9  | 25.1 | 45    | 36.7  | 2015-2019 | 12 |
| <b>1.42</b> | Adults who Smoke                                                  | <i>percent</i>                                 | 20.9  | 5    | 21.4  | 17    | 2018      | 9  |
| <b>1.36</b> | Lung and Bronchus Cancer Incidence Rate                           | <i>cases/ 100,000 population</i>               | 63.7  |      | 67.3  | 57.3  | 2014-2018 | 12 |
| <b>0.97</b> | COPD: Medicare Population                                         | <i>percent</i>                                 | 11.2  |      | 13.2  | 11.5  | 2018      | 6  |
| <b>0.83</b> | Adults Who Used Electronic Cigarettes: Past 30 Days               | <i>percent</i>                                 | 4     |      | 4.3   | 4.1   | 2021      | 8  |
| <b>0.81</b> | Age-Adjusted Death Rate due to Chronic Lower Respiratory Diseases | <i>deaths/ 100,000 population</i>              | 38.4  |      | 47.8  | 39.6  | 2017-2019 | 5  |

|       |                                                        |                                         |                 |        |       |       |                    |        |
|-------|--------------------------------------------------------|-----------------------------------------|-----------------|--------|-------|-------|--------------------|--------|
| 0.50  | Adults Who Used Smokeless Tobacco: Past 30 Days        | percent                                 | 1.2             |        | 2.2   | 2     | 2021               | 8      |
| 0.08  | Age-Adjusted Death Rate due to Influenza and Pneumonia | deaths/ 100,000 population              | 11.1            |        | 14.4  | 13.8  | 2017-2019          | 5      |
| 0.08  | COVID-19 Daily Average Incidence Rate                  | cases per 100,000 population            | 30.6            |        | 128.4 | 177.3 | 28-Jan-22          | 11     |
|       |                                                        |                                         |                 |        |       |       |                    |        |
| SCORE | TOBACCO USE                                            | UNITS                                   | CUYAHOGA COUNTY | HP2030 | Ohio  | U.S.  | MEASUREMENT PERIOD | Source |
| 2.00  | Consumer Expenditures: Tobacco and Legal Marijuana     | average dollar amount per consumer unit | 485.5           |        | 487.9 | 422.4 | 2021               | 7      |
| 1.42  | Adults who Smoke                                       | percent                                 | 20.9            | 5      | 21.4  | 17    | 2018               | 9      |
| 0.83  | Adults Who Used Electronic Cigarettes: Past 30 Days    | percent                                 | 4               |        | 4.3   | 4.1   | 2021               | 8      |
| 0.50  | Adults Who Used Smokeless Tobacco: Past 30 Days        | percent                                 | 1.2             |        | 2.2   | 2     | 2021               | 8      |
|       |                                                        |                                         |                 |        |       |       |                    |        |
| SCORE | WELLNESS & LIFESTYLE                                   | UNITS                                   | CUYAHOGA COUNTY | HP2030 | Ohio  | U.S.  | MEASUREMENT PERIOD | Source |
| 2.58  | Insufficient Sleep                                     | percent                                 | 44.9            | 31.4   | 40.6  | 35    | 2018               | 9      |

|             |                                                                    |                                                |        |      |      |        |           |   |
|-------------|--------------------------------------------------------------------|------------------------------------------------|--------|------|------|--------|-----------|---|
| <b>1.75</b> | Morbidity Ranking                                                  | <i>ranking</i>                                 | 76     |      |      |        | 2021      | 9 |
| <b>1.67</b> | Poor Physical Health: Average Number of Days                       | <i>days</i>                                    | 4.2    |      | 4.1  | 3.7    | 2018      | 9 |
| <b>1.58</b> | Poor Physical Health: 14+ Days                                     | <i>percent</i>                                 | 14.3   |      |      | 12.5   | 2019      | 4 |
| <b>1.58</b> | Self-Reported General Health Assessment: Poor or Fair              | <i>percent</i>                                 | 21.1   |      |      | 18.6   | 2019      | 4 |
| <b>1.50</b> | High Blood Pressure Prevalence                                     | <i>percent</i>                                 | 35.4   | 27.7 |      | 32.6   | 2019      | 4 |
| <b>1.50</b> | Life Expectancy                                                    | <i>years</i>                                   | 77     |      | 77   | 79.2   | 2017-2019 | 9 |
| <b>1.33</b> | Adults Who Frequently Used Quick Service Restaurants: Past 30 Days | <i>Percent</i>                                 | 41.1   |      | 41.5 | 41.2   | 2021      | 8 |
| <b>1.33</b> | Consumer Expenditures: Fast Food Restaurants                       | <i>average dollar amount per consumer unit</i> | 1415.1 |      | 1461 | 1638.9 | 2021      | 7 |
| <b>1.17</b> | Adults who Agree Vaccine Benefits Outweigh Possible Risks          | <i>Percent</i>                                 | 48.6   |      | 48.6 | 49.4   | 2021      | 8 |
| <b>1.00</b> | Self-Reported General Health Assessment: Good or Better            | <i>percent</i>                                 | 85.8   |      | 85.6 | 86.5   | 2021      | 8 |

|              |                                                         |                                |                        |               |             |             |                           |               |
|--------------|---------------------------------------------------------|--------------------------------|------------------------|---------------|-------------|-------------|---------------------------|---------------|
| <b>0.83</b>  | Adult Sugar-Sweetened Beverage Consumption: Past 7 Days | <i>percent</i>                 | 79.6                   |               | 80.9        | 80.4        | 2021                      | 8             |
|              |                                                         |                                |                        |               |             |             |                           |               |
| <b>SCORE</b> | <b>WOMEN'S HEALTH</b>                                   | <b>UNITS</b>                   | <b>CUYAHOGA COUNTY</b> | <b>HP2030</b> | <b>Ohio</b> | <b>U.S.</b> | <b>MEASUREMENT PERIOD</b> | <b>Source</b> |
| <b>2.58</b>  | Breast Cancer Incidence Rate                            | <i>cases/ 100,000 females</i>  | 134.8                  |               | 129.6       | 126.8       | 2014-2018                 | 12            |
| <b>2.28</b>  | Age-Adjusted Death Rate due to Breast Cancer            | <i>deaths/ 100,000 females</i> | 23.6                   | 15.3          | 21.6        | 19.9        | 2015-2019                 | 12            |
| <b>0.94</b>  | Mammogram in Past 2 Years: 50-74                        | <i>percent</i>                 | 75.2                   | 77.1          |             | 74.8        | 2018                      | 4             |
| <b>0.89</b>  | Cervical Cancer Screening: 21-65                        | <i>Percent</i>                 | 85.3                   | 84.3          |             | 84.7        | 2018                      | 4             |
| <b>0.61</b>  | Cervical Cancer Incidence Rate                          | <i>cases/ 100,000 females</i>  | 6.4                    |               | 7.9         | 7.7         | 2014-2018                 | 12            |

## Cuyahoga Data Sources

| Key | Source Name                                                           |
|-----|-----------------------------------------------------------------------|
| 1   | American Community Survey                                             |
| 2   | American Lung Association                                             |
| 3   | Annie E. Casey Foundation                                             |
| 4   | CDC - PLACES                                                          |
| 5   | Centers for Disease Control and Prevention                            |
| 6   | Centers for Medicare & Medicaid Services                              |
| 7   | Claritas Consumer Buying Power                                        |
| 8   | Claritas Consumer Profiles                                            |
| 9   | County Health Rankings                                                |
| 10  | Feeding America                                                       |
| 11  | Healthy Communities Institute                                         |
| 12  | National Cancer Institute                                             |
| 13  | National Center for Education Statistics                              |
| 14  | National Environmental Public Health Tracking Network                 |
| 15  | Ohio Department of Education                                          |
| 16  | Ohio Department of Health, Infectious Diseases                        |
| 17  | Ohio Department of Health, Vital Statistics                           |
| 18  | Ohio Department of Public Safety, Office of Criminal Justice Services |
| 19  | Ohio Public Health Information Warehouse                              |
| 20  | Ohio Secretary of State                                               |
| 21  | U.S. Bureau of Labor Statistics                                       |
| 22  | U.S. Census - County Business Patterns                                |
| 23  | U.S. Department of Agriculture - Food Environment Atlas               |
| 24  | U.S. Environmental Protection Agency                                  |
| 25  | United For ALICE                                                      |

| SCORE | ALCOHOL & DRUG USE                                        | UNITS                                                     | SUMMIT COUNTY | HP2030 | Ohio  | U.S.  | MEASUREMENT PERIOD | Source |
|-------|-----------------------------------------------------------|-----------------------------------------------------------|---------------|--------|-------|-------|--------------------|--------|
| 2.17  | Alcohol-Impaired Driving Deaths                           | <i>percent of driving deaths with alcohol involvement</i> | 38.3          | 28.3   | 32.2  | 27    | 2015-2019          | 9      |
| 2.00  | Consumer Expenditures: Alcoholic Beverages                | <i>average dollar amount per consumer unit</i>            | 679.3         |        | 651.5 | 701.9 | 2021               | 7      |
| 1.86  | Death Rate due to Drug Poisoning                          | <i>deaths/ 100,000 population</i>                         | 36.7          |        | 38.1  | 21    | 2017-2019          | 9      |
| 1.75  | Age-Adjusted Drug and Opioid-Involved Overdose Death Rate | <i>Deaths per 100,000 population</i>                      | 40.1          |        | 42    | 22.8  | 2017-2019          | 5      |
| 1.42  | Health Behaviors Ranking                                  | <i>ranking</i>                                            | 27            |        |       |       | 2021               | 9      |
| 1.36  | Mothers who Smoked During Pregnancy                       | <i>percent</i>                                            | 11.1          | 4.3    | 11.5  | 5.5   | 2020               | 17     |
| 1.17  | Adults who Drink Excessively                              | <i>percent</i>                                            | 17.3          |        | 18.5  | 19    | 2018               | 9      |
| 1.08  | Adults who Binge Drink                                    | <i>percent</i>                                            | 15.4          |        |       | 16.7  | 2019               | 4      |
| 0.75  | Liquor Store Density                                      | <i>stores/ 100,000 population</i>                         | 6.3           |        | 5.6   | 10.5  | 2019               | 22     |
|       |                                                           |                                                           |               |        |       |       |                    |        |
| SCORE | CANCER                                                    | UNITS                                                     | SUMMIT COUNTY | HP2030 | Ohio  | U.S.  | MEASUREMENT PERIOD | Source |
| 2.58  | Breast Cancer Incidence Rate                              | <i>cases/ 100,000 females</i>                             | 136.3         |        | 129.6 | 126.8 | 2014-2018          | 12     |
| 2.42  | Cancer: Medicare Population                               | <i>percent</i>                                            | 8.5           |        | 8.4   | 8.4   | 2018               | 6      |
| 2.22  | Age-Adjusted Death Rate due to Breast Cancer              | <i>deaths/ 100,000 females</i>                            | 22.8          | 15.3   | 21.6  | 19.9  | 2015-2019          | 12     |
| 2.06  | Age-Adjusted Death Rate due to Prostate Cancer            | <i>deaths/ 100,000 males</i>                              | 20            | 16.9   | 19.4  | 18.9  | 2015-2019          | 12     |
| 1.83  | Colon Cancer Screening                                    | <i>percent</i>                                            | 62.2          | 74.4   |       | 66.4  | 2018               | 4      |
| 1.75  | All Cancer Incidence Rate                                 | <i>cases/ 100,000 population</i>                          | 454.7         |        | 467.5 | 448.6 | 2014-2018          | 12     |
| 1.61  | Mammogram in Past 2 Years: 50-74                          | <i>percent</i>                                            | 71.3          | 77.1   |       | 74.8  | 2018               | 4      |

|              |                                                  |                                                |                      |               |             |             |                           |               |
|--------------|--------------------------------------------------|------------------------------------------------|----------------------|---------------|-------------|-------------|---------------------------|---------------|
| <b>1.58</b>  | Adults with Cancer                               | <i>percent</i>                                 | 8                    |               |             | 7.1         | 2019                      | 4             |
| <b>1.44</b>  | Age-Adjusted Death Rate due to Cancer            | <i>deaths/ 100,000 population</i>              | 166.4                | 122.7         | 169.4       | 152.4       | 2015-2019                 | 12            |
| <b>1.28</b>  | Age-Adjusted Death Rate due to Lung Cancer       | <i>deaths/ 100,000 population</i>              | 41                   | 25.1          | 45          | 36.7        | 2015-2019                 | 12            |
| <b>1.19</b>  | Lung and Bronchus Cancer Incidence Rate          | <i>cases/ 100,000 population</i>               | 62.4                 |               | 67.3        | 57.3        | 2014-2018                 | 12            |
| <b>1.19</b>  | Prostate Cancer Incidence Rate                   | <i>cases/ 100,000 males</i>                    | 100.1                |               | 107.2       | 106.2       | 2014-2018                 | 12            |
| <b>1.14</b>  | Colorectal Cancer Incidence Rate                 | <i>cases/ 100,000 population</i>               | 37.2                 |               | 41.3        | 38          | 2014-2018                 | 12            |
| <b>1.11</b>  | Age-Adjusted Death Rate due to Colorectal Cancer | <i>deaths/ 100,000 population</i>              | 14.1                 | 8.9           | 14.8        | 13.4        | 2015-2019                 | 12            |
| <b>0.89</b>  | Cervical Cancer Screening: 21-65                 | <i>Percent</i>                                 | 85.5                 | 84.3          |             | 84.7        | 2018                      | 4             |
| <b>0.69</b>  | Oral Cavity and Pharynx Cancer Incidence Rate    | <i>cases/ 100,000 population</i>               | 11                   |               | 12.2        | 11.9        | 2014-2018                 | 12            |
| <b>0.61</b>  | Cervical Cancer Incidence Rate                   | <i>cases/ 100,000 females</i>                  | 5                    |               | 7.9         | 7.7         | 2014-2018                 | 12            |
|              |                                                  |                                                |                      |               |             |             |                           |               |
| <b>SCORE</b> | <b>CHILDREN'S HEALTH</b>                         | <b>UNITS</b>                                   | <b>SUMMIT COUNTY</b> | <b>HP2030</b> | <b>Ohio</b> | <b>U.S.</b> | <b>MEASUREMENT PERIOD</b> | <b>Source</b> |
| <b>2.00</b>  | Children with Low Access to a Grocery Store      | <i>percent</i>                                 | 7.2                  |               |             |             | 2015                      | 23            |
| <b>1.83</b>  | Consumer Expenditures: Childcare                 | <i>average dollar amount per consumer unit</i> | 307                  |               | 301.6       | 368.2       | 2021                      | 7             |
| <b>1.75</b>  | Projected Child Food Insecurity Rate             | <i>percent</i>                                 | 19.1                 |               | 18.5        |             | 2021                      | 10            |
| <b>1.50</b>  | Child Food Insecurity Rate                       | <i>percent</i>                                 | 17.4                 |               | 17.4        | 14.6        | 2019                      | 10            |
| <b>1.33</b>  | Children with Health Insurance                   | <i>percent</i>                                 | 98                   |               | 95.2        | 94.3        | 2019                      | 1             |

|       |                                                               |                                                    |               |        |       |       |                    |        |
|-------|---------------------------------------------------------------|----------------------------------------------------|---------------|--------|-------|-------|--------------------|--------|
| 1.03  | Blood Lead Levels in Children (>=10 micrograms per deciliter) | percent                                            | 0.3           |        | 0.5   |       | 2020               | 19     |
| 1.03  | Blood Lead Levels in Children (>=5 micrograms per deciliter)  | percent                                            | 1.2           |        | 1.9   |       | 2020               | 19     |
| 0.78  | Substantiated Child Abuse Rate                                | cases/ 1,000 children                              | 4.1           | 8.7    | 6.8   |       | 2020               | 3      |
|       |                                                               |                                                    |               |        |       |       |                    |        |
| SCORE | COMMUNITY                                                     | UNITS                                              | SUMMIT COUNTY | HP2030 | Ohio  | U.S.  | MEASUREMENT PERIOD | Source |
| 2.31  | Workers who Walk to Work                                      | percent                                            | 1.4           |        | 2.2   | 2.7   | 2015-2019          | 1      |
| 2.19  | People 65+ Living Alone                                       | percent                                            | 30.1          |        | 28.8  | 26.1  | 2015-2019          | 1      |
| 2.17  | Alcohol-Impaired Driving Deaths                               | percent of driving deaths with alcohol involvement | 38.3          | 28.3   | 32.2  | 27    | 2015-2019          | 9      |
| 2.17  | Single-Parent Households                                      | percent                                            | 28.5          |        | 27.1  | 25.5  | 2015-2019          | 1      |
| 1.89  | Violent Crime Rate                                            | crimes/ 100,000 population                         | 336.5         |        | 303.5 | 394   | 2017               | 18     |
| 1.86  | Households without a Vehicle                                  | percent                                            | 8.5           |        | 7.9   | 8.6   | 2015-2019          | 1      |
| 1.75  | Workers who Drive Alone to Work                               | percent                                            | 85            |        | 82.9  | 76.3  | 2015-2019          | 1      |
| 1.67  | Consumer Expenditures: Local Public Transportation            | average dollar amount per consumer unit            | 123.1         |        | 121.7 | 148.8 | 2021               | 7      |
| 1.64  | Linguistic Isolation                                          | percent                                            | 1.4           |        | 1.4   | 4.4   | 2015-2019          | 1      |
| 1.58  | Social and Economic Factors Ranking                           |                                                    | 47            |        |       |       | 2021               | 9      |
| 1.56  | Workers Commuting by Public Transportation                    | percent                                            | 1.5           | 5.3    | 1.6   | 5     | 2015-2019          | 1      |
| 1.50  | Households with One or More Types of Computing Devices        | percent                                            | 88.6          |        | 89.1  | 90.3  | 2015-2019          | 1      |
| 1.42  | Solo Drivers with a Long Commute                              | percent                                            | 29.2          |        | 31.1  | 37    | 2015-2019          | 9      |

|             |                                                          |                                                       |       |     |       |       |           |    |
|-------------|----------------------------------------------------------|-------------------------------------------------------|-------|-----|-------|-------|-----------|----|
| <b>1.36</b> | Children Living Below Poverty Level                      | <i>percent</i>                                        | 19.2  |     | 19.9  | 18.5  | 2015-2019 | 1  |
| <b>1.33</b> | Voter Turnout: Presidential Election                     | <i>percent</i>                                        | 74.7  |     | 74    |       | 2020      | 20 |
| <b>1.31</b> | Social Associations                                      | <i>membership associations/<br/>10,000 population</i> | 11.3  |     | 11    | 9.3   | 2018      | 9  |
| <b>1.19</b> | Young Children Living Below Poverty Level                | <i>percent</i>                                        | 21.4  |     | 23    | 20.3  | 2015-2019 | 1  |
| <b>1.14</b> | Mean Travel Time to Work                                 | <i>minutes</i>                                        | 23.2  |     | 23.7  | 26.9  | 2015-2019 | 1  |
| <b>1.11</b> | People Living Below Poverty Level                        | <i>percent</i>                                        | 13.2  | 8   | 14    | 13.4  | 2015-2019 | 1  |
| <b>1.00</b> | Adults with Internet Access                              | <i>percent</i>                                        | 95    |     | 94.5  | 95    | 2021      | 8  |
| <b>1.00</b> | Age-Adjusted Death Rate due to Motor Vehicle Collisions  | <i>deaths/ 100,000 population</i>                     | 1.4   |     | 2.8   | 2.5   | 2015-2019 | 5  |
| <b>1.00</b> | Households with a Computer                               | <i>percent</i>                                        | 86.2  |     | 85.2  | 86.3  | 2021      | 8  |
| <b>1.00</b> | Households with a Smartphone                             | <i>percent</i>                                        | 81.4  |     | 80.5  | 81.9  | 2021      | 8  |
| <b>1.00</b> | Households with an Internet Subscription                 | <i>percent</i>                                        | 83    |     | 82.4  | 83    | 2015-2019 | 1  |
| <b>1.00</b> | Households with No Car and Low Access to a Grocery Store | <i>percent</i>                                        | 1.6   |     |       |       | 2015      | 23 |
| <b>1.00</b> | Households with Wireless Phone Service                   | <i>percent</i>                                        | 97    |     | 96.8  | 97    | 2020      | 8  |
| <b>1.00</b> | Persons with an Internet Subscription                    | <i>percent</i>                                        | 87.1  |     | 86.2  | 86.2  | 2015-2019 | 1  |
| <b>0.92</b> | Homeownership                                            | <i>percent</i>                                        | 60.1  |     | 59.4  | 56.2  | 2015-2019 | 1  |
| <b>0.92</b> | Median Household Income                                  | <i>dollars</i>                                        | 57181 |     | 56602 | 62843 | 2015-2019 | 1  |
| <b>0.78</b> | Substantiated Child Abuse Rate                           | <i>cases/ 1,000 children</i>                          | 4.1   | 8.7 | 6.8   |       | 2020      | 3  |
| <b>0.58</b> | Per Capita Income                                        | <i>dollars</i>                                        | 33606 |     | 31552 | 34103 | 2015-2019 | 1  |

|              |                                                          |                                                |                      |               |             |             |                           |               |
|--------------|----------------------------------------------------------|------------------------------------------------|----------------------|---------------|-------------|-------------|---------------------------|---------------|
| <b>0.42</b>  | Youth not in School or Working                           | <i>percent</i>                                 | 1.6                  |               | 1.8         | 1.9         | 2015-2019                 | 1             |
| <b>0.25</b>  | People 25+ with a Bachelor's Degree or Higher            | <i>percent</i>                                 | 32.5                 |               | 28.3        | 32.1        | 2015-2019                 | 1             |
|              |                                                          |                                                |                      |               |             |             |                           |               |
| <b>SCORE</b> | <b>DIABETES</b>                                          | <b>UNITS</b>                                   | <b>SUMMIT COUNTY</b> | <b>HP2030</b> | <b>Ohio</b> | <b>U.S.</b> | <b>MEASUREMENT PERIOD</b> | <b>Source</b> |
| <b>1.64</b>  | Adults 20+ with Diabetes                                 | <i>percent</i>                                 | 9.5                  |               |             |             | 2019                      | 5             |
| <b>1.36</b>  | Age-Adjusted Death Rate due to Diabetes                  | <i>deaths/ 100,000 population</i>              | 23.7                 |               | 25.3        | 21.5        | 2017-2019                 | 5             |
| <b>0.86</b>  | Diabetes: Medicare Population                            | <i>percent</i>                                 | 25.1                 |               | 27.2        | 27          | 2018                      | 6             |
|              |                                                          |                                                |                      |               |             |             |                           |               |
| <b>SCORE</b> | <b>ECONOMY</b>                                           | <b>UNITS</b>                                   | <b>SUMMIT COUNTY</b> | <b>HP2030</b> | <b>Ohio</b> | <b>U.S.</b> | <b>MEASUREMENT PERIOD</b> | <b>Source</b> |
| <b>2.36</b>  | Households with Cash Public Assistance Income            | <i>percent</i>                                 | 5.1                  |               | 2.9         | 2.4         | 2015-2019                 | 1             |
| <b>2.00</b>  | Consumer Expenditures: Homeowner Expenses                | <i>average dollar amount per consumer unit</i> | 8092.4               |               | 7828        | 8900.1      | 2021                      | 7             |
| <b>2.00</b>  | Income Inequality                                        |                                                | 0.5                  |               | 0.5         | 0.5         | 2015-2019                 | 1             |
| <b>1.75</b>  | Projected Child Food Insecurity Rate                     | <i>percent</i>                                 | 19.1                 |               | 18.5        |             | 2021                      | 10            |
| <b>1.67</b>  | Low-Income and Low Access to a Grocery Store             | <i>percent</i>                                 | 7.7                  |               |             |             | 2015                      | 23            |
| <b>1.67</b>  | Renters Spending 30% or More of Household Income on Rent | <i>percent</i>                                 | 46.4                 |               | 44.9        | 49.6        | 2015-2019                 | 1             |
| <b>1.58</b>  | Persons with Disability Living in Poverty (5-year)       | <i>percent</i>                                 | 30.2                 |               | 29.5        | 26.1        | 2015-2019                 | 1             |
| <b>1.58</b>  | Social and Economic Factors Ranking                      | <i>ranking</i>                                 | 47                   |               |             |             | 2021                      | 9             |

|             |                                                                                             |                                 |        |   |      |      |                  |    |
|-------------|---------------------------------------------------------------------------------------------|---------------------------------|--------|---|------|------|------------------|----|
| <b>1.58</b> | Unemployed Workers in Civilian Labor Force                                                  | <i>percent</i>                  | 4.7    |   | 4.3  | 4.6  | <i>Sep-21</i>    | 21 |
| <b>1.53</b> | SNAP Certified Stores                                                                       | <i>stores/ 1,000 population</i> | 0.8    |   |      |      | <i>2017</i>      | 23 |
| <b>1.50</b> | Adults who Feel Overwhelmed by Financial Burdens                                            | <i>percent</i>                  | 14.4   |   | 14.6 | 14.4 | <i>2021</i>      | 8  |
| <b>1.50</b> | Child Food Insecurity Rate                                                                  | <i>percent</i>                  | 17.4   |   | 17.4 | 14.6 | <i>2019</i>      | 10 |
| <b>1.50</b> | Food Insecurity Rate                                                                        | <i>percent</i>                  | 12.7   |   | 13.2 | 10.9 | <i>2019</i>      | 10 |
| <b>1.50</b> | WIC Certified Stores                                                                        | <i>stores/ 1,000 population</i> | 0.1    |   |      |      | <i>2016</i>      | 23 |
| <b>1.36</b> | Children Living Below Poverty Level                                                         | <i>percent</i>                  | 19.2   |   | 19.9 | 18.5 | <i>2015-2019</i> | 1  |
| <b>1.36</b> | Size of Labor Force                                                                         | <i>persons</i>                  | 264940 |   |      |      | <i>Sep-21</i>    | 21 |
| <b>1.33</b> | Households that are Asset Limited, Income Constrained, Employed (ALICE)                     | <i>percent</i>                  | 22.2   |   | 24.5 |      | <i>2018</i>      | 25 |
| <b>1.25</b> | Projected Food Insecurity Rate                                                              | <i>percent</i>                  | 13.8   |   | 14.1 |      | <i>2021</i>      | 10 |
| <b>1.19</b> | Families Living Below Poverty Level                                                         | <i>percent</i>                  | 9.4    |   | 9.9  | 9.5  | <i>2015-2019</i> | 1  |
| <b>1.19</b> | Young Children Living Below Poverty Level                                                   | <i>percent</i>                  | 21.4   |   | 23   | 20.3 | <i>2015-2019</i> | 1  |
| <b>1.17</b> | Households that are Above the Asset Limited, Income Constrained, Employed (ALICE) Threshold | <i>percent</i>                  | 66.1   |   | 61.6 |      | <i>2018</i>      | 25 |
| <b>1.17</b> | Households that are Below the Federal Poverty Level                                         | <i>percent</i>                  | 11.7   |   | 13.8 |      | <i>2018</i>      | 25 |
| <b>1.14</b> | Overcrowded Households                                                                      | <i>percent of households</i>    | 1      |   | 1.4  |      | <i>2015-2019</i> | 1  |
| <b>1.11</b> | People Living Below Poverty Level                                                           | <i>percent</i>                  | 13.2   | 8 | 14   | 13.4 | <i>2015-2019</i> | 1  |
| <b>1.08</b> | Severe Housing Problems                                                                     | <i>percent</i>                  | 13.6   |   | 13.7 | 18   | <i>2013-2017</i> | 9  |

|              |                                                                      |                                                |                      |               |             |             |                           |               |
|--------------|----------------------------------------------------------------------|------------------------------------------------|----------------------|---------------|-------------|-------------|---------------------------|---------------|
| <b>0.97</b>  | People 65+ Living Below Poverty Level                                | <i>percent</i>                                 | 7.1                  |               | 8.1         | 9.3         | 2015-2019                 | 1             |
| <b>0.92</b>  | Homeownership                                                        | <i>percent</i>                                 | 60.1                 |               | 59.4        | 56.2        | 2015-2019                 | 1             |
| <b>0.92</b>  | Median Household Income                                              | <i>dollars</i>                                 | 57181                |               | 56602       | 62843       | 2015-2019                 | 1             |
| <b>0.86</b>  | Students Eligible for the Free Lunch Program                         | <i>percent</i>                                 | 15.4                 |               |             |             | 2019-2020                 | 13            |
| <b>0.83</b>  | Consumer Expenditures: Home Rental Expenses                          | <i>average dollar amount per consumer unit</i> | 3632.3               |               | 3798.7      | 5460.2      | 2021                      | 7             |
| <b>0.83</b>  | Households with a Savings Account                                    | <i>percent</i>                                 | 70.4                 |               | 68.8        | 70.2        | 2021                      | 8             |
| <b>0.78</b>  | Mortgaged Owners Spending 30% or More of Household Income on Housing | <i>percent</i>                                 | 19.2                 |               | 19.7        | 26.5        | 2019                      | 1             |
| <b>0.75</b>  | People Living 200% Above Poverty Level                               | <i>percent</i>                                 | 69.9                 |               | 68.8        | 69.1        | 2015-2019                 | 1             |
| <b>0.58</b>  | Per Capita Income                                                    | <i>dollars</i>                                 | 33606                |               | 31552       | 34103       | 2015-2019                 | 1             |
| <b>0.42</b>  | Youth not in School or Working                                       | <i>percent</i>                                 | 1.6                  |               | 1.8         | 1.9         | 2015-2019                 | 1             |
|              |                                                                      |                                                |                      |               |             |             |                           |               |
| <b>SCORE</b> | <b>EDUCATION</b>                                                     | <b>UNITS</b>                                   | <b>SUMMIT COUNTY</b> | <b>HP2030</b> | <b>Ohio</b> | <b>U.S.</b> | <b>MEASUREMENT PERIOD</b> | <b>Source</b> |
| <b>1.86</b>  | 4th Grade Students Proficient in English/Language Arts               | <i>percent</i>                                 | 56.5                 |               | 63.3        |             | 2018-2019                 | 15            |
| <b>1.83</b>  | Consumer Expenditures: Childcare                                     | <i>average dollar amount per consumer unit</i> | 307                  |               | 301.6       | 368.2       | 2021                      | 7             |
| <b>1.83</b>  | Consumer Expenditures: Education                                     | <i>average dollar amount per consumer unit</i> | 1208.5               |               | 1200.4      | 1492.4      | 2021                      | 7             |
| <b>1.81</b>  | Student-to-Teacher Ratio                                             | <i>students/ teacher</i>                       | 16.8                 |               |             |             | 2019-2020                 | 13            |
| <b>1.69</b>  | 4th Grade Students Proficient in Math                                | <i>percent</i>                                 | 67.4                 |               | 74.3        |             | 2018-2019                 | 15            |

|       |                                                        |                               |               |        |      |      |                    |        |
|-------|--------------------------------------------------------|-------------------------------|---------------|--------|------|------|--------------------|--------|
| 1.58  | 8th Grade Students Proficient in English/Language Arts | percent                       | 51.1          |        | 58.3 |      | 2018-2019          | 15     |
| 1.58  | 8th Grade Students Proficient in Math                  | percent                       | 48.7          |        | 57.3 |      | 2018-2019          | 15     |
| 1.39  | High School Graduation                                 | percent                       | 91.1          | 90.7   | 92   |      | 2019-2020          | 15     |
| 0.25  | People 25+ with a Bachelor's Degree or Higher          | percent                       | 32.5          |        | 28.3 | 32.1 | 2015-2019          | 1      |
|       |                                                        |                               |               |        |      |      |                    |        |
| SCORE | ENVIRONMENTAL HEALTH                                   | UNITS                         | SUMMIT COUNTY | HP2030 | Ohio | U.S. | MEASUREMENT PERIOD | Source |
| 2.36  | Asthma: Medicare Population                            | percent                       | 5.8           |        | 4.8  | 5    | 2018               | 6      |
| 2.00  | Children with Low Access to a Grocery Store            | percent                       | 7.2           |        |      |      | 2015               | 23     |
| 1.92  | Adults with Current Asthma                             | percent                       | 10.3          |        |      | 8.9  | 2019               | 4      |
| 1.83  | People 65+ with Low Access to a Grocery Store          | percent                       | 4.3           |        |      |      | 2015               | 23     |
| 1.75  | Physical Environment Ranking                           | ranking                       | 74            |        |      |      | 2021               | 9      |
| 1.72  | Annual Ozone Air Quality                               |                               | 3             |        |      |      | 2017-2019          | 2      |
| 1.69  | Fast Food Restaurant Density                           | restaurants/ 1,000 population | 0.8           |        |      |      | 2016               | 23     |
| 1.67  | Grocery Store Density                                  | stores/ 1,000 population      | 0.2           |        |      |      | 2016               | 23     |
| 1.67  | Low-Income and Low Access to a Grocery Store           | percent                       | 7.7           |        |      |      | 2015               | 23     |
| 1.64  | Number of Extreme Precipitation Days                   | days                          | 32            |        |      |      | 2019               | 14     |
| 1.53  | SNAP Certified Stores                                  | stores/ 1,000 population      | 0.8           |        |      |      | 2017               | 23     |
| 1.50  | WIC Certified Stores                                   | stores/ 1,000 population      | 0.1           |        |      |      | 2016               | 23     |
| 1.44  | Annual Particle Pollution                              |                               | B             |        |      |      | 2017-2019          | 2      |
| 1.42  | Houses Built Prior to 1950                             | percent                       | 27            |        | 26.2 | 17.5 | 2015-2019          | 1      |
| 1.36  | Food Environment Index                                 | index                         | 7.5           |        | 6.8  | 7.8  | 2021               | 9      |

|       |                                                               |                                         |               |        |        |        |                    |        |
|-------|---------------------------------------------------------------|-----------------------------------------|---------------|--------|--------|--------|--------------------|--------|
| 1.36  | Number of Extreme Heat Days                                   | days                                    | 14            |        |        |        | 2019               | 14     |
| 1.36  | Recognized Carcinogens Released into Air                      | pounds                                  | 97811.5       |        |        |        | 2020               | 24     |
| 1.36  | Weeks of Moderate Drought or Worse                            | weeks per year                          | 1             |        |        |        | 2020               | 14     |
| 1.33  | Farmers Market Density                                        | markets/ 1,000 population               | 0             |        |        |        | 2018               | 23     |
| 1.17  | Recreation and Fitness Facilities                             | facilities/ 1,000 population            | 0.1           |        |        |        | 2016               | 23     |
| 1.14  | Overcrowded Households                                        | percent of households                   | 1             |        | 1.4    |        | 2015-2019          | 1      |
| 1.08  | Severe Housing Problems                                       | percent                                 | 13.6          |        | 13.7   | 18     | 2013-2017          | 9      |
| 1.03  | Blood Lead Levels in Children (>=10 micrograms per deciliter) | percent                                 | 0.3           |        | 0.5    |        | 2020               | 19     |
| 1.03  | Blood Lead Levels in Children (>=5 micrograms per deciliter)  | percent                                 | 1.2           |        | 1.9    |        | 2020               | 19     |
| 1.00  | Households with No Car and Low Access to a Grocery Store      | percent                                 | 1.6           |        |        |        | 2015               | 23     |
| 0.75  | Liquor Store Density                                          | stores/ 100,000 population              | 6.3           |        | 5.6    | 10.5   | 2019               | 22     |
| 0.50  | Access to Exercise Opportunities                              | percent                                 | 94.1          |        | 83.9   | 84     | 2020               | 9      |
|       |                                                               |                                         |               |        |        |        |                    |        |
| SCORE | HEALTH CARE ACCESS & QUALITY                                  | UNITS                                   | SUMMIT COUNTY | HP2030 | Ohio   | U.S.   | MEASUREMENT PERIOD | Source |
| 2.33  | Consumer Expenditures: Medical Services                       | average dollar amount per consumer unit | 1153.1        |        | 1098.6 | 1047.4 | 2021               | 7      |
| 2.17  | Consumer Expenditures: Health Insurance                       | average dollar amount per consumer unit | 4543.8        |        | 4371.7 | 4321.1 | 2021               | 7      |
| 2.17  | Consumer Expenditures: Medical Supplies                       | average dollar amount per consumer unit | 213.4         |        | 204.8  | 194.9  | 2021               | 7      |

|              |                                                                |                                                |                      |               |             |             |                           |               |
|--------------|----------------------------------------------------------------|------------------------------------------------|----------------------|---------------|-------------|-------------|---------------------------|---------------|
| <b>2.17</b>  | Consumer Expenditures: Prescription and Non-Prescription Drugs | <i>average dollar amount per consumer unit</i> | 664.9                |               | 638.9       | 609.6       | 2021                      | 7             |
| <b>1.56</b>  | Persons without Health Insurance                               | <i>percent</i>                                 | 6.5                  |               | 6.6         |             | 2019                      | 1             |
| <b>1.50</b>  | Adults with Health Insurance                                   | <i>percent</i>                                 | 90                   |               | 90.9        | 87.1        | 2019                      | 1             |
| <b>1.33</b>  | Children with Health Insurance                                 | <i>percent</i>                                 | 98                   |               | 95.2        | 94.3        | 2019                      | 1             |
| <b>1.25</b>  | Clinical Care Ranking                                          | <i>ranking</i>                                 | 9                    |               |             |             | 2021                      | 9             |
| <b>1.00</b>  | Adults with Health Insurance: 18+                              | <i>percent</i>                                 | 90.9                 |               | 90.2        | 90.6        | 2021                      | 8             |
| <b>0.92</b>  | Adults who have had a Routine Checkup                          | <i>percent</i>                                 | 79.8                 |               |             | 76.6        | 2019                      | 4             |
| <b>0.83</b>  | Adults who Visited a Dentist                                   | <i>percent</i>                                 | 53                   |               | 51.6        | 52.9        | 2021                      | 8             |
| <b>0.75</b>  | Adults without Health Insurance                                | <i>percent</i>                                 | 11.3                 |               |             | 13          | 2019                      | 4             |
| <b>0.75</b>  | Primary Care Provider Rate                                     | <i>providers/ 100,000 population</i>           | 98                   |               | 76.7        |             | 2018                      | 9             |
| <b>0.67</b>  | Dentist Rate                                                   | <i>dentists/ 100,000 population</i>            | 64.1                 |               | 64.2        |             | 2019                      | 9             |
| <b>0.50</b>  | Non-Physician Primary Care Provider Rate                       | <i>providers/ 100,000 population</i>           | 116.5                |               | 108.9       |             | 2020                      | 9             |
| <b>0.33</b>  | Mental Health Provider Rate                                    | <i>providers/ 100,000 population</i>           | 292                  |               | 261.3       |             | 2020                      | 9             |
|              |                                                                |                                                |                      |               |             |             |                           |               |
| <b>SCORE</b> | <b>HEART DISEASE &amp; STROKE</b>                              | <b>UNITS</b>                                   | <b>SUMMIT COUNTY</b> | <b>HP2030</b> | <b>Ohio</b> | <b>U.S.</b> | <b>MEASUREMENT PERIOD</b> | <b>Source</b> |
| <b>1.81</b>  | Atrial Fibrillation: Medicare Population                       | <i>percent</i>                                 | 8.9                  |               | 9           | 8.4         | 2018                      | 6             |
| <b>1.81</b>  | Hyperlipidemia: Medicare Population                            | <i>percent</i>                                 | 49.9                 |               | 49.4        | 47.7        | 2018                      | 6             |
| <b>1.58</b>  | Adults who Experienced a Stroke                                | <i>percent</i>                                 | 3.8                  |               |             | 3.4         | 2019                      | 4             |

|              |                                                                 |                                             |                      |               |             |             |                           |               |
|--------------|-----------------------------------------------------------------|---------------------------------------------|----------------------|---------------|-------------|-------------|---------------------------|---------------|
| <b>1.56</b>  | Age-Adjusted Death Rate due to Cerebrovascular Disease (Stroke) | <i>deaths/ 100,000 population</i>           | 39.1                 | 33.4          | 42.5        | 37.2        | 2017-2019                 | 5             |
| <b>1.42</b>  | Adults who Experienced Coronary Heart Disease                   | <i>percent</i>                              | 7                    |               |             | 6.2         | 2019                      | 4             |
| <b>1.42</b>  | Cholesterol Test History                                        | <i>percent</i>                              | 85.6                 |               |             | 87.6        | 2019                      | 4             |
| <b>1.42</b>  | Stroke: Medicare Population                                     | <i>percent</i>                              | 3.9                  |               | 3.8         | 3.8         | 2018                      | 6             |
| <b>1.33</b>  | High Blood Pressure Prevalence                                  | <i>percent</i>                              | 34.7                 | 27.7          |             | 32.6        | 2019                      | 4             |
| <b>1.25</b>  | Adults who Have Taken Medications for High Blood Pressure       | <i>percent</i>                              | 78.6                 |               |             | 76.2        | 2019                      | 4             |
| <b>1.17</b>  | Hypertension: Medicare Population                               | <i>percent</i>                              | 57.3                 |               | 59.5        | 57.2        | 2018                      | 6             |
| <b>1.00</b>  | Age-Adjusted Death Rate due to Heart Attack                     | <i>deaths/ 100,000 population 35+ years</i> | 47.2                 |               | 55.4        |             | 2019                      | 14            |
| <b>0.92</b>  | Heart Failure: Medicare Population                              | <i>percent</i>                              | 14.1                 |               | 14.7        | 14          | 2018                      | 6             |
| <b>0.92</b>  | High Cholesterol Prevalence: Adults 18+                         | <i>percent</i>                              | 30.4                 |               |             | 33.6        | 2019                      | 4             |
| <b>0.86</b>  | Ischemic Heart Disease: Medicare Population                     | <i>percent</i>                              | 24.8                 |               | 27.5        | 26.8        | 2018                      | 6             |
| <b>0.78</b>  | Age-Adjusted Death Rate due to Coronary Heart Disease           | <i>deaths/ 100,000 population</i>           | 85.5                 | 71.1          | 101.4       | 90.5        | 2017-2019                 | 5             |
|              |                                                                 |                                             |                      |               |             |             |                           |               |
| <b>SCORE</b> | <b>IMMUNIZATIONS &amp; INFECTIOUS DISEASES</b>                  | <b>UNITS</b>                                | <b>SUMMIT COUNTY</b> | <b>HP2030</b> | <b>Ohio</b> | <b>U.S.</b> | <b>MEASUREMENT PERIOD</b> | <b>Source</b> |
| <b>2.39</b>  | Chlamydia Incidence Rate                                        | <i>cases/ 100,000 population</i>            | 640.8                |               | 561.9       | 551         | 2019                      | 16            |
| <b>2.22</b>  | Tuberculosis Incidence Rate                                     | <i>cases/ 100,000 population</i>            | 2.2                  | 1.4           | 1.1         |             | 2020                      | 16            |
| <b>2.08</b>  | Gonorrhea Incidence Rate                                        | <i>cases/ 100,000 population</i>            | 241.2                |               | 224         | 187.8       | 2019                      | 16            |

|       |                                                           |                                                |               |        |       |       |                    |        |
|-------|-----------------------------------------------------------|------------------------------------------------|---------------|--------|-------|-------|--------------------|--------|
| 1.56  | Salmonella Infection Incidence Rate                       | <i>cases/ 100,000 population</i>               | 12.5          | 11.1   | 12.9  |       | 2018               | 16     |
| 1.53  | COVID-19 Daily Average Case-Fatality Rate                 | <i>deaths per 100 cases</i>                    | 0.1           |        | 0     | 0.5   | 28-Jan-22          | 11     |
| 1.14  | Overcrowded Households                                    | <i>percent of households</i>                   | 1             |        | 1.4   |       | 2015-2019          | 1      |
| 0.83  | Adults who Agree Vaccine Benefits Outweigh Possible Risks | <i>Percent</i>                                 | 49.4          |        | 48.6  | 49.4  | 2021               | 8      |
| 0.58  | Persons Fully Vaccinated Against COVID-19                 | <i>percent</i>                                 | 61.5          |        |       |       | 28-Jan-22          | 5      |
| 0.25  | Age-Adjusted Death Rate due to Influenza and Pneumonia    | <i>deaths/ 100,000 population</i>              | 12.4          |        | 14.4  | 13.8  | 2017-2019          | 5      |
| 0.08  | COVID-19 Daily Average Incidence Rate                     | <i>cases per 100,000 population</i>            | 40            |        | 128.4 | 177.3 | 28-Jan-22          | 11     |
|       |                                                           |                                                |               |        |       |       |                    |        |
| SCORE | MATERNAL, FETAL & INFANT HEALTH                           | UNITS                                          | SUMMIT COUNTY | HP2030 | Ohio  | U.S.  | MEASUREMENT PERIOD | Source |
| 2.67  | Babies with Low Birth Weight                              | <i>percent</i>                                 | 9.4           |        | 8.5   | 8.2   | 2020               | 17     |
| 2.39  | Babies with Very Low Birth Weight                         | <i>percent</i>                                 | 1.7           |        | 1.4   | 1.3   | 2020               | 17     |
| 1.97  | Teen Birth Rate: 15-17                                    | <i>live births/ 1,000 females aged 15-17</i>   | 8             |        | 6.8   |       | 2020               | 17     |
| 1.83  | Consumer Expenditures: Childcare                          | <i>average dollar amount per consumer unit</i> | 307           |        | 301.6 | 368.2 | 2021               | 7      |
| 1.50  | Preterm Births                                            | <i>percent</i>                                 | 9.9           | 9.4    | 10.3  |       | 2020               | 17     |
| 1.36  | Mothers who Smoked During Pregnancy                       | <i>percent</i>                                 | 11.1          | 4.3    | 11.5  | 5.5   | 2020               | 17     |
| 1.08  | Teen Pregnancy Rate                                       | <i>pregnancies/ 1,000 females aged 15-17</i>   | 18.7          |        | 19.5  |       | 2016               | 17     |
| 1.00  | Mothers who Received Early Prenatal Care                  | <i>percent</i>                                 | 71.7          |        | 68.9  | 76.1  | 2020               | 17     |

|              |                                                                |                                                |                      |               |             |             |                           |               |
|--------------|----------------------------------------------------------------|------------------------------------------------|----------------------|---------------|-------------|-------------|---------------------------|---------------|
| <b>0.83</b>  | Infant Mortality Rate                                          | <i>deaths/ 1,000 live births</i>               | 6                    | 5             | 6.9         |             | 2019                      | 17            |
|              |                                                                |                                                |                      |               |             |             |                           |               |
| <b>SCORE</b> | <b>MEDICATIONS &amp; PRESCRIPTIONS</b>                         | <b>UNITS</b>                                   | <b>SUMMIT COUNTY</b> | <b>HP2030</b> | <b>Ohio</b> | <b>U.S.</b> | <b>MEASUREMENT PERIOD</b> | <b>Source</b> |
| <b>2.33</b>  | Consumer Expenditures: Medical Services                        | <i>average dollar amount per consumer unit</i> | 1153.1               |               | 1098.6      | 1047.4      | 2021                      | 7             |
| <b>2.17</b>  | Consumer Expenditures: Medical Supplies                        | <i>average dollar amount per consumer unit</i> | 213.4                |               | 204.8       | 194.9       | 2021                      | 7             |
| <b>2.17</b>  | Consumer Expenditures: Prescription and Non-Prescription Drugs | <i>average dollar amount per consumer unit</i> | 664.9                |               | 638.9       | 609.6       | 2021                      | 7             |
|              |                                                                |                                                |                      |               |             |             |                           |               |
| <b>SCORE</b> | <b>MENTAL HEALTH &amp; MENTAL DISORDERS</b>                    | <b>UNITS</b>                                   | <b>SUMMIT COUNTY</b> | <b>HP2030</b> | <b>Ohio</b> | <b>U.S.</b> | <b>MEASUREMENT PERIOD</b> | <b>Source</b> |
| <b>2.75</b>  | Depression: Medicare Population                                | <i>percent</i>                                 | 21.8                 |               | 20.4        | 18.4        | 2018                      | 6             |
| <b>2.58</b>  | Age-Adjusted Death Rate due to Alzheimer's Disease             | <i>deaths/ 100,000 population</i>              | 41                   |               | 34          | 30.5        | 2017-2019                 | 5             |
| <b>2.17</b>  | Alzheimer's Disease or Dementia: Medicare Population           | <i>percent</i>                                 | 11.3                 |               | 10.4        | 10.8        | 2018                      | 6             |
| <b>1.83</b>  | Poor Mental Health: Average Number of Days                     | <i>days</i>                                    | 4.8                  |               | 4.8         | 4.1         | 2018                      | 9             |
| <b>1.61</b>  | Age-Adjusted Death Rate due to Suicide                         | <i>deaths/ 100,000 population</i>              | 16.2                 | 12.8          | 15.1        | 14.1        | 2017-2019                 | 5             |
| <b>1.58</b>  | Poor Mental Health: 14+ Days                                   | <i>percent</i>                                 | 15.4                 |               |             | 13.6        | 2019                      | 4             |
| <b>1.25</b>  | Adults Ever Diagnosed with Depression                          | <i>percent</i>                                 | 19.5                 |               |             | 18.8        | 2019                      | 4             |
| <b>0.83</b>  | Self-Reported General Health Assessment: Good or Better        | <i>percent</i>                                 | 86.5                 |               | 85.6        | 86.5        | 2021                      | 8             |

|              |                                                                    |                                                |                      |               |             |             |                           |               |
|--------------|--------------------------------------------------------------------|------------------------------------------------|----------------------|---------------|-------------|-------------|---------------------------|---------------|
| <b>0.33</b>  | Mental Health Provider Rate                                        | <i>providers/ 100,000 population</i>           | 292                  |               | 261.3       |             | 2020                      | 9             |
|              |                                                                    |                                                |                      |               |             |             |                           |               |
| <b>SCORE</b> | <b>NUTRITION &amp; HEALTHY EATING</b>                              | <b>UNITS</b>                                   | <b>SUMMIT COUNTY</b> | <b>HP2030</b> | <b>Ohio</b> | <b>U.S.</b> | <b>MEASUREMENT PERIOD</b> | <b>Source</b> |
| <b>2.17</b>  | Consumer Expenditures: High Sugar Foods                            | <i>average dollar amount per consumer unit</i> | 531.5                |               | 519         | 530.2       | 2021                      | 7             |
| <b>2.00</b>  | Consumer Expenditures: Fast Food Restaurants                       | <i>average dollar amount per consumer unit</i> | 1508.4               |               | 1461        | 1638.9      | 2021                      | 7             |
| <b>1.83</b>  | Consumer Expenditures: High Sugar Beverages                        | <i>average dollar amount per consumer unit</i> | 324                  |               | 319.7       | 357         | 2021                      | 7             |
| <b>1.50</b>  | Adults Who Frequently Used Quick Service Restaurants: Past 30 Days | <i>Percent</i>                                 | 41.2                 |               | 41.5        | 41.2        | 2021                      | 8             |
| <b>1.50</b>  | Consumer Expenditures: Fruits and Vegetables                       | <i>average dollar amount per consumer unit</i> | 885.9                |               | 864.6       | 1002.1      | 2021                      | 7             |
| <b>1.00</b>  | Adult Sugar-Sweetened Beverage Consumption: Past 7 Days            | <i>percent</i>                                 | 80.6                 |               | 80.9        | 80.4        | 2021                      | 8             |
|              |                                                                    |                                                |                      |               |             |             |                           |               |
| <b>SCORE</b> | <b>OLDER ADULTS</b>                                                | <b>UNITS</b>                                   | <b>SUMMIT COUNTY</b> | <b>HP2030</b> | <b>Ohio</b> | <b>U.S.</b> | <b>MEASUREMENT PERIOD</b> | <b>Source</b> |
| <b>2.75</b>  | Depression: Medicare Population                                    | <i>percent</i>                                 | 21.8                 |               | 20.4        | 18.4        | 2018                      | 6             |
| <b>2.75</b>  | Rheumatoid Arthritis or Osteoarthritis: Medicare Population        | <i>percent</i>                                 | 37.7                 |               | 36.1        | 33.5        | 2018                      | 6             |
| <b>2.58</b>  | Age-Adjusted Death Rate due to Alzheimer's Disease                 | <i>deaths/ 100,000 population</i>              | 41                   |               | 34          | 30.5        | 2017-2019                 | 5             |
| <b>2.42</b>  | Cancer: Medicare Population                                        | <i>percent</i>                                 | 8.5                  |               | 8.4         | 8.4         | 2018                      | 6             |
| <b>2.36</b>  | Asthma: Medicare Population                                        | <i>percent</i>                                 | 5.8                  |               | 4.8         | 5           | 2018                      | 6             |
| <b>2.19</b>  | People 65+ Living Alone                                            | <i>percent</i>                                 | 30.1                 |               | 28.8        | 26.1        | 2015-2019                 | 1             |

|             |                                                                |                                                |      |      |      |      |           |    |
|-------------|----------------------------------------------------------------|------------------------------------------------|------|------|------|------|-----------|----|
| <b>2.17</b> | Alzheimer's Disease or Dementia: Medicare Population           | <i>percent</i>                                 | 11.3 |      | 10.4 | 10.8 | 2018      | 6  |
| <b>2.14</b> | Osteoporosis: Medicare Population                              | <i>percent</i>                                 | 6.6  |      | 6.2  | 6.6  | 2018      | 6  |
| <b>1.92</b> | Chronic Kidney Disease: Medicare Population                    | <i>percent</i>                                 | 24.7 |      | 25.3 | 24.5 | 2018      | 6  |
| <b>1.83</b> | Colon Cancer Screening                                         | <i>percent</i>                                 | 62.2 | 74.4 |      | 66.4 | 2018      | 4  |
| <b>1.83</b> | People 65+ with Low Access to a Grocery Store                  | <i>percent</i>                                 | 4.3  |      |      |      | 2015      | 23 |
| <b>1.81</b> | Atrial Fibrillation: Medicare Population                       | <i>percent</i>                                 | 8.9  |      | 9    | 8.4  | 2018      | 6  |
| <b>1.81</b> | Hyperlipidemia: Medicare Population                            | <i>percent</i>                                 | 49.9 |      | 49.4 | 47.7 | 2018      | 6  |
| <b>1.58</b> | Adults with Arthritis                                          | <i>percent</i>                                 | 29.8 |      |      | 25.1 | 2019      | 4  |
| <b>1.47</b> | COPD: Medicare Population                                      | <i>percent</i>                                 | 12.4 |      | 13.2 | 11.5 | 2018      | 6  |
| <b>1.42</b> | Stroke: Medicare Population                                    | <i>percent</i>                                 | 3.9  |      | 3.8  | 3.8  | 2018      | 6  |
| <b>1.25</b> | Adults 65+ who Received Recommended Preventive Services: Males | <i>percent</i>                                 | 33.7 |      |      | 32.4 | 2018      | 4  |
| <b>1.25</b> | Adults 65+ with Total Tooth Loss                               | <i>percent</i>                                 | 14.8 |      |      | 13.5 | 2018      | 4  |
| <b>1.17</b> | Consumer Expenditures: Eldercare                               | <i>average dollar amount per consumer unit</i> | 21.1 |      | 20.5 | 34.3 | 2021      | 7  |
| <b>1.17</b> | Hypertension: Medicare Population                              | <i>percent</i>                                 | 57.3 |      | 59.5 | 57.2 | 2018      | 6  |
| <b>0.97</b> | People 65+ Living Below Poverty Level                          | <i>percent</i>                                 | 7.1  |      | 8.1  | 9.3  | 2015-2019 | 1  |
| <b>0.92</b> | Heart Failure: Medicare Population                             | <i>percent</i>                                 | 14.1 |      | 14.7 | 14   | 2018      | 6  |

|              |                                                                  |                                     |                      |               |             |             |                           |               |
|--------------|------------------------------------------------------------------|-------------------------------------|----------------------|---------------|-------------|-------------|---------------------------|---------------|
| <b>0.86</b>  | Diabetes: Medicare Population                                    | <i>percent</i>                      | 25.1                 |               | 27.2        | 27          | 2018                      | 6             |
| <b>0.86</b>  | Ischemic Heart Disease: Medicare Population                      | <i>percent</i>                      | 24.8                 |               | 27.5        | 26.8        | 2018                      | 6             |
| <b>0.75</b>  | Adults 65+ who Received Recommended Preventive Services: Females | <i>percent</i>                      | 35.4                 |               |             | 28.4        | 2018                      | 4             |
| <b>0.08</b>  | Age-Adjusted Death Rate due to Falls                             | <i>deaths/ 100,000 population</i>   | 6.9                  |               | 10.5        | 9.5         | 2017-2019                 | 5             |
|              |                                                                  |                                     |                      |               |             |             |                           |               |
| <b>SCORE</b> | <b>ORAL HEALTH</b>                                               | <b>UNITS</b>                        | <b>SUMMIT COUNTY</b> | <b>HP2030</b> | <b>Ohio</b> | <b>U.S.</b> | <b>MEASUREMENT PERIOD</b> | <b>Source</b> |
| <b>1.25</b>  | Adults 65+ with Total Tooth Loss                                 | <i>percent</i>                      | 14.8                 |               |             | 13.5        | 2018                      | 4             |
| <b>0.83</b>  | Adults who Visited a Dentist                                     | <i>percent</i>                      | 53                   |               | 51.6        | 52.9        | 2021                      | 8             |
| <b>0.69</b>  | Oral Cavity and Pharynx Cancer Incidence Rate                    | <i>cases/ 100,000 population</i>    | 11                   |               | 12.2        | 11.9        | 2014-2018                 | 12            |
| <b>0.67</b>  | Dentist Rate                                                     | <i>dentists/ 100,000 population</i> | 64.1                 |               | 64.2        |             | 2019                      | 9             |
|              |                                                                  |                                     |                      |               |             |             |                           |               |
| <b>SCORE</b> | <b>OTHER CONDITIONS</b>                                          | <b>UNITS</b>                        | <b>SUMMIT COUNTY</b> | <b>HP2030</b> | <b>Ohio</b> | <b>U.S.</b> | <b>MEASUREMENT PERIOD</b> | <b>Source</b> |
| <b>2.75</b>  | Rheumatoid Arthritis or Osteoarthritis: Medicare Population      | <i>percent</i>                      | 37.7                 |               | 36.1        | 33.5        | 2018                      | 6             |
| <b>2.14</b>  | Osteoporosis: Medicare Population                                | <i>percent</i>                      | 6.6                  |               | 6.2         | 6.6         | 2018                      | 6             |
| <b>1.92</b>  | Chronic Kidney Disease: Medicare Population                      | <i>percent</i>                      | 24.7                 |               | 25.3        | 24.5        | 2018                      | 6             |
| <b>1.58</b>  | Adults with Arthritis                                            | <i>percent</i>                      | 29.8                 |               |             | 25.1        | 2019                      | 4             |
| <b>1.42</b>  | Adults with Kidney Disease                                       | <i>Percent of adults</i>            | 3.2                  |               |             | 3.1         | 2019                      | 4             |

|              |                                                          |                                      |                      |               |             |             |                           |               |
|--------------|----------------------------------------------------------|--------------------------------------|----------------------|---------------|-------------|-------------|---------------------------|---------------|
| <b>1.14</b>  | Age-Adjusted Death Rate due to Kidney Disease            | <i>deaths/ 100,000 population</i>    | 12.4                 |               | 14.5        | 12.9        | 2017-2019                 | 5             |
|              |                                                          |                                      |                      |               |             |             |                           |               |
| <b>SCORE</b> | <b>PHYSICAL ACTIVITY</b>                                 | <b>UNITS</b>                         | <b>SUMMIT COUNTY</b> | <b>HP2030</b> | <b>Ohio</b> | <b>U.S.</b> | <b>MEASUREMENT PERIOD</b> | <b>Source</b> |
| <b>2.31</b>  | Workers who Walk to Work                                 | <i>percent</i>                       | 1.4                  |               | 2.2         | 2.7         | 2015-2019                 | 1             |
| <b>2.00</b>  | Children with Low Access to a Grocery Store              | <i>percent</i>                       | 7.2                  |               |             |             | 2015                      | 23            |
| <b>1.83</b>  | People 65+ with Low Access to a Grocery Store            | <i>percent</i>                       | 4.3                  |               |             |             | 2015                      | 23            |
| <b>1.72</b>  | Adults 20+ who are Obese                                 | <i>percent</i>                       | 32.2                 | 36            |             |             | 2019                      | 5             |
| <b>1.69</b>  | Fast Food Restaurant Density                             | <i>restaurants/ 1,000 population</i> | 0.8                  |               |             |             | 2016                      | 23            |
| <b>1.67</b>  | Grocery Store Density                                    | <i>stores/ 1,000 population</i>      | 0.2                  |               |             |             | 2016                      | 23            |
| <b>1.67</b>  | Low-Income and Low Access to a Grocery Store             | <i>percent</i>                       | 7.7                  |               |             |             | 2015                      | 23            |
| <b>1.53</b>  | SNAP Certified Stores                                    | <i>stores/ 1,000 population</i>      | 0.8                  |               |             |             | 2017                      | 23            |
| <b>1.50</b>  | WIC Certified Stores                                     | <i>stores/ 1,000 population</i>      | 0.1                  |               |             |             | 2016                      | 23            |
| <b>1.42</b>  | Health Behaviors Ranking                                 | <i>ranking</i>                       | 27                   |               |             |             | 2021                      | 9             |
| <b>1.36</b>  | Adults 20+ who are Sedentary                             | <i>percent</i>                       | 24.7                 |               |             |             | 2019                      | 5             |
| <b>1.36</b>  | Food Environment Index                                   | <i>index</i>                         | 7.5                  |               | 6.8         | 7.8         | 2021                      | 9             |
| <b>1.33</b>  | Farmers Market Density                                   | <i>markets/ 1,000 population</i>     | 0                    |               |             |             | 2018                      | 23            |
| <b>1.17</b>  | Recreation and Fitness Facilities                        | <i>facilities/ 1,000 population</i>  | 0.1                  |               |             |             | 2016                      | 23            |
| <b>1.00</b>  | Adult Sugar-Sweetened Beverage Consumption: Past 7 Days  | <i>percent</i>                       | 80.6                 |               | 80.9        | 80.4        | 2021                      | 8             |
| <b>1.00</b>  | Households with No Car and Low Access to a Grocery Store | <i>percent</i>                       | 1.6                  |               |             |             | 2015                      | 23            |
| <b>0.50</b>  | Access to Exercise Opportunities                         | <i>percent</i>                       | 94.1                 |               | 83.9        | 84          | 2020                      | 9             |

| SCORE | PREVENTION & SAFETY                                               | UNITS                                   | SUMMIT COUNTY | HP2030 | Ohio  | U.S.  | MEASUREMENT PERIOD | Source |
|-------|-------------------------------------------------------------------|-----------------------------------------|---------------|--------|-------|-------|--------------------|--------|
| 2.00  | Age-Adjusted Death Rate due to Unintentional Poisonings           | deaths/ 100,000 population              | 38.7          |        | 40.2  | 21.4  | 2017-2019          | 5      |
| 1.86  | Death Rate due to Drug Poisoning                                  | deaths/ 100,000 population              | 36.7          |        | 38.1  | 21    | 2017-2019          | 9      |
| 1.44  | Age-Adjusted Death Rate due to Unintentional Injuries             | deaths/ 100,000 population              | 59.6          | 43.2   | 68.8  | 48.9  | 2017-2019          | 5      |
| 1.08  | Severe Housing Problems                                           | percent                                 | 13.6          |        | 13.7  | 18    | 2013-2017          | 9      |
| 1.00  | Age-Adjusted Death Rate due to Motor Vehicle Collisions           | deaths/ 100,000 population              | 1.4           |        | 2.8   | 2.5   | 2015-2019          | 5      |
| 0.08  | Age-Adjusted Death Rate due to Falls                              | deaths/ 100,000 population              | 6.9           |        | 10.5  | 9.5   | 2017-2019          | 5      |
|       |                                                                   |                                         |               |        |       |       |                    |        |
| SCORE | RESPIRATORY DISEASES                                              | UNITS                                   | SUMMIT COUNTY | HP2030 | Ohio  | U.S.  | MEASUREMENT PERIOD | Source |
| 2.36  | Asthma: Medicare Population                                       | percent                                 | 5.8           |        | 4.8   | 5     | 2018               | 6      |
| 2.22  | Tuberculosis Incidence Rate                                       | cases/ 100,000 population               | 2.2           | 1.4    | 1.1   |       | 2020               | 16     |
| 1.92  | Adults who Smoke                                                  | percent                                 | 23.3          | 5      | 21.4  | 17    | 2018               | 9      |
| 1.92  | Adults with Current Asthma                                        | percent                                 | 10.3          |        |       | 8.9   | 2019               | 4      |
| 1.83  | Consumer Expenditures: Tobacco and Legal Marijuana                | average dollar amount per consumer unit | 483.4         |        | 487.9 | 422.4 | 2021               | 7      |
| 1.58  | Adults with COPD                                                  | Percent of adults                       | 8.9           |        |       | 6.6   | 2019               | 4      |
| 1.53  | COVID-19 Daily Average Case-Fatality Rate                         | deaths per 100 cases                    | 0.1           |        | 0     | 0.5   | 28-Jan-22          | 11     |
| 1.47  | COPD: Medicare Population                                         | percent                                 | 12.4          |        | 13.2  | 11.5  | 2018               | 6      |
| 1.36  | Age-Adjusted Death Rate due to Chronic Lower Respiratory Diseases | deaths/ 100,000 population              | 44.8          |        | 47.8  | 39.6  | 2017-2019          | 5      |

|       |                                                        |                                                |               |        |       |        |                    |        |
|-------|--------------------------------------------------------|------------------------------------------------|---------------|--------|-------|--------|--------------------|--------|
| 1.28  | Age-Adjusted Death Rate due to Lung Cancer             | <i>deaths/ 100,000 population</i>              | 41            | 25.1   | 45    | 36.7   | 2015-2019          | 12     |
| 1.19  | Lung and Bronchus Cancer Incidence Rate                | <i>cases/ 100,000 population</i>               | 62.4          |        | 67.3  | 57.3   | 2014-2018          | 12     |
| 1.00  | Adults Who Used Electronic Cigarettes: Past 30 Days    | <i>percent</i>                                 | 4.1           |        | 4.3   | 4.1    | 2021               | 8      |
| 0.67  | Adults Who Used Smokeless Tobacco: Past 30 Days        | <i>percent</i>                                 | 2             |        | 2.2   | 2      | 2021               | 8      |
| 0.25  | Age-Adjusted Death Rate due to Influenza and Pneumonia | <i>deaths/ 100,000 population</i>              | 12.4          |        | 14.4  | 13.8   | 2017-2019          | 5      |
| 0.08  | COVID-19 Daily Average Incidence Rate                  | <i>cases per 100,000 population</i>            | 40            |        | 128.4 | 177.3  | 28-Jan-22          | 11     |
|       |                                                        |                                                |               |        |       |        |                    |        |
| SCORE | TOBACCO USE                                            | UNITS                                          | SUMMIT COUNTY | HP2030 | Ohio  | U.S.   | MEASUREMENT PERIOD | Source |
| 1.92  | Adults who Smoke                                       | <i>percent</i>                                 | 23.3          | 5      | 21.4  | 17     | 2018               | 9      |
| 1.83  | Consumer Expenditures: Tobacco and Legal Marijuana     | <i>average dollar amount per consumer unit</i> | 483.4         |        | 487.9 | 422.4  | 2021               | 7      |
| 1.00  | Adults Who Used Electronic Cigarettes: Past 30 Days    | <i>percent</i>                                 | 4.1           |        | 4.3   | 4.1    | 2021               | 8      |
| 0.67  | Adults Who Used Smokeless Tobacco: Past 30 Days        | <i>percent</i>                                 | 2             |        | 2.2   | 2      | 2021               | 8      |
|       |                                                        |                                                |               |        |       |        |                    |        |
| SCORE | WELLNESS & LIFESTYLE                                   | UNITS                                          | SUMMIT COUNTY | HP2030 | Ohio  | U.S.   | MEASUREMENT PERIOD | Source |
| 2.00  | Consumer Expenditures: Fast Food Restaurants           | <i>average dollar amount per consumer unit</i> | 1508.4        |        | 1461  | 1638.9 | 2021               | 7      |
| 1.58  | Insufficient Sleep                                     | <i>percent</i>                                 | 38.6          | 31.4   | 40.6  | 35     | 2018               | 9      |
| 1.58  | Morbidity Ranking                                      | <i>ranking</i>                                 | 47            |        |       |        | 2021               | 9      |

|              |                                                                    |                                |                      |               |             |             |                           |               |
|--------------|--------------------------------------------------------------------|--------------------------------|----------------------|---------------|-------------|-------------|---------------------------|---------------|
| <b>1.50</b>  | Adults Who Frequently Used Quick Service Restaurants: Past 30 Days | <i>Percent</i>                 | 41.2                 |               | 41.5        | 41.2        | 2021                      | 8             |
| <b>1.50</b>  | Life Expectancy                                                    | <i>years</i>                   | 77.2                 |               | 77          | 79.2        | 2017-2019                 | 9             |
| <b>1.42</b>  | Poor Physical Health: 14+ Days                                     | <i>percent</i>                 | 14.2                 |               |             | 12.5        | 2019                      | 4             |
| <b>1.33</b>  | High Blood Pressure Prevalence                                     | <i>percent</i>                 | 34.7                 | 27.7          |             | 32.6        | 2019                      | 4             |
| <b>1.25</b>  | Self-Reported General Health Assessment: Poor or Fair              | <i>percent</i>                 | 20.1                 |               |             | 18.6        | 2019                      | 4             |
| <b>1.17</b>  | Poor Physical Health: Average Number of Days                       | <i>days</i>                    | 3.9                  |               | 4.1         | 3.7         | 2018                      | 9             |
| <b>1.00</b>  | Adult Sugar-Sweetened Beverage Consumption: Past 7 Days            | <i>percent</i>                 | 80.6                 |               | 80.9        | 80.4        | 2021                      | 8             |
| <b>0.83</b>  | Adults who Agree Vaccine Benefits Outweigh Possible Risks          | <i>Percent</i>                 | 49.4                 |               | 48.6        | 49.4        | 2021                      | 8             |
| <b>0.83</b>  | Self-Reported General Health Assessment: Good or Better            | <i>percent</i>                 | 86.5                 |               | 85.6        | 86.5        | 2021                      | 8             |
|              |                                                                    |                                |                      |               |             |             |                           |               |
| <b>SCORE</b> | <b>WOMEN'S HEALTH</b>                                              | <b>UNITS</b>                   | <b>SUMMIT COUNTY</b> | <b>HP2030</b> | <b>Ohio</b> | <b>U.S.</b> | <b>MEASUREMENT PERIOD</b> | <b>Source</b> |
| <b>2.58</b>  | Breast Cancer Incidence Rate                                       | <i>cases/ 100,000 females</i>  | 136.3                |               | 129.6       | 126.8       | 2014-2018                 | 12            |
| <b>2.22</b>  | Age-Adjusted Death Rate due to Breast Cancer                       | <i>deaths/ 100,000 females</i> | 22.8                 | 15.3          | 21.6        | 19.9        | 2015-2019                 | 12            |
| <b>1.61</b>  | Mammogram in Past 2 Years: 50-74                                   | <i>percent</i>                 | 71.3                 | 77.1          |             | 74.8        | 2018                      | 4             |
| <b>0.89</b>  | Cervical Cancer Screening: 21-65                                   | <i>Percent</i>                 | 85.5                 | 84.3          |             | 84.7        | 2018                      | 4             |
| <b>0.61</b>  | Cervical Cancer Incidence Rate                                     | <i>cases/ 100,000 females</i>  | 5                    |               | 7.9         | 7.7         | 2014-2018                 | 12            |

## Summit County Data Sources

| Key | Data Source Name                                                      |
|-----|-----------------------------------------------------------------------|
| 1   | American Community Survey                                             |
| 2   | American Lung Association                                             |
| 3   | Annie E. Casey Foundation                                             |
| 4   | CDC - PLACES                                                          |
| 5   | Centers for Disease Control and Prevention                            |
| 6   | Centers for Medicare & Medicaid Services                              |
| 7   | Claritas Consumer Buying Power                                        |
| 8   | Claritas Consumer Profiles                                            |
| 9   | County Health Rankings                                                |
| 10  | Feeding America                                                       |
| 11  | Healthy Communities Institute                                         |
| 12  | National Cancer Institute                                             |
| 13  | National Center for Education Statistics                              |
| 14  | National Environmental Public Health Tracking Network                 |
| 15  | Ohio Department of Education                                          |
| 16  | Ohio Department of Health, Infectious Diseases                        |
| 17  | Ohio Department of Health, Vital Statistics                           |
| 18  | Ohio Department of Public Safety, Office of Criminal Justice Services |
| 19  | Ohio Public Health Information Warehouse                              |
| 20  | Ohio Secretary of State                                               |
| 21  | U.S. Bureau of Labor Statistics                                       |
| 22  | U.S. Census - County Business Patterns                                |
| 23  | U.S. Department of Agriculture - Food Environment Atlas               |
| 24  | U.S. Environmental Protection Agency                                  |
| 25  | United For ALICE                                                      |

| SCORE | ALCOHOL & DRUG USE                                        | UNITS                                              | PORTAGE COUNTY | HP2030 | Ohio  | U.S.  | MEASUREMENT PERIOD | Source |
|-------|-----------------------------------------------------------|----------------------------------------------------|----------------|--------|-------|-------|--------------------|--------|
| 1.92  | Adults who Binge Drink                                    | percent                                            | 18.2           |        |       | 16.7  | 2019               | 4      |
| 1.86  | Mothers who Smoked During Pregnancy                       | percent                                            | 13.4           | 4.3    | 11.5  | 5.5   | 2020               | 17     |
| 1.83  | Adults who Drink Excessively                              | percent                                            | 19.2           |        | 18.5  | 19    | 2018               | 9      |
| 1.83  | Consumer Expenditures: Alcoholic Beverages                | average dollar amount per consumer unit            | 653.2          |        | 651.5 | 701.9 | 2021               | 7      |
| 1.67  | Alcohol-Impaired Driving Deaths                           | percent of driving deaths with alcohol involvement | 29.2           | 28.3   | 32.2  | 27    | 2015-2019          | 9      |
| 1.25  | Age-Adjusted Drug and Opioid-Involved Overdose Death Rate | Deaths per 100,000 population                      | 26.4           |        | 42    | 22.8  | 2017-2019          | 5      |
| 1.25  | Health Behaviors Ranking                                  | ranking                                            | 7              |        |       |       | 2021               | 9      |
| 1.03  | Death Rate due to Drug Poisoning                          | deaths/ 100,000 population                         | 21.7           |        | 38.1  | 21    | 2017-2019          | 9      |
| 0.97  | Liquor Store Density                                      | stores/ 100,000 population                         | 5.5            |        | 5.6   | 10.5  | 2019               | 22     |
|       |                                                           |                                                    |                |        |       |       |                    |        |
| SCORE | CANCER                                                    | UNITS                                              | PORTAGE COUNTY | HP2030 | Ohio  | U.S.  | MEASUREMENT PERIOD | Source |
| 2.72  | Age-Adjusted Death Rate due to Colorectal Cancer          | deaths/ 100,000 population                         | 18.4           | 8.9    | 14.8  | 13.4  | 2015-2019          | 12     |
| 2.42  | Colorectal Cancer Incidence Rate                          | cases/ 100,000 population                          | 43.6           |        | 41.3  | 38    | 2014-2018          | 12     |
| 1.81  | All Cancer Incidence Rate                                 | cases/ 100,000 population                          | 467.9          |        | 467.5 | 448.6 | 2014-2018          | 12     |
| 1.81  | Breast Cancer Incidence Rate                              | cases/ 100,000 females                             | 128.7          |        | 129.6 | 126.8 | 2014-2018          | 12     |

|       |                                                |                                   |                |        |       |       |                    |        |
|-------|------------------------------------------------|-----------------------------------|----------------|--------|-------|-------|--------------------|--------|
| 1.81  | Oral Cavity and Pharynx Cancer Incidence Rate  | <i>cases/ 100,000 population</i>  | 12.7           |        | 12.2  | 11.9  | 2014-2018          | 12     |
| 1.78  | Age-Adjusted Death Rate due to Cancer          | <i>deaths/ 100,000 population</i> | 173            | 122.7  | 169.4 | 152.4 | 2015-2019          | 12     |
| 1.64  | Cancer: Medicare Population                    | <i>percent</i>                    | 8.3            |        | 8.4   | 8.4   | 2018               | 6      |
| 1.61  | Cervical Cancer Screening: 21-65               | <i>Percent</i>                    | 83.7           | 84.3   |       | 84.7  | 2018               | 4      |
| 1.44  | Age-Adjusted Death Rate due to Lung Cancer     | <i>deaths/ 100,000 population</i> | 44             | 25.1   | 45    | 36.7  | 2015-2019          | 12     |
| 1.36  | Lung and Bronchus Cancer Incidence Rate        | <i>cases/ 100,000 population</i>  | 64             |        | 67.3  | 57.3  | 2014-2018          | 12     |
| 1.33  | Colon Cancer Screening                         | <i>percent</i>                    | 65.4           | 74.4   |       | 66.4  | 2018               | 4      |
| 1.28  | Age-Adjusted Death Rate due to Breast Cancer   | <i>deaths/ 100,000 females</i>    | 20.4           | 15.3   | 21.6  | 19.9  | 2015-2019          | 12     |
| 1.25  | Adults with Cancer                             | <i>percent</i>                    | 7.4            |        |       | 7.1   | 2019               | 4      |
| 1.06  | Cervical Cancer Incidence Rate                 | <i>cases/ 100,000 females</i>     | 6.8            |        | 7.9   | 7.7   | 2014-2018          | 12     |
| 0.94  | Mammogram in Past 2 Years: 50-74               | <i>percent</i>                    | 75.6           | 77.1   |       | 74.8  | 2018               | 4      |
| 0.92  | Prostate Cancer Incidence Rate                 | <i>cases/ 100,000 males</i>       | 98.2           |        | 107.2 | 106.2 | 2014-2018          | 12     |
| 0.61  | Age-Adjusted Death Rate due to Prostate Cancer | <i>deaths/ 100,000 males</i>      | 16             | 16.9   | 19.4  | 18.9  | 2015-2019          | 12     |
|       |                                                |                                   |                |        |       |       |                    |        |
| SCORE | CHILDREN'S HEALTH                              | UNITS                             | PORTAGE COUNTY | HP2030 | Ohio  | U.S.  | MEASUREMENT PERIOD | Source |
| 1.83  | Children with Low Access to a Grocery Store    | <i>percent</i>                    | 6.2            |        |       |       | 2015               | 23     |

|       |                                                               |                                                           |                |        |       |       |                    |        |
|-------|---------------------------------------------------------------|-----------------------------------------------------------|----------------|--------|-------|-------|--------------------|--------|
| 1.83  | Consumer Expenditures: Childcare                              | <i>average dollar amount per consumer unit</i>            | 308.1          |        | 301.6 | 368.2 | 2021               | 7      |
| 1.33  | Child Food Insecurity Rate                                    | <i>percent</i>                                            | 15.7           |        | 17.4  | 14.6  | 2019               | 10     |
| 1.33  | Children with Health Insurance                                | <i>percent</i>                                            | 96.9           |        | 95.2  | 94.3  | 2019               | 1      |
| 1.31  | Blood Lead Levels in Children (>=10 micrograms per deciliter) | <i>percent</i>                                            | 0.3            |        | 0.5   |       | 2020               | 19     |
| 1.31  | Blood Lead Levels in Children (>=5 micrograms per deciliter)  | <i>percent</i>                                            | 1.2            |        | 1.9   |       | 2020               | 19     |
| 1.25  | Projected Child Food Insecurity Rate                          | <i>percent</i>                                            | 16.7           |        | 18.5  |       | 2021               | 10     |
| 1.11  | Substantiated Child Abuse Rate                                | <i>cases/ 1,000 children</i>                              | 6.4            | 8.7    | 6.8   |       | 2020               | 3      |
|       |                                                               |                                                           |                |        |       |       |                    |        |
| SCORE | COMMUNITY                                                     | UNITS                                                     | PORTAGE COUNTY | HP2030 | Ohio  | U.S.  | MEASUREMENT PERIOD | Source |
| 2.42  | Solo Drivers with a Long Commute                              | <i>percent</i>                                            | 40             |        | 31.1  | 37    | 2015-2019          | 9      |
| 2.31  | Social Associations                                           | <i>membership associations/ 10,000 population</i>         | 8.7            |        | 11    | 9.3   | 2018               | 9      |
| 2.06  | Workers Commuting by Public Transportation                    | <i>percent</i>                                            | 0.6            | 5.3    | 1.6   | 5     | 2015-2019          | 1      |
| 1.81  | Mean Travel Time to Work                                      | <i>minutes</i>                                            | 25.7           |        | 23.7  | 26.9  | 2015-2019          | 1      |
| 1.67  | Alcohol-Impaired Driving Deaths                               | <i>percent of driving deaths with alcohol involvement</i> | 29.2           | 28.3   | 32.2  | 27    | 2015-2019          | 9      |
| 1.64  | Workers who Walk to Work                                      | <i>percent</i>                                            | 2.4            |        | 2.2   | 2.7   | 2015-2019          | 1      |

|             |                                                          |                                                |       |     |       |       |           |    |
|-------------|----------------------------------------------------------|------------------------------------------------|-------|-----|-------|-------|-----------|----|
| <b>1.53</b> | Workers who Drive Alone to Work                          | <i>percent</i>                                 | 83.6  |     | 82.9  | 76.3  | 2015-2019 | 1  |
| <b>1.50</b> | Households with an Internet Subscription                 | <i>percent</i>                                 | 81.6  |     | 82.4  | 83    | 2015-2019 | 1  |
| <b>1.42</b> | Social and Economic Factors Ranking                      | <i>ranking</i>                                 | 29    |     |       |       | 2021      | 9  |
| <b>1.33</b> | Consumer Expenditures: Local Public Transportation       | <i>average dollar amount per consumer unit</i> | 119.1 |     | 121.7 | 148.8 | 2021      | 7  |
| <b>1.33</b> | Households with No Car and Low Access to a Grocery Store | <i>percent</i>                                 | 2.3   |     |       |       | 2015      | 23 |
| <b>1.25</b> | Per Capita Income                                        | <i>dollars</i>                                 | 30054 |     | 31552 | 34103 | 2015-2019 | 1  |
| <b>1.19</b> | Voter Turnout: Presidential Election                     | <i>percent</i>                                 | 76.7  |     | 74    |       | 2020      | 20 |
| <b>1.19</b> | Young Children Living Below Poverty Level                | <i>percent</i>                                 | 21.4  |     | 23    | 20.3  | 2015-2019 | 1  |
| <b>1.17</b> | Households with Wireless Phone Service                   | <i>percent</i>                                 | 96.7  |     | 96.8  | 97    | 2020      | 8  |
| <b>1.14</b> | Households without a Vehicle                             | <i>percent</i>                                 | 6.3   |     | 7.9   | 8.6   | 2015-2019 | 1  |
| <b>1.11</b> | Substantiated Child Abuse Rate                           | <i>cases/ 1,000 children</i>                   | 6.4   | 8.7 | 6.8   |       | 2020      | 3  |
| <b>1.03</b> | Homeownership                                            | <i>percent</i>                                 | 62.2  |     | 59.4  | 56.2  | 2015-2019 | 1  |
| <b>1.00</b> | Persons with an Internet Subscription                    | <i>percent</i>                                 | 86.4  |     | 86.2  | 86.2  | 2015-2019 | 1  |
| <b>0.97</b> | People 65+ Living Alone                                  | <i>percent</i>                                 | 25.5  |     | 28.8  | 26.1  | 2015-2019 | 1  |
| <b>0.92</b> | Median Household Income                                  | <i>dollars</i>                                 | 57618 |     | 56602 | 62843 | 2015-2019 | 1  |
| <b>0.86</b> | Linguistic Isolation                                     | <i>percent</i>                                 | 0.9   |     | 1.4   | 4.4   | 2015-2019 | 1  |
| <b>0.83</b> | Adults with Internet Access                              | <i>percent</i>                                 | 95.3  |     | 94.5  | 95    | 2021      | 8  |

|       |                                                        |                            |                |        |       |      |                    |        |
|-------|--------------------------------------------------------|----------------------------|----------------|--------|-------|------|--------------------|--------|
| 0.83  | Households with a Computer                             | percent                    | 86.9           |        | 85.2  | 86.3 | 2021               | 8      |
| 0.83  | Households with a Smartphone                           | percent                    | 82.1           |        | 80.5  | 81.9 | 2021               | 8      |
| 0.83  | Households with One or More Types of Computing Devices | percent                    | 90.8           |        | 89.1  | 90.3 | 2015-2019          | 1      |
| 0.83  | People Living Below Poverty Level                      | percent                    | 12.8           | 8      | 14    | 13.4 | 2015-2019          | 1      |
| 0.78  | Violent Crime Rate                                     | crimes/ 100,000 population | 90.8           |        | 303.5 | 394  | 2017               | 18     |
| 0.69  | Single-Parent Households                               | percent                    | 21.8           |        | 27.1  | 25.5 | 2015-2019          | 1      |
| 0.58  | People 25+ with a Bachelor's Degree or Higher          | percent                    | 29             |        | 28.3  | 32.1 | 2015-2019          | 1      |
| 0.42  | Children Living Below Poverty Level                    | percent                    | 15.9           |        | 19.9  | 18.5 | 2015-2019          | 1      |
| 0.08  | Youth not in School or Working                         | percent                    | 0.3            |        | 1.8   | 1.9  | 2015-2019          | 1      |
|       |                                                        |                            |                |        |       |      |                    |        |
| SCORE | DIABETES                                               | UNITS                      | PORTAGE COUNTY | HP2030 | Ohio  | U.S. | MEASUREMENT PERIOD | Source |
| 1.36  | Adults 20+ with Diabetes                               | percent                    | 9              |        |       |      | 2019               | 5      |
| 1.03  | Age-Adjusted Death Rate due to Diabetes                | deaths/ 100,000 population | 23.1           |        | 25.3  | 21.5 | 2017-2019          | 5      |
| 1.00  | Diabetes: Medicare Population                          | percent                    | 25.4           |        | 27.2  | 27   | 2018               | 6      |
|       |                                                        |                            |                |        |       |      |                    |        |
| SCORE | ECONOMY                                                | UNITS                      | PORTAGE COUNTY | HP2030 | Ohio  | U.S. | MEASUREMENT PERIOD | Source |

|             |                                                                                             |                                                |       |  |       |        |           |    |
|-------------|---------------------------------------------------------------------------------------------|------------------------------------------------|-------|--|-------|--------|-----------|----|
| <b>2.47</b> | Renters Spending 30% or More of Household Income on Rent                                    | <i>percent</i>                                 | 53.2  |  | 44.9  | 49.6   | 2015-2019 | 1  |
| <b>1.83</b> | SNAP Certified Stores                                                                       | <i>stores/ 1,000 population</i>                | 0.6   |  |       |        | 2017      | 23 |
| <b>1.67</b> | Households that are Asset Limited, Income Constrained, Employed (ALICE)                     | <i>percent</i>                                 | 26.6  |  | 24.5  |        | 2018      | 25 |
| <b>1.67</b> | Low-Income and Low Access to a Grocery Store                                                | <i>percent</i>                                 | 7.8   |  |       |        | 2015      | 23 |
| <b>1.64</b> | Income Inequality                                                                           |                                                | 0.5   |  | 0.5   | 0.5    | 2015-2019 | 1  |
| <b>1.50</b> | Food Insecurity Rate                                                                        | <i>percent</i>                                 | 12.7  |  | 13.2  | 10.9   | 2019      | 10 |
| <b>1.50</b> | WIC Certified Stores                                                                        | <i>stores/ 1,000 population</i>                | 0.1   |  |       |        | 2016      | 23 |
| <b>1.42</b> | Social and Economic Factors Ranking                                                         | <i>ranking</i>                                 | 29    |  |       |        | 2021      | 9  |
| <b>1.36</b> | Size of Labor Force                                                                         | <i>persons</i>                                 | 84476 |  |       |        | Sep-21    | 21 |
| <b>1.33</b> | Child Food Insecurity Rate                                                                  | <i>percent</i>                                 | 15.7  |  | 17.4  | 14.6   | 2019      | 10 |
| <b>1.33</b> | Consumer Expenditures: Homeowner Expenses                                                   | <i>average dollar amount per consumer unit</i> | 7482  |  | 7828  | 8900.1 | 2021      | 7  |
| <b>1.33</b> | Households that are Above the Asset Limited, Income Constrained, Employed (ALICE) Threshold | <i>percent</i>                                 | 62.4  |  | 61.6  |        | 2018      | 25 |
| <b>1.25</b> | Per Capita Income                                                                           | <i>dollars</i>                                 | 30054 |  | 31552 | 34103  | 2015-2019 | 1  |
| <b>1.25</b> | Projected Child Food Insecurity Rate                                                        | <i>percent</i>                                 | 16.7  |  | 18.5  |        | 2021      | 10 |
| <b>1.25</b> | Projected Food Insecurity Rate                                                              | <i>percent</i>                                 | 13.5  |  | 14.1  |        | 2021      | 10 |
| <b>1.25</b> | Severe Housing Problems                                                                     | <i>percent</i>                                 | 14.4  |  | 13.7  | 18     | 2013-2017 | 9  |

|             |                                                     |                                                |        |   |        |        |           |    |
|-------------|-----------------------------------------------------|------------------------------------------------|--------|---|--------|--------|-----------|----|
| <b>1.19</b> | Persons with Disability Living in Poverty (5-year)  | <i>percent</i>                                 | 26.8   |   | 29.5   | 26.1   | 2015-2019 | 1  |
| <b>1.19</b> | Young Children Living Below Poverty Level           | <i>percent</i>                                 | 21.4   |   | 23     | 20.3   | 2015-2019 | 1  |
| <b>1.17</b> | Adults who Feel Overwhelmed by Financial Burdens    | <i>percent</i>                                 | 14.2   |   | 14.6   | 14.4   | 2021      | 8  |
| <b>1.17</b> | Households that are Below the Federal Poverty Level | <i>percent</i>                                 | 11     |   | 13.8   |        | 2018      | 25 |
| <b>1.03</b> | Homeownership                                       | <i>percent</i>                                 | 62.2   |   | 59.4   | 56.2   | 2015-2019 | 1  |
| <b>0.92</b> | Median Household Income                             | <i>dollars</i>                                 | 57618  |   | 56602  | 62843  | 2015-2019 | 1  |
| <b>0.86</b> | Households with Cash Public Assistance Income       | <i>percent</i>                                 | 2      |   | 2.9    | 2.4    | 2015-2019 | 1  |
| <b>0.86</b> | Overcrowded Households                              | <i>percent of households</i>                   | 0.8    |   | 1.4    |        | 2015-2019 | 1  |
| <b>0.83</b> | Households with a Savings Account                   | <i>percent</i>                                 | 70.2   |   | 68.8   | 70.2   | 2021      | 8  |
| <b>0.83</b> | People Living Below Poverty Level                   | <i>percent</i>                                 | 12.8   | 8 | 14     | 13.4   | 2015-2019 | 1  |
| <b>0.75</b> | People Living 200% Above Poverty Level              | <i>percent</i>                                 | 71     |   | 68.8   | 69.1   | 2015-2019 | 1  |
| <b>0.75</b> | Students Eligible for the Free Lunch Program        | <i>percent</i>                                 | 20.6   |   |        |        | 2019-2020 | 13 |
| <b>0.75</b> | Unemployed Workers in Civilian Labor Force          | <i>percent</i>                                 | 4      |   | 4.3    | 4.6    | Sep-21    | 21 |
| <b>0.50</b> | Consumer Expenditures: Home Rental Expenses         | <i>average dollar amount per consumer unit</i> | 3401.4 |   | 3798.7 | 5460.2 | 2021      | 7  |
| <b>0.50</b> | People 65+ Living Below Poverty Level               | <i>percent</i>                                 | 5.5    |   | 8.1    | 9.3    | 2015-2019 | 1  |

|              |                                                                      |                                                |                       |               |             |             |                           |               |
|--------------|----------------------------------------------------------------------|------------------------------------------------|-----------------------|---------------|-------------|-------------|---------------------------|---------------|
| <b>0.42</b>  | Children Living Below Poverty Level                                  | <i>percent</i>                                 | 15.9                  |               | 19.9        | 18.5        | 2015-2019                 | 1             |
| <b>0.42</b>  | Families Living Below Poverty Level                                  | <i>percent</i>                                 | 8.4                   |               | 9.9         | 9.5         | 2015-2019                 | 1             |
| <b>0.33</b>  | Mortgaged Owners Spending 30% or More of Household Income on Housing | <i>percent</i>                                 | 17.4                  |               | 19.7        | 26.5        | 2019                      | 1             |
| <b>0.08</b>  | Youth not in School or Working                                       | <i>percent</i>                                 | 0.3                   |               | 1.8         | 1.9         | 2015-2019                 | 1             |
|              |                                                                      |                                                |                       |               |             |             |                           |               |
| <b>SCORE</b> | <b>EDUCATION</b>                                                     | <b>UNITS</b>                                   | <b>PORTAGE COUNTY</b> | <b>HP2030</b> | <b>Ohio</b> | <b>U.S.</b> | <b>MEASUREMENT PERIOD</b> | <b>Source</b> |
| <b>0.86</b>  | 4th Grade Students Proficient in English/Language Arts               | <i>percent</i>                                 | 77.1                  |               | 63.3        |             | 2018-2019                 | 15            |
| <b>1.14</b>  | 4th Grade Students Proficient in Math                                | <i>percent</i>                                 | 86                    |               | 74.3        |             | 2018-2019                 | 15            |
| <b>0.58</b>  | 8th Grade Students Proficient in English/Language Arts               | <i>percent</i>                                 | 77.4                  |               | 58.3        |             | 2018-2019                 | 15            |
| <b>1.00</b>  | 8th Grade Students Proficient in Math                                | <i>percent</i>                                 | 72.6                  |               | 57.3        |             | 2018-2019                 | 15            |
| <b>1.83</b>  | Consumer Expenditures: Childcare                                     | <i>average dollar amount per consumer unit</i> | 308.1                 |               | 301.6       | 368.2       | 2021                      | 7             |
| <b>2.00</b>  | Consumer Expenditures: Education                                     | <i>average dollar amount per consumer unit</i> | 1333.5                |               | 1200.4      | 1492.4      | 2021                      | 7             |
| <b>1.78</b>  | High School Graduation                                               | <i>percent</i>                                 | 91.6                  | 90.7          | 92          |             | 2019-2020                 | 15            |

|              |                                                          |                                      |                       |               |             |             |                           |               |
|--------------|----------------------------------------------------------|--------------------------------------|-----------------------|---------------|-------------|-------------|---------------------------|---------------|
| <b>0.58</b>  | People 25+ with a Bachelor's Degree or Higher            | <i>percent</i>                       | 29                    |               | 28.3        | 32.1        | 2015-2019                 | 1             |
| <b>1.81</b>  | Student-to-Teacher Ratio                                 | <i>students/ teacher</i>             | 16.4                  |               |             |             | 2019-2020                 | 13            |
|              |                                                          |                                      |                       |               |             |             |                           |               |
| <b>SCORE</b> | <b>ENVIRONMENTAL HEALTH</b>                              | <b>UNITS</b>                         | <b>PORTAGE COUNTY</b> | <b>HP2030</b> | <b>Ohio</b> | <b>U.S.</b> | <b>MEASUREMENT PERIOD</b> | <b>Source</b> |
| <b>2.14</b>  | Fast Food Restaurant Density                             | <i>restaurants/ 1,000 population</i> | 0.9                   |               |             |             | 2016                      | 23            |
| <b>2.00</b>  | Grocery Store Density                                    | <i>stores/ 1,000 population</i>      | 0.1                   |               |             |             | 2016                      | 23            |
| <b>1.83</b>  | Children with Low Access to a Grocery Store              | <i>percent</i>                       | 6.2                   |               |             |             | 2015                      | 23            |
| <b>1.83</b>  | SNAP Certified Stores                                    | <i>stores/ 1,000 population</i>      | 0.6                   |               |             |             | 2017                      | 23            |
| <b>1.75</b>  | Adults with Current Asthma                               | <i>percent</i>                       | 10.2                  |               |             | 8.9         | 2019                      | 4             |
| <b>1.67</b>  | Farmers Market Density                                   | <i>markets/ 1,000 population</i>     | 0                     |               |             |             | 2018                      | 23            |
| <b>1.67</b>  | Low-Income and Low Access to a Grocery Store             | <i>percent</i>                       | 7.8                   |               |             |             | 2015                      | 23            |
| <b>1.67</b>  | People 65+ with Low Access to a Grocery Store            | <i>percent</i>                       | 3.6                   |               |             |             | 2015                      | 23            |
| <b>1.64</b>  | Number of Extreme Precipitation Days                     | <i>days</i>                          | 34                    |               |             |             | 2019                      | 14            |
| <b>1.64</b>  | PBT Released                                             | <i>pounds</i>                        | 154.8                 |               |             |             | 2020                      | 24            |
| <b>1.50</b>  | WIC Certified Stores                                     | <i>stores/ 1,000 population</i>      | 0.1                   |               |             |             | 2016                      | 23            |
| <b>1.36</b>  | Number of Extreme Heat Days                              | <i>days</i>                          | 13                    |               |             |             | 2019                      | 14            |
| <b>1.36</b>  | Weeks of Moderate Drought or Worse                       | <i>weeks per year</i>                | 0                     |               |             |             | 2020                      | 14            |
| <b>1.33</b>  | Households with No Car and Low Access to a Grocery Store | <i>percent</i>                       | 2.3                   |               |             |             | 2015                      | 23            |

|       |                                                               |                                      |                |        |      |      |                    |        |
|-------|---------------------------------------------------------------|--------------------------------------|----------------|--------|------|------|--------------------|--------|
| 1.33  | Recreation and Fitness Facilities                             | <i>facilities/ 1,000 population</i>  | 0.1            |        |      |      | 2016               | 23     |
| 1.31  | Blood Lead Levels in Children (>=10 micrograms per deciliter) | <i>percent</i>                       | 0.3            |        | 0.5  |      | 2020               | 19     |
| 1.31  | Blood Lead Levels in Children (>=5 micrograms per deciliter)  | <i>percent</i>                       | 1.2            |        | 1.9  |      | 2020               | 19     |
| 1.25  | Annual Ozone Air Quality                                      |                                      | A              |        |      |      | 2017-2019          | 2      |
| 1.25  | Annual Particle Pollution                                     |                                      | A              |        |      |      | 2017-2019          | 2      |
| 1.25  | Physical Environment Ranking                                  | <i>ranking</i>                       | 12             |        |      |      | 2021               | 9      |
| 1.25  | Severe Housing Problems                                       | <i>percent</i>                       | 14.4           |        | 13.7 | 18   | 2013-2017          | 9      |
| 1.17  | Access to Exercise Opportunities                              | <i>percent</i>                       | 83.8           |        | 83.9 | 84   | 2020               | 9      |
| 1.08  | Asthma: Medicare Population                                   | <i>percent</i>                       | 4.8            |        | 4.8  | 5    | 2018               | 6      |
| 1.08  | Recognized Carcinogens Released into Air                      | <i>pounds</i>                        | 30276.6        |        |      |      | 2020               | 24     |
| 1.03  | Food Environment Index                                        |                                      | 7.7            |        | 6.8  | 7.8  | 2021               | 9      |
| 1.03  | Houses Built Prior to 1950                                    | <i>percent</i>                       | 17.8           |        | 26.2 | 17.5 | 2015-2019          | 1      |
| 0.97  | Liquor Store Density                                          | <i>stores/ 100,000 population</i>    | 5.5            |        | 5.6  | 10.5 | 2019               | 22     |
| 0.86  | Overcrowded Households                                        | <i>percent of households</i>         | 0.8            |        | 1.4  |      | 2015-2019          | 1      |
|       |                                                               |                                      |                |        |      |      |                    |        |
| SCORE | HEALTH CARE ACCESS & QUALITY                                  | UNITS                                | PORTAGE COUNTY | HP2030 | Ohio | U.S. | MEASUREMENT PERIOD | Source |
| 2.06  | Primary Care Provider Rate                                    | <i>providers/ 100,000 population</i> | 39.9           |        | 76.7 |      | 2018               | 9      |

|             |                                                                |                                                |        |  |        |        |      |   |
|-------------|----------------------------------------------------------------|------------------------------------------------|--------|--|--------|--------|------|---|
| <b>1.83</b> | Consumer Expenditures: Medical Services                        | <i>average dollar amount per consumer unit</i> | 1061.7 |  | 1098.6 | 1047.4 | 2021 | 7 |
| <b>1.83</b> | Consumer Expenditures: Medical Supplies                        | <i>average dollar amount per consumer unit</i> | 198.2  |  | 204.8  | 194.9  | 2021 | 7 |
| <b>1.83</b> | Non-Physician Primary Care Provider Rate                       | <i>providers/ 100,000 population</i>           | 36.9   |  | 108.9  |        | 2020 | 9 |
| <b>1.44</b> | Dentist Rate                                                   | <i>dentists/ 100,000 population</i>            | 47.4   |  | 64.2   |        | 2019 | 9 |
| <b>1.42</b> | Adults who have had a Routine Checkup                          | <i>percent</i>                                 | 78     |  |        | 76.6   | 2019 | 4 |
| <b>1.42</b> | Clinical Care Ranking                                          | <i>ranking</i>                                 | 34     |  |        |        | 2021 | 9 |
| <b>1.33</b> | Adults with Health Insurance                                   | <i>percent</i>                                 | 92.4   |  | 90.9   | 87.1   | 2019 | 1 |
| <b>1.33</b> | Adults with Health Insurance: 18+                              | <i>percent</i>                                 | 90.4   |  | 90.2   | 90.6   | 2021 | 8 |
| <b>1.33</b> | Children with Health Insurance                                 | <i>percent</i>                                 | 96.9   |  | 95.2   | 94.3   | 2019 | 1 |
| <b>1.33</b> | Consumer Expenditures: Health Insurance                        | <i>average dollar amount per consumer unit</i> | 4163.1 |  | 4371.7 | 4321.1 | 2021 | 7 |
| <b>1.33</b> | Consumer Expenditures: Prescription and Non-Prescription Drugs | <i>average dollar amount per consumer unit</i> | 606.7  |  | 638.9  | 609.6  | 2021 | 7 |
| <b>1.17</b> | Mental Health Provider Rate                                    | <i>providers/ 100,000 population</i>           | 216.1  |  | 261.3  |        | 2020 | 9 |
| <b>1.11</b> | Persons without Health Insurance                               | <i>percent</i>                                 | 5.5    |  | 6.6    |        | 2019 | 1 |
| <b>1.00</b> | Adults who Visited a Dentist                                   | <i>percent</i>                                 | 52.6   |  | 51.6   | 52.9   | 2021 | 8 |
| <b>0.75</b> | Adults without Health Insurance                                | <i>percent</i>                                 | 10.7   |  |        | 13     | 2019 | 4 |
|             |                                                                |                                                |        |  |        |        |      |   |

| SCORE | HEART DISEASE & STROKE                                          | UNITS                      | PORTAGE COUNTY | HP2030 | Ohio  | U.S. | MEASUREMENT PERIOD | Source |
|-------|-----------------------------------------------------------------|----------------------------|----------------|--------|-------|------|--------------------|--------|
| 2.47  | Atrial Fibrillation: Medicare Population                        | percent                    | 9.6            |        | 9     | 8.4  | 2018               | 6      |
| 2.31  | Hyperlipidemia: Medicare Population                             | percent                    | 52.4           |        | 49.4  | 47.7 | 2018               | 6      |
| 2.08  | Cholesterol Test History                                        | percent                    | 83.6           |        |       | 87.6 | 2019               | 4      |
| 1.75  | Adults who Have Taken Medications for High Blood Pressure       | percent                    | 77.1           |        |       | 76.2 | 2019               | 4      |
| 1.50  | Age-Adjusted Death Rate due to Coronary Heart Disease           | deaths/ 100,000 population | 105            | 71.1   | 101.4 | 90.5 | 2017-2019          | 5      |
| 1.47  | Stroke: Medicare Population                                     | percent                    | 3.6            |        | 3.8   | 3.8  | 2018               | 6      |
| 1.42  | Heart Failure: Medicare Population                              | percent                    | 15.1           |        | 14.7  | 14   | 2018               | 6      |
| 1.31  | Hypertension: Medicare Population                               | percent                    | 58             |        | 59.5  | 57.2 | 2018               | 6      |
| 1.25  | Adults who Experienced Coronary Heart Disease                   | percent                    | 6.8            |        |       | 6.2  | 2019               | 4      |
| 1.17  | Age-Adjusted Death Rate due to Cerebrovascular Disease (Stroke) | deaths/ 100,000 population | 36.5           | 33.4   | 42.5  | 37.2 | 2017-2019          | 5      |
| 1.17  | High Blood Pressure Prevalence                                  | percent                    | 32.7           | 27.7   |       | 32.6 | 2019               | 4      |
| 1.14  | Ischemic Heart Disease: Medicare Population                     | percent                    | 25.9           |        | 27.5  | 26.8 | 2018               | 6      |
| 0.92  | Adults who Experienced a Stroke                                 | percent                    | 3.4            |        |       | 3.4  | 2019               | 4      |

|       |                                                           |                                             |                |        |       |       |                    |        |
|-------|-----------------------------------------------------------|---------------------------------------------|----------------|--------|-------|-------|--------------------|--------|
| 0.92  | Age-Adjusted Death Rate due to Heart Attack               | <i>deaths/ 100,000 population 35+ years</i> | 50.3           |        | 55.4  |       | 2019               | 14     |
| 0.92  | High Cholesterol Prevalence: Adults 18+                   | <i>percent</i>                              | 32.1           |        |       | 33.6  | 2019               | 4      |
|       |                                                           |                                             |                |        |       |       |                    |        |
| SCORE | IMMUNIZATIONS & INFECTIOUS DISEASES                       | UNITS                                       | PORTAGE COUNTY | HP2030 | Ohio  | U.S.  | MEASUREMENT PERIOD | Source |
| 1.67  | Chlamydia Incidence Rate                                  | <i>cases/ 100,000 population</i>            | 433.2          |        | 561.9 | 551   | 2019               | 16     |
| 1.36  | Age-Adjusted Death Rate due to Influenza and Pneumonia    | <i>deaths/ 100,000 population</i>           | 14.5           |        | 14.4  | 13.8  | 2017-2019          | 5      |
| 1.22  | Gonorrhea Incidence Rate                                  | <i>cases/ 100,000 population</i>            | 80.6           |        | 224   | 187.8 | 2019               | 16     |
| 1.00  | Adults who Agree Vaccine Benefits Outweigh Possible Risks | <i>Percent</i>                              | 49.1           |        | 48.6  | 49.4  | 2021               | 8      |
| 0.86  | Overcrowded Households                                    | <i>percent of households</i>                | 0.8            |        | 1.4   |       | 2015-2019          | 1      |
| 0.78  | Salmonella Infection Incidence Rate                       | <i>cases/ 100,000 population</i>            | 9.8            | 11.1   | 12.9  |       | 2018               | 16     |
| 0.78  | Tuberculosis Incidence Rate                               | <i>cases/ 100,000 population</i>            | 0              | 1.4    | 1.1   |       | 2020               | 16     |
| 0.75  | Persons Fully Vaccinated Against COVID-19                 | <i>percent</i>                              | 55.9           |        |       |       | 28-Jan-21          | 5      |
| 0.08  | COVID-19 Daily Average Case-Fatality Rate                 | <i>deaths per 100 cases</i>                 | 0              |        | 0     | 0.5   | 28-Jan-21          | 11     |
| 0.08  | COVID-19 Daily Average Incidence Rate                     | <i>cases per 100,000 population</i>         | 60.6           |        | 128.4 | 177.3 | 28-Jan-21          | 11     |
|       |                                                           |                                             |                |        |       |       |                    |        |
| SCORE | MATERNAL, FETAL & INFANT HEALTH                           | UNITS                                       | PORTAGE COUNTY | HP2030 | Ohio  | U.S.  | MEASUREMENT PERIOD | Source |

|       |                                                                |                                         |                |        |        |        |                    |        |
|-------|----------------------------------------------------------------|-----------------------------------------|----------------|--------|--------|--------|--------------------|--------|
| 1.06  | Babies with Low Birth Weight                                   | percent                                 | 7.3            |        | 8.5    | 8.2    | 2020               | 17     |
| 0.78  | Babies with Very Low Birth Weight                              | percent                                 | 1              |        | 1.4    | 1.3    | 2020               | 17     |
| 1.83  | Consumer Expenditures: Childcare                               | average dollar amount per consumer unit | 308.1          |        | 301.6  | 368.2  | 2021               | 7      |
| 2.22  | Infant Mortality Rate                                          | deaths/ 1,000 live births               | 9.7            | 5      | 6.9    |        | 2019               | 17     |
| 0.94  | Mothers who Received Early Prenatal Care                       | percent                                 | 75.9           |        | 68.9   | 76.1   | 2020               | 17     |
| 1.86  | Mothers who Smoked During Pregnancy                            | percent                                 | 13.4           | 4.3    | 11.5   | 5.5    | 2020               | 17     |
| 1.50  | Preterm Births                                                 | percent                                 | 9.8            | 9.4    | 10.3   |        | 2020               | 17     |
| 0.86  | Teen Birth Rate: 15-17                                         | live births/ 1,000 females aged 15-17   | 2.4            |        | 6.8    |        | 2020               | 17     |
| 0.86  | Teen Pregnancy Rate                                            | pregnancies/ 1,000 females aged 15-17   | 14.9           |        | 19.5   |        | 2016               | 17     |
|       |                                                                |                                         |                |        |        |        |                    |        |
| SCORE | MEDICATIONS & PRESCRIPTIONS                                    | UNITS                                   | PORTAGE COUNTY | HP2030 | Ohio   | U.S.   | MEASUREMENT PERIOD | Source |
| 1.83  | Consumer Expenditures: Medical Services                        | average dollar amount per consumer unit | 1061.7         |        | 1098.6 | 1047.4 | 2021               | 7      |
| 1.83  | Consumer Expenditures: Medical Supplies                        | average dollar amount per consumer unit | 198.2          |        | 204.8  | 194.9  | 2021               | 7      |
| 1.33  | Consumer Expenditures: Prescription and Non-Prescription Drugs | average dollar amount per consumer unit | 606.7          |        | 638.9  | 609.6  | 2021               | 7      |
|       |                                                                |                                         |                |        |        |        |                    |        |
| SCORE | MENTAL HEALTH & MENTAL DISORDERS                               | UNITS                                   | PORTAGE COUNTY | HP2030 | Ohio   | U.S.   | MEASUREMENT PERIOD | Source |

|       |                                                         |                                         |                |        |       |        |                    |        |
|-------|---------------------------------------------------------|-----------------------------------------|----------------|--------|-------|--------|--------------------|--------|
| 1.92  | Adults Ever Diagnosed with Depression                   | percent                                 | 22.3           |        |       | 18.8   | 2019               | 4      |
| 1.14  | Age-Adjusted Death Rate due to Alzheimer's Disease      | deaths/ 100,000 population              | 30.4           |        | 34    | 30.5   | 2017-2019          | 5      |
| 1.17  | Age-Adjusted Death Rate due to Suicide                  | deaths/ 100,000 population              | 13.9           | 12.8   | 15.1  | 14.1   | 2017-2019          | 5      |
| 1.31  | Alzheimer's Disease or Dementia: Medicare Population    | percent                                 | 9.9            |        | 10.4  | 10.8   | 2018               | 6      |
| 2.58  | Depression: Medicare Population                         | percent                                 | 21.4           |        | 20.4  | 18.4   | 2018               | 6      |
| 1.17  | Mental Health Provider Rate                             | providers/ 100,000 population           | 216.1          |        | 261.3 |        | 2020               | 9      |
| 1.92  | Poor Mental Health: 14+ Days                            | percent                                 | 16.8           |        |       | 13.6   | 2019               | 4      |
| 1.50  | Poor Mental Health: Average Number of Days              | days                                    | 4.8            |        | 4.8   | 4.1    | 2018               | 9      |
| 1.00  | Self-Reported General Health Assessment: Good or Better | percent                                 | 86.2           |        | 85.6  | 86.5   | 2021               | 8      |
|       |                                                         |                                         |                |        |       |        |                    |        |
| SCORE | NUTRITION & HEALTHY EATING                              | UNITS                                   | PORTAGE COUNTY | HP2030 | Ohio  | U.S.   | MEASUREMENT PERIOD | Source |
| 1.67  | Consumer Expenditures: Fruits and Vegetables            | average dollar amount per consumer unit | 825.5          |        | 864.6 | 1002.1 | 2021               | 7      |
| 1.50  | Adult Sugar-Sweetened Beverage Consumption: Past 7 Days | percent                                 | 81.5           |        | 80.9  | 80.4   | 2021               | 8      |

|              |                                                                    |                                                |                       |               |             |             |                           |               |
|--------------|--------------------------------------------------------------------|------------------------------------------------|-----------------------|---------------|-------------|-------------|---------------------------|---------------|
| <b>1.50</b>  | Adults Who Frequently Used Quick Service Restaurants: Past 30 Days | <i>Percent</i>                                 | 41.3                  |               | 41.5        | 41.2        | 2021                      | 8             |
| <b>1.33</b>  | Consumer Expenditures: Fast Food Restaurants                       | <i>average dollar amount per consumer unit</i> | 1439.5                |               | 1461        | 1638.9      | 2021                      | 7             |
| <b>1.33</b>  | Consumer Expenditures: High Sugar Foods                            | <i>average dollar amount per consumer unit</i> | 490.7                 |               | 519         | 530.2       | 2021                      | 7             |
| <b>1.00</b>  | Consumer Expenditures: High Sugar Beverages                        | <i>average dollar amount per consumer unit</i> | 299.9                 |               | 319.7       | 357         | 2021                      | 7             |
|              |                                                                    |                                                |                       |               |             |             |                           |               |
| <b>SCORE</b> | <b>OLDER ADULTS</b>                                                | <b>UNITS</b>                                   | <b>PORTAGE COUNTY</b> | <b>HP2030</b> | <b>Ohio</b> | <b>U.S.</b> | <b>MEASUREMENT PERIOD</b> | <b>Source</b> |
| <b>2.58</b>  | Depression: Medicare Population                                    | <i>percent</i>                                 | 21.4                  |               | 20.4        | 18.4        | 2018                      | 6             |
| <b>2.47</b>  | Atrial Fibrillation: Medicare Population                           | <i>percent</i>                                 | 9.6                   |               | 9           | 8.4         | 2018                      | 6             |
| <b>2.31</b>  | Hyperlipidemia: Medicare Population                                | <i>percent</i>                                 | 52.4                  |               | 49.4        | 47.7        | 2018                      | 6             |
| <b>2.25</b>  | Rheumatoid Arthritis or Osteoarthritis: Medicare Population        | <i>percent</i>                                 | 36.3                  |               | 36.1        | 33.5        | 2018                      | 6             |
| <b>1.92</b>  | Osteoporosis: Medicare Population                                  | <i>percent</i>                                 | 6.2                   |               | 6.2         | 6.6         | 2018                      | 6             |
| <b>1.67</b>  | People 65+ with Low Access to a Grocery Store                      | <i>percent</i>                                 | 3.6                   |               |             |             | 2015                      | 23            |
| <b>1.64</b>  | Cancer: Medicare Population                                        | <i>percent</i>                                 | 8.3                   |               | 8.4         | 8.4         | 2018                      | 6             |
| <b>1.47</b>  | Stroke: Medicare Population                                        | <i>percent</i>                                 | 3.6                   |               | 3.8         | 3.8         | 2018                      | 6             |
| <b>1.42</b>  | Adults with Arthritis                                              | <i>percent</i>                                 | 28.6                  |               |             | 25.1        | 2019                      | 4             |

|             |                                                                |                                   |      |      |      |      |           |   |
|-------------|----------------------------------------------------------------|-----------------------------------|------|------|------|------|-----------|---|
| <b>1.42</b> | Heart Failure: Medicare Population                             | <i>percent</i>                    | 15.1 |      | 14.7 | 14   | 2018      | 6 |
| <b>1.36</b> | COPD: Medicare Population                                      | <i>percent</i>                    | 12.5 |      | 13.2 | 11.5 | 2018      | 6 |
| <b>1.33</b> | Colon Cancer Screening                                         | <i>percent</i>                    | 65.4 | 74.4 |      | 66.4 | 2018      | 4 |
| <b>1.31</b> | Alzheimer's Disease or Dementia: Medicare Population           | <i>percent</i>                    | 9.9  |      | 10.4 | 10.8 | 2018      | 6 |
| <b>1.31</b> | Hypertension: Medicare Population                              | <i>percent</i>                    | 58   |      | 59.5 | 57.2 | 2018      | 6 |
| <b>1.25</b> | Adults 65+ who Received Recommended Preventive Services: Males | <i>percent</i>                    | 33.8 |      |      | 32.4 | 2018      | 4 |
| <b>1.25</b> | Adults 65+ with Total Tooth Loss                               | <i>percent</i>                    | 14.4 |      |      | 13.5 | 2018      | 4 |
| <b>1.25</b> | Chronic Kidney Disease: Medicare Population                    | <i>percent</i>                    | 22.6 |      | 25.3 | 24.5 | 2018      | 6 |
| <b>1.14</b> | Age-Adjusted Death Rate due to Alzheimer's Disease             | <i>deaths/ 100,000 population</i> | 30.4 |      | 34   | 30.5 | 2017-2019 | 5 |
| <b>1.14</b> | Age-Adjusted Death Rate due to Falls                           | <i>deaths/ 100,000 population</i> | 9.3  |      | 10.5 | 9.5  | 2017-2019 | 5 |
| <b>1.14</b> | Ischemic Heart Disease: Medicare Population                    | <i>percent</i>                    | 25.9 |      | 27.5 | 26.8 | 2018      | 6 |
| <b>1.08</b> | Asthma: Medicare Population                                    | <i>percent</i>                    | 4.8  |      | 4.8  | 5    | 2018      | 6 |
| <b>1.00</b> | Diabetes: Medicare Population                                  | <i>percent</i>                    | 25.4 |      | 27.2 | 27   | 2018      | 6 |
| <b>0.97</b> | People 65+ Living Alone                                        | <i>percent</i>                    | 25.5 |      | 28.8 | 26.1 | 2015-2019 | 1 |

|              |                                                                  |                                                |                       |               |             |             |                           |               |
|--------------|------------------------------------------------------------------|------------------------------------------------|-----------------------|---------------|-------------|-------------|---------------------------|---------------|
| <b>0.75</b>  | Adults 65+ who Received Recommended Preventive Services: Females | <i>percent</i>                                 | 34.3                  |               |             | 28.4        | 2018                      | 4             |
| <b>0.67</b>  | Consumer Expenditures: Eldercare                                 | <i>average dollar amount per consumer unit</i> | 19.4                  |               | 20.5        | 34.3        | 2021                      | 7             |
| <b>0.50</b>  | People 65+ Living Below Poverty Level                            | <i>percent</i>                                 | 5.5                   |               | 8.1         | 9.3         | 2015-2019                 | 1             |
|              |                                                                  |                                                |                       |               |             |             |                           |               |
| <b>SCORE</b> | <b>ORAL HEALTH</b>                                               | <b>UNITS</b>                                   | <b>PORTAGE COUNTY</b> | <b>HP2030</b> | <b>Ohio</b> | <b>U.S.</b> | <b>MEASUREMENT PERIOD</b> | <b>Source</b> |
| <b>1.81</b>  | Oral Cavity and Pharynx Cancer Incidence Rate                    | <i>cases/ 100,000 population</i>               | 12.7                  |               | 12.2        | 11.9        | 2014-2018                 | 12            |
| <b>1.44</b>  | Dentist Rate                                                     | <i>dentists/ 100,000 population</i>            | 47.4                  |               | 64.2        |             | 2019                      | 9             |
| <b>1.25</b>  | Adults 65+ with Total Tooth Loss                                 | <i>percent</i>                                 | 14.4                  |               |             | 13.5        | 2018                      | 4             |
| <b>1.00</b>  | Adults who Visited a Dentist                                     | <i>percent</i>                                 | 52.6                  |               | 51.6        | 52.9        | 2021                      | 8             |
|              |                                                                  |                                                |                       |               |             |             |                           |               |
| <b>SCORE</b> | <b>OTHER CONDITIONS</b>                                          | <b>UNITS</b>                                   | <b>PORTAGE COUNTY</b> | <b>HP2030</b> | <b>Ohio</b> | <b>U.S.</b> | <b>MEASUREMENT PERIOD</b> | <b>Source</b> |
| <b>2.25</b>  | Rheumatoid Arthritis or Osteoarthritis: Medicare Population      | <i>percent</i>                                 | 36.3                  |               | 36.1        | 33.5        | 2018                      | 6             |
| <b>1.92</b>  | Osteoporosis: Medicare Population                                | <i>percent</i>                                 | 6.2                   |               | 6.2         | 6.6         | 2018                      | 6             |
| <b>1.42</b>  | Adults with Arthritis                                            | <i>percent</i>                                 | 28.6                  |               |             | 25.1        | 2019                      | 4             |
| <b>1.25</b>  | Chronic Kidney Disease: Medicare Population                      | <i>percent</i>                                 | 22.6                  |               | 25.3        | 24.5        | 2018                      | 6             |
| <b>0.92</b>  | Adults with Kidney Disease                                       | <i>Percent of adults</i>                       | 2.9                   |               |             | 3.1         | 2019                      | 4             |

|              |                                                          |                                      |                       |               |             |             |                           |               |
|--------------|----------------------------------------------------------|--------------------------------------|-----------------------|---------------|-------------|-------------|---------------------------|---------------|
| <b>0.50</b>  | Age-Adjusted Death Rate due to Kidney Disease            | <i>deaths/ 100,000 population</i>    | 11.5                  |               | 14.5        | 12.9        | 2017-2019                 | 5             |
|              |                                                          |                                      |                       |               |             |             |                           |               |
| <b>SCORE</b> | <b>PHYSICAL ACTIVITY</b>                                 | <b>UNITS</b>                         | <b>PORTAGE COUNTY</b> | <b>HP2030</b> | <b>Ohio</b> | <b>U.S.</b> | <b>MEASUREMENT PERIOD</b> | <b>Source</b> |
| <b>2.14</b>  | Fast Food Restaurant Density                             | <i>restaurants/ 1,000 population</i> | 0.9                   |               |             |             | 2016                      | 23            |
| <b>2.00</b>  | Grocery Store Density                                    | <i>stores/ 1,000 population</i>      | 0.1                   |               |             |             | 2016                      | 23            |
| <b>1.83</b>  | Children with Low Access to a Grocery Store              | <i>percent</i>                       | 6.2                   |               |             |             | 2015                      | 23            |
| <b>1.83</b>  | SNAP Certified Stores                                    | <i>stores/ 1,000 population</i>      | 0.6                   |               |             |             | 2017                      | 23            |
| <b>1.67</b>  | Farmers Market Density                                   | <i>markets/ 1,000 population</i>     | 0                     |               |             |             | 2018                      | 23            |
| <b>1.67</b>  | Low-Income and Low Access to a Grocery Store             | <i>percent</i>                       | 7.8                   |               |             |             | 2015                      | 23            |
| <b>1.67</b>  | People 65+ with Low Access to a Grocery Store            | <i>percent</i>                       | 3.6                   |               |             |             | 2015                      | 23            |
| <b>1.64</b>  | Workers who Walk to Work                                 | <i>percent</i>                       | 2.4                   |               | 2.2         | 2.7         | 2015-2019                 | 1             |
| <b>1.50</b>  | Adult Sugar-Sweetened Beverage Consumption: Past 7 Days  | <i>percent</i>                       | 81.5                  |               | 80.9        | 80.4        | 2021                      | 8             |
| <b>1.50</b>  | WIC Certified Stores                                     | <i>stores/ 1,000 population</i>      | 0.1                   |               |             |             | 2016                      | 23            |
| <b>1.42</b>  | Adults 20+ who are Obese                                 | <i>percent</i>                       | 31.8                  | 36            |             |             | 2019                      | 5             |
| <b>1.33</b>  | Households with No Car and Low Access to a Grocery Store | <i>percent</i>                       | 2.3                   |               |             |             | 2015                      | 23            |
| <b>1.33</b>  | Recreation and Fitness Facilities                        | <i>facilities/ 1,000 population</i>  | 0.1                   |               |             |             | 2016                      | 23            |
| <b>1.25</b>  | Health Behaviors Ranking                                 | <i>ranking</i>                       | 7                     |               |             |             | 2021                      | 9             |

|       |                                                         |                            |                |        |      |      |                    |        |
|-------|---------------------------------------------------------|----------------------------|----------------|--------|------|------|--------------------|--------|
| 1.19  | Adults 20+ who are Sedentary                            | percent                    | 23.3           |        |      |      | 2019               | 5      |
| 1.17  | Access to Exercise Opportunities                        | percent                    | 83.8           |        | 83.9 | 84   | 2020               | 9      |
| 1.03  | Food Environment Index                                  | index                      | 7.7            |        | 6.8  | 7.8  | 2021               | 9      |
|       |                                                         |                            |                |        |      |      |                    |        |
| SCORE | PREVENTION & SAFETY                                     | UNITS                      | PORTAGE COUNTY | HP2030 | Ohio | U.S. | MEASUREMENT PERIOD | Source |
| 1.14  | Age-Adjusted Death Rate due to Falls                    | deaths/ 100,000 population | 9.3            |        | 10.5 | 9.5  | 2017-2019          | 5      |
| 0.72  | Age-Adjusted Death Rate due to Unintentional Injuries   | deaths/ 100,000 population | 47.4           | 43.2   | 68.8 | 48.9 | 2017-2019          | 5      |
| 1.19  | Age-Adjusted Death Rate due to Unintentional Poisonings | deaths/ 100,000 population | 24.7           |        | 40.2 | 21.4 | 2017-2019          | 5      |
| 1.03  | Death Rate due to Drug Poisoning                        | deaths/ 100,000 population | 21.7           |        | 38.1 | 21   | 2017-2019          | 9      |
| 1.25  | Severe Housing Problems                                 | percent                    | 14.4           |        | 13.7 | 18   | 2013-2017          | 9      |
|       |                                                         |                            |                |        |      |      |                    |        |
| SCORE | RESPIRATORY DISEASES                                    | UNITS                      | PORTAGE COUNTY | HP2030 | Ohio | U.S. | MEASUREMENT PERIOD | Source |
| 1.83  | Adults Who Used Electronic Cigarettes: Past 30 Days     | percent                    | 4.6            |        | 4.3  | 4.1  | 2021               | 8      |
| 1.75  | Adults with Current Asthma                              | percent                    | 10.2           |        |      | 8.9  | 2019               | 4      |
| 1.67  | Adults Who Used Smokeless Tobacco: Past 30 Days         | percent                    | 2.7            |        | 2.2  | 2    | 2021               | 8      |
| 1.58  | Adults who Smoke                                        | percent                    | 21.4           | 5      | 21.4 | 17   | 2018               | 9      |
| 1.44  | Age-Adjusted Death Rate due to Lung Cancer              | deaths/ 100,000 population | 44             | 25.1   | 45   | 36.7 | 2015-2019          | 12     |

|       |                                                                   |                                         |                |        |       |       |                    |        |
|-------|-------------------------------------------------------------------|-----------------------------------------|----------------|--------|-------|-------|--------------------|--------|
| 1.42  | Adults with COPD                                                  | Percent of adults                       | 8.4            |        |       | 6.6   | 2019               | 4      |
| 1.36  | Age-Adjusted Death Rate due to Influenza and Pneumonia            | deaths/ 100,000 population              | 14.5           |        | 14.4  | 13.8  | 2017-2019          | 5      |
| 1.36  | COPD: Medicare Population                                         | percent                                 | 12.5           |        | 13.2  | 11.5  | 2018               | 6      |
| 1.36  | Lung and Bronchus Cancer Incidence Rate                           | cases/ 100,000 population               | 64             |        | 67.3  | 57.3  | 2014-2018          | 12     |
| 1.17  | Consumer Expenditures: Tobacco and Legal Marijuana                | average dollar amount per consumer unit | 443.7          |        | 487.9 | 422.4 | 2021               | 7      |
| 1.08  | Asthma: Medicare Population                                       | percent                                 | 4.8            |        | 4.8   | 5     | 2018               | 6      |
| 0.86  | Age-Adjusted Death Rate due to Chronic Lower Respiratory Diseases | deaths/ 100,000 population              | 41.9           |        | 47.8  | 39.6  | 2017-2019          | 5      |
| 0.78  | Tuberculosis Incidence Rate                                       | cases/ 100,000 population               | 0              | 1.4    | 1.1   |       | 2020               | 16     |
| 0.08  | COVID-19 Daily Average Case-Fatality Rate                         | deaths per 100 cases                    | 0              |        | 0     | 0.5   | 28-Jan-21          | 11     |
| 0.08  | COVID-19 Daily Average Incidence Rate                             | cases per 100,000 population            | 60.6           |        | 128.4 | 177.3 | 28-Jan-21          | 11     |
|       |                                                                   |                                         |                |        |       |       |                    |        |
| SCORE | TOBACCO USE                                                       | UNITS                                   | PORTAGE COUNTY | HP2030 | Ohio  | U.S.  | MEASUREMENT PERIOD | Source |
| 1.83  | Adults Who Used Electronic Cigarettes: Past 30 Days               | percent                                 | 4.6            |        | 4.3   | 4.1   | 2021               | 8      |
| 1.67  | Adults Who Used Smokeless Tobacco: Past 30 Days                   | percent                                 | 2.7            |        | 2.2   | 2     | 2021               | 8      |
| 1.58  | Adults who Smoke                                                  | percent                                 | 21.4           | 5      | 21.4  | 17    | 2018               | 9      |

|       |                                                                          |                                                    |                   |        |       |        |                       |        |
|-------|--------------------------------------------------------------------------|----------------------------------------------------|-------------------|--------|-------|--------|-----------------------|--------|
| 1.17  | Consumer Expenditures:<br>Tobacco and Legal Marijuana                    | <i>average dollar amount per<br/>consumer unit</i> | 443.7             |        | 487.9 | 422.4  | 2021                  | 7      |
|       |                                                                          |                                                    |                   |        |       |        |                       |        |
| SCORE | WELLNESS & LIFESTYLE                                                     | UNITS                                              | PORTAGE<br>COUNTY | HP2030 | Ohio  | U.S.   | MEASUREMENT<br>PERIOD | Source |
| 1.92  | Insufficient Sleep                                                       | <i>percent</i>                                     | 40                | 31.4   | 40.6  | 35     | 2018                  | 9      |
| 1.67  | Poor Physical Health: Average<br>Number of Days                          | <i>days</i>                                        | 4.4               |        | 4.1   | 3.7    | 2018                  | 9      |
| 1.50  | Adult Sugar-Sweetened<br>Beverage Consumption: Past 7<br>Days            | <i>percent</i>                                     | 81.5              |        | 80.9  | 80.4   | 2021                  | 8      |
| 1.50  | Adults Who Frequently Used<br>Quick Service Restaurants:<br>Past 30 Days | <i>Percent</i>                                     | 41.3              |        | 41.5  | 41.2   | 2021                  | 8      |
| 1.42  | Morbidity Ranking                                                        | <i>ranking</i>                                     | 34                |        |       |        | 2021                  | 9      |
| 1.33  | Consumer Expenditures: Fast<br>Food Restaurants                          | <i>average dollar amount per<br/>consumer unit</i> | 1439.5            |        | 1461  | 1638.9 | 2021                  | 7      |
| 1.25  | Poor Physical Health: 14+ Days                                           | <i>percent</i>                                     | 13.2              |        |       | 12.5   | 2019                  | 4      |
| 1.17  | High Blood Pressure<br>Prevalence                                        | <i>percent</i>                                     | 32.7              | 27.7   |       | 32.6   | 2019                  | 4      |
| 1.17  | Life Expectancy                                                          | <i>years</i>                                       | 78                |        | 77    | 79.2   | 2017-2019             | 9      |
| 1.08  | Self-Reported General Health<br>Assessment: Poor or Fair                 | <i>percent</i>                                     | 18.1              |        |       | 18.6   | 2019                  | 4      |
| 1.00  | Adults who Agree Vaccine<br>Benefits Outweigh Possible<br>Risks          | <i>Percent</i>                                     | 49.1              |        | 48.6  | 49.4   | 2021                  | 8      |

|              |                                                         |                                |                       |               |             |             |                           |               |
|--------------|---------------------------------------------------------|--------------------------------|-----------------------|---------------|-------------|-------------|---------------------------|---------------|
| <b>1.00</b>  | Self-Reported General Health Assessment: Good or Better | <i>percent</i>                 | 86.2                  |               | 85.6        | 86.5        | 2021                      | 8             |
|              |                                                         |                                |                       |               |             |             |                           |               |
| <b>SCORE</b> | <b>WOMEN'S HEALTH</b>                                   | <b>UNITS</b>                   | <b>PORTAGE COUNTY</b> | <b>HP2030</b> | <b>Ohio</b> | <b>U.S.</b> | <b>MEASUREMENT PERIOD</b> | <b>Source</b> |
| <b>1.81</b>  | Breast Cancer Incidence Rate                            | <i>cases/ 100,000 females</i>  | 128.7                 |               | 129.6       | 126.8       | 2014-2018                 | 12            |
| <b>1.61</b>  | Cervical Cancer Screening: 21-65                        | <i>Percent</i>                 | 83.7                  | 84.3          |             | 84.7        | 2018                      | 4             |
| <b>1.28</b>  | Age-Adjusted Death Rate due to Breast Cancer            | <i>deaths/ 100,000 females</i> | 20.4                  | 15.3          | 21.6        | 19.9        | 2015-2019                 | 12            |
| <b>1.06</b>  | Cervical Cancer Incidence Rate                          | <i>cases/ 100,000 females</i>  | 6.8                   |               | 7.9         | 7.7         | 2014-2018                 | 12            |
| <b>0.94</b>  | Mammogram in Past 2 Years: 50-74                        | <i>percent</i>                 | 75.6                  | 77.1          |             | 74.8        | 2018                      | 4             |

## Portage County Data Sources

| Key | Data Source Name                                                      |
|-----|-----------------------------------------------------------------------|
| 1   | American Community Survey                                             |
| 2   | American Lung Association                                             |
| 3   | Annie E. Casey Foundation                                             |
| 4   | CDC - PLACES                                                          |
| 5   | Centers for Disease Control and Prevention                            |
| 6   | Centers for Medicare & Medicaid Services                              |
| 7   | Claritas Consumer Buying Power                                        |
| 8   | Claritas Consumer Profiles                                            |
| 9   | County Health Rankings                                                |
| 10  | Feeding America                                                       |
| 11  | Healthy Communities Institute                                         |
| 12  | National Cancer Institute                                             |
| 13  | National Center for Education Statistics                              |
| 14  | National Environmental Public Health Tracking Network                 |
| 15  | Ohio Department of Education                                          |
| 16  | Ohio Department of Health, Infectious Diseases                        |
| 17  | Ohio Department of Health, Vital Statistics                           |
| 18  | Ohio Department of Public Safety, Office of Criminal Justice Services |
| 19  | Ohio Public Health Information Warehouse                              |
| 20  | Ohio Secretary of State                                               |
| 21  | U.S. Bureau of Labor Statistics                                       |
| 22  | U.S. Census - County Business Patterns                                |
| 23  | U.S. Department of Agriculture - Food Environment Atlas               |
| 24  | U.S. Environmental Protection Agency                                  |
| 25  | United For ALICE                                                      |

## Appendix D: Community Input Assessment Tools

CCF identified key community stakeholders to provide vital perspectives and context around important community health issues. CCF and HCI worked to develop a questionnaire to determine what a community needs to be healthy, what barriers to health exist in the community, how COVID-19 has impacted health in the community and how the challenges identified might be addressed in the future. Below is the complete Key Stakeholder Interview Guide:

**WELCOME:** Cleveland Clinic *{hospital name}* is in the process of conducting our 2022 comprehensive Community Health Needs Assessment (CHNA) to understand and plan for the current and future health needs of our community. You have been invited to take part in this interview because of your experience working *{at organization}* in the community. During this interview, we will ask a series of questions related to health issues in your community. Our ultimate goal is to gain various perspectives on the major issues affecting the population that your organizations serves and how to improve health in your community. We hope to get through as many questions as possible and hear your perspective as much as time allows.

**TRANSCRIPTION:** For today's call we are using the transcription feature in MS Teams. This feature produces a live transcript and makes meetings more inclusive for those who are deaf, hard of hearing, or have different levels of language proficiency. Our primary purpose for using this feature is to assist with note taking.

**CONFIDENTIALITY:** For this conversation, I will invite you to share as much or little as you feel comfortable sharing. The results of this assessment will be made available to the public. Although we will take notes on your responses, your name will not be associated with any direct quotes. Your identity will be kept confidential, so please share your honest opinions.

**FORMAT:** We anticipate that this conversation will last ~45 minutes to an hour.

### **Section #1: Introduction**

- What community, or geographic area, does your organization serve (or represent)?
  - How does your organization serve the community?

### **Section #2: Community Health and Well-being**

- From your perspective, what does a community need to be healthy?

- What do you believe are the 2-3 most important issues that must be addressed to improve health and quality of life in your community?

### **Section #3: Barriers to Health**

- What health disparities appear most prevalent in your community?
- What are the barriers or challenges to improving health in the community?
  - What makes some people healthy in the community while others experience poor health?
  - What particular parts of the community or geographic areas that are underserved or under-resourced?
  - What services are most difficult to access?
- What could be done to promote health equity?

### **Section #4: COVID-19**

- How has COVID-19 impacted health in your community?
  - What were the most significant health concerns prior to the pandemic vs now?
  - What populations have been most affected by COVID-19?
- How has COVID-19 impacted access to care in the community?
  - What about access to mental health or substance use treatment in the community?
  - What about emergency and preventative care services?

### **Section #5: Addressing the Challenges & Solutions**

- What are some possible solutions to the problems that we have discussed?
  - How can organizations such as hospitals, health departments, government, and community-based organizations work together to address some of the problems that have been mentioned?
- How can we make sure that community voices are heard when decisions are made that affect their community?
  - What would be the best way to communicate with community members about progress organizations are making to improve health and quality of life?
- What resources does your community have that can be used to improve community health?

### **Section #6: Conclusion**

- Is there anything else that you think would be important for us to know as we conduct this community health needs assessment?

**CLOSURE SCRIPT:** Thank you again for taking time out of your busy day to share your experiences with us. We will include the key themes from today's discussion in our assessment. Please remember, your name will not be connected to any of the comments you made today. Please let us know if you have any questions or concerns about this.

## Appendix E: Community Partners and Resources

This section identifies other facilities and resources available in the community served by Marymount Hospital that are available to address community health needs.

### Federally Qualified Health Centers

Ohio's Association of Community Health Centers (OACHC) is a not-for-profit membership association representing Federally Qualified Health Centers (FQHCs).<sup>27</sup> FQHCs are established to promote access to ambulatory care in areas designated as medically underserved. These clinics provide primary care, mental health, and dental services for lower-income members of the community. FQHCs receive enhanced reimbursement for Medicaid and Medicare services and most also receive federal grant funds under Section 330 of the Public Health Service Act. OACHC represents Ohio's 57 Community Health Centers at 400 locations, including multiple mobile units. The following FQHC clinics and networks operate in the Marymount Hospital Community:

- Asian Services in Action, Inc.
- Axesspointe Community Health Center, Inc.
- Care Alliance
- Community Support Services, Inc.
- Health Source of Ohio
- MetroHealth Community Health Centers (MHCHC)
- Neighborhood Family Practice
- Northeast Ohio Neighborhood Health Services<sup>28</sup>
- Signature Health, Inc.
- The Centers

### Hospitals

In addition to several Cleveland Clinic hospitals in Northeast Ohio, the following is a list of other hospital facilities located in the Marymount Hospital Community:

---

<sup>27</sup> Ohio Association of Community Health Centers, <https://www.ohiochc.org/page/178>

<sup>28</sup> Data search August 15, 2022

- Akron Children's Hospital
- Crystal Clinic Orthopaedic Center
- Grace Hospital
- MetroHealth Medical Centers (Multiple Locations)
- Select Specialty Hospital- Akron
- St. Vincent Charity Medical Center
- Summa Health System – Akron Campus
- University Hospitals (Multiple Locations)
- Western Reserve Hospital

### Other Community Resources

A wide range of agencies, coalitions, and organizations that provide health and social services is available in the region served by Marymount. United Way 2-1-1 Ohio maintains a large, online database to help refer individuals in need to health and human services in Ohio. This is a service of the Ohio Department of Social Services and is provided in partnership with the Council of Community Services, The Planning Council, and United Way chapters in Cleveland. United Way 2-1-1 Ohio contains information on organizations and resources in the following categories:

- Donations and Volunteering
- Education, Recreation, and the Arts
- Employment and Income Support
- Family Support and Parenting
- Food, Clothing, and Household Items
- Health Care
- Housing and Utilities
- Legal Services and Financial Management
- Mental Health and Counseling
- Municipal and Community Services
- Substance Abuse and Other Addictions

Additional information about these resources is available at: <http://www.211oh.org/>

## Appendix F: Acknowledgements


Conduent Healthy Communities Institute (HCI) supported report preparation. HCI works with clients across the nation to drive community health outcomes by assessing needs, developing focused strategies, identifying appropriate intervention programs, establishing monitoring systems, and implementing performance evaluation processes. To learn more about Conduent HCI, please visit [www.conduent.com/community-population-health](http://www.conduent.com/community-population-health).

HCI Authors for this report are listed below:

Sharri Morley, MPH, Public Health Consultant  
Era Chaudry, MPH, MBA, Public Health Senior Analyst  
Gautami Shikhare, MPH, Community Data Analyst II  
Margaret Mysz, MPH, Community Data Analyst II  
Dari Goldman, MPH, Public Health Analyst  
Olivia Dunn, Community Data Analyst II  
Garry Jacinto, Community Data Analyst

# Implementation Strategy Report

2022



# MARYMOUNT HOSPITAL 2022 IMPLEMENTATION STRATEGY REPORT

## 2022 Community Health Needs Assessment

### Implementation Strategy Report for Years 2023 – 2025

## TABLE OF CONTENTS

|      |                                                        |     |
|------|--------------------------------------------------------|-----|
| I.   | Introduction and Purpose _____                         | 180 |
| II.  | Community Definition _____                             | 180 |
| III. | How Implementation Strategy was Developed _____        | 181 |
| IV.  | Summary of the Community Health Needs Identified _____ | 182 |
| V.   | Needs Hospital Will Address _____                      | 182 |

# MARYMOUNT HOSPITAL 2022 IMPLEMENTATION STRATEGY REPORT

## I. INTRODUCTION AND PURPOSE

This written plan is intended to satisfy the requirements set forth in Internal Revenue Code Section 501(r)(3) regarding community health needs assessments and implementation strategies. The overall purpose of the Implementation Strategy is to align the hospital's limited resources, program services, and activities with the findings of the Marymount Hospital Community Health Needs Assessment ("CHNA"). The Implementation Strategy Report (ISR) includes the priority community health needs identified during the 2022 CHNA and hospital-specific strategies to address those needs from 2023 through 2025.

### A. Description of Hospital

Founded in 1949 by the Sisters of St. Joseph of the Third Order of St. Francis, Marymount has been blending compassionate patient care with exceptional medical expertise and advanced technology. Marymount is a 263 staffed bed<sup>29</sup> acute care hospital, serving communities in southern and southeastern Cuyahoga County. The 26-acre hospital campus includes a medical office building, a behavioral health center, the Critical Care Tower, and a state-of-the-art Surgery Center. Marymount has also broadened its geographic footprint with their off-site facilities, including a Medical Center in Broadview Heights and an Ambulatory Surgery Center in Garfield Heights. Additional information on the hospital and its services is available at: <https://my.clevelandclinic.org/locations/marymount-hospital>.

The hospital is part of the Cleveland Clinic health system, which includes an academic medical center near downtown Cleveland, fourteen regional hospitals in northeast Ohio, a children's hospital, a children's rehabilitation hospital, five southeast Florida hospitals, and several other facilities and services across Ohio, Florida, and Nevada. Additional information about Cleveland Clinic is available at <https://my.clevelandclinic.org/>.

Marymount Hospital's mission is:

*Caring for life, researching for health, and educating those who serve.*


## II. COMMUNITY DEFINITION

For purposes of this report, the Marymount Hospital community definition is an aggregate of 27 zip codes in Cuyahoga, Summit, and Portage Counties comprising approximately 75% of inpatient, outpatient, and emergency department visits in 2021 (Figure 1).

---

<sup>29</sup> For the purpose of this report and consistent methodology, the Cleveland Clinic MD&A (Q4-2022) interim financial statement is referenced for official bed count. We acknowledge that staffed bed count may fluctuate and may differ from registered or licensed bed counts reflected in other descriptions.

Figure 1: Marymount Hospital Community Definition



### III. HOW IMPLEMENTATION STRATEGY WAS DEVELOPED

This Implementation Strategy was developed by members of leadership at Marymount Hospital and Cleveland Clinic, representing several departments of the organizations, including clinical administration, medical operations, nursing, finance, population health, and community relations. This team incorporated input from the hospital's community and local non-profit organizations to prioritize selected strategies and determine possible collaborations. Alignment with county Community Health Assessments (CHA) as well as the State Health Assessment (SHA), was also considered. Leadership at Marymount Hospital will utilize this Implementation Strategy to determine whether changes should be made to better address the health needs of its communities.

## IV. SUMMARY OF THE COMMUNITY HEALTH NEEDS IDENTIFIED

Marymount Hospital's prioritized community health needs, as determined by analyses of quantitative and qualitative data, include:

- Access to Healthcare
- Behavioral Health
- Chronic Disease Prevention and Management
- Maternal and Child Health
- Socioeconomic Issues

In addition to the prioritized community health needs, themes of health equity, social determinants of health, and medical research and education are intertwined in all community health components and impact multiple areas of community health strategies and delivery. Cleveland Clinic is committed to promoting health equity and healthy behaviors in our communities. The hospital addresses these overarching themes through a variety of services and initiatives, including cross-sector health and economic improvement collaborations, local hiring for the hospital workforce, mentoring of community residents, in-kind donation of time and sponsorships, anchor institution commitment, and caregiver training for inclusion and diversity.

### COVID-19 Considerations

The COVID-19 global pandemic declared in early 2020 has caused extraordinary challenges for healthcare systems worldwide, including Marymount Hospital. Keeping front-line workers and patients safe, securing protective equipment, developing testing protocols, and helping patients and families deal with the isolation needed to stop the spread of the virus all took priority as the pandemic took hold.

Many of the community benefit strategies noted in the previous 2019 implementation strategy were temporarily paused or adjusted to comply with current public health guidelines to ensure the health and safety of patients, staff, and other participants. Many of the strategies included in the 2023-2025 implementation strategy are a continuation or renewal of those that were paused during the pandemic as the community needs identified in the 2022 CHNA did not change greatly from those identified in the 2019 CHNA.

See the 2022 Marymount Hospital and other Cleveland Clinic CHNAs for more information:  
[www.clevelandclinic.org/CHNAREports](http://www.clevelandclinic.org/CHNAREports)

## V. NEEDS HOSPITAL WILL ADDRESS

Each Cleveland Clinic hospital provides numerous services and programs in effort to address the health needs of the community. Implementation of our services focuses on addressing structural factors important for community health, strengthening trust with residents and stakeholders, ensuring community voice in developing strategies, and evaluating our strategies and programs.

Strategies within the ISRs are included according to the prioritized list of needs developed during the 2022 CHNA. These hospitals' community health initiatives combine Cleveland Clinic and local non-profit

organizations' resources in unified efforts to improve health and health equity for our community members, especially low-income, underserved, and vulnerable populations.

## A. Access to Healthcare

Access to Healthcare data analysis results describe community needs related to consumer expenditures for insurance, medical expenses, medicines, and other supplies. More expansive parameters include limitations to accessing healthcare described in terms of transportation challenges, resource limitations, and availability of primary care and other prevention services in local neighborhoods.

Cleveland Clinic continues to evaluate methods to improve patient access to care. All Cleveland Clinic hospitals will continue to provide medically necessary services to all patients regardless of race, color, creed, gender, country of national origin, or ability to pay. The financial assistance policy can be accessed here: [Cleveland Clinic Financial Assistance](#).

Access to Healthcare Initiatives for 2023-2025 include:

| <i>Initiatives Including Collaborations and Resources Allocated</i>                                                                                                        | <i>Anticipated Impacts</i>                                                                       |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------|
| <i>A</i> Patient Financial Advocates assist patients in evaluating eligibility for financial assistance or public health insurance programs.                               | Increase the proportion of eligible individuals who are enrolled in various assistance programs. |
| <i>B</i> Address digital equity, utilize medically secure online and mobile platforms, connect patients with Cleveland Clinic providers for telehealth and virtual visits. | Overcome geographical and transportation barriers, and improve access to specialized care.       |

## B. Behavioral Health

Marymount Hospital's 2022 CHNA also identified Behavioral Health as a prioritized need area. Behavioral Health encompasses Mental Health and Substance Use Disorders. Mental Health includes suicide, depression, and self-reported poor mental health rates. Substance Use Disorder relates to alcohol and drug use, including drug overdoses. Community members described mental health challenges in the community, exacerbated by COVID-19 related stressors, resulting in increased alcohol and drug use starting in adolescence as a means of coping.

Behavioral Health Initiatives for 2023-2025 include:

| Initiatives Including Collaborations and Resources Allocated                                                                                                                                                                  | Anticipated Impacts                                                          |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------|
| <b>A</b> Continued collaboration in Northeast Ohio Hospital Opioid Consortium and Cuyahoga County Opioid Task Force in coordinated efforts to reduce the widespread effect of the heroin and opioid crisis in Northeast Ohio. | Reduce the number of individuals with opioid addiction and dependence.       |
| <b>B</b> Distribute Deterra pouches for medication deactivation and disposal.                                                                                                                                                 | Reduce the availability of unused prescription opioids within the community. |
| <b>C</b> Partner with Garfield Heights School District to provide mental health and wellness education to students and staff.                                                                                                 | Increase the wellness and mental health in community residents.              |

## C. Chronic Disease Prevention & Management

Marymount Hospital's CHNA identified chronic disease and other health conditions as prevalent in the community (ex. heart disease, stroke, diabetes, respiratory diseases, hypertension, obesity, cancer, COVID-19). Prevention and management of chronic disease initiatives seek to increase healthy behaviors in nutrition, physical activity, and tobacco cessation.

Chronic Disease Prevention & Management Initiatives for 2023-2025 include:

| <i>Initiatives Including Collaborations and Resources Allocated</i>                                                                                                                                                                   | <i>Anticipated Impacts</i>                                                                                                                                                                            |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <i>A</i> Implement health promotion, health education, support groups, and outreach events related to heart disease and stroke, cancer, respiratory disease, women's health, and obesity, therefore reducing behavioral risk factors. | Decrease smoking, improve physical activity, improve nutrition, increase the number of individuals with a regular source of care, increase cancer screening rates, improve screening follow-up rates. |
| <i>B</i> Provide education to the community on Sepsis prevention.                                                                                                                                                                     | Decrease infection rates.                                                                                                                                                                             |

## D. Maternal & Child Health

Marymount Hospital's 2022 CHNA continued to identify Maternal and Child Health as a prioritized health need in the community. Secondary data indicators include a range of children's health needs from babies with low birth weight to consumer expenditures on childcare. Primary data describes disparities among low-income and ethnic minority populations and link access to healthcare with prenatal care. Infant mortality rates at the local, state, and national levels have been particularly high for Black infants.

Maternal and Child Health Initiatives for 2023-2025 include:

| <i>Initiatives Including Collaborations and Resources Allocated</i>                                                                                                                                                                                 | <i>Anticipated Impacts</i>                                                                              |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------|
| <i>A</i> Through the Cleveland Clinic enterprise, continue participation in First Year Cleveland, the Cuyahoga County Infant Mortality Task Force to gather data, align programs, and coordinate a systemic approach to improving infant mortality. | Reduce infant mortality inequity, improve the preterm birth rate, decrease sleep-related infant deaths. |
| <i>B</i> Outreach events like Community Baby Showers provide health information to families in specific high-risk geographical areas and encourage enrollment in supportive evidence-based programs.                                                | Improve the number of mothers who receive adequate prenatal care.                                       |

## E. Socioeconomic Issues

Marymount Hospital's 2022 CHNA demonstrated that health needs are multifaceted, involving medical as well as socioeconomic concerns. The assessment identified food security, affordable housing, employment, transportation, health literacy, structural racism, poverty, and environmental risk factors as significant concerns. Further, the primary and secondary impacts of COVID-19 have exacerbated many health disparities and barriers that were present before the pandemic. Socioeconomic issues for this report are defined as a


subset of social determinants of health (SDOH). Prevention & Safety, Affordable Housing, Violence, Falls, and Environmental Issues were prioritized socioeconomic issues described by primary and secondary data.

The Socioeconomic Initiatives for 2023 – 2025 include:

| <i>Initiatives Including Collaborations and Resources Allocated</i>                                                                                                                                                                                                                                                                                                                                                            | <i>Anticipated Impacts</i>                                                                                                        |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------|
| <i>A</i> Continue a Cleveland Clinic common community referral data platform to coordinate services and ensure optimal communication.                                                                                                                                                                                                                                                                                          | Improve active referrals to community-based organizations, non-profits, and other healthcare facilities; track referral outcomes. |
| <i>B</i> Continue Cleveland Clinic patient navigation programming using Community Health Workers and/or the co-location of community organizations with hospital facilities.                                                                                                                                                                                                                                                   | Ensure connection to medical, social, and behavioral services; Improve health equity.                                             |
| <i>C</i> Partner with community-based organizations to improve equitable access to healthy foods.                                                                                                                                                                                                                                                                                                                              | Improve self-efficacy associated with healthy eating, and improving nutrition.                                                    |
| <i>D</i> Provide workforce development and training opportunities for youth K-12 in clinical and non-clinical areas, empowering Northeast Ohio's next generation of leaders; Develop a partnership with Boys Hope Girls Hope to support positive youth development interventions; Promote entry-level opportunities through Cleveland Clinic Student Pathways Program and internship programs with local high school students. | Increase diversity within the healthcare workforce, improve trust in providers, and improve local provider shortages.             |

While this ISR outlines specific strategies and programs identified to address the 2022 CHNA prioritized areas of Access to Healthcare, Behavioral Health, Chronic Disease Prevention and Management, Maternal and Child Health, and Socioeconomic Issues, it does not reflect all the work being done by Marymount Hospital to improve community health. Through this iterative process, opportunities are identified to grow and expand existing work in prioritized areas as well as implement additional programming in new areas. These ongoing strategic conversations will allow Marymount Hospital to build stronger community collaborations and make smarter, more targeted investments to improve the health of the people in the communities they serve.

For more information regarding Cleveland Clinic Community Health Needs Assessments and Implementations Strategy Reports, please visit [www.clevelandclinic.org/CHNAREports](http://www.clevelandclinic.org/CHNAREports) or contact [CHNA@ccf.org](mailto:CHNA@ccf.org).



[clevelandclinic.org/CHNAreports](https://clevelandclinic.org/CHNAreports)